STATUS REPORT ON MISSOURI'S SUBSTANCE USE AND MENTAL HEALTH

Twenty-first Edition -- 2015



MISSOURI DEPARTMENT OF MENTAL HEALTH
Division of Behavioral Health

STATUS REPORT ON MISSOURI'S SUBSTANCE USE AND MENTAL HEALTH

TWENTY-FIRST EDITION — 2015

Randall C. Smith, M.P.A., M.Ed.
Christie J. Lundy, Ph.D.
Renee M. Rothermich, M.A.

MISSOURI DEPARTMENT OF MENTAL HEALTH

Division of Behavioral Health 1706 East Elm Street; P.O. Box 687 Jefferson City, MO 65102 573-751-9499

Website: http://dmh.mo.gov

Mark Stringer Director, Missouri Department of Mental Health

Richard Gowdy, Ph.D. Director, Division of Behavioral Health

Rikki Wright Deputy Director, Division of Behavioral Health

Clive Woodward Director of Research and Statistics





MARK STRINGER

DIRECTOR

RICHARD N. GOWDY, PH.D. **DIVISION OF BEHAVIORAL HEALTH** (573) 751-9499 (573) 751-7814 FAX

STATE OF MISSOURI DEPARTMENT OF MENTAL HEALTH

1706 EAST ELM STREET P.O. BOX 687 JEFFERSON CITY, MISSOURI 65102 (573) 751-4122 (573) 751-8224 FAX www.dmh.mo.gov

PREFACE

Untreated mental illness and substance use disorders have an impact on everyone. The human costs include loss of life, family disintegration, injury, abuse, poor health, lack of productivity, crime, incarceration, and many other negative consequences. Serious mental illness has an estimated economic cost of \$6.8 billion annually in Missouri, and substance use has an annual cost of about \$8.0 billion.

The Status Report on Missouri's Substance Use and Mental Health annually compiles recent data and highlights behavioral trends measured by national and state surveys. Missouri state agencies provide most of the event-based data, which are presented in county profiles in this report to facilitate community and regional problem analysis and prevention planning.

The Division of Behavioral Health funds clinical treatment for more than 100,000 residents annually. The Status Report includes county-level profiles of the populations served in these treatment programs.

I encourage you to use data from the Status Report and our other resources to promote efforts to reduce mental illness and substance use disorders. Inquiries and comments regarding this publication should be directed to the Division's Research and Statistics Office at dbhmail@dmh.mo.gov.

Richard N. Gowdy, Ph.D.

ACKNOWLEDGMENTS

The Department of Mental Health recognizes and thanks these individuals and their agencies for their generous provisions of specialized data during the past year for this report:

Bryan Angell, Missouri Department of Health and Senior Services John Blodgett, University of Missouri, OSEDA Karin Bosh, Missouri Department of Health and Senior Services Avera Daniels, Missouri Department of Corrections Susan Depue, Missouri Institute of Mental Health Andrew Gillen, University of Missouri—Columbia Andrew Hunter, Missouri Department of Health and Senior Services Brad Jones, Missouri Department of Public Safety Tracy Lehmen, Missouri Department of Public Safety David Litchfield, Missouri Department of Health and Senior Services Richard Morrisey, Missouri Office of State Courts Administrator Mary Mosley, Missouri Department of Health and Senior Services Angela Plunkett, Missouri Office of State Courts Administrator Dan Reilly, University of Missouri—Columbia Mark Ritchey, Missouri Department of Public Safety Dennis Schulte, Missouri Department of Public Safety Tina Senter, Missouri Office of State Courts Administrator Phillip Shackelford, Missouri Department of Public Safety Freddie Spraggs, Missouri Department of Social Services DeWayne Sprenger, Missouri Department of Public Safety Shumei Yun, Missouri Department of Health and Senior Services

TABLE OF CONTENTS

SECTION A: INTRODUCTION	PAGE NUMBER
Report Front Cover	A1
Title Page	A2
Preface	A3
Acknowledgments	A4
Table of Contents	A5
Data Analysis	
Overview	A9
Co-occurring Disorders	A10
Hospital Emergency Department Services	A11
Treatment for Mental Disorders	A13
Treatment for Substance Use Disorders	A14
Children and Adolescents	A15
Young Adults	A17
Adults Older Than Age 25	A19
Deaths	A20
SECTION B: UNITED STATES AND MISSOURI PREVALENCE SURVEYS	
National Survey on Drug Use and Health (NSDUH) — Alcohol and Drug Tables and Charts	
Alcohol, Tobacco, Illicit Drugs — Overview: U.S. Ages 12 & Older	B1
Alcohol, Tobacco, Illicit Drugs — Overview: U.S. Ages 12-17	B2
Alcohol, Tobacco, Illicit Drugs — Overview: U.S. Ages 18-25	B3
Alcohol, Tobacco, Illicit Drugs — Overview: U.S. Ages 26 & Older	B4
Alcohol — Past-Month Use: U.S. and Missouri Age Groups	B5
Alcohol — Past-Month Binge Use: U.S. and Missouri Age Groups	B6
Alcohol — Perceived Risk of Binge Use: U.S. and Missouri Age Groups	B7
Alcohol — Past-Month, Binge, and Perceived Risk: Missouri Age Groups	В8
Alcohol — Past-Month, Binge, and Perceived Risk: Missouri Planning Regions	B9
Alcohol — Past-Year Dependence or Use Disorder: U.S. and Missouri Age Groups	B10
Tobacco — Past-Month Cigarette Use: U.S. and Missouri Age Groups	B11
Tobacco — Perceived Risk of Cigarette Use: U.S. and Missouri Age Groups	B12
Tobacco — Past-Month Tobacco and Cigarette Use and Perceived Risk: Missouri Age Groups	B13
Tobacco — Past-Month Tobacco and Cigarette Use and Perceived Risk: Missouri Planning Regions	B14
Illicit Drugs — Past-Month Use of Any Illicit Drug: U.S. and Missouri Age Groups	B15
Illicit Drugs — Past-Month Use of Any Illicit Drug Other Than Marijuana: U.S. and Missouri Age Groups	B16
Illicit Drugs — Past-Month Use of Any Illicit Drug and Any Other Than Marijuana: Missouri Planning Regions	B17
Illicit Drugs — Past-Year Dependence or Use Disorder: U.S. and Missouri Age Groups	B18
Marijuana — Past-Month Use: U.S. and Missouri Age Groups	B19
Marijuana — Past-Year Use: U.S. and Missouri Age Groups	B20
Marijuana — Perceived Risk of Use: U.S. and Missouri Age Groups	B21
Marijuana — Past-Month, First-Use in Past Year, Perceived Risk: Missouri Age Groups	B22
Marijuana — Past-Month, First-Use in Past Year, Perceived Risk: Missouri Planning Regions	B23
Cocaine — Past-Year Use: U.S. and Missouri Age Groups	B24
Pain Relievers — Past-Year Use: U.S. and Missouri Age Groups	B25
Mariuana, Cocaine, Pain Relievers — U.S. and Missouri Age Groups	B26
Alcohol, Illicit Drugs — Past-Year Dependence or Use Disorder: U.S. and Missouri Age Groups	B27
Alcohol, Illicit Drugs — Past-Year Dependence or Use Disorder: Missouri Population Estimates	B28
Alcohol, Illicit Drugs — Past-Year Dependence or Use Disorder: Missouri Planning Regions	B29
Alcohol, Illicit Drugs — Past-Year Dependence or Use Disorder: Missouri Age Groups and Planning Regions	B30
Alcohol, Illicit Drugs — Past-Year Unmet Need for Substance Disorder Treatment: Missouri Population Estimates	B31
Alcohol, Illicit Drugs — Past-Year Unmet Need for Substance Disorder Treatment: Missouri Planning Regions	B32
Alcohol, Illicit Drugs — Past-Year Unmet Need for Substance Disorder Treatment: Missouri Age Groups & Planning Reg	gions B33

National Survey on Drug Use and Health (NSDUH) — Mental Health Charts	
Mental Illness — Any Mental Illness in Past Year: U.S. and Missouri Age Groups	B34
Mental Illness — Serious Mental Illness in Past Year: U.S. and Missouri Age Groups	B35
Depression — Major Past-Year Episode: U.S./Missouri Age Groups	B36
Depression — Major Past-Year Episode: Missouri Regions	B37
Suicide — Serious Thoughts of Suicide in Past Year: U.S. and Missouri Age Groups and Regions	B38
SECTION B: UNITED STATES AND MISSOURI PREVALENCE SURVEYS (continued)	
Missouri Student Survey (MSS) — Tables and Charts	
Alcohol, Tobacco, Illicit Drugs — Overview of Lifetime Use: Missouri Students in Grades 6-12	B39
Alcohol, Tobacco, Illicit Drugs — Overview of Past 30-Day Use: Missouri Students in Grades 6-12	B40
Alcohol — Lifetime, Past 30-Day, and Binge Use: Missouri Students in Grades 6-12	B41
Tobacco — Lifetime and Past 30-Day Use: Missouri Students in Grades 6-12	B42
Marijuana — Lifetime and Past 30-Day Use: Missouri Students in Grades 6-12	B43
Cocaine, Methamphetamine, and Heroin — Lifetime and Past 30-Day Use: Missouri Students in Grades 6-12	B44
Hallucinogens Synthetics, and Club Drugs — Lifetime Use: Missouri Students in Grades 6-12	B45
Pharmaceutical Drugs — Lifetime and Past 30-Day Use: Missouri Students in Grades 6-12	B46
Inhalants and Over-the-Counter Drugs — Lifetime and Past 30-Day Non-Medical Use: Missouri Students in Grades 6-12	B47
Youth Risk Behavior Survey (YRBS) — Tables and Charts	
Alcohol, Tobacco, Marijuana — Overview: U.S. and Missouri Students in Grades 9-12	B48
Alcohol — Past 30-Day Use: U.S. and Missouri Students in Grades 9-12	B49
Alcohol — Past 30-Day Binge Use: U.S. and Missouri Students in Grades 9-12	B50
Alcohol — Use Before Age 13: U.S. and Missouri Students in Grades 9-12	B51
Tobacco — Past 30-Day Cigarette Use: U.S. and Missouri Students in Grades 9-12	B52
Marijuana — Past 30-Day Use: U.S. and Missouri Students in Grades 9-12	B53
Behavioral Risk Factor Survey — Tables	5-4
Alcohol, Tobacco, and Mental Health — U.S. and Missouri Adults Ages 18 and Older	B54
Monitoring The Future Survey (MTF) — Tables	
Alcohol, Tobacco, Illicit Drugs: Lifetime, Past 30-Day, and Daily Use: U.S. Students in Grade 8	B55
Alcohol, Tobacco, Illicit Drugs: Lifetime, Past 30-Day, and Daily Use: U.S. Students in Grade 10	B56
Alcohol, Tobacco, Illicit Drugs: Lifetime, Past 30-Day, and Daily Use: U.S. Students in Grade 12	B57
Alcohol, Tobacco, Illicit Drugs: Lifetime, Past 30-Day, and Daily Use: U.S. College Students Alcohol, Tobacco, Illicit Drugs: Lifetime, Past 30-Day, and Daily Use: U.S. Adults Ages 19-28	B58 B59
Missouri College Health Behavior Survey (MCHBS) — Tables and Charts	
Alcohol, Tobacco, Illicit Drugs — Use and Related Problems: Missouri College Students	B60
Mental Health — Past-Year Problems: Missouri College Students	B61
Gambling — Past-Year Problems: Missouri College Students	B62
Alcohol — Past Year, Past 30-Day, and Binge Use: Missouri College Students	B63
Non-Prescription Drugs — Past Year Use: Missouri College Students	B64
Illicit Drugs — Past Year Use: Missouri College Students	B65
Pregnancy Risk Assessment Monitoring System (PRAMS) — Tables	
Alcohol, Tobacco, and Mental Health Involvement with Pregnancy — Missouri	B66
SECTION C: SUBSTANCE USE INDICATORS IN TABLES AND CHARTS	
Economic Costs of Mental Illness and Substance Use Disorders: U.S. and Missouri	C1
Births and Fetal Exposure to Alcohol, Tobacco, and Other Drugs: Missouri	C2
Substance Use and Mental Illness Related Hospitalizations and Emergency Department Episodes: Missouri	C3
Diseases Associated with Substance Use: Missouri	C4
Alcohol, Drug, and Smoking Induced Deaths: Missouri	C5
Alcohol-Involved Traffic Crashes: Missouri	C6
Drug-Involved Traffic Crashes: Missouri	C7
Alcohol and Drug Arrests: Missouri	C8
Out-of-Home Placements and Juvenile Court Referrals: Missouri	C9
Criminal Justice Services for Alcohol and Drug Offenses: Missouri	C10
Per Capita Consumption of Beverage Alcohol Based on Sales: U.S. and Missouri	C11
Liquor Licenses: Missouri and Planning Regions	C12
Cigarette Sales Based on Tax Revenue: Missouri	C13
Unemployment: United States, Missouri, and Planning Regions	C14

SECTION D: DIVISION OF BEHAVIORAL HEALTH STATEWIDE SUBSTANCE ABUSE TREATMENT SERVICES

Substance Use Treatment Admissions Overview: Missouri	D1
Age and Ethnicity Profile for Male Treatment Admissions	D2
Age and Ethnicity Profile for Female Treatment Admissions	D3
Profile Charts for All Division of Behavioral Health Substance Treatment Admissions	D4
Profile Charts for Alcohol Treatment Admissions	D5
Profile Charts for Marijuana Treatment Admissions	D6
Profile Charts for Cocaine Treatment Admissions	D7
Profile Charts for Methamphetamine Treatment Admissions	D8
Profile Charts for Heroin Treatment Admissions	D9
Profile Charts for Prescription Drug Treatment Admissions	D10
Profile Charts for All Other Substance Treatment Admissions	D11
Age Distributions for Substance Treatment Modalities	D12

SECTION E: INDICATORS AND TREATMENT SERVICES BY GEOGRAPHIC AREA

Missouri

Statewide Missouri E1-E4

Missouri Counties

Wissouri Counties	5				
Adair	E5-E8	Andrew	E9-E12	Atchison	E13-E16
Audrain	E17-E20	Barry	E21-E24	Barton	E25-E28
Bates	E29-E32	Benton	E33-E36	Bollinger	E37-E40
Boone	E41-E44	Buchanan	E45-E48	Butler	E49-E52
Caldwell	E53-E56	Callaway	E57-E60	Camden	E61-E64
Cape Girardeau	E65-E68	Carroll	E69-E72	Carter	E73-E76
Cass	E77-E80	Cedar	E81-E84	Chariton	E85-E88
Christian	E89-E92	Clark	E93-E96	Clay	E97-E100
Clinton	E101-E104	Cole	E105-E108	Cooper	E109-E112
Crawford	E113-E116	Dade	E117-E120	Dallas	E121-E124
Daviess	E125-E128	DeKalb	E129-E132	Dent	E133-E136
Douglas	E137-E140	Dunklin	E141-E144	Franklin	E145-E148
Gasconade	E149-E152	Gentry	E153-E156	Greene	E157-E160
Grundy	E161-E164	Harrison	E165-E168	Henry	E169-E172
Hickory	E173-E176	Holt	E177-E180	Howard	E181-E184
Howell	E185-E188	Iron	E189-E192	Jackson	E193-E196
Jasper	E197-E200	Jefferson	E201-E204	Johnson	E205-E208
Knox	E209-E211	Laclede	E213-E216	Lafayette	E217-E220
Lawrence	E221-E224	Lewis	E225-E228	Lincoln	E229-E232
Linn	E233-E236	Livingston	E237-E240	McDonald	E241-E243
Macon	E245-E248	Madison	E249-E252	Maries	E253-E255
Marion	E257-E260	Mercer	E261-E264	Miller	E265-E268
Mississippi	E269-E272	Moniteau	E273-E276	Monroe	E276-E280
Montgomery	E281-E284	Morgan	E285-E288	New Madrid	E289-E292
Newton	E293-E296	Nodaway	E297-E300	Oregon	E301-E304
Osage	E305-E308	Ozark	E309-E312	Pemiscot	E313-E316
Perry	E317-E320	Pettis	E321-E324	Phelps	E325-E328
Pike	E329-E332	Platte	E333-E336	Polk	E337-E340
Pulaski	E341-E344	Putnam	E345-E348	Ralls	E349-E351
Randolph	E353-E356	Ray	E357-E360	Reynolds	E361-E364
Ripley	E365-E368	Saint Charles	E369-E372	Saint Clair	E373-E376
Sainte Genevieve	E377-E379	Saint Francois	E381-E384	Saint Louis County	E385-E388
Saline	E389-E392	Schuyler	E393-E395	Scotland	E397-E400
Scott	E401-E404	Shannon	E405-E408	Shelby	E409-E411
Stoddard	E413-E416	Stone	E417-E420	Sullivan	E421-E424
Taney	E425-E428	Texas	E429-E432	Vernon	E433-E436
Warren	E437-E440	Washington	E441-E444	Wayne	E445-E448
Webster	E449-E452	Worth	E453-E455	Wright	E457-E460
Saint Louis City	E461-E464				

SECTION E: INDICATORS AND TREATMENT SERVICES BY GEOGRAPHIC AREA (continued)

Division of Behavio	oral Health (DB	H) Planning Regions			
DBH Western Region	E465-E468	DBH Central Region	E468-E472	DBH Eastern Region	E473-E476
DBH Southwest Region	E477-E480	DBH Southeast Region	E481-E484		
DBH Substance Us	se Service Area	es (SA)			
Substance Use SA 1	E485-E487	Substance Use SA JC	E488-E490	Substance Use SA 6	E490-E493
Substance Use SA 7	E494-E496	Substance Use SA 8	E497-E499	Substance Use SA 9	E500-E502
Substance Use SA 10	E503-E505	Substance Use SA 11	E506-E508	Substance Use SA 12	E509-E511
Substance Use SA 13	E512-E514	Substance Use SA 14	E515-E517	Substance Use SA 15	E518-E520
Substance Use SA 16	E521-E523	Substance Use SA 17	E524-E526	Substance Use SA 18	E527-E529
Substance Use SA 19	E530-E532	Substance Use SA 20	E533-E535	Substance Use SA 21	E536-E538
Substance Use SA 22	E539-E541	Substance Use SA SL	E542-E544		
DBH Adult Mental I	Health Service	Areas (SA)			
Mental Health SA 1	E545-E546	Mental Health SA 2-5	E547-E548	Mental Health SA 6	E549-E550
Mental Health SA 7	E551-E552	Mental Health SA 8A	E553-E554	Mental Health SA 8B	E555-E556
Mental Health SA 9	E557-E558	Mental Health SA 10	E559-E560	Mental Health SA 11	E561-E562
Mental Health SA 12	E563-E564	Mental Health SA 13	E565-E566	Mental Health SA 14	E567-E568
Mental Health SA 15	E569-E570	Mental Health SA 16	E571-E572	Mental Health SA 17A	E573-E574
Mental Health SA 17B	E575-E576	Mental Health SA 18	E577-E578	Mental Health SA 19	E579-E580
Mental Health SA 20	E581-E582	Mental Health SA 21	E583-E584	Mental Health SA 22	E585-E586
Mental Health SA 23	E587-E588	Mental Health SA 24-25	E589-E590		
SECTION F: APPENDI	X				
Population Estimates by A	.ge. Gender. Race	e, and Hispanic Origin: Missou	ıri 2014		F1
•	•	al Survey on Drug Use and H		mates	F2
		included in Status Report Pro			F3
		s included in Status Report Pr			F4

ANALYSIS

OVERVIEW

Nearly one-fifth of U.S. and Missouri adults suffer from a mental disorder. Combined data collected in years 2012 and 2013 for the National Survey on Drug Use and Health (NSDUH) indicate that an estimated 18.5% of U.S. adults ages 18 and older report any past-year mental illness, and 4.1% report a serious mental illness. Missouri adults have slightly higher rate estimates — 19.1% with any mental illness and 4.7% with serious mental illness. Young adults ages 18-25 and adults over age 25 have similar mental illness rates.

Nearly one-tenth of U.S. and Missouri adolescents experience major depressive episodes. The 2012 and 2013 NSDUH data indicate 9.9% of U.S. and Missouri youth ages 12-17 report a past-year major depressive episode. Among Missouri adults, 7.4% report a past-year episode, including 9.4% of young adults 18-25 years of age and 7.0% of older adults.

Over one-twelfth of U.S. and Missouri adults report substance use disorders. The NSDUH rate estimates from 2012-2013 for U.S. and Missouri adults are identical at 8.7% for past-year alcohol or illicit drug dependence or abuse. Seven percent of Missouri adults report alcohol disorders and 2.6% report drug disorders, including nearly 1% who report dependence or abuse of both alcohol and illicit drugs. Young adults 18-25 years of age have much higher rates of substance use disorders (18.1% of that age group) than adults over age 25 (7.1%) and adolescents under age 18 (5.8%). The number of Missouri adolescents with substance use disorders has steadily declined from a peak estimate of 51,000 in 2004 to 27,000 in 2013. Among the 27,000 adolescents are approximately 10,000 with alcohol use disorders, 10,000 with illicit drug use disorders, and 7,000 with both alcohol and drug use disorders.





Figure 1: Age Group Estimates for Past-Year Mental Illness and Substance Use Disorders, Missouri 2012-2013

Data Source: U.S. Dept. of Health and Human Services, Substance Abuse and Mental Health Services Administration (SAMHSA). National Survey on Drug Use and Health, 2012-2013. Estimates are 2-year averages. Some individuals are in more than one disorder category. Estimates are not available for ages 12-17 for Any Mental Illness, Serious Mental Illness, and Serious Thoughts of Suicide.

CO-OCCURRING DISORDERS

Nearly one-fourth of adults with serious mental illness have a co-occurring substance use disorder.

Past-year rates for substance use disorders are 17.5% among U.S. adults with any mental illness and 23.1% among adults with serious mental illness. Missouri projections from these national rates reciprocally indicate that approximately 150,000 Missouri adults with any mental illness—including 48,000 with serious mental illness—have substance use disorders. Nationally, adults with cooccurring serious mental illness and substance use disorders consist of 17.4% with an alcohol use disorder and 10.5% with an illicit drug disorder. These rates suggest that the 48,000 Missouri adults with co-occurring serious mental illness include approximately 26,000 with alcohol use disorders, 11,000 with illicit drug use disorders, and 11,000 with alcohol and drug use disorders. By contrast, only 6.5% of adults with no mental illness have a substance use disorder. An estimated one-third of adults with serious mental illness are past-years users of illicit drugs and nearly one-half are pastyear smokers. Only 13% of adults with no past-year mental illness are past-year users of illicit drugs. Alcohol use rates are only slightly higher for adults with past-year mental illness than for those with no mental disorders.



552,000: Any Mental Illness except Serious Mental Illness and No Substance Use Disorder

Figure 2: Missouri Prevalence Estimates for Mental Illness and Substance Use Disorders, 2013:

Data Sources: Substance Abuse and Mental Health Services Administration, National Survey on Drug Use and Health (NSDUH). Data are based on U.S. rates from the 2013 NSDUH and Missouri rates from the combined 2012 and 2013 NSDUH. Estimates for Any Mental Illness (AMI), Serious Mental Illness (SMI) and Substance Use Disorder (SUD) are based on Missouri rates from the 2012-2013 surveys applied to the 2013 Missouri adult population. Estimates for Missouri co-occurring AMI with SUD and SMI with SUD are approximations derived from the national rates.

242,000: Substance Use Disorder and No Mental Illness 163,000: Serious Mental Illness and No Substance Use Disorder

3,540,000: No Mental Illness or Substance Use Disorder

Three out of eight adults with substance use disorders have co-occurring mental illness. Data from the 2013 NSDUH indicates that 37.8% of U.S. adults with a past-year substance use disorder also have a past-year mental illness. In contrast, only 16.7% of adults with no past-year substance use disorder have past-year mental illness. Applying national co-occurring rates to the Missouri NSDUH data, approximately 150,000 of the 392,000 Missouri adults with substance use disorders would have any past-year mental illness. These include 48,000 with serious mental illness.

Over one-third of DBH substance treatment recipients have co-occurring mental disorders. Data from substance use treatment programs that receive funding from the Missouri Department of Mental Health's Division of Behavioral Health (DBH) are consistent with national estimates. These programs reported in fiscal year 2014 that 36% of consumers admitted for alcohol or drug treatment have a co-occurring mental health problem.




Figure 3: Co-occurring Psychological Problem among Individuals Admitted to Substance Use Treatment Programs

Data Source: Missouri Department of Mental Health, Customer Information Management, Outcomes & Reporting (CIMOR) System.

HOSPITAL EMERGENCY DEPARTMENT SERVICES

Over 100,000 Missouri residents enter emergency rooms each year for mental or substance use disorders. In the four-year period from 2010-2013, an average of 76,000 emergency room visits per year were attributed principally to mental illness, nearly 20,000 were for alcohol use, and 13,000 were for drug use. In addition, mental illness was a contributing factor in 250,000 episodes, alcohol use in 25,000, and drug use in 24,000. Hospital admissions followed the emergency room services in 32% of the episodes that *primarily* involved mental illness and 23% of those that *primarily* involved alcohol and drug use. Among the emergency room episodes with mental illness and substance use as *contributing* factors, 39% of the mental illness related, 45% of the alcohol related, and 34% of the drug related visits led to hospitalizations.




Figure 4: Emergency Room Episodes involving Mental and Substance Use Disorders, Missouri Residents:

Data Source: Missouri Department of Health and Senior Services. Data are based on ICD-9 code categories developed by the federal Healthcare Cost and Utilization Project (HCUP). Some individuals may be in more than one secondary diagnosis category. Figures do not include hospitalizations.

Mood disorders account for a large portion of mental illness. In 2011 there were 127,000 Missouri hospital admissions and emergency room episodes with a *principal* diagnosis of mental disorders and 336,000 identified as mental disorder related. Among the hospitalizations and emergency room encounters principally due to mental illness, 42,000 had a diagnosis indicating serious mental illness. These mainly consisted of mood (63%), psychotic (29%), and anxiety (7%) disorders.




Figure 5: Mental Illness Severity and Diagnosis Categories among Missouri Hospitalizations and Emergency Room Encounters with Principal Diagnosis of Mental Illness, 2011:

Data Source: Missouri Department of Health and Senior Services. Data are based on ICD-9 code categories developed by the federal Healthcare Cost and Utilization Project (HCUP).

TREATMENT FOR MENTAL DISORDERS

Mood disorders are prominent among individuals receiving mental illness treatment funded by the Missouri Department of Mental Health. Among nearly 76,000 individuals served in the Department's Division of Behavioral Health (DBH) psychiatric programs during fiscal year 2014, more than 45,000 were diagnosed with mood disorders. Also, 24,000 were diagnosed with anxiety disorders, 14,000 with psychotic disorders, 11,000 with impulse control disorders, and 5,000 with personality disorders. The number of diagnoses is larger than the number served because some individuals have multiple disorders.




Figure 6: Mental Illness Disorders Treated in DMH Division of Behavioral Health Programs, FY 2014:

 ${\it Data Source: Missouri\ Department\ of\ Mental\ Health,\ Customer\ Information\ Management,\ Outcomes\ \&\ Reporting\ (CIMOR)\ System.}$

Most individuals receive mental health treatment on a voluntary basis. Among the 76,000 consumers served in DBH psychiatric programs in fiscal year 2014, only 4,000 were in court-ordered or court-referred treatment. Nearly 37,000 were self-referred or entered treatment on the recommendation of a family member or friend. More than 11,000 were referred by a health care provider and 6,000 by a mental health provider. Schools referred 1,500 to treatment programs. Those served in the psychiatric programs consisted of approximately 7,000 children under age 12, 8,800 adolescents ages 12-17, 7,600 young adults ages 18-25, and 52,500 adults over age 25.




Figure 7: Numbers Served in Division of Behavioral Health Psychiatric Treatment Programs, FY 2014:

Data Source: Missouri Department of Mental Health, Customer Information Management, Outcomes & Reporting (CIMOR) System.

TREATMENT FOR SUBSTANCE USE DISORDERS

Alcohol use disorders remain prominent among individuals admitted to substance use treatment programs funded by the Missouri Department of Mental Health. Among nearly 35,000 individuals admitted to the Department's Division of Behavioral Health (DBH) substance treatment programs during fiscal year 2014, three out of eight identified beverage alcohol as their primary substance disorder. Marijuana was the primary substance problem in 23% of admissions, methamphetamine in 16%, and heroin 10%. The remaining 14% consisted chiefly of non-heroin analgesics, cocaine, hallucinogens, and tranquilizers. Many individuals were also treated for a secondary substance.





Figure 8: Substance Use Disorders Treated in Missouri Division of Behavioral Health Programs, Fiscal Year 2014

Data Source: Missouri Department of Mental Health, Customer Information Management, Outcomes & Reporting (CIMOR) System.

During the past decade, DBH treatment admissions for marijuana and cocaine have declined, while admissions for methamphetamine and heroin have increased. Treatment admissions for heroin and other analgesics have doubled from nearly 3,000 (8% of admissions) in fiscal year 2005 to 6,000 (17% of admissions) in fiscal year 2014. During that period, marijuana admissions have declined from 10,000 to 8,000 and cocaine from 5,600 to 1,500. Prescription drugs annually account for more than 1,200 admissions. Nearly one-half of fiscal year 2014 admissions began as criminal justice system referrals and one-third were self-referrals or prompted by family or friends.



Data Source: Missouri Department of Mental Health, Customer Information Management, Outcomes & Reporting (CIMOR) System.

CHILDREN AND ADOLESCENTS

An estimated 47,000 Missouri adolescents suffer from depression. Based on combined 2012 and 2013 NSDUH data, these adolescents 12-17 years of age experienced at least one major depressive episode, a type of mood disorder, in the past year. This was considerably higher than the previous estimate of 36,000. Nationwide, over 70% of adolescents with major depressive episodes experience severe impairment. This suggests that at least 33,000 of the 47,000 adolescents with past-year major depression need mental health treatment. Among the 8,800 adolescents served in DBH programs in fiscal year 2014, 5,000 were diagnosed with mood disorders—chiefly depression. Nearly 4,000 adolescents were also diagnosed with impulse control disorders and 2,500 with anxiety disorders.

Among Missouri adolescents, substance use disorders are equally divided between alcohol and illicit drugs. According to the 2012-2013 NSDUH, an estimated 17,000 Missouri adolescents 12-17 years of age have an alcohol use disorder and 17,000 have a drug use disorder, including 7,000 that have an alcohol *and* drug use disorder. Among these adolescents, 16,000 have an unmet need for treatment of alcohol use disorders and an overlapping 14,000 have an unmet need for treatment of drug use disorders.




Figure 10: Past-Year Major Depressive Episodes and Substance Use Disorders among Missouri Youth Ages 12-17

Data Source: U.S. Dept. of Health and Human Services, Substance Abuse and Mental Health Services Administration (SAMHSA), National Survey on Drug Use and Health. Estimates are annual averages for the Missouri population 12-17 years of age.

In FY 2014, Missouri Division of Behavioral Health treatment programs provided mental health services to nearly 7,000 children under age 12 and 9,000 adolescents ages 12-17. Many of the children were treated for impulse control disorders and the adolescents were mainly treated for mood disorders. During that same period, 2,200 adolescents were admitted to treatment for substance use—chiefly marijuana and alcohol.

¹Substance Abuse and Mental Health Services Administration, Center for Behavioral Health Statistics and Quality. (September 4, 2014). The NSDUH Report: Substance Use and Mental Health Estimates from the 2013 National Survey on Drug Use and Health: Overview of Findings. Rockville, MD.

Alcohol and tobacco use continues to decline among Missouri adolescents. The 2012-2013 NSDUH indicates that past-month smoking rates in the 12-17 age group are approximately one-half the estimates from the 2002-2003 NSDUH ten years ago. During that same period, past-month alcohol use and binge alcohol use have declined by more than one-third. Estimated adolescent use of marijuana and other illicit drugs have fluctuated by only a couple of percentage points and remain near the levels of a decade ago. Trends and rates from the Missouri Student Survey (MSS) are similar to those from the NSDUH. According to the 2014 MSS, past-month alcohol use is 13.9%, cigarette use is 8.1%, and marijuana use is 7.6% for school grades 6-12 combined.




Figure 11: Past-Month Substance Use by Missouri Adolescents, 2003-2013

Data Source: U.S. Dept. of Health and Human Services, Substance Abuse and Mental Health Services Administration (SAMHSA), National Survey on Drug Use and Health. Estimates are annual averages for the Missouri population 12-17 years of age.

Parental substance use is the number one reason Missouri courts order children removed from their homes and parents. In 2013, 42% of the 6,687 out-of-home placements by juvenile courts involved drug and/or alcohol use by the children's parents. Other major placement reasons were abuse, neglect, caretaker illness, incarceration, inadequate housing, and behavior problems of the children.




Figure 12: Missouri Out-of-Home Placements of Children by Removal Reason, 2013.

Data Source: Missouri Department of Social Services.

YOUNG ADULTS

Adults under age 26 have the highest rates of substance use disorders. According to state data from the National Survey on Drug Use and Health (NSDUH) for years 2012-2013, 18.1% of Missouri adults in the age group of 18-25 have a past-year substance use disorder—considerably higher than the estimated rate of 5.8% for adolescents and 7.1% for older adults. Among these 118,000 young adults, 90,000 have an alcohol use disorder and 51,000 have a drug use disorder. Included are 23,000 with alcohol and drug disorders. In fiscal year 2014, approximately 6,200 young adults were admitted to Missouri Division of Behavioral Health (DBH) treatment programs for substance use disorders. The NSDUH estimates that 87,000 young adults have an unmet need for treatment of alcohol use disorders and 47,000 for drug use disorders.




Figure 13: Past-Year Mental Illness and Substance Use Disorders among Missouri Adults Ages 18-25

Data Source: U.S. Dept. of Health and Human Services, Substance Abuse and Mental Health Services Administration (SAMHSA), National Survey on Drug Use and Health. Estimates are annual averages for the Missouri population 18-25 years of age.

Young adults are nearly twice as likely to contemplate suicide as older adults. The 2012-2013 NSDUH indicates that 6.8% of adults 18-25 years of age report past-year serious thoughts of suicide, compared to 3.6% of those over age 25. The survey estimates that 124,000 young adults have any past-year mental illness. Among these are 31,000 with serious mental illness (SMI), 61,000 who report a past-year major depressive episode, and 45,000 who report serious thoughts of suicide. In fiscal year 2014, DBH psychiatric programs served approximately 7,600 adults in the 18-25 age group—chiefly for mood, anxiety, and impulse control disorders.

Anxiety and depression are prevalent among Missouri college students. According to the 2015 Missouri College Health Behavior Survey (MCHBS), 45% of students at 21 Missouri universities and colleges had past-year mental health problems with anxiety, and 21% with major depression. The survey also indicates that 17% of students experienced panic attacks and 15% had suicidal thoughts. In contrast, the 2012-2013 NSDUH household survey finds that only 9.4% of Missouri residents 18-25 years of age experience major depression and 6.9% have serious thoughts of suicide in a one-year period.

Three-fourths of Missouri college students have used alcohol in the past year and one-fourth are binge drinkers. The MCHBS also finds that 60% of Missouri college students in 2015 have used alcohol in the past 30 days, matching the 2014 estimated past-month rate for the Missouri 18-25 age group. This rate is slightly lower than the past 30-day rate of 63% for U.S. college students from the nationwide Monitoring the Future (MTF) 2014 survey. The MCHBS reports that 24.7% of college students are current binge drinkers, considerably lower than the 2014 NSDUH estimate of 41% for binge drinking in the Missouri 18-25 age group. This rate is also lower than the binge drinking rate of 35% for U.S. college students.




Figure 14: Alcohol Use and Binge Alcohol Use among Missouri Young Adults and College Students

Data Sources: Substance Abuse and Mental Health Services Administration (SAMHSA), National Survey on Drug Use and Health. University of Michigan, Institute for Social Research, Monitoring the Future survey. Partners in Prevention Statewide Coalition, Missouri College Health Behavior Survey.

In the past year, 22% of Missouri college students have used marijuana. This percentage is considerably lower than the 2014 past-year estimates of 34% for U.S. college students and 33% for Missouri adults in the 18-25 age group.




Figure 15: Marijuana Use among Missouri Young Adults and College Students

Data Sources: Substance Abuse and Mental Health Services Administration (SAMHSA), National Survey on Drug Use and Health. University of Michigan, Institute for Social Research, Monitoring the Future survey. Partners in Prevention Statewide Coalition, Missouri College Health Behavior Survey.

ADULTS OLDER THAN AGE 25

Missouri suicides are highest among mid-life adults. Despite the high rates of suicide contemplation among young adults, actual suicides and population-based rates in the two-year period 2012-2013 were highest among Missouri residents in their 40's and 50's. The 747 suicides in these age groups comprised 40% of the two-year state total. There was also a suicide spike among elderly residents. According to the 2012-2013 NSDUH, an estimated 271,000 Missouri adults over age 25 experienced at least one past-year major depressive episode and 139,000 had serious thoughts of suicide.




Figure 16: Deaths by Suicide, and Suicide Rate per 100,000 Population by Age Group: Missouri Residents, 2012-2013

Data Sources: Missouri Dept. of Health and Senior Services: Missouri Vital Statistics 2012 and 2013, Tables 21A. U.S. Dept. of Commerce, Bureau of the Census, Annual County Resident Population Estimates by Age, Sex, Race, and Hispanic Origin: 2012 and 2013 tables.

Most Missouri adults over age 25 with substance disorders have alcohol use disorders. According to estimates from the 2012-2013 NSDUH, 273,000 in this age group have past-year substance dependence or abuse. These include approximately 208,000 (76%) with an alcohol use disorder, 46,000 (17%) with a drug use disorder, and 19,000 (7%) with alcohol *and* drug use disorders.




Figure 17: Past-Year Mental Illness and Substance Use Disorders among Missouri Adults Ages 26+

Data Source: U.S. Dept. of Health and Human Services, Substance Abuse and Mental Health Services Administration (SAMHSA), National Survey on Drug Use and Health. Estimates are annual averages for the Missouri population older than age 25.

DEATHS

More than 2,500 Missouri resident deaths per year are attributed to mental disorders. In 2013, 2,800 deaths resulted from mental and behavioral disorders excluding alcohol and drug use disorders. Most of these involved a physiological condition such as cerebral disease, brain injury, or dementia. A record number of Missouri residents died from illicit drug use and suicide in 2013. The 1,042 drug induced deaths surpassed the previous number and rate from 2010. There were 958 recorded deaths from suicide—higher than the 2011 count of 921.




Figure 18: Missouri Deaths Due to Selected Causes, with 2013 Rates per 100,000 Population.

Data Sources:

Missouri Department of Health and Senior Services

Missouri Department of Public Safety, Missouri State Highway Patrol

U.S. Department of Health and Human Services, Centers for Disease Control and Prevention, WONDER online database.

Smoking-attributable deaths in Missouri topped 10,000 in 2013. Missouri had an estimated 10,109 smoking attributable deaths in 2013, exceeding the estimated total of 10,073 in 2008 to reach the highest level since the 1990's. The 2013 smoking death rate of 167.2 per 100,000 population was nearly ten times the rate of 17.2 per 100,000 for illicit drug use.² The Centers for Disease Control and Prevention estimates that 480,000 deaths in the United States each year are attributable to smoking.

²Missouri Department of Health and Senior Services, using the Smoking Attributable Mortality, Morbidity, and Economic Costs (SAMMEC) methodology model developed by the U.S. Department of Health and Human Services, Centers for Disease Control and Prevention.

NATIONAL SURVEY ON DRUG USE AND HEALTH U.S. AGES 12 AND OLDER, 2003-2014

2012

52.1

23.0

6.5

26.7

22.1

3.5

9.2

2011

51.8

22.6

6.2

26.5

22.1

3.2

8.7

2010

51.8

23.1

6.7

27.5

23.0

3.5

8.9

2009

51.9

23.7

6.8

27.7

23.3

3.4

8.7

2008

51.6

23.4

7.0

28.4

24.0

3.5

8.1

2007

51.2

23.3

6.9

28.7

24.3

3.3

8.0

2006

51.0

23.0

6.9

29.6

25.0

3.3

8.3

2005

51.8

22.7

6.6

29.4

24.9

3.2

8.1

2004

50.3

22.8

6.9

29.2

24.9

3.0

7.9

2003

50.1

22.6

29.8

25.4

3.3

8.2

6.8

2014

52.7

23.0

6.2

25.2

20.8

3.3

10.2

2013

52.2

22.9

6.3

25.5

21.3

3.4

9.4

Estimated Past-Month Substance Use (%)

Heavy Alcohol Use **

Binge Alcohol Use *

Smokeless Tobacco

Alcohol

Any Tobacco

Any Illicit Drug

Cigarettes

				0.7			-			_		-
Marijuana	8.4	7.5	7.3	7.0	6.9	6.7	6.1	5.8	6.0	6.0	6.1	6.2
Inhalant	0.2	0.2	0.2	0.2	0.3	0.2	0.3	0.2	0.3	0.3	0.3	0.2
Hallucinogen	0.4	0.5	0.4	0.4	0.5	0.5	0.4	0.4	0.4	0.4	0.4	0.4
LSD	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.0	0.1	0.1
PCP	***	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Ecstasy	0.2	0.3	0.2	0.2	0.3	0.3	0.2	0.2	0.2	0.2	0.2	0.2
Cocaine (any form)	0.6	0.6	0.6	0.5	0.6	0.7	0.7	0.8	1.0	1.0	0.8	1.0
Crack Cocaine	0.1	0.1	0.2	0.1	0.1	0.2	0.1	0.2	0.3	0.3	0.2	0.3
Heroin	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
Psychotherapeutics (Rx-type, non-medical use)	2.5	2.5	2.6	2.4	2.7	2.8	2.5	2.8	2.9	2.7	2.5	2.7
Pain Reliever	1.6	1.7	1.9	1.7	2.0	2.1	1.9	2.1	2.1	1.9	1.8	2.0
OxyContin [®]	0.1	0.2	0.1	0.2	0.2	0.2	0.2	0.1	0.1	0.1	0.1	
Stimulant	0.6	0.5	0.5	0.4	0.4	0.5	0.4	0.4	0.5	0.4	0.5	0.5
Methamphetamine	0.2	0.2	0.2	0.2	0.1	0.2	0.1	0.2	0.2	0.2	0.2	0.3
Sedative	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.1	0.1	0.1
Tranquilizer	0.7	0.6	8.0	0.7	0.9	8.0	0.7	0.7	0.7	0.7	0.7	8.0
stimated Lifetime Substance Use (%)												
	2014	2013	2012	2011	2010	2009	2008	2007	2006	2005	2004	2003
Alcohol	82.1	81.5	82.3	82.2	82.5	82.8	82.2	82.3	82.7	82.9	82.4	83.1
Any Tobacco	66.2	66.8	66.8	67.5	68.7	69.1	69.6	69.5	70.7	70.8	71.4	72.7
Cigarettes	61.0	61.8	61.9	62.8	64.2	64.6	65.1	65.3	66.3	66.6	67.3	68.7
Smokeless Tobacco	17.1	17.6	17.7	18.0	17.7	17.8	18.4	18.2	18.6	18.4	18.6	19.4
Any Illicit Drug	49.2	48.6	48.0	47.0	47.3	47.4	47.2	46.2	45.4	46.1	45.8	46.4
Marijuana	44.2	43.7	42.8	41.9	42.0	41.7	41.2	40.6	39.7	40.1	40.2	40.6
Inhalant	8.0	8.0	8.1	8.0	8.6	9.0	9.0	9.1	9.3	9.4	9.5	9.7
Hallucinogen	15.0	15.1	14.6	14.1	14.8	14.9	14.4	13.8	14.3	13.9	14.3	14.5
LSD	9.4	9.4	9.1	8.9	9.2	9.4	9.4	9.2	9.5	9.2	9.7	10.3
PCP	2.4	2.5	2.5	2.4	2.5	2.5	2.7	2.5	2.7	2.7	2.8	3.0
Ecstasy	6.6	6.8	6.2	5.7	6.3	5.7	5.2	5.0	5.0	4.7	4.6	4.6
Cocaine (any form)	14.8	14.3	14.5	14.3	14.7	14.6	14.8	14.5	14.3	13.8	14.2	14.7
Crack Cocaine	3.6	3.4	3.5	3.2	3.6	3.3	3.4	3.5	3.5	3.3	3.3	3.3
Heroin	1.8	1.8	1.8	1.6	1.6	1.5	1.5	1.5	1.5	1.5	1.3	1.6
Psychotherapeutics (Rx-type, non-medical use)	20.5	20.3	20.9	19.9	20.4	20.6	20.9	20.4	20.7	20.4	20.4	20.6
Pain Reliever	13.6	13.5	14.2	13.3	13.8	14.0	14.0	13.4	13.6	13.4	13.2	13.1
OxyContin [®]	2.7	2.7	2.5	2.3	2.4	2.3	1.9	1.8	1.7	1.4	1.3	1.2
Stimulant	8.5	8.3	8.3	7.9	8.6	8.7	8.5	8.7	8.2	7.8	8.3	8.8
Methamphetamine	4.9	4.7	4.7	4.6	5.1	5.1	5.1	5.3	5.8	4.3	4.9	5.2
	3.0	2.9	3.1	2.9	3.0	3.4	3.6	3.4	3.6	3.7	4.1	4.0
Sedative			9.1	8.4	8.7	8.7	8.6	8.2	8.7	8.7	8.3	8.5
Sedative Tranquilizer	9.4	9.0	9.1	0	0	• • • •					0.0	

Data Source:

*** Low precision, no estimate available

U.S. Department of Health and Human Services, SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health.

NATIONAL SURVEY ON DRUG USE AND HEALTH U.S. AGES 12-17, 2003-2014

Estimated Past-Month Substance Use (%)

	2014	2013	2012	2011	2010	2009	2008	2007	2006	2005	2004	2003
Alcohol	11.5	11.6	12.9	13.3	13.6	14.8	14.7	16.0	16.7	16.5	17.6	17.7
Binge Alcohol Use *	6.1	6.2	7.2	7.4	7.9	8.9	8.9	9.7	10.3	9.9	11.1	10.6
Heavy Alcohol Use **	1.0	1.2	1.3	1.5	1.7	2.1	2.0	2.3	2.4	2.4	2.7	2.6
Any Tobacco	7.0	7.8	8.6	10.0	10.7	11.8	11.5	12.4	12.9	13.1	14.4	14.4
Cigarettes	4.9	5.6	6.6	7.8	8.4	9.0	9.2	9.9	10.4	10.8	11.9	12.2
Smokeless Tobacco	2.0	2.0	2.1	2.1	2.3	2.4	2.2	2.5	2.4	2.1	2.3	2.0
Any Illicit Drug	9.4	8.8	9.5	10.1	10.1	10.1	9.3	9.5	9.8	9.9	10.6	11.2
Marijuana	7.4	7.1	7.2	7.9	7.4	7.4	6.7	6.7	6.7	6.8	7.6	7.9
Inhalant	0.6	0.5	8.0	0.9	1.1	1.0	1.1	1.2	1.3	1.2	1.2	1.3
Hallucinogen	0.5	0.6	0.6	0.9	0.9	0.9	1.0	0.7	0.7	8.0	8.0	1.0
LSD	0.3	0.2	0.1	0.1	0.2	0.1	0.2	0.1	0.1	0.1	0.2	0.2
PCP	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.0	0.1	0.0	0.1
Ecstasy	0.2	0.2	0.3	0.4	0.5	0.5	0.4	0.3	0.3	0.3	0.3	0.4
Cocaine (any form)	0.2	0.2	0.1	0.3	0.2	0.3	0.4	0.4	0.4	0.6	0.5	0.6
Crack Cocaine	0.0	0.0	***	0.0	0.0	0.0	0.0	0.1	0.0	0.1	0.1	0.1
Heroin	0.1	0.1	***	0.1	0.0	0.1	0.1	0.0	0.1	0.1	0.1	0.1
Psychotherapeutics (Rx-type, non-medical use)	2.6	2.2	2.8	2.8	3.0	3.1	2.9	3.3	3.3	3.3	3.6	4.0
Pain Reliever	1.9	1.7	2.2	2.3	2.5	2.7	2.3	2.7	2.7	2.7	3.0	3.2
OxyContin [®]	0.1	0.1	0.2	0.2	0.2	0.3	0.2	0.2	0.1	0.1	0.3	
Stimulant	0.7	0.3	0.5	0.4	0.4	0.5	0.5	0.5	0.7	0.7	0.7	0.9
Methamphetamine	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.3	0.2	0.3
Sedative	0.2	0.1	0.1	0.1	0.1	0.2	0.1	0.1	0.2	0.1	0.1	0.2
Tranquilizer	0.4	0.4	0.6	0.6	0.5	0.6	0.6	0.7	0.5	0.6	0.6	0.9
atimated Lifetima Cubatanas II.a. (0/)												
Estimated Lifetime Substance Use (%)	2014	2042	2042	2014	2040	2000	2008	2007	2006	2005	2004	2002
. ,	2014	2013	2012	2011	2010	2009	2008	2007	2006	2005	2004	2003
Alcohol	29.6	30.8	32.4	34.5	35.2	38.1	38.3	39.4	40.4	40.6	42.0	42.9
Alcohol Any Tobacco	29.6 18.5	30.8 19.8	32.4 21.5	34.5 23.2	35.2 24.9	38.1 26.9	38.3 27.2	39.4 27.8	40.4 29.7	40.6 30.7	42.0 32.7	42.9 34.5
Alcohol Any Tobacco Cigarettes	29.6 18.5 14.2	30.8 19.8 15.7	32.4 21.5 17.4	34.5 23.2 19.1	35.2 24.9 20.3	38.1 26.9 22.2	38.3 27.2 22.9	39.4 27.8 23.7	40.4 29.7 25.8	40.6 30.7 26.7	42.0 32.7 29.2	42.9 34.5 31.0
Alcohol Any Tobacco Cigarettes Smokeless Tobacco	29.6 18.5 14.2 5.7	30.8 19.8 15.7 6.0	32.4 21.5 17.4 6.4	34.5 23.2 19.1 6.8	35.2 24.9 20.3 7.2	38.1 26.9 22.2 7.6	38.3 27.2 22.9 7.2	39.4 27.8 23.7 7.7	40.4 29.7 25.8 7.1	40.6 30.7 26.7 7.1	42.0 32.7 29.2 7.1	42.9 34.5 31.0 7.6
Alcohol Any Tobacco Cigarettes Smokeless Tobacco Any Illicit Drug	29.6 18.5 14.2 5.7 23.3	30.8 19.8 15.7 6.0 23.3	32.4 21.5 17.4 6.4 24.2	34.5 23.2 19.1 6.8 25.5	35.2 24.9 20.3 7.2 25.8	38.1 26.9 22.2 7.6 26.9	38.3 27.2 22.9 7.2 26.4	39.4 27.8 23.7 7.7 26.3	40.4 29.7 25.8 7.1 27.6	40.6 30.7 26.7 7.1 27.7	42.0 32.7 29.2 7.1 30.0	42.9 34.5 31.0 7.6 30.5
Alcohol Any Tobacco Cigarettes Smokeless Tobacco Any Illicit Drug Marijuana	29.6 18.5 14.2 5.7 23.3 16.4	30.8 19.8 15.7 6.0 23.3 16.4	32.4 21.5 17.4 6.4 24.2 17.0	34.5 23.2 19.1 6.8 25.5 17.5	35.2 24.9 20.3 7.2 25.8 17.1	38.1 26.9 22.2 7.6 26.9 17.1	38.3 27.2 22.9 7.2 26.4 16.6	39.4 27.8 23.7 7.7 26.3 16.2	40.4 29.7 25.8 7.1 27.6 17.3	40.6 30.7 26.7 7.1 27.7 17.4	42.0 32.7 29.2 7.1 30.0 19.0	42.9 34.5 31.0 7.6 30.5 19.6
Alcohol Any Tobacco Cigarettes Smokeless Tobacco Any Illicit Drug Marijuana Inhalant	29.6 18.5 14.2 5.7 23.3 16.4 5.3	30.8 19.8 15.7 6.0 23.3 16.4 5.3	32.4 21.5 17.4 6.4 24.2 17.0 6.5	34.5 23.2 19.1 6.8 25.5 17.5 7.5	35.2 24.9 20.3 7.2 25.8 17.1 8.3	38.1 26.9 22.2 7.6 26.9 17.1 9.3	38.3 27.2 22.9 7.2 26.4 16.6 9.3	39.4 27.8 23.7 7.7 26.3 16.2 9.6	40.4 29.7 25.8 7.1 27.6 17.3	40.6 30.7 26.7 7.1 27.7 17.4 10.5	42.0 32.7 29.2 7.1 30.0 19.0 11.0	42.9 34.5 31.0 7.6 30.5 19.6 10.7
Alcohol Any Tobacco Cigarettes Smokeless Tobacco Any Illicit Drug Marijuana Inhalant Hallucinogen	29.6 18.5 14.2 5.7 23.3 16.4 5.3 2.5	30.8 19.8 15.7 6.0 23.3 16.4 5.3 2.8	32.4 21.5 17.4 6.4 24.2 17.0 6.5 3.3	34.5 23.2 19.1 6.8 25.5 17.5 7.5 3.7	35.2 24.9 20.3 7.2 25.8 17.1 8.3 4.1	38.1 26.9 22.2 7.6 26.9 17.1 9.3 4.1	38.3 27.2 22.9 7.2 26.4 16.6 9.3 3.9	39.4 27.8 23.7 7.7 26.3 16.2 9.6 3.6	40.4 29.7 25.8 7.1 27.6 17.3 10.1 3.9	40.6 30.7 26.7 7.1 27.7 17.4 10.5 3.9	42.0 32.7 29.2 7.1 30.0 19.0 11.0 4.6	42.9 34.5 31.0 7.6 30.5 19.6 10.7 5.0
Alcohol Any Tobacco Cigarettes Smokeless Tobacco Any Illicit Drug Marijuana Inhalant Hallucinogen LSD	29.6 18.5 14.2 5.7 23.3 16.4 5.3 2.5	30.8 19.8 15.7 6.0 23.3 16.4 5.3 2.8 0.9	32.4 21.5 17.4 6.4 24.2 17.0 6.5 3.3 1.0	34.5 23.2 19.1 6.8 25.5 17.5 7.5 3.7 0.9	35.2 24.9 20.3 7.2 25.8 17.1 8.3 4.1 0.9	38.1 26.9 22.2 7.6 26.9 17.1 9.3 4.1 1.0	38.3 27.2 22.9 7.2 26.4 16.6 9.3 3.9 1.1	39.4 27.8 23.7 7.7 26.3 16.2 9.6 3.6 0.8	40.4 29.7 25.8 7.1 27.6 17.3 10.1 3.9 0.9	40.6 30.7 26.7 7.1 27.7 17.4 10.5 3.9 1.1	42.0 32.7 29.2 7.1 30.0 19.0 11.0 4.6 1.2	42.9 34.5 31.0 7.6 30.5 19.6 10.7 5.0 1.6
Alcohol Any Tobacco Cigarettes Smokeless Tobacco Any Illicit Drug Marijuana Inhalant Hallucinogen LSD PCP	29.6 18.5 14.2 5.7 23.3 16.4 5.3 2.5 1.2	30.8 19.8 15.7 6.0 23.3 16.4 5.3 2.8 0.9 0.2	32.4 21.5 17.4 6.4 24.2 17.0 6.5 3.3 1.0	34.5 23.2 19.1 6.8 25.5 17.5 7.5 3.7 0.9 0.3	35.2 24.9 20.3 7.2 25.8 17.1 8.3 4.1 0.9 0.3	38.1 26.9 22.2 7.6 26.9 17.1 9.3 4.1 1.0 0.4	38.3 27.2 22.9 7.2 26.4 16.6 9.3 3.9 1.1 0.4	39.4 27.8 23.7 7.7 26.3 16.2 9.6 3.6 0.8 0.4	40.4 29.7 25.8 7.1 27.6 17.3 10.1 3.9 0.9	40.6 30.7 26.7 7.1 27.7 17.4 10.5 3.9 1.1 0.7	42.0 32.7 29.2 7.1 30.0 19.0 11.0 4.6 1.2 0.7	42.9 34.5 31.0 7.6 30.5 19.6 10.7 5.0 1.6 0.8
Alcohol Any Tobacco Cigarettes Smokeless Tobacco Any Illicit Drug Marijuana Inhalant Hallucinogen LSD PCP Ecstasy	29.6 18.5 14.2 5.7 23.3 16.4 5.3 2.5 1.2 0.2	30.8 19.8 15.7 6.0 23.3 16.4 5.3 2.8 0.9 0.2 1.5	32.4 21.5 17.4 6.4 24.2 17.0 6.5 3.3 1.0 0.4 2.0	34.5 23.2 19.1 6.8 25.5 17.5 7.5 3.7 0.9 0.3 2.4	35.2 24.9 20.3 7.2 25.8 17.1 8.3 4.1 0.9 0.3 2.5	38.1 26.9 22.2 7.6 26.9 17.1 9.3 4.1 1.0 0.4 2.3	38.3 27.2 22.9 7.2 26.4 16.6 9.3 3.9 1.1 0.4 2.1	39.4 27.8 23.7 7.7 26.3 16.2 9.6 3.6 0.8 0.4 1.8	40.4 29.7 25.8 7.1 27.6 17.3 10.1 3.9 0.9 0.5 1.9	40.6 30.7 26.7 7.1 27.7 17.4 10.5 3.9 1.1 0.7	42.0 32.7 29.2 7.1 30.0 19.0 11.0 4.6 1.2 0.7 2.1	42.9 34.5 31.0 7.6 30.5 19.6 10.7 5.0 1.6 0.8 2.4
Alcohol Any Tobacco Cigarettes Smokeless Tobacco Any Illicit Drug Marijuana Inhalant Hallucinogen LSD PCP Ecstasy Cocaine (any form)	29.6 18.5 14.2 5.7 23.3 16.4 5.3 2.5 1.2 0.2 1.2	30.8 19.8 15.7 6.0 23.3 16.4 5.3 2.8 0.9 0.2 1.5	32.4 21.5 17.4 6.4 24.2 17.0 6.5 3.3 1.0 0.4 2.0 1.1	34.5 23.2 19.1 6.8 25.5 17.5 7.5 3.7 0.9 0.3 2.4 1.3	35.2 24.9 20.3 7.2 25.8 17.1 8.3 4.1 0.9 0.3 2.5 1.5	38.1 26.9 22.2 7.6 26.9 17.1 9.3 4.1 1.0 0.4 2.3 1.6	38.3 27.2 22.9 7.2 26.4 16.6 9.3 3.9 1.1 0.4 2.1 1.9	39.4 27.8 23.7 7.7 26.3 16.2 9.6 3.6 0.8 0.4 1.8 2.2	40.4 29.7 25.8 7.1 27.6 17.3 10.1 3.9 0.9 0.5 1.9 2.2	40.6 30.7 26.7 7.1 27.7 17.4 10.5 3.9 1.1 0.7 1.6 2.3	42.0 32.7 29.2 7.1 30.0 19.0 11.0 4.6 1.2 0.7 2.1 2.4	42.9 34.5 31.0 7.6 30.5 19.6 10.7 5.0 1.6 0.8 2.4 2.6
Alcohol Any Tobacco Cigarettes Smokeless Tobacco Any Illicit Drug Marijuana Inhalant Hallucinogen LSD PCP Ecstasy Cocaine (any form) Crack Cocaine	29.6 18.5 14.2 5.7 23.3 16.4 5.3 2.5 1.2 0.2 1.2 0.9	30.8 19.8 15.7 6.0 23.3 16.4 5.3 2.8 0.9 0.2 1.5 0.9 0.1	32.4 21.5 17.4 6.4 24.2 17.0 6.5 3.3 1.0 0.4 2.0 1.1	34.5 23.2 19.1 6.8 25.5 17.5 7.5 3.7 0.9 0.3 2.4 1.3 0.3	35.2 24.9 20.3 7.2 25.8 17.1 8.3 4.1 0.9 0.3 2.5 1.5	38.1 26.9 22.2 7.6 26.9 17.1 9.3 4.1 1.0 0.4 2.3 1.6 0.2	38.3 27.2 22.9 7.2 26.4 16.6 9.3 3.9 1.1 0.4 2.1 1.9	39.4 27.8 23.7 7.7 26.3 16.2 9.6 3.6 0.8 0.4 1.8 2.2 0.4	40.4 29.7 25.8 7.1 27.6 17.3 10.1 3.9 0.9 0.5 1.9 2.2 0.5	40.6 30.7 26.7 7.1 27.7 17.4 10.5 3.9 1.1 0.7 1.6 2.3 0.4	42.0 32.7 29.2 7.1 30.0 19.0 11.0 4.6 1.2 0.7 2.1 2.4 0.5	42.9 34.5 31.0 7.6 30.5 19.6 10.7 5.0 1.6 0.8 2.4 2.6 0.6
Alcohol Any Tobacco Cigarettes Smokeless Tobacco Any Illicit Drug Marijuana Inhalant Hallucinogen LSD PCP Ecstasy Cocaine (any form) Crack Cocaine Heroin	29.6 18.5 14.2 5.7 23.3 16.4 5.3 2.5 1.2 0.2 1.2 0.9 0.1	30.8 19.8 15.7 6.0 23.3 16.4 5.3 2.8 0.9 0.2 1.5 0.9 0.1	32.4 21.5 17.4 6.4 24.2 17.0 6.5 3.3 1.0 0.4 2.0 1.1 0.1	34.5 23.2 19.1 6.8 25.5 17.5 7.5 3.7 0.9 0.3 2.4 1.3 0.3 0.3	35.2 24.9 20.3 7.2 25.8 17.1 8.3 4.1 0.9 0.3 2.5 1.5 0.2	38.1 26.9 22.2 7.6 26.9 17.1 9.3 4.1 1.0 0.4 2.3 1.6 0.2 0.2	38.3 27.2 22.9 7.2 26.4 16.6 9.3 3.9 1.1 0.4 2.1 1.9 0.3	39.4 27.8 23.7 7.7 26.3 16.2 9.6 3.6 0.8 0.4 1.8 2.2 0.4 0.2	40.4 29.7 25.8 7.1 27.6 17.3 10.1 3.9 0.9 0.5 1.9 2.2 0.5 0.2	40.6 30.7 26.7 7.1 27.7 17.4 10.5 3.9 1.1 0.7 1.6 2.3 0.4 0.2	42.0 32.7 29.2 7.1 30.0 19.0 11.0 4.6 1.2 0.7 2.1 2.4 0.5 0.3	42.9 34.5 31.0 7.6 30.5 19.6 10.7 5.0 1.6 0.8 2.4 2.6 0.6 0.3
Alcohol Any Tobacco Cigarettes Smokeless Tobacco Any Illicit Drug Marijuana Inhalant Hallucinogen LSD PCP Ecstasy Cocaine (any form) Crack Cocaine Heroin Psychotherapeutics (Rx-type, non-medical use)	29.6 18.5 14.2 5.7 23.3 16.4 5.3 2.5 1.2 0.2 1.2 0.9 0.1 0.1 9.2	30.8 19.8 15.7 6.0 23.3 16.4 5.3 2.8 0.9 0.2 1.5 0.9 0.1 0.2 8.8	32.4 21.5 17.4 6.4 24.2 17.0 6.5 3.3 1.0 0.4 2.0 1.1 0.1 0.2	34.5 23.2 19.1 6.8 25.5 17.5 7.5 3.7 0.9 0.3 2.4 1.3 0.3 0.3	35.2 24.9 20.3 7.2 25.8 17.1 8.3 4.1 0.9 0.3 2.5 1.5 0.2 0.2	38.1 26.9 22.2 7.6 26.9 17.1 9.3 4.1 1.0 0.4 2.3 1.6 0.2 0.2	38.3 27.2 22.9 7.2 26.4 16.6 9.3 3.9 1.1 0.4 2.1 1.9 0.3 0.3 11.2	39.4 27.8 23.7 7.7 26.3 16.2 9.6 3.6 0.8 0.4 1.8 2.2 0.4 0.2 11.7	40.4 29.7 25.8 7.1 27.6 17.3 10.1 3.9 0.9 0.5 1.9 2.2 0.5 0.2	40.6 30.7 26.7 7.1 27.7 17.4 10.5 3.9 1.1 0.7 1.6 2.3 0.4 0.2 11.9	42.0 32.7 29.2 7.1 30.0 19.0 11.0 4.6 1.2 0.7 2.1 2.4 0.5 0.3 13.5	42.9 34.5 31.0 7.6 30.5 19.6 10.7 5.0 1.6 0.8 2.4 2.6 0.6 0.3 13.5
Alcohol Any Tobacco Cigarettes Smokeless Tobacco Any Illicit Drug Marijuana Inhalant Hallucinogen LSD PCP Ecstasy Cocaine (any form) Crack Cocaine Heroin Psychotherapeutics (Rx-type, non-medical use) Pain Reliever	29.6 18.5 14.2 5.7 23.3 16.4 5.3 2.5 1.2 0.2 1.2 0.9 0.1	30.8 19.8 15.7 6.0 23.3 16.4 5.3 2.8 0.9 0.2 1.5 0.9 0.1	32.4 21.5 17.4 6.4 24.2 17.0 6.5 3.3 1.0 0.4 2.0 1.1 0.1	34.5 23.2 19.1 6.8 25.5 17.5 7.5 3.7 0.9 0.3 2.4 1.3 0.3 0.3 10.1 8.6	35.2 24.9 20.3 7.2 25.8 17.1 8.3 4.1 0.9 0.3 2.5 1.5 0.2 0.2 10.6 9.2	38.1 26.9 22.2 7.6 26.9 17.1 9.3 4.1 1.0 0.4 2.3 1.6 0.2 0.2	38.3 27.2 22.9 7.2 26.4 16.6 9.3 3.9 1.1 0.4 2.1 1.9 0.3	39.4 27.8 23.7 7.7 26.3 16.2 9.6 3.6 0.8 0.4 1.8 2.2 0.4 0.2	40.4 29.7 25.8 7.1 27.6 17.3 10.1 3.9 0.9 0.5 1.9 2.2 0.5 0.2	40.6 30.7 26.7 7.1 27.7 17.4 10.5 3.9 1.1 0.7 1.6 2.3 0.4 0.2	42.0 32.7 29.2 7.1 30.0 19.0 11.0 4.6 1.2 0.7 2.1 2.4 0.5 0.3	42.9 34.5 31.0 7.6 30.5 19.6 10.7 5.0 1.6 0.8 2.4 2.6 0.3 13.5 11.2
Alcohol Any Tobacco Cigarettes Smokeless Tobacco Any Illicit Drug Marijuana Inhalant Hallucinogen LSD PCP Ecstasy Cocaine (any form) Crack Cocaine Heroin Psychotherapeutics (Rx-type, non-medical use) Pain Reliever OxyContin®	29.6 18.5 14.2 5.7 23.3 16.4 5.3 2.5 1.2 0.2 1.2 0.9 0.1 0.1 9.2 7.3 1.0	30.8 19.8 15.7 6.0 23.3 16.4 5.3 2.8 0.9 0.2 1.5 0.9 0.1 0.2 8.8 7.3 1.1	32.4 21.5 17.4 6.4 24.2 17.0 6.5 3.3 1.0 0.4 2.0 1.1 0.1 0.2 10.0 8.3 1.3	34.5 23.2 19.1 6.8 25.5 17.5 7.5 3.7 0.9 0.3 2.4 1.3 0.3 0.3 10.1 8.6 1.5	35.2 24.9 20.3 7.2 25.8 17.1 8.3 4.1 0.9 0.3 2.5 1.5 0.2 0.2 10.6 9.2 1.5	38.1 26.9 22.2 7.6 26.9 17.1 9.3 4.1 1.0 0.4 2.3 1.6 0.2 0.2 11.4 9.7 1.5	38.3 27.2 22.9 7.2 26.4 16.6 9.3 3.9 1.1 0.4 2.1 1.9 0.3 0.3 11.2 9.5	39.4 27.8 23.7 7.7 26.3 16.2 9.6 3.6 0.8 0.4 1.8 2.2 0.4 0.2 11.7 9.7 1.4	40.4 29.7 25.8 7.1 27.6 17.3 10.1 3.9 0.9 0.5 1.9 2.2 0.5 0.2 12.5 10.4	40.6 30.7 26.7 7.1 27.7 17.4 10.5 3.9 1.1 0.7 1.6 2.3 0.4 0.2 11.9 9.9	42.0 32.7 29.2 7.1 30.0 19.0 11.0 4.6 1.2 0.7 2.1 2.4 0.5 0.3 13.5 11.4 1.2	42.9 34.5 31.0 7.6 30.5 19.6 10.7 5.0 1.6 0.8 2.4 2.6 0.6 0.3 13.5 11.2 1.0
Alcohol Any Tobacco Cigarettes Smokeless Tobacco Any Illicit Drug Marijuana Inhalant Hallucinogen LSD PCP Ecstasy Cocaine (any form) Crack Cocaine Heroin Psychotherapeutics (Rx-type, non-medical use) Pain Reliever OxyContin® Stimulant	29.6 18.5 14.2 5.7 23.3 16.4 5.3 2.5 1.2 0.2 1.2 0.9 0.1 0.1 9.2 7.3 1.0 2.1	30.8 19.8 15.7 6.0 23.3 16.4 5.3 2.8 0.9 0.2 1.5 0.9 0.1 0.2 8.8 7.3 1.1	32.4 21.5 17.4 6.4 24.2 17.0 6.5 3.3 1.0 0.4 2.0 1.1 0.1 0.2 10.0 8.3 1.3 2.0	34.5 23.2 19.1 6.8 25.5 17.5 7.5 3.7 0.9 0.3 2.4 1.3 0.3 0.3 10.1 8.6 1.5 2.0	35.2 24.9 20.3 7.2 25.8 17.1 8.3 4.1 0.9 0.3 2.5 1.5 0.2 0.2 10.6 9.2 1.5 2.2	38.1 26.9 22.2 7.6 26.9 17.1 9.3 4.1 1.0 0.4 2.3 1.6 0.2 0.2 11.4 9.7 1.5 2.4	38.3 27.2 22.9 7.2 26.4 16.6 9.3 3.9 1.1 0.4 2.1 1.9 0.3 0.3 11.2 9.5 1.4 2.7	39.4 27.8 23.7 7.7 26.3 16.2 9.6 3.6 0.8 0.4 1.8 2.2 0.4 0.2 11.7 9.7 1.4	40.4 29.7 25.8 7.1 27.6 17.3 10.1 3.9 0.9 0.5 1.9 2.2 0.5 0.2 12.5 10.4 1.4 3.7	40.6 30.7 26.7 7.1 27.7 17.4 10.5 3.9 1.1 0.7 1.6 2.3 0.4 0.2 11.9 9.9 1.1	42.0 32.7 29.2 7.1 30.0 19.0 11.0 4.6 1.2 0.7 2.1 2.4 0.5 0.3 13.5 11.4	42.9 34.5 31.0 7.6 30.5 19.6 10.7 5.0 1.6 0.8 2.4 2.6 0.6 0.3 13.5 11.2 1.0 4.2
Alcohol Any Tobacco Cigarettes Smokeless Tobacco Any Illicit Drug Marijuana Inhalant Hallucinogen LSD PCP Ecstasy Cocaine (any form) Crack Cocaine Heroin Psychotherapeutics (Rx-type, non-medical use) Pain Reliever OxyContin® Stimulant Methamphetamine	29.6 18.5 14.2 5.7 23.3 16.4 5.3 2.5 1.2 0.2 1.2 0.9 0.1 0.1 9.2 7.3 1.0 2.1 0.7	30.8 19.8 15.7 6.0 23.3 16.4 5.3 2.8 0.9 0.2 1.5 0.9 0.1 0.2 8.8 7.3 1.1 1.8 0.5	32.4 21.5 17.4 6.4 24.2 17.0 6.5 3.3 1.0 0.4 2.0 1.1 0.2 10.0 8.3 1.3 2.0 0.6	34.5 23.2 19.1 6.8 25.5 17.5 7.5 3.7 0.9 0.3 2.4 1.3 0.3 10.1 8.6 1.5 2.0 0.7	35.2 24.9 20.3 7.2 25.8 17.1 8.3 4.1 0.9 0.3 2.5 1.5 0.2 10.6 9.2 1.5 2.2 0.6	38.1 26.9 22.2 7.6 26.9 17.1 9.3 4.1 1.0 0.4 2.3 1.6 0.2 0.2 11.4 9.7 1.5 2.4 0.8	38.3 27.2 22.9 7.2 26.4 16.6 9.3 3.9 1.1 0.4 2.1 1.9 0.3 0.3 11.2 9.5 1.4 2.7 0.8	39.4 27.8 23.7 7.7 26.3 16.2 9.6 3.6 0.8 0.4 1.8 2.2 0.4 0.2 11.7 9.7 1.4 2.9 0.9	40.4 29.7 25.8 7.1 27.6 17.3 10.1 3.9 0.9 0.5 1.9 2.2 0.5 0.2 12.5 10.4 1.4 3.7 1.3	40.6 30.7 26.7 7.1 27.7 17.4 10.5 3.9 1.1 0.7 1.6 2.3 0.4 0.2 11.9 9.9 1.1 3.4 1.3	42.0 32.7 29.2 7.1 30.0 19.0 11.0 4.6 1.2 0.7 2.1 2.4 0.5 0.3 13.5 11.4 1.2 3.6	42.9 34.5 31.0 7.6 30.5 19.6 10.7 5.0 1.6 0.8 2.4 2.6 0.6 0.3 13.5 11.2 1.0 4.2
Alcohol Any Tobacco Cigarettes Smokeless Tobacco Any Illicit Drug Marijuana Inhalant Hallucinogen LSD PCP Ecstasy Cocaine (any form) Crack Cocaine Heroin Psychotherapeutics (Rx-type, non-medical use) Pain Reliever OxyContin® Stimulant	29.6 18.5 14.2 5.7 23.3 16.4 5.3 2.5 1.2 0.2 1.2 0.9 0.1 0.1 9.2 7.3 1.0 2.1	30.8 19.8 15.7 6.0 23.3 16.4 5.3 2.8 0.9 0.2 1.5 0.9 0.1 0.2 8.8 7.3 1.1	32.4 21.5 17.4 6.4 24.2 17.0 6.5 3.3 1.0 0.4 2.0 1.1 0.1 0.2 10.0 8.3 1.3 2.0	34.5 23.2 19.1 6.8 25.5 17.5 7.5 3.7 0.9 0.3 2.4 1.3 0.3 0.3 10.1 8.6 1.5 2.0	35.2 24.9 20.3 7.2 25.8 17.1 8.3 4.1 0.9 0.3 2.5 1.5 0.2 0.2 10.6 9.2 1.5 2.2	38.1 26.9 22.2 7.6 26.9 17.1 9.3 4.1 1.0 0.4 2.3 1.6 0.2 0.2 11.4 9.7 1.5 2.4	38.3 27.2 22.9 7.2 26.4 16.6 9.3 3.9 1.1 0.4 2.1 1.9 0.3 0.3 11.2 9.5 1.4 2.7	39.4 27.8 23.7 7.7 26.3 16.2 9.6 3.6 0.8 0.4 1.8 2.2 0.4 0.2 11.7 9.7 1.4	40.4 29.7 25.8 7.1 27.6 17.3 10.1 3.9 0.9 0.5 1.9 2.2 0.5 0.2 12.5 10.4 1.4 3.7	40.6 30.7 26.7 7.1 27.7 17.4 10.5 3.9 1.1 0.7 1.6 2.3 0.4 0.2 11.9 9.9 1.1 3.4	42.0 32.7 29.2 7.1 30.0 19.0 11.0 4.6 1.2 0.7 2.1 2.4 0.5 0.3 13.5 11.4 1.2 3.6 1.4	42.9 34.5 31.0 7.6 30.5 19.6 10.7 5.0 1.6 0.8 2.4 2.6 0.6 0.3 13.5 11.2 1.0 4.2

^{* &}quot;Binge" alcohol use in the National Survey on Drug Use and Health is defined as consuming 5 or more drinks on the same occasion on at least one day in the past 30 days.

0.2

0.2

0.2

0.2

0.2 0.2

0.3

0.2

0.3

0.2

Needle/Injection Drug Use

Data Source:

U.S. Department of Health and Human Services, SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health.

0.3

^{** &}quot;Heavy" alcohol use is defined as consuming 5 or more drinks on the same occasion on each of 5 or more days in the past 30 days.

^{***} Low precision, no estimate available

NATIONAL SURVEY ON DRUG USE AND HEALTH U.S. AGES 18-25, 2003-2014

Estimated Past-Month Substance Use (%)												
	2014	2013	2012	2011	2010	2009	2008	2007	2006	2005	2004	2003
Alcohol	59.6	59.6	60.2	60.7	61.4	61.8	61.1	61.3	62.0	60.9	60.5	61.4
Binge Alcohol Use *	37.7	37.9	39.5	39.8	40.5	41.8	41.2	41.9	42.3	41.9	41.2	41.6
Heavy Alcohol Use **	10.8	11.3	12.7	12.1	13.5	13.8	14.6	14.8	15.6	15.3	15.1	15.1
Any Tobacco	35.0	37.0	38.1	39.5	40.9	41.6	41.4	41.9	44.0	44.3	44.6	44.8
Cigarettes	28.4	30.6	31.8	33.5	34.3	35.8	35.7	36.2	38.5	39.0	39.5	40.2
Smokeless Tobacco	5.6	5.8	5.5	5.4	6.4	6.1	5.3	5.2	5.2	5.1	4.9	4.7
Any Illicit Drug	22.0	21.5	21.3	21.4	21.6	21.4	19.7	19.8	19.8	20.1	19.4	20.3
Marijuana	19.6	19.1	18.7	19.0	18.5	18.2	16.6	16.5	16.3	16.6	16.1	17.0
Inhalant	0.2	0.3	0.4	0.4	0.4	0.4	0.3	0.4	0.4	0.5	0.4	0.4
Hallucinogen	1.4	1.8	1.7	1.6	2.0	1.8	1.7	1.5	1.7	1.5	1.5	1.7
LSD	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.2	0.2	0.2	0.3	0.2
PCP	0.0	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1
Ecstasy	0.8	0.9	1.0	0.9	1.2	1.1	0.9	0.7	1.0	8.0	0.7	0.7
Cocaine (any form)	1.4	1.1	1.1	1.4	1.5	1.4	1.6	1.7	2.2	2.6	2.1	2.2
Crack Cocaine	0.1	0.1	0.1	0.1	0.2	0.1	0.2	0.2	0.2	0.3	0.3	0.2
Heroin	0.2	0.3	0.4	0.3	0.3	0.2	0.2	0.1	0.2	0.2	0.1	0.1
Psychotherapeutics (Rx-type, non-medical use)	4.4	4.8	5.3	5.0	5.9	6.4	5.9	5.9	6.5	6.3	6.1	6.1
Pain Reliever	2.8	3.3	3.8	3.6	4.4	4.8	4.5	4.6	5.0	4.7	4.7	4.7
OxyContin [®]	0.3	0.3	0.4	0.5	0.7	0.5	0.4	0.5	0.4	0.4	0.4	
Stimulant	1.2	1.3	1.2	1.0	1.2	1.3	1.1	1.1	1.4	1.4	1.5	1.3
Methamphetamine	0.2	0.3	0.3	0.2	0.2	0.2	0.2	0.4	0.6	0.7	0.7	0.6
Sedative	0.2	0.1	0.1	0.1	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
Tranquilizer	1.2	1.2	1.6	1.6	1.7	1.9	1.7	1.7	2.0	1.9	1.8	1.7
Estimated Lifetime Substance Use (%)												
	2014	2013	2012	2011	2010	2009	2008	2007	2006	2005	2004	2003
Alcohol	83.4	83.8	84.4	84.3	85.7	85.8	85.6	85.2	86.5	85.7	86.2	87.1
Any Tobacco	63.8	65.1	66.3	67.9	68.6	69.6	70.2	70.3	71.8	72.3	73.5	74.8
Cigarettes	56.1	57.9	59.5	61.0	62.1	63.7	64.2	64.7	66.6	67.3	68.7	70.2
Smokeless Tobacco	19.4	20.3	19.9	20.4	20.9	21.0	20.3	20.1	20.2	20.8	21.4	22.0
Any Illicit Drug	57.9	57.0	57.8	56.9	57.3	58.5	57.0	57.5	59.0	59.2	59.2	60.5
Marijuana	52.6	51.9	52.2	51.9	51.4	52.6	50.8	50.9	52.5	52.4	52.8	53.9
Inhalant	7.0	7.5	8.4	9.1	10.0	10.8	10.5	11.3	12.5	13.3	14.0	14.9
Hallucinogen	16.6	17.6	17.6	17.6	18.5	19.1	17.8	19.2	20.2	21.0	21.3	23.3
LSD	7.0	6.5	5.9	6.0	6.4	6.9	6.6	7.3	8.9	10.5	12.1	14.0
PCP	0.9	0.9	1.0	1.0	1.3	1.4	1.6	1.6	1.9	2.2	2.3	3.0
Ecstasy	12.0	12.8	12.9	12.3	12.4	12.5	12.2	12.8	13.4	13.7	13.8	14.8
Cocaine (any form)	11.1	11.6	12.3	12.4	13.4	14.9	14.5	15.0	15.7	15.1	15.2	15.0
Crack Cocaine	1.6	1.6	1.9	2.1	2.6	2.9	2.8	3.0	3.6	3.5	3.5	3.8
Heroin	2.0	1.8	1.9	1.7	1.8	1.7	1.4	1.5	1.6	1.5	1.6	1.6
Psychotherapeutics (Rx-type, non-medical use)	26.3	26.6	28.1	27.3	28.9	29.5	29.4	30.0	30.7	30.8	29.7	29.5
Pain Reliever	20.2	20.8	22.4	22.2	23.9	24.5	24.6	24.9	25.5	25.5	24.3	23.7
OxyContin [®]	5.1	5.4	5.8	6.1	6.2	6.2	5.3	5.2	5.1	5.0	4.3	3.6

9.8

3.1

1.2

12.8

1.3

9.2

3.4

1.4

12.3

1.2

10.4

4.0

1.4

13.1

1.1

10.7

4.5

1.6

12.8

1.3

10.6

4.7

1.6

12.2

0.9

10.9

5.6

1.8

12.7

1.3

12.0

6.4

1.9

13.1

1.2

12.3

6.7

2.0

13.4

1.4

12.1

7.0

1.9

12.2

1.3

12.2

6.9

1.8

12.3

1.3

9.0

3.0

1.3

12.5

Data Source:

Stimulant

Sedative

Tranquilizer

Needle/Injection Drug Use

Methamphetamine

U.S. Department of Health and Human Services, SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health.

9.4

3.0

1.3

12.0

1.4

^{* &}quot;Binge" alcohol use in the National Survey on Drug Use and Health is defined as consuming 5 or more drinks on the same occasion on at least one day in the past 30 days.

^{** &}quot;Heavy" alcohol use is defined as consuming 5 or more drinks on the same occasion on each of 5 or more days in the past 30 days.

NATIONAL SURVEY ON DRUG USE AND HEALTH U.S. AGES 26 AND OLDER, 2003-2014

Estimated Past-Month Substance Use (%)

	2014	2013	2012	2011	2010	2009	2008	2007	2006	2005	2004	2003
Alcohol	56.5	55.9	55.6	55.1	54.9	54.9	54.7	54.1	53.7	55.1	53.0	52.5
Binge Alcohol Use *	22.5	22.4	22.1	21.6	21.9	22.4	22.2	22.0	21.4	21.0	21.1	21.0
Heavy Alcohol Use **	6.0	6.1	6.1	5.7	6.1	6.2	6.3	6.1	6.0	5.6	6.1	5.9
Any Tobacco	25.8	25.7	27.0	26.3	27.2	27.3	28.4	28.6	29.4	29.0	28.5	29.3
Cigarettes	21.5	21.6	22.4	21.9	22.8	23.0	23.8	24.1	24.7	24.3	24.1	24.7
Smokeless Tobacco	3.0	3.1	3.3	3.0	3.1	3.1	3.3	3.0	3.1	3.0	2.7	3.2
Any Illicit Drug	8.3	7.3	7.0	6.3	6.6	6.3	5.9	5.8	6.1	5.8	5.5	5.6
Marijuana	6.6	5.6	5.3	4.8	4.8	4.6	4.2	3.9	4.2	4.1	4.1	4.0
Inhalant	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.1	0.1	0.1
Hallucinogen	0.3	0.3	0.2	0.1	0.2	0.2	0.1	0.2	0.1	0.2	0.1	0.1
LSD	0.1	0.0	0.0	0.0	***	0.0	***	0.0	0.0	0.0	0.0	0.0
PCP		0.0	0.0	***	0.0	0.0	***	0.0	0.0	0.0	0.0	
Ecstasy	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
Cocaine (any form)	0.5	0.5	0.6	0.4	0.5	0.6	0.7	0.7	0.8	0.8	0.7	0.8
Crack Cocaine	0.2	0.2	0.2	0.1	0.2	0.2	0.2	0.3	0.3	0.3	0.2	0.3
Heroin	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.0	0.1	0.0
Psychotherapeutics (Rx-type, non-medical use)	2.1	2.1	2.1	1.9	2.2	2.1	1.9	2.2	2.2	1.9	1.8	2.0
Pain Reliever OxyContin [®]	1.4 0.1	1.5 0.2	1.5 0.1	1.4 0.1	1.5 0.1	1.6 0.1	1.4 0.1	1.6 0.1	1.5 0.1	1.3 0.1	1.2	1.3
	-		-	-	-	_	_	-	-	_	0.1	0.4
Stimulant	0.5	0.4	0.3	0.3	0.3	0.4	0.2	0.3	0.4	0.3	0.4	0.4
Methamphetamine Codetive	0.2	0.2	0.2	0.2	0.1	0.2	0.1	0.2	0.3	0.2	0.2	0.3
Sedative Tranquilizer	0.1 0.7	0.1 0.6	0.1 0.7	0.1 0.6	0.1 0.7	0.1 0.7	0.1 0.6	0.1 0.6	0.2 0.5	0.1 0.6	0.1 0.5	0.1 0.6
Tranquinzei	0.7	0.0	0.7	0.0	0.7	0.7	0.0	0.0	0.5	0.0	0.5	0.0
Estimated Lifetime Substance Use (%)												
	2014	2013	2012	2011	2010	2009	2008	2007	2006	2005	2004	2003
Alcohol	88.3	87.3	88.1	87.9	87.9	88.0	87.3	87.5	87.7	88.2	87.3	88.0
Any Tobacco	72.3	72.9	72.5	73.0	74.2	74.4	75.0	75.0	76.0	76.0	76.4	77.6
Cigarettes	67.5	68.1	67.9	68.6	70.0	70.1	70.7	70.9	71.7	71.9	72.3	73.6
Smokeless Tobacco	18.1	18.5	18.7	18.9	18.5	18.5	19.5	19.3	19.9	19.5	19.6	20.6
Any Illicit Drug	50.8	50.2	49.3	48.0	48.2	48.0	48.2	46.9	45.5	46.3	45.6	46.1
Marijuana	46.1	45.7	44.4	43.2	43.5	42.9	42.7	42.1	40.6	41.1	41.0	41.2
Inhalant	8.5	8.4	8.3	7.8	8.3	8.6	8.6	8.6	8.6	8.5	8.5	8.6
Hallucinogen	16.2	16.2	15.4	14.8	15.5	15.4	15.2	14.2	14.7	14.0	14.4	14.2
LSD	10.9	11.0	10.7	10.4	10.7	10.9	11.0	10.6	10.8	10.1	10.5	10.8
PCP	2.9	3.0	3.0	2.9	2.9	2.9	3.1	2.9	3.1	3.1	3.2	3.3
Ecstasy	6.4	6.4	5.6	4.9	5.7	4.9	4.4	4.1	3.9	3.6	3.4	3.1
Cocaine (any form)	17.1	16.5	16.5	16.3	16.6	16.2	16.5	16.1	15.7	15.2	15.6	16.3
Crack Cocaine	4.3	4.1	4.2	3.7	4.2	3.8	3.9	4.0	3.9	3.6	3.6	3.6
Heroin	2.0	2.0	1.9	1.8	1.8	1.6	1.7	1.7	1.7	1.6	1.4	1.7
Psychotherapeutics (Rx-type, non-medical use)	20.9	20.6	21.0	19.8	20.2	20.3	20.7	19.9	20.1	19.7	19.8	20.0
Pain Reliever	13.3	13.0	13.6	12.4	12.6	12.7	12.8	11.9	12.0	11.8	11.5	11.5
OxyContin [®]	2.4	2.4	2.1	1.7	1.9	1.7	1.4	1.2	1.1	0.9	0.8	8.0
Stimulant	9.2	8.8	8.8	8.4	9.1	9.2	8.9	9.1	9.4	8.7	9.6	10.0
Methamphetamine	5.7	5.5	5.5	5.3	5.9	5.8	5.7	5.8	6.3	5.5	6.5	6.9
Sedative	3.5	3.4	3.7	3.5	3.6	4.1	4.3	4.0	4.3	4.4	4.9	4.8
Tranquilizer	9.7	9.2	9.2	8.4	8.7	8.7	8.7	8.1	8.7	8.6	8.3	8.5
•												

^{* &}quot;Binge" alcohol use in the National Survey on Drug Use and Health is defined as consuming 5 or more drinks on the same occasion on at least one day in the past 30 days.

1.8

1.6

1.6

1.7

2.0

1.9

1.8

1.7

1.6

1.8

1.9

Needle/Injection Drug Use

Data Source:


U.S. Department of Health and Human Services, SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health.

^{** &}quot;Heavy" alcohol use is defined as consuming 5 or more drinks on the same occasion on each of 5 or more days in the past 30 days.

^{***} Low precision, no estimate available


ALCOHOL — PAST-MONTH USE: U.S. AND MISSOURI COMPARISONS BY AGE GROUP

Estimated Past-Month Alcohol Use (%): U.S. and Missouri Ages 12 and Older, 2003-2013




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

Estimated Past-Month Alcohol Use (%): U.S. and Missouri Ages 12-17, 2003-2013




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

Estimated Past-Month Alcohol Use (%): U.S. and Missouri Ages 18-25, 2003-2013




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

Estimated Past-Month Alcohol Use (%): U.S. and Missouri Ages 26 & Older, 2003-2013




ALCOHOL — PAST-MONTH BINGE USE: U.S. AND MISSOURI COMPARISONS BY AGE GROUP

Estimated Past-Month Binge Drinking (%): U.S. and Missouri Ages 12 & Older, 2003-2013




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

Estimated Past-Month Binge Drinking (%): U.S. and Missouri Ages 12-17, 2003-2013




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

Estimated Past-Month Binge Drinking (%): U.S. and Missouri Ages 18-25, 2003-2013




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

Estimated Past-Month Binge Drinking (%): U.S. and Missouri Ages 26 & Older, 2003-2013




ALCOHOL — PERCEIVED RISK OF BINGE USE: U.S. AND MISSOURI COMPARISONS BY AGE GROUP

Perceive Great Risk of Binge Drinking Once or Twice Weekly (%): U.S. and Missouri Ages 12 & Older, 2003-2013




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

Perceive Great Risk of Binge Drinking Once or Twice Weekly (%): U.S. and Missouri Ages 12-17, 2003-2013




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

Perceive Great Risk of Binge Drinking Once or Twice Weekly (%): U.S. and Missouri Ages 18-25, 2003-2013




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

Perceive Great Risk of Binge Drinking Once or Twice Weekly (%): U.S. and Missouri Ages 26 & Older, 2003-2013




ALCOHOL USE, BINGE USE, AND PERCEIVED RISK: MISSOURI AGE GROUP COMPARISONS

Estimated Past-Month Alcohol Use (%): Missouri Age Group Comparisons, 2003-2013





Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.





Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.






ALCOHOL USE: DIVISION OF BEHAVIORAL HEALTH (DBH) REGIONS

Past-Month Alcohol Use (%): Missouri and DBH Regions, 2004-2012




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 3-year averages.

Past-Month Binge Drinking (%): Missouri and DBH Regions, 2004-2012




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 3-year averages.

Perceptions of Great Risk of Binge Drinking (%): Missouri and DBH Regions, 2004-2012




ALCOHOL — PAST-YEAR DEPENDENCE OR USE DISORDER: U.S. AND MISSOURI AGE GROUPS

Estimated Past-Year Alcohol Dependence or Use Disorder (%), U.S. and Missouri Ages 12 & Older, 2003-2013




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

Estimated Past-Year Alcohol Dependence or Use Disorder (%): U.S. and Missouri Ages 12-17, 2003-2013




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

Estimated Past-Year Alcohol Dependence or Use Disorder (%): U.S. and Missouri Ages 18-25, 2003-2013




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

Estimated Past-Year Alcohol Dependence or Use Disorder (%): U.S. and Missouri Ages 26 & Older, 2003-2013




TOBACCO — PAST-MONTH CIGARETTE USE: U.S. AND MISSOURI COMPARISONS BY AGE GROUP

Estimated Past-Month Cigarette Use (%): U.S. and Missouri Ages 12 & Older, 2003-2013




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

Estimated Past-Month Cigarette Use (%): U.S. and Missouri Ages 12-17, 2003-2013




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

Estimated Past-Month Cigarette Use (%): U.S. and Missouri Ages 18-25, 2003-2013




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

Estimated Past-Month Cigarette Use (%): U.S. and Missouri Ages 26 & Older, 2003-2013




TOBACCO — PERCEIVED RISK OF CIGARETTE USE: U.S. AND MISSOURI COMPARISONS BY AGE GROUP

Perceive Great Risk in Smoking 1+ Pack Cigarettes Daily (%): U.S. and Missouri Ages 12 & Older, 2003-2013




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

Perceive Great Risk in Smoking 1+ Pack Cigarettes Daily (%): U.S. and Missouri Ages 12-17, 2003-2013




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

Perceive Great Risk in Smoking 1+ Pack Cigarettes Daily (%): U.S. and Missouri Ages 18-25, 2003-2013




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

Perceive Great Risk Smoking One or More Packs of Cigarettes Daily (%): U.S. and Missouri Ages 26 & Older, 2003-2013




TOBACCO USE AND PERCEIVED RISK: MISSOURI AGE GROUP COMPARISONS

Estimated Past-Month Tobacco Use (%): Missouri Age Group Comparisons, 2003-2013




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

Estimated Past-Month Cigarette Use (%): Missouri Age Group Comparisons, 2003-2013




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.






TOBACCO USE: DIVISION OF BEHAVIORAL HEALTH (DBH) REGIONS

Estimated Past-Month Tobacco Use (%): Missouri and DBH Regions, 2004-2012




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 3-year averages.

Estimated Past-Month Cigarette Use (%): Missouri and DBH Regions, 2004-2012




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 3-year averages.

Perceive Great Risk in Smoking One or More Packs of Cigarettes Per Day (%): Missouri and DBH Regions, 2004-2012




PAST-MONTH ILLICIT DRUG USE: U.S. AND MISSOURI COMPARISON BY AGE GROUP

Estimated Past-Month Use of Any Illicit Drug (%): U.S. and Missouri Ages 12 & Older, 2003-2013




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

Estimated Past-Month Use of Any Illicit Drug (%): U.S. and Missouri Ages 12-17, 2003-2013




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

Estimated Past-Month Use of Any Illicit Drug (%): U.S. and Missouri Ages 18-25, 2003-2013




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

Estimated Past-Month Use of Any Illicit Drug (%): U.S. and Missouri Ages 26 & Older, 2003-2013




PAST-MONTH ILLICIT DRUG USE EXCEPT MARIJUANA: U.S. AND MISSOURI COMPARISON BY AGE GROUP

Estimated Past-Month Use of Illicit Drug Other Than Marijuana (%): U.S. and Missouri Ages 12 & Older, 2003-2013




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

Estimated Past-Month Use of Illicit Drug Other Than Marijuana (%): U.S. and Missouri Ages 12-17, 2003-2013




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

Estimated Past-Month Use of Illicit Drug Other Than Marijuana (%): U.S. and Missouri Ages 18-25, 2003-2013




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

Estimated Past-Month Use of Illicit Drug Other Than Marijuana (%): U.S. and Missouri Ages 26 & Older, 2003-2013




ILLICIT DRUG USE: DIVISION OF BEHAVIORAL HEALTH (DBH) REGIONS

Estimated Past-Month Illicit Drug Use (%): Missouri and DBH Regions, 2004-2012




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 3-year averages.

Estimated Past-Month Use of Illicit Drugs Other Than Marijuana (%): Missouri and DBH Regions, 2004-2012




ILLICIT DRUGS — PAST-YEAR DEPENDENCE OR USE DISORDER: U.S. AND MISSOURI AGE GROUPS

Estimated Past-Year Illicit Drug Dependence or Use Disorder (%), U.S. and Missouri Ages 12 & Older, 2003-2013




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

Estimated Past-Year Illicit Drug Dependence or Use Disorder (%): U.S. and Missouri Ages 12-17, 2003-2013




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

Estimated Past-Year Illicit Drug Dependence or Use Disorder (%): U.S. and Missouri Ages 18-25, 2003-2013




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

Estimated Past-Year Illicit Drug Dependence or Use Disorder (%): U.S. and Missouri Ages 26 & Older, 2003-2013




MARIJUANA — PAST-MONTH USE: U.S. AND MISSOURI COMPARISONS BY AGE GROUP

Estimated Past-Month Marijuana Use (%): U.S. and Missouri Ages 12 & Older, 2003-2013




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

Estimated Past-Month Marijuana Use (%): U.S. and Missouri Ages 12-17, 2003-2013




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

Estimated Past-Month Marijuana Use (%): U.S. and Missouri Ages 18-25, 2003-2013




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

Estimated Past-Month Marijuana Use (%): U.S. and Missouri Ages 26 & Older, 2003-2013




MARIJUANA — PAST-YEAR USE: U.S. AND MISSOURI COMPARISON BY AGE GROUP

Estimated Past-Year Marijuana Use (%): U.S. and Missouri Ages 12 & Older, 2003-2013




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

Estimated Past-Year Marijuana Use (%): U.S. and Missouri Ages 12-17, 2003-2013




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

Estimated Past-Year Marijuana Use (%): U.S. and Missouri Ages 18-25, 2003-2013




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

Estimated Past-Year Marijuana Use (%): U.S. and Missouri Ages 26 & Older, 2003-2013




MARIJUANA — PERCEIVED RISK OF USE: U.S. AND MISSOURI COMPARISONS BY AGE GROUP

Perceive Great Risk in Smoking Marijuana Once a Month (%): U.S. and Missouri Ages 12 & Older, 2003-2013




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

Perceive Great Risk in Smoking Marijuana Once a Month (%): U.S. and Missouri Ages 12-17, 2003-2013




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

Perceive Great Risk in Smoking Marijuana Once a Month (%): U.S. and Missouri Ages 18-25, 2003-2013





Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

Perceive Great Risk in Smoking Marijuana Once a Month (%): U.S. and Missouri Ages 26 & Older, 2003-2013




PAST MONTH, FIRST USE, AND PERCEIVED RISK OF MARIJUANA USE: MISSOURI AGE GROUPS






Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

Estimated First Use of Marijuana in Past Year (%): Missouri Age Groups, 2003-2013




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

Estimated Perception of Great Risk of Smoking Marijuana Once Per Month (%): Missouri Age Groups, 2003-2013




MARIJUANA USE AND PERCEIVED RISK: DIVISION OF BEHAVIORAL HEALTH (DBH) REGIONS

Estimated Past-Month Marijuana Use (%): Missouri and DBH Regions




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 3-year averages.

Estimated Perception of Great Risk of Smoking Marijuana Once a Month (%): Missouri and DBH Regions




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 3-year averages.

Estimated Rate of First-time Use of Marijuana in Past Year (%): Missouri and DBH Regions




COCAINE — PAST-YEAR USE: U.S. AND MISSOURI COMPARISON BY AGE GROUP

Estimated Past-Year Cocaine Use (%): U.S. and Missouri Ages 12 & Older, 2003-2013




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

Estimated Past-Year Cocaine Use (%): U.S. and Missouri Ages 12-17, 2003-2013




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

Estimated Past-Year Cocaine Use (%): U.S. and Missouri Ages 18-25, 2003-2013




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

Estimated Past-Year Cocaine Use (%): U.S. and Missouri Ages 26 & Older, 2003-2013




PAIN RELIEVERS: PAST-YEAR NON-MEDICAL USE: U.S. AND MISSOURI COMPARISON BY AGE GROUP

Estimated Past-Year Use of Pain Relievers (%): U.S. and Missouri Ages 12 & Older, 2003-2013




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

Estimated Past-Year Use of Pain Relievers (%): U.S. and Missouri Ages 12-17, 2003-2013




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

Estimated Past-Year Use of Pain Relievers (%): U.S. and Missouri Ages 18-25, 2003-2013




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

Estimated Past-Year Use of Pain Relievers (%): U.S. and Missouri Ages 26 & Older, 2003-2013




MARIJUANA, COCAINE, AND PAIN RELIEVER PAST-YEAR USE: DIVISION OF BEHAVIORAL HEALTH (DBH) REGIONS

Estimated Past-Year Marijuana Use (%): Missouri and DBH Regions, 2004-2012




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 3-year averages.

Estimated Past-Year Cocaine Use (%): Missouri and DBH Regions, 2004-2012




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 3-year averages.

Estimated Past-Year Nonmedical Use of Pain Relievers (%): Missouri and DBH Regions, 2004-2012




ALCOHOL & ILLICIT DRUGS — PAST-YEAR DEPENDENCE OR USE DISORDER: U.S. & MISSOURI AGE GROUPS

Estimated Past-Year Alcohol or Illicit Drug Dependence or Use Disorder (%), U.S. and Missouri Ages 12 & Older, 2003-2013




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

Estimated Past-Year Alcohol or Illicit Drug Dependence or Use Disorder (%): U.S. and Missouri Ages 12-17, 2003-2013




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

Estimated Past-Year Alcohol or Illicit Drug Dependence or Use Disorder (%): U.S. and Missouri Ages 18-25, 2003-2013




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

Estimated Past-Year Alcohol or Illicit Drug Dependence or Use Disorder (%): U.S. and Missouri Ages 26 & Older, 2003-2013




PAST-YEAR ALCOHOL OR ILLICIT DRUG DEPENDENCE OR USE DISORDER: MISSOURI AGE GROUPS

Estimated Number with Past-Year Alcohol or Illicit Drug Dependence or Use Disorder: Missouri Ages 12 & Older, 2003-2013




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

Estimated Number with Past-Year Alcohol or Illicit Drug Dependence or Use Disorder: Missouri Ages 12-17, 2003-2013




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

Estimated Number with Past-Year Alcohol or Illicit Drug Dependence or Use Disorder: Missouri Ages 18-25, 2003-2013




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

Estimated Number with Past-Year Alcohol or Illicit Drug Dependence or Use Disorder: Missouri Ages 26 & Older, 2003-2013




Estimated Past-Year Alcohol Dependence or Use Disorder (%): Missouri and DBH Regions, 2004-2012




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 3-year averages.


Estimated Past-Year Illicit Drug Dependence or Use Disorder (%): Missouri and DBH Regions, 2004-2012




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 3-year averages.



SUBSTANCE DEPENDENCE OR USE DISORDER BY AGE GROUP: DIVISION OF BEHAVIORAL HEALTH REGIONS






Data Source: U.S. Department of Health and Human Services, SAMHSA. National Survey on Drug Use and Health.


Estimates are average annual rates based on combined years 2010-2012.

Estimated Past-Year Substance Dependence or Use Disorder (%): Missouri and DBH Regions Ages 18-25, 2010-2012



Data Source: U.S. Department of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are average annual rates based on combined years 2010-2012.

Estimated Past-Year Substance Dependence or Use Disorder (%): Missouri and DBH Regions Ages 26 and Older, 2010-2012




Data Source: U.S. Department of Health and Human Services, SAMHSA. National Survey on Drug Use and Health.

Estimates are average annual rates based on combined years 2010-2012.


PAST-YEAR UNMET NEED FOR SUBSTANCE USE DISORDER TREATMENT: MISSOURI AGE GROUPS

Estimated Number Needing but Not Receiving Treatment for Alcohol and Illicit Drugs: Missouri Ages 12 & Older, 2004-2013




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

Estimated Number Needing but Not Receiving Treatment for Alcohol and Illicit Drugs: Missouri Ages 12-17, 2004-2013




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

Estimated Number Needing but Not Receiving Treatment for Alcohol and Illicit Drugs: Missouri Ages 18-25, 2004-2013




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

Estimated Number Needing but Not Receiving Treatment for Alcohol and Illicit Drugs: Missouri Ages 26 & Older, 2004-2013



UNMET NEED FOR SUBSTANCE USE DISORDER TREATMENT: DIVISION OF BEHAVIORAL HEALTH REGIONS




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 3-year averages.

Estimated % Needing but Not Receiving Treatment for Illicit Drug Use in Past Year: Missouri and DBH Regions, 2004-2012 4 3 Percent of **Population** 2 Age 12 and Older 1 0 Eastern Western MO St. Louis MO Jackson Missouri Western Central Eastern Excluding City and Southwest Southeast Excluding County Statewide MΩ MΩ MO St. Louis County MΩ MO Jackson Only City and Only County County 2002-2004 2.85 3.00 2.47 3.58 2.96 2.88 2.67 2.99 2.65 2.63 2004-2006 2.64 2.66 2.26 3.11 2.43 2.79 2.67 2.86 2.40 2.69 2006-2008 2.50 2.32 2.31 2.34 2.31 2.71 2.94 2.59 2.52 2.41 2008-2010 2.46 2.30 2.22 2.40 2.55 2.53 2.85 2.35 2.61 2.25 2010-2012 2.39 2.45 2.21 2.73 2.40 2.46 2.22 2.60 2.30


UNMET NEED FOR SUBSTANCE TREATMENT BY AGE GROUP: DIVISION OF BEHAVIORAL HEALTH REGIONS

Estimated Past-Year Unmet Need for Substance Use Disorder Treatment (%): Missouri & DBH Regions Ages 12-17, 2010-2012




Data Source: U.S. Department of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are average annual rates based on combined years 2010-2012.

Estimated Past-Year Unmet Need for Substance Use Disorder Treatment (%): Missouri & DBH Regions Ages 18-25, 2010-2012



Data Source: U.S. Department of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are average annual rates based on combined years 2010-2012.


Estimated Past-Year Unmet Need for Substance Use Disorder Treatment (%): Missouri & DBH Regions Ages 26+, 2010-2012



Data Source: U.S. Department of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are average annual rates based on combined years 2010-2012.


ANY MENTAL ILLNESS IN PAST YEAR: U.S. AND MISSOURI COMPARISON BY AGE GROUP

Estimated Past-Year Any Mental Illness (%): U.S. and Missouri Ages 18 & Older, 2009-2013




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages. Note: In 2013, SAMHSA revised methodology for estimating Any Mental Illness and Serious Mental Illness and issued these revised estimates for 2008/2009, 2009/2010, and 2010/2011.

Estimated Past-Year Any Mental Illness (%): U.S. and Missouri Ages 18-25, 2009-2013



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages. Note: In 2013, SAMHSA revised methodology for estimating Any Mental Illness and Serious Mental Illness and issued these revised estimates for 2008/2009, 2009/2010, and 2010/2011.


Estimated Past-Year Any Mental Illness (%): U.S. and Missouri Ages 26 and Older, 2009-2013



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages. Note: In 2013, SAMHSA revised methodology for estimating Any Mental Illness and Serious Mental Illness and issued these revised estimates for 2008/2009, 2009/2010, and 2010/2011.


SERIOUS MENTAL ILLNESS IN PAST YEAR: U.S. AND MISSOURI COMPARISON BY AGE GROUP

Estimated Past-Year Serious Mental Illness (%): U.S. and Missouri Ages 18 & Older, 2009-2013




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages. Note: In 2013, SAMHSA revised methodology for estimating Any Mental Illness and Serious Mental Illness and issued these revised estimates for 2008/2009, 2009/2010, and 2010/2011.

Estimated Past-Year Serious Mental Illness (%): U.S. and Missouri Ages 18-25, 2009-2013



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages. Note: In 2013, SAMHSA revised methodology for estimating Any Mental Illness and Serious Mental Illness and issued these revised estimates for 2008/2009, 2009/2010, and 2010/2011.


Estimated Past-Year Serious Mental Illness (%): U.S. and Missouri Ages 26 and Older, 2009-2013



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages. Note: In 2013, SAMHSA revised methodology for estimating Any Mental Illness and Serious Mental Illness and issued these revised estimates for 2008/2009, 2009/2010, and 2010/2011.


DEPRESSION — MAJOR PAST-YEAR EPISODE: U.S. AND MISSOURI COMPARISON BY AGE GROUP

Estimated % Past-Year Major Depressive Episode (MDE): U.S. and Missouri Ages 12-17, 2006-2013




Data Source: U.S. Department of Health and Human Services, SAMHSA. National Survey on Drug Use and Health.


Estimated % Past-Year Major Depressive Episode (MDE): U.S. and Missouri Ages 18 and Older, 2006-2013



Data Source: U.S. Department of Health and Human Services, SAMHSA. National Survey on Drug Use and Health (NSDUH).

Note: Due to adult mental health questionnaire changes in 2008, MDE data beginning 2007/2008 are not comparable to prior years.






Data Source: U.S. Department of Health and Human Services, SAMHSA. National Survey on Drug Use and Health (NSDUH).

Note: Due to adult mental health questionnaire changes in 2008, MDE data beginning 2007/2008 are not comparable to prior years.


Estimated % Past-Year Major Depressive Episode (MDE): U.S. and Missouri Ages 26 and Older, 2006-2013




Data Source: U.S. Department of Health and Human Services, SAMHSA. National Survey on Drug Use and Health (NSDUH).

Note: Due to adult mental health questionnaire changes in 2008, MDE data beginning 2007/2008 are not comparable to prior years.


MAJOR DEPRESSIVE EPISODE IN PAST YEAR: DIVISION OF BEHAVIORAL HEALTH (DBH) REGIONS



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 3-year averages.




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 3-year averages.




SERIOUS THOUGHTS OF SUICIDE IN PAST YEAR: U.S. AND MISSOURI COMPARISON BY AGE GROUP AND ESTIMATES FOR DIVISION OF BEHAVIORAL HEALTH (DBH) REGIONS

Estimated Past-Year Serious Thoughts of Suicide (%): U.S. and Missouri Ages 18 and Older, 2009-2013




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

Estimated Past-Year Serious Thoughts of Suicide (%): U.S. and Missouri Ages 18-25, 2009-2013




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

Estimated Past-Year Serious Thoughts of Suicide (%): U.S. and Missouri Ages 26 and Older, 2009-2013



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

Estimated Past-Year Serious Thoughts of Suicide (%): Missouri and DBH Regions Ages 18 and Older



MISSOURI STUDENT SURVEY: LIFETIME USE OF ALCOHOL, TOBACCO, AND OTHER DRUGS Students reporting "ever used" (%)

		Grade 6	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Alcohol	2014	10.44	16.42	26.60	33.60	46.28	56.31	57.49
	2012	13.25	19.96	31.97	42.76	52.80	59.30	64.53
	2010	15.09	24.39	36.49	47.99	55.42	63.20	65.33
Cigarettes	2014	4.59	9.15	16.15	19.92	26.44	29.89	36.17
	2012	7.23	10.78	19.02	25.02	31.07	37.94	41.20
	2010	8.35	12.54	22.11	28.62	36.42	43.43	45.46
Chewing Tobacco	2014	3.02	4.25	7.35	11.00	12.48	15.03	19.75
	2012	3.72	4.12	9.03	11.79	14.24	17.78	18.04
	2010	3.79	4.89	9.98	12.73	15.11	17.70	17.60
Marijuana	2014	1.10	3.86	10.50	14.90	22.79	30.17	32.97
	2012	1.73	4.49	10.56	18.17	25.64	31.74	40.66
	2010	1.85	4.42	10.44	18.76	28.73	35.35	38.86
Inhalants	2014	2.24	3.17	3.28	2.70	3.12	3.25	2.93
	2012	5.02	4.69	5.78	5.69	5.11	5.13	4.28
	2010	5.67	6.57	6.92	6.79	6.50	6.23	6.09
Heroin	2014	0.27	0.31	0.24	0.28	0.38	0.42	0.42
	2012	0.56	0.56	1.04	0.84	1.09	1.25	1.83
	2010	0.26	0.50	0.50	0.64	0.85	0.90	1.08
Cocaine	2014	0.36	0.49	0.64	0.98	1.25	2.11	2.49
	2012	0.62	0.80	1.65	1.49	2.60	3.33	3.76
	2010	0.47	0.80	0.99	1.45	2.27	3.65	4.16
Methamphetamine	2014	0.15	0.33	0.48	0.58	0.64	0.69	0.90
	2012	0.93	0.73	1.23	1.18	1.39	1.95	2.00
	2010	0.42	0.78	0.71	0.84	1.11	1.35	1.22
Hallucinogen	2014	0.25	0.50	1.36	1.64	2.93	3.37	4.51
	2012	0.62	1.14	2.18	2.66	4.10	5.29	7.52
	2010	0.46	0.97	1.85	3.19	4.43	6.36	5.90
Club Drug	2014	0.24	0.72	0.78	1.41	1.99	2.92	3.98
	2012	0.76	0.70	1.68	2.03	3.22	3.99	5.23
	2010	0.42	0.66	1.37	2.28	3.05	4.79	5.25
Steroid: non-prescribed	2014	0.59	0.78	0.86	0.77	1.40	0.80	1.09
	2012	1.07	1.08	1.83	1.39	1.34	1.62	1.71
	2010	0.92	0.86	0.99	1.24	1.28	1.14	0.85
Pharmaceutical Drug: non-prescribed	2014	3.42	4.55	6.07	7.88	9.60	10.74	12.44
	2012	3.06	4.20	6.77	9.28	11.93	14.16	16.12
	2010	5.23	6.56	9.08	12.13	13.96	16.93	15.96
Over-the-Counter Drug: non-medical use	2014	1.73	2.31	2.78	2.84	3.43	3.60	4.65
	2012	2.23	3.30	5.53	6.51	8.39	8.73	9.35
	2010	3.33	4.63	6.65	8.91	9.87	10.89	9.32
Synthetic Drug	2014	0.62	1.04	2.36	3.16	4.20	6.06	7.17
	2012	2.37	2.68	4.55	6.77	9.17	11.31	12.97

Data Source: Missouri Institute of Mental Health. Missouri Student Survey.

Respondents participate voluntarily and do not comprise a scientifically selected sample. Data are weighted.

MISSOURI STUDENT SURVEY: PAST 30-DAY USE OF ALCOHOL, TOBACCO, AND OTHER DRUGS Students reporting use in past 30 days (%)


		Grade 6	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Alcohol	2014	2.36	4.76	8.89	12.94	21.88	24.66	30.69
	2012	3.64	6.38	12.18	18.56	25.63	29.51	35.54
	2010	4.43	8.3	14.44	22.13	28.29	33.35	36.72
Alcohol: binge use (5 or more drinks on	2014	0.51	1.31	2.75	5.66	9.40	11.82	16.00
one occasion in past two weeks)	2012	1.02	2.44	5.65	10.56	17.07	22.40	25.25
Cigarettes	2014	1.52	3.87	5.61	8.11	12.17	12.59	17.10
	2012	2.57	4.36	8.23	11.38	15.13	20.06	21.84
	2010	4.00	5.92	10.94	14.80	18.68	22.95	24.99
Chewing Tobacco	2014	1.07	1.90	3.10	5.58	7.27	7.40	11.08
	2012	1.63	2.18	4.45	6.48	7.63	9.75	10.01
	2010	2.01	2.54	5.03	7.30	7.79	9.28	8.89
Marijuana	2014	0.56	2.29	4.61	7.24	11.88	15.71	15.55
	2012	1.00	2.32	5.97	9.55	13.05	15.51	21.35
	2010	0.99	2.29	5.50	10.25	15.64	18.31	19.52
Inhalant	2014	1.19	1.61	1.40	1.05	1.00	0.59	1.02
	2012	2.49	2.57	2.90	2.38	1.64	1.43	1.28
	2010	3.71	3.87	3.51	3.06	2.54	1.80	1.55
Pharmaceutical Drug: non-prescribed	2014	1.89	2.10	3.54	4.40	4.34	4.92	5.56
	2012	1.63	2.57	3.77	5.27	6.59	7.04	7.61
	2010	3.33	3.97	5.55	7.50	8.38	9.82	8.28
Over-the-Counter Drug: non-medical use	2014	1.10	1.60	1.81	1.59	1.79	1.73	1.76
	2012	1.31	2.18	3.50	4.08	5.08	4.68	3.81
	2010	2.11	2.86	4.26	5.76	5.69	6.10	4.78
Synthetic Drug	2014	0.31	0.57	1.17	0.94	0.82	0.87	0.83
	2012	1.49	1.67	2.41	3.31	3.95	4.26	3.52

Data Source: Missouri Institute of Mental Health. Missouri Student Survey.

Respondents participate voluntarily and do not comprise a scientifically selected sample. Data are weighted.


ALCOHOL USE: MISSOURI STUDENTS IN GRADES 6-12

Lifetime Use of Alcohol (%): Missouri Students in Grades 6-12, 2010-2014




Data Source: Missouri Institute of Mental Health. Missouri Student Survey. Data are weighted.

Past 30-Day Use of Alcohol (%): Missouri Students in Grades 6-12, 2010-2014




Data Source: Missouri Institute of Mental Health. Missouri Student Survey. Data are weighted.

Binge Alcohol: 5 or More Drinks on Same Occasion in Past 2 Weeks (%): Missouri Students in Grades 6-12, 2012-2014




TOBACCO USE: MISSOURI STUDENTS IN GRADES 6-12

Lifetime Use of Cigarettes (%): Missouri Students in Grades 6-12, 2010-2014




Data Source: Missouri Institute of Mental Health. Missouri Student Survey. Data are weighted.

Past 30-Day Use of Cigarettes (%): Missouri Students in Grades 6-12, 2010-2014




Data Source: Missouri Institute of Mental Health. Missouri Student Survey. Data are weighted.

Lifetime Use of Chewing Tobacco (%): Missouri Students in Grades 6-12, 2010-2014




Data Source: Missouri Institute of Mental Health. Missouri Student Survey. Data are weighted.

Past 30-Day Use of Chewing Tobacco (%): Missouri Students in Grades 6-12, 2010-2014




MARIJUANA USE: MISSOURI STUDENTS IN GRADES 6-12

Lifetime Use of Marijuana (%): Missouri Students in Grades 6-12, 2010-2014




Data Source: Missouri Institute of Mental Health. Missouri Student Survey. Data are weighted.

Past 30-Day Use of Marijuana (%): Missouri Students in Grades 6-12, 2010-2014




COCAINE, METHAMPHETAMINE, AND HEROIN USE: MISSOURI STUDENTS IN GRADES 6-12

Lifetime Use of Cocaine (%): Missouri Students in Grades 6-12, 2010-2014




Data Source: Missouri Institute of Mental Health. Missouri Student Survey. Data are weighted.

Lifetime Use of Methamphetamine (%): Missouri Students in Grades 6-12, 2010-2014




Data Source: Missouri Institute of Mental Health. Missouri Student Survey. Data are weighted.

Lifetime Use of Heroin (%): Missouri Students in Grades 6-12, 2010-2014




HALLUCINOGEN, SYNTHETIC, AND CLUB DRUG USE: MISSOURI STUDENTS IN GRADES 6-12

Lifetime Use of Hallucinogens such as LSD, PCP, Mescaline, Peyote (%): Missouri Students in Grades 6-12, 2010-2014




Data Source: Missouri Institute of Mental Health. Missouri Student Survey. Data are weighted.

Lifetime Use of Club Drugs such as MDMA (Ecstasy), GHB, Rohypnol (%): Missouri Students in Grades 6-12, 2010-2014




Data Source: Missouri Institute of Mental Health. Missouri Student Survey. Data are weighted.

Lifetime Use of Synthetic Drugs such as K2, Bath Salts, Spice (%): Missouri Students in Grades 6-12, 2012-2014




PHARMACEUTICAL DRUG USE: MISSOURI STUDENTS IN GRADES 6-12

Lifetime Use of Non-Prescribed Pharmaceutical Drugs (%): Missouri Students in Grades 6-12, 2010-2014




Data Source: Missouri Institute of Mental Health. Missouri Student Survey. Data are weighted.

Past 30-Day Use of Non-Prescribed Pharmaceutical Drugs (%): Missouri Students in Grades 6-12, 2010-2014



Data Source: Missouri Institute of Mental Health. Missouri Student Survey. Data are weighted.


Lifetime Use of Non-Prescribed Steroids (%): Missouri Students in Grades 6-12, 2010-2014



Data Source: Missouri Institute of Mental Health. Missouri Student Survey. 2004-2008 data are unweighted; 2010 and 2012 data are weighted.


INHALANT AND OVER-THE-COUNTER MEDICATION USE: MISSOURI STUDENTS IN GRADES 6-12

Lifetime Use of Inhalants (%): Missouri Students in Grades 6-12, 2010-2014




Data Source: Missouri Institute of Mental Health. Missouri Student Survey. Data are weighted.

Past 30-Day Use of Inhalants (%): Missouri Students in Grades 6-12, 2010-2014




Data Source: Missouri Institute of Mental Health. Missouri Student Survey. Data are weighted.

Lifetime Non-medical Use of Over-the-Counter Medicines (%): Missouri Students in Grades 6-12, 2010-2014



Data Source: Missouri Institute of Mental Health. Missouri Student Survey. Data are weighted.

Past 30-Day Non-medical Use of Over-the-Counter Medicines (%): Missouri Students in Grades 6-12, 2010-2014



YOUTH RISK BEHAVIOR SURVEILLANCE SYSTEM (YRBSS) OVERVIEW OF AVAILABLE 2013 MISSOURI DATA FOR ALCOHOL, TOBACCO, AND DRUG USE

	20	13	2009		2007		2005		2003		2001		1999		1997	
	MO	U.S.	МО	U.S.												
Alcohol Use in Past 30 Days (%)																
Overall Grades 9-12	35.6	34.9	39.3	41.8	44.4	44.7	40.8	43.3	49.2	44.9	47.6	47.1	49.9	50.0	51.4	50.8
Grade 9	25.9	24.4	28.6	31.5	38.5	35.7	30.4	36.2	44.4	36.2	43.2	41.1	45.4	40.6	42.6	44.2
Grade 10	37.4	30.9	37.7	40.6	44.7	41.8	41.5	42.0	46.1	43.5	47.7	45.2	43.3	49.7	50.9	47.2
Grade 11	39.5	39.2	48.4	45.7	46.7	49.0	44.3	46.0	50.9	47.0	48.4	49.3	55.5	50.9	52.3	53.2
Grade 12	39.6	46.8	45.8	51.7	48.6	54.9	48.8	50.8	57.3	55.9	52.2	55.2	57.2	61.7	62.2	57.3
Binge Drinking in Past 30 Days (%)																
Overall Grades 9-12	22.5	20.8	25.3	24.2	29.1	26.0	24.9	25.5	30.5	28.3	34.1	29.9	32.0	31.5	37.9	33.4
Grade 9	15.4	13.5	15.2	15.3	22.3	17.0	13.6	19.0	25.3	19.8	28.0	24.5	23.5	21.1	28.4	25.7
Grade 10	20.3	17.4	24.0	22.3	26.8	23.7	26.3	24.6	27.6	27.4	33.0	28.2	28.2	32.2	35.5	29.9
Grade 11	29.0	24.6	32.1	28.3	33.0	29.9	29.0	27.6	32.0	31.8	36.5	32.2	40.8	34.0	39.1	37.5
Grade 12	25.4	29.2	32.7	33.5	35.3	36.5	32.4	32.8	38.9	37.2	40.0	36.7	38.7	41.6	51.3	39.3
Alcohol Use Before Age 13 (%)																
Overall Grades 9-12	19.5	18.6	20.4	21.1	20.9	23.8	24.2	25.6	25.4	27.8	30.0	29.1	33.5	32.2	33.6	31.1
Grade 9	23.7	22.2	23.9	28.1	30.5	30.9	34.1	33.9	38.2	36.4	38.7	39.7	40.2	40.4	42.4	41.9
Grade 10	22.2	19.2	22.9	22.2	20.5	24.4	22.5	26.2	26.4	28.5	31.2	28.8	38.0	35.6	32.6	32.0
Grade 11	16.1	17.2	18.2	17.9	17.8	19.6	23.8	20.5	20.3	23.0	26.5	23.4	30.6	26.2	29.1	29.9
Grade 12	14.5	14.7	15.3	14.2	11.8	18.0	14.4	19.3	14.0	20.3	21.3	21.2	21.4	24.3	27.3	22.8
Cigarette Use in Lifetime (%)																
Overall Grades 9-12	39.2	41.1	46.5	46.3	50.9	50.3	49.6	54.3	63.3	58.4	68.5	63.9	69.8	70.4	74.0	70.2
Grade 9	31.2	31.7	34.0	37.7	47.2	42.7	49.0	48.7	60.8	52.0	62.5	58.4	67.7	61.8	72.3	67.7
Grade 10	35.0	39.0	44.1	44.0	45.9	48.8	51.2	52.5	59.7	58.3	68.9	62.6	70.8	73.9	73.7	70.0
Grade 11	41.2	47.0	52.9	50.0	57.4	53.4	53.4	57.5	66.6	60.0	68.4	65.9	69.5	69.9	73.0	68.8
Grade 12	50.2	48.1	57.9	55.5	53.7	59.3	54.3	60.3	66.9	65.4	75.9	71.1	72.1	78.0	77.4	73.7
Circumtte Has in Post 20 Pour (0)																
Cigarette Use in Past 30 Days (%)	440	45.7	40.0	40.5	00.0	00.0	04.0	00.0	040	04.0	00.0	00.5	00.0	040	40.0	00.4
Overall Grades 9-12	14.9	15.7	18.9	19.5 13.5	23.8	20.0	21.3	23.0	24.8	21.9	30.3	28.5	32.8	34.8	40.3	36.4
Grade 9 Grade 10	8.8 12.1	10.2	9.4		22.2	14.3	14.1	19.7	25.6	17.4	27.0	23.9	27.1	27.6	34.9	33.4
Grade 10	15.9	13.2	19.0 22.8	18.3 22.3	17.8 30.6	19.6	21.4	21.4 24.3	23.5 28.2	21.8 23.6	29.8	26.9 29.8	33.9 38.1	34.7	39.1	35.3
Grade 11	22.9	21.1 19.2	26.7	25.2	25.4	21.6 26.5	24.3 26.5	27.6	21.4	26.2	29.6 35.4	35.2	33.5	36.0 42.8	40.1 48.2	36.6 39.6
Grade 12	22.9	19.2	20.7	25.2	25.4	20.5	20.5	21.0	21.4	20.2	33.4	33.2	33.3	42.0	40.2	39.0
Cigarette Use Before Age 13 (%)																
Overall Grades 9-12	8.6	9.3	9.9	10.7	13.4	14.2	14.8	16.0	20.2	18.3	25.7	22.1	25.2	24.7	27.4	24.8
Grade 9	9.2	9.5	8.2	12.1	15.7	16.3	15.9	18.6	28.1	19.3	31.1	26.2	30.4	27.0	34.2	32.0
Grade 10	8.9	9.2	13.3	11.2	12.6	14.3	14.2	16.0	21.9	20.1	26.5	22.9	27.2	28.5	24.3	27.5
Grade 11	8.6	10.9	8.3	10.3	14.3	12.0	16.6	14.4	17.4	16.0	22.2	18.5	23.2	21.1	25.4	22.2
Grade 12	7.4	7.3	9.7	8.6	10.1	13.3	12.3	13.9	11.3	16.5	21.1	19.0	17.8	20.7	23.3	18.6
Smokeless Tobacco Use in Past 30 Days	(%)															
Overall Grades 9-12	10.4	8.8	9.3	8.9	9.1	7.9	6.9	8.0	5.7	6.7	10.4	8.2	NA	NA	9.1	9.3
Grade 9	9.2	7.3	6.5	7.2	7.6	6.3	3.6	7.6	6.6	6.6	9.4	6.6	NA	NA	5.8	9.7
Grade 10	10.1	8.1	9.5	8.1	9.1	8.7	8.1	7.5	6.8	5.4	11.1	8.7	NA	NA	9.5	6.8
Grade 11	8.1	10.5	10.4	10.7	8.4	7.6	9.1	8.4	4.8	7.8	10.4	9.0	NA	NA	9.5	10.0
Grade 12	12.8	9.4	10.5	10.0	10.5	8.9	7.0	8.4	4.1	7.1	10.2	8.7	NA	NA	12.4	10.5
Marijuana Use in Past 30 Days (%)																
Overall Grades 9-12	20.5	23.4	20.6	20.8	19.0	19.7	18.1	20.2	21.8	22.4	24.4	23.9	25.6	26.7	28.2	26.2
Grade 9	14.2	17.7	13.7	15.5	12.5	14.7	11.7	17.4	20.7	18.5	25.8	19.4	22.3	21.7	23.4	23.6
Grade 10	19.7	23.5	17.6	21.1	16.7	19.3	22.2	20.2	18.0	22.0	21.9	24.8	24.5	27.8	26.2	25.0
Grade 11	21.9	25.5	27.6	23.2	26.6	21.4	23.2	21.0	23.0	24.1	24.8	25.8	31.8	26.7	29.9	29.3
Grade 12	26.4	27.7	25.0	24.6	21.2	25.1	15.5	22.8	25.4	25.8	24.6	26.9	24.5	31.5	34.9	26.6

Values shown are weighted estimates based on sampling. Apparent differences in values may not be statistically significant.


2011 U.S. and Missouri data are not displayed due to insufficient Missouri response rate.

NA: Data not available for specified year.

Data Source: U.S. Department of Health and Human Services, Centers for Disease Control and Prevention.


PAST 30-DAY ALCOHOL USE: U.S. AND MISSOURI STUDENTS IN GRADES 9-12

Past 30-Day Alcohol Use (%): U.S. and Missouri Students in Grade 9, 1995-2013




Data Source: U.S. Dept. of HHS, Centers for Disease Control and Prevention. Estimates from the Youth Risk Behavior Survey

Past 30-Day Alcohol Use (%): U.S. and Missouri Students in Grade 10, 1995-2013




Data Source: U.S. Dept. of HHS, Centers for Disease Control and Prevention. Estimates from the Youth Risk Behavior Survey

Past 30-Day Alcohol Use (%): U.S. and Missouri Students in Grade 11, 1995-2013




Data Source: U.S. Dept. of HHS, Centers for Disease Control and Prevention. Estimates from the Youth Risk Behavior Survey

Past 30-Day Alcohol Use (%): U.S. and Missouri Students in Grade 12, 1995-2013




PAST 30-DAY BINGE ALCOHOL USE: U.S. AND MISSOURI STUDENTS IN GRADES 9-12

Past 30-Day Binge Alcohol Use (%): U.S. and Missouri Students in Grade 9, 1995-2013




Data Source: U.S. Dept. of HHS, Centers for Disease Control and Prevention. Estimates from the Youth Risk Behavior Survey

Past 30-Day Binge Alcohol Use (%): U.S. and Missouri Students in Grade 10, 1995-2013




Data Source: U.S. Dept. of HHS, Centers for Disease Control and Prevention. Estimates from the Youth Risk Behavior Survey

Past 30-Day Binge Alcohol Use (%): U.S. and Missouri Students in Grade 11, 1995-2013




Data Source: U.S. Dept. of HHS, Centers for Disease Control and Prevention. Estimates from the Youth Risk Behavior Survey

Past 30-Day Binge Alcohol Use (%): U.S. and Missouri Students in Grade 12, 1995-2013




ALCOHOL USE BEFORE AGE 13: U.S. AND MISSOURI STUDENTS IN GRADES 9-12

Estimated First Use of Alcohol Before Age 13 (%): U.S. and Missouri Students in Grade 9, 1995-2013




Data Source: U.S. Dept. of HHS, Centers for Disease Control and Prevention. Estimates from the Youth Risk Behavior Survey

Estimated First Use of Alcohol Before Age 13 (%): U.S. and Missouri Students in Grade 10, 1995-2013




Data Source: U.S. Dept. of HHS, Centers for Disease Control and Prevention. Estimates from the Youth Risk Behavior Survey

Estimated First Use of Alcohol Before Age 13 (%): U.S. and Missouri Students in Grade 11, 1995-2013




Data Source: U.S. Dept. of HHS, Centers for Disease Control and Prevention. Estimates from the Youth Risk Behavior Survey

Estimated First Use of Alcohol Before Age 13 (%): U.S. and Missouri Students in Grade 12, 1995-2013




PAST 30-DAY CIGARETTE USE: U.S. AND MISSOURI STUDENTS IN GRADES 9-12

Past 30-Day Cigarette Use (%): U.S. and Missouri Students in Grade 9, 1995-2013




Data Source: U.S. Dept. of HHS, Centers for Disease Control and Prevention. Estimates from the Youth Risk Behavior Survey

Past 30-Day Cigarette Use (%): U.S. and Missouri Students in Grade 10, 1995-2013




Data Source: U.S. Dept. of HHS, Centers for Disease Control and Prevention. Estimates from the Youth Risk Behavior Survey

Past 30-Day Cigarette Use (%): U.S. and Missouri Students in Grade 11, 1995-2013




Data Source: U.S. Dept. of HHS, Centers for Disease Control and Prevention. Estimates from the Youth Risk Behavior Survey

Past 30-Day Cigarette Use (%): U.S. and Missouri Students in Grade 12, 1995-2013




PAST 30-DAY MARIJUANA USE: U.S. AND MISSOURI STUDENTS IN GRADES 9-12

Estimated Past 30-Day Marijuana Use (%): U.S. and Missouri Students in Grade 9, 1995-2013




Data Source: U.S. Department of Health and Human Services, Centers for Disease Control and Prevention. Youth Risk Behavior Survey

Estimated Past 30-Day Marijuana Use (%): U.S. and Missouri Students in Grade 10, 1995-2013




Data Source: U.S. Department of Health and Human Services, Centers for Disease Control and Prevention. Youth Risk Behavior Survey

Estimated Past 30-Day Marijuana Use (%): U.S. and Missouri Students in Grade 11, 1995-2013



Data Source: U.S. Department of Health and Human Services, Centers for Disease Control and Prevention. Youth Risk Behavior Survey

Estimated Past 30-Day Marijuana Use (%): U.S. and Missouri Students in Grade 12, 1995-2013



Data Source: U.S. Department of Health and Human Services, Centers for Disease Control and Prevention. Youth Risk Behavior Survey.

Data shown are weighted estimates. 2011 Missouri estimates are not available due to insufficient response rate.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM (BRFSS) TABLES FOR ALCOHOL, TOBACCO, AND MENTAL HEALTH: AGES 18 AND OLDER

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2004	2003	2002
Alcohol Use in Past 30 Days (%)												
Missouri	48.5	48.5	52.5	47.7	50.1	51.9	51.9	50.7	51.8	51.8	53.5	53.6
U.S. (Median of the States)	54.5	55.3	57.1	54.6	54.3	54.4	54.8	55.4	56.2	57.1	59.4	58.1
Binge Drinking * in Past 30 Days (%)												
Missouri	17.2	17.3	19.2	15.6	17.2	15.3	16.2	16.5				
U.S. (Median of the States)	16.8	16.9	18.3	15.1	15.7	15.6	15.8	15.4				
* Males: 5 or more drinks on one occasion												
* Females: 4 or more drinks on one occasion												
Heavy Drinking ** in Past 30 Days (%)												
Missouri	6.0	6.3	7.3	5.5	4.1	5.3	4.6	6.2	5.0	6.0	5.5	6.1
U.S. (Median of the States)	6.2	6.1	6.6	5.0	5.1	5.1	5.2	4.9	4.9	4.9	5.8	5.9
** Males: More than 2 drinks per day												
** Females: More than 1 drink per day												
. ,												
Tobacco Smoking in Past 30 Days (%)												
Missouri	22.1	23.9	25.0	21.1	23.1	24.9	24.5	23.2	23.4	24.1	27.2	26.5
U.S. (Median of the States)	19.0	19.6	21.2	17.3	17.9	18.3	19.8	20.1	20.6	20.9	22.0	23.2
Former Smokers (%)												
Missouri	25.2	23.9	25.0	26.1	24.7	25.0	23.4	26.8	24.2	24.2	24.3	25.5
U.S. (Median of the States)	25.3	25.2	25.1	25.1	25.5	25.2	24.6	24.7	24.8	24.1	25.2	24.7
,												
Limited in Any Activites Due to Physical,												
Mental, or Emotional Problems												
Missouri	24.2	23.7	28.1	24.8	22.1	25.0	21.4		20.9		19.3	
U.S. (Median of the States)	19.7	20.1	24.3	21.2	18.9	20.6	18.9		18.6		18.3	
Depressive Disorder Identified by Health or												
Mental Health Professional in Lifetime (%)												
Missouri	21.3	20.1	20.1									
U.S. (Median of the States)	18.7	18.0	17.5									
o.o. (median of the otates)	10.7	10.0	17.5									

Values shown are weighted estimates based on sampling. Apparent differences in values might not be statistically significant.

Data Source: U.S. Department of Health and Human Services, Centers for Disease Control and Prevention: Behavioral Risk Factor Surveillance System.

MONITORING THE FUTURE SURVEY: TABLES FOR GRADE 8

Estimated Daily Substance Use in I	Past 30 I	Days (%): U.S. S	Students	in Grad	de 8									
	2014	2013	2012	2011	2010	2009	2008	2007	2006	2005	2004	2003	2002	2001	2000
Alcohol	0.3	0.3	0.3	0.4	0.5	0.5	0.7	0.6	0.5	0.5	0.6	8.0	0.7	0.9	0.8
Been Drunk Daily	0.1	0.1	0.1	0.1	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.2	0.3
Cigarettes	1.4	1.8	1.9	2.4	2.9	2.7	3.1	3.0	4.0	4.0	4.4	4.5	5.1	5.5	7.4
Smokeless Tobacco	0.5	0.5	0.5	0.8	0.9	8.0	8.0	8.0	0.7	0.7	1.0	8.0	0.8	1.2	0.9
Marijuana/Hashish	1.0	1.1	1.1	1.3	1.2	1.0	0.9	8.0	1.0	1.0	8.0	1.0	1.2	1.3	1.3
Estimated Past-30 Day Substance	Use (%):	U.S. St	udents i	n Grade	8 :										
	2014	2013	2012	2011	2010	2009	2008	2007	2006	2005	2004	2003	2002	2001	2000
Alcohol	9.0	10.2	11.0	12.7	13.8	14.9	15.9	15.9	17.2	17.1	18.6	19.7	19.6	21.5	22.4
Been Drunk (past 30 days)	2.7	3.5	3.6	4.4	5.0	5.4	5.4	5.5	6.2	6.0	6.2	6.7	6.7	7.7	8.3
Binge Alcohol Use (past 2 weeks)*	4.1	5.1	5.1	6.4	7.2	7.8	8.1	8.3	8.7	8.4	9.4	9.8	10.3	11.0	11.7
Cigarettes	4.0	4.5	4.9	6.1	7.1	6.5	6.8	7.1	8.7	9.3	9.2	10.2	10.7	12.2	14.6
Smokeless Tobacco	3.0	2.8	2.8	3.5	4.1	3.7	3.5	3.2	3.7	3.3	4.1	4.1	3.3	4.0	4.2
Any Illicit Drug	8.3	8.7	‡ 7.7	8.5	9.5	8.1	7.6	7.4	8.1	8.5	8.4	9.7	10.4	11.7	11.9
Marijuana/Hashish	6.5	7.0	6.5	7.2	8.0	6.5	5.8	5.7	6.5	6.6	6.4	7.5	8.3	9.2	9.1
Inhalants	2.2	2.3	2.7	3.2	3.6	3.8	4.1	3.9	4.1	4.2	4.5	4.1	3.8	4.0	4.5
Hallucinogens	0.5	0.8	0.6	1.0	1.0	0.9	0.9	1.0	0.9	1.1	1.0	1.2	1.2	1.6	‡ 1.2
LSD	0.3	0.5	0.3	0.5	0.6	0.5	0.5	0.5	0.4	0.5	0.5	0.6	0.7	1.0	1.0
MDMA "Ecstasy"	0.4	0.5	0.5	0.6	1.1	0.6	0.8	0.6	0.7	0.6	0.8	0.7	1.4	1.8	1.4
Cocaine (all forms)	0.5	0.5	0.5	0.8	0.6	0.8	0.8	0.9	1.0	1.0	0.9	0.9	1.1	1.2	1.2
Crack Cocaine	0.3	0.3	0.3	0.5	0.4	0.5	0.5	0.6	0.6	0.6	0.6	0.7	0.8	0.8	0.8
Amphetamines	2.1	2.3	‡ 1.3	1.8	1.8	1.9	2.2	2.0	2.1	2.3	2.3	2.7	2.8	3.2	3.4
Methamphetamine	0.2	0.4	0.5	0.4	0.7	0.5	0.7	0.6	0.6	0.7	0.6	1.2	1.1	1.3	0.8
Heroin	0.3	0.3	0.2	0.4	0.4	0.4	0.4	0.4	0.3	0.5	0.5	0.4	0.5	0.6	0.5
Tranquilizers	0.8	0.9	0.8	1.0	1.2	1.2	1.2	1.1	1.3	1.3	1.2	1.4	1.2	1.2	‡ 1.4
Rohypnol	0.2	0.1	0.1	0.6	0.2	0.2	0.1	0.3	0.4	0.2	0.2	0.1	0.2	0.4	0.3
Steroids	0.2	0.3	0.3	0.4	0.3	0.4	0.5	0.4	0.5	0.5	0.5	0.7	0.8	0.7	0.8
Injection Drug Use	0.3	0.2	0.2	0.2	0.3	0.3	0.3	0.3	0.2	0.3	0.3	0.3	0.3	0.4	0.3
Estimated Lifetime Substance Use	/0/.\· S	Stude	nte in G	rada 8											
Estimated Elletime Substance Ose	2014	2013	2012	2011	2010	2009	2008	2007	2006	2005	2004	2003	2002	2001	2000
Alcohol	26.8	27.8	29.5	33.1	35.8	36.6	38.9	38.9	40.5	41.0	43.9	45.6	47.0	50.5	51.7
Ever Been Drunk	10.8	12.2	12.8	14.8	16.3	17.4	18.0	17.9	19.5	19.5	19.9	20.3	21.3	23.4	25.1
Cigarettes	13.5	14.8	15.5	18.4	20.0	20.1	20.5	22.1	24.6	25.9	27.9	28.4	31.4	36.6	40.5
Smokeless Tobacco	8.0	7.9	8.1	9.7	9.9	9.6	9.8	9.1	10.2	10.1	11.0	11.3	11.2	11.7	12.8
Any Illicit Drug	20.3	21.1	± 18.5	20.1	21.4	19.9	19.6	19.0	20.9	21.4	21.5	22.8	24.5	26.8	26.8
•	10.0	10.4	± 8.7	9.8	10.6	10.4	11.2	11.1	12.2	11.1	12.2	13.6	13.7	17.0	± 15.8
Any Illicit Drug other than Marijuana Marijuana/Hashish	15.6	16.5	15.2	16.4	17.3	15.7	14.6	14.2	15.7	16.5	16.3	17.5	19.2	20.4	20.3
Inhalants	10.8	10.8	11.8	13.1	14.5	14.9	15.7	15.6	16.1	17.1	17.3	15.8	15.2	17.1	17.9
					3.4				3.4						
Hallucinogens	2.0	2.5	2.8	3.3		3.0	3.3	3.1	-	3.8	3.5	4.0	4.1	5.2	‡ 4.6 2.0
LSD	1.1	1.4	1.3	1.7	1.8	1.7	1.9	1.6	1.6	1.9	1.8	2.1	2.5	3.4	3.9
MDMA "Ecstasy"	1.4	1.8	2.0	2.6	3.3	2.2	2.4	2.3	2.5	2.8	2.8	3.2	4.3	5.2	4.3
Cocaine (all forms)	1.8	1.7	1.9	2.2	2.6	2.6	3.0	3.1	3.4	3.7	3.4	3.6	3.6	4.3	4.5
Crack Cocaine	1.2	1.2	1.0	1.5	1.5	1.7	2.0	2.1	2.3	2.4	2.4	2.5	2.5	3.0	3.1
Amphetamines	6.7	6.9	‡ 4.5	5.2	5.7	6.0	6.8	6.5	7.3	7.4	7.5	8.4	8.7	10.2	9.9
Methamphetamine	1.0	1.4	1.3	1.3	1.8	1.6	2.3	1.8	2.7	3.1	2.5	3.9	3.5	4.4	4.2
Heroin	0.9	1.0	0.8	1.2	1.3	1.3	1.4	1.3	1.4	1.5	1.6	1.6	1.6	1.7	1.9
Tranquilizers	2.9	2.9	3.0	3.4	4.4	3.9	3.9	3.9	4.3	4.1	4.0	4.4	4.3	5.0	‡ 4.4
Rohypnol	0.6	0.7	1.0	2.0	0.9	0.7	0.7	1.0	1.0	1.1	1.0	1.0	8.0	1.1	1.0
Steroids	1.0	1.1	1.2	1.2	1.1	1.3	1.4	1.5	1.6	1.7	1.9	2.5	2.5	2.8	3.0

^{*} Binge alcohol use in the Monitoring the Future Survey is defined as consuming 5 or more drinks on the same occasion on at least one day in the past two weeks.

0.9

0.9

0.9

0.9

1.0

1.0

1.1

Injection Drug Use

Data Source: Johnston, L.D., O'Malley, P.M., Miech, R.A., Bachman, J.G., & Schulenberg, J.E. (2015).

Monitoring the Future national survey results on drug use, 1975-2014: Overview, key findings on adolescent drug use.

8.0

Ann Arbor: Institute for Social Research, The University of Michigan.

8.0

0.6

0.6

1.0

1.0

1.2

1.1

[‡] Survey question was re-worded beginning with year indicated

MONITORING THE FUTURE SURVEY: TABLES FOR GRADE 10

	2014	2013	2012	2011	2010	2009	2008	2007	2006	2005	2004	2003	2002	2001	2000
Alcohol	0.8	0.9	1.0	0.8	1.1	1.1	1.0	1.4	1.4	1.3	1.3	1.5	1.8	1.9	1.
Been Drunk Daily	0.3	0.3	0.4	0.2	0.3	0.4	0.3	0.5	0.5	0.4	0.4	0.5	0.5	0.6	0.
Cigarettes	3.2	4.4	5.0	5.5	6.6	6.3	5.9	7.2	7.6	7.5	8.3	8.9	10.1	12.2	14.
Smokeless Tobacco	1.8	1.9	2.0	1.7	2.5	1.9	1.4	1.6	1.7	1.9	1.6	1.8	1.7	2.2	1.9
Marijuana/Hashish	3.4	4.0	3.5	3.6	3.3	2.8	2.7	2.8	2.8	3.1	3.2	3.6	3.9	4.5	3.8
Estimated Past-30 Day Substance I	Jse (%):	U.S. St	udents i	n Grade	10										
	2014	2013	2012	2011	2010	2009	2008	2007	2006	2005	2004	2003	2002	2001	2000
Alcohol	23.5	25.7	27.6	27.2	28.9	30.4	28.8	33.4	33.8	33.2	35.2	35.4	35.4	39.0	41.
Been Drunk (past 30 days)	11.2	12.8	14.5	13.7	14.7	15.5	14.4	18.1	18.8	17.6	18.5	18.2	18.3	21.9	23.
Binge Alcohol Use (past 2 weeks)*	12.6	13.7	15.6	14.7	16.3	17.5	16.0	19.6	19.9	19.0	19.9	20.0	20.3	22.8	24.
Cigarettes	7.2	9.1	10.8	11.8	13.6	13.1	12.3	14.0	14.5	14.9	16.0	16.7	17.7	21.3	23.
Smokeless Tobacco	5.3	6.4	6.4	6.6	7.5	6.5	5.0	6.1	5.7	5.6	4.9	5.3	6.1	6.9	6.
Any Illicit Drug	18.5	19.2	18.6	19.2	18.5	17.8	15.8	16.9	16.8	17.3	18.3	19.5	20.8	22.7	22.
Marijuana/Hashish	16.6	18.0	17.0	17.6	16.7	15.9	13.8	14.2	14.2	15.2	15.9	17.0	17.8	19.8	19.
Inhalants	1.1	1.3	1.4	1.7	2.0	2.2	2.1	2.5	2.3	2.2	2.4	2.2	2.4	2.4	2.
Hallucinogens	1.2	1.1	1.2	1.4	1.6	1.4	1.3	1.7	1.5	1.5	1.6	1.5	1.6	2.1	‡ 2.:
LSD	0.6	0.6	0.5	0.7	0.7	0.5	0.7	0.7	0.7	0.6	0.6	0.6	0.7	1.5	1.0
MDMA "Ecstasy"	0.8	1.2	1.0	1.6	1.9	1.3	1.1	1.2	1.2	1.0	0.8	1.1	1.8	2.6	2.0
Cocaine (all forms)	0.6	0.8	0.8	0.7	0.9	0.9	1.2	1.3	1.5	1.5	1.7	1.3	1.6	1.3	1.8
Crack Cocaine	0.3	0.4	0.4	0.4	0.5	0.4	0.5	0.5	0.7	0.7	0.8	0.7	1.0	0.7	0.9
Heroin	0.4	0.3	0.4	0.4	0.4	0.4	0.4	0.4	0.5	0.5	0.5	0.3	0.5	0.3	0.5
Amphetamines	3.7	3.3	‡ 2.8	3.1	3.3	3.3	2.8	4.0	3.5	3.7	4.0	4.3	5.2	5.6	5.4
Methamphetamine	0.3	0.4	0.6	0.5	0.7	0.6	0.7	0.4	0.7	1.1	1.3	1.4	1.8	1.5	2.0
Tranquilizers	1.6	1.6	1.7	1.9	2.2	2.0	1.9	2.6	2.4	2.3	2.3	2.4	2.9	2.9	2.5
Rohypnol	0.4	0.1	0.2	0.3	0.3	0.3	0.2	0.2	0.2	0.2	0.3	0.2	0.4	0.2	0.4
Steroids	0.4	0.4	0.4	0.5	0.5	0.5	0.5	0.5	0.6	0.6	0.8	0.8	1.0	0.9	1.0
Injection Drug Use	0.3	0.2	0.2	0.2	0.3	0.3	0.3	0.3	0.2	0.3	0.3	0.3	0.3	0.4	0.3
Estimated Lifetime Substance Use	(%): U.S	. Stude	nts in G	rade 10											
	2014	2013	2012	2011	2010	2009	2008	2007	2006	2005	2004	2003	2002	2001	2000
Alcohol	49.3	52.1	54.0	56.0	58.2	59.1	58.3	61.7	61.5	63.2	64.2	66.0	66.9	70.1	71.4
Ever Been Drunk	30.2	33.5	34.6	35.9	36.9	38.6	37.2	41.2	41.4	42.1	42.3	42.4	44.0	48.2	49.
Cigarettes	22.6	25.7	27.7	30.4	33.0	32.7	31.7	34.6	36.1	38.9	40.7	43.0	47.4	52.8	55.
Smokeless Tobacco	13.6	14.0	15.4	15.6	16.8	15.2	12.2	15.1	15.0	14.5	13.8	14.6	16.9	19.5	19.
Any Illicit Drug	37.4	39.1	‡ 36.8	37.7	37.0	36.0	34.1	35.6	36.1	38.2	39.8	41.4	44.6	45.6	45.6
Any Illicit Drug other than Marijuana	15.9	16.4	‡ 14.9	15.6	16.8	16.7	15.9	18.2	17.5	18.0	18.8	19.7	22.1	23.6	‡ 23. ²
Marijuana/Hashish	33.7	35.8	33.8	34.5	33.4	32.3	29.9	31.0	31.8	34.1	35.1	36.4	38.7	40.1	40.
Inhalants	8.7	8.7	9.9	10.1	12.0	12.3	12.8	13.6	13.3	13.1	12.4	12.7	13.5	15.2	16.6
Hallucinogens	5.0	5.4	5.2	6.0	6.1	6.1	5.5	6.4	6.1	5.8	6.4	6.9	7.8	8.9	‡ 8.9
LSD	2.6	2.7	2.6	2.8	3.0	3.0	2.6	3.0	2.7	2.5	2.8	3.5	5.0	6.3	7.6
MDMA "Ecstasy"	3.7	5.7	5.0	6.6	6.4	5.5	4.3	5.2	4.5	4.0	4.3	5.4	6.6	8.0	7.3
Cocaine (all forms)	2.6	3.3	3.3	3.3	3.7	4.6	4.5	5.3	4.8	5.2	5.4	5.1	6.1	5.7	6.9
Crack Cocaine	1.0	1.5	1.4	1.6	1.8	2.1	2.0	2.3	2.2	2.5	2.6	2.7	3.6	3.1	3.7
Amphetamines	10.6	11.2	± 8.9	9.0	10.6	10.3	9.0	11.1	11.2	11.1	11.9	13.1	14.9	16.0	15.7
Methamphetamine	1.4	1.6	1.8	2.1	2.5	2.8	2.4	2.8	3.2	4.1	5.3	5.2	6.1	6.4	6.9
Heroin	0.9	1.0	1.1	1.2	1.3	1.5	1.2	1.5	1.4	1.5	1.5	1.5	1.8	1.7	2.2
Tranquilizers	5.8	5.5	6.3	6.8	7.3	7.0	6.8	7.4	7.2	7.1	7.3	7.8	8.8	9.2	8.0
Rohypnol	1.0	1.1	0.8	1.2	1.4	0.7	0.9	1.3	0.8	1.0	1.2	1.0	1.3	1.5	1.3
Steroids	1.4	1.3	1.3	1.4	1.6	1.3	1.4	1.8	1.8	2.0	2.4	3.0	3.5	3.5	3.5

^{*} Binge alcohol use in the Monitoring the Future Survey is defined as consuming 5 or more drinks on the same occasion on at least one day in the past two weeks.

0.8

0.9

0.7

0.9

0.9

8.0

0.8

0.9

1.0

8.0

1.0

Injection Drug Use

Data Source: Johnston, L.D., O'Malley, P.M., Miech, R.A., Bachman, J.G., & Schulenberg, J.E. (2015).

Monitoring the Future national survey results on drug use, 1975-2014: Overview, key findings on adolescent drug use.

0.8

Ann Arbor: Institute for Social Research, The University of Michigan.

0.6

0.7

0.7

[‡] Survey question was re-worded beginning with year indicated.

MONITORING THE FUTURE SURVEY: TABLES FOR GRADE 12

Estimated Daily Substance Use in	Past 30	Days (%	s): U.S. S	Students	in Grad	de 12									
•	2014	2013	2012	2011	2010	2009	2008	2007	2006	2005	2004	2003	2002	2001	2000
Alcohol	1.9	2.2	2.5	2.1	2.7	2.5	2.8	3.1	3.0	3.1	2.8	3.2	3.5	3.6	2.9
Been Drunk Daily	1.1	1.3	1.5	1.3	1.6	1.1	1.4	1.3	1.6	1.5	1.8	1.6	1.2	1.4	1.7
Cigarettes	6.7	8.5	9.3	10.3	10.7	11.2	11.4	12.3	12.2	13.6	15.6	15.8	16.9	19.0	20.6
Smokeless Tobacco	3.4	3.0	3.2	3.1	3.1	2.9	2.7	2.8	2.2	2.5	2.8	2.2	2.0	2.8	3.2
Marijuana/Hashish	5.8	6.5	6.5	6.6	6.1	5.2	5.4	5.1	5.0	5.0	5.6	6.0	6.0	5.8	6.0
Estimated Past-30 Day Substance	Use (%):	U.S. St	udents i	in Grade	12										
	2014	2013	2012	2011	2010	2009	2008	2007	2006	2005	2004	2003	2002	2001	2000
Alcohol	37.4	39.2	41.5	40.0	41.2	43.5	43.1	44.4	45.3	47.0	48.0	47.5	48.6	49.8	50.0
Been Drunk (past 30 days)	23.5	26.0	28.1	25.0	26.8	27.4	27.6	28.7	30.0	30.2	32.5	30.9	30.3	32.7	32.3
Binge Alcohol Use (past 2 weeks)*	19.4	22.1	23.7	21.6	23.2	25.2	24.6	25.9	25.4	27.1	29.2	27.9	28.6	29.7	30.0
Cigarettes	13.6	16.3	17.1	18.7	19.2	20.1	20.4	21.6	21.6	23.2	25.0	24.4	26.7	29.5	31.4
Smokeless Tobacco	8.4	8.1	7.9	8.3	8.5	8.4	6.5	6.6	6.1	7.6	6.7	6.7	6.5	7.8	7.6
Any Illicit Drug	23.7	25.2	•	25.2	23.8	23.3	22.3	21.9	21.5	23.1	23.4	24.1	25.4	25.7	24.9
Marijuana/Hashish	21.2	22.7	22.9	22.6	21.4	20.6	19.4	18.8	18.3	19.8	19.9	21.2	21.5	22.4	21.6
Inhalants	0.7 1.5	1.0 1.4	0.9 1.6	1.0 1.6	1.4 1.9	1.2 1.6	1.4 2.2	1.2 1.7	1.5 1.5	2.0 1.9	1.5 1.9	1.5 1.8	1.5 2.3	1.7 3.3	2.2 ‡ 2.6
Hallucinogens LSD	1.0	0.8	0.8	0.8	0.8	0.5	1.1	0.6	0.6	0.7	0.7	0.6	0.7	2.3	1.6
PCP	-	0.4	0.5	0.8	0.8	0.5	0.6	0.5	0.4	0.7	0.7	0.6	0.7	0.5	0.9
MDMA "Ecstasy"	1.4	1.5	0.5	2.3	1.4	1.8	1.8	1.6	1.3	1.0	1.2	1.3	2.4	2.8	3.6
Cocaine (all forms)	1.0	1.1	1.1	1.1	1.3	1.3	1.9	2.0	2.5	2.3	2.3	2.1	2.3	2.1	2.1
Crack Cocaine	0.7	0.6	0.6	0.5	0.7	0.6	0.8	0.9	0.9	1.0	1.0	0.9	1.2	1.1	1.0
Amphetamines	3.8	4.2	± 3.3	3.7	3.3	3.0	2.9	3.7	3.7	3.9	4.6	5.0	5.5	5.6	5.0
Methamphetamine	0.5	0.4	0.5	0.6	0.5	0.5	0.6	0.6	0.9	0.9	1.4	1.7	1.7	1.5	1.9
Crystal Methamphetamine "Ice"	0.4	0.8	0.4	0.6	0.6	0.5	0.6	0.6	0.7	0.9	0.8	0.8	1.2	1.1	1.0
Heroin	0.4	0.3	0.3	0.4	0.4	0.4	0.4	0.4	0.4	0.5	0.5	0.4	0.5	0.4	0.7
Other Narcotics	2.2	2.8	3.0	3.6	3.6	4.1	3.8	3.8	3.8	3.9	4.3	4.1	4.0	3.0	2.9
Barbiturates	2.0	2.2	2.0	1.8	2.2	2.5	2.8	2.7	3.0	3.3	2.9	2.9	3.2	2.8	3.0
Methaqualone	_	_	0.3	0.2	0.2	0.3	0.2	0.4	0.4	0.5	0.5	0.4	0.3	0.5	0.2
Tranquilizers	2.1	2.0	2.1	2.3	2.5	2.7	2.6	2.6	2.7	2.9	3.1	2.8	3.3	2.9	‡ 2.6
Steroids	0.9	1.0	0.9	0.7	1.1	1.0	1.0	1.0	1.1	0.9	1.6	1.3	1.4	1.3	8.0
Any Rx Drug non-medical use	6.4	7.1	‡ 7.0	7.2	6.9	7.3	7.2	7.8	8.1	8.6	_	_	_	_	_
Injection Drug Use	0.3	0.2	0.3	0.4	0.4	0.1	0.2	0.2	0.3	0.3	0.2	0.3	0.3	0.2	0.2
Estimated Lifetime Substance Use	(%): U.S			rade 12											
	2014	2013	2012	2011	2010	2009	2008	2007	2006	2005	2004	2003	2002	2001	2000
Alcohol	66.0	68.2	69.4	70.0	71.0	72.3	71.9	72.2	72.7	75.1	76.8	76.6	78.4	79.7	80.3
Ever Been Drunk	49.8	52.3	54.2	51.0	54.1	56.5	54.7	55.1	56.4	57.5	60.3	58.1	61.6	63.9	62.3
Cigarettes	34.4	38.1	39.5	40.0	42.2	43.6	44.7	46.2	47.1	50.0	52.8	53.7	57.2	61.0	62.5
Smokeless Tobacco	15.1	17.2	17.4	16.9	17.6	16.3	15.6	15.1	15.2	17.5	16.7	17.0	18.3	19.7	23.1
Any Illicit Drug Any Illicit Drug other than Marijuana	49.1 22.6	49.8	‡ 49.1 ‡ 24.1	49.9 24.9	48.2 24.7	46.7 24.0	47.4 24.9	46.8 25.5	48.2 26.9	50.4 27.4	51.1 28.7	51.1 27.7	53.0 29.5	53.9 30.7	54.0 ‡ 29.0
Marijuana/Hashish	44.4	45.5	45.2	45.5	43.8	42.0	42.6	41.8	42.3	44.8	45.7	46.1	47.8	49.0	48.8
Inhalants	6.5	6.9	7.9	8.1	9.0	9.5	9.9	10.5	11.1	11.4	10.9	11.2	11.7	13.0	14.2
Hallucinogens	6.3	7.6	7.5	8.3	8.6	7.4	8.7	8.4	8.3	8.8	9.7	10.6	12.0		‡ 13.0
LSD	3.7	3.9	3.8	4.0	4.0	3.1	4.0	3.4	3.3	3.5	4.6	5.9	8.4	10.9	11.1
PCP	_	1.3	1.6	2.3	1.8	1.7	1.8	2.1	2.2	2.4	1.6	2.5	3.1	3.5	3.4
MDMA "Ecstasy"	5.6	7.1	7.2	8.0	7.3	6.5	6.2	6.5	6.5	5.4	7.5	8.3	10.5	11.7	11.0
Cocaine (all forms)	4.6	4.5	4.9	5.2	5.5	6.0	7.2	7.8	8.5	8.0	8.1	7.7	7.8	8.2	8.6
Crack Cocaine	1.8	1.8	2.1	1.9	2.4	2.4	2.8	3.2	3.5	3.5	3.9	3.6	3.8	3.7	3.9
Amphetamines	12.1	13.8	‡12.0	12.2	11.1	9.9	10.5	11.4	12.4	13.1	15.0	14.4	16.8	16.2	15.6
Methamphetamine	1.9	1.5	1.7	2.1	2.3	2.4	2.8	3.0	4.4	4.5	6.2	6.2	6.7	6.9	7.9
Crystal Methamphetamine "Ice"	1.3	2.0	1.7	2.1	1.8	2.1	2.8	3.4	3.4	4.0	4.0	3.9	4.7	4.1	4.0
Heroin	1.0	1.0	1.1	1.4	1.6	1.2	1.3	1.5	1.4	1.5	1.5	1.5	1.7	1.8	2.4
Other Narcotics	9.5	11.1	12.2	13.0	13.0	13.2	13.2	13.1	13.4	12.8	13.5	13.2	13.5	‡ 9.9	10.6
Barbiturates	6.8	7.5	6.9	7.0	7.5	8.2	8.5	9.3	10.2	10.5	9.9	8.8	9.5	8.7	9.2
Methaqualone			0.8	0.6	0.4	0.7	0.8	1.0	1.2	1.3	1.3	1.0	1.5	1.1	8.0
Tranquilizers	7.4	7.7	8.5	8.7	8.5	9.3	8.9	9.5	10.3	9.9	10.6	10.2	11.4	10.3	‡ 8.9
Steroids	1.9	2.1	1.8	1.8	2.0	2.2	2.2	2.2	2.7	2.6	3.4	3.5	4.0	3.7	2.5
Any Rx Drug non-medical use	19.9		‡ 21.2	21.7	21.6	20.9	21.5	22.2	23.9	24.0	_ 0.7	_ 0.7	_	_ 0.7	_
Injection Drug Use	8.0	0.7	0.7	0.9	1.1	0.6	0.7	0.7	8.0	0.9	0.7	0.7	8.0	0.7	8.0

^{*} Binge alcohol use in the Monitoring the Future Survey is defined as consuming 5 or more drinks on the same occasion on at least one day in the past two weeks.

Data Source: Johnston, LD, O'Malley, PM, Miech, RA, Bachman, JG, & Schulenberg, JE (2015). Monitoring the Future national survey results on drug use, 1975-2014: Overview, key findings on adolescent drug use. Ann Arbor: Institute for Social Research, The University of Michigan.

[‡] Survey question was re-worded beginning with year indicated.

MONITORING THE FUTURE SURVEY: TABLES FOR COLLEGE STUDENTS

Mechan	Estimated Daily Substance Use in I			-	_											
Been Drunk Daily 0.4		2014	2013	2012	2011	2010	2009	2008	2007	2006	2005	2004	2003	2002	2001	200
Digarettes	Alcohol															3.
Estimated Past-30 Day Substance Use (%): U.S. College Students 2014 2013 2012 2011 2010 2009 2008 2007 2006 2005 2004 2003 2002 2001 2016 2016 2016 2011 2010 2009 2008 2007 2006 2005 2004 2003 2002 2001 2016 2016 2016 2016 2016 2016	•															0.
Estimated Past-30 Day Substance Use (%): U.S. College Students 2014 2013 2012 2011 2009 2008 2007 2006 2005 2004 2003 2002 2001 20 Alcohol 63.1 63.1 67.7 63.5 65.0 65.8 69.0 66.6 65.4 67.9 67.7 66.2 68.0 67.0 68.0 69.0 69.0 69.0 69.0 69.0 69.0 69.0 69	Cigarettes															17.
Marcheol	Marijuana/Hashish	5.9	5.1	4.8	4.7	4.4	4.9	3.9	3.5	4.3	4.0	4.5	4.7	4.1	4.5	4.
Mechan	Estimated Past-30 Day Substance	` '		_		2040	2000	2000	2007	2000	2005	2004	2002	2002	2004	200
Been Drunk (past 30 alws)																
Bings Alcohol Use (past 2 weeks)* 35.4 35.2 37.4 36.1 37.0 36.9 40.0 41.1 40.2 40.1 41.7 38.5 40.1 40.9 32.0 32.0 32.5 32.1 40.1 42.5 42.5 42.2 42.2 42.2 42.5 42.2												-				
Cligarettes	" ,															
Any Milci Drug 22.7 22.8 ‡ 22.3 21.4 19.2 20.7 18.9 19.3 19.2 19.5 21.2 21.4 21.5 21.5 21.9 22.6 Marijuana/Hashish 20.8 20.6 20.5 19.4 17.5 18.5 17.0 16.8 16.7 17.1 18.9 19.3 19.7 20.2 21.6 Marijuana/Hashish 20.8 20.6 20.5 19.4 17.5 18.5 17.0 16.8 16.7 17.1 18.9 19.3 19.7 20.2 22.6 Marijuana/Hashish 20.8 20.6 20.5 19.4 17.5 18.5 17.0 16.8 16.7 17.1 18.9 19.3 19.7 20.2 22.6 Marijuana/Hashish 20.8 20.6 20.5 19.4 17.5 18.5 17.0 16.8 16.7 17.1 18.9 19.3 19.7 20.2 22.6 Marijuana/Hashish 20.8 20.6 20.5 19.4 17.5 18.5 17.0 16.8 16.7 17.1 18.9 19.3 19.7 20.2 22.6 Marijuana/Hashish 20.8 20.6 20.5 19.4 17.5 18.5 17.0 16.8 16.7 17.1 18.9 19.3 19.7 20.2 22.6 Marijuana/Hashish 20.8 20.6 20.5 19.4 17.5 18.5 17.0 16.8 16.7 17.1 18.9 19.3 19.7 20.2 22.6 Marijuana/Hashish 20.8 20.6 20.5 19.4 17.5 18.5 17.0 16.8 16.7 17.1 18.9 19.3 19.7 20.2 22.6 Marijuana/Hashish 20.8 20.6 20.5 19.4 17.5 18.5 17.0 17.0 10.4 0.1 0.4 0.4 0.7 10.0 10.0 10.0 10.0 10.0 10.0 10.0																
Name Marijuana 10.0							_									
Marijuana/Hashish 20.8 20.6 20.5 19.4 17.5 18.5 17.0 16.8 16.7 17.1 18.9 19.3 19.7 20.2 20.4 10.4 10.4 10.4 10.5 10.4 10.4 10.5 10.4 10.4 10.5 10.5 10.4 10.4 10.5 10.5 10.4 10.4 10.5 10.5 10.4 10.5 10.5 10.4 10.5 10.5 10.5 10.5 10.4 10.5 10.5 10.5 10.5 10.4 10.5 10.5 10.5 10.5 10.5 10.4 10.5 1				•												
nhalants				•												6
Hallucinogens 1.0 1.0 1.1 1.1 2 1.4 1.0 1.7 1.3 0.9 1.2 1.3 1.8 1.2 1.8 1.0 MDM*** Costant Call forms 1.8 0.9 1.1 1.2 1.2 1.0 1.3 1.3 0.9 1.2 1.3 1.8 1.2 1.8 1.0 MDM*** Costant Call forms 1.8 0.9 1.1 1.2 1.0 1.3 1.3 1.2 1.7 1.8 1.8 2.4 1.9 1.6 1.9 1.0 Crack Cocaine Oli	•									-						20
MDM Castasy	Inhalants		-	-			-	-	-	-		-	-	-	_	0
MDMA "Ecstasy"	Hallucinogens		-				_									1
Cocaine (all forms) 1,8 0.9 1.1 1.2 1.0 1.3 1.2 1.7 1.8 1.8 2.4 1.9 1.6 1.9 1.6 1.9 Crack Cocaine 0.1 0.3 0.0 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.4 0.4 0.4 0.3 0.1 0.3 0.1 0.4 0.4 0.4 0.3 0.3 0.1 0.5 0.	LSD	0.5	-	0.4		-			0.3		-				_	0
Crack Cocaine	MDMA "Ecstasy"	1.4	0.8	1.4		1.0	0.5		0.4	0.6	8.0	0.7	1.0	0.7	1.5	2
Amphetamines	Cocaine (all forms)	1.8	0.9	1.1	1.2	1.0	1.3	1.2	1.7		1.8	2.4	1.9	1.6	1.9	1
Methamphetamine 0.1 0.0 0.0 0.0 0.1 0.0 0.1 0.2 0.1 0.2 0.6 0.2 0.5 0.0 0.1 0.2 0.0 0.0 0.1 0.2 0.0 0.0 0.1 0.1 0.2 0.1 0.0 0.1 0.0 0.1 0.0 0.1 0.0 0.0 0.1	Crack Cocaine	0.1	0.3	0.0	0.1	0.1	0.1	0.1	0.1	**	0.1	0.4	0.4	0.3	0.1	0
Crystal Methamphetamine "Ice"	Amphetamines	4.8	5.0	‡ 4.6	4.5	4.1	3.4	2.8	3.1	2.5	2.9	3.2	3.1	3.0	3.3	2
Heroin 0.0 0.2 0.1 0.0 0.0 0.1 0.1 0.0 0.0 0.1 0.1 0.2 0.1 0.1 0.1 0.0 0.0 0.1 0.1 0.1 0.1 0.1	Methamphetamine	0.1	0.0	0.0	0.0	0.0	0.1	0.0	0.1	0.2	0.1	0.2	0.6	0.2	0.5	0
Other Narcotics	Crystal Methamphetamine "Ice"	0.0	0.0	0.3	0.0	0.2	0.0	0.0	0.1	**	0.2	0.1	0.3	0.0	0.1	0
Barbiturates	Heroin	0.0	0.2	0.1	0.0	0.0	0.1	**	0.1	0.2	0.1	0.1	0.0	0.0	0.1	0
Tranquilizers 1.7 1.2 1.1 1.6 1.3 2.2 1.6 1.8 2.1 2.2 2.7 2.8 3.0 1.5 28	Other Narcotics	1.2	1.5	2.2	2.1	2.3	2.7	2.3	2.2	3.1	3.1	3.0	2.3	1.6	1.7	1
Steroids 0.0 0.0 0.0 0.0 0.2 0.0 0.2 ** 0.1 ** ** ** ** 0.1 ** 0.3 0.5	Barbiturates	0.7	0.9	0.8	0.8	0.6	1.2	1.4	1.4	1.3	1.3	1.5	1.7	1.7	1.5	1
Estimated Lifetime Substance Use (%): U.S. College Students 2014 2013 2012 2011 2010 2009 2008 2007 2006 2005 2004 2003 2002 2001 20 Alcohol 79.4 78.0 81.0 80.5 82.3 82.6 85.3 83.1 84.7 86.6 84.6 86.2 86.0 86.1 88 Ever Been Drunk 68.8 66.5 70.0 67.9 70.5 69.1 72.5 71.6 73.1 72.9 73.4 74.9 75.1 76.1 74. Any Illicit Drug ther than Marijuana 29.0 28.3 ‡23.8 24.3 24.8 25.6 22.6 25.3 26.3 26.5 28.0 27.6 26.9 26.3 26.3 48.1 84.7 84.5 84.1 85.6 84.6 86.2 86.0 86.1 88 Any Illicit Drug other than Marijuana 29.0 28.3 ‡23.8 24.3 24.8 25.6 22.6 25.3 26.3 26.5 28.0 27.6 26.9 26.3 26.1 84.1 84.1 84.1 84.1 84.1 84.1 84.1 84	Tranquilizers	1.7	1.2	1.1	1.6	1.3	2.2	1.6	1.8	2.1	2.2	2.7	2.8	3.0	1.5	2
Estimated Lifetime Substance Use (%): U.S. College Students 2014 2013 2012 2011 2010 2009 2008 2007 2006 2005 2004 2003 2002 2001 20 Alcohol 79.4 78.0 81.0 80.5 82.3 82.6 85.3 83.1 84.7 86.6 84.6 86.2 86.0 86.1 86 Ever Been Drunk 68.8 66.5 70.0 67.9 70.5 69.1 72.5 71.6 73.1 72.9 73.4 74.9 75.1 76.1 76.1 77 Any Illicit Drug 52.4 53.3 ‡50.5 49.2 49.1 51.4 49.5 50.5 50.6 52.3 52.2 53.9 51.8 53.6 53 Any Illicit Drug other than Marijuana 29.0 28.3 ‡23.8 24.3 24.8 25.6 22.6 25.3 26.3 26.5 28.0 27.6 26.9 26.3 26.4 Marijuana/Hashish 48.5 47.7 49.1 46.6 46.8 47.5 46.8 47.5 46.9 49.1 49.1 50.7 49.5 51.0 51 Inhalants 3.5 4.3 5.7 3.7 5.5 6.9 4.9 6.3 7.4 7.1 8.5 9.7 7.7 96. 11 Ballucinogens 7.6 7.8 7.6 7.4 7.8 8.0 8.5 9.1 10.6 11.0 12.0 14.5 13.6 14.8 14. LSD 4.5 4.4 3.1 3.7 4.0 3.3 4.3 3.3 3.5 3.7 5.6 8.7 8.6 12.2 11 MDMA "Ecstasy" 8.2 8.1 8.7 6.8 6.2 6.5 6.2 5.4 6.9 8.3 10.2 12.9 12.7 14.7 13.6 Cocaine (all forms) 6.2 5.1 5.2 5.5 6.6 8.1 7.2 8.5 7.7 8.8 9.5 9.2 8.2 8.6 8.6 Methamphetamine 15.0 16.1 ‡14.4 13.4 12.1 11.8 9.1 11.2 10.7 12.3 12.7 12.3 11.9 12.4 14. Methamphetamine "Ice" 0.3 0.4 0.5 0.6 0.7 0.8 0.7 0.5 0.7 0.5 0.9 1.0 1.0 1.0 1.2 Dither Narcotics 9.9 10.8 10.4 1.1 0.7 1.3 1.6 0.6 1.9 1.0 1.6 1.2 1.2 1.2 1.5 68 Esteroids 0.9 0.8 0.4 1.1 0.7 1.3 1.6 0.6 1.9 1.0 1.6 1.2 1.2 1.2 1.5 68	Steroids	0.0	0.0	0.0	0.2	0.0	0.2	**	0.1	**	**	**	0.1	**	0.3	
Alcohol 79.4 78.0 81.0 80.5 82.3 82.6 85.3 83.1 84.7 86.6 84.6 86.2 86.0 86.1 86 Ever Been Drunk 68.8 66.5 70.0 67.9 70.5 69.1 72.5 71.6 73.1 72.9 73.4 74.9 75.1 76.1 77. Any Illicit Drug other than Marijuana 29.0 28.3 ‡23.8 24.3 24.8 25.6 22.6 25.3 26.3 26.5 28.0 27.6 26.9 26.3 26.4 24.8 25.6 22.6 25.3 26.3 26.5 28.0 27.6 26.9 26.3 26.3 26.3 26.3 26.3 26.5 28.0 27.6 26.9 26.3 26.3 26.3 26.3 26.3 26.3 26.3 26.3	Injection Drug Use	0.0	0.1	0.2	0.0	0.0	0.1	0.0	**	0.1	0.1	0.1	0.1	**	**	0
Alcohol 79.4 78.0 81.0 80.5 82.3 82.6 85.3 83.1 84.7 86.6 84.6 86.2 86.0 86.1 86 Ever Been Drunk 68.8 66.5 70.0 67.9 70.5 69.1 72.5 71.6 73.1 72.9 73.4 74.9 75.1 76.1 74. Any Illicit Drug 52.4 53.3 ‡50.5 49.2 49.1 51.4 49.5 50.5 50.6 52.3 52.2 53.9 51.8 53.6 53. Any Illicit Drug other than Marijuana 29.0 28.3 ‡23.8 24.3 24.8 25.6 22.6 25.3 26.3 26.5 28.0 27.6 26.9 26.3 26.3 26.3 26.5 28.0 27.6 26.9 26.3 26.3 26.3 26.5 28.0 27.6 26.9 26.3 26.3 26.5 28.0 27.6 26.9 26.3 26.3 26.3 26.5 28.0 27.6 26.9 26.3 26.3 26.5 28.0 27.6 26.9 26.3 26.3 26.5 28.0 27.6 26.9 26.3 26.3 26.5 28.0 27.6 26.9 26.3 26.3 26.5 28.0 27.6 26.9 26.3 26.3 26.5 28.0 27.6 26.9 26.3 26.3 26.5 28.0 27.6 26.9 26.3 26.3 26.5 28.0 27.6 26.9 26.3 26.3 26.5 28.0 27.6 26.9 26.3 26.3 26.5 28.0 27.6 26.9 26.3 26.3 26.5 28.0 27.6 26.9 26.3 26.3 26.5 28.0 27.6 26.9 27.0 26.3 26.5 28.0 27.0 26.3 26.5 28.0 27.6 26.9 26.3 26.5 28.0 27.6 26.9 26.3 26.5 28.0 27.6 26.9 27.0 26.3 26.5 28.0 27.6 26.9 26.3 26.5 28.0 27.6 26.9 26.3 26.5 28.0 27.6 26.9 26.3 26.5 28.0 27.6 26.9 26.3 26.5 28.0 27.6 26.9 26.3 26.5 28.0 27.6 26.9 26.3 26.5 28.0 27.6 26.9 26.3 26.5 28.0 27.6 26.9 26.3 26.5 28.0 26.5	Estimated Lifetime Substance Use	(%): U.S	. Colle	ge Stude	ents											
Ever Been Drunk 68.8 66.5 70.0 67.9 70.5 69.1 72.5 71.6 73.1 72.9 73.4 74.9 75.1 76.1 74.8 Any Illicit Drug 52.4 53.3 ‡ 50.5 49.2 49.1 51.4 49.5 50.5 50.6 52.3 52.2 53.9 51.8 53.6 53.6 Any Illicit Drug other than Marijuana 29.0 28.3 ‡ 23.8 24.3 24.8 25.6 22.6 25.3 26.3 26.5 28.0 27.6 26.9 26.3 26.8 Marijuana/Hashish 48.5 47.7 49.1 46.6 46.8 47.5 46.8 47.5 46.9 49.1 49.1 50.7 49.5 51.0 55 Inhalants 3.5 4.3 5.7 3.7 5.5 6.9 4.9 6.3 7.4 7.1 8.5 9.7 7.7 9.6 12 Hallucinogens 7.6 7.4 4.8 8.0		2014	2013	2012	2011	2010	2009	2008	2007	2006	2005	2004	2003	2002	2001	200
Any Illicit Drug 52.4 53.3 ‡50.5 49.2 49.1 51.4 49.5 50.5 50.6 52.3 52.2 53.9 51.8 53.6 53.6 Any Illicit Drug other than Marijuana 29.0 28.3 ‡23.8 24.3 24.8 25.6 22.6 25.3 26.3 26.5 28.0 27.6 26.9 26.3 26.3 26.3 26.3 26.5 28.0 27.6 26.9 26.3 26.3 26.3 26.3 26.5 28.0 27.6 26.9 26.3 26.3 26.3 26.3 26.5 28.0 27.6 26.9 26.3 26.3 26.3 26.3 26.3 26.3 26.3 26.3	Alcohol	79.4	78.0	81.0	80.5	82.3	82.6	85.3	83.1	84.7	86.6	84.6	86.2	86.0	86.1	86
Any Illicit Drug other than Marijuana 29.0 28.3 ‡ 23.8 24.3 24.8 25.6 22.6 25.3 26.3 26.5 28.0 27.6 26.9 26.3 29.0 28.3 29.0 28.3 29.0 28.3 29.0 28.3 29.0 28.3 29.0 28.3 29.0 28.3 29.0 28.3 29.0 29.0 29.0 29.0 29.0 29.0 29.0 29.0	Ever Been Drunk	68.8	66.5	70.0	67.9	70.5	69.1	72.5	71.6	73.1	72.9	73.4	74.9	75.1	76.1	74
Marijuana/Hashish 48.5 47.7 49.1 46.6 46.8 47.5 46.8 47.5 46.9 49.1 49.1 50.7 49.5 51.0 50.0 51.0 50.0 70.0 70.7 90.0 12.0 14.5 13.6 14.8 14.9 14.9 14.9 14.9 14.9 14.9 14.9 14.9 14.9 14.9 14.9 14.9 14	Any Illicit Drug	52.4	53.3	‡ 50.5	49.2	49.1	51.4	49.5	50.5	50.6	52.3	52.2	53.9	51.8	53.6	53
Inhalants 3.5 4.3 5.7 3.7 5.5 6.9 4.9 6.3 7.4 7.1 8.5 9.7 7.7 9.6 12 Hallucinogens 7.6 7.8 7.6 7.4 7.8 8.0 8.5 9.1 10.6 11.0 12.0 14.5 13.6 14.8 14 LSD 4.5 4.4 3.1 3.7 4.0 3.3 4.3 3.3 3.5 3.7 5.6 8.7 8.6 12.2 17 MDMA "Ecstasy" 8.2 8.1 8.7 6.8 6.2 6.5 6.2 5.4 6.9 8.3 10.2 12.9 12.7 14.7 13 Cocaine (all forms) 6.2 5.1 5.2 5.5 6.6 8.1 7.2 8.5 7.7 8.8 9.5 9.2 8.2 8.6 9.8 Crack Cocaine 1.4 0.7 0.7 0.8 1.2 1.0 1.4 1.3 2.3 1.7 2.0 3.1 1.9 2.0 3.4 Amphetamines 15.0 16.1 14.4 13.4 12.1 11.8 9.1 11.2 10.7 12.3 12.7 12.3 11.9 12.4 12.4 Methamphetamine 10.7 0.9 0.3 0.6 0.1 1.1 1.0 1.9 1.9 2.9 4.1 5.2 5.8 5.0 5.3 4.4 Crystal Methamphetamine "Ice" 0.3 0.0 0.6 0.2 0.8 0.7 1.1 1.3 1.7 2.4 2.2 2.9 2.0 2.3 Heroin 0.3 0.4 0.5 0.6 0.7 0.8 0.7 0.5 0.7 0.5 0.9 1.0 1.0 1.2 Cother Narcotics 9.9 10.8 10.3 12.4 12.2 14.0 12.4 14.1 14.6 14.4 13.8 14.2 12.2 11.0 1.6 Barbiturates 5.9 5.4 13.5 3.6 5.3 6.0 6.4 5.9 6.3 8.5 7.2 5.7 5.9 6.0 6.5 Tranquilizers 6.9 7.8 6.4 7.1 8.1 9.2 8.6 9.1 10.0 11.9 10.6 11.0 10.7 9.7 8.8 Steroids 0.9 0.8 0.4 1.1 0.7 1.3 1.6 0.6 1.9 1.0 1.6 1.2 1.2 1.5 6.5 Cother Narcotics 0.9 0.8 0.4 1.1 0.7 1.3 1.6 0.6 0.9 1.0 1.6 1.2 1.2 1.5 6.5 Cother Narcotics 0.9 0.8 0.4 1.1 0.7 1.3 1.6 0.6 0.6 1.9 1.0 1.6 1.2 1.2 1.5 6.5 Cother Narcotics 0.9 0.8 0.4 1.1 0.7 1.3 1.6 0.6 0.6 1.9 1.0 1.6 1.2 1.2 1.5 6.5 Cother Narcotics 0.9 0.8 0.4 1.1 0.7 1.3 1.6 0.6 0.6 1.9 1.0 1.6 1.2 1.2 1.5 6.5 Cother Narcotics 0.9 0.8 0.4	Any Illicit Drug other than Marijuana	29.0	28.3	‡ 23.8	24.3	24.8	25.6	22.6	25.3	26.3	26.5	28.0	27.6	26.9	26.3	25
Hallucinogens LSD 4.5 4.4 3.1 3.7 4.0 3.3 4.3 3.3 3.5 3.7 5.6 8.7 8.6 12.2 11 MDMA "Ecstasy" 8.2 8.1 8.7 6.8 6.2 6.5 6.2 5.4 6.9 8.3 10.2 12.9 12.7 14.7 13 Cocaine (all forms) 6.2 5.1 5.2 5.5 6.6 8.1 7.2 8.5 7.7 8.8 9.5 9.2 8.2 8.6 9.3 10.2 12.9 12.7 14.7 13 Cocaine (all forms) 6.2 5.1 5.2 5.5 6.6 8.1 7.2 8.5 7.7 8.8 9.5 9.2 8.2 8.6 9.8 9.6 9.8 9.6 9.8 9.6 9.8 9.6 9.8 9.6 9.8 9.6 9.8 9.6 9.8 9.6 9.8 9.6 9.8 9.6 9.8 9.8 9.6 9.8 9.8 9.8 9.8 9.8 9.8 9.8 9.8 9.8 9.8	Marijuana/Hashish	48.5	47.7	49.1	46.6	46.8	47.5	46.8	47.5	46.9	49.1	49.1	50.7	49.5	51.0	51
LSD	Inhalants	3.5	4.3	5.7	3.7	5.5	6.9	4.9	6.3	7.4	7.1	8.5	9.7	7.7	9.6	12
LSD	Hallucinogens	7.6	7.8	7.6	7.4	7.8	8.0	8.5	9.1	10.6	11.0	12.0	14.5	13.6	14.8	14
MDMA "Ecstasy" 8.2 8.1 8.7 6.8 6.2 6.5 6.2 5.4 6.9 8.3 10.2 12.9 12.7 14.7 13.7 Cocaine (all forms) 6.2 5.1 5.2 5.5 6.6 8.1 7.2 8.5 7.7 8.8 9.5 9.2 8.2 8.6 9.5 Crack Cocaine 1.4 0.7 0.7 0.8 1.2 1.0 1.4 1.3 2.3 1.7 2.0 3.1 1.9 2.0 2.2 Amphetamines 15.0 16.1 ‡ 14.4 13.4 12.1 11.8 9.1 11.2 10.7 12.3 12.7 12.3 11.9 12.4 12.4 Methamphetamine 0.7 0.9 0.3 0.6 1.1 1.0 1.9 1.9 2.9 4.1 5.2 5.8 5.0 5.3 4.5 Crystal Methamphetamine "Ice" 0.3 0.0 0.6 0.2 0.8 0.7 1.1 1.3 1.7 2.4 2.2 2.9 2.0 2.3 3.4		4.5	4.4	3.1	3.7	4.0	3.3	4.3	3.3	3.5	3.7	5.6	8.7	8.6	12.2	11
Cocaine (all forms) 6.2 5.1 5.2 5.5 6.6 8.1 7.2 8.5 7.7 8.8 9.5 9.2 8.2 8.6 9.5 Crack Cocaine 1.4 0.7 0.7 0.8 1.2 1.0 1.4 1.3 2.3 1.7 2.0 3.1 1.9 2.0 2.2 Amphetamines 15.0 16.1 ‡ 14.4 13.4 12.1 11.8 9.1 11.2 10.7 12.3 12.7 12.3 11.9 12.4 12.4 Methamphetamine 0.7 0.9 0.3 0.6 1.1 1.0 1.9 1.9 2.9 4.1 5.2 5.8 5.0 5.3 4.0 Crystal Methamphetamine "Ice" 0.3 0.0 0.6 0.2 0.8 0.7 1.1 1.3 1.7 2.4 2.2 2.9 2.0 2.3 Heroin 0.3 0.4 0.5 0.6 0.7 0.8 0.7 0.5																13
Crack Cocaine 1.4 0.7 0.7 0.8 1.2 1.0 1.4 1.3 2.3 1.7 2.0 3.1 1.9 2.0 2.2 Amphetamines 15.0 16.1 ‡ 14.4 13.4 12.1 11.8 9.1 11.2 10.7 12.3 12.7 12.3 11.9 12.4 12.4 Methamphetamine 0.7 0.9 0.3 0.6 1.1 1.0 1.9 1.9 2.9 4.1 5.2 5.8 5.0 5.3 5.0 Crystal Methamphetamine "Ice" 0.3 0.0 0.6 0.2 0.8 0.7 1.1 1.3 1.7 2.4 2.2 2.9 2.0 2.3 Heroin 0.3 0.4 0.5 0.6 0.7 0.8 0.7 0.5 0.7 0.5 0.9 1.0 1.0 1.2 Other Narcotics 9.9 10.8 10.3 12.4 12.2 14.0 12.4 14.1 14.6 </td <td>•</td> <td></td> <td>9</td>	•															9
Amphetamines 15.0 16.1 ‡ 14.4 13.4 12.1 11.8 9.1 11.2 10.7 12.3 12.7 12.3 11.9 12.4 12.4 Methamphetamine (Crystal Methamphetamine (Ice) 0.3 0.0 0.6 0.2 0.8 0.7 1.1 1.3 1.7 2.4 2.2 2.9 2.0 2.3 2.3 Heroin 0.3 0.4 0.5 0.6 0.7 0.8 0.7 0.5 0.7 0.5 0.9 1.0 1.0 1.2 1.0 Other Narcotics 9.9 10.8 10.3 12.4 12.2 14.0 12.4 14.1 14.6 14.4 13.8 14.2 12.2 11.0 8 Barbiturates 5.9 5.4 ‡ 3.5 3.6 5.3 6.0 6.4 5.9 6.3 8.5 7.2 5.7 5.9 6.0 6 Tranquilizers 6.9 7.8 6.4 7.1 8.1 9.2 8.6 9.1 10.0 1.6 1.2 1.2 1.5 6																2
Methamphetamine 0.7 0.9 0.3 0.6 1.1 1.0 1.9 1.9 2.9 4.1 5.2 5.8 5.0 5.3 5.8 Crystal Methamphetamine "Ice" 0.3 0.0 0.6 0.2 0.8 0.7 1.1 1.3 1.7 2.4 2.2 2.9 2.0 2.3 4.1 Heroin 0.3 0.4 0.5 0.6 0.7 0.8 0.7 0.5 0.7 0.5 0.9 1.0 1.0 1.2 Other Narcotics 9.9 10.8 10.3 12.4 12.2 14.0 12.4 14.1 14.6 14.4 13.8 14.2 12.2 11.0 8 Barbiturates 5.9 5.4 ‡ 3.5 3.6 5.3 6.0 6.4 5.9 6.3 8.5 7.2 5.7 5.9 6.0 6 Tranquilizers 6.9 7.8 6.4 7.1 8.1 9.2 8.6 9.1 <																12
Crystal Methamphetamine "Ice" 0.3 0.0 0.6 0.2 0.8 0.7 1.1 1.3 1.7 2.4 2.2 2.9 2.0 2.3 1.0 Heroin 0.3 0.4 0.5 0.6 0.7 0.8 0.7 0.5 0.7 0.5 0.9 1.0 1.0 1.2 Other Narcotics 9.9 10.8 10.3 12.4 12.2 14.0 12.4 14.1 14.6 14.4 13.8 14.2 12.2 11.0 8 Barbiturates 5.9 5.4 ‡ 3.5 3.6 5.3 6.0 6.4 5.9 6.3 8.5 7.2 5.7 5.9 6.0 6 Tranquillizers 6.9 7.8 6.4 7.1 8.1 9.2 8.6 9.1 10.0 11.9 10.6 11.0 10.7 9.7 8 Steroids 0.9 0.8 0.4 1.1 0.7 1.3 1.6 0.6	•			•												5
Heroin 0.3 0.4 0.5 0.6 0.7 0.8 0.7 0.5 0.7 0.5 0.9 1.0 1.0 1.2 1.0 1.2 1.0 1.0 1.2 1.0 1.0 1.2 1.0 1.0 1.0 1.2 1.0<	•															1
Other Narcotics 9.9 10.8 10.3 12.4 12.2 14.0 12.4 14.1 14.6 14.4 13.8 14.2 12.2 11.0 8 Barbiturates 5.9 5.4 ‡ 3.5 3.6 5.3 6.0 6.4 5.9 6.3 8.5 7.2 5.7 5.9 6.0 6 Tranquilizers 6.9 7.8 6.4 7.1 8.1 9.2 8.6 9.1 10.0 11.9 10.6 11.0 10.7 9.7 8 Steroids 0.9 0.8 0.4 1.1 0.7 1.3 1.6 0.6 1.9 1.0 1.6 1.2 1.2 1.5 0																1
Barbiturates 5.9 5.4 \$\dagger{2}3.5\$ 3.6 5.3 6.0 6.4 5.9 6.3 8.5 7.2 5.7 5.9 6.0 6 Tranquilizers 6.9 7.8 6.4 7.1 8.1 9.2 8.6 9.1 10.0 11.9 10.6 11.0 10.7 9.7 8 Steroids 0.9 0.8 0.4 1.1 0.7 1.3 1.6 0.6 1.9 1.0 1.6 1.2 1.2 1.5 0			-					-		-						8
Tranquilizers 6.9 7.8 6.4 7.1 8.1 9.2 8.6 9.1 10.0 11.9 10.6 11.0 10.7 9.7 8 Steroids 0.9 0.8 0.4 1.1 0.7 1.3 1.6 0.6 1.9 1.0 1.6 1.2 1.2 1.5 0																6
Steroids 0.9 0.8 0.4 1.1 0.7 1.3 1.6 0.6 1.9 1.0 1.6 1.2 1.2 1.5 (•												
	•															8
	Steroids Injection Drug Use	0.9	0.8	0.4	0.3	0.7	0.1	0.0	0.6	0.3	0.3	0.1	0.1	0.3	0.2	0.

^{*} Binge alcohol use in the Monitoring the Future Survey is defined as consuming 5 or more drinks on the same occasion on at least one day in the past two weeks.

Johnston, LD, O'Malley, PM, Bachman, JG, Schulenberg, JE, & Miech, RA (2015). Monitoring the Future national survey results on drug use, 1975-2014: Volume 2, College students and adults ages 19-55. Ann Arbor: Institute for Social Research, The University of Michigan.

[‡] Survey question was re-worded beginning with year indicated.

MONITORING THE FUTURE SURVEY: TABLES FOR YOUNG ADULTS AGES 19-28

Estimated Daily Substance Use in	Past 30 I	Davs (%): U.S. Y	ouna A	dults A	aes 19-2	8								
	2014	2013	2012	2011	2010	2009	2008	2007	2006	2005	2004	2003	2002	2001	2000
Alcohol	5.0	5.1	5.5	5.2	4.6	5.3	5.3	5.6	5.4	5.2	4.5	5.1	4.7	4.4	4.1
Been Drunk Daily	0.6	0.5	0.4	0.7	0.7	1.0	0.5	0.6	0.6	0.5	0.7	8.0	0.6	0.4	0.5
Cigarettes	10.7	12.1	12.8	13.8	14.8	15.0	16.7	17.3	18.6	19.6	20.8	20.3	21.2	21.2	21.8
Marijuana/Hashish	6.9	6.2	5.6	6.1	5.3	5.4	5.1	5.0	5.0	4.9	5.0	5.3	4.5	5.0	4.2
Estimated Past-30 Day Substance			_	_											
	2014	2013	2012	2011	2010	2009	2008	2007	2006	2005	2004	2003	2002	2001	2000
Alcohol	68.4	68.7	69.5	68.8	68.4	69.4	68.9	69.5	68.7	68.6	68.4	67.0	68.3	67.0	66.8
Been Drunk (past 30 days)	39.3	37.7	39.1	39.5	39.4	40.5	40.7	41.4	42.1	39.0	39.0	37.8	37.1	36.8	35.7
Binge Alcohol Use (past 2 weeks)*	33.5	35.1	35.5	36.5	35.9	36.7	37.9	37.8	37.6	37.0	37.1	35.8	35.9	35.9	24.7
Cigarettes	17.5	20.0	19.7	21.3	22.4	23.3	24.6	26.2	27.0	28.6	29.2	28.4	29.2	30.2	30.1
Any Illicit Drug	22.3	21.6	‡ 19.9 + 7.0	20.6	18.9	19.8	19.3	18.9	18.5	18.6	19.1	19.9	18.9	18.8	18.1
Any Illicit Drug other than Marijuana	9.9 19.2	8.3	‡ 7.8	8.4	8.6	8.5	8.9	8.6	8.1 15.7	8.2	8.5	8.3	7.7	7.0 16.7	6.4
Marijuana/Hashish	0.3	19.0 0.1	17.7 0.3	18.3 0.1	16.1 0.1	17.0 0.2	16.0 0.4	16.0 0.2	0.3	15.8 0.2	16.5 0.3	17.3 0.3	16.9 0.5	0.4	16.1 0.5
Inhalants	0.3	1.0	0.5	0.1	1.0	0.2	0.4	0.2	0.3	0.2	0.3	1.2	0.5	1.2	1.2
Hallucinogens LSD	0.9	0.4	0.8	0.9	0.4	0.8	0.9	0.9	0.7	0.6	0.9	0.2	0.9	0.7	0.8
PCP	0.4	0.4	0.0	0.3	0.4	**	0.4	V.Z **	**	0.1	0.1	0.2	0.3	0.0	0.0
MDMA "Ecstasy"	1.3	1.1	1.0	0.1	0.0	0.6	0.1	0.5	0.7	0.6	0.1	0.1	1.3	1.8	1.9
•	1.8	1.5	1.3	1.5	1.4	1.8	1.9	2.1	2.3	2.2	2.2	2.4	2.2	2.2	1.7
Cocaine (all forms) Crack Cocaine	0.1	0.1	0.1	0.2	0.1	0.2	0.4	0.3	0.3	0.3	0.3	0.3	0.3	0.4	0.4
Amphetamines	3.5	3.0	‡ 3.2	3.0	2.9	2.5	2.2	2.3	2.2	2.1	2.4	2.5	2.5	2.4	2.3
Methamphetamine	0.3	0.2	0.4	0.3	0.2	0.3	0.3	0.6	0.5	0.7	0.6	0.7	1.0	1.0	0.7
Crystal Methamphetamine "Ice"	0.1	0.2	0.4	0.2	0.2	0.2	0.3	0.3	0.3	0.6	0.4	0.4	0.5	0.4	0.4
Heroin	0.1	0.4	0.2	0.2	0.1	0.2	0.3	0.1	0.2	0.1	0.1	0.4	**	0.3	0.1
Other Narcotics	2.1	2.6	2.7	2.9	3.4	3.2	3.6	3.4	3.2	3.5	3.0	2.9	2.9	1.7	1.4
Barbiturates	1.0	1.2	1.1	1.1	1.1	1.2	1.9	1.6	1.5	1.7	1.8	1.5	1.5	1.7	1.3
Tranquilizers	1.9	1.9	1.9	2.3	2.2	2.8	2.7	2.8	2.3	2.6	2.7	2.4	2.8	2.1	1.8
Steroids	0.3	0.1	0.1	0.2	0.5	0.3	0.2	0.4	0.1	0.1	0.1	0.1	0.1	0.1	0.1
Injection Drug Use	0.1	0.3	0.2	0.2	0.1	0.1	**	**	0.1	0.1	0.1	**	**	0.2	**
Estimated Lifetime Substance Use	(%): U.S	. Young	y Adults	Ages 19	9-28										
	2014	2013	2012	2011	2010	2009	2008	2007	2006	2005	2004	2003	2002	2001	2000
Alcohol	86.3	86.2	86.5	87.4	87.5	87.9	88.4	87.9	88.9	89.1	89.4	89.3	90.2	89.9	90.7
Ever Been Drunk	78.3	77.4	78.9	78.9	79.0	78.2	80.1	80.1	80.9	79.9	80.1	80.9	81.2	81.1	80.4
Any Illicit Drug	62.2	60.0	‡ 58.9	59.1	58.4	59.3	59.3	59.8	59.7	60.4	60.5	60.2	59.0	58.1	58.2
Any Illicit Drug other than Marijuana	37.3	34.2	32.8	33.2	33.3	32.8	34.7	34.2	34.8	34.0	35.2	33.9	32.8	31.6	31.3
Marijuana/Hashish	57.5	57.1	56.5	56.3	55.9	56.0	55.9	56.7	56.7	57.0	57.4	57.2	56.8	55.7	55.1
Inhalants	6.7	6.5	7.2	7.2	7.9	8.9	9.5	9.1	10.9	10.3	11.6	12.2	12.4	12.8	14.3
Hallucinogens	11.9	12.4	12.2	13.0	13.9	14.2	14.8	16.0	17.2	17.6	19.3	19.7	19.6	18.3	18.4
LSD	6.6	6.3	6.2	6.1	7.2	7.3	8.1	9.6	10.1	11.2	13.4	14.6	15.1	16.0	16.4
PCP	0.6	1.4	1.1	1.7	1.6	1.6	2.2	2.1	2.4	2.0	2.7	3.0	2.5	3.1	2.3
MDMA "Ecstasy"	11.4	11.6	11.4	11.3	12.3	11.5	13.1	13.1	14.4	14.9	16.0	15.3	14.6	13.0	11.6
Cocaine (all forms)	11.7	12.2	11.9	12.5	13.6	13.9	14.8	14.7	15.2	14.3	15.2	14.7	13.5	13.1	12.7
Crack Cocaine	2.1	2.6	2.7	2.9	3.6	3.3	4.3	3.9	4.4	4.1	4.2	4.7	4.3	4.7	4.6
Amphetamines	18.7		‡ 17.4	16.5	16.1	14.9	14.6	15.3	15.6	14.6	15.9	15.2	14.8	15.0	15.0
Methamphetamine	2.3	3.1	3.5	3.2	4.3	4.7	6.3	6.7	7.3	8.3	9.0	8.9	9.1	9.0	9.3
Crystal Methamphetamine "Ice"	1.7	2.8	2.6	3.1	2.8	3.4	3.6	3.7	4.7	4.4	4.7	4.7	4.1	4.0	3.9
Heroin	1.4	1.6	1.6	1.7	1.8	1.6	1.9	1.6	1.9	1.7	1.9	1.9	1.8	2.0	1.8
Other Narcotics	16.3	17.4	17.6	18.2	19.0	18.5	19.5	18.8	18.7	17.8	17.6	16.8	13.9	11.5	10.0
Barbiturates	9.0	9.5	‡ 7.2	7.9	8.6	9.5	10.6	9.8	9.5	10.0	9.7	8.7	8.0	7.8	8.1
Tranquilizers	12.5	13.2	13.3	13.8	14.3	13.8	15.8	14.5	15.0	14.5	14.9	13.8	13.4	11.9	10.5
Steroids	1.7	1.2	1.7	1.3	1.7	1.8	1.8	1.7	1.8	1.8	1.9	1.8	1.6	1.4	1.4
Injection Drug Use	0.7	1.0	0.5	0.7	8.0	0.5	0.5	0.5	0.6	0.6	0.4	0.5	0.4	0.6	0.4

^{*} Binge alcohol use in the Monitoring the Future Survey is defined as consuming 5 or more drinks on the same occasion on at least one day in the past two weeks.

Data Source: Johnston, LD, O'Malley, PM, Bachman, JG, Schulenberg, JE, & Miech, RA (2015). Monitoring the Future national survey results on drug use, 1975-2014: Volume 2, College students and adults ages 19-55. Ann Arbor: Institute for Social Research, The University of Michigan.

[‡] Survey question was re-worded beginning with year indicated.

MISSOURI COLLEGE HEALTH BEHAVIOR SURVEY

Reported Substance Involvement among Missouri College Students

	2015	2014	2013	2012	2011	2010	2009	2008
ALCOHOL AND DRUG USE (%)								
Alcohol Use in Past Year	74.8	76.3	77.0	79.3	77.8	79.9	79.5	81.3
Alcohol Use in Past 30 Days	60.1	70.9	63.5	62.6	66.2	67.2	66.7	68.1
Binge Alcohol Use in One Sitting in Past 2 Weeks	24.7	28.3	27.2	27.9	32.8	33.8	35.7	31.2
Binge Alcohol Use in 2-Hour Period in Past 2 Weeks	23.9	26.9	25.6	26.3	31.2	31.7	33.5	29.3
Tobacco Use in Past Year	36.1	37.6	38.2	48.5	43.6	43.4	30.3	_
Cigarette Use in Past Year	16.5	17.8	20.5	18.1	18.9	19.5	15.4	14.8
Marijuana Use in Past Year	22.2	r 22.3	r 22.1	21.0	23.4	21.6	23.1	21.8
Cocaine Use in Past Year	2.7	_	2.2	_	2.4	2.3	2.9	3.4
Amphetamine Use in Past Year	3.8	_	1.9	_	3.3	2.4	2.2	2.1
Methamphetamine Use in Past Year	1.2	_	1.0	_	0.8	0.5	0.7	0.8
Inhalant Use in Past Year	1.2	_	1.1	_	1.2	0.9	0.7	0.8
Club Drug Use in Past Year	3.0	_	2.9	_	2.8	2.5	2.6	2.4
K2 (Synthetic Marijuana) Use in Past Year	1.2	_	1.9	3.2			_	
Bath Salts Use in Past Year	0.8	_	1.1	1.0	_	_	_	_
Prescription Stimulant Use without Rx in Past Year	7.4	7.5	6.6	5.4	5.5	4.6	5.3	4.6
Prescription Pain Medicaton Use without Rx in Past Year	6.7	7.4	7.6	4.5	6.6	6.5	8.4	8.2
Prescription Sedative Use without Rx in Past Year	3.1	3.1	2.7	2.1	2.8	2.6	3.8	3.4
Prescription Sleep Medication Use without Rx in Past Year	1.7	4.4	2.0	1.0	1.8	2.0	2.5	2.2
Treesingtion electrication electrication activities			2.0	1.0	1.0	2.0	2.0	2.2
AMONG ALL STUDENTS, DRINKING RELATED RISKS AND CO	NSEQUENC	ES EXPER	IENCED (9	6)				
Hangover	47.9	50.3	50.8	48.6	51.4	52.4	53.0	55.1
Rode with Someone who Drove After Drinking	26.9	28.5	30.6	29.8	33.6	36.3	36.9	38.7
Blackout or Memory Loss	24.8	27.0	35.6	26.2	26.1	25.1	25.7	27.7
Driven After Consumption	21.4	23.5	25.2	25.5	27.3	30.0	30.5	31.9
Missed Class	15.4	17.4	16.9	16.5	18.3	20.4	21.5	24.3
Engaged in Risky Sexual Behavior	14.4	15.8	16.2	16.5	16.9	17.2	18.3	19.5
Forced or Coerced to Drink More than Desired	14.3	16.2	17.3	16.1	13.5	12.6	13.9	_
Hurt or Injured	9.2	11.0	11.5	11.4	11.6	11.6	11.6	12.5
Performed Poorly on Test or Assignment	9.4	11.0	10.4	10.0	11.0	12.2	12.5	14.2
Taken Advantage of Sexually	5.0	5.9	7.1	6.3	6.3	5.7	6.3	6.2
Trouble with Campus Administration	3.1	3.3	3.7	3.0	3.5	2.0	2.9	3.1
Took Advantage of Someone Sexually	1.0	2.1	2.6	2.4	2.2	2.0	2.3	_
Received Medical Attention	2.1	2.9	2.6	2.2	2.1	2.2	2.5	2.3
Arrested by Campus Police or Other Law Enforcement	1.3	2.0	2.3	1.9	1.8	2.3	2.3	2.0
Arrested for DUI or DWI	0.7	1.1	1.6	0.8	1.1	1.4	1.2	1.0
	***			0.0				
AMONG PAST-YEAR DRINKERS, THOSE RESPONDING "ALWA	YS" OR "US	SUALLY" 1	TO USE OF	THESE PI	ROTECTIV	E FACTOR	RS (%)	
Know Where One's Drink Has Been At All Times	85.4	81.1	80.9	81.2	82.1	83.4	·	_
Eat Before and/or During Alcohol Consumption	81.1	77.1	76.6	77.5	75.5	76.4	77.2	76.6
Go Home with a Friend	70.4	66.1	65.3	65.0	65.1	65.5	_	_
Use a Designated Driver	66.2	65.2	64.3	64.8	66.3	69.9	70.7	70.7
Purposefully Limit the Amount of Money Spent on Alcohol	65.8	61.7	61.4	61.2	60.3	63.8	61.0	59.5
Avoid Trying to "Keep-up or "Out-drink" Others	62.8	60.4	60.1	58.4	59.7	59.1	_	_
Drink Slowly, Rather than Gulp or Chug	53.4	53.2	53.6	48.4	49.1	49.2	_	_
Determine Not to Exceed a Set Number of Drinks	43.4	41.8	40.6	40.9	43.0	45.0	44.4	43.7
Avoid Mixing Different Types of Alcohol	44.0	40.7	41.7	38.3	38.4	39.4	_	_
Drink Water While Drinking Alcohol	43.5	40.6	36.6	35.9	34.4	33.2	_	_
Avoid Drinking Games	31.6	28.8	31.5	33.5	32.5	37.2	34.8	36.4
Alternate Alcoholic and Non-alcoholic Drinks	36.0	33.4	31.4	30.4	30.4	30.1	29.2	28.0
Have a Friend Tell You When You Have Had Enough	31.0	29.5	28.3	29.1	29.0	32.6	34.8	36.4
Leave the Bar or Party at Predetermined Time	32.4	27.8	28.6	29.1	28.2	30.0	_	_
Stop Drinking at a Predetermined Time	29.7	26.6	27.7	26.4	26.1	26.1	_	_
Put Extra Ice in Drink	24.6	21.3	21.8	20.4	20.0	20.3	_	_
		•		_•				

[—] Question not included on survey or data not available for specified year.

Data Source: Partners in Prevention Statewide Coalition http://pip.missouri.edu/

r Data revised from previous report.

Data are unweighted. 2015 Missouri College Health Behavior Survey respondents consist of 11,178 students at 21 Missouri colleges.

MISSOURI COLLEGE HEALTH BEHAVIOR SURVEY

Reported Mental Health Problems among Missouri College Students

None		2015	2014	2013	2012	2011	2010	2009	2008
Minimar	LEVEL OF STRESS EXPERIENCED IN PAST TWO WEEKS (%)								
A Little		_							_
Manageable		_							_
Coverwherming	A Little	_							_
Mondar March Mar		_							_
School / Academics	Overwhelming	_							_
School / Academics	Unbearable	_	2.7	2.1	2.0	2.3	2.1	2.3	_
Financial Concerns	AMONG ALL STUDENTS, MAIN SOURCES OF STRESS (%)								
Future Plans	School / Academics	_	89.4	_	77.2	78.7	75.2	74.4	86.8
Time Management	Financial Concerns	_	54.4	_	47.4	50.6	49.2	50.3	50.8
Dob Dating Relationshp with Partner - 29 - 262 28.8 31.8 36.0 34.0 25.1 29.7 28.5 27.7 28.4 31.6 25.1 29.7 28.5 27.7 28.4 31.6 25.1 29.7 28.5 27.7 28.4 31.6 25.1 29.7 28.5 27.7 28.4 31.6 25.1 29.7 28.5 28	Future Plans	_	53.2	_	43.9	44.3	42.9	50.2	_
Dating / Relationshp with Partner	Time Management	_	52.2	_	43.1	47.1	43.6	52.8	49.0
Family	Job	_	34.9	_	31.1	32.1	32.9	34.1	34.9
Physical Health	Dating / Relationshp with Partner	_	29	_	26.2	28.8	31.8	36.0	34.0
Outside Organizations / Responsibilities — 22.8 — 17.7 17.7 15.5 18.1 — Friends — 19.6 — 16.1 17.6 18.5 22.3 17.1 Roommates — 16.6 — 14.6 15.8 15.3 17.7 17.9 Mental Health Issues — 9.9 — 7.2 7.4 8.1 8.9 — Other Source of Stress — 2.6 3.2 3.7 4.1 5.6 AMONG ALL STUDENTS, MENTAL HEALTH PROBLEMS Stream Strea	Family	_	29.7	_	25.0	27.7	28.4	31.6	25.1
Friends	Physical Health	_		_	20.1		23.3		21.0
Roommates	Outside Organizations / Responsibilities	_	22.8	_	17.7	17.7	15.5	18.1	_
Mental Health Issues	Friends	_	19.6	_	16.1	17.6	18.5	22.3	
MANONG ALL STUDENTS, MENTAL HEALTH PROBLEMS EXPERIENCED IN PAST YEAR (%)	Roommates	_	16.6	_	14.6	15.8	15.3	17.7	17.9
AMONG ALL STUDENTS, MENTAL HEALTH PROBLEMS EXPERIENCED IN PAST YEAR (%) Anxiety Anxi	Mental Health Issues	_	9.9	_	7.2	7.4	8.1	8.9	_
Mariety	Other Source of Stress	_	2.6	_	2.6	3.2	3.7	4.1	5.6
Chronic Sleep Disorder 18.2 18.8 18.1 15.0 16.8 15.6 16.6 19.4									
Suicidal Thoughts	Anxiety	45.0	44.1	39.4	34.4	34.9	32.7	35.8	35.2
Major Depression 21.4 18.5 17.6 12.5 12.5 12.1 12.9 35.2	Chronic Sleep Disorder	18.2	18.8	18.1	15.0	16.8	15.6	16.6	19.4
Panic Attack	Suicidal Thoughts	15.0	15	13.6	13.6	13.4	13.1	_	_
Eating Disorder 6.6 5.8 6.4 5.3 5.0 4.7 6.0 6.3 Self-injury 4.5 3.6 3.8 3.5 4.0 3.7 3.9 2.4 Abusive Relationship 4.1 3.2 3.1 3.0 3.2 2.8 3.1	Major Depression	21.4	18.5	17.6	12.5	12.5	12.1	12.9	35.2
Self-injury 4.5 3.6 3.8 3.5 4.0 3.7 3.9 2.4	Panic Attack	17.2	15.4	13.4	11.7	12.5	11.6	12.3	_
Abusive Relationship 4.1 3.2 3.1 3.0 3.2 2.8 3.1	Eating Disorder	6.6	5.8	6.4	5.3	5.0	4.7	6.0	6.3
Alcohol Abuse/dependency 2.8 2.8 3.2 2.8 2.8 3.1 4.3 3.0 Bipolar Disorder 2.8 2.6 2.3 2.1 2.3 2.3 2.7 — Sexual Assault 2.1 1.5 1.4 1.1 1.2 0.9 1.1 1.2 Suicide Attempt 1.5 0.9 0.9 1.0 0.8 0.9 — — Other Problem 1.9 0.4 1.7 1.5 1.5 1.8 1.8 — None of the Listed Problems 41.7 43.3 46.7 42.2 42.3 43.7 45.7 38.8 AMONG STUDENTS EXPERIENCING PROBLEMS, THOSE WHO SOUGHT ASSISTANCE FOR THE FOLLOWING (%) Major Depression 47.7 50.3 48.4 53.3 50.0 48.5 47.5 59.3 Panic Attack 41.8 42.6 44.4 43.1 41.1 38.3 39.6 — Bipolar Disorder 51.7 50.8 49.2 42.0 51.5 48.7 44.7 — Abusive Relationship 28.0 35.1 33.9 38.5 35.8 34.8 32.0 — Anxiety 39.1 26.9 37.1 36.8 34.2 32.2 33.2 30.1 Chronic Sleep Disorder 35.4 31.8 31.2 32.6 31.1 29.7 29.8 24.7 Self-injury 39.2 39.4 38.1 30.9 32.8 28.5 31.0 40.7 Sexual Assault 25.0 30.3 27.9 28.2 26.6 32.2 22.1 35.5 Eating Disorder 27.9 24.9 26.7 27.2 23.1 30.2 23.1 27.2 Alcohol Abuse/dependency 22.4 21 18.4 22.6 16.6 21.2 19.0 28.0	Self-injury	4.5	3.6	3.8	3.5	4.0	3.7	3.9	2.4
Bipolar Disorder 2.8 2.6 2.3 2.1 2.3 2.3 2.7	Abusive Relationship	4.1	3.2	3.1	3.0	3.2	2.8	3.1	_
Sexual Assault Sexu	Alcohol Abuse/dependency				2.8			4.3	3.0
Suicide Attempt 1.5 0.9 0.9 1.0 0.8 0.9 — — Other Problem 1.9 0.4 1.7 1.5 1.5 1.8 1.8 — None of the Listed Problems 41.7 43.3 46.7 42.2 42.3 43.7 45.7 38.8 AMONG STUDENTS EXPERIENCING PROBLEMS, THOSE WHO SOUGHT ASSISTANCE FOR THE FOLLOWING (%) STATE OF THE FOLLOWING (%) STATE OF THE FOLLOWING (%) STATE OF THE FOLLOWING (%) 47.7 50.3 48.4 53.3 50.0 48.5 47.5 59.3 Panic Attack 41.8 42.6 44.4 43.1 41.1 38.3 39.6 — Bipolar Disorder 51.7 50.8 49.2 42.0 51.5 48.7 44.7 — Abusive Relationship 28.0 35.1 33.9 38.5 35.8 34.8 32.0 — Anxiety 39.1 26.9 37.1 36.8 34.2 32.2 33.2 30.1 Chronic Sleep Disorde	Bipolar Disorder			2.3	2.1		2.3		_
Other Problem 1.9 0.4 1.7 1.5 1.5 1.8 1.8 - None of the Listed Problems 41.7 43.3 46.7 42.2 42.3 43.7 45.7 38.8 AMONG STUDENTS EXPERIENCING PROBLEMS, THOSE WHO SOUGHT ASSISTANCE FOR THE FOLLOWING (%) Major Depression 47.7 50.3 48.4 53.3 50.0 48.5 47.5 59.3 Panic Attack 41.8 42.6 44.4 43.1 41.1 38.3 39.6 — Bipolar Disorder 51.7 50.8 49.2 42.0 51.5 48.7 44.7 — Abusive Relationship 28.0 35.1 33.9 38.5 35.8 34.8 32.0 — Anxiety 39.1 26.9 37.1 36.8 34.2 32.2 33.2 30.1 Chronic Sleep Disorder 35.4 31.8 31.2 32.6 31.1 29.7 29.8 24.7 Self-injury 39.2 39.4	Sexual Assault							1.1	1.2
None of the Listed Problems 41.7 43.3 46.7 42.2 42.3 43.7 45.7 38.8 AMONG STUDENTS EXPERIENCING PROBLEMS, THOSE WHO SOUGHT ASSISTANCE FOR THE FOLLOWING (%) 47.7 50.3 48.4 53.3 50.0 48.5 47.5 59.3 Panic Attack 41.8 42.6 44.4 43.1 41.1 38.3 39.6 — Bipolar Disorder 51.7 50.8 49.2 42.0 51.5 48.7 44.7 — Abusive Relationship 28.0 35.1 33.9 38.5 35.8 34.8 32.0 — Anxiety 39.1 26.9 37.1 36.8 34.2 32.2 33.2 30.1 Chronic Sleep Disorder 35.4 31.8 31.2 32.6 31.1 29.7 29.8 24.7 Self-injury 39.2 39.4 38.1 30.9 32.8 28.5 31.0 40.7 Sexual Assault 25.0 30.3 27.9 28.2 26.6 32.2 22.1 35.5 Eating Disorder 27.9 24	Suicide Attempt		0.9					_	_
AMONG STUDENTS EXPERIENCING PROBLEMS, THOSE WHO SOUGHT ASSISTANCE FOR THE FOLLOWING (%) Major Depression 47.7 50.3 48.4 53.3 50.0 48.5 47.5 59.3 Panic Attack 41.8 42.6 44.4 43.1 41.1 38.3 39.6 — Bipolar Disorder 51.7 50.8 49.2 42.0 51.5 48.7 44.7 — Abusive Relationship 28.0 35.1 33.9 38.5 35.8 34.8 32.0 — Anxiety 39.1 26.9 37.1 36.8 34.2 32.2 33.2 30.1 Chronic Sleep Disorder 35.4 31.8 31.2 32.6 31.1 29.7 29.8 24.7 Self-injury 39.2 39.4 38.1 30.9 32.8 28.5 31.0 40.7 Sexual Assault 25.0 30.3 27.9 28.2 26.6 32.2 22.1 35.5 Eating Disorder 27.9 24.9 26.7 27.2 23.1 30.2 23.1 27.2 Alcohol Abuse/dependency 22.4 21 18.4 22.6 16.6 21.2 19.0 28.0	Other Problem	1.9							
SOUGHT ASSISTANCE FOR THE FOLLOWING (%) Major Depression 47.7 50.3 48.4 53.3 50.0 48.5 47.5 59.3 Panic Attack 41.8 42.6 44.4 43.1 41.1 38.3 39.6 — Bipolar Disorder 51.7 50.8 49.2 42.0 51.5 48.7 44.7 — Abusive Relationship 28.0 35.1 33.9 38.5 35.8 34.8 32.0 — Anxiety 39.1 26.9 37.1 36.8 34.2 32.2 33.2 30.1 Chronic Sleep Disorder 35.4 31.8 31.2 32.6 31.1 29.7 29.8 24.7 Self-injury 39.2 39.4 38.1 30.9 32.8 28.5 31.0 40.7 Sexual Assault 25.0 30.3 27.9 28.2 26.6 32.2 22.1 35.5 Eating Disorder 27.9 24.9 26.7 27.2 23.1 30.2 23.1 27.2 Alcohol Abuse/dependency 22.4	None of the Listed Problems	41.7	43.3	46.7	42.2	42.3	43.7	45.7	38.8
Panic Attack 41.8 42.6 44.4 43.1 41.1 38.3 39.6 — Bipolar Disorder 51.7 50.8 49.2 42.0 51.5 48.7 44.7 — Abusive Relationship 28.0 35.1 33.9 38.5 35.8 34.8 32.0 — Anxiety 39.1 26.9 37.1 36.8 34.2 32.2 33.2 30.1 Chronic Sleep Disorder 35.4 31.8 31.2 32.6 31.1 29.7 29.8 24.7 Self-injury 39.2 39.4 38.1 30.9 32.8 28.5 31.0 40.7 Sexual Assault 25.0 30.3 27.9 28.2 26.6 32.2 22.1 35.5 Eating Disorder 27.9 24.9 26.7 27.2 23.1 30.2 23.1 27.2 Alcohol Abuse/dependency 22.4 21 18.4 22.6 16.6 21.2 19.0 28.0	•								
Panic Attack 41.8 42.6 44.4 43.1 41.1 38.3 39.6 — Bipolar Disorder 51.7 50.8 49.2 42.0 51.5 48.7 44.7 — Abusive Relationship 28.0 35.1 33.9 38.5 35.8 34.8 32.0 — Anxiety 39.1 26.9 37.1 36.8 34.2 32.2 33.2 30.1 Chronic Sleep Disorder 35.4 31.8 31.2 32.6 31.1 29.7 29.8 24.7 Self-injury 39.2 39.4 38.1 30.9 32.8 28.5 31.0 40.7 Sexual Assault 25.0 30.3 27.9 28.2 26.6 32.2 22.1 35.5 Eating Disorder 27.9 24.9 26.7 27.2 23.1 30.2 23.1 27.2 Alcohol Abuse/dependency 22.4 21 18.4 22.6 16.6 21.2 19.0 28.0		47.7	50.3	48.4	53.3	50.0	48.5	47.5	59.3
Abusive Relationship 28.0 35.1 33.9 38.5 35.8 34.8 32.0 — Anxiety 39.1 26.9 37.1 36.8 34.2 32.2 33.2 30.1 Chronic Sleep Disorder 35.4 31.8 31.2 32.6 31.1 29.7 29.8 24.7 Self-injury 39.2 39.4 38.1 30.9 32.8 28.5 31.0 40.7 Sexual Assault 25.0 30.3 27.9 28.2 26.6 32.2 22.1 35.5 Eating Disorder 27.9 24.9 26.7 27.2 23.1 30.2 23.1 27.2 Alcohol Abuse/dependency 22.4 21 18.4 22.6 16.6 21.2 19.0 28.0	Panic Attack	41.8	42.6	44.4	43.1	41.1	38.3	39.6	_
Anxiety 39.1 26.9 37.1 36.8 34.2 32.2 33.2 30.1 Chronic Sleep Disorder 35.4 31.8 31.2 32.6 31.1 29.7 29.8 24.7 Self-injury 39.2 39.4 38.1 30.9 32.8 28.5 31.0 40.7 Sexual Assault 25.0 30.3 27.9 28.2 26.6 32.2 22.1 35.5 Eating Disorder 27.9 24.9 26.7 27.2 23.1 30.2 23.1 27.2 Alcohol Abuse/dependency 22.4 21 18.4 22.6 16.6 21.2 19.0 28.0	Bipolar Disorder	51.7	50.8	49.2	42.0	51.5	48.7	44.7	_
Chronic Sleep Disorder 35.4 31.8 31.2 32.6 31.1 29.7 29.8 24.7 Self-injury 39.2 39.4 38.1 30.9 32.8 28.5 31.0 40.7 Sexual Assault 25.0 30.3 27.9 28.2 26.6 32.2 22.1 35.5 Eating Disorder 27.9 24.9 26.7 27.2 23.1 30.2 23.1 27.2 Alcohol Abuse/dependency 22.4 21 18.4 22.6 16.6 21.2 19.0 28.0	Abusive Relationship	28.0	35.1	33.9	38.5	35.8	34.8	32.0	_
Self-injury 39.2 39.4 38.1 30.9 32.8 28.5 31.0 40.7 Sexual Assault 25.0 30.3 27.9 28.2 26.6 32.2 22.1 35.5 Eating Disorder 27.9 24.9 26.7 27.2 23.1 30.2 23.1 27.2 Alcohol Abuse/dependency 22.4 21 18.4 22.6 16.6 21.2 19.0 28.0		39.1	26.9	37.1	36.8	34.2	32.2	33.2	30.1
Self-injury 39.2 39.4 38.1 30.9 32.8 28.5 31.0 40.7 Sexual Assault 25.0 30.3 27.9 28.2 26.6 32.2 22.1 35.5 Eating Disorder 27.9 24.9 26.7 27.2 23.1 30.2 23.1 27.2 Alcohol Abuse/dependency 22.4 21 18.4 22.6 16.6 21.2 19.0 28.0	Chronic Sleep Disorder	35.4							
Sexual Assault 25.0 30.3 27.9 28.2 26.6 32.2 22.1 35.5 Eating Disorder 27.9 24.9 26.7 27.2 23.1 30.2 23.1 27.2 Alcohol Abuse/dependency 22.4 21 18.4 22.6 16.6 21.2 19.0 28.0	•	39.2							
Eating Disorder 27.9 24.9 26.7 27.2 23.1 30.2 23.1 27.2 Alcohol Abuse/dependency 22.4 21 18.4 22.6 16.6 21.2 19.0 28.0									
Alcohol Abuse/dependency 22.4 21 18.4 22.6 16.6 21.2 19.0 28.0									
		22.4							
	Other Problem	48.5	51.9	45.6	48.6	45.4	46.2	45.5	_

[—] Question not included on survey or data not available for specified year.

Data are unweighted. 2015 Missouri College Health Behavior Survey respondents consist of 11,178 students at 21 Missouri colleges.

Data Source: Partners in Prevention Statewide Coalition http://pip.missouri.edu/

MISSOURI COLLEGE HEALTH BEHAVIOR SURVEY

Reported Gambling among Missouri College Students


	2015	2014	2013	2012	2011	2010	2009	2008
INVOLVEMENT IN GAMBLING (%)								
Yes	_	26.5	27.9	28.7	29.9	31.1	21.6	28.2
No	_	72.3	70.9	71.3	70.1	68.9	78.4	71.8
AMONG STUDENTS WHO GAMBLE, THOSE RESPONDING THAT THE FOLLOWING "SOMETIMES", "OFTEN", OR "ALWAYS" OCCURRED DUE TO GAMBLING (%)								
Lost Track of Time While Gambling	_	_	_	11.8	_	12.5	16.9	7.4
Spent Time Thinking About Past Gambling Experiences	_	_	_	10.2	_	10.2	14.1	_
Spent Time Planning Future Gambling Activities	_	_	_	8.9	_	8.5	14.5	_
Lost a Lot of Time	_	_	_	7.1	_	6.9	8.0	3.7
Attempted to Recoup Gambling Losses	_	5.9	_	6.9	_	7.6	9.6	_
Felt Need to Gamble Increased Amounts for Excitement	_	4.6	_	6.9	_	6.5	8.5	_
Sought Ways to Find Money to Gamble	_	5.8	_	5.7	_	2.5	7.4	_
Lied to Family or Friends to Hide Gambling Activity	_	_	_	5.2	_	5.0	6.3	_
Withdrew from Social Situations or Enjoyable Activities	_	2.7	_	5.1	_	4.8	7.1	_
Strained Relationships	_	_	_	5.0	_	4.6	5.8	_
Borrowed Money for Gambling Debts	_	1.3	_	4.9	_	4.5	5.9	_
AMONG STUDENTS WHO GAMBLE, THOSE RESPONDING THAT THE FOLLOWING "SOMEWHAT", "QUITE A BIT", OR "TO A GREAT EXTENT" OCCURRED DUE TO GAMBLING (%)								
Lost a Considerable Amount of Money	_	10.9	_	6.6	_	6.6	8.0	4.1
Gambled Money Intended for Something Else	_	8.7	_	4.8	_	5.2	7.4	3.8
Experienced Financial Hardship	_	_	_	4.6	_	5.4	6.4	2.9
Academic Problems	_	6.9	_	2.7	_	3.0	3.0	2.2
Legal Trouble	_	6.3	_	2.0	_	1.7	2.1	0.9

Question not included on survey or data not available for specified year.
 Data are unweighted. 2015 Missouri College Health Behavior Survey respondents consist of 11,178 students at 21 Missouri colleges.

Data Source: Partners in Prevention Statewide Coalition http://pip.missouri.edu/

ALCOHOL USE AMONG MISSOURI COLLEGE STUDENTS


Past-Year Alcohol Use (%): Students Completing the Missouri College Health Behavior Survey



Data Source: University of Missouri--Columbia. Partners in Prevention Statewide Coalition.

Missouri College Health Behavior Survey 2007-2015 respondents.


Past 30-Day Alcohol Use (%): Students Completing the Missouri College Health Behavior Survey



Data Source: University of Missouri--Columbia. Partners in Prevention Statewide Coalition.

Missouri College Health Behavior Survey 2007-2015 respondents.






Data Source: University of Missouri--Columbia. Partners in Prevention Statewide Coalition.

Missouri College Health Behavior Survey 2007-2015 respondents.






Data Source: University of Missouri--Columbia. Partners in Prevention Statewide Coalition.

Missouri College Health Behavior Survey 2007-2015 respondents.

NON-PRESCRIPTION DRUG USE AMONG MISSOURI COLLEGE STUDENTS


Past-Year Stimulant Use without Prescription (%): Students Completing the Missouri College Health Behavior Survey



Data Source: University of Missouri--Columbia. Partners in Prevention Statewide Coalition.

Missouri College Health Behavior Survey, 2008-2015 respondents.


Past-Year Pain Medication Use without Prescription (%): Students Completing the Missouri College Health Behavior Survey



Data Source: University of Missouri--Columbia. Partners in Prevention Statewide Coalition.

Missouri College Health Behavior Survey, 2008-2015 respondents.


Past-Year Sedative Use without Prescription (%): Students Completing the Missouri College Health Behavior Survey



Data Source: University of Missouri--Columbia. Partners in Prevention Statewide Coalition.

Missouri College Health Behavior Survey, 2008-2015 respondents.

Past-Year Sleep Medication Use without Prescription (%): Students Completing the Missouri College Health Behavior Survey




Data Source: University of Missouri--Columbia. Partners in Prevention Statewide Coalition.

Missouri College Health Behavior Survey, 2008-2015 respondents.

ILLICIT DRUG USE AMONG MISSOURI COLLEGE STUDENTS


Past-Year Marijuana Use (%): Students Completing the Missouri College Health Behavior Survey, 2007-2015



Data Source: University of Missouri--Columbia. Partners in Prevention Statewide Coalition.

Missouri College Health Behavior Survey, 2007-2015 respondents. 2013 and 2014 data revised from previous report.

Past-Year Cocaine Use (%): Students Completing the Missouri College Health Behavior Survey, 2007-2015



Data Source: University of Missouri--Columbia. Partners in Prevention Statewide Coalition.

Missouri College Health Behavior Survey, 2007-2015 respondents. Item not included on 2012 and 2014 surveys.


Past-Year Amphetamine Use (%): Students Completing the Missouri College Health Behavior Survey, 2007-2015



Data Source: University of Missouri--Columbia. Partners in Prevention Statewide Coalition.

Missouri College Health Behavior Survey, 2007-2015 respondents. Item not included on 2012 and 2014 surveys.


Past-Year Inhalant Use (%): Students Completing the Missouri College Health Behavior Survey, 2007-2015



Data Source: University of Missouri--Columbia. Partners in Prevention Statewide Coalition.

Missouri College Health Behavior Survey, 2007-2015 respondents. Item not included on 2012 and 2014 surveys.

Past-Year Club Drug Use (%): Students Completing the Missouri College Health Behavior Survey, 2007-2015



Data Source: University of Missouri--Columbia. Partners in Prevention Statewide Coalition.

Missouri College Health Behavior Survey, 2007-2015 respondents. Item not included on 2012 and 2014 surveys.

PREGNANCY RISK ASSESSMENT MONITORING SYSTEM (PRAMS) TABLES FOR ALCOHOL, TOBACCO, AND MENTAL HEALTH

Survey results of samples of Missouri women after having a live birth:

	2012	2011	2010	2009	2008	2007
ALCOHOL						
Binge Alcohol Use (4 or More Drinks on One Occasion) During 3 Months Before Pregnancy (%)	22.3	27.6	28.0	30.7		
Any Alcohol Use During 3 Months Before Pregnancy (%)	58.4	60.4	57.7	58.6	58.5	57.7
Any Alcohol Use During Last 3 Months of Pregnancy (%)	8.4	5.4	5.2	4.8	5.5	4.5
Change in Drinking from 3 Months Before Pregnancy to Last 3 Months of Pregnancy (%)						
Non-Drinkers	41.6	39.6	42.1	41.4	41.2	42.3
Drinkers	58.4	60.4	57.9	58.6	58.7	57.7
Drinkers Who Quit, Among Total Sample	50.0	55.0	52.7	53.8	53.3	53.2
Drinkers who Reduced Number of Drinks	2.6	2.8	3.8	2.1	2.8	2.7
Drinkers who Increased or Maintained Same Number of Drinks	5.3	2.6	1.2	2.6	2.4	1.8
Non-Drinkers Who Began or Resumed Drinking	0.5	0.0	0.2	0.0	0.2	0.0
Drinkers who Quit During Pregnancy, Among Drinkers Only (%) *	86.4	91.0	91.3	91.9	91.0	92.2
TOBACCO						
Tobacco Smoking During Three Months Before Pregnancy (%)	32.2	33.6	33.5	35.2	34.7	31.7
Tobacco Smoking During Last Three Months of Pregnancy (%)	19.0	18.5	16.7	18.9	21.8	18.4
Change in Smoking from 3 Months Before Pregnancy to Last 3 Months of Pregnancy (%)						
Non-Smokers	67.7	66.4	66.7	64.6	65.3	68.3
Smokers	32.3	33.5	33.4	35.4	34.7	31.7
Smokers Who Quit, Among Total Sample	13.3	15.1	16.6	16.4	13.0	13.4
Smokers Who Reduced Number of Cigarettes Per Day	12.1	12.0	11.1	11.1	13.9	12.2
Smokers Who Increased or Maintained Same Number of Cigarettes Per Day	6.7	6.3	5.7	7.7	7.8	6.1
Non-Smokers Who Began or Resumed Smoking	0.0	0.1	0.0	0.2	0.0	0.0
Tobacco Smokers Who Quit During Pregnancy, Among Smokers Only (%) *	41.3	45.2	49.7	46.6	37.4	42.1
MENTAL HEALTH						
Anxiety During 3 Months Before Pregnancy (%)		14.1	13.4	13.1		
Depression During 3 Months Before Pregnancy (%)		12.0	13.1	13.6		
Before pregnancy, health care worker reported mother had depression (%)	11.6					
Before pregnancy, mother visited a health care worker for depression or anxiety (%)	17.7					

Data Sources:

Missouri Department of Health and Senior Services, Office of Epidemiology.

U.S. Department of Health and Human Services, Centers for Disease Control and Prevention: Pregnancy Risk Assessment Monitoring System. Accessed from: http://apps.nccd.cdc.gov/cPONDER/default.aspx.

Blank data cells indicate data not collected or available.

^{*} Indicates calculated values

ECONOMIC COSTS OF MENTAL ILLNESS AND SUBSTANCE USE DISORDERS IN THE U.S. AND MISSOURI

Estimated Annual Economic Cost of Serious Mental Illness in the United States and Missouri



Data Source: Insel, TR (2008). Assessing the Economic Costs of Serious Mental Illness. American Journal of Psychiatry. 165(6):703-711. Missouri cost estimates are derived from the nationwide estimates based on U.S and Missouri serious mental illness data from the 2012-2013 National Survey on Drug Use and Health.

Estimated Annual Economic Cost of Alcohol Use Disorders in the United States and Missouri



Data Source: Centers for Disease Control and Prevention (2014). Excessive Drinking Costs U.S. \$223.5 Billion. Atlanta, GA. Missouri cost estimates are derived from the nationwide estimates based on U.S. and Missouri alcohol dependence and abuse data from the 2012-2013 National Survey on Drug Use and Health

Estimated Annual Economic Cost of Drug Use Disorders in the United States and Missouri



Data Source: National Drug Intelligence Center (2011). National Drug Threat Assessment. Washington, DC: U.S. Dept of Justice. Missouri cost estimates are derived from the nationwide estimates based on U.S. and Missouri illicit drug dependence and abuse data from the 2012-2013 National Survey on Drug Use and Health.


Estimated Annual Economic Cost of Cigarette Smoking in the United States and Missouri



Data Source: U.S. Department of Health and Human Services (2014). The Health Consequences of Smoking —50 Years of Progress. A Report of the Surgeon General. Atlanta, GA: Centers for Disease Control and Prevention. Missouri cost estimates are derived from the nationwide estimates based on U.S. and Missouri cigarette smoking data from the 2012-2013 National Survey on Drug Use and Health.


MISSOURI BIRTHS AND FETAL EXPOSURE TO ALCOHOL AND DRUGS

Missouri Resident Births, 2000-2013




Data Source: Missouri Department of Health and Senior Services.

Missouri Resident Births for which Mother Reported Drinking Alcohol During Pregnancy, 2000-2009




Data Source: Missouri Department of Health and Senior Services.

Missouri Resident Newborns Diagnosed with Fetal Alcohol Syndrome, 2000-2013




Missouri Resident Newborns Diagnosed with Illicit Drug Exposure, 2000-2013



Data Source: Missouri Department of Health and Senior Services.


Missouri Resident Births for which Mother Reported Smoking During Pregnancy, 2000-2013



Data Source: Missouri Department of Health and Senior Services.

MISSOURI HOSPITAL AND EMERGENCY DEPARTMENT EPISODES


Alcohol Related Hospitalizations and Emergency Room Episodes: Missouri Residents, 2010-2013



Data Source: Missouri Department of Health and Senior Services.

Beginning with 2010 data, diagnosis counts for hospital and emergency room services are based on International Classification of Diseases codes identified by the federal Healthcare Cost and Utilization Project (HCUP).


Drug Related Hospitalizations and Emergency Room Episodes: Missouri Residents, 2010-2013



Data Source: Missouri Department of Health and Senior Services.

Beginning with 2010 data, diagnosis counts for hospital and emergency room services are based on International Classification of Diseases codes identified by the federal Healthcare Cost and Utilization Project (HCUP).

Mental Illness Related Hospitalizations and Emergency Room Episodes: Missouri Residents, 2010-2013




Data Source: Missouri Department of Health and Senior Services.

Beginning with 2010 data, diagnosis counts for hospital and emergency room services are based on International Classification of Diseases codes identified by the federal Healthcare Cost and Utilization Project (HCUP).


DISEASES ASSOCIATED WITH SUBSTANCE USE

Newly Diagnosed HIV Disease Cases Associated with All Causes of Exposure: Missouri Residents, 2000-2013




Data Source: Missouri Department of Health and Senior Services, Bureau of HIV, STD, and Hepatitis.

Newly Diagnosed HIV Disease Cases Involving Injection Drug Use Risk Factor: Missouri Residents, 2000-2013




Data Source: Missouri Department of Health and Senior Services, Bureau of HIV, STD, and Hepatitis.

Newly Diagnosed Hepatitis B Cases: Missouri Residents, 2004-2013




Data Source: Missouri Department of Health and Senior Services, Bureau of HIV, STD, and Hepatitis.

Newly Diagnosed Hepatitis C Cases: Missouri Residents, 2005-2013



Data Source: Missouri Department of Health and Senior Services, Bureau of Health Informatics.

Newly Diagnosed Tuberculosis Cases: Missouri Residents, 2000-2013



Data Source: Missouri Department of Health and Senior Services, Bureau of Health Informatics.


^{*} MSM denotes HIV risk factor for men who have sex with men.

SUICIDE, HOMICIDE, AND SUBSTANCE-RELATED DEATHS


Missouri Resident Deaths, 2000-2013




Suicide Deaths: Missouri Residents, 2000-2013




Homicide Deaths: Missouri Residents, 2000-2013




Alcohol Induced Deaths: Missouri Residents, 2000-2013



Drug Induced Deaths: Missouri Residents, 2000-2013




Smoking Attributable Deaths: Missouri Residents, 2000-2013



Data Source (all charts): Missouri Department of Health and Senior Services.


ALCOHOL INVOLVED TRAFFIC CRASHES

Traffic Crashes in Missouri, All Causes, 2000-2013




Data Source: Missouri Department of Public Safety, Missouri State Highway Patrol, Statistical Analysis Center. Annual Tabulation.

Alcohol Involved Traffic Crashes, 2001-2013




Data Source: Missouri Department of Public Safety, Missouri State Highway Patrol, Statistical Analysis Center. Annual Tabulation.

Traffic Crashes Caused by Alcohol Impaired Driver, by Crash Severity, 2001-2013



Data Source: Missouri Department of Public Safety, Missouri State Highway Patrol, Statistical Analysis Center. Annual Tabulation.

Traffic Crash Fatalities and Injuries Caused by Alcohol Impaired Driver, 2001-2013



Data Source: Missouri Department of Public Safety, Missouri State Highway Patrol, Statistical Analysis Center. Annual Tabulation.


DRUG INVOLVED TRAFFIC CRASHES

Traffic Crashes in Missouri, All Causes, 2000-2013




Data Source: Missouri Department of Public Safety, Missouri State Highway Patrol, Statistical Analysis Center. http://www.mshp.dps.missouri.gov/MSHPWeb/SAC/data_and_statistics_crashes_severity.html

Drug Involved Traffic Crashes, 2002-2013




Data Source: Missouri Department of Public Safety, Missouri State Highway Patrol, Statistical Analysis Center.

Traffic Crashes Caused by Drug Impaired Driver, by Crash Severity, 2002-2013



Data Source: Missouri Department of Public Safety, Missouri State Highway Patrol, Statistical Analysis Center.


Traffic Crash Fatalities and Injuries Caused by Drug Impaired Driver, 2002-2013



Data Source: Missouri Department of Public Safety, Missouri State Highway Patrol, Statistical Analysis Center.


MISSOURI ALCOHOL AND DRUG ARRESTS

Arrests for DUI/DWI Alcohol or Drug Impaired Driving, 2001-2014




Data Source: Missouri Department of Public Safety, Missouri State Highway Patrol, Statistical Analysis Center. Uniform Crime Reports (UCR) 2001-2005 and Missouri DWI Tracking System (DWITS) 2006-2014.

Arrests for Impaired Boating, 2001-2014




Data Source: Missouri Department of Public Safety, Missouri State Highway Patrol, Statistical Analysis Center. Uniform Crime Reports.

Arrests for Liquor Law Offenses, 2001-2014




Data Source: Missouri Department of Public Safety, Missouri State Highway Patrol, Statistical Analysis Center. Uniform Crime Reports.

Arrests for Drug Offenses, 2001-2014




Data Source: Missouri Department of Public Safety, Missouri State Highway Patrol, Statistical Analysis Center. Uniform Crime Reports.

Methamphetamine Lab and Equipment Confiscations, 2001-2014




MISSOURI JUVENILE COURT ENCOUNTERS

Total Out-of-Home Placements of Children, and Percentage Due to Parental Substance Use, 2000-2013




Data Source: Missouri Department of Social Services. Annual special data tabulations. Based on child's most recent removal reason within year.

Out-of-Home Placements of Children Due to Parental Substance Use, 2000-2013



Data Source: Missouri Department of Social Services. Annual special data tabulations. Based on child's most recent removal reason within year.


Juvenile Court Referrals for Law Violations and Status Offenses, 2000-2013



Data Source: Missouri Office of State Courts Administrator (2009-2013); Missouri Department of Social Services (2000-2008).

Beginning in 2013, some juvenile municipal violations and infractions have been reclassified as status offenses.


Juvenile Court Referrals for Alcohol and Drug Violations, 2000-2013



Data Source: Missouri Office of State Courts Administrator (2009-2013); Missouri Department of Social Services (2000-2008).


MISSOURI CRIMINAL JUSTICE SERVICES FOR ALCOHOL AND DRUG OFFENSES

Missouri Drug Court and Mental Health Court Growth by Type, Fiscal Years 2000-2014




Data Source: Missouri Office of State Courts Administrator.

Missouri Drug Court and Mental Health Court Participants, Fiscal Years 2006-2014




Data Source: Missouri Office of State Courts Administrator.

Probation and Parole Admissions for Driving while Intoxicated and Drug Convictions, Fiscal Years 2001-2014



Data Source: Missouri Department of Corrections. Annual special data tabulations.


State Prison Admissions for Driving while Intoxicated and Drug Convictions, Fiscal Years 2001-2014




Data Source: Missouri Department of Corrections. Annual special data tabulations.

ALCOHOL CONSUMPTION


Per Capita Consumption of Ethanol in All Beverage Alcohol in the United States and Missouri, Ages 14 and Older, 1970-2013




Per Capita Consumption of Ethanol in Beer in the United States and Missouri, Ages 14 and Older, 1970-2013



Per Capita Consumption of Ethanol in Wine in the United States and Missouri, Ages 14 and Older, 1970-2013




Per Capita Consumption of Ethanol in Distilled Spirits in the United States and Missouri, Ages 14 and Older, 1970-2013



Data Source: U.S. Dept. of Health and Human Services, NIAAA. Surveillance Report #102: Apparent Per Capita Alcohol Consumption: National, State, and Regional Trends, 1977-2013 (and prior reports).


MISSOURI LIQUOR LICENSES

Retail Liquor Licenses Issued, 1995-2014




Data Source: Missouri Department of Public Safety, Division of Alcohol and Tobacco Control.





Data Source: Missouri Department of Public Safety, Division of Alcohol and Tobacco Control.


Retail Liquor Licenses Issued Per 10,000 Population: DBH Planning Regions, 2002-2014



Data Source: Missouri Department of Public Safety, Division of Alcohol and Tobacco Control.


MISSOURI TOBACCO SALES





Data Source: Missouri Department of Revenue. Annual report: "Taxes Administered"

Apparent Packs of Cigarettes (in Millions) Sold in Missouri Based on Cigarette Tax Revenues: Fiscal Years 2001-2014




Data Source: Missouri Department of Revenue. Derived from data in "Taxes Administered" annual fiscal report.

Total cigarette sales estimates are based on the cigarette tax portion of tobacco tax receipts.


Breakouts for Jackson County and St. Louis County are based on supplemental county cigarette tax receipts.

MISSOURI UNEMPLOYMENT

Unemployment Rates in the United States and Missouri: Annual Averages, 1990-2014



Unemployment Rates in Missouri DBH Planning Regions: Annual Averages, 1990-2014



Data Sources: Missouri Dept of Economic Development, Missouri Economic Research and Information Center.

Local Area Unemployment Statistics: http://www.missourieconomy.org/indicators/laus/default.aspx.

U.S. Dept of Labor, Bureau of Labor Statistics. Labor Force Statistics from the Current Population Survey.

Table: Employment status of the civilian noninstitutional population, 1941 to date.

MISSOURI

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	5,140	5,489	5,819
CSTAR Adolescent	2,146	2,245	2,346
CSTAR Women and Children	3,876	3,714	3,693
CSTAR General Adult	17,278	15,573	13,369
CSTAR Opioid	610	621	626
Primary Recovery Treatment	3,380	5,875	8,886
Clinical SATOP (CIP, YCIP, SROP)	5,667	5,908	5,449
Other Substance Abuse Treatment	757	1,060	1,237

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	22,729	24,423	25,871
- Adolescent Diversion Education Prograr	682	624	769
- Offender Education Program	8,268	9,280	10,132
- Weekend Intervention Program	4,666	5,240	5,608
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	1,004	1,175	1,400
Compulsive Gambling	81	121	151
Recovery Supports	4,985	5,564	5,195
Early Intervention	1,548	1,508	1,371

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2014	FY2013	FY2012	PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Total Individuals	34,829	35,877	36,565	Alcohol	12,757	13,874	14,361
4.05				Marijuana / Hashish	7,986	8,234	8,823
AGE Under 18	2 102	2 24 4	2.425	Cocaine (total)	1,487	1,488	2,274
18 to 24	2,193 5,575	2,314 6,107	2,435 6,485	- Crack	976	1,013	1,539
25 to 29	5,894	6,107	-	Stimulant (total)	5,804	5,322	4,653
30 to 34	•	•	6,295	- Methamphetamine	5,558	5,104	4,460
35 to 39	5,887 4,182	5,891 3,962	5,736 3,972	Heroin	3,673	3,507	3,195
40 to 44	-		-	Analgesic except Heroin	2,249	2,507	2,269
45 to 54	3,300	3,428	3,627	- Non-Prescription Methadone	27	39	38
	5,640	5,877	6,166	PCP, LSD, other Hallucinogen	283	287	344
55 and Over	2,158	2,073	1,849	Tranquilizer	278	350	371
GENDER				Inhalant	34	37	47
Male	23,075	23,956	24,748	Sedative	40	40	33
Female	11,750	11,920	11,814	Other Medication or Illicit Drug	243	231	195
				Average Age at First Use of Drug	18.3	18.1	17.9
RACE / ETHNICITY	00.504	07.754	07.040				
Caucasian	26,584	27,754	27,948	INJECTION DRUG USE			
African American	6,720	6,659	7,131	Any Injection Use at Admission	5,760	5,466	4,756
Native American / Alaskan	107	85	83	- Daily Injection Use	1,881	1,695	1,460
Asian / Pacific Islander	70	91	101	- Weekly Injection Use	1,448	1,368	1,144
Hispanic Other Race / Two or More Races	756 865	724 838	769 801	- Less than Weekly Injection Use	2,431	2,403	2,152
Other Race / Two or More Races	600	030	801				
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	11,465	12,062	12,657	0	20,091	19,994	20,709
High School Graduate or G.E.D.	15,359	15,697	16,109	1 or 2	9,638	10,196	10,220
Associate Degree or Some College	7,617	7,745	7,397	3 or More	5,100	5,687	5,636
Bachelor or Advanced Degree	385	368	401	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	11,203	12,234	10,984
Employed	9,845	9,711	9,906	School	146	128	109
Unemployed	12,687	13,705	14,271	Mental Health Provider	457	494	523
Not in Labor Force	12,297	12,459	12,388	Health Care Provider	1,609	1,476	1,327
	,	,	,000	Court / Criminal Justice	15,668	16,357	19,857
HOUSING / LIVING ARRANGEMENT				Other Referral Source	4,624	4,053	3,492
Independent Living	27,358	28,348	28,630		.,02 .	1,000	0,.02
Dependent Living	4,164	4,364	4,531	TREATMENT ACCOMMODATION			
Homeless	2,082	2,070	2,225	Pregnant when Admitted to any Episode	654	611	633
MARITAL / FAMILY STATUS				Military Veteran	1,458	1,562	1,701
Never Married	20,150	20,699	20,681	Special Education Services Needed	2,543	2,908	2,987
Married / Cohabitating	7,574	7,834	8,090	Co-Occurring Psychological Problem	12,606	12,683	12,056
Previously Married	7,105	7,344	7,794	Co-Occurring Developmental Problem	1,048	1,539	1,332
Transport Marries	.,.00	.,	. ,	22 2 2 3 3 g 2 3 7 3 3 p 3 1 1 0 0 10 11	.,5 10	.,550	.,552

DIVISION OF BEHAVIORAL HEALTH MALE SUBSTANCE USE TREATMENT ADMISSIONS, FISCAL YEAR 2014

ALL RACES	All Ages	Under 15	15-17	18-24	25-29	30-34	35-39	40-44	45-54	Over 54
TOTAL ADMISSIONS	26,111	626	1,246	4,007	4,012	4,043	3,131	2,528	4,607	1,911
Substance Abuse Treatment	-,		, -	,	,-	,	-, -	,	,	,-
Alcohol	9,632	20	113	884	1,315	1,415	1,173	1,129	2,438	1,145
Cocaine/Crack	937	0	5	25	46	72	83	130	413	163
Heroin	2,125	0	11	344	447	436	346	177	200	164
Marijuana	5,705	237	995	1,488	933	759	469	335	402	87
Methamphetamine	2,887	*	36	465	469	609	477	326	422	81
Prescription Drugs	621	5	27	128	119	130	69	58	61	24
All Other Drugs	1,166	16	50	230	275	213	161	88	104	29
Non-Substance Abuse Treatment										
Recovery Supports	*	0	*	437	405	396	337	280	549	201
Co-dependent Services	403	346	8	5	*	7	8	*	12	11
Compulsive Gambling	29	0	0	*	0	6	8	*	6	6
CAUCASIAN	All Ages	Under 15	15-17	18-24	25-29	30-34	35-39	40-44	45-54	Over 54
TOTAL ADMISSIONS	*	345	879	3,051	*	3,027	2,286	1,811	3,174	1,218
Substance Abuse Treatment	· · · · · ·				,	'			<u>'</u>	
Alcohol	7,817	12	103	778	1140	1180	946	901	1878	879
Cocaine/Crack	*	0	*	11	20	25	26	25	85	17
Heroin	1,210	0	9	300	329	238	157	64	87	26
Marijuana	3,611	137	653	962	578	474	284	216	255	52
Methamphetamine	*	*	35	435	442	574	457	311	403	79
Prescription Drugs	*	*	27	107	107	121	62	53	58	20
All Other Drugs	911	14	47	195	217	154	121	62	78	23
Non-Substance Abuse Treatment										
Recovery Supports	*	0	*	259	249	249	219	174	314	106
Co-dependent Services	219	176	0	*	*	7	8	*	10	10
Compulsive Gambling	26	0	0	*	0	5	6	*	6	6
AFRICAN AMERICAN	All Ages	Under 15	15-17	18-24	25-29	30-34	35-39	40-44	45-54	Over 54
TOTAL ADMISSIONS	All Ages 5,990	Under 15 214	15-17 254	18-24 728	25-29 740	30-34 821	35-39 739	40-44 619	45-54 1,252	Over 54 623
TOTAL ADMISSIONS Substance Abuse Treatment	5,990	214		728	740	821	739	619	1,252	623
TOTAL ADMISSIONS Substance Abuse Treatment Alcohol		214	254	728 50	740 106	821 166	739 180	619 168	1,252	623 217
TOTAL ADMISSIONS Substance Abuse Treatment Alcohol Cocaine/Crack	5,990 1,353 *	214 * 0	254	728 50 11	740 106 20	821 166 42	739 180 52	619 168 99	1,252 460 316	623 217 142
TOTAL ADMISSIONS Substance Abuse Treatment Alcohol Cocaine/Crack Heroin	5,990 1,353 * 835	* 0 0	254 * * 0	728 50 11 29	740 106 20 96	166 42 175	739 180 52 182	168 99 110	1,252 460 316 107	217 142 136
TOTAL ADMISSIONS Substance Abuse Treatment Alcohol Cocaine/Crack Heroin Marijuana	5,990 1,353 * 835 1,752	* 0 0 72	254 * * 0 240	50 11 29 434	740 106 20 96 317	166 42 175 249	739 180 52 182 168	168 99 110 109	1,252 460 316 107 132	217 142 136 31
TOTAL ADMISSIONS Substance Abuse Treatment Alcohol Cocaine/Crack Heroin Marijuana Methamphetamine	5,990 1,353 * 835 1,752	* 0 0 72 0	254 * * 0 240 0	728 50 11 29 434 9	740 106 20 96 317 10	166 42 175 249	739 180 52 182 168 11	168 99 110 109 9	1,252 460 316 107 132 9	217 142 136 31
TOTAL ADMISSIONS Substance Abuse Treatment Alcohol Cocaine/Crack Heroin Marijuana Methamphetamine Prescription Drugs	5,990 1,353 * 835 1,752 * 48	214	254 * * 0 240	728 50 11 29 434 9	740 106 20 96 317 10	166 42 175 249 11	739 180 52 182 168 11	168 99 110 109 9	1,252 460 316 107 132 9	217 142 136 31 *
TOTAL ADMISSIONS Substance Abuse Treatment Alcohol Cocaine/Crack Heroin Marijuana Methamphetamine Prescription Drugs All Other Drugs	5,990 1,353 * 835 1,752	* 0 0 72 0	254 * * 0 240 0	728 50 11 29 434 9	740 106 20 96 317 10	166 42 175 249	739 180 52 182 168 11	168 99 110 109 9	1,252 460 316 107 132 9	217 142 136 31
TOTAL ADMISSIONS Substance Abuse Treatment Alcohol Cocaine/Crack Heroin Marijuana Methamphetamine Prescription Drugs All Other Drugs Non-Substance Abuse Treatment	5,990 1,353 * 835 1,752 * 48	214 * 0 0 72 0 0 0	254 * * 0 240 0 0 *	728 50 11 29 434 9 14 29	740 106 20 96 317 10 10 49	166 42 175 249 11 9 52	739 180 52 182 168 11 5 35	619 168 99 110 109 9 *	1,252 460 316 107 132 9 *	623 217 142 136 31 * *
TOTAL ADMISSIONS Substance Abuse Treatment Alcohol Cocaine/Crack Heroin Marijuana Methamphetamine Prescription Drugs All Other Drugs Non-Substance Abuse Treatment Recovery Supports	5,990 1,353 * 835 1,752 * 48 * 892	214 * 0 0 72 0 0 0 0 0 0	254 * * 0 240 0 0 * 0 0 0	728 50 11 29 434 9	740 106 20 96 317 10 10 49	166 42 175 249 11 9 52	739 180 52 182 168 11 5 35	168 99 110 109 9 * 25	1,252 460 316 107 132 9	623 217 142 136 31 * * 5
TOTAL ADMISSIONS Substance Abuse Treatment Alcohol Cocaine/Crack Heroin Marijuana Methamphetamine Prescription Drugs All Other Drugs Non-Substance Abuse Treatment Recovery Supports Co-dependent Services	5,990 1,353 * 835 1,752 * 48	214 * 0 0 72 0 0 0 72 1 0 0 140	254 * * 0 240 0 0 * * 0 8	728 50 11 29 434 9 14 29 151	740 106 20 96 317 10 10 49	821 166 42 175 249 11 9 52 117 0	739 180 52 182 168 11 5 35	619 168 99 110 109 9 * 25 95 0	1,252 460 316 107 132 9 * 19 206	623 217 142 136 31 * * 5
TOTAL ADMISSIONS Substance Abuse Treatment Alcohol Cocaine/Crack Heroin Marijuana Methamphetamine Prescription Drugs All Other Drugs Non-Substance Abuse Treatment Recovery Supports Co-dependent Services Compulsive Gambling	5,990 1,353 * 835 1,752 * 48 * 892 150 *	214 * 0 0 72 0 0 0 140 0	254 * * 0 240 0 0 * * 0 8 0	728 50 11 29 434 9 14 29 151 * 0	740 106 20 96 317 10 10 49 132 0 0	821 166 42 175 249 11 9 52 117 0	739 180 52 182 168 11 5 35 104 0 *	619 168 99 110 109 9 * 25 95 0	1,252 460 316 107 132 9 * 19 206 *	623 217 142 136 31 * 5 87 0 0
TOTAL ADMISSIONS Substance Abuse Treatment Alcohol Cocaine/Crack Heroin Marijuana Methamphetamine Prescription Drugs All Other Drugs Non-Substance Abuse Treatment Recovery Supports Co-dependent Services Compulsive Gambling OTHER RACES	5,990 1,353 * 835 1,752 * 48 * 892 150 * All Ages	214 * 0 0 72 0 0 0 140 0 Under 15	254 * 0 240 0 0 * 0 8 0 15-17	728 50 11 29 434 9 14 29 151 * 0	740 106 20 96 317 10 10 49 132 0 0	821 166 42 175 249 11 9 52 117 0 0	739 180 52 182 168 11 5 35 104 0 *	619 168 99 110 109 9 * 25 95 0 0	1,252 460 316 107 132 9 * 19 206 *	623 217 142 136 31 * 5 87 0 0 Over 54
TOTAL ADMISSIONS Substance Abuse Treatment Alcohol Cocaine/Crack Heroin Marijuana Methamphetamine Prescription Drugs All Other Drugs Non-Substance Abuse Treatment Recovery Supports Co-dependent Services Compulsive Gambling OTHER RACES TOTAL ADMISSIONS	5,990 1,353 * 835 1,752 * 48 * 892 150 *	214 * 0 0 72 0 0 0 140 0	254 * * 0 240 0 0 * * 0 8 0	728 50 11 29 434 9 14 29 151 * 0	740 106 20 96 317 10 10 49 132 0 0	821 166 42 175 249 11 9 52 117 0	739 180 52 182 168 11 5 35 104 0 *	619 168 99 110 109 9 * 25 95 0	1,252 460 316 107 132 9 * 19 206 *	623 217 142 136 31 * 5 87 0 0
TOTAL ADMISSIONS Substance Abuse Treatment Alcohol Cocaine/Crack Heroin Marijuana Methamphetamine Prescription Drugs All Other Drugs Non-Substance Abuse Treatment Recovery Supports Co-dependent Services Compulsive Gambling OTHER RACES TOTAL ADMISSIONS Substance Abuse Treatment	5,990 1,353 * 835 1,752 * 48 * 892 150 * All Ages 1,246	214 * 0 0 72 0 0 0 140 0 Under 15	254 * 0 240 0 0 * 0 8 0 15-17 113	728 50 11 29 434 9 14 29 151 * 0 18-24 228	740 106 20 96 317 10 10 49 132 0 0 25-29 188	821 166 42 175 249 11 9 52 117 0 0	739 180 52 182 168 11 5 35 104 0 * 35-39 *	619 168 99 110 109 9 * 25 0 0 40-44 98	1,252 460 316 107 132 9 * 19 206 * 0 45-54 181	623 217 142 136 31 * * 5 87 0 0 Over 54
TOTAL ADMISSIONS Substance Abuse Treatment Alcohol Cocaine/Crack Heroin Marijuana Methamphetamine Prescription Drugs All Other Drugs Non-Substance Abuse Treatment Recovery Supports Co-dependent Services Compulsive Gambling OTHER RACES TOTAL ADMISSIONS Substance Abuse Treatment Alcohol	5,990 1,353 * 835 1,752 * 48 * 150 * All Ages 1,246	214 * 0 0 72 0 0 0 140 0 Under 15 67	254 * 0 240 0 0 * 0 8 0 15-17 113	728 50 11 29 434 9 14 29 151 * 0	740 106 20 96 317 10 10 49 132 0 0 25-29 188	821 166 42 175 249 11 9 52 117 0 0 30-34	739 180 52 182 168 11 5 35 104 0 * 35-39 *	619 168 99 110 109 9 * 25 95 0 0 40-44 98	1,252 460 316 107 132 9 * 19 206 * 0 45-54 181	623 217 142 136 31 * 5 87 0 0 Over 54
TOTAL ADMISSIONS Substance Abuse Treatment Alcohol Cocaine/Crack Heroin Marijuana Methamphetamine Prescription Drugs All Other Drugs Non-Substance Abuse Treatment Recovery Supports Co-dependent Services Compulsive Gambling OTHER RACES TOTAL ADMISSIONS Substance Abuse Treatment Alcohol Cocaine/Crack	5,990 1,353 * 835 1,752 * 48 * 150 * All Ages 1,246 462 41	214 * 0 0 72 0 0 0 140 0 Under 15 67	254 * 0 240 0 0 * 0 8 0 15-17 113	728 50 11 29 434 9 14 29 151 * 0 18-24 228	740 106 20 96 317 10 10 49 132 0 0 25-29 188	821 166 42 175 249 11 9 52 117 0 0 30-34	739 180 52 182 168 11 5 35 104 0 * 35-39 * 47 5	619 168 99 110 109 9 * 25 95 0 0 40-44 98	1,252 460 316 107 132 9 * 19 206 * 0 45-54 181	623 217 142 136 31 * * 5 87 0 0 Over 54
TOTAL ADMISSIONS Substance Abuse Treatment Alcohol Cocaine/Crack Heroin Marijuana Methamphetamine Prescription Drugs All Other Drugs Non-Substance Abuse Treatment Recovery Supports Co-dependent Services Compulsive Gambling OTHER RACES TOTAL ADMISSIONS Substance Abuse Treatment Alcohol Cocaine/Crack Heroin	5,990 1,353 * 835 1,752 * 48 * 150 * All Ages 1,246	214 * 0 0 72 0 0 0 140 0 Under 15 67	254 * * 0 240 0 0 * * 0 8 0 15-17 113 6 0 *	728 50 11 29 434 9 14 29 151 * 0 18-24 228 56 * 15	740 106 20 96 317 10 10 49 132 0 0 25-29 188 69 6 22	821 166 42 175 249 11 9 52 117 0 0 30-34 *	739 180 52 182 168 11 5 35 104 0 * 35-39 * 47 5 7	619 168 99 110 109 9 * 25 95 0 0 40-44 98 60 6 *	1,252 460 316 107 132 9 * 19 206 * 0 45-54 181 100 12 6	623 217 142 136 31 * * 5 87 0 0 Over 54
TOTAL ADMISSIONS Substance Abuse Treatment Alcohol Cocaine/Crack Heroin Marijuana Methamphetamine Prescription Drugs All Other Drugs Non-Substance Abuse Treatment Recovery Supports Co-dependent Services Compulsive Gambling OTHER RACES TOTAL ADMISSIONS Substance Abuse Treatment Alcohol Cocaine/Crack Heroin Marijuana	5,990 1,353 * 835 1,752 * 48 * 892 150 * All Ages 1,246 462 41 80 *	214 * 0 0 72 0 0 0 140 0 Under 15 67 6 0 0 28	254 * 0 240 0 0 * 0 8 0 15-17 113	728 50 11 29 434 9 14 29 151 * 0 18-24 228 56 * 15 92	740 106 20 96 317 10 10 49 132 0 0 25-29 188 69 6 22 38	821 166 42 175 249 11 9 52 117 0 0 30-34 * 69 5 23 36	739 180 52 182 168 11 5 35 104 0 * 35-39 * 47 5 7 17	619 168 99 110 109 9 * 25 95 0 0 40-44 98 60 6 * 10	1,252 460 316 107 132 9 * 19 206 * 0 45-54 181 100 12 6 15	623 217 142 136 31 * * 5 87 0 0 Over 54
TOTAL ADMISSIONS Substance Abuse Treatment Alcohol Cocaine/Crack Heroin Marijuana Methamphetamine Prescription Drugs All Other Drugs Non-Substance Abuse Treatment Recovery Supports Co-dependent Services Compulsive Gambling OTHER RACES TOTAL ADMISSIONS Substance Abuse Treatment Alcohol Cocaine/Crack Heroin Marijuana Methamphetamine	5,990 1,353 * 835 1,752 * 48 * 892 150 * All Ages 1,246 462 41 80 * 89	214 * 0 0 72 0 0 0 140 0 Under 15 67	254 * * 0 240 0 0 0 * * 0 8 0 15-17 113 6 0 * 102 *	728 50 11 29 434 9 14 29 151 * 0 18-24 228 56 * 15 92 21	740 106 20 96 317 10 10 49 132 0 0 25-29 188 69 6 22 38 17	821 166 42 175 249 11 9 52 117 0 0 30-34 * 69 5 23 36 24	739 180 52 182 168 11 5 35 104 0 * 35-39 * 47 5 7	619 168 99 110 109 9 * 25 95 0 0 40-44 98 60 6 * 10 6	1,252 460 316 107 132 9 * 19 206 * 0 45-54 181 100 12 6 15 10	623 217 142 136 31 * 5 87 0 0 Over 54 70 49 * * *
TOTAL ADMISSIONS Substance Abuse Treatment Alcohol Cocaine/Crack Heroin Marijuana Methamphetamine Prescription Drugs All Other Drugs All Other Drugs Non-Substance Abuse Treatment Recovery Supports Co-dependent Services Compulsive Gambling OTHER RACES TOTAL ADMISSIONS Substance Abuse Treatment Alcohol Cocaine/Crack Heroin Marijuana Methamphetamine Prescription Drugs	5,990 1,353 * 835 1,752 * 48 * 892 150 * All Ages 1,246 462 41 80 * 89 14	214 * 0 0 72 0 0 0 140 0 Under 15 67 6 0 0 28	254 * * 0 240 0 0 * * 0 8 0 15-17 113 6 0 *	728 50 11 29 434 9 14 29 151 * 0 18-24 228 56 * 15 92 21 7	740 106 20 96 317 10 10 49 132 0 0 25-29 188 69 6 22 38 17	821 166 42 175 249 11 9 52 117 0 0 30-34 * 69 5 23 36 24 0	739 180 52 182 168 11 5 35 104 0 * 35-39 * 47 5 7 17 9 *	619 168 99 110 109 9 * 25 95 0 0 40-44 98 60 6 * 10	1,252 460 316 107 132 9 * 19 206 * 0 45-54 181 100 12 6 15 10 *	623 217 142 136 31 * * 5 87 0 0 Over 54
TOTAL ADMISSIONS Substance Abuse Treatment Alcohol Cocaine/Crack Heroin Marijuana Methamphetamine Prescription Drugs All Other Drugs All Other Drugs Non-Substance Abuse Treatment Recovery Supports Co-dependent Services Compulsive Gambling OTHER RACES TOTAL ADMISSIONS Substance Abuse Treatment Alcohol Cocaine/Crack Heroin Marijuana Methamphetamine Prescription Drugs All Other Drugs	5,990 1,353 * 835 1,752 * 48 * 892 150 * All Ages 1,246 462 41 80 * 89	214 * 0 0 72 0 0 0 140 0 Under 15 67 6 0 0 28 0 *	254 * * 0 240 0 0 0 * * 0 8 0 15-17 113 6 0 * 102 *	728 50 11 29 434 9 14 29 151 * 0 18-24 228 56 * 15 92 21	740 106 20 96 317 10 10 49 132 0 0 25-29 188 69 6 22 38 17	821 166 42 175 249 11 9 52 117 0 0 30-34 * 69 5 23 36 24	739 180 52 182 168 11 5 35 104 0 * 35-39 * 47 5 7 17	619 168 99 110 109 9 * 25 95 0 0 40-44 98 60 6 * 10 6 *	1,252 460 316 107 132 9 * 19 206 * 0 45-54 181 100 12 6 15 10	623 217 142 136 31 * 5 87 0 0 Over 54 70 49 * * *
TOTAL ADMISSIONS Substance Abuse Treatment Alcohol Cocaine/Crack Heroin Marijuana Methamphetamine Prescription Drugs All Other Drugs Non-Substance Abuse Treatment Recovery Supports Co-dependent Services Compulsive Gambling OTHER RACES TOTAL ADMISSIONS Substance Abuse Treatment Alcohol Cocaine/Crack Heroin Marijuana Methamphetamine Prescription Drugs All Other Drugs Non-Substance Abuse Treatment	5,990 1,353 * 835 1,752 * 48 * * * * * * * * * * * * *	214 * 0 0 72 0 0 0 140 0 Under 15 67 6 0 0 28 0 * *	254 * * 0 240 0 0 * * 0 8 0 15-17 113 6 0 * 102 * 0 *	728 50 11 29 434 9 14 29 151 * 0 18-24 228 56 * 15 92 21 7 6	740 106 20 96 317 10 10 49 132 0 0 25-29 188 69 6 222 38 17 * 9	821 166 42 175 249 11 9 52 117 0 0 30-34 * 69 5 23 36 24 0 7	739 180 52 182 168 11 5 35 104 0 * 35-39 * 47 5 7 17 9 * 5	619 168 99 110 109 9 * 25 95 0 0 40-44 98 60 6 * 10 6 * *	1,252 460 316 107 132 9 * 19 206 * 0 45-54 181 100 12 6 15 10 * 7	623 217 142 136 31 * * 5 87 0 0 Over 54 70 49 * * * 0 *
TOTAL ADMISSIONS Substance Abuse Treatment Alcohol Cocaine/Crack Heroin Marijuana Methamphetamine Prescription Drugs All Other Drugs Non-Substance Abuse Treatment Recovery Supports Co-dependent Services Compulsive Gambling OTHER RACES TOTAL ADMISSIONS Substance Abuse Treatment Alcohol Cocaine/Crack Heroin Marijuana Methamphetamine Prescription Drugs All Other Drugs Non-Substance Abuse Treatment Recovery Supports	5,990 1,353 * 835 1,752 * 48 * * * * * * * * * * * * *	214 * 0 0 72 0 0 0 140 0 Under 15 67 6 0 0 28 0 * *	254 * 0 240 0 0 * 0 8 0 15-17 113 6 0 102 * 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	728 50 11 29 434 9 14 29 151 * 0 18-24 228 56 * 15 92 21 7	740 106 20 96 317 10 10 49 132 0 0 25-29 188 69 6 22 38 17	821 166 42 175 249 11 9 52 117 0 0 30-34 * 69 5 23 36 24 0 7	739 180 52 182 168 11 5 35 104 0 * 35-39 * 47 5 7 17 9 * 5 14	619 168 99 110 109 9 * 25 95 0 0 40-44 98 60 6 * 10 6 * * 11	1,252 460 316 107 132 9 * 19 206 * 0 45-54 181 100 12 6 15 10 *	623 217 142 136 31 * 5 87 0 0 Over 54 70 49 * * *
TOTAL ADMISSIONS Substance Abuse Treatment Alcohol Cocaine/Crack Heroin Marijuana Methamphetamine Prescription Drugs All Other Drugs Non-Substance Abuse Treatment Recovery Supports Co-dependent Services Compulsive Gambling OTHER RACES TOTAL ADMISSIONS Substance Abuse Treatment Alcohol Cocaine/Crack Heroin Marijuana Methamphetamine Prescription Drugs All Other Drugs Non-Substance Abuse Treatment	5,990 1,353 * 835 1,752 * 48 * * * * * * * * * * * * *	214 * 0 0 72 0 0 0 140 0 Under 15 67 6 0 0 28 0 * *	254 * * 0 240 0 0 * * 0 8 0 15-17 113 6 0 * 102 * 0 *	728 50 11 29 434 9 14 29 151 * 0 18-24 228 56 * 15 92 21 7 6	740 106 20 96 317 10 10 49 132 0 0 25-29 188 69 6 222 38 17 * 9	821 166 42 175 249 11 9 52 117 0 0 30-34 * 69 5 23 36 24 0 7	739 180 52 182 168 11 5 35 104 0 * 35-39 * 47 5 7 17 9 * 5	619 168 99 110 109 9 * 25 95 0 0 40-44 98 60 6 * 10 6 * *	1,252 460 316 107 132 9 * 19 206 * 0 45-54 181 100 12 6 15 10 * 7	623 217 142 136 31 * * 5 87 0 0 Over 54 70 49 * * * 0 *

Each client is counted only once -- in either a Substance Abuse Treatment or Non-Substance Abuse Treatment category. The "Other Races" category includes Hispanic, Native American, Alaskan, Asian, Pacific Islander, all other, and multi-racial.

^{*} An asterisk in a data cell indicates the count was fewer than 5 and was suppressed to avoid disclosure of identifying information.


DIVISION OF BEHAVIORAL HEALTH FEMALE SUBSTANCE USE TREATMENT ADMISSIONS, FISCAL YEAR 2014

ALL RACES	All Ages	Under 15	15-17	18-24	25-29	30-34	35-39	40-44	45-54	Over 54
TOTAL ADMISSIONS	13,335	454	549	2,218	2,508	2,524	1,583	1,194	1,777	528
Substance Abuse Treatment	,			,	,	,	,	,	,	
Alcohol	3,125	18	67	312	404	487	393	395	775	274
Cocaine/Crack	550	0	7	28	45	73	76	91	187	43
Heroin	1,548	0	17	339	408	361	182	79	110	52
Marijuana	2,282	101	350	543	428	347	183	140	164	26
Methamphetamine	2,666	*	50	514	621	629	363	238	226	21
Prescription Drugs	644	*	22	104	142	142	96	45	64	26
All Other Drugs	938	*	32	171	240	214	109	68	76	23
Non-Substance Abuse Treatment										
Recovery Supports	1,138	0	0	203	217	258	165	119	142	34
Co-dependent Services	410	323	*	*	*	11	14	18	20	15
Compulsive Gambling	34	0	0	*	0	*	*	*	13	14
CAUCASIAN	All Ages	Under 15	15-17	18-24	25-29	30-34	35-39	40-44	45-54	Over 54
TOTAL ADMISSIONS	10,620	266	436	1,858	*	*	*	*	1,309	352
Substance Abuse Treatment										
Alcohol	2,598	14	58	272	343	417	331	336	622	205
Cocaine/Crack	*	0	*	10	13	25	29	29	41	7
Heroin	1,082	0	17	292	308	252	116	39	49	9
Marijuana	1,678	79	259	390	298	257	139	109	129	18
Methamphetamine	*	*	47	483	581	599	356	228	215	21
Prescription Drugs	*	*	19	96	136	132	93	45	58	25
All Other Drugs	*	*	31	151	205	187	89	60	68	19
Non-Substance Abuse Treatment										
Recovery Supports	883	0	0	162	164	203	134	101	98	21
Co-dependent Services	235	161	*	*	*	10	12	16	16	15
Compulsive Gambling	30	0	0	*	0	*	*	*	13	12
AFRICAN AMERICAN	All Ages	Under 15	15-17	18-24	25-29	30-34	35-39	40-44	45-54	Over 54
AFRICAN AMERICAN TOTAL ADMISSIONS	All Ages 2,083	Under 15	15-17 57	18-24	25-29	30-34 338	35-39 220	40-44 192	45-54 399	Over 54 160
TOTAL ADMISSIONS										
TOTAL ADMISSIONS Substance Abuse Treatment	2,083			*	*	338	220	192	399	160
TOTAL ADMISSIONS Substance Abuse Treatment Alcohol	2,083	*	57	18	39	338 45	220	192	399 118	160 57
TOTAL ADMISSIONS Substance Abuse Treatment Alcohol Cocaine/Crack Heroin Marijuana	2,083 366 * 412 458	* 0	57 * *	18 17	* 39 28 78 107	338 45 42	220 40 39	192 44 59 36 25	399 118 139	160 57 36
TOTAL ADMISSIONS Substance Abuse Treatment Alcohol Cocaine/Crack Heroin	2,083 366 * 412	* 0 0 10 0	57 * * 0	18 17 36 122 8	* 39 28 78 107	338 45 42 98 74 9	40 39 62 34	192 44 59 36 25	399 118 139 59 29	57 36 43 8 0
TOTAL ADMISSIONS Substance Abuse Treatment Alcohol Cocaine/Crack Heroin Marijuana	2,083 366 * 412 458 37 20	* 0 0 10 0 0 0	* * 0 49 0	18 17 36 122	39 28 78 107 13	338 45 42 98 74 9	220 40 39 62	192 44 59 36 25 *	399 118 139 59 29 *	160 57 36 43 8
TOTAL ADMISSIONS Substance Abuse Treatment Alcohol Cocaine/Crack Heroin Marijuana Methamphetamine Prescription Drugs All Other Drugs	2,083 366 * 412 458 37	* 0 0 10 0	57 * * 0 49	18 17 36 122 8	* 39 28 78 107	338 45 42 98 74 9	40 39 62 34	192 44 59 36 25	399 118 139 59 29	57 36 43 8 0
TOTAL ADMISSIONS Substance Abuse Treatment Alcohol Cocaine/Crack Heroin Marijuana Methamphetamine Prescription Drugs All Other Drugs Non-Substance Abuse Treatment	2,083 366 * 412 458 37 20 *	* 0 0 0 10 0 0 0 0	57 * * 0 49 0 0 0	18 17 36 122 8 6	39 28 78 107 13 *	338 45 42 98 74 9 *	220 40 39 62 34 * *	192 44 59 36 25 * 0	399 118 139 59 29 * 5 6	160 57 36 43 8 0
TOTAL ADMISSIONS Substance Abuse Treatment Alcohol Cocaine/Crack Heroin Marijuana Methamphetamine Prescription Drugs All Other Drugs Non-Substance Abuse Treatment Recovery Supports	2,083 366 412 458 37 20 *	* 0 0 0 10 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	* * 0 49 0	* 18 17 36 122 8 6 11	39 28 78 107 13 * 26	338 45 42 98 74 9 * 24	220 40 39 62 34 *	192 44 59 36 25 *	399 118 139 59 29 * 5 6	160 57 36 43 8 0 *
TOTAL ADMISSIONS Substance Abuse Treatment Alcohol Cocaine/Crack Heroin Marijuana Methamphetamine Prescription Drugs All Other Drugs Non-Substance Abuse Treatment Recovery Supports Co-dependent Services	2,083 366 * 412 458 37 20 * 195 135	* 0 0 0 10 0 0 0 0 126	57 * * 0 49 0 0 0 0 *	* 18 17 36 122 8 6 11 31	39 28 78 107 13 * 26	338 45 42 98 74 9 * 24	220 40 39 62 34 * * 16	192 44 59 36 25 * 0 8	399 118 139 59 29 * 5 6 37	160 57 36 43 8 0
TOTAL ADMISSIONS Substance Abuse Treatment Alcohol Cocaine/Crack Heroin Marijuana Methamphetamine Prescription Drugs All Other Drugs Non-Substance Abuse Treatment Recovery Supports	2,083 366 412 458 37 20 *	* 0 0 0 10 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	57 * * 0 49 0 0 0	* 18 17 36 122 8 6 11	39 28 78 107 13 * 26	338 45 42 98 74 9 * 24	220 40 39 62 34 * *	192 44 59 36 25 * 0	399 118 139 59 29 * 5 6	160 57 36 43 8 0 *
TOTAL ADMISSIONS Substance Abuse Treatment Alcohol Cocaine/Crack Heroin Marijuana Methamphetamine Prescription Drugs All Other Drugs Non-Substance Abuse Treatment Recovery Supports Co-dependent Services Compulsive Gambling OTHER RACES	2,083 366 412 458 37 20 * 195 135 3 All Ages	* 0 0 0 10 0 0 0 0 126	57 * * 0 49 0 0 0 0 15-17	* 18 17 36 122 8 6 11 31 0 *	39 28 78 107 13 * 26 37 0	338 45 42 98 74 9 * 24	220 40 39 62 34 * * 16 25 * 0	192 44 59 36 25 * 0 8 15 *	399 118 139 59 29 * 5 6 37 4 0	160 57 36 43 8 0 *
Substance Abuse Treatment Alcohol Cocaine/Crack Heroin Marijuana Methamphetamine Prescription Drugs All Other Drugs Non-Substance Abuse Treatment Recovery Supports Co-dependent Services Compulsive Gambling	2,083 366 * 412 458 37 20 * 195 135 3	* 0 0 0 10 0 0 0 0 126	57 * * 0 49 0 0 0 0 * 0 0	* 18 17 36 122 8 6 11 31 0 *	39 28 78 107 13 * 26	338 45 42 98 74 9 * 24 41 *	220 40 39 62 34 * * 16	192 44 59 36 25 * 0 8	399 118 139 59 29 * 5 6 37 *	160 57 36 43 8 0 * * * 9
TOTAL ADMISSIONS Substance Abuse Treatment Alcohol Cocaine/Crack Heroin Marijuana Methamphetamine Prescription Drugs All Other Drugs Non-Substance Abuse Treatment Recovery Supports Co-dependent Services Compulsive Gambling OTHER RACES TOTAL ADMISSIONS Substance Abuse Treatment	2,083 366 412 458 37 20 * 195 135 3 All Ages	* 0 0 0 10 0 0 0 0 126	57 * * 0 49 0 0 0 0 * 15-17	* 18 17 36 122 8 6 11 31 0 * 18-24 110	39 28 78 107 13 * 26 37 0 0	338 45 42 98 74 9 * 24 41 *	220 40 39 62 34 * * 16 25 * 0	192 44 59 36 25 * 0 8 15 * 0	399 118 139 59 29 * 5 6 37 * 0 45-54 69	160 57 36 43 8 0 * * 9 0 * Over 54
TOTAL ADMISSIONS Substance Abuse Treatment Alcohol Cocaine/Crack Heroin Marijuana Methamphetamine Prescription Drugs All Other Drugs Non-Substance Abuse Treatment Recovery Supports Co-dependent Services Compulsive Gambling OTHER RACES TOTAL ADMISSIONS Substance Abuse Treatment Alcohol	2,083 366 412 458 37 20 * 195 135 3 All Ages	* * 0 0 10 0 0 0 126 0 Under 15 *	57 * * 0 49 0 0 0 0 * 15-17	* 18 17 36 122 8 6 11 31 0 *	39 28 78 107 13 * 26 37 0 0	338 45 42 98 74 9 * 24 41 * 0 30-34 *	220 40 39 62 34 * * 16 25 * 0 35-39 63	192 44 59 36 25 * 0 8 15 *	399 118 139 59 29 * 5 6 37 * 0 45-54 69	160 57 36 43 8 0 * * 9 0 * Over 54 *
Substance Abuse Treatment Alcohol Cocaine/Crack Heroin Marijuana Methamphetamine Prescription Drugs All Other Drugs Non-Substance Abuse Treatment Recovery Supports Co-dependent Services Compulsive Gambling OTHER RACES TOTAL ADMISSIONS Substance Abuse Treatment Alcohol Cocaine/Crack	2,083 366	* * 0 0 10 0 0 126 0 Under 15 * 0	57 * * 0 49 0 0 0 0 * 0 15-17 56	* 18 17 36 122 8 6 11 31 0 * 18-24 110	39 28 78 107 13 * 26 37 0 0 0 25-29 127	338 45 42 98 74 9 * 24 41 * 0 30-34 * 25 6	220 40 39 62 34 * * 16 25 * 0	192 44 59 36 25 * 0 8 15 * 0 40-44 38	399 118 139 59 29 * 5 6 37 * 0 45-54 69 35 7	160 57 36 43 8 0 * * 9 0 * Over 54 * 12 0
Substance Abuse Treatment Alcohol Cocaine/Crack Heroin Marijuana Methamphetamine Prescription Drugs All Other Drugs Non-Substance Abuse Treatment Recovery Supports Co-dependent Services Compulsive Gambling OTHER RACES TOTAL ADMISSIONS Substance Abuse Treatment Alcohol Cocaine/Crack Heroin	2,083 366 412 458 37 20 * 195 135 3 All Ages 632	* 0 0 0 10 0 0 0 126 0 Under 15 * 0 0 0	57 * * 0 49 0 0 0 0 * 0 15-17 56	* 18 17 36 122 8 6 11 31 0 * 18-24 110 22 * 11	39 28 78 107 13 * 26 37 0 0 0 25-29 127	338 45 42 98 74 9 * 24 41 * 0 30-34 * 25 6 11	220 40 39 62 34 * * 16 25 * 0 35-39 63	192 44 59 36 25 * 0 8 15 * 0 40-44 38	399 118 139 59 29	160 57 36 43 8 0 * * 9 0 * Over 54 * 12 0 0
TOTAL ADMISSIONS Substance Abuse Treatment Alcohol Cocaine/Crack Heroin Marijuana Methamphetamine Prescription Drugs All Other Drugs Non-Substance Abuse Treatment Recovery Supports Co-dependent Services Compulsive Gambling OTHER RACES TOTAL ADMISSIONS Substance Abuse Treatment Alcohol Cocaine/Crack Heroin Marijuana	2,083 366	* * 0 0 10 0 0 10 0 126 0 Under 15 * 12 12	57 * * 0 49 0 0 0 0 * 0 15-17 56	* 18 17 36 122 8 6 11 31 0 * 18-24 110 22 * 11 31	39 28 78 107 13 * 26 37 0 0 0 25-29 127	338 45 42 98 74 9 * 24 41 * 0 30-34 * 25 6 11 16	220 40 39 62 34 * 16 25 * 0 35-39 63 22 8 * 10	192 44 59 36 25 * 0 8 15 * 0 40-44 38	399 118 139 59 29 * 5 6 37 * 0 45-54 69 35 7 * 6	160 57 36 43 8 0 * 9 0 * Over 54 * 12 0 0 0
Substance Abuse Treatment Alcohol Cocaine/Crack Heroin Marijuana Methamphetamine Prescription Drugs All Other Drugs Non-Substance Abuse Treatment Recovery Supports Co-dependent Services Compulsive Gambling OTHER RACES TOTAL ADMISSIONS Substance Abuse Treatment Alcohol Cocaine/Crack Heroin Marijuana Methamphetamine	2,083 366 * 412 458 37 20 * 195 135 3 All Ages 632 * 30 54 146 * *	* * 0 0 10 0 0 126 0 Under 15 * 0 122 0	57 * * 0 49 0 0 0 0 * 0 15-17 56 5 * 0 42 *	* 18 17 36 122 8 6 11 31 0 * 18-24 110 22 * 11 31 23	39 28 78 107 13 * 26 37 0 0 0 25-29 127	338 45 42 98 74 9 * 24 41 * 0 30-34 * 25 6 11 16 21	220 40 39 62 34 * * 16 25 * 0 35-39 63	192 44 59 36 25 * 0 8 15 * 0 40-44 38	399 118 139 59 29 * 5 6 37 * 0 45-54 69 35 7 * 6 9	160 57 36 43 8 0 * * 9 0 * Over 54 * 12 0 0 0 0
TOTAL ADMISSIONS Substance Abuse Treatment Alcohol Cocaine/Crack Heroin Marijuana Methamphetamine Prescription Drugs All Other Drugs Non-Substance Abuse Treatment Recovery Supports Co-dependent Services Compulsive Gambling OTHER RACES TOTAL ADMISSIONS Substance Abuse Treatment Alcohol Cocaine/Crack Heroin Marijuana Methamphetamine Prescription Drugs	2,083 366 * 412 458 37 20 * 195 135 3 All Ages 632 * 30 54 146 * 17	* * 0 0 10 0 0 126 0 Under 15 * 0 0 12 0 0 0 0 0 0 0 0 0 0 0 0 0	57 * * 0 49 0 0 0 0 * 0 15-17 56 5 * 0 42 * *	* 18 17 36 122 8 6 11 31 0 * 18-24 110 22 * 11 31 23 *	* 39 28 78 107 13 * 26 37 0 0 25-29 127 22 23 27 *	338 45 42 98 74 9 * 24 41 * 0 30-34 * 25 6 11 16 21 6	220 40 39 62 34 * * 16 25 * 0 35-39 63 22 8 *	192 44 59 36 25 * 0 8 15 * 0 40-44 38 15 * 6 6	399 118 139 59 29 * 5 6 37 * 0 45-54 69 35 7 * 6 9 *	160 57 36 43 8 0 * 9 0 * Over 54 * 12 0 0 0 0 0 0
TOTAL ADMISSIONS Substance Abuse Treatment Alcohol Cocaine/Crack Heroin Marijuana Methamphetamine Prescription Drugs All Other Drugs Non-Substance Abuse Treatment Recovery Supports Co-dependent Services Compulsive Gambling OTHER RACES TOTAL ADMISSIONS Substance Abuse Treatment Alcohol Cocaine/Crack Heroin Marijuana Methamphetamine Prescription Drugs All Other Drugs	2,083 366 * 412 458 37 20 * 195 135 3 All Ages 632 * 30 54 146 * *	* * 0 0 10 0 0 126 0 Under 15 * 0 122 0	57 * * 0 49 0 0 0 0 * 0 15-17 56 5 * 0 42 *	* 18 17 36 122 8 6 11 31 0 * 18-24 110 22 * 11 31 23	39 28 78 107 13 * 26 37 0 0 0 25-29 127	338 45 42 98 74 9 * 24 41 * 0 30-34 * 25 6 11 16 21	220 40 39 62 34 * * 16 25 * 0 35-39 63 22 8 *	192 44 59 36 25 * 0 8 15 * 0 40-44 38	399 118 139 59 29 * 5 6 37 * 0 45-54 69 35 7 * 6 9	160 57 36 43 8 0 * * 9 0 * Over 54 * 12 0 0 0 0
TOTAL ADMISSIONS Substance Abuse Treatment Alcohol Cocaine/Crack Heroin Marijuana Methamphetamine Prescription Drugs All Other Drugs Non-Substance Abuse Treatment Recovery Supports Co-dependent Services Compulsive Gambling OTHER RACES TOTAL ADMISSIONS Substance Abuse Treatment Alcohol Cocaine/Crack Heroin Marijuana Methamphetamine Prescription Drugs All Other Drugs Non-Substance Abuse Treatment	2,083 366 * 412 458 37 20 * 195 135 3 All Ages 632 * 30 54 146 * 17 28	* * 0 0 10 0 0 126 0 Under 15 * 0 0 0 0 0 0 0 0 0 0 0 0	57 * * 0 49 0 0 0 0 * 0 15-17 56 5 * 0 42 * * *	* 18 17 36 122 8 6 11 31 0 * 18-24 110 22 * 11 31 23 * 9	39 28 78 107 13 * 26 37 0 0 25-29 127 22 * 22 23 27 * 9	338 45 42 98 74 9 * 24 41 * 0 30-34 * 25 6 11 16 21 6 *	220 40 39 62 34 * 16 25 * 0 35-39 63 22 8 * 10 6 * *	192 44 59 36 25 * 0 8 15 * 0 40-44 38 15 * 6 6 0 0	399 118 139 59 29 * 5 6 37 * 0 45-54 69 35 7 * 6 9 *	160 57 36 43 8 0 * 9 0 * Over 54 * 12 0 0 0 0 0 0
TOTAL ADMISSIONS Substance Abuse Treatment Alcohol Cocaine/Crack Heroin Marijuana Methamphetamine Prescription Drugs All Other Drugs All Other Drugs Non-Substance Abuse Treatment Recovery Supports Co-dependent Services Compulsive Gambling OTHER RACES TOTAL ADMISSIONS Substance Abuse Treatment Alcohol Cocaine/Crack Heroin Marijuana Methamphetamine Prescription Drugs All Other Drugs Non-Substance Abuse Treatment Recovery Supports	2,083 366 412 458 37 20 * 195 135 3 All Ages 632 * 30 54 146 17 28	* * 0 0 10 0 0 126 0 Under 15 * 0 0 0 0 0 0 0 0 0 0 0 0	57 * * 0 49 0 0 0 0 * 0 15-17 56 5 * 0 42 * *	* 18 17 36 122 8 6 11 31 0 * 18-24 110 22 * 11 31 23 *	39 28 78 107 13 * 26 37 0 0 25-29 127 22 * 22 23 27 * 9	338 45 42 98 74 9 * 24 41 * 0 30-34 * 25 6 11 16 21 6 * 14	220 40 39 62 34 * * 16 25 * 0 35-39 63 22 8 *	192 44 59 36 25 * 0 8 15 * 0 40-44 38 15 * 6 6	399 118 139 59 29 * 5 6 37 * 0 45-54 69 35 7 * 6 9 * *	160 57 36 43 8 0 * * 9 0 * Over 54 * 12 0 0 0 0 0 0 *
TOTAL ADMISSIONS Substance Abuse Treatment Alcohol Cocaine/Crack Heroin Marijuana Methamphetamine Prescription Drugs All Other Drugs Non-Substance Abuse Treatment Recovery Supports Co-dependent Services Compulsive Gambling OTHER RACES TOTAL ADMISSIONS Substance Abuse Treatment Alcohol Cocaine/Crack Heroin Marijuana Methamphetamine Prescription Drugs All Other Drugs Non-Substance Abuse Treatment	2,083 366 * 412 458 37 20 * 195 135 3 All Ages 632 * 30 54 146 * 17 28	* * 0 0 10 0 0 126 0 Under 15 * 0 0 0 0 0 0 0 0 0 0 0 0	57 * * 0 49 0 0 0 0 * 0 15-17 56 5 * 0 42 * * *	* 18 17 36 122 8 6 11 31 0 * 18-24 110 22 * 11 31 23 * 9	39 28 78 107 13 * 26 37 0 0 25-29 127 22 * 22 23 27 * 9	338 45 42 98 74 9 * 24 41 * 0 30-34 * 25 6 11 16 21 6 *	220 40 39 62 34 * 16 25 * 0 35-39 63 22 8 * 10 6 * *	192 44 59 36 25 * 0 8 15 * 0 40-44 38 15 * 6 6 0 0	399 118 139 59 29 * 5 6 37 * 0 45-54 69 35 7 * 6 9 *	160 57 36 43 8 0 * 9 0 * Over 54 * 12 0 0 0 0 0 0

Each client is counted only once -- in either a Substance Abuse Treatment or Non-Substance Abuse Treatment category.


The "Other Races" category includes Hispanic, Native American, Alaskan, Asian, Pacific Islander, all other, and multi-racial.

^{*} An asterisk in a data cell indicates the count was fewer than 5 and was suppressed to avoid disclosure of identifying information.




¹ On these charts, individuals are counted only once based on their first treatment admission during the fiscal year.

² On this chart, individuals are counted once in each category of program they were admitted to during the fiscal year.



¹ On these charts, individuals are counted only once based on their first treatment admission during the fiscal year.

² On this chart, individuals are counted once in each category of program they were admitted to during the fiscal year.




¹ On these charts, individuals are counted only once based on their first treatment admission during the fiscal year.

² On this chart, individuals are counted once in each category of program they were admitted to during the fiscal year.



¹ On these charts, individuals are counted only once based on their first treatment admission during the fiscal year.

² On this chart, individuals are counted once in each category of program they were admitted to during the fiscal year.




¹On these charts, individuals are counted only once based on their first treatment admission during the fiscal year.

² On this chart, individuals are counted once in each category of program they were admitted to during the fiscal year.




¹ On these charts, individuals are counted only once based on their first treatment admission during the fiscal year.

² On this chart, individuals are counted once in each category of program they were admitted to during the fiscal year.



¹On these charts, individuals are counted only once based on their first treatment admission during the fiscal year.

² On this chart, individuals are counted once in each category of program they were admitted to during the fiscal year.




¹ On these charts, individuals are counted only once based on their first treatment admission during the fiscal year.

² On this chart, individuals are counted once in each category of program they were admitted to during the fiscal year.


AGE PROFILES OF SUBSTANCE ABUSE INTERVENTION AND TREATMENT PROGRAM ADMISSIONS

Individuals Assigned to Substance Abuse Traffic Offender Program (SATOP) Offender Management Units (OMU), Fiscal Year 2014




Data Source: Missouri Department of Mental Health, Division of Behavioral Health, Research & Statistics Unit, CIMOR system.

Individuals Referred by SATOP OMUs and Admitted to Education and Treatment Programs, Fiscal Year 2014



Data Source: Missouri Department of Mental Health, Division of Behavioral Health, Research & Statistics Unit, CIMOR system.

Individuals Admitted to SATOP and non-SATOP Clinical Treatment Programs, Fiscal Year 2014



Data Source: Missouri Department of Mental Health, Division of Behavioral Health, Research & Statistics Unit, CIMOR system.

	DBH REGION		All Regions	S
	Substance Adult Psyc	e Use chiatric	All Service	
	Census 20 2014 Estir	010	5,988,927 6,063,589	
BIRTH RISK		2013	2012	2011
Resident BirthsTotal		75,244	75,400	76,069
Mother Reported Smoking wh	ile Pregnant	13,155	13,506	13,803
DISEASE INCIDENCE 1 HIV/AIDS Cases		2013	2012	2011
	ronotol	462	540	499
Hepatitis B Chronic, Acute, Pl		597	537	481 5 048
Hepatitis C Chronic and Acute	9	4,881	4,726	5,048
Tuberculosis Infection Cases		3,193	2,645	2,833
DEATHS and INJURIES		2013	2012	2011
Resident DeathsTotal		57,254	55,783	55,597
Suicides		958	901	921
Self-inflicted Injuries		7,691	8,122	8,298
Homicides		390	429	416
Assault Injuries		21,662	23,955	23,728
Alcohol Induced Deaths		444	449	366
Drug Induced Deaths		1,042	952	994
Smoking Attributable Deaths		10,109	9,869	9,668
HOSPITAL EPISODES Hospitalization, no Emergency	v Room:	2013	2012	2011
Mental Illness Principal Diag		43,464	39,752	43,132
Mental Illness Secondary Dia		79,382	73,645	80,805
Alcohol Principal Diagnosis	agriosis	3,405	3,170	3,233
Alcohol Secondary Diagnosi	\$	7,413	5,942	7,128
Drug Principal Diagnosis	0	3,460	3,361	3,402
Drug Secondary Diagnosis		7,058	5,858	6,425
Emergency Room + Hospitalia	zation:	7,000	0,000	0, 120
Mental Illness Principal Diag	nosis	25,005	28,781	23,925
Mental Illness Secondary Dia	agnosis	101,411	108,401	99,795
Alcohol Principal Diagnosis		4,759	5,260	4,436
Alcohol Secondary Diagnosi	S	11,365	12,639	11,117
Drug Principal Diagnosis		3,199	3,443	2,970
Drug Secondary Diagnosis		7,845	9,566	8,327
Emergency Room, no Hospita				
Mental Illness Principal Diag		51,568	53,484	51,946
Mental Illness Secondary Dia	agnosis	193,555	177,915	133,803
Alcohol Principal Diagnosis		15,662	15,898	14,936
Alcohol Secondary Diagnosi	S	14,236	14,921	13,047
Drug Principal Diagnosis		10,428	10,567	10,560
Drug Secondary Diagnosis		16,573	17,028	16,039
ALCOHOL OUTLETS		2014	2013	2012
Alcohol On-Premise Drink Lic	enses	7,366	7,370	7,400
Alcohol Package Carry-out Li	censes	5,081	4,966	5,134
EMPLOYMENT		2014	2013	2012
Labor Force	3	3,058,118	3,018,072	2,993,108
Employed			2,820,753	
Unemployed		186,901	197,319	207,398
Unemployment Rate		6.1%	6.5%	6.9%
		· 0 · 1		

IMPAIRED DRIVING	2013	2012	2011
Alcohol Involved CrashesTotal	5,552	5,771	5,707
Fatal Crashes	174	196	179
Injury Crashes	2,258	2,407	2,393
Property Damage Crashes	3,120	3,168	3,135
Crash Fatalities	205	205	197
Crash Injuries	3,209	3,434	3,532
Drug Involved CrashesTotal	1,266	1,213	1,176
Fatal Crashes	38	37	45
Injury Crashes	533	557	529
Property Damage Crashes	695	619	602
Crash Fatalities	42	45	49
Crash Injuries	774	833	589
POLICE REPORTS	2013	2012	2011
DUI Arrests, DWI Tracking System	29,341	33,510	33,649
Liquor Law Arrests	8,372	10,516	11,094
Drug Arrests	37,509	37,360	36,648
Violent Offenses	26,117	27,171	26,870
Property Offenses	189,796	201,050	200,238
Domestic Violence Reports	39,860	41,504	40,648
	2014	2013	2012
Methamphetamine Lab Seizures	1,045	1,495	1,985
SCHOOL REPORTS	2013-14	2012-13	2011-12
Enrollment Grades 9-12	266,078	266,610	266,883
Drop-outs	6,474	6,425	8,474
Drop-out Rate	2.4%	2.4%	3.2%
School Discipline Involving Alcohol	397	433	469
School Discipline Involving Drugs	2,096	2,295	2,783
School Discipline Involving Tobacco	58	61	120
JUVENILE COURT REFERRALS 3	2013	2012	2011
Juvenile Violent Offenses	6,508	7,436	7,504
Juvenile Alcohol Offenses	864	1,120	1,122
Juvenile Drug Offenses	1,976	2,266	2,321
School Truancy Status Offense	4,106	3,958	3,968
Absent from Home Status Offense	2,480	2,760	2,662
Beyond Parental Control Status Offense	2,149	2,630	2,581
Injurious Behavior Status Offense	3,674	4,144	4,112
Child Abuse	3,338	3,610	3,513
Child Neglect	11,094	11,582	9,908
Child Custody Issues	1,589	1,821	1,953
JUVENILE COURT PLACEMENTS	2013	2012	2011
Out-of-Home PlacementsTotal	6,687	6,422	6,145
Parental Alcohol Use Related	175	210	255
Parental Drug Use Related	2,423	2,373	1,972
Parental Alcohol and Drug Use	212	197	198
	FY2014	FY2013	FY2012
CRIMINAL JUSTICE	112014		
CRIMINAL JUSTICE Drug Court Participants	6,025	6,189	5,763
		6,189 12,090	5,763 11,593
Drug Court Participants	6,025		
Drug Court Participants Probation/Parole AdmissionsDrug	6,025 12,816	12,090	11,593

- All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.
 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.
 Beginning in 2013, juvenile municipal violations, infractions, and violations of
- court orders are categorized as status offenses instead of law violations.

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	5,140	5,489	5,819
CSTAR Adolescent	2,146	2,245	2,346
CSTAR Women and Children	3,876	3,714	3,693
CSTAR General Adult	17,278	15,573	13,369
CSTAR Opioid	610	621	626
Primary Recovery Treatment	3,380	5,875	8,886
Clinical SATOP (CIP, YCIP, SROP)	5,667	5,908	5,449
Other Substance Abuse Treatment	757	1,060	1,237

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	22,729	24,423	25,871
- Adolescent Diversion Education Prograr	682	624	769
- Offender Education Program	8,268	9,280	10,132
- Weekend Intervention Program	4,666	5,240	5,608
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	1,004	1,175	1,400
Compulsive Gambling	81	121	151
Recovery Supports	4,985	5,564	5,195
Early Intervention	1,548	1,508	1,371

NUMBER ADMITTED	FY2014	FY2013	FY2012	PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Total Individuals	34,829	35,877	36,565	Alcohol	12.757	13,874	14,361
	- ,	,-	,	Marijuana / Hashish	7,986	8,234	8,823
AGE				Cocaine (total)	1,487	1,488	2,274
Under 18	2,193	2,314	2,435	- Crack	976	1,013	1,539
18 to 24	5,575	6,107	6,485	Stimulant (total)	5,804	5,322	4,653
25 to 29	5,894	6,225	6,295	- Methamphetamine	5,558	5,104	4,460
30 to 34	5,887	5,891	5,736	Heroin	3,673	3,507	3,195
35 to 39	4,182	3,962	3,972	Analgesic except Heroin	2,249	2,507	2,269
40 to 44	3,300	3,428	3,627	- Non-Prescription Methadone	27	39	38
45 to 54	5,640	5,877	6,166	PCP, LSD, other Hallucinogen	283	287	344
55 and Over	2,158	2,073	1,849	Tranquilizer	278	350	371
GENDER				Inhalant	34	37	47
Male	23,075	23,956	24,748	Sedative	40	40	33
Female	11,750	11,920	11,814	Other Medication or Illicit Drug	243	231	195
Cinaic	11,730	11,520	11,014	Average Age at First Use of Drug	18.3	18.1	17.9
RACE / ETHNICITY				Average Age at 1 list ose of brug	10.5	10.1	17.5
Caucasian	26,584	27,754	27,948	INJECTION DRUG USE			
African American	6,720	6,659	7,131	Any Injection Use at Admission	5,760	5,466	4,756
Native American / Alaskan	107	85	83	- Daily Injection Use	1,881	1,695	1,460
Asian / Pacific Islander	70	91	101	- Weekly Injection Use	1,448	1,368	1,144
Hispanic	756	724	769	- Less than Weekly Injection Use	2,431	2,403	2,152
Other Race / Two or More Races	865	838	801	- Less than weekly injection use	2,431	2,403	2,132
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	11,465	12,062	12,657	0	20,091	19,994	20,709
High School Graduate or G.E.D.	15,359	15,697	16,109	1 or 2	9,638	10,196	10,220
Associate Degree or Some College	7,617	7,745	7,397	3 or More	5,100	5,687	5,636
Bachelor or Advanced Degree	385	368	401	TD5.4T4.454/T D555DD.44.604/D65			
5451 0144517				TREATMENT REFERRAL SOURCE	11 202	10.004	10.004
EMPLOYMENT Employed	0.045	0.711	0.006	Self / Family / Friend School	11,203 146	12,234 128	10,984 109
Employed	9,845	9,711	9,906		457	494	
Unemployed	12,687	13,705	14,271	Mental Health Provider	-	-	523
Not in Labor Force	12,297	12,459	12,388	Health Care Provider	1,609	1,476	1,327
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	15,668	16,357	19,857
Independent Living	27,358	28,348	28,630	Other Referral Source	4,624	4,053	3,492
Dependent Living	4,164	4,364	4,531				
Homeless	2,082	2,070	2,225	TREATMENT ACCOMMODATION	054	044	000
				Pregnant when Admitted to any Episode	654	611	633
MARITAL / FAMILY STATUS	00.450	00.000	00.004	Military Veteran	1,458	1,562	1,701
Never Married	20,150	20,699	20,681	Special Education Services Needed	2,543	2,908	2,987
Married / Cohabitating	7,574	7,834	8,090	Co-Occurring Psychological Problem	12,606	12,683	12,056
Previously Married	7,105	7,344	7,794	Co-Occurring Developmental Problem	1,048	1,539	1,332

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION All Regions PSYCHIATRIC SERVICE AREA All Service Areas CENSUS 2010 5,988,927 **2014 POPULATION ESTIMATE** 6,063,589

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

Individuals who received psychiatric services had the following types of

DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012
Adjustment Disorder	2,973	2,870	3,027
Anxiety Disorder	24,141	22,842	21,446
Dementia	152	132	138
Developmental Disorder	1,070	1,032	1,001
Impulse Control Disorder	11,707	11,504	11,498
Mood Disorder	45,731	45,193	43,838
Personality Disorder	5,016	4,694	4,513
Psychotic Disorder	14,635	14,602	14,561
Sexual Disorder	280	276	198
Other Diagnosis	4,738	4,462	4,303
Diagnosis Unknown	6,961	8,005	10,098

NUMBER SERVED	FY2014	FY2013	FY2012	EDUCATION	FY2014	FY2013	FY2012
Total Individuals	75,906	77,539	78,254	Less than High School Diploma	19,835	20,156	11,357
				High School Grad or G.E.D.	34	366	10,245
AGE	000	700	707	Associate Degree or Some College	7	113	4,015
Under 6	680	733	767	Bachelor or Advanced Degree	*	23	1,281
6 to 9	4,081	4,060	4,149	Education Level Unknown	56,027	56,881	51,356
10 to 13	5,320	5,287	5,623	_			
14 to 17	5,726	5,869	6,179	EMPLOYMENT			
18 to 24	6,400	6,857	7,175	Employed	4,034	4,083	3,576
25 to 29	6,120	6,478	6,455	Unemployed	4,536	5,287	20,577
30 to 34	6,987	7,144	7,082	Not in Labor Force	36,415	36,191	7,264
35 to 39	6,472	6,416	6,340	Employment Status Unknown	30,921	31,978	46,837
40 to 44	6,717	7,033	7,038				
45 to 49	7,371	7,968	8,385	HOUSING / LIVING ARRANGEMENT			
50 to 54	8,330	8,424	8,149	Independent Living	24,938	25,022	23,373
55 to 59	6,151	5,970	5,665	Dependent Living	17,860	18,619	8,849
60 and Over	5,551	5,300	5,247	Homeless	1,490	1,471	901
Age Unknown	0	0	0	Other	*	8	554
GENDER				Housing Unknown	31,617	32,419	44,577
Male	36,004	36,740	37,178				
Female	39,902	40,797	41,076	TREATMENT REFERRAL SOURCE			
Gender Unknown	00,002	**	0	Self / Family / Friend	36,856	38,093	38,561
Center onknown	· ·		· ·	School	1,487	1,439	1,317
RACE / ETHNICITY				Mental Health Provider	6,167	6,490	7,057
Caucasian	55,838	56,156	56,760	Health Care Provider	11,221	10,946	9,843
African American	15,644	16,676	16,845	Court / Criminal Justice	3,932	4,234	4,501
Native American / Alaskan	174	187	209	Other	15,804	15,863	16,429
Asian / Pacific Islander	194	213	196	Referral Source Unknown	439	474	546
Hispanic	1,608	1,604	1,705	TVDE OF COMMANDA AFAIT			
Other Race	2,448	2,702	2,537	TYPE OF COMMITMENT	72.000	7F 400	75 011
Race/Ethnicity Unknown	0	*	*	Voluntary	73,989	75,499	75,911
				Civil	368	448	660
TREATMENT ACCOMMODATION	0.454	0.000	0.050	Criminal	918	936	971
Hearing Impaired	2,151	2,099	2,050	Sexual Predatory	212	200	198
Past or Current Military Service	1,753	1,730	1,842	Commitment Type Unknown	419	456	514

MISSOURI STUDENT SURVEY

	IVIIOS	OUF	(1510	DENI SURVET			
Percent of students who have ever used:	2014	2012	2010	Percent who believe they risk harm if they use:	2014	2012	2010
Alcohol	33.3	38.2	42.9	Alcohol (1 or 2 drinks daily)	60.3		
Cigarettes	19.1	22.7	26.6	Alcohol (Binge: 5+ drinks once or twice a week)	71.9		
Chewing Tobacco	9.8	10.5	11.4	Alcohol (any use)		70.5	74.7
Marijuana	15.2	16.5	17.7	Cigarettes (1+ packs per day)	85.7		
Inhalants	2.9	5.3	6.5	Cigarettes (any use)		81.5	80.7
Prescription medications not prescribed for student	7.4	8.6	11.1	Marijuana (once or twice a week)	64.4		
Over-the-counter medications for non-medical use	2.9	6.0	7.7	Marijuana (any use)		72.1	72.2
Methamphetamine	0.5	1.2	0.9	Other: Cocaine, LSD, Meth, Club Drug (any use)	91.5	93.1	92.7
Cocaine	1.1	1.7	1.6	Percent of students who, in past 30 days:			
Heroin	0.3	0.9	0.6	Were very sad	20.2	18.5	19.7
Hallucinogens	1.9	2.8	3.0	Were grouchy, irritable, or in a bad mood	25.2	24.1	25.3
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.5	2.1	2.2	Felt hopeless about the future	11.8	10.9	12.3
Steroids not prescribed for student	0.9	1.4	1.1	Felt like not eating or eating more than usual	17.5	17.0	18.7
Synthetic drugs (K2, bath salts, Spice, etc)	3.2	6.4		Slept a lot more or a lot less than usual	18.4	20.1	26.0
Average age of students' first use of:				Had difficulty concentrating on school work	24.1	23.0	24.6
Alcohol	13.10	12.72	12.54	Demonstrate shadeneds when in most 12 months			
Cigarettes	12.86	12.48	12.29	Percent of students who, in past 12 months:	44.7	11.0	11.6
Marijuana	13.88	13.62	13.53	Seriously considered attempting suicide	11.7	11.9 8.7	11.6
Inhalants	11.86	11.81	11.95	Made plan about how they would attempt suicide	8.6 5.0	8. <i>1</i> 5.5	8.3 5.5
Demont of students who in next 20 days wood.				Attempted suicide Attempted suicide and resulting injury, poisonng, or overdose	5.0	5.5	5.5
Percent of students who, in past 30 days, used: Alcohol	13.9	16.9	19.8	had to be treated by doctor or nurse	1.8	1.9	2.1
Alcohol (Binge: 5+ drinks on one occassion)	13.9	9.7	11.4	-			
Cigarettes	8.1	10.6	13.7	Percent of students who, in past 12 months:			
Chewing Tobacco	5.0	5.6	6.1	Were threatened/injured with weapon at school	6.3	6.4	9.5
Marijuana	7.6	8.6	9.4	Were in a physical fight	19.1	20.6	24.0
Inhalants	1.1	2.3	3.0	Were in a fight and had to be treated by a doctor or nurse	3.2	3.4	4.1
Prescription medications not prescribed for student	3.7	4.6	6.7	Percent of students who, in past 3 months:			
Over-the-counter medications for non-medical use	1.6	3.5	4.8	Were victims of mean rumors or lies spread at school	48.3	47.3	52.9
		0.0		Were made fun of by others	58.6	60.4	67.6
Percent of students who, in past 2 weeks, used: Alcohol (Binge: 5+ drinks on one occassion)	6.1			Were victims of an embarrassing or hurtful text message or something posted on the internet	24.5	20.4	19.2
Percent whose friends used in past 12 months:				Spread mean rumors or lies about other kids at school	24.3	27.3	32.9
Alcohol	44.3	51.5	57.6	Made fun of other people	54.0	61.9	72.3
Cigarettes	33.8	41.9	46.7	Posted something on the internet or sent a text that might	16.8	14.5	17.9
Marijuana	31.7	36.5	38.3	embarrass or hurt another student	10.0	14.5	17.9
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	11.2	14.6	17.8	Percent of students who agree that:			
Described who would like house it offered by a book friend				Teachers notice and comment on student's good work	72.9	69.2	71.1
Percent who would likely use, if offered by a best friend:	24.0	20.0	33.1	School provides feedback to parents on positive student			
Alcohol	24.9	29.9 12.9		performance	43.3	39.3	41.5
Cigarettes Marijuana	10.5 13.2	13.4		Rules are enforced fairly	66.1	63.6	65.0
wanjuana	13.2	13.4	14.2	Students of all races/ethnicities are treated equal	78.9	75.6	76.9
Percent who say it would be wrong to use:				Consent of students who assess that			
Alcohol	65.7	61.9	59.3	Percent of students who agree that:	00.0	00.6	02.5
Cigarettes	85.5	81.4	78.7	Parents notice and comment on student's good work	82.8 69.7	82.6 69.2	83.5 70.1
Marijuana	79.7	80.8	80.3	Parents involve student in making family decisions	69.7	09.2	70.1
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.0	95.2	94.5	It is important to be honest with parents regardless of consequences	87.5	85.1	82.5
Percent whose parents would disapprove if they use:				Student could ask parent for help with a personal problem	78.6	76.3	76.7
Alcohol	81.6	79.8	78.6	Student could ask parent for help war a personal problem	70.0	7 0.0	
Cigarettes	93.2	91.5	90.2	Missouri Student Survey is conducted biennially.			
Marijuana	92.6	93.4	93.3	Similar affirmative response choices for individual questions are			
•				Blank data cells indicate estimates are not available for item or Survey is not conducted in every school district nor reported for			
Percent who say it would be easy to obtain: Alcohol	51.1	56.2	58.6	Estimates are not available for counties with small numbers of			
Cigarettes	46.3			Percentages are estimates based on weighted data. Some year-to-year differences in percentages are not statistical.	ally signifi	cant	
Marijuana	34.0	37.3		Como your to your unioronous in percentages are not statistica	my signific	ourit.	
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	14.0	17.0	19.2	Data source: Missouri Institute of Mental Health, 2010-2014 Mi	ssouri St	udent Sı	urveys
Sales and (Cooding Lob) Motify Olds Diag, Cto)	17.0						

ABAIN GGGITT							
DBH REGION		Central		IMPAIRED DRIVING	2013	2012	2011
DBH SERVICE	AREAS			Alcohol Involved CrashesTotal	16	21	16
Substance	Use	14		Fatal Crashes	0	1	0
Adult Psych	niatric	14		Injury Crashes	8	13	9
POPULATION				Property Damage Crashes	8	7	7
Census 20	10	25,607		Crash Fatalities	0	1	0
2014 Estim	ate	25,602		Crash Injuries	8	28	13
Te ⁿ				Drug Involved CrashesTotal	0	5	5
				Fatal Crashes	0	1	0
BIRTH RISK	2013	2012	2011	Injury Crashes	0	2	0
Resident BirthsTotal	250	249	266	Property Damage Crashes	0	2	5
Mother Reported Smoking while Pregnant	57	48	53	Crash Fatalities	0	1	0
	0.			Crash Injuries	0	6	0
DISEASE INCIDENCE 1	2013	2012	2011	DOLLOS DEDODTS	2012	2012	2011
HIV/AIDS Cases	1	0	1	POLICE REPORTS DI II Arrosto DIVI Tracking System	2013	2012 105	2011 108
Hepatitis B Chronic, Acute, Prenatal	1	0	0	DUI Arrests, DWI Tracking System	90 81		
Hepatitis C Chronic and Acute	19	10	18	Liquor Law Arrests	_	117	178
Tuberculosis Infection Cases	11	11	16	Drug Arrests Violent Offenses	124	92 55	141
					58 750	55 710	138
DEATHS and INJURIES	2013	2012	2011	Property Offenses	750	710	800
Resident DeathsTotal	208	226	209	Domestic Violence Reports	164	170	352
Suicides Out the first and believing	7	3	3	Methamphetamine Lab Seizures	2014 31	2013 57	2012 21
Self-inflicted Injuries	57	49	36	Methamphetamine Lab Seizures	31	31	21
Homicides Assoult Injuries	1 26	0 32	0 36	SCHOOL REPORTS	2013-14	2012-13	2011-12
Assault Injuries Alcohol Induced Deaths	26 1	32 0		Enrollment Grades 9-12	926	946	934
	5		1	Drop-outs	11	19	24
Drug Induced Deaths		4	6 34	Drop-out Rate	1.2%	2.0%	2.6%
Smoking Attributable Deaths	38	33	34	School Discipline Involving Alcohol	0	0	0
HOSPITAL EPISODES 2	2013	2012	2011	School Discipline Involving Drugs	0	0	1
Hospitalization, no Emergency Room:				School Discipline Involving Tobacco	0	0	0
Mental Illness Principal Diagnosis	118	127	121	UNITARIA E COURT REFERRAL C 3	2012	2012	2011
Mental Illness Secondary Diagnosis	593	633	638	JUVENILE COURT REFERRALS Juvenile Violent Offenses	2013 41	2012 44	2011 22
Alcohol Principal Diagnosis	28	23	24	Juvenile Alcohol Offenses	5	7	20
Alcohol Secondary Diagnosis	51	65	63		4	0	
Drug Principal Diagnosis	8	8	3	Juvenile Drug Offenses School Truancy Status Offense	138	69	8 60
Drug Secondary Diagnosis	27	24	17	Absent from Home Status Offense	130	7	6
Emergency Room + Hospitalization:				Beyond Parental Control Status Offense	28	7 42	27
Mental Illness Principal Diagnosis	38	37	37	Injurious Behavior Status Offense	19	42 47	82
Mental Illness Secondary Diagnosis	58	41	33	Child Abuse	11	3	16
Alcohol Principal Diagnosis	8	2	2	Child Neglect	52	45	85
Alcohol Secondary Diagnosis	9	8	4	Child Custody Issues	0	0	0
Drug Principal Diagnosis	3	6	3	Offile Oustody Issues	O	U	O
Drug Secondary Diagnosis	3	5	0	JUVENILE COURT PLACEMENTS	2013	2012	2011
Emergency Room, no Hospitalization:				Out-of-Home PlacementsTotal	34	32	40
Mental Illness Principal Diagnosis	142	150	139	Parental Alcohol Use Related	0	0	1
Mental Illness Secondary Diagnosis	368	138	263	Parental Drug Use Related	20	21	15
Alcohol Principal Diagnosis	87	91	76	Parental Alcohol and Drug Use	0	0	0
Alcohol Secondary Diagnosis	38	35	30	COUNTRIAL HICTICS	FY2014	EV2012	EV2012
Drug Principal Diagnosis	16	27	20	CRIMINAL JUSTICE		FY2013	FY2012
Drug Secondary Diagnosis	31	16	16	Drug Court Participants Probation/Parole AdmissionsDrug	44 66	48 55	36 64
				Probation/Parole AdmissionsDfug	9	10	8
ALCOHOL OUTLETS	2014	2013	2012	Prison AdmissionsDrug	30	26	27
Alcohol On-Premise Drink Licenses	31	31	33	Prison AdmissionsDWI	4	3	5
Alcohol Package Carry-out Licenses	24	20	22	- Noon Adminosiono -DWI		J	3
EMPLOYMENT	2014	2013	2012	1 All Kansas City hepatitis and TB case report			County
Labor Force	10,989	13,088	11,870	totals and all Joplin case reports are include Beginning with 2010 data, diagnosis counts			es are
Employed	10,308	12,379	11,131	based on codes developed by the Healthcar	e Cost and L	Itilization Pro	ject.
Unemployed	681	709	739	3 Beginning in 2013, juvenile municipal violati			
Unemployment Rate	6.2%	5.4%	6.2%	court orders are categorized as status offens	oes msiedu 0	n iaw violatior	13.

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	22	19	12
CSTAR Adolescent	17	19	19
CSTAR Women and Children	7	*	7
CSTAR General Adult	210	190	186
CSTAR Opioid	0	0	0
Primary Recovery Treatment	11	15	25
Clinical SATOP (CIP, YCIP, SROP)	25	18	23
Other Substance Abuse Treatment	0	0	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	88	110	160
- Adolescent Diversion Education Prograr	19	37	82
- Offender Education Program	22	25	25
- Weekend Intervention Program	13	14	19
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	*	*
Compulsive Gambling	0	0	0
Recovery Supports	*	0	0
Early Intervention	33	25	28

NUMBER ADMITTED	FY2014	FY2013	FY2012	PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Total Individuals	259	251	248	Alcohol	85	76	104
105				Marijuana / Hashish	89	88	89
AGE Under 18	17	19	16	Cocaine (total)	*	*	*
18 to 24	64	68	76	- Crack	0	*	*
		53	40	Stimulant (total)	59	54	33
25 to 29	51			- Methamphetamine	58	53	33
30 to 34	36	29	35	Heroin	*	5	*
35 to 39	20 22	22	24 16	Analgesic except Heroin	13	22	11
40 to 44		17	_	- Non-Prescription Methadone	0	0	0
45 to 54	28	33	32	PCP, LSD, other Hallucinogen	*	0	0
55 and Over	21	10	9	Tranquilizer	*	*	*
GENDER				Inhalant	*	0	*
Male	163	175	178	Sedative	0	0	0
Female	96	76	70	Other Medication or Illicit Drug	*	*	0
				Average Age at First Use of Drug	17.5	17.4	16.1
RACE / ETHNICITY				ů ů			
Caucasian	247	235	230	INJECTION DRUG USE			
African American	7	6	10	Any Injection Use at Admission	35	38	25
Native American / Alaskan	0	*	0	- Daily Injection Use	6	7	*
Asian / Pacific Islander	0	*		- Weekly Injection Use	8	8	5
Hispanic	6	*	6	- Less than Weekly Injection Use	21	23	17
Other Race / Two or More Races	*	7	*				
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	75	93	86	0	163	161	138
High School Graduate or G.E.D.	139	123	119	1 or 2	69	59	86
Associate Degree or Some College	42	32	38	3 or More	27	31	24
Bachelor or Advanced Degree	*	*	5	TREATMENT REFERRAL COURSE			
EMPLOYMENT				TREATMENT REFERRAL SOURCE Self / Family / Friend	40	46	31
Employed	57	70	72	School	0	0	0
Unemployed	33	27	46	Mental Health Provider	*	*	*
Not in Labor Force	169	154	130	Health Care Provider	14	10	7
Not in Eabor Force	109	134	130	Court / Criminal Justice	51	43	153
HOUSING / LIVING ARRANGEMENT				Other Referral Source	57	46	38
Independent Living	216	211	213	Other Referral Source	31	40	30
Dependent Living	31	25	24	TREATMENT ACCORDING TO A TION			
Homeless	9	13	6	TREATMENT ACCOMMODATION	*	7	*
AAADITAI /FAAAUVCTATUC				Pregnant when Admitted to any Episode Military Veteran	10	6	10
MARITAL / FAMILY STATUS Never Married	129	145	138	Special Education Services Needed	17	30	20
Married / Cohabitating	70	145 52	136 57	Co-Occurring Psychological Problem	146	153	131
_		52 54	57 53		140	103	5
Previously Married	60	54	53	Co-Occurring Developmental Problem			5

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Central
PSYCHIATRIC SERVICE AREA
CENSUS 2010 25,607
2014 POPULATION ESTIMATE 25,602

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder. FY2014 FY2013 FY2012 **DIAGNOSIS CATEGORY** Adjustment Disorder 13 11 11 **Anxiety Disorder** 108 103 139 Dementia 0 0 **Developmental Disorder** 19 15 10 Impulse Control Disorder 95 76 79 Mood Disorder 232 210 218 Personality Disorder 33 21 21 Psychotic Disorder 73 76 67 Sexual Disorder Other Diagnosis 55 34 38 Diagnosis Unknown 29 34 65

Individuals who received psychiatric services had the following types of

NUMBER SERVED	FY2014	FY2013	FY2012	EDUCATION	FY2014	FY2013	FY2012
Total Individuals	375	389	437	Less than High School Diploma	147	155	103
Total Marviadalo	0.0	000	101	High School Grad or G.E.D.	0	22	127
AGE				Associate Degree or Some College	0	6	30
Under 6	*	0	*	Bachelor or Advanced Degree	0	0	8
6 to 9	16	19	22	Education Level Unknown	228	206	169
10 to 13	37	33	31	Eddeation Level Officiown	220	200	103
14 to 17	41	41	41	EMPLOYMENT			
18 to 24	32	31	45	Employed	14	23	53
25 to 29	24	33	43	Unemployed	9	38	188
30 to 34	32	33	33	Not in Labor Force	303	279	50
35 to 39	30	32	43	Employment Status Unknown	49	49	146
40 to 44	35	35	39				
45 to 49	36	39	48	HOUSING / LIVING ARRANGEMENT			
50 to 54	38	35	39	Independent Living	179	193	229
55 to 59	30	36	29	Dependent Living	138	132	79
60 and Over	23	22	23	Homeless	*	*	0
Age Unknown	0	0	0	Other	0	*	*
CENDED				Housing Unknown	57	59	127
GENDER Male	177	187	225				
Female	198	202	225 212	TREATMENT REFERRAL SOURCE			
				Self / Family / Friend	123	140	147
Gender Unknown	0	0	0	School	0	*	*
RACE / ETHNICITY				Mental Health Provider	15	18	30
Caucasian	348	365	402	Health Care Provider	41	39	33
African American	9	9	14	Court / Criminal Justice	7	10	19
Native American / Alaskan	0	0	0	Other	184	173	198
Asian / Pacific Islander	0	0	0	Referral Source Unknown	5	8	9
Hispanic	10	6	8				
Other Race	8	9	13	TYPE OF COMMITMENT	000	075	400
Race/Ethnicity Unknown	0	0	0	Voluntary	363	375	423
				Civil	•	*	
TREATMENT ACCOMMODATION	*	_	-	Criminal	*	*	*
Hearing Impaired		5	5	Sexual Predatory	*		*
Past or Current Military Service	14	15	16	Commitment Type Unknown	5	8	9

MISSOURI STUDENT SURVEY

				DENTI CONVET
Percent of students who have ever used:	2014	2012	2010	Percent who believe they risk harm if they use:
Alcohol	41.8	48.1	45.5	Alcohol (1 or 2 drinks daily)
Cigarettes	22.9	44.0	26.2	Alcohol (Binge: 5+ drinks once or twice a week)
Chewing Tobacco	14.9	12.7	13.0	Alcohol (any use)
Marijuana	12.6	21.8	12.9	Cigarettes (1+ packs per day)
Inhalants	3.9	6.3	9.1	Cigarettes (any use)
Prescription medications not prescribed for student	4.6	6.1	10.3	Marijuana (once or twice a week)
Over-the-counter medications for non-medical use	1.7	1.1	9.0	Marijuana (any use)
Methamphetamine	0.0	5.6	1.7	Other: Cocaine, LSD, Meth, Club Drug (any use)
Cocaine	1.0	5.4	2.1	Derecat of students who in next 20 days.
Heroin	0.0	5.2	0.4	Percent of students who, in past 30 days: Were very sad
Hallucinogens	1.0	5.6	4.2	
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.0	5.2	2.8	Were grouchy, irritable, or in a bad mood
Steroids not prescribed for student	0.5	5.5	1.8	Felt hopeless about the future
Synthetic drugs (K2, bath salts, Spice, etc)	4.6	9.7		Felt like not eating or eating more than usual
Average and of studental first use of				Slept a lot more or a lot less than usual
Average age of students' first use of:	12.00	10 10	10.40	Had difficulty concentrating on school work
Alcohol		12.42		Percent of students who, in past 12 months:
Cigarettes		12.42		Seriously considered attempting suicide
Marijuana		13.93		Made plan about how they would attempt suicide
Inhalants	12.95	13.33	12.44	Attempted suicide
Percent of students who, in past 30 days, used:				Attempted suicide and resulting injury, poisoning, or overdo
Alcohol	19.3	22.8	19.3	had to be treated by doctor or nurse
Alcohol (Binge: 5+ drinks on one occassion)	10.0	10.4	14.3	
Cigarettes	16.1	21.1	18.1	Percent of students who, in past 12 months:
Chewing Tobacco	6.3	7.1	5.9	Were threatened/injured with weapon at school
Marijuana	3.4	9.5	5.3	Were in a physical fight
Inhalants	0.5	6.1	3.2	Were in a fight and had to be treated by a doctor or nurse
	1.7	0.6	3.2 4.5	Percent of students who, in past 3 months:
Prescription medications not prescribed for student Over-the-counter medications for non-medical use	1.7	0.0	4.6	Were victims of mean rumors or lies spread at school
Over-the-counter medications for non-medical use	1.7	0.9	4.0	Were made fun of by others
Percent of students who, in past 2 weeks, used:				Were victims of an embarrassing or hurtful text message of
Alcohol (Binge: 5+ drinks on one occassion)	9.8			something posted on the internet
Demont where friends wood in next 12 months.				Spread mean rumors or lies about other kids at school
Percent whose friends used in past 12 months:	<i>EE</i> 0	E7 0	E2 2	Made fun of other people
Alcohol	55.9	57.8		Posted something on the internet or sent a text that might
Cigarettes	52.8	57.2		embarrass or hurt another student
Marijuana	25.0	47.6		
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	9.2	15.9	14.1	Percent of students who agree that:
Percent who would likely use, if offered by a best friend:				Teachers notice and comment on student's good work
Alcohol	35.2	39.1	35.4	School provides feedback to parents on positive student
Cigarettes	18.1	31.5		performance
Marijuana	8.8	20.9		Rules are enforced fairly
	0.0	_0.0		Students of all races/ethnicities are treated equal
Percent who say it would be wrong to use:				Demonstrate structures who are not that
Alcohol	54.0	52.9	57.9	Percent of students who agree that:
Cigarettes	83.2	61.2	77.9	Parents notice and comment on student's good work
Marijuana	88.7	68.0	84.2	Parents involve student in making family decisions
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.8	88.8	92.7	It is important to be honest with parents regardless of
Dergant whose parents would disapprove if they year				consequences
Percent whose parents would disapprove if they use:	70.4	77.0	70.0	Student could ask parent for help with a personal problem
Alcohol	70.4	77.8	78.9	
Cigarettes	91.4	92.9	88.4	Missouri Student Survey is conducted biennially. Similar affirmative response choices for individual question
Marijuana	96.3	93.8	96.3	Blank data cells indicate estimates are not available for ite
Percent who say it would be easy to obtain:				Survey is not conducted in every school district nor reported
Alcohol	61.7	55.8	60.6	Estimates are not available for counties with small number Percentages are estimates based on weighted data.
Cigarettes	62.7	48.8	51.0	Some year-to-year differences in percentages are not stati
Marijuana	38.8	34.5	29.3	
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	16.5	18.1	17.6	Data source: Missouri Institute of Mental Health, 2010-201
, , , , , , , , , , , , , , , , , , , ,			-	

2014

2012

2010

ons are combined. tem or geographic area. rted for every county. ers of respondents.

atistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

AND NEW COOK!	•						
DBH R	EGION	Western		IMPAIRED DRIVING	2013	2012	2011
DBH S	ERVICE AREAS			Alcohol Involved CrashesTotal	7	10	18
Subs	stance Use	1		Fatal Crashes	1	1	2
Adul	t Psychiatric	1		Injury Crashes	3	7	9
POPUL	LATION			Property Damage Crashes	3	2	7
Cens	sus 2010	17,291		Crash Fatalities	1	1	3
2014	l Estimate	17,379		Crash Injuries	3	8	18
T and the second				Drug Involved CrashesTotal	4	1	1
				Fatal Crashes	0	0	0
BIRTH RISK	2013	2012	2011	Injury Crashes	1	0	1
Resident BirthsTotal	195	172	180	Property Damage Crashes	3	1	0
Mother Reported Smoking while Pre	gnant 33	39	31	Crash Fatalities	0	0	0
				Crash Injuries	1	0	1
DISEASE INCIDENCE 1	2013	2012	2011	POLICE REPORTS	2013	2012	2011
HIV/AIDS Cases	0	0	0	DUI Arrests, DWI Tracking System	41	62	116
Hepatitis B Chronic, Acute, Prenatal		1	0	Liquor Law Arrests	10	14	30
Hepatitis C Chronic and Acute	9	8	5	Drug Arrests	52	59	68
Tuberculosis Infection Cases	0	3	0	Violent Offenses	23	15	11
DEATHS and INJURIES	2013	2012	2011	Property Offenses	185	157	151
Resident DeathsTotal	186	164	159	Domestic Violence Reports	63	76	83
Suicides	3	2	1		2014	2013	2012
Self-inflicted Injuries	12	13	14	Methamphetamine Lab Seizures	2	0	0
Homicides	0	1	0				
Assault Injuries	25	29	27	SCHOOL REPORTS	2013-14	2012-13	2011-12
Alcohol Induced Deaths	0	1	1	Enrollment Grades 9-12	818	822	825
Drug Induced Deaths	1	0	1	Drop-outs	11	9	30
Smoking Attributable Deaths	28	25	29	Drop-out Rate	1.3% 0	1.1% 0	3.6% 0
110001711 70100070 3	2012	2012	2044	School Discipline Involving Alcohol School Discipline Involving Drugs	0	0	1
HOSPITAL EPISODES 2	2013	2012	2011	School Discipline Involving Drugs School Discipline Involving Tobacco	0	0	1
Hospitalization, no Emergency Roon Mental Illness Principal Diagnosis		76	80	Ochool Biscipline Involving Tobacco	U	U	'
Mental Illness Secondary Diagnosis	60 s 98	106	101	JUVENILE COURT REFERRALS 3	2013	2012	2011
Alcohol Principal Diagnosis	s 90 6	4	3	Juvenile Violent Offenses	12	21	11
Alcohol Secondary Diagnosis	5	8	3	Juvenile Alcohol Offenses	1	1	2
Drug Principal Diagnosis	5	4	2	Juvenile Drug Offenses	2	3	1
Drug Secondary Diagnosis	5	12	7	School Truancy Status Offense	47	46	35
Emergency Room + Hospitalization:	Ü	12	,	Absent from Home Status Offense	6	4	4
Mental Illness Principal Diagnosis	47	39	32	Beyond Parental Control Status Offense	6	6	17
Mental Illness Secondary Diagnosis		211	193	Injurious Behavior Status Offense	0	3	2
Alcohol Principal Diagnosis	9	10	15	Child Abuse	0	1	0
Alcohol Secondary Diagnosis	19	24	22	Child Neglect	0	8	0
Drug Principal Diagnosis	12	8	10	Child Custody Issues	0	0	0
Drug Secondary Diagnosis	19	22	7	JUVENILE COURT PLACEMENTS	2013	2012	2011
Emergency Room, no Hospitalization	n:			Out-of-Home PlacementsTotal	0	3	0
Mental Illness Principal Diagnosis	87	101	102	Parental Alcohol Use Related	0	0	0
Mental Illness Secondary Diagnosis	s 136	193	156	Parental Drug Use Related	0	0	0
Alcohol Principal Diagnosis	10	21	12	Parental Alcohol and Drug Use	0	0	0
Alcohol Secondary Diagnosis	18	14	13	CDIAMAN MICTICS	EV204.4	EV2042	EVOCAC
Drug Principal Diagnosis	9	13	8	CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Secondary Diagnosis	19	15	10	Drug Court Participants Probation/Parole AdmissionsDrug	0 12	0 16	0 12
				Probation/Parole AdmissionsDWI	3	4	7
ALCOHOL OUTLETS	2014	2013	2012	Prison AdmissionsDrug	3 4	6	10
Alcohol On-Premise Drink Licenses	15	14	12	Prison AdmissionsDWI	1	2	7
Alcohol Package Carry-out Licenses	17	19	17	FROM Admissions "DWI	'		,
EMPLOYMENT	2014	2013	2012	1 All Kansas City hepatitis and TB case repor			County
Labor Force	10,117	10,733	10,675	totals and all Joplin case reports are include Beginning with 2010 data, diagnosis counts			es are
Employed	9,611	10,217	10,137	based on codes developed by the Healthcar	e Cost and L	Jtilization Pro	ject.
Unemployed	506	516	538	3 Beginning in 2013, juvenile municipal violati	ons, infractio	ns, and violat	ions of

538

5.0%

506

5.0%

516

4.8%

Unemployed

Unemployment Rate

court orders are categorized as status offenses instead of law violations.

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	6	7	6
CSTAR Adolescent	*	*	7
CSTAR Women and Children	*	*	0
CSTAR General Adult	24	34	23
CSTAR Opioid	0	0	0
Primary Recovery Treatment	*	*	24
Clinical SATOP (CIP, YCIP, SROP)	6	15	11
Other Substance Abuse Treatment	0	0	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	24	49	61
- Adolescent Diversion Education Prograr	*	0	5
- Offender Education Program	10	19	19
- Weekend Intervention Program	*	10	18
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	0	*
Compulsive Gambling	0	*	*
Recovery Supports	0	0	0
Early Intervention	0	*	*

NUMBER ADMITTED	FY2014	FY2013	FY2012	PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Total Individuals	36	57	59	Alcohol	16	25	25
				Marijuana / Hashish	5	6	15
AGE	*	*	_	Cocaine (total)	0	0	*
Under 18			7	- Crack	0	0	*
18 to 24	10	11	10	Stimulant (total)	9	13	8
25 to 29	5	12	10	- Methamphetamine	9	13	8
30 to 34	5	9	8	Heroin	0	0	0
35 to 39	5	5 *	6	Analgesic except Heroin	6	10	8
40 to 44			5	- Non-Prescription Methadone	0	0	0
45 to 54	*	7	9	PCP, LSD, other Hallucinogen	0	*	0
55 and Over	•	7	•	Tranquilizer	0	0	0
GENDER				Inhalant	0	0	0
Male	23	41	46	Sedative	0	0	0
Female	13	16	13	Other Medication or Illicit Drug	0	*	0
(Average Age at First Use of Drug	17.7	20.6	19.4
RACE / ETHNICITY	25	F C					
Caucasian	35 0	56 *	57 *	INJECTION DRUG USE			
African American Native American / Alaskan	0	0	0	Any Injection Use at Admission	11	10	5
	•	0	*	- Daily Injection Use	*	*	*
Asian / Pacific Islander	0	0		- Weekly Injection Use	*	*	0
Hispanic Other Race / Two or More Races	0	0	0 0	- Less than Weekly Injection Use	5	5	*
Other Race / Two or More Races		U	U				
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	10	12	19	0	23	21	26
High School Graduate or G.E.D.	21	26	27	1 or 2	6	25	21
Associate Degree or Some College	*	19	13	3 or More	7	11	12
Bachelor or Advanced Degree	*	0	0	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	15	15	11
Employed	9	14	25	School	0	0	0
Unemployed	8	30	19	Mental Health Provider	0	0	0
Not in Labor Force	19	13	15	Health Care Provider	*	*	5
Not in Eabor Force	13	13	13	Court / Criminal Justice	18	36	40
HOUSING / LIVING ARRANGEMENT				Other Referral Source	*	*	*
Independent Living	31	51	49	Other Reichar Gource			
Dependent Living	*	*	9	TREATMENT ACCOMMODATION			
Homeless	0	*	*	Pregnant when Admitted to any Episode	0	0	0
MADITAL / EARALLY STATUS				Military Veteran	*	0	5
MARITAL / FAMILY STATUS Never Married	23	29	34	Special Education Services Needed	*	*	*
Married / Cohabitating	23 *	11	12	Co-Occurring Psychological Problem	11	16	7
Previously Married	9	17	13	Co-Occurring Developmental Problem	*	*	0
i icviously Marrieu	9	17	13	30 Occurring Developmental Ploblem			U

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Western
PSYCHIATRIC SERVICE AREA 1
CENSUS 2010 17,291
2014 POPULATION ESTIMATE 17,379

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.							
DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012				
Adjustment Disorder	5	6	6				
Anxiety Disorder	28	29	31				
Dementia	0	0	0				
Developmental Disorder	*	*	*				
Impulse Control Disorder	22	26	27				
Mood Disorder	49	45	46				
Personality Disorder	*	*	5				
Psychotic Disorder	10	13	11				
Sexual Disorder	0	0	0				
Other Diagnosis	12	13	12				
Diagnosis Unknown	9	6	10				

Individuals who received psychiatric services had the following types of

NUMBER SERVED	FY2014	FY2013	FY2012	EDUCATION	FY2014	FY2013	FY2012
Total Individuals	78	84	90	Less than High School Diploma	29	41	17
. otala.r.aaao		٠.		High School Grad or G.E.D.	0	*	13
AGE				Associate Degree or Some College	0	0	*
Under 6	*	*	6	Bachelor or Advanced Degree	0	0	*
6 to 9	9	13	18	Education Level Unknown	49	42	52
10 to 13	14	15	15	Education Edver Officiown	40	72	02
14 to 17	10	7	10	EMPLOYMENT			
18 to 24	*	*	*	Employed	*	*	*
25 to 29	5	*	5	Unemployed	*	7	26
30 to 34	6	*	*	Not in Labor Force	50	60	10
35 to 39	5	8	6	Employment Status Unknown	20	15	52
40 to 44	*	*	*				
45 to 49	*	8	8	HOUSING / LIVING ARRANGEMENT			
50 to 54	6	7	5	Independent Living	34	33	30
55 to 59	5	*	*	Dependent Living	24	37	17
60 and Over	5	5	5	Homeless	0	*	0
Age Unknown	0	0	0	Other	0	0	0
CENDED				Housing Unknown	20	13	43
GENDER Male	25	44	47				
Female	35 43	41 43	47 43	TREATMENT REFERRAL SOURCE			
				Self / Family / Friend	35	32	30
Gender Unknown	0	0	0	School	*	*	*
RACE / ETHNICITY				Mental Health Provider	12	15	17
Caucasian	73	77	82	Health Care Provider	16	24	24
African American	0	0	0	Court / Criminal Justice	6	*	*
Native American / Alaskan	0	*	0	Other	5	7	13
Asian / Pacific Islander	0	0	0	Referral Source Unknown	*	*	*
Hispanic	*	*	*				
Other Race	*	*	*	TYPE OF COMMITMENT		00	
Race/Ethnicity Unknown	0	0	0	Voluntary	75	83	89
•				Civil	0	0	0
TREATMENT ACCOMMODATION			_	Criminal	*	0	0
Hearing Impaired	*	*	5	Sexual Predatory	0	0	0
Past or Current Military Service	*	*	*	Commitment Type Unknown	*	*	*

MISSOURI STUDENT SURVEY

	IVIIOO	OUF	(151)	וטנ
Percent of students who have ever used:	2014	2012	2010	P
Alcohol	23.3	36.2	39.5	'
Cigarettes	15.8		25.3	
Chewing Tobacco	3.1		13.1	
Marijuana	2.7			
Inhalants	2.2	5.3	7.9	
Prescription medications not prescribed for student	1.8	5.3	7.7	
Over-the-counter medications for non-medical use	0.0	6.7	5.5	
Methamphetamine	0.0	1.7	0.3	
Cocaine	0.9	2.3	1.0	P
Heroin	0.0	1.7	0.0	P
Hallucinogens	0.0	2.7	2.6	
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.0	2.0	2.6	
Steroids not prescribed for student	0.0	1.3	0.5	
Synthetic drugs (K2, bath salts, Spice, etc)	0.9	5.3		
Average age of students' first use of:				
Alcohol	11.81	12.81	12.08	١,
Cigarettes	13.16	12.43	11.69	P
Marijuana	15.00	13.71	13.60	
Inhalants	11.33	11.71	12.83	
Persont of students who in next 20 days wood				
Percent of students who, in past 30 days, used:	5.8	16.7	10.1	
Alcohol (Pingo: E., drinke an ana accession)	5.6	13.6	18.1 9.3	
Alcohol (Binge: 5+ drinks on one occassion) Cigarettes	7.9	11.7	13.6	P
Chewing Tobacco	2.2	6.7	9.0	
Marijuana	0.0	7.7	6.4	
Inhalants	0.0	2.7	4.6	
Prescription medications not prescribed for student	0.9	3.0	6.4	P
Over-the-counter medications for non-medical use	0.0	4.3	3.9	
Percent of students who, in past 2 weeks, used: Alcohol (Binge: 5+ drinks on one occassion)	1.4			
Percent whose friends used in past 12 months:				
Alcohol	25.2	51.0	59.3	
Cigarettes	19.7	42.6	47.5	
Marijuana	3.1	33.6	29.8	
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	2.6	15.2	19.7	P
Percent who would likely use, if offered by a best friend:				
Alcohol	15.7	30.5	31.2	
Cigarettes	6.6	14.0	13.3	
Marijuana	1.4	12.4	10.0	
•				
Percent who say it would be wrong to use:		00.0	00.0	P
Alcohol	75.7	66.2	63.9	
Cigarettes	88.6	80.9	81.3	
Marijuana Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.3 96.8	83.4 95.3	88.8 96.2	
Other Inicit (Cocaine, ESD, Metri, Club Drug, etc)	90.0	95.5	90.2	
Percent whose parents would disapprove if they use:				
Alcohol	86.5	87.3	76.2	
Cigarettes	94.6	94.3	92.8	Mi: Sir
Marijuana	100.0	95.5	94.8	Bla
Percent who say it would be easy to obtain:				Su
Alcohol	42.5	53.0	61.0	Es Pe
Cigarettes	39.5	46.0	56.7	So
Marijuana	7.1	29.7	28.7	Do
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	5.3	13.2	16.1	Da

DENI SURVEY			
December 1. It is a state of the second state	2014	2012	2010
Percent who believe they risk harm if they use:	FC C		
Alcohol (1 or 2 drinks daily)	56.6		
Alcohol (Binge: 5+ drinks once or twice a week)	68.9	69.7	81.3
Alcohol (any use)	00.9	69.7	01.3
Cigarettes (1+ packs per day)	90.8	040	76.5
Cigarettes (any use)	00.0	84.0	70.5
Marijuana (once or twice a week)	88.2	72.2	60.6
Marijuana (any use)	93.3	73.2 93.9	68.6 92.1
Other: Cocalne, LSD, Meth, Club Drug (any use)	93.3	93.9	92.1
Percent of students who, in past 30 days:			
Were very sad	12.3	14.7	20.9
Were grouchy, irritable, or in a bad mood	21.8	22.7	33.1
Felt hopeless about the future	6.2	11.0	15.7
Felt like not eating or eating more than usual	18.4	15.1	20.8
Slept a lot more or a lot less than usual	12.9	17.8	28.6
Had difficulty concentrating on school work	16.3	20.3	28.1
Percent of students who, in past 12 months:			
Seriously considered attempting suicide	1.7	11.4	8.8
Made plan about how they would attempt suicide	1.7	7.0	6.0
Attempted suicide	0.9	5.7	3.3
Attempted suicide and resulting injury, poisonng, or overdose	4.0		4.0
had to be treated by doctor or nurse	1.3	0.7	1.3
Percent of students who, in past 12 months:			
Were threatened/injured with weapon at school	2.6	4.3	10.7
Were in a physical fight	8.8	16.7	24.9
Were in a fight and had to be treated by a doctor or nurse	0.4	3.0	3.8
Percent of students who, in past 3 months:	44.0	40.5	00.4
Were victims of mean rumors or lies spread at school	41.2	49.5	60.1
Were made fun of by others	47.4	63.0	72.2
Were victims of an embarrassing or hurtful text message or something posted on the internet	16.2	25.0	24.8
Spread mean rumors or lies about other kids at school	15.3	22.2	41.9
•	40.2	33.3 65.3	77.6
Made fun of other people Posted something on the internet or sent a text that might	40.2	05.5	11.0
embarrass or hurt another student	9.6	19.7	25.6
Percent of students who agree that:			
Teachers notice and comment on student's good work	74.1	68.2	68.4
School provides feedback to parents on positive student	55.1	36.8	42.3
performance			
Rules are enforced fairly	79.3	64.7	71.7
Students of all races/ethnicities are treated equal	96.4	81.1	78.7
Percent of students who agree that:			
Parents notice and comment on student's good work	92.0	83.9	82.9
Parents involve student in making family decisions	81.1	68.6	70.9
It is important to be honest with parents regardless of	89.4	86.6	84.1
consequences	03.4	00.0	04.1
Student could ask parent for help with a personal problem	86.2	75.2	78.6

Aissouri Student Survey is conducted biennially.
Similar affirmative response choices for individual questions are combined.
Blank data cells indicate estimates are not available for item or geographic area. survey is not conducted in every school district nor reported for every county. stimates are not available for counties with small numbers of respondents. ercentages are estimates based on weighted data. some year-to-year differences in percentages are not statistically significant.

Pata source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

ATOMOGN GOONT							
DBH REGION	1	Western		IMPAIRED DRIVING	2013	2012	2011
DBH SERVICE	E AREAS			Alcohol Involved CrashesTotal	2	9	6
Substance	Use	1		Fatal Crashes	0	0	1
Adult Psyc	hiatric	1		Injury Crashes	0	4	3
POPULATION	1			Property Damage Crashes	2	5	2
Census 20)10	5,685		Crash Fatalities	0	0	1
2014 Estin	nate	5,382		Crash Injuries	0	5	3
				Drug Involved CrashesTotal	0	0	1
<u> </u>				Fatal Crashes	0	0	0
BIRTH RISK	2013	2012	2011	Injury Crashes	0	0	0
Resident BirthsTotal	60	55	55	Property Damage Crashes	0	0	1
Mother Reported Smoking while Pregnant		13	11	Crash Fatalities	0	0	0
- Would Reported Chloring While Freghand	10	10		Crash Injuries	0	0	0
DISEASE INCIDENCE 1	2013	2012	2011				
HIV/AIDS Cases	0	0	0	POLICE REPORTS	2013	2012	2011
Hepatitis B Chronic, Acute, Prenatal	0	0	0	DUI Arrests, DWI Tracking System	40	56	51
Hepatitis C Chronic and Acute	0	0	0	Liquor Law Arrests	26	22	35
Tuberculosis Infection Cases	0	0	0	Drug Arrests	89	77	72
				Violent Offenses	0	8	2
DEATHS and INJURIES	2013	2012	2011	Property Offenses	32	51	29
Resident DeathsTotal	73	80	88	Domestic Violence Reports	12	10	12
Suicides	0	0	1		2014	2013	2012
Self-inflicted Injuries	6	8	9	Methamphetamine Lab Seizures	0	0	0
Homicides	0	0	0	SCHOOL REPORTS	2013-14	2012-13	2011-12
Assault Injuries	4	9	8	Enrollment Grades 9-12	235	250	268
Alcohol Induced Deaths	0	0	2	Drop-outs	6	2	6
Drug Induced Deaths	0	0	0	Drop-out Rate	2.6%	0.8%	2.2%
Smoking Attributable Deaths	16	20	17	School Discipline Involving Alcohol	0	0	0
HOSPITAL EPISODES 2	2013	2012	2011	School Discipline Involving Drugs	1	4	0
Hospitalization, no Emergency Room:				School Discipline Involving Tobacco	0	0	0
Mental Illness Principal Diagnosis	33	37	41	_			
Mental Illness Secondary Diagnosis	31	42	47	JUVENILE COURT REFERRALS 3	2013	2012	2011
Alcohol Principal Diagnosis	1	3	2	Juvenile Violent Offenses	2	3	6
Alcohol Secondary Diagnosis	0	1	4	Juvenile Alcohol Offenses	3	4	2
Drug Principal Diagnosis	0	1	0	Juvenile Drug Offenses	1	5	2
Drug Secondary Diagnosis	2	1	1	School Truancy Status Offense	0	10	4
Emergency Room + Hospitalization:				Absent from Home Status Offense	0	0	1
Mental Illness Principal Diagnosis	26	11	14	Beyond Parental Control Status Offense	3	12	11
Mental Illness Secondary Diagnosis	40	38	19	Injurious Behavior Status Offense	4	11	11
Alcohol Principal Diagnosis	0	3	1	Child Abuse	0	0	2
Alcohol Secondary Diagnosis	0	5	4	Child Neglect	24	15	49
Drug Principal Diagnosis	0	1	0	Child Custody Issues	0	0	0
Drug Secondary Diagnosis	0	0	0	JUVENILE COURT PLACEMENTS	2013	2012	2011
Emergency Room, no Hospitalization:				Out-of-Home PlacementsTotal	3	6	18
Mental Illness Principal Diagnosis	41	42	44	Parental Alcohol Use Related	0	0	0
Mental Illness Secondary Diagnosis	70	92	106	Parental Drug Use Related	2	0	5
Alcohol Principal Diagnosis	3	5	3	Parental Alcohol and Drug Use	0	0	0
Alcohol Secondary Diagnosis	4	9	6				
Drug Principal Diagnosis	4	1	3	CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Secondary Diagnosis	5	5	3	Drug Court Participants	3	1	2
				Probation/Parole AdmissionsDrug	27	18	27
ALCOHOL OUTLETS	2014	2013	2012	Probation/Parole AdmissionsDWI	3	0	2
Alcohol On-Premise Drink Licenses	8	7	7	Prison Admissions - Drug	3	8	2
Alcohol Package Carry-out Licenses	12	15	11	Prison AdmissionsDWI	0	0	3
EMPLOYMENT	2014	2013	2012	All Kansas City hepatitis and TB case report totals and all longin case reports are include			County
Labor Force	2,869	3,062	3,000	totals and all Joplin case reports are include Beginning with 2010 data, diagnosis counts			es are
Employed	2,711	2,903	2,826	based on codes developed by the Healthcar	e Cost and L	Itilization Pro	ject.
Unemployed	158	159	174	3 Beginning in 2013, juvenile municipal violati court orders are categorized as status offen:			
Unemployment Rate	5.5%	5.2%	5.8%				

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

	FY2014	FY2013	FY2012
TREATMENT CATEGORY			
Detoxification	*	0	5
CSTAR Adolescent	0	*	*
CSTAR Women and Children	0	0	0
CSTAR General Adult	*	*	*
CSTAR Opioid	0	0	0
Primary Recovery Treatment	9	8	14
Clinical SATOP (CIP, YCIP, SROP)	*	6	6
Other Substance Abuse Treatment	0	0	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	21	40	35
- Adolescent Diversion Education Prograr	*	5	12
- Offender Education Program	5	20	13
- Weekend Intervention Program	6	9	*
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	0	0
Compulsive Gambling	0	0	0
Recovery Supports	0	0	0
Early Intervention	0	*	7

NUMBER ADMITTED	FY2014	FY2013	FY2012	PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Total Individuals	16	19	25	Alcohol	5	8	10
				Marijuana / Hashish	6	7	7
AGE				Cocaine (total)	0	*	*
Under 18	0	*	0	- Crack	0	*	0
18 to 24	*	5	*	Stimulant (total)	5	*	6
25 to 29	6	*	*	- Methamphetamine	5	*	6
30 to 34	*	*	*	Heroin	0	0	0
35 to 39	*	0	*	Analgesic except Heroin	0	0	0
40 to 44	*	*	8	- Non-Prescription Methadone	0	0	0
45 to 54	*	*	*	PCP, LSD, other Hallucinogen	0	0	0
55 and Over	*	*	*	Tranquilizer	0	0	0
GENDER				Inhalant	0	0	0
Male	8	14	18	Sedative	0	0	0
Female	8	5	7	Other Medication or Illicit Drug	0	0	0
Tomalo	Ŭ	Ū	•	Average Age at First Use of Drug	17.6	17.8	17.6
RACE / ETHNICITY				Avoluge Ago at 1 hot coc of Brug	17.0	17.0	17.0
Caucasian	15	19	25	INJECTION DRUG USE			
African American	0	0	0	Any Injection Use at Admission	*	*	*
Native American / Alaskan	0	0	0	- Daily Injection Use	*	0	*
Asian / Pacific Islander	0	0	0	- Weekly Injection Use	0	0	0
Hispanic	*	0	0	- Less than Weekly Injection Use		*	0
Other Race / Two or More Races	0	0	0	- Less than Weekly Injection Ose			U
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	8	10	5	0	12	9	12
High School Graduate or G.E.D.	*	5	15	1 or 2	*	5	8
Associate Degree or Some College	*	*	*	3 or More	0	5	5
Bachelor or Advanced Degree	0	0	*	TOTATACNT DEFENDAL COURCE			
EAADI OVAAEAIT				TREATMENT REFERRAL SOURCE Self / Family / Friend	6	*	*
EMPLOYMENT Employed	*	11	12	School School	0	0	0
Employed	5	*	9	Mental Health Provider	0	0	0
Unemployed	5 7	*	*		-	*	
Not in Labor Force	,			Health Care Provider	0 7		10
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	<i>'</i>	15	18
Independent Living	13	16	24	Other Referral Source			
Dependent Living	0	*	*				
Homeless	*	0	0	TREATMENT ACCOMMODATION	0	0	0
				Pregnant when Admitted to any Episode	0	0	0
MARITAL / FAMILY STATUS	40	40	4.4	Military Veteran	0	0	·
Never Married	10	12	11	Special Education Services Needed	0	0	· ·
Married / Cohabitating	*	5 *	6	Co-Occurring Psychological Problem	8	5	8
Previously Married	*	•	8	Co-Occurring Developmental Problem	•	0	0

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Western
PSYCHIATRIC SERVICE AREA 1
CENSUS 2010 5,685
2014 POPULATION ESTIMATE 5,382

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder. FY2014 FY2013 FY2012 **DIAGNOSIS CATEGORY** Adjustment Disorder 0 **Anxiety Disorder** 8 11 Dementia 0 0 0 **Developmental Disorder** 0 Impulse Control Disorder 7 7 5 Mood Disorder 11 18 14 Personality Disorder 0 0 Psychotic Disorder 5 Sexual Disorder 0 0 5 Other Diagnosis Diagnosis Unknown

NUMBER SERVED	FY2014	FY2013	FY2012	EDUCATION	FY2014	FY2013	FY2012
Total Individuals	20	30	28	Less than High School Diploma	10	7	*
				High School Grad or G.E.D.	0	*	8
AGE	_		*	Associate Degree or Some College	0	0	*
Under 6	0	*	*	Bachelor or Advanced Degree	0	0	*
6 to 9	*			Education Level Unknown	10	20	14
10 to 13	*	*	5				
14 to 17	*	*	*	EMPLOYMENT			
18 to 24	0	*	*	Employed	*	5	*
25 to 29	*	*	*	Unemployed	0	8	11
30 to 34	0	0	0	Not in Labor Force	16	10	0
35 to 39	*	*	*	Employment Status Unknown	*	7	14
40 to 44	*	*	*				
45 to 49	*	*	*	HOUSING / LIVING ARRANGEMENT			
50 to 54	*	*	0	Independent Living	9	19	14
55 to 59	0	0	*	Dependent Living	9	6	*
60 and Over	*	*	5	Homeless	0	0	0
Age Unknown	0	0	0	Other	0	*	0
GENDER				Housing Unknown	*	*	11
Male	9	10	13				
Female	11	20	15	TREATMENT REFERRAL SOURCE			
Gender Unknown	0	0	0	Self / Family / Friend	6	11	5
Condor Officiowii	O	U	O	School	*	*	6
RACE / ETHNICITY				Mental Health Provider	*	*	5
Caucasian	18	28	24	Health Care Provider	*	6	7
African American	*	*	*	Court / Criminal Justice	*	*	*
Native American / Alaskan	0	0	0	Other	5	7	*
Asian / Pacific Islander	0	0	0	Referral Source Unknown	0	0	0
Hispanic	*	0	*	T/DE 05 001 11 15 15 15			
Other Race	0	*	*	TYPE OF COMMITMENT	20	30	28
Race/Ethnicity Unknown	0	0	0	Voluntary			
				Civil	0	0	0
TREATMENT ACCOMMODATION		•	*	Criminal	0	0	0
Hearing Impaired	^	^		Sexual Predatory	0	0	0
Past or Current Military Service	0	0	0	Commitment Type Unknown	0	0	0

MISSOURI STUDENT SURVEY

		001	
Descent of ctudents who have ever used	2014	2012	2010
Percent of students who have ever used: Alcohol	23.1	36.7	35.1
Cigarettes	7.7		4.0
Chewing Tobacco	10.9	10.1	_
Marijuana	3.1	8.9	2.0
Inhalants	4.6	3.8	1.3
Prescription medications not prescribed for student	6.1	5.1	2.0
Over-the-counter medications for non-medical use	0.0	2.5	1.3
Methamphetamine	0.0	1.3	0.0
Cocaine	0.0	0.0	0.0
Heroin	0.0	0.0	0.0
Hallucinogens	0.0	0.0	0.0
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.0	2.6	0.0
Steroids not prescribed for student	1.5	1.3	0.0
Synthetic drugs (K2, bath salts, Spice, etc)	0.0	3.8	
Average age of students' first use of:			
Alcohol	13.46	13.58	12.95
Cigarettes	14.00	12.59	11.69
Marijuana	15.42	13.03	
Inhalants	11.29		
Percent of students who, in past 30 days, used:			
Alcohol	7.7	13.8	2.0
Alcohol (Binge: 5+ drinks on one occassion)		6.3	0.0
Cigarettes	4.6	11.4	1.3
Chewing Tobacco	4.7	7.6	1.8
Marijuana	0.0	2.5	2.0
Inhalants	3.1	1.3	1.3
Prescription medications not prescribed for student	3.1	5.1	1.3
Over-the-counter medications for non-medical use	0.0	2.5	1.3
Percent of students who, in past 2 weeks, used:			
Alcohol (Binge: 5+ drinks on one occassion)	1.6		
Percent whose friends used in past 12 months:	40.0	54.0	40.5
Alcohol	40.0		
Cigarettes	27.7		
Marijuana Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	10.6 4.7		0.0
Other fillott (Cocalite, ESD, Metil, Club Drug, etc)	4.7	3.9	0.0
Percent who would likely use, if offered by a best friend:			
Alcohol	15.4	19.0	5.3
Cigarettes	6.2	10.1	1.3
Marijuana	1.5	8.9	0.0
Percent who say it would be wrong to use:			
Alcohol	79.7	70.9	94.7
Cigarettes	89.2	86.1	96.7
Marijuana	96.9	87.3	98.7
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	100.0	97.5	100.0
Percent whose parents would disapprove if they use:			
Alcohol	89.2	78.5	98.0
Cigarettes	96.9	86.3	96.7
Marijuana	98.4	92.3	98.7
•		-	
Percent who say it would be easy to obtain:	45.0	E 4 .4	477
Alcohol	45.3	54.4	47.7
Cigarettes	38.5		
Marijuana Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	10.8 4.7	8.9	30.5 29.3
Sand mich (Occame, LSD, Meth, Club Drug, etc)	4.7	0.9	23.3

JENI SURVET			
Percent who believe they risk harm if they use:	2014	2012	2010
,	64.6		
Alcohol (1 or 2 drinks daily)			
Alcohol (Binge: 5+ drinks once or twice a week)	73.4	70.5	00.4
Alcohol (any use)		79.5	93.4
Cigarettes (1+ packs per day)	90.8		
Cigarettes (any use)		83.5	93.4
Marijuana (once or twice a week)	89.2		
Marijuana (any use)		78.5	88.1
Other: Cocaine, LSD, Meth, Club Drug (any use)	100.0	97.4	98.0
Percent of students who, in past 30 days:			
Were very sad	15.4	21.3	10.7
Were grouchy, irritable, or in a bad mood	15.4	35.4	15.2
Felt hopeless about the future	7.7	10.3	6.0
Felt like not eating or eating more than usual	7.7	16.9	6.6
Slept a lot more or a lot less than usual	10.8	16.5	15.4
Had difficulty concentrating on school work	16.9	14.1	15.9
Percent of students who, in past 12 months:			
Seriously considered attempting suicide	6.2	13.9	1.3
Made plan about how they would attempt suicide	3.1	11.4	1.3
Attempted suicide	3.1	6.3	0.0
Attempted suicide and resulting injury, poisonng, or overdose	3.1	0.5	0.0
had to be treated by doctor or nurse	1.6	1.3	0.0
Percent of students who, in past 12 months:			
Were threatened/injured with weapon at school	6.2	3.8	3.9
Were in a physical fight	15.9	24.1	11.9
Were in a fight and had to be treated by a doctor or nurse	0.0	3.8	1.3
Percent of students who, in past 3 months:			
Were victims of mean rumors or lies spread at school	53.8	58.2	55.6
Were made fun of by others	61.5	64.6	65.6
Were victims of an embarrassing or hurtful text message or	01.5	04.0	00.0
something posted on the internet	25.0	22.8	9.9
Spread mean rumors or lies about other kids at school	22.7	27.8	40.4
Made fun of other people	60.9	63.3	85.4
Posted something on the internet or sent a text that might	40.0	40.4	4.0
embarrass or hurt another student	10.8	10.1	4.6
Percent of students who agree that:			
Teachers notice and comment on student's good work	87.5	75.9	62.0
School provides feedback to parents on positive student	01.0	70.0	02.0
performance	57.8	45.5	30.4
Rules are enforced fairly	68.8	57.0	70.5
Students of all races/ethnicities are treated equal	90.8	83.8	71.3
Percent of students who agree that:			
Parents notice and comment on student's good work	92.1	85.9	65.6
Parents involve student in making family decisions	70.3	69.2	61.5
It is important to be honest with parents regardless of			
consequences	92.3	92.4	98.0
Student could ask parent for help with a personal problem	88.9	81.0	63.2

Missouri Student Survey is conducted biennially.
Similar affirmative response choices for individual questions are combined.
Blank data cells indicate estimates are not available for item or geographic area. Survey is not conducted in every school district nor reported for every county. Estimates are not available for counties with small numbers of respondents. Percentages are estimates based on weighted data.

Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

ACDIVANIC COURT							
DBH REG	ION	Central		IMPAIRED DRIVING	2013	2012	2011
DBH SERV	ICE AREAS			Alcohol Involved CrashesTotal	15	28	18
Substai	nce Use	15		Fatal Crashes	0	1	0
Adult P	sychiatric	15		Injury Crashes	10	15	12
POPULAT	•			Property Damage Crashes	5	12	6
Census		25,529		Crash Fatalities	0	1	0
2014 E	stimate	25,887		Crash Injuries	11	16	14
		-,		Drug Involved CrashesTotal	5	5	6
213				Fatal Crashes	0	1	0
				Injury Crashes	2	2	2
BIRTH RISK	2013	2012	2011	Property Damage Crashes	3	2	4
Resident BirthsTotal	326	316	360	Crash Fatalities	0	3	0
Mother Reported Smoking while Pregna	ant 86	103	116	Crash Injuries	3	4	2
DISEASE INCIDENCE 1	2013	2012	2011			-	_
HIV/AIDS Cases	0	0	2	POLICE REPORTS	2013	2012	2011
Hepatitis B Chronic, Acute, Prenatal	0	3	3	DUI Arrests, DWI Tracking System	72	81	90
Hepatitis C Chronic and Acute	18	19	21	Liquor Law Arrests	12	12	16
Tuberculosis Infection Cases	6	4	2	Drug Arrests	189	61	79
raboroalistis irristiani sassi	Ü	•	_	Violent Offenses	66	45	36
DEATHS and INJURIES	2013	2012	2011	Property Offenses	655	489	483
Resident DeathsTotal	307	282	268	Domestic Violence Reports	429	378	306
Suicides	3	8	4		2014	2013	2012
Self-inflicted Injuries	19	30	36	Methamphetamine Lab Seizures	3	3	3
Homicides	1	0	1	COULOU DEDONTO	2012.14	2042.42	2011 12
Assault Injuries	71	81	71	SCHOOL REPORTS	2013-14	2012-13	2011-12
Alcohol Induced Deaths	1	1	0	Enrollment Grades 9-12	933	1,006	1,057
Drug Induced Deaths	4	6	0	Drop-outs	36	45	37
Smoking Attributable Deaths	61	61	41	Drop-out Rate	3.9%	4.5%	3.5%
				School Discipline Involving Alcohol	1	0	1
HOSPITAL EPISODES 2	2013	2012	2011	School Discipline Involving Drugs	2	6	6
Hospitalization, no Emergency Room:				School Discipline Involving Tobacco	0	0	0
Mental Illness Principal Diagnosis	126	128	128	JUVENILE COURT REFERRALS 3	2013	2012	2011
Mental Illness Secondary Diagnosis	248	262	265	Juvenile Violent Offenses	19	37	30
Alcohol Principal Diagnosis	4	7	3	Juvenile Alcohol Offenses	6	1	14
Alcohol Secondary Diagnosis	21	19	19	Juvenile Drug Offenses	9	10	9
Drug Principal Diagnosis	5	8	6	School Truancy Status Offense	21	36	21
Drug Secondary Diagnosis	21	19	12	Absent from Home Status Offense	15	15	4
Emergency Room + Hospitalization:				Beyond Parental Control Status Offense	12	9	12
Mental Illness Principal Diagnosis	115	103	82	Injurious Behavior Status Offense	52	58	50
Mental Illness Secondary Diagnosis	425	314	323	Child Abuse	28	27	11
Alcohol Principal Diagnosis	23	18	13	Child Neglect	35	12	14
Alcohol Secondary Diagnosis	33	36	24	Child Custody Issues	3	2	0
Drug Principal Diagnosis	18	5	11				
Drug Secondary Diagnosis	27	19	15	JUVENILE COURT PLACEMENTS	2013	2012	2011
Emergency Room, no Hospitalization:				Out-of-Home PlacementsTotal	32	18	7
Mental Illness Principal Diagnosis	259	249	223	Parental Alcohol Use Related	0	0	1
Mental Illness Secondary Diagnosis	211	212	198	Parental Drug Use Related	5	2	0
Alcohol Principal Diagnosis	24	40	35	Parental Alcohol and Drug Use	0	0	0
Alcohol Secondary Diagnosis	39	37	36	CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Principal Diagnosis	26	24	24	Drug Court Participants	14	22	25
Drug Secondary Diagnosis	36	14	37	Probation/Parole AdmissionsDrug	62	54	60
ALCOHOL OUTLETS	2014	2012	2012	Probation/Parole AdmissionsDWI	20	22	19
Alcohol On Browing Drink Licenses	2014	2013	2012	Prison AdmissionsDrug	23	17	32
Alcohol Packago Carry out Licenses	28	26 26	24 27	Prison AdmissionsDWI	12	5	9
Alcohol Package Carry-out Licenses	26	26	21				
EMPLOYMENT	2014	2013	2012	1 All Kansas City hepatitis and TB case report			
Labor Force	11,165	12,248	11,893	totals and all Joplin case reports are include Beginning with 2010 data, diagnosis counts			
Employed	10,541	11,541	11,139	based on codes developed by the Healthcar	re Cost and L	Jtilization Pro	ject.
Unemployed	624	707	754	3 Beginning in 2013, juvenile municipal violati court orders are categorized as status offen:			
Unemployment Rate	5.6%	5.8%	6.3%	Sourt orders are categorized as status offens	Jos malead U	n law violation	10.

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	11	25	16
CSTAR Adolescent	11	21	27
CSTAR Women and Children	13	20	11
CSTAR General Adult	148	33	25
CSTAR Opioid	0	*	0
Primary Recovery Treatment	53	144	170
Clinical SATOP (CIP, YCIP, SROP)	20	24	20
Other Substance Abuse Treatment	0	*	*

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	78	90	109
- Adolescent Diversion Education Prograr	6	*	8
- Offender Education Program	15	26	37
- Weekend Intervention Program	9	15	25
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	5	10	9
Compulsive Gambling	0	*	*
Recovery Supports	*	*	*
Early Intervention	14	7	17

Total Individuals	NUMBER ADMITTED	FY2014	FY2013	FY2012	PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Marie Mari		231	235	230		74	90	82
Under 18					Marijuana / Hashish	69	74	93
18 to 24	_	15	22	24	Cocaine (total)	8	14	20
Sto 129					- Crack	*	6	*
30 to 34					Stimulant (total)	57	28	9
35 to 39					- Methamphetamine	57	26	7
40 to 44					Heroin	6	8	9
45 to 54 30 33 42 - Non-Prescription Methadone 0 0 0 0 5 55 and Over 9 14 7 PCP_L LSD, other Hallucinogen 0 0 0 0 0 0 0 0 0					Analgesic except Heroin	10	11	12
S5 and Over					- Non-Prescription Methadone	0	0	0
					PCP, LSD, other Hallucinogen	0	0	*
Male 164 159 171 Sedative " 0 Female 67 76 59 Other Medication or Illicit Drug 5 5 * RACE / ETHNICITY Caucasian 192 190 179 Average Age at First Use of Drug 18.0 17.7 16.7 African American 32 36 42 Any Injection Use at Admission 23 18 16 Native American / Alaskan 0 0 0 - Daily Injection Use 2 18 16 Asian / Pacific Islander 0 0 0 - Weekly Injection Use 1 5 * * Cher Race / Two or More Races 6 7 8 * Less than Weekly Injection Use 15 9 12 EDUCATION LifeTIME DUI / DWI ARRESTS Less than High School Diploma 90 91 95 0 135 129 131 High School Graduate or G.E.D. 110 109 102 1 or 2 64 72<	55 and Over	9	14	7	Tranquilizer	*	*	0
Male 164 159 171 Sedative * * 0 Female 67 76 59 Other Medication or Illicit Drug 5 5 * RACE / ETHNICITY Caucasian 192 190 179 Average Age at First Use of Drug 18.0 17.7 16.7 African American 192 36 42 Any Injection Use 23 18 16 Asian / Pacific Islander 0 0 0 - Daily Injection Use 23 18 16 Hispanic 5 5 - Less than Weekly Injection Use 15 9 12 Other Race / Two or More Races 6 7 8 - Less than Weekly Injection Use 15 9 12 EDUCATION Life Time DUI / DWI ARRESTS Less than High School Diploma 90 91 95 0 135 129 131 High School Graduate or G.E.D. 110 109 102 1 or 2 64 72 <td< td=""><td>GENDER</td><td></td><td></td><td></td><td>Inhalant</td><td>0</td><td>0</td><td>0</td></td<>	GENDER				Inhalant	0	0	0
### Average Age at First Use of Drug		164	159	171	Sedative	*	*	0
RACE/ FITHNICITY Caucasian 192 190 179 African American 32 36 42 Antive American / Alaskan 0 0 0 - Daily Injection Use at Admission 23 18 16 Asian / Pacific Islander 0 0 0 - Weekly Injection Use 7 5 * <t< td=""><td>Female</td><td>67</td><td>76</td><td>59</td><td>Other Medication or Illicit Drug</td><td>5</td><td>5</td><td>*</td></t<>	Female	67	76	59	Other Medication or Illicit Drug	5	5	*
Caucasian 192 190 179 179 African American 32 36 42 Any Injection Use at Admission 23 18 16 Native American Alaskan 0 0 0 0 0 0 0 0 0					Average Age at First Use of Drug	18.0	17.7	16.7
African American 32 36 42 AMECTION DRUG USE Native American / Alaskan 0 0 0 40 Any Injection Use at Admission 23 18 16 Asian / Pacific Islander 0 0 0 - Daily Injection Use *								
Arrican American Alaskan 0 0 0 0 0 0 0 0 0					INJECTION DRUG USE			
Asian / Pacific Islander						23	18	16
Hispanic						*		*
Hispanic Cother Race Two or More Races 6 7 8 - Less than Weekly Injection Use 15 9 12		_		_			5	*
Cother Race / Two or More Races 6 7 8 LIFETIME DUI / DWI ARRESTS EDUCATION Less than High School Diploma 90 91 95 0 135 129 131 High School Graduate or G.E.D. 110 109 102 1 or 2 64 72 56 Associate Degree or Some College 30 35 32 3 or More 32 34 43 Bachelor or Advanced Degree * 0 * TREATMENT REFERRAL SOURCE EMPLOYMENT Self / Family / Friend 49 41 20 Employed 76 79 76 School 0 0 0 Unemployed 100 91 91 Mental Health Provider * * * * * Not in Labor Force 55 65 63 Health Care Provider 7 6 * HOUSING / LIVING ARRANGEMENT 1 18 18 19 0 0 0 0	•							12
Less than High School Diploma 90 91 95 0 135 129 131 High School Graduate or G.E.D. 110 109 102 1 or 2 64 72 56 Associate Degree or Some College 30 35 32 3 or More 32 34 43 Bachelor or Advanced Degree * 0 * * TREATMENT REFERRAL SOURCE EMPLOYMENT Self / Family / Friend 49 41 20 Employed 76 79 76 School 0	Other Race / Two or More Races	6	7	8	2000 than Wooldy Injudion Coo		Ü	
High School Graduate or G.E.D. 110 109 102 1 or 2 64 72 56 Associate Degree or Some College Bachelor or Advanced Degree 30 35 32 3 or More 32 34 43 Bachelor or Advanced Degree * 0 *	EDUCATION				LIFETIME DUI / DWI ARRESTS			
Associate Degree or Some College 30 35 32 3 or More 32 34 43 Bachelor or Advanced Degree * 0 * TREATMENT REFERRAL SOURCE EMPLOYMENT Self / Family / Friend 49 41 20 Employed 76 79 76 School 0 0 0 0 Unemployed 100 91 91 Mental Health Provider * </td <td>Less than High School Diploma</td> <td>90</td> <td>91</td> <td>95</td> <td>0</td> <td>135</td> <td>129</td> <td>131</td>	Less than High School Diploma	90	91	95	0	135	129	131
Bachelor or Advanced Degree * 0 * TREATMENT REFERRAL SOURCE EMPLOYMENT Self / Family / Friend 49 41 20 Employed 76 79 76 School 0 0 0 Unemployed 100 91 91 Mental Health Provider * * * * * Not in Labor Force 55 65 63 Health Care Provider 7 6 * HOUSING / LIVING ARRANGEMENT 1 186 190 Other Referral Source 18 28 9 Dependent Living 181 186 190 Other Referral Source 18 28 9 Homeless *	High School Graduate or G.E.D.	110	109	102	1 or 2	64	72	56
TREATMENT REFERRAL SOURCE Self / Family / Friend Friend Friend Self / Family / Friend Self / S	Associate Degree or Some College	30	35	32	3 or More	32	34	43
EMPLOYMENT Self / Family / Friend 49 41 20 Employed 76 79 76 School 0 0 0 Unemployed 100 91 91 Mental Health Provider * <td>Bachelor or Advanced Degree</td> <td>*</td> <td>0</td> <td>*</td> <td>TD5.4T4.454/T D555DD.44.604/D65</td> <td></td> <td></td> <td></td>	Bachelor or Advanced Degree	*	0	*	TD5.4T4.454/T D555DD.44.604/D65			
Employed 76 79 76 School 0 0 0 Unemployed 100 91 91 Mental Health Provider * <t< td=""><td>514010144515</td><td></td><td></td><td></td><td></td><td>40</td><td>44</td><td>20</td></t<>	514010144515					40	44	20
Unemployed 100 91 91 Mental Health Provider *		76	70	76	•			
Not in Labor Force 55 65 63 Health Care Provider 7 6 * HOUSING / LIVING ARRANGEMENT 181 186 190 Other Referral Source 18 28 9 Independent Living Dependent Living Homeless 29 37 33 TREATMENT ACCOMMODATION TREATMENT ACCOMMODATION Pregnant when Admitted to any Episode * 5 * MARITAL / FAMILY STATUS Military Veteran 8 7 13 Never Married 125 127 129 Special Education Services Needed 26 24 33 Married / Cohabitating 55 57 46 Co-Occurring Psychological Problem 92 89 79								· *
HOUSING / LIVING ARRANGEMENT Court / Criminal Justice 149 150 196 Independent Living 181 186 190 Other Referral Source 18 28 9 Dependent Living 29 37 33 TREATMENT ACCOMMODATION Pregnant when Admitted to any Episode * 5 * MARITAL / FAMILY STATUS Military Veteran 8 7 13 Never Married 125 127 129 Special Education Services Needed 26 24 33 Married / Cohabitating 55 57 46 Co-Occurring Psychological Problem 92 89 79						-		
HOUSING / LIVING ARRANGEMENT 181 186 190 Other Referral Source 18 28 9 Dependent Living 29 37 33 TREATMENT ACCOMMODATION * 5 * Homeless * * * * * 5 * MARITAL / FAMILY STATUS Military Veteran 8 7 13 Never Married 125 127 129 Special Education Services Needed 26 24 33 Married / Cohabitating 55 57 46 Co-Occurring Psychological Problem 92 89 79	Not in Labor Force	55	65	63			_	400
Independent Living 181 186 190 Other Reterral Source 18 28 9 Dependent Living 29 37 33 TREATMENT ACCOMMODATION Homeless * * * * 5 * MARITAL / FAMILY STATUS Military Veteran 8 7 13 Never Married 125 127 129 Special Education Services Needed 26 24 33 Married / Cohabitating 55 57 46 Co-Occurring Psychological Problem 92 89 79	HOUSING / LIVING ARRANGEMENT							
Homeless * * * * * TREATMENT ACCOMMODATION Pregnant when Admitted to any Episode * 5 * MARITAL / FAMILY STATUS Military Veteran 8 7 13 Never Married 125 127 129 Special Education Services Needed 26 24 33 Married / Cohabitating 55 57 46 Co-Occurring Psychological Problem 92 89 79		181	186	190	Other Referral Source	18	28	9
Homeless * * * * * TREATMENT ACCOMMODATION Pregnant when Admitted to any Episode * 5 * MARITAL / FAMILY STATUS Military Veteran 8 7 13 Never Married 125 127 129 Special Education Services Needed 26 24 33 Married / Cohabitating 55 57 46 Co-Occurring Psychological Problem 92 89 79	Dependent Living	29	37	33				
MARITAL / FAMILY STATUS Military Veteran 8 7 13 Never Married 125 127 129 Special Education Services Needed 26 24 33 Married / Cohabitating 55 57 46 Co-Occurring Psychological Problem 92 89 79	Homeless	*	*				_	
Never Married 125 127 129 Special Education Services Needed 26 24 33 Married / Cohabitating 55 57 46 Co-Occurring Psychological Problem 92 89 79	_				•			*
Married / Cohabitating 55 57 46 Co-Occurring Psychological Problem 92 89 79								
Previously Married 51 51 55 Co-Occurring Developmental Problem 7 * *								79
	Previously Married	51	51	55	Co-Occurring Developmental Problem	7	*	*

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Central
PSYCHIATRIC SERVICE AREA
CENSUS 2010 25,529
2014 POPULATION ESTIMATE 25,887

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.							
DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012				
Adjustment Disorder	74	58	63				
Anxiety Disorder	292	284	303				
Dementia	*	*	7				
Developmental Disorder	43	40	36				
Impulse Control Disorder	250	247	269				
Mood Disorder	460	467	504				
Personality Disorder	79	92	87				
Psychotic Disorder	86	82	76				
Sexual Disorder	*	*	0				
Other Diagnosis	90	79	75				
Diagnosis Unknown	59	45	73				

Individuals who received psychiatric services had the following types of

NUMBER SERVED	FY2014	FY2013	FY2012	EDUCATION	FY2014	FY2013	FY2012
Total Individuals	720	698	767	Less than High School Diploma	266	253	112
				High School Grad or G.E.D.	0	0	94
AGE				Associate Degree or Some College	0	0	31
Under 6	10	11	16	Bachelor or Advanced Degree	0	0	*
6 to 9	61	58	60	Education Level Unknown	454	445	526
10 to 13	72	67	72				
14 to 17	81	78	91	EMPLOYMENT			
18 to 24	63	59	86	Employed	49	59	40
25 to 29	59	63	56	Unemployed	62	53	168
30 to 34	63	59	65	Not in Labor Force	412	422	84
35 to 39	60	56	58	Employment Status Unknown	197	164	475
40 to 44	44	43	54				
45 to 49	63	64	66	HOUSING / LIVING ARRANGEMENT			
50 to 54	57	56	60	Independent Living	219	247	202
55 to 59	49	43	43	Dependent Living	209	207	103
60 and Over	38	41	40	Homeless	8	6	*
Age Unknown	0	0	0	Other	0	0	5
GENDER				Housing Unknown	284	238	454
Male	341	327	334				
Female	379	371	433	TREATMENT REFERRAL SOURCE			
Gender Unknown	0	0	433	Self / Family / Friend	459	469	536
Gender Unknown	U	U	U	School	9	7	13
RACE / ETHNICITY				Mental Health Provider	37	48	38
Caucasian	617	603	669	Health Care Provider	42	38	54
African American	53	54	54	Court / Criminal Justice	15	12	16
Native American / Alaskan	*	*	*	Other	157	123	109
Asian / Pacific Islander	*	*	*	Referral Source Unknown	*	*	*
Hispanic	9	8	7				
Other Race	36	30	33	TYPE OF COMMITMENT	740	004	705
Race/Ethnicity Unknown	0	0	0	Voluntary	718	694	765
•				Civil	0	*	0
TREATMENT ACCOMMODATION				Criminal			*
Hearing Impaired	15	15	24	Sexual Predatory	0	0	0
Past or Current Military Service	11	11	9	Commitment Type Unknown	*	*	*

MISSOURI STUDENT SURVEY

				DEITI CONTE
Percent of students who have ever used:	2014	2012	2010	Percent who believe they
Alcohol	46.5	40.2	42.2	Alcohol (1 or 2 drinks d
Cigarettes	31.4	25.1	27.0	Alcohol (Binge: 5+ drin
Chewing Tobacco	22.2	8.3	11.5	Alcohol (any use)
Marijuana	10.2	12.9	15.1	Cigarettes (1+ packs p
Inhalants	2.5	5.5	8.5	Cigarettes (any use)
Prescription medications not prescribed for student	3.2	7.6	15.0	Marijuana (once or twice
Over-the-counter medications for non-medical use	0.0	4.5	7.3	Marijuana (any use)
Methamphetamine	0.0	1.0	0.6	Other: Cocaine, LSD, I
Cocaine	0.0	2.4	1.8	Percent of students who
Heroin	0.0	0.5	0.2	Were very sad
Hallucinogens	0.0	2.9	2.2	Were grouchy, irritable
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.4	2.2	1.4	Felt hopeless about the
Steroids not prescribed for student	0.0	1.9	1.0	Felt like not eating or e
Synthetic drugs (K2, bath salts, Spice, etc)	8.5	6.0		Slept a lot more or a lo
Average age of students' first use of:				Had difficulty concentr
Alcohol	12 92	13.00	11 97	riad difficulty concerns
Cigarettes	-	12.68	-	Percent of students who
Marijuana		14.26		Seriously considered a
Inhalants		12.77		Made plan about how t
IIIIdiditis	13.04	12.77	11.72	Attempted suicide
Percent of students who, in past 30 days, used:				Attempted suicide and
Alcohol	14.8	18.9	20.5	had to be treated by do
Alcohol (Binge: 5+ drinks on one occassion)		11.7	15.0	Percent of students who
Cigarettes	16.2	12.6	14.7	Were threatened/injure
Chewing Tobacco	6.0	6.2	5.0	Were in a physical figh
Marijuana	0.7	6.0	6.1	Were in a fight and had
Inhalants	2.1	1.9	5.9	Were in a light and had
Prescription medications not prescribed for student	2.2	1.7	7.9	Percent of students who,
Over-the-counter medications for non-medical use	0.0	2.4	5.7	Were victims of mean i
Described at indentation to most 2 weeks word				Were made fun of by o
Percent of students who, in past 2 weeks, used:	7.0			Were victims of an eml
Alcohol (Binge: 5+ drinks on one occassion)	7.0			something posted on the
Percent whose friends used in past 12 months:				Spread mean rumors of
Alcohol	69.0	51.3	53.4	Made fun of other peop
Cigarettes	51.8	40.3	44.5	Posted something on t
Marijuana	23.2	28.5	35.2	embarrass or hurt anot
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	16.1	12.4	14.5	Percent of students who
				Teachers notice and co
Percent who would likely use, if offered by a best friend:				School provides feedba
Alcohol	37.3	34.0	31.2	performance
Cigarettes	18.0	13.4	15.4	Rules are enforced fair
Marijuana	10.9	7.2	9.1	Students of all races/e
Percent who say it would be wrong to use:				Students of all races/el
Alcohol	31.3	62.5	62.0	Percent of students who
Cigarettes	71.8	79.5	80.3	Parents notice and cor
Marijuana	74.6	84.1	85.3	Parents involve studen
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.5	94.7	95.9	It is important to be ho
		-		consequences
Percent whose parents would disapprove if they use:				Student could ask pare
Alcohol	72.2	76.8	83.3	
Cigarettes	94.7	91.1	93.7	Missouri Student Survey
Marijuana	98.6	95.2	95.3	Similar affirmative respo Blank data cells indicate
Percent who say it would be easy to obtain:				Survey is not conducted
Alcohol	73.2	53.5	47.5	Estimates are not availa
Cigarettes	49.6	50.0	49.9	Percentages are estimat Some year-to-year differ
Marijuana	28.3	33.5	34.5	Joine year-to-year unler
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	7.4	16.6		Data source: Missouri In
Outer mich (Cocame, LSD, Welli, Club Drug, etc)	1.4	0.01	20.7	

DENT SURVET			
Descent who hollows they risk home if they year.	2014	2012	2010
Percent who believe they risk harm if they use: Alcohol (1 or 2 drinks daily)	45.8		
Alcohol (Binge: 5+ drinks once or twice a week)	71.4		
Alcohol (any use)	71.4	64.9	77.0
Cigarettes (1+ packs per day)	80.3	04.5	77.0
Cigarettes (any use)	00.0	74.8	78.2
Marijuana (once or twice a week)	60.2		. 0
Marijuana (any use)		70.6	72.0
Other: Cocaine, LSD, Meth, Club Drug (any use)	92.6	90.2	92.3
Percent of students who, in past 30 days:			
Were very sad	8.3	21.4	28.2
Were grouchy, irritable, or in a bad mood	20.8	25.7	31.2
Felt hopeless about the future	4.0	9.7	17.5
Felt like not eating or eating more than usual	9.2	20.5	23.8
Slept a lot more or a lot less than usual	2.5	18.5	32.4
Had difficulty concentrating on school work	17.3	25.4	31.6
Percent of students who, in past 12 months:			
Seriously considered attempting suicide	3.2	11.2	12.1
Made plan about how they would attempt suicide	3.2	9.1	6.8
Attempted suicide	3.2	5.7	6.1
Attempted suicide and resulting injury, poisonng, or overdose			
had to be treated by doctor or nurse	2.1	1.7	2.4
Percent of students who, in past 12 months:			
Were threatened/injured with weapon at school	14.8	6.7	7.5
Were in a physical fight	26.4	17.0	23.5
Were in a fight and had to be treated by a doctor or nurse	4.2	3.3	2.0
Percent of students who, In past 3 months:			
Were victims of mean rumors or lies spread at school	39.2	48.9	57.6
Were made fun of by others	49.3	63.2	67.0
Were victims of an embarrassing or hurtful text message or	44.7	00.7	20.0
something posted on the internet	11.7	22.7	20.2
Spread mean rumors or lies about other kids at school	32.0	30.6	34.1
Made fun of other people	39.1	62.2	70.6
Posted something on the internet or sent a text that might embarrass or hurt another student	12.3	19.1	20.2
embarrass of fluit another student			
Percent of students who agree that:			
Teachers notice and comment on student's good work	81.0	65.9	71.8
School provides feedback to parents on positive student performance	58.8	36.5	36.2
•	CC F	EC C	64.2
Rules are enforced fairly Students of all races/ethnicities are treated equal	66.5 89.8	56.6 73.7	61.3 73.9
	09.0	13.1	13.9
Percent of students who agree that:	00.5	00.5	046
Parents notice and comment on student's good work	83.5	80.5	84.8
Parents involve student in making family decisions	77.5	65.8	69.6
It is important to be honest with parents regardless of consequences	79.9	82.7	83.0
Student could ask parent for help with a personal problem	76.1	73.5	76.1
Stadent could ask parent for help with a personal problem	, 0. 1	, 5.5	, 0.1
Missouri Student Survey is conducted bioppially			

y is conducted biennially.
onse choices for individual questions are combined. e estimates are not available for item or geographic area. d in every school district nor reported for every county. able for counties with small numbers of respondents. ites based on weighted data.

rences in percentages are not statistically significant.

nstitute of Mental Health, 2010-2014 Missouri Student Surveys

Branci Goomii							
DBH	REGION	Southwest		IMPAIRED DRIVING	2013	2012	2011
DBH	SERVICE AREAS			Alcohol Involved CrashesTotal	47	51	68
Su	bstance Use	9		Fatal Crashes	5	3	4
Ad Ad	ult Psychiatric	8A		Injury Crashes	20	19	34
POP	ULATION			Property Damage Crashes	22	29	30
Ce	nsus 2010	35,597		Crash Fatalities	5	3	4
20	14 Estimate	35,662		Crash Injuries	30	28	48
				Drug Involved CrashesTotal	15	7	14
				Fatal Crashes	5	0	0
BIRTH RISK	2013	2012	2011	Injury Crashes	5	2	4
Resident BirthsTotal	402	437	426	Property Damage Crashes	5	5	10
Mother Reported Smoking while P		102	113	Crash Fatalities	5	0	0
_				Crash Injuries	8	2	8
DISEASE INCIDENCE 1	2013	2012	2011	POLICE REPORTS	2013	2012	2011
HIV/AIDS Cases	0	0	2	DUI Arrests, DWI Tracking System	327	275	316
Hepatitis B Chronic, Acute, Prenat	al 4	2	2	Liquor Law Arrests	21	44	45
Hepatitis C Chronic and Acute	25	23	27	Drug Arrests	157	180	176
Tuberculosis Infection Cases	7	7	4	Violent Offenses	101	100	101
DEATHS and INHUDIES	2013	2012	2011	Property Offenses	1,237	1,390	1,124
DEATHS and INJURIES Resident DeathsTotal	400	397	389	Domestic Violence Reports	268	314	354
Suicides	1	6	369 6	Domestic Violence Reports	2014	2013	2012
Self-inflicted Injuries	45	62	54	Methamphetamine Lab Seizures	27	28	44
Homicides	0	1	0	Mothamphotamino Eab Coledico		20	• • •
Assault Injuries	93	118	83	SCHOOL REPORTS	2013-14	2012-13	2011-12
Alcohol Induced Deaths	1	0	3	Enrollment Grades 9-12	1,870	1,905	1,928
Drug Induced Deaths	5	5	5	Drop-outs	13	31	45
Smoking Attributable Deaths	79	79	75	Drop-out Rate	0.7%	1.6%	2.3%
- Chicking , turbulable Beaute	70	7.5	70	School Discipline Involving Alcohol	22	52	1
HOSPITAL EPISODES 2	2013	2012	2011	School Discipline Involving Drugs	9	3	44
Hospitalization, no Emergency Ro	om:			School Discipline Involving Tobacco	2	2	2
Mental Illness Principal Diagnosis	217	198	200	JUVENILE COURT REFERRALS 3	2013	2012	2011
Mental Illness Secondary Diagno	sis 469	447	538	Juvenile Violent Offenses	16	17	43
Alcohol Principal Diagnosis	16	20	13	Juvenile Alcohol Offenses	1	2	4
Alcohol Secondary Diagnosis	34	51	57	Juvenile Drug Offenses	5	10	14
Drug Principal Diagnosis	26	24	13	School Truancy Status Offense	12	10	15
Drug Secondary Diagnosis	28	38	44	Absent from Home Status Offense	7	12	13
Emergency Room + Hospitalizatio				Beyond Parental Control Status Offense	7	10	13
Mental Illness Principal Diagnosis		117	96	Injurious Behavior Status Offense	9	11	12
Mental Illness Secondary Diagno		434	296	Child Abuse	16	7	14
Alcohol Principal Diagnosis	36	32	30	Child Neglect	30	26	18
Alcohol Secondary Diagnosis	69	55	46	Child Custody Issues	89	107	46
Drug Principal Diagnosis	19	21	14	,			
Drug Secondary Diagnosis	. 29	30	22	JUVENILE COURT PLACEMENTS	2013	2012	2011
Emergency Room, no Hospitalizat				Out-of-Home PlacementsTotal	104	93	42
Mental Illness Principal Diagnosis		314	294	Parental Alcohol Use Related	4	5	3
Mental Illness Secondary Diagno		884	564	Parental Drug Use Related	30	38	19
Alcohol Principal Diagnosis	69	59	57	Parental Alcohol and Drug Use	2	2	2
Alcohol Secondary Diagnosis	129	114	121	CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Principal Diagnosis	59	82	62	Drug Court Participants	53	50	43
Drug Secondary Diagnosis	139	142	164	Probation/Parole AdmissionsDrug	82	96	78
ALCOHOL OUTLETS	2014	2013	2012	Probation/Parole AdmissionsDWI	17	27	18
Alcohol On-Premise Drink License		31	27	Prison AdmissionsDrug	37	33	42
Alcohol Package Carry-out Licens		51	27 51	Prison AdmissionsDWI	6	6	8
				1 All Kansas City hepatitis and TB case report	ts are include	nd in Jackson	County
EMPLOYMENT	2014	2013	2012	totals and all Joplin case reports are include			County
Labor Force	14,722	16,604	16,275	2 Beginning with 2010 data, diagnosis counts	for hospital a	and ER service	
Employed	13,817	15,642	15,247	based on codes developed by the Healthcar Beginning in 2013, juvenile municipal violati			
Unemployed	905	962	1,028	court orders are categorized as status offen:			
Unemployment Rate	6.1%	5.8%	6.3%				

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	22	25	34
CSTAR Adolescent	5	0	7
CSTAR Women and Children	18	18	9
CSTAR General Adult	83	84	75
CSTAR Opioid	0	0	0
Primary Recovery Treatment	28	16	27
Clinical SATOP (CIP, YCIP, SROP)	28	24	12
Other Substance Abuse Treatment	0	0	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	135	111	111
- Adolescent Diversion Education Prograr	*	*	0
- Offender Education Program	54	46	40
- Weekend Intervention Program	19	17	19
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	10	10
Compulsive Gambling	0	0	0
Recovery Supports	*	*	5
Early Intervention	0	*	*

NUMBER ADMITTED	FY2014	FY2013	FY2012	PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Total Individuals	158	160	144	Alcohol	63	58	55
465				Marijuana / Hashish	33	26	32
AGE Under 18	5	*	7	Cocaine (total)	0	0	0
18 to 24	25	19	33	- Crack	0	0	0
25 to 29	32	41	25	Stimulant (total)	46	56	32
30 to 34	28	30	25 15	- Methamphetamine	45	54	32
35 to 39	28	20	15	Heroin	*	*	0
40 to 44	15	12	14	Analgesic except Heroin	11	15	19
45 to 54	21	27	27	 Non-Prescription Methadone 	0	0	0
55 and Over	*	10	8	PCP, LSD, other Hallucinogen	0	0	*
33 and Over		10	O	Tranquilizer	0	*	*
GENDER				Inhalant	0	0	0
Male	100	91	98	Sedative	0	0	0
Female	58	69	46	Other Medication or Illicit Drug	*	*	*
DACE / ETHALCITY				Average Age at First Use of Drug	16.7	17.3	16.5
RACE / ETHNICITY Caucasian	150	152	136				
African American	130	0	0	INJECTION DRUG USE			
Native American / Alaskan	0	0	*	Any Injection Use at Admission	30	30	20
Asian / Pacific Islander	0	0	0	- Daily Injection Use	8	*	5
Hispanic	5	*	6	- Weekly Injection Use	6	7	6
Other Race / Two or More Races	3 *	*	*	- Less than Weekly Injection Use	16	19	9
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	57	51	55	0	80	83	76
High School Graduate or G.E.D.	73	72	67	1 or 2	47	52	39
Associate Degree or Some College	24	36 *	22	3 or More	31	25	29
Bachelor or Advanced Degree	*	*	0	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	38	59	42
Employed	57	40	55	School	0	0	0
Unemployed	50	63	48	Mental Health Provider	*	0	*
Not in Labor Force	51	57	41	Health Care Provider	7	13	7
				Court / Criminal Justice	85	40	45
HOUSING / LIVING ARRANGEMENT	124	1.10	400	Other Referral Source	25	46	49
Independent Living	134	140	133				
Dependent Living Homeless	21	7	7 *	TREATMENT ACCOMMODATION			
nomeless	•	9	-	Pregnant when Admitted to any Episode	*	*	*
MARITAL / FAMILY STATUS				Military Veteran	8	12	7
Never Married	77	59	66	Special Education Services Needed	18	19	7
Married / Cohabitating	40	49	38	Co-Occurring Psychological Problem	56	70	49
Married / Corlabitating		_		or comming rejencing carries			

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Southwest
PSYCHIATRIC SERVICE AREA
CENSUS 2010 35,597
2014 POPULATION ESTIMATE 35,662

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.								
DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012					
Adjustment Disorder	31	26	44					
Anxiety Disorder	186	177	191					
Dementia	0	0	0					
Developmental Disorder	12	8	10					
Impulse Control Disorder	98	93	108					
Mood Disorder	236	247	276					
Personality Disorder	63	63	63					
Psychotic Disorder	77	63	65					
Sexual Disorder	*	*	*					
Other Diagnosis	53	43	39					
Diagnosis Unknown	233	233	98					

Individuals who received psychiatric services had the following types of

NUMBER SERVED	FY2014	FY2013	FY2012	EDUCATION	FY2014	FY2013	FY2012
Total Individuals	646	645	553	Less than High School Diploma	173	107	57
. otala.v.aaao	0.0	0.0	000	High School Grad or G.E.D.	0	0	31
AGE				Associate Degree or Some College	0	0	14
Under 6	10	13	8	Bachelor or Advanced Degree	0	0	*
6 to 9	41	40	40	Education Level Unknown	473	538	448
10 to 13	53	52	47	Education Edver Children		000	110
14 to 17	41	40	53	EMPLOYMENT			
18 to 24	61	71	41	Employed	18	10	7
25 to 29	46	52	48	Unemployed	18	*	75
30 to 34	57	42	57	Not in Labor Force	302	176	50
35 to 39	47	38	45	Employment Status Unknown	308	456	421
40 to 44	61	81	57				
45 to 49	66	68	45	HOUSING / LIVING ARRANGEMENT			
50 to 54	58	60	47	Independent Living	181	85	101
55 to 59	60	49	33	Dependent Living	133	97	51
60 and Over	45	39	32	Homeless	*	*	*
Age Unknown	0	0	0	Other	0	0	*
GENDER				Housing Unknown	330	460	398
Male	301	275	248				
Female	345	370	305	TREATMENT REFERRAL SOURCE			
Gender Unknown	0	0	0	Self / Family / Friend	388	381	263
Gender Offkriown	U	U	U	School	12	11	7
RACE / ETHNICITY				Mental Health Provider	36	35	39
Caucasian	624	618	530	Health Care Provider	81	86	74
African American	7	9	5	Court / Criminal Justice	16	15	17
Native American / Alaskan	*	*	*	Other	109	115	150
Asian / Pacific Islander	0	*	*	Referral Source Unknown	*	*	*
Hispanic	11	11	9	T/DE 05 000 40 4/T1 450/T			
Other Race	*	5	7	TYPE OF COMMITMENT	634	633	E 4.4
Race/Ethnicity Unknown	0	0	0	Voluntary			544
				Civil	5	8	
TREATMENT ACCOMMODATION	0.7	07	25	Criminal		•	·
Hearing Impaired	37	37	35	Sexual Predatory	·	_	_
Past or Current Military Service	8	7	6	Commitment Type Unknown	*	*	*

MISSOURI STUDENT SURVEY

	IVIIOC		11310	DENI SORVET			
Percent of students who have ever used:	2014	2012	2010	Percent who believe they risk harm if they use:	2014	2012	2010
Alcohol	39.7	36.0	46.0	Alcohol (1 or 2 drinks daily)	49.3		
Cigarettes	29.3	26.8	29.5	Alcohol (Binge: 5+ drinks once or twice a week)	61.5		
Chewing Tobacco	24.9	18.6	21.2	Alcohol (any use)		74.5	76.1
Marijuana	14.3	14.4	16.2	Cigarettes (1+ packs per day)	80.3		
Inhalants	4.7	7.3	8.2	Cigarettes (any use)		82.5	79.9
Prescription medications not prescribed for student	6.9	7.6	11.4	Marijuana (once or twice a week)	64.4		
Over-the-counter medications for non-medical use	3.8	4.8	9.8	Marijuana (any use)		78.5	76.4
Methamphetamine	1.2	1.5	1.0	Other: Cocaine, LSD, Meth, Club Drug (any use)	93.9	94.7	94.4
Cocaine	1.2	1.3	1.7	Percent of students who, in past 30 days:			
Heroin	0.2	1.0	0.4	Were very sad	23.0	16.4	24.8
Hallucinogens	1.2	3.2		Were grouchy, irritable, or in a bad mood	27.7	21.6	30.1
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.5	1.9	1.8	Felt hopeless about the future	12.4	10.2	16.3
Steroids not prescribed for student	0.5	1.1	1.2	Felt like not eating or eating more than usual	17.1	15.2	20.3
Synthetic drugs (K2, bath salts, Spice, etc)	2.9	7.3		Slept a lot more or a lot less than usual	15.3	18.7	32.1
Average age of students' first use of:				Had difficulty concentrating on school work	20.3	20.1	28.1
Alcohol	12.39	12.49	12.63	Percent of students who, in past 12 months:			
Cigarettes	12.01	12.36	12.22	Seriously considered attempting suicide	10.7	11.2	11.2
Marijuana	13.24	13.17	13.60	Made plan about how they would attempt suicide	8.9	7.0	8.8
Inhalants	10.26	12.08	12.61	Attempted suicide	4.5	4.5	5.8
Percent of students who, in past 30 days, used:				Attempted suicide and resulting injury, poisoning, or overdose			
Alcohol	14.0	13.3	19.4	had to be treated by doctor or nurse	1.4	1.9	1.7
Alcohol (Binge: 5+ drinks on one occassion)		8.3		Persont of ctudents who in next 12 menths			
Cigarettes	14.8	10.7	15.8	Percent of students who, in past 12 months: Were threatened/injured with weapon at school	8.0	5.8	9.1
Chewing Tobacco	13.0	10.0	11.6	Were in a physical fight	21.8	17.2	25.1
Marijuana	5.7	5.9	6.9	Were in a physical light Were in a fight and had to be treated by a doctor or nurse	1.7	2.5	3.0
Inhalants	0.7	2.5	2.8	Word in a light and had to be treated by a doctor of harse	1,	2.0	0.0
Prescription medications not prescribed for student	1.4	4.0	6.3	Percent of students who, in past 3 months:			
Over-the-counter medications for non-medical use	1.4	2.5	5.2	Were victims of mean rumors or lies spread at school	50.4	48.3	56.7
Percent of students who, in past 2 weeks, used:				Were made fun of by others	59.6	60.3	68.5
Alcohol (Binge: 5+ drinks on one occassion)	6.0			Were victims of an embarrassing or hurtful text message or something posted on the internet	19.1	18.8	18.2
Percent whose friends used in past 12 months:				Spread mean rumors or lies about other kids at school	22.5	23.2	37.9
Alcohol	44.5	49.3	58.6	Made fun of other people	56.0	55.9	74.0
Cigarettes	39.2	41.9	48.4	Posted something on the internet or sent a text that might embarrass or hurt another student	12.9	10.3	20.2
Marijuana	29.2	29.6	35.1	embarrass of nurt another student			-
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	8.6	11.6	14.9	Percent of students who agree that:			
Percent who would likely use, if offered by a best friend:				Teachers notice and comment on student's good work	78.6	66.7	65.7
Alcohol	29.5	24.9	32.5	School provides feedback to parents on positive student	46.0	27.2	20.0
Cigarettes	17.5	13.4	16.9	performance	46.0	37.3	39.9
Marijuana	10.6	9.4		Rules are enforced fairly	62.9	64.7	59.6
•				Students of all races/ethnicities are treated equal	81.9	77.6	76.8
Percent who say it would be wrong to use:	00.4		0.4 7	Percent of students who agree that:			
Alcohol	63.1	69.2		Parents notice and comment on student's good work	84.2	85.7	83.9
Cigarettes	76.3	83.0 85.9	76.9 83.0	Parents involve student in making family decisions	71.0	72.5	67.5
Marijuana Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	82.7 98.6	96.3		It is important to be honest with parents regardless of	91.8	89.2	86.9
Percent whose parents would disapprove if they use:				consequences			
Alcohol	79.0	82.9	80.2	Student could ask parent for help with a personal problem	75.1	79.0	77.3
Cigarettes	91.1	91.3		Microuri Student Survey is conducted bioppielly			
Marijuana	94.5	95.5		Missouri Student Survey is conducted biennially. Similar affirmative response choices for individual questions are	e combin	ed.	
•	5 1.0	23.0	30	Blank data cells indicate estimates are not available for item or	geograp	hic area.	
Percent who say it would be easy to obtain:	40.5		FF 0	Survey is not conducted in every school district nor reported for Estimates are not available for counties with small numbers of			
Alcohol	48.9	51.1	55.3	Percentages are estimates based on weighted data.	·		
Cigarettes	50.4	52.6		Some year-to-year differences in percentages are not statistical	ııy sıgnıfi	cant.	
Marijuana Other Illicit (Cocaine LSD Meth Club Drug etc)	26.9 12.0	30.0 15.3		Data source: Missouri Institute of Mental Health, 2010-2014 Mi	ssouri St	udent Sı	ırveys
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	12.0	13.3	10.7	l			

Brait 1011 0001	.						
	DBH REGION	Southwest		IMPAIRED DRIVING	2013	2012	2011
	OBH SERVICE AREAS			Alcohol Involved CrashesTotal	10	15	10
The property	Substance Use	9		Fatal Crashes	1	1	1
	Adult Psychiatric	9		Injury Crashes	2	4	4
	POPULATION			Property Damage Crashes	7	10	5
	Census 2010	12,402		Crash Fatalities	1	1	1
	2014 Estimate	12,057		Crash Injuries	4	6	4
				Drug Involved CrashesTotal	3	7	1
				Fatal Crashes	0	0	0
BIRTH RISK	2013	2012	2011	Injury Crashes	2	2	0
Resident BirthsTotal	141	152	143	Property Damage Crashes	1	5	1
Mother Reported Smoking while		30	27	Crash Fatalities	0	0	0
	o i rogilani			Crash Injuries	4	3	0
DISEASE INCIDENCE 1	2013	2012	2011	DOLLOS DEPORTS	2012	2012	2011
HIV/AIDS Cases	0	0	0	POLICE REPORTS DIJL Arrests DWI Tracking System	2013	2012 55	2011
Hepatitis B Chronic, Acute, Pre	natal 1	0	0	DUI Arrests, DWI Tracking System	63		49 50
Hepatitis C Chronic and Acute	2	2	9	Liquor Law Arrests	21	28	50
Tuberculosis Infection Cases	0	0	2	Drug Arrests Violent Offenses	13	20	33
251510 / 111112150	2042	2042	2044	Property Offenses	25 177	34 301	20 244
DEATHS and INJURIES	2013	2012	2011	Domestic Violence Reports	143	212	138
Resident DeathsTotal	163	135	127	Domestic violence Reports			
Suicides Solf inflicted Injuries	3	2	3 15	Methamphetamine Lab Seizures	2014 5	2013 3	2012 4
Self-inflicted Injuries	22	9 2	0	Methamphetamine Lab Geizures	3	3	7
Homicides	1 43	38		SCHOOL REPORTS	2013-14	2012-13	2011-12
Assault Injuries Alcohol Induced Deaths	0	3	33	Enrollment Grades 9-12	615	624	640
	1		0	Drop-outs	8	7	6
Drug Induced Deaths Smoking Attributable Deaths	28	3 19	5 20	Drop-out Rate	1.3%	1.1%	0.9%
Smoking Attributable Deaths	20	19	20	School Discipline Involving Alcohol	0	0	0
HOSPITAL EPISODES 2	2013	2012	2011	School Discipline Involving Drugs	0	3	1
Hospitalization, no Emergency	Room:			School Discipline Involving Tobacco	1	0	0
Mental Illness Principal Diagno	osis 132	103	89	JUVENILE COURT REFERRALS 3	2013	2012	2011
Mental Illness Secondary Diag	nosis 487	431	461	Juvenile Violent Offenses	2013	42	52
Alcohol Principal Diagnosis	4	5	6	Juvenile Alcohol Offenses	11	10	16
Alcohol Secondary Diagnosis	27	20	33	Juvenile Drug Offenses	2	7	6
Drug Principal Diagnosis	11	5	10	School Truancy Status Offense	44	, 17	20
Drug Secondary Diagnosis	32	17	12	Absent from Home Status Offense	9	4	5
Emergency Room + Hospitaliza				Beyond Parental Control Status Offense	11	14	11
Mental Illness Principal Diagno	osis 38	20	20	Injurious Behavior Status Offense	6	6	9
Mental Illness Secondary Diag	nosis 96	91	67	Child Abuse	71	21	20
Alcohol Principal Diagnosis	10	5	1	Child Neglect	65	111	126
Alcohol Secondary Diagnosis	12	11	10	Child Custody Issues	2	1	1
Drug Principal Diagnosis	7	4	1	Offina Gaeteay Teeace	-	•	•
Drug Secondary Diagnosis	4	10	3	JUVENILE COURT PLACEMENTS	2013	2012	2011
Emergency Room, no Hospitali				Out-of-Home PlacementsTotal	17	4	18
Mental Illness Principal Diagno		115	79	Parental Alcohol Use Related	0	0	0
Mental Illness Secondary Diag		292	247	Parental Drug Use Related	6	1	2
Alcohol Principal Diagnosis	25	8	12	Parental Alcohol and Drug Use	0	0	1
Alcohol Secondary Diagnosis	192	55	39	CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Principal Diagnosis	34	16	24	Drug Court Participants	15	21	19
Drug Secondary Diagnosis	97	48	24	Probation/Parole AdmissionsDrug	15	21	26
ALCOHOL OUTLETS	2014	2012	2012	Probation/Parole AdmissionsDWI	7	8	5
ALCOHOL OUTLETS Alcohol On-Premise Drink Lice	2014 nses 7	2013 6	2012 6	Prison AdmissionsDrug	10	20	8
Alcohol Package Carry-out Lice		15	6 16	Prison AdmissionsDWI	2	4	3
Canago carry out Live				AULK CITY TO THE			0
EMPLOYMENT	2014	2013	2012	All Kansas City hepatitis and TB case report totals and all Joplin case reports are include			County
Labor Force	5,518	5,051	4,903	2 Beginning with 2010 data, diagnosis counts	for hospital a	and ER service	
Employed	5,164	4,663	4,490	based on codes developed by the Healthcar			
Unemployed	354	388	413	3 Beginning in 2013, juvenile municipal violati court orders are categorized as status offen:			
Unemployment Rate	6.4%	7.7%	8.4%	<u> </u>			

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TOTATATATAT CATECODY	FY2014	FY2013	FY2012
TREATMENT CATEGORY			
Detoxification	11	5	7
CSTAR Adolescent	0	*	*
CSTAR Women and Children	6	*	*
CSTAR General Adult	48	40	52
CSTAR Opioid	0	0	0
Primary Recovery Treatment	*	0	8
Clinical SATOP (CIP, YCIP, SROP)	11	9	10
Other Substance Abuse Treatment	0	0	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	32	30	41
- Adolescent Diversion Education Prograr	*	0	0
- Offender Education Program	6	9	18
- Weekend Intervention Program	*	*	8
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	*	0
Compulsive Gambling	0	0	0
Recovery Supports	8	10	21
Early Intervention	*	*	*

NUMBER ADMITTED	FY2014	FY2013	FY2012	PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Total Individuals	69	67	89	Alcohol	31	24	41
465				Marijuana / Hashish	16	16	11
AGE Under 18	*	*	*	Cocaine (total)	0	*	*
18 to 24	13	6	14	- Crack	0	0	0
25 to 29	12	20	21	Stimulant (total)	9	16	22
30 to 34	10	10	19	- Methamphetamine	9	16	21
35 to 39	10	11	8	Heroin	0	*	0
40 to 44	6	8	6	Analgesic except Heroin	12	7	13
45 to 54	9	7	16	- Non-Prescription Methadone	0	0	0
55 and Over	8	*	*	PCP, LSD, other Hallucinogen	0	*	0
33 and Over	0			Tranquilizer	*	0	0
GENDER				Inhalant	0	0	0
Male	46	48	67	Sedative	*	*	*
Female	23	19	22	Other Medication or Illicit Drug	0	0	0
				Average Age at First Use of Drug	17.0	17.6	18.2
RACE / ETHNICITY	00	0.5	00				
Caucasian	68	65 *	88	INJECTION DRUG USE			
African American	0		0	Any Injection Use at Admission	12	11	16
Native American / Alaskan	0	0	0	- Daily Injection Use	6	*	*
Asian / Pacific Islander	0	0	0	- Weekly Injection Use	*	*	*
Hispanic	*	*	*	- Less than Weekly Injection Use	5	7	14
Other Race / Two or More Races	*	*	*	, ,			
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	23	25	25	0	29	30	44
High School Graduate or G.E.D.	38	32	46	1 or 2	24	22	28
Associate Degree or Some College	8	10	18	3 or More	16	15	17
Bachelor or Advanced Degree	0	0	0	TREATMENT REFERRAL COURSE			
EMPLOYMENT				TREATMENT REFERRAL SOURCE Self / Family / Friend	10	30	25
Employed	24	19	33	School	0	0	0
Unemployed	25	21	22	Mental Health Provider	0	*	*
Not in Labor Force	20	27	34	Health Care Provider	10	5	*
Not in Labor 1 orce	20	21	34	Court / Criminal Justice	45	21	54
HOUSING / LIVING ARRANGEMENT				Other Referral Source	43 *	9	8
Independent Living	65	59	78	Other Referral Source		9	0
Dependent Living	*	5	*	TREATMENT ACCOUNT OR ATION			
Homeless	*	0	*	TREATMENT ACCOMMODATION	*	*	^
				Pregnant when Admitted to any Episode	_	*	0
MARITAL / FAMILY STATUS	20	2.4	20	Military Veteran	5 17		5 15
Never Married	30	34	32	Special Education Services Needed	17	18	15
Married / Cohabitating	25	15	31	Co-Occurring Psychological Problem	34	37	37
Previously Married	14	18	26	Co-Occurring Developmental Problem			

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Southwest
PSYCHIATRIC SERVICE AREA 9
CENSUS 2010 12,402
2014 POPULATION ESTIMATE 12,057

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.						
DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012			
Adjustment Disorder	*	5	6			
Anxiety Disorder	28	26	17			
Dementia	0	0	0			
Developmental Disorder	0	0	*			
Impulse Control Disorder	9	9	12			
Mood Disorder	31	34	39			
Personality Disorder	5	6	*			
Psychotic Disorder	*	6	7			
Sexual Disorder	0	0	0			
Other Diagnosis	6	6	*			
Diagnosis Unknown	9	9	7			

Individuals who received psychiatric services had the following types of

NUMBER SERVED	FY2014	FY2013	FY2012	EDUCATION	FY2014	FY2013	FY2012
Total Individuals	58	64	75	Less than High School Diploma	17	11	9
				High School Grad or G.E.D.	0	0	7
AGE	_		_	Associate Degree or Some College	0	0	*
Under 6	0	*	0	Bachelor or Advanced Degree	0	0	0
6 to 9	7			Education Level Unknown	41	53	55
10 to 13	6	6	6				
14 to 17	*		*	EMPLOYMENT			
18 to 24	*	*	6	Employed	*	*	*
25 to 29	*	*	*	Unemployed	*	0	16
30 to 34	*	9	6	Not in Labor Force	24	22	*
35 to 39	*	6	10	Employment Status Unknown	27	41	51
40 to 44	7	10	6				
45 to 49	6	6	15	HOUSING / LIVING ARRANGEMENT			
50 to 54	9	*	7	Independent Living	19	13	16
55 to 59	*	6	5	Dependent Living	14	11	8
60 and Over	5	5	5	Homeless	*	0	0
Age Unknown	0	0	0	Other	0	0	0
GENDER				Housing Unknown	23	40	51
Male	29	23	27				
Female	29	41	48	TREATMENT REFERRAL SOURCE			
Gender Unknown	0	0	0	Self / Family / Friend	42	39	42
Gender Officiowii	O	U	U	School	0	*	0
RACE / ETHNICITY				Mental Health Provider	*	0	*
Caucasian	52	61	71	Health Care Provider	6	9	13
African American	0	*	0	Court / Criminal Justice	6	10	11
Native American / Alaskan	0	0	0	Other	*	5	7
Asian / Pacific Islander	*	0	*	Referral Source Unknown	0	0	0
Hispanic	*	*	*				
Other Race	*	*	*	TYPE OF COMMITMENT	50	50	04
Race/Ethnicity Unknown	0	0	0	Voluntary	52	56	61
				Civil	5	8	13
TREATMENT ACCOMMODATION				Criminal	0	0	*
Hearing Impaired	*	0	*	Sexual Predatory	*	0	0
Past or Current Military Service	*	*	*	Commitment Type Unknown	0	0	0

MISSOURI STUDENT SURVEY

Descent of students who have averyond	2014	2012	2010
Percent of students who have ever used: Alcohol	28.7	27.5	35.8
Cigarettes	19.7	_	
Chewing Tobacco	16.6	11.5	-
Marijuana Marijuana	8.6	7.3	8.7
Inhalants	1.3	4.1	5.5
Prescription medications not prescribed for student	14.4	10.1	9.7
Over-the-counter medications for non-medical use	4.0	5.5	6.6
Methamphetamine	0.7	1.8	0.3
Cocaine	0.7	0.9	0.3
Heroin	0.7	1.9	0.3
Hallucinogens	1.3	1.4	2.1
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	2.0	0.9	1.0
Steroids not prescribed for student	1.3	3.3	0.7
Synthetic drugs (K2, bath salts, Spice, etc)	1.3	3.7	
Average age of students' first use of:			
Alcohol	13.13	11.80	12.62
Cigarettes		11.95	
Marijuana		12.30	
Inhalants	13.98	11.75	12.03
Percent of students who, in past 30 days, used:			
Alcohol	13.2	11.0	12.7
Alcohol (Binge: 5+ drinks on one occassion)		4.1	6.8
Cigarettes	6.6	10.1	14.4
Chewing Tobacco	7.3	6.0	6.7
Marijuana	2.0	2.8	3.1
Inhalants	1.3	2.8	3.5
Prescription medications not prescribed for student	7.2		_
Over-the-counter medications for non-medical use	2.0	3.2	3.5
Percent of students who, in past 2 weeks, used:			
Alcohol (Binge: 5+ drinks on one occassion)	8.7		
Percent whose friends used in past 12 months:			
Alcohol	41.2	41.3	46.0
Cigarettes	29.6		48.5
Marijuana	17.1		
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	5.2	8.3	15.6
•			
Percent who would likely use, if offered by a best friend:	40.0	20.0	40.7
Alcohol	19.9	22.0	19.7
Cigarettes Marijuana	7.2 7.9	10.6 5.6	16.1 7.3
Walijualia	7.9	5.0	1.5
Percent who say it would be wrong to use:			
Alcohol	72.7	72.9	72.7
Cigarettes	88.8	85.3	
Marijuana	86.7	90.2	87.8
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.4	94.4	94.8
Percent whose parents would disapprove if they use:			
Alcohol	83.7	83.6	86.8
Cigarettes	96.1	91.7	93.0
Marijuana	96.0	95.8	97.2
Percent who say it would be easy to obtain:			
Alcohol	50.7	48.4	51.0
Cigarettes	49.0	44.5	53.3
Marijuana	20.4	17.7	32.6
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	9.3	13.0	18.9

DENT SURVEY			
Percent who believe they risk harm if they use:	2014	2012	2010
Alcohol (1 or 2 drinks daily)	59.2		
Alcohol (Binge: 5+ drinks once or twice a week)	75.0		
Alcohol (any use)		75.9	87.1
Cigarettes (1+ packs per day)	83.3		
Cigarettes (any use)		79.2	85.7
Marijuana (once or twice a week)	70.6		
Marijuana (any use)		86.0	82.0
Other: Cocaine, LSD, Meth, Club Drug (any use)	92.8	94.4	96.5
Percent of students who, in past 30 days:			
Were very sad	23.7	20.2	27.7
Were grouchy, irritable, or in a bad mood	25.5	19.9	37.5
Felt hopeless about the future	10.6	8.7	17.8
Felt like not eating or eating more than usual	18.7	17.5	24.2
Slept a lot more or a lot less than usual	14.5	19.0	31.8
Had difficulty concentrating on school work	29.4	18.8	31.0
Percent of students who, in past 12 months:			
Seriously considered attempting suicide	9.2	9.6	13.7
Made plan about how they would attempt suicide	7.3	8.3	10.0
Attempted suicide	6.6	4.6	6.2
Attempted suicide and resulting injury, poisonng, or overdose			
had to be treated by doctor or nurse	2.0	1.4	1.5
Percent of students who, in past 12 months:			
Were threatened/injured with weapon at school	6.5	6.9	7.9
Were in a physical fight	18.4	19.9	21.0
Were in a fight and had to be treated by a doctor or nurse	3.3	3.2	3.4
Percent of students who, in past 3 months:			
Were victims of mean rumors or lies spread at school	51.6	55.0	57.2
Were made fun of by others	64.9	64.2	71.7
Were victims of an embarrassing or hurtful text message or		-	
something posted on the internet	25.8	23.9	20.1
Spread mean rumors or lies about other kids at school	28.9	35.3	33.7
Made fun of other people	65.1	64.2	72.5
Posted something on the internet or sent a text that might	16.4	14.4	12.5
embarrass or hurt another student	10.4	17.7	12.5
Percent of students who agree that:			
Teachers notice and comment on student's good work	73.9	73.9	62.5
School provides feedback to parents on positive student			
performance	40.8	34.1	34.4
Rules are enforced fairly	62.9	69.1	56.4
Students of all races/ethnicities are treated equal	81.6	81.1	85.5
Percent of students who agree that:			
Parents notice and comment on student's good work	80.3	84.3	82.5
Parents involve student in making family decisions	66.4	71.1	69.9
It is important to be honest with parents regardless of			
consequences	88.9	89.8	84.7
Student could ask parent for help with a personal problem	79.7	77.1	73.0
Missouri Student Survey is conducted bioppially			

Missouri Student Survey is conducted biennially.
Similar affirmative response choices for individual questions are combined.
Blank data cells indicate estimates are not available for item or geographic area. Survey is not conducted in every school district nor reported for every county. Estimates are not available for counties with small numbers of respondents. Percentages are estimates based on weighted data.

Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

BAILO GOGITTI							
DBH .	REGION	Southwest		IMPAIRED DRIVING	2013	2012	2011
DBH	SERVICE AREAS			Alcohol Involved CrashesTotal	13	18	14
Sut	ostance Use	8		Fatal Crashes	0	1	1
Adı	ult Psychiatric	8B		Injury Crashes	6	2	7
POPL	JLATION			Property Damage Crashes	7	15	6
	nsus 2010	17,049		Crash Fatalities	0	1	1
201	4 Estimate	16,584		Crash Injuries	6	3	10
13				Drug Involved CrashesTotal	10	6	5
				Fatal Crashes	0	0	0
BIRTH RISK	2013	2012	2011	Injury Crashes	6	3	4
Resident BirthsTotal	198	183	198	Property Damage Crashes	4	3	1
Mother Reported Smoking while Pr	egnant 38	48	57	Crash Fatalities Crash Injuries	0 6	0 3	0 4
DISEASE INCIDENCE 1	2013	2012	2011	Crash injunes	J	Ü	-
HIV/AIDS Cases	1	0	1	POLICE REPORTS	2013	2012	2011
Hepatitis B Chronic, Acute, Prenata	al 1	1	0	DUI Arrests, DWI Tracking System	122	116	91
Hepatitis C Chronic and Acute	11	12	7	Liquor Law Arrests	8	11	30
Tuberculosis Infection Cases	2	1	0	Drug Arrests	297	248	167
				Violent Offenses	96	51	65
DEATHS and INJURIES	2013	2012	2011	Property Offenses	468	493	449
Resident DeathsTotal	202	209	214	Domestic Violence Reports	97	153	127
Suicides	2	6	3		2014	2013	2012
Self-inflicted Injuries	26	13	19	Methamphetamine Lab Seizures	0	1	1
Homicides	0	0	2	SCHOOL REPORTS	2013-14	2012-13	2011-12
Assault Injuries	63	52	55	Enrollment Grades 9-12	740	802	773
Alcohol Induced Deaths	0	2	0	Drop-outs	4	15	16
Drug Induced Deaths Smoking Attributable Deaths	3 42	8 41	6 43	Drop-out Rate	0.5%	1.9%	2.1%
Smoking Attributable Deaths	42	41	43	School Discipline Involving Alcohol	0	0	1
HOSPITAL EPISODES 2	2013	2012	2011	School Discipline Involving Drugs	3	6	4
Hospitalization, no Emergency Roo	m:			School Discipline Involving Tobacco	0	0	0
Mental Illness Principal Diagnosis	146	121	126	JUVENILE COURT REFERRALS 3	2013	2012	2011
Mental Illness Secondary Diagnos	sis 365	322	344	Juvenile Violent Offenses	26	32	2011
Alcohol Principal Diagnosis	6	6	5	Juvenile Alcohol Offenses	4	5	7
Alcohol Secondary Diagnosis	21	17	26	Juvenile Drug Offenses	2	4	3
Drug Principal Diagnosis	9	6	11	School Truancy Status Offense	40	10	16
Drug Secondary Diagnosis	27	23	18	Absent from Home Status Offense	7	4	17
Emergency Room + Hospitalization				Beyond Parental Control Status Offense	12	13	26
Mental Illness Principal Diagnosis		28	19	Injurious Behavior Status Offense	53	41	64
Mental Illness Secondary Diagnos		234	219	Child Abuse	23	28	47
Alcohol Principal Diagnosis	4	2	7	Child Neglect	113	97	51
Alcohol Secondary Diagnosis	9	23	25	Child Custody Issues	4	1	3
Drug Principal Diagnosis	5	7	7	UNITARIE COURT DI ACCATANTO	2012	2012	2011
Drug Secondary Diagnosis Emergency Room, no Hospitalization	15	9	15	JUVENILE COURT PLACEMENTS Out-of-Home PlacementsTotal	2013 24	2012 8	2011 13
Mental Illness Principal Diagnosis		141	144	Parental Alcohol Use Related	0	0	0
Mental Illness Secondary Diagnos		987	521	Parental Drug Use Related	6	3	7
Alcohol Principal Diagnosis	23	27	22	Parental Alcohol and Drug Use	0	0	0
Alcohol Secondary Diagnosis	37	53	38	r dromary tooner and Drug Coo	Ü	· ·	Ü
Drug Principal Diagnosis	29	24	23	CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Secondary Diagnosis	55	72	31	Drug Court Participants	6	8	12
19 1111 111, 119 111				Probation/Parole AdmissionsDrug	55	69	51
ALCOHOL OUTLETS	2014	2013	2012	Probation/Parole AdmissionsDWI	13	11	12
Alcohol On-Premise Drink Licenses	s 12	15	16	Prison AdmissionsDrug	14	20	19
Alcohol Package Carry-out License	es 21	20	21	Prison AdmissionsDWI	5	5	2
EMPLOYMENT	2014	2013	2012	1 All Kansas City hepatitis and TB case report			
Labor Force	8,239	7,473	7,744	totals and all Joplin case reports are include Beginning with 2010 data, diagnosis counts			
Employed	7,666	6,929	7,107	based on codes developed by the Healthcar	e Cost and L	Itilization Pro	ject.
Unemployed	573	544	637	3 Beginning in 2013, juvenile municipal violati court orders are categorized as status offen:			
Unampleyment Pate	7.0%	7 20/	9 20/	Journ orders are eategorized as status offers	Joo moleau U	. iam violatioi	

7.0%

7.3%

8.2%

Unemployment Rate

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	5	*	5
CSTAR Adolescent	*	*	5
CSTAR Women and Children	7	*	*
CSTAR General Adult	117	117	115
CSTAR Opioid	0	0	0
Primary Recovery Treatment	*	*	*
Clinical SATOP (CIP, YCIP, SROP)	10	13	13
Other Substance Abuse Treatment	0	0	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	51	65	80
- Adolescent Diversion Education Prograr	0	0	0
- Offender Education Program	18	25	27
- Weekend Intervention Program	*	13	14
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	6	0	*
Compulsive Gambling	0	0	0
Recovery Supports	6	*	*
Early Intervention	9	*	*

NUMBER ADMITTED	FY2014	FY2013	FY2012	PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Total Individuals	150	137	136	Alcohol	60	56	48
				Marijuana / Hashish	34	27	36
AGE				Cocaine (total)	0	*	0
Under 18	7	*	*	- Crack	0	0	0
18 to 24	31	27	28	Stimulant (total)	36	38	36
25 to 29	20	21	23	- Methamphetamine	34	36	32
30 to 34	18	20	24	Heroin	0	0	*
35 to 39	18	14	17	Analgesic except Heroin	15	14	12
40 to 44	16	20	9	- Non-Prescription Methadone	0	0	0
45 to 54	33	24	24	PCP, LSD, other Hallucinogen	*	0	0
55 and Over	7	8	7	Tranquilizer	*	*	*
GENDER				Inhalant	0	0	0
Male	89	86	94	Sedative	0	0	0
Female	61	51	42	Other Medication or Illicit Drug	*	0	*
				Average Age at First Use of Drug	17.4	18.1	17.7
RACE / ETHNICITY	444	400	400				
Caucasian	141	132	133	INJECTION DRUG USE			
African American	•		_	Any Injection Use at Admission	18	18	17
Native American / Alaskan	*	0	0	- Daily Injection Use	*	*	*
Asian / Pacific Islander	0	0	0	- Weekly Injection Use	*	*	*
Hispanic	*	0	0	- Less than Weekly Injection Use	14	11	12
Other Race / Two or More Races	*	*	*	, , , , , , , , , , , , , , , , , , ,			
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	45	48	45	0	91	46	55
High School Graduate or G.E.D.	76	67	70	1 or 2	34	42	42
Associate Degree or Some College	29	22	21	3 or More	25	49	39
Bachelor or Advanced Degree	0	0	0	TREATMENT REFERRAL COURSE			
EA ADI OVA AFAIT				TREATMENT REFERRAL SOURCE Self / Family / Friend	42	79	64
EMPLOYMENT Employed	30	36	42	School	4Z *	0	0
Employed	57	43	42 35		*	6	5
Unemployed	_			Mental Health Provider	40	-	5 5
Not in Labor Force	63	58	59	Health Care Provider	13	9	_
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	43	6	30 32
Independent Living	115	126	115	Other Referral Source	44	35	32
Dependent Living	18	*	5				
Homeless	*	*	5	TREATMENT ACCOMMODATION	*	*	
				Pregnant when Admitted to any Episode			
MARITAL / FAMILY STATUS	70	07	50	Military Veteran	7	8	40
Never Married	72	67	56	Special Education Services Needed	6	7	10
Married / Cohabitating	55	39	46	Co-Occurring Psychological Problem	70 *	46	31
Previously Married	23	31	34	Co-Occurring Developmental Problem	•	12	11

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Southwest
PSYCHIATRIC SERVICE AREA 8B
CENSUS 2010 17,049
2014 POPULATION ESTIMATE 16,584

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.						
DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012			
Adjustment Disorder	7	5	*			
Anxiety Disorder	93	90	84			
Dementia	*	0	0			
Developmental Disorder	*	*	*			
Impulse Control Disorder	31	29	40			
Mood Disorder	127	130	134			
Personality Disorder	12	10	10			
Psychotic Disorder	23	27	27			
Sexual Disorder	0	0	0			
Other Diagnosis	18	19	17			
Diagnosis Unknown	24	16	9			

Individuals who received psychiatric services had the following types of

NUMBER SERVED	FY2014	FY2013	FY2012	EDUCATION	FY2014	FY2013	FY2012
Total Individuals	197	190	186	Less than High School Diploma	69	72	31
				High School Grad or G.E.D.	0	0	19
AGE				Associate Degree or Some College	0	0	*
Under 6	*	*	*	Bachelor or Advanced Degree	0	0	*
6 to 9	11	10	9	Education Level Unknown	128	118	130
10 to 13	17	24	23				
14 to 17	20	12	20	EMPLOYMENT			
18 to 24	14	19	15	Employed	13	*	10
25 to 29	20	17	16	Unemployed	9	9	36
30 to 34	16	14	15	Not in Labor Force	125	133	28
35 to 39	22	19	14	Employment Status Unknown	50	46	112
40 to 44	19	22	17				
45 to 49	21	17	19	HOUSING / LIVING ARRANGEMENT			
50 to 54	15	18	17	Independent Living	100	88	56
55 to 59	12	8	10	Dependent Living	50	59	23
60 and Over	9	8	9	Homeless	*	*	0
Age Unknown	0	0	0	Other	0	0	0
				Housing Unknown	46	41	107
GENDER	400	07	70				
Male	100	87	79	TREATMENT REFERRAL SOURCE			
Female	97	103	107	Self / Family / Friend	139	134	134
Gender Unknown	0	0	0	School	0	*	*
RACE / ETHNICITY				Mental Health Provider	*	5	8
Caucasian	186	182	179	Health Care Provider	23	22	23
African American	*	*	*	Court / Criminal Justice	7	0	*
Native American / Alaskan	5	*	*	Other	23	27	18
Asian / Pacific Islander	0	0	0	Referral Source Unknown	*	*	*
Hispanic	*	0	*				
Other Race	*	*	*	TYPE OF COMMITMENT			
Race/Ethnicity Unknown	0	0	0	Voluntary	195	189	185
	· ·	· ·	·	Civil	0	0	0
TREATMENT ACCOMMODATION				Criminal	*	0	0
Hearing Impaired	9	9	*	Sexual Predatory	0	0	0
Past or Current Military Service	7	*	5	Commitment Type Unknown	*	*	*

MISSOURI STUDENT SURVEY

				DEITH GOILVET			
Percent of students who have ever used:	2014	2012	2010	Percent who believe they risk harm if they use:	2014	2012	2010
Alcohol	30.9	41.2	43.7	Alcohol (1 or 2 drinks daily)	58.9		
Cigarettes	19.5	27.3	29.0	Alcohol (Binge: 5+ drinks once or twice a week)	70.4		
Chewing Tobacco	11.3	12.7	17.0	Alcohol (any use)		69.8	79.1
Marijuana	11.1	11.2	13.8	Cigarettes (1+ packs per day)	83.0		
Inhalants	2.9	3.9	5.1	Cigarettes (any use)		78.0	81.0
Prescription medications not prescribed for student	11.3	9.3	12.2	Marijuana (once or twice a week)	70.9		
Over-the-counter medications for non-medical use	2.9	2.3	6.7	Marijuana (any use)		76.1	68.5
Methamphetamine	0.5	0.4	1.4	Other: Cocaine, LSD, Meth, Club Drug (any use)	92.2	89.1	94.8
Cocaine	1.4	1.2	1.4	Percent of students who, in past 30 days:			
Heroin	0.0	0.4	8.0	Were very sad	20.9	24.6	22.4
Hallucinogens	1.5	2.4	4.9	Were grouchy, irritable, or in a bad mood	28.5	24.3	26.6
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.0	1.6	2.5	Felt hopeless about the future	14.1	12.1	15.4
Steroids not prescribed for student	1.0 5.9	0.8 6.2	8.0	Felt like not eating or eating more than usual	15.5	21.6	23.3
Synthetic drugs (K2, bath salts, Spice, etc)	5.9	0.2		Slept a lot more or a lot less than usual	18.8	21.6	29.5
Average age of students' first use of:				Had difficulty concentrating on school work	23.2	25.1	26.2
Alcohol		13.36		Percent of students who, in past 12 months:			
Cigarettes		12.06		Seriously considered attempting suicide	17.4	14.4	10.2
Marijuana		13.41		Made plan about how they would attempt suicide	7.8	10.5	8.3
Inhalants	12.65	10.85	12.31	Attempted suicide	4.3	4.7	4.6
Percent of students who, in past 30 days, used:				Attempted suicide and resulting injury, poisonng, or overdose	4.5	2.0	4.7
Alcohol	12.8	18.1	19.4	had to be treated by doctor or nurse	1.5	3.9	1.7
Alcohol (Binge: 5+ drinks on one occassion)		11.6	12.9	Percent of students who, in past 12 months:			
Cigarettes	7.3	13.1	15.3	Were threatened/injured with weapon at school	5.3	5.0	10.5
Chewing Tobacco	6.4	5.8	9.2	Were in a physical fight	15.0	15.1	24.0
Marijuana	2.9	4.6	6.5	Were in a fight and had to be treated by a doctor or nurse	1.9	3.5	3.5
Inhalants	1.0	8.0	2.4	Demonstration denter who is most 2 months.			
Prescription medications not prescribed for student	4.9	3.5	7.9	Percent of students who, in past 3 months:	49.8	47 O	60.0
Over-the-counter medications for non-medical use	0.5	1.2	4.3	Were victims of mean rumors or lies spread at school Were made fun of by others	49.8 58.0	47.9 63.6	60.9 74.5
Percent of students who, in past 2 weeks, used:				Were victims of an embarrassing or hurtful text message or	36.0	03.0	74.5
Alcohol (Binge: 5+ drinks on one occassion)	5.9			something posted on the internet	23.1	19.1	23.6
Percent whose friends used in past 12 months:				Spread mean rumors or lies about other kids at school	19.8	18.1	34.6
Alcohol	35.3	46.2	55.4	Made fun of other people	43.0	62.3	71.2
Cigarettes	25.7	42.5		Posted something on the internet or sent a text that might	40.5	40.0	45.0
Marijuana	16.7	21.4	33.0	embarrass or hurt another student	13.5	13.6	15.6
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	3.9	8.9	17.1	Percent of ctudents who agree that			
				Percent of students who agree that: Teachers notice and comment on student's good work	73.9	77.7	68.1
Percent who would likely use, if offered by a best friend:	04.4	00.0	00.0	School provides feedback to parents on positive student	70.0	11.1	00.1
Alcohol	21.4	32.0	36.2	performance	46.6	35.1	38.2
Cigarettes	10.6	19.0	16.4	Rules are enforced fairly	69.6	52.5	61.6
Marijuana	7.7	6.6	12.5	Students of all races/ethnicities are treated equal	85.9	86.4	80.1
Percent who say it would be wrong to use:				· ·			
Alcohol	71.7	57.8	55.3	Percent of students who agree that:	0 <i>E E</i>	70.4	70.6
Cigarettes	89.7	80.1	77.3	Parents notice and comment on student's good work	85.5 76.2	79.1 61.9	78.6 61.8
Marijuana	83.4	88.3	83.2	Parents involve student in making family decisions It is important to be honest with parents regardless of	70.2	01.9	01.0
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.1	97.3	95.4	consequences	85.0	88.8	83.6
Percent whose parents would disapprove if they use:				Student could ask parent for help with a personal problem	81.6	74.8	74.6
Alcohol	84.1	63.3	72.9	2.2.2.0.0 Sound and parone for norp that a porsonial problem		0	
Cigarettes	93.7	81.4	89.5	Missouri Student Survey is conducted biennially.			
Marijuana	96.6	97.6	93.2	Similar affirmative response choices for individual questions are			
Percent who say it would be easy to obtain:				Blank data cells indicate estimates are not available for item or Survey is not conducted in every school district nor reported for			
Alcohol	40.0	56.7	60.5	Estimates are not available for counties with small numbers of			
Cigarettes	38.0	59.0	55.7	Percentages are estimates based on weighted data. Some year-to-year differences in percentages are not statistica	lly signifi	cant.	
Marijuana	19.4	29.8	30.5				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	6.8	19.4	18.6	Data source: Missouri Institute of Mental Health, 2010-2014 Mis	ssouri Stu	udent Su	ırveys
•							

BEITTON GOOM	•						
DBH DBH	REGION	Southwest		IMPAIRED DRIVING	2013	2012	2011
DBH	SERVICE AREAS			Alcohol Involved CrashesTotal	17	23	26
Sul	bstance Use	8		Fatal Crashes	1	1	1
Ad Ad	ult Psychiatric	8B		Injury Crashes	7	9	12
<u> </u>	ULATION			Property Damage Crashes	9	13	13
Ce	nsus 2010	19,056		Crash Fatalities	1	1	1
20	14 Estimate	18,806		Crash Injuries	9	14	18
		-,		Drug Involved CrashesTotal	3	4	8
213				Fatal Crashes	0	0	1
				Injury Crashes	2	1	3
BIRTH RISK	2013	2012	2011	Property Damage Crashes	1	3	4
Resident BirthsTotal	138	125	167	Crash Fatalities	0	0	1
Mother Reported Smoking while Pr	regnant 43	37	57	Crash Injuries	3	1	5
DISEASE INCIDENCE 1	2013	2012	2011				
HIV/AIDS Cases	0	0	0	POLICE REPORTS	2013	2012	2011
Hepatitis B Chronic, Acute, Prenata	al 0	0	0	DUI Arrests, DWI Tracking System	94	106	128
Hepatitis C Chronic and Acute	18	11	14	Liquor Law Arrests	5	6	9
Tuberculosis Infection Cases	5	2	3	Drug Arrests	110	127	95
				Violent Offenses	62	87	48
DEATHS and INJURIES	2013	2012	2011	Property Offenses	443	537	406
Resident DeathsTotal	267	292	253	Domestic Violence Reports	108	97	120
Suicides	0	7	4		2014	2013	2012
Self-inflicted Injuries	27	24	28	Methamphetamine Lab Seizures	0	3	1
Homicides	2	3	0	SCHOOL BEDORTS	2013-14	2012-13	2011-12
Assault Injuries	51	54	41	SCHOOL REPORTS Enrollment Grades 9-12	820	809	765
Alcohol Induced Deaths	4	3	3	Drop-outs	17	9	703 27
Drug Induced Deaths	4	10	4	Drop-out Rate	2.1%	1.1%	3.5%
Smoking Attributable Deaths	60	63	49	School Discipline Involving Alcohol	2.1%	1.1%	3.5%
	2042	2042	2044	School Discipline Involving According School Discipline Involving Drugs	11	8	11
HOSPITAL EPISODES 2	2013	2012	2011	School Discipline Involving Tobacco	4	2	0
Hospitalization, no Emergency Roc		450	450	School Discipline Involving Tobacco	4	2	U
Mental Illness Principal Diagnosis		156	156	JUVENILE COURT REFERRALS 3	2013	2012	2011
Mental Illness Secondary Diagnos		531	609	Juvenile Violent Offenses	23	26	15
Alcohol Principal Diagnosis	15	15	13	Juvenile Alcohol Offenses	4	8	5
Alcohol Secondary Diagnosis	48	63	78	Juvenile Drug Offenses	3	11	9
Drug Principal Diagnosis	12	14	13	School Truancy Status Offense	27	52	60
Drug Secondary Diagnosis	34	28	28	Absent from Home Status Offense	5	9	6
Emergency Room + Hospitalization		47	04	Beyond Parental Control Status Offense	6	15	17
Mental Illness Principal Diagnosis		47	31	Injurious Behavior Status Offense	8	6	8
Mental Illness Secondary Diagnos		195	183	Child Abuse	19	21	36
Alcohol Principal Diagnosis	15	7	16	Child Neglect	46	55	51
Alcohol Secondary Diagnosis	37	25	32	Child Custody Issues	0	0	0
Drug Principal Diagnosis	9	10	8		2042	2042	2011
Drug Secondary Diagnosis	17	18	20	JUVENILE COURT PLACEMENTS	2013	2012	2011
Emergency Room, no Hospitalizati		450	400	Out-of-Home PlacementsTotal	9	8	6
Mental Illness Principal Diagnosis		150	139	Parental Alcohol Use Related	0	0	0
Mental Illness Secondary Diagnos		764	880	Parental Drug Use Related	0	1	2
Alcohol Principal Diagnosis	27	14	21	Parental Alcohol and Drug Use	0	0	0
Alcohol Secondary Diagnosis	59	42	39	CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Principal Diagnosis	21	21	26	Drug Court Participants	6	10	5
Drug Secondary Diagnosis	53	43	50	Probation/Parole AdmissionsDrug	37	23	26
ALCOHOL OUTLETS	2014	2013	2012	Probation/Parole AdmissionsDWI	7	8	9
Alcohol On-Premise Drink License		36	40	Prison AdmissionsDrug	21	15	18
Alcohol Package Carry-out License		31	34	Prison AdmissionsDWI	5	2	4
EMPLOYMENT	2014	2013	2012	1 All Kansas City hepatitis and TB case report	ts are include	ed in Jackson	County
Labor Force	7,146	8,411	7,890	totals and all Joplin case reports are include	ed in Jasper C	County totals.	
Employed	6,599	7,830	7,890 7,254	2 Beginning with 2010 data, diagnosis counts based on codes developed by the Healthcar			
Unemployed	547	7,630 581	636	3 Beginning in 2013, juvenile municipal violati	ons, infraction	ns, and violat	ions of
Unemployment Rate	7.7%		8.1%	court orders are categorized as status offen:	ses instead o	f law violation	ns.
p.oj	1.1 /0	3.070	J. 1 / 0				

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	*	*	5
CSTAR Adolescent	5	17	13
CSTAR Women and Children	*	7	7
CSTAR General Adult	122	109	129
CSTAR Opioid	0	0	0
Primary Recovery Treatment	*	*	12
Clinical SATOP (CIP, YCIP, SROP)	14	12	23
Other Substance Abuse Treatment	0	0	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	35	45	65
- Adolescent Diversion Education Prograr	0	0	0
- Offender Education Program	12	11	18
- Weekend Intervention Program	8	9	16
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	0	*
Compulsive Gambling	0	0	0
Recovery Supports	6	8	6
Early Intervention	*	0	0

NUMBER ADMITTED	FY2014	FY2013	FY2012	PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Total Individuals	148	154	184	Alcohol	48	48	81
465				Marijuana / Hashish	43	52	48
AGE Under 18	5	17	15	Cocaine (total)	*	0	*
18 to 24	22	35	30	- Crack	*	0	*
25 to 29	18	29	24	Stimulant (total)	47	36	33
30 to 34	27	19	30	- Methamphetamine	46	35	30
35 to 39	16	16	15	Heroin	*	*	*
40 to 44	21	8	20	Analgesic except Heroin	6	13	18
45 to 54	30	19	34	- Non-Prescription Methadone	0	0	*
55 and Over	9	11	16	PCP, LSD, other Hallucinogen	0	0	0
33 and Over	9	11	10	Tranquilizer	*	*	*
GENDER				Inhalant	0	0	0
Male	86	97	122	Sedative	*	*	0
Female	62	57	62	Other Medication or Illicit Drug	0	0	0
DACE / ETUNICITY				Average Age at First Use of Drug	17.1	16.6	18.2
RACE / ETHNICITY Caucasian	144	152	183				
African American	144	102	0	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	12	24	27
Asian / Pacific Islander	0	0	0	- Daily Injection Use	0	*	9
Hispanic	*	0	0	- Weekly Injection Use	*	6	5
Other Race / Two or More Races	*	*	*	- Less than Weekly Injection Use	10	16	13
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	44	57	70	0	98	111	95
High School Graduate or G.E.D.	74	75	84	1 or 2	39	24	47
Associate Degree or Some College	28	21	29	3 or More	11	19	42
Bachelor or Advanced Degree	*	*	*				
				TREATMENT REFERRAL SOURCE		0.4	00
EMPLOYMENT		07	0.5	Self / Family / Friend	51	94	88
Employed	29	27	35	School Market Hardth Barrislan	0	0	0
Unemployed	68	54	60	Mental Health Provider	*	*	
Not in Labor Force	51	73	89	Health Care Provider			9
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	48	39	67
Independent Living	121	123	148	Other Referral Source	43	15	18
Dependent Living	11	21	18				
Homeless	*	*	*	TREATMENT ACCOMMODATION		*	
				Pregnant when Admitted to any Episode	*	*	*
MARITAL / FAMILY STATUS	=-	25		Military Veteran			12
Never Married	59	89	84	Special Education Services Needed	7	8	7
Married / Cohabitating	50	29	47	Co-Occurring Psychological Problem	67	45 *	39
Previously Married	39	36	53	Co-Occurring Developmental Problem	*	*	*

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Southwest
PSYCHIATRIC SERVICE AREA 8B
CENSUS 2010 19,056
2014 POPULATION ESTIMATE 18,806

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.						
DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012			
Adjustment Disorder	14	21	19			
Anxiety Disorder	172	205	188			
Dementia	0	0	0			
Developmental Disorder	*	*	*			
Impulse Control Disorder	32	30	43			
Mood Disorder	187	214	232			
Personality Disorder	15	20	21			
Psychotic Disorder	31	33	40			
Sexual Disorder	0	*	0			
Other Diagnosis	40	38	35			
Diagnosis Unknown	25	32	31			

Individuals who received psychiatric services had the following types of

NUMBER SERVED	FY2014	FY2013	FY2012	EDUCATION	FY2014	FY2013	FY2012
Total Individuals	299	339	358	Less than High School Diploma	136	141	65
			-	High School Grad or G.E.D.	0	0	79
AGE				Associate Degree or Some College	0	0	17
Under 6	*	*	*	Bachelor or Advanced Degree	0	0	0
6 to 9	16	15	18	Education Level Unknown	163	198	197
10 to 13	28	28	39		.00		
14 to 17	34	30	36	EMPLOYMENT			
18 to 24	27	32	34	Employed	21	13	8
25 to 29	15	28	23	Unemployed	9	26	138
30 to 34	17	22	16	Not in Labor Force	213	240	21
35 to 39	22	26	25	Employment Status Unknown	56	60	191
40 to 44	23	33	28				
45 to 49	37	41	42	HOUSING / LIVING ARRANGEMENT			
50 to 54	33	38	39	Independent Living	146	184	140
55 to 59	31	31	35	Dependent Living	99	91	46
60 and Over	14	12	20	Homeless	*	5	*
Age Unknown	0	0	0	Other	0	0	*
CENDED				Housing Unknown	50	59	168
GENDER Male	144	163	166				
Female	155	176	192	TREATMENT REFERRAL SOURCE			
Gender Unknown	0		0	Self / Family / Friend	244	267	261
Gender Onknown	U	0	U	School	0	0	*
RACE / ETHNICITY				Mental Health Provider	10	14	19
Caucasian	290	330	350	Health Care Provider	19	23	34
African American	*	*	*	Court / Criminal Justice	*	*	*
Native American / Alaskan	0	0	0	Other	20	28	35
Asian / Pacific Islander	0	0	0	Referral Source Unknown	*	*	*
Hispanic	*	*	*				
Other Race	*	*	*	TYPE OF COMMITMENT	295	222	240
Race/Ethnicity Unknown	0	0	0	Voluntary		332	349
				Civil	0	*	
TREATMENT ACCOMMODATION	-		*	Criminal			^
Hearing Impaired	5	*		Sexual Predatory	0	0	0
Past or Current Military Service	*	6	9	Commitment Type Unknown	*	*	*

MISSOURI STUDENT SURVEY

Percent of students who have ever used:	2014	2012	2010	Percent who believe they risk harm if they use:	2014	2012	2010
Alcohol	50.3	44.3	54.0	Alcohol (1 or 2 drinks daily)	51.8		
Cigarettes	33.2	31.1	34.2	Alcohol (Binge: 5+ drinks once or twice a week)	62.8		
Chewing Tobacco	16.1	16.4	16.5	Alcohol (any use)		70.8	75.9
Marijuana	17.7	17.1	15.2	Cigarettes (1+ packs per day)	83.2		
Inhalants	3.7	7.0	9.7	Cigarettes (any use)		77.9	78.3
Prescription medications not prescribed for student	13.2	10.2	16.7	Marijuana (once or twice a week)	64.1		
Over-the-counter medications for non-medical use	2.1	3.3	9.9	Marijuana (any use)		73.8	69.0
Methamphetamine	1.6	1.2	1.8	Other: Cocaine, LSD, Meth, Club Drug (any use)	92.7	97.1	92.3
Cocaine	1.6	1.3	1.8	Percent of students who, in past 30 days:			
Heroin	1.1	1.2	0.6	Were very sad	23.4	20.5	24.3
Hallucinogens	2.1	4.1	3.2	Were grouchy, irritable, or in a bad mood	29.0	24.9	29.3
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	2.6	4.1	4.1	Felt hopeless about the future	15.1	8.7	11.5
Steroids not prescribed for student	1.1	1.6	0.9	Felt like not eating or eating more than usual	20.7	18.9	19.0
Synthetic drugs (K2, bath salts, Spice, etc)	4.3	5.7		Slept a lot more or a lot less than usual	20.4	26.2	31.0
Average age of students' first use of:				Had difficulty concentrating on school work	26.9	25.9	27.4
Alcohol	12.44	12.71	12.24	· ·			
Cigarettes	12.15	12.35	11.76	Percent of students who, in past 12 months:	16.0	12.0	15.7
Marijuana	13.36	13.43	12.10	Seriously considered attempting suicide Made plan about how they would attempt suicide	16.2 14.7	13.2 7.0	15.7 11.7
Inhalants	12.62	12.65	12.52	Attempted suicide	11.5	2.0	7.0
Percent of students who, in past 30 days, used:				Attempted suicide and resulting injury, poisoning, or overdose	11.5	2.0	7.0
Alcohol	18.8	19.4	23.1	had to be treated by doctor or nurse	3.2	1.3	4.2
Alcohol (Binge: 5+ drinks on one occassion)	10.0	12.2	12.6	·			
Cigarettes	14.8	16.3	17.8	Percent of students who, in past 12 months:	44.5	0.5	40.0
Chewing Tobacco	7.3	9.0	7.1	Were threatened/injured with weapon at school	11.5 24.0	6.5 19.6	12.3 26.3
Marijuana	7.3	8.6	8.7	Were in a physical fight Were in a fight and had to be treated by a doctor or nurse	24.0 4.7	1.2	∠6.3 3.5
Inhalants	1.1	2.0	4.4	were in a light and had to be treated by a doctor of hurse	4.7	1.2	3.5
Prescription medications not prescribed for student	5.3	5.3	7.7	Percent of students who, in past 3 months:			
Over-the-counter medications for non-medical use	1.6	1.2	6.6	Were victims of mean rumors or lies spread at school	58.9	52.5	59.2
Percent of ctudents who in pact 2 weeks used				Were made fun of by others	70.8	62.3	73.2
Percent of students who, in past 2 weeks, used: Alcohol (Binge: 5+ drinks on one occassion)	10.0			Were victims of an embarrassing or hurtful text message or	28.9	25.4	20.2
Alcohol (blinge: 5+ utiliks off one occassion)	10.0			something posted on the internet		-	
Percent whose friends used in past 12 months:				Spread mean rumors or lies about other kids at school	23.4	30.9	33.1
Alcohol	57.9	59.4	-	Made fun of other people	62.0	68.8	74.3
Cigarettes	45.3	52.0		Posted something on the internet or sent a text that might embarrass or hurt another student	19.7	21.7	19.9
Marijuana	32.5	32.2		Cribariass of fluit another student			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	11.0	17.3	18.0	Percent of students who agree that:			
Percent who would likely use, if offered by a best friend:				Teachers notice and comment on student's good work	71.0	74.9	73.6
Alcohol	37.7	38.3	42.8	School provides feedback to parents on positive student	33.7	45.3	41.9
Cigarettes	16.7	17.7	19.6	performance	55.7	40.0	41.5
Marijuana	15.7	10.4	14.0	Rules are enforced fairly	61.5	72.7	58.2
Demonstrate any It would be arrang to year				Students of all races/ethnicities are treated equal	82.6	81.9	77.1
Percent who say it would be wrong to use:	E0 2	61.2	E1 E	Percent of students who agree that:			
Alcohol Cigarettes	50.3 77.9	61.3 82.2		Parents notice and comment on student's good work	78.2	79.3	82.6
Marijuana	77.9 78.9	84.0	74.1 79.7	Parents involve student in making family decisions	63.0	66.9	68.2
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.4	95.1	92.4	It is important to be honest with parents regardless of	00.4	00.0	00.4
outer mich (cooding, LOD, mont, clab brag, ctc)	07.1	00.1	02.1	consequences	89.1	86.0	80.1
Percent whose parents would disapprove if they use:			_	Student could ask parent for help with a personal problem	70.4	74.9	73.7
Alcohol	71.6	74.0					
Cigarettes	87.9	88.7	89.2	Missouri Student Survey is conducted biennially.	o combi-	od	
Marijuana	91.5	95.3	95.5	Similar affirmative response choices for individual questions are Blank data cells indicate estimates are not available for item or			
Percent who say it would be easy to obtain:				Survey is not conducted in every school district nor reported for	r every co	ounty.	
Alcohol	60.7	61.3	64.0	Estimates are not available for counties with small numbers of Percentages are estimates based on weighted data.	esponde	nts.	
Cigarettes	55.5	52.1	65.8	Some year-to-year differences in percentages are not statistical	lly signifi	cant.	
Marijuana	31.6	36.4		Data source: Missouri Institute of Mental Health, 2010, 2014 Mis	ssouri St	udent Si	IL/O/6
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	12.6	15.5	26.7	Data source: Missouri Institute of Mental Health, 2010-2014 Mis	ssouri St	udeni Su	ii veys

DBH RE		Southeast		IMPAIRED DRIVING	2013	2012	2011
DBH SE	RVICE AREAS			Alcohol Involved CrashesTotal	18	25	18
L-1-4~	tance Use	21		Fatal Crashes	0	3	0
	Psychiatric	21		Injury Crashes	8	12	10
POPUL				Property Damage Crashes	10	10	8
	us 2010	12,363		Crash Fatalities	0	3	0
2014	Estimate	12,394		Crash Injuries	14	13	11
3				Drug Involved CrashesTotal	4	3	4
				Fatal Crashes	0	0	0
BIRTH RISK	2013	2012	2011	Injury Crashes	3	3	0
Resident BirthsTotal	121	146	146	Property Damage Crashes	1	0	4
Mother Reported Smoking while Preg	nant 32	31	47	Crash Fatalities	0	0	0
DISEASE MISIDENIES 1	2042	2042	2044	Crash Injuries	4	4	0
DISEASE INCIDENCE 1	2013	2012	2011	POLICE REPORTS	2013	2012	2011
HIV/AIDS Cases	0	0	0	DUI Arrests, DWI Tracking System	48	54	57
Hepatitis B Chronic, Acute, Prenatal	0	2	0	Liquor Law Arrests	6	17	19
Hepatitis C Chronic and Acute Tuberculosis Infection Cases	2 6	8 14	8	Drug Arrests	74	14	48
Tuberculosis infection Cases	0	14	3	Violent Offenses	40	17	38
DEATHS and INJURIES	2013	2012	2011	Property Offenses	140	125	144
Resident DeathsTotal	131	134	120	Domestic Violence Reports	32	29	27
Suicides	1	3	1	·	2014	2013	2012
Self-inflicted Injuries	11	15	7	Methamphetamine Lab Seizures	0	3	0
Homicides	0	1	0				
Assault Injuries	34	36	19	SCHOOL REPORTS	2013-14	2012-13	2011-12
Alcohol Induced Deaths	0	0	0	Enrollment Grades 9-12	2,172	546	592
Drug Induced Deaths	1	1	0	Drop-outs	34	6	7
Smoking Attributable Deaths	28	28	29	Drop-out Rate	1.6%	1.1%	1.2%
-				School Discipline Involving Alcohol	0	0	0
HOSPITAL EPISODES 2	2013	2012	2011	School Discipline Involving Drugs	2	5	0
Hospitalization, no Emergency Room				School Discipline Involving Tobacco	0	0	0
Mental Illness Principal Diagnosis	106	104	106	JUVENILE COURT REFERRALS 3	2013	2012	2011
Mental Illness Secondary Diagnosis		196	185	Juvenile Violent Offenses	14	12	9
Alcohol Principal Diagnosis	2	6	0	Juvenile Alcohol Offenses	5	4	5
Alcohol Secondary Diagnosis	29	18	24	Juvenile Drug Offenses	2	3	5
Drug Principal Diagnosis	1	7	6	School Truancy Status Offense	0	1	2
Drug Secondary Diagnosis	10	8	9	Absent from Home Status Offense	2	4	3
Emergency Room + Hospitalization:	-	40	-	Beyond Parental Control Status Offense	1	1	0
Mental Illness Principal Diagnosis	7	10	5	Injurious Behavior Status Offense	9	24	16
Mental Illness Secondary Diagnosis		170	158	Child Abuse	0	0	3
Alcohol Principal Diagnosis	5	6	1	Child Neglect	5	9	1
Alcohol Secondary Diagnosis	11	22	25	Child Custody Issues	19	24	31
Drug Principal Diagnosis	2	1	1	######################################	2012	2012	2011
Drug Secondary Diagnosis	5	11	5	JUVENILE COURT PLACEMENTS	2013	2012	2011
Emergency Room, no Hospitalization		0.0	01	Out-of-Home PlacementsTotal	26	24	21
Mental Illness Principal Diagnosis Mental Illness Secondary Diagnosis	76 154	98 324	81 133	Parental Alcohol Use Related Parental Drug Use Related	0 15	0 9	0 9
Alcohol Principal Diagnosis	134	324 10	6	Parental Alcohol and Drug Use	0	9	0
Alcohol Secondary Diagnosis	10	14	17	i aremai Alconoi and Didy Ose	U	ı	U
Drug Principal Diagnosis	10	8	8	CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Secondary Diagnosis	20	20	o 15	Drug Court Participants	0	0	0
Drag Octoridary Diagnosis	20	20	10	Probation/Parole AdmissionsDrug	26	14	19
ALCOHOL OUTLETS	2014	2013	2012	Probation/Parole AdmissionsDWI	7	9	7
Alcohol On-Premise Drink Licenses	10	9	10	Prison AdmissionsDrug	17	5	6
Alcohol Package Carry-out Licenses	11	12	12	Prison AdmissionsDWI	1	9	2
EMPLOYMENT	2014	2013	2012	1 All Kansas City hepatitis and TB case repor	ts are include	ed in Jackson	County
Labor Force	5,750	5,552	5,473	totals and all Joplin case reports are include	d in Jasper C	County totals.	
Employed	5,750	5,332 5,165	5,092	2 Beginning with 2010 data, diagnosis counts based on codes developed by the Healthcar			
Unemployed	3,304	3,103	204	3 Beginning in 2013, juvenile municipal violati			

386

6.7%

387

7.0%

381

7.0%

Unemployed

Unemployment Rate

3 Beginning in 2013, juvenile municipal violations, infractions, and violations of

court orders are categorized as status offenses instead of law violations.

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TD54T454T 64T566DV	FY2014	FY2013	FY2012
TREATMENT CATEGORY			
Detoxification	13	6	6
CSTAR Adolescent	*	*	7
CSTAR Women and Children	5	8	8
CSTAR General Adult	64	27	51
CSTAR Opioid	0	0	0
Primary Recovery Treatment	0	8	49
Clinical SATOP (CIP, YCIP, SROP)	6	10	10
Other Substance Abuse Treatment	0	*	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	38	40	71
- Adolescent Diversion Education Prograr	0	0	0
- Offender Education Program	15	22	34
- Weekend Intervention Program	15	5	19
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	*	0
Compulsive Gambling	*	0	0
Recovery Supports	18	16	*
Early Intervention	0	*	0

NUMBER ADMITTED	FY2014	FY2013	FY2012	PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Total Individuals	86	63	119	Alcohol	39	26	48
				Marijuana / Hashish	18	17	28
AGE				Cocaine (total)	*	*	*
Under 18	*	*	7	- Crack	0	*	*
18 to 24	16	8	26	Stimulant (total)	14	10	26
25 to 29	16	17	18	- Methamphetamine	13	10	24
30 to 34	16	11	24	Heroin	*	*	*
35 to 39	10	11	13	Analgesic except Heroin	6	7	9
40 to 44	5	*	6	- Non-Prescription Methadone	0	0	0
45 to 54	12	8	19	PCP, LSD, other Hallucinogen	*	0	0
55 and Over	9	*	6	Tranquilizer	*	*	5
GENDER				Inhalant	*	0	0
Male	58	37	78	Sedative	0	0	0
Female	28	26	41	Other Medication or Illicit Drug	0	0	0
				Average Age at First Use of Drug	16.3	17.5	16.4
RACE / ETHNICITY							
Caucasian	80	59	115	INJECTION DRUG USE			
African American	*	*	0	Any Injection Use at Admission	11	9	20
Native American / Alaskan	0	0	0	- Daily Injection Use	0	0	0
Asian / Pacific Islander	0	0	0	- Weekly Injection Use	*	*	*
Hispanic	*	0	*	- Less than Weekly Injection Use	9	7	18
Other Race / Two or More Races	*	*	*	Loos than Workly Injection Coo	Ü	•	.0
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	44	28	53	0	42	33	58
High School Graduate or G.E.D.	31	27	51	1 or 2	25	20	34
Associate Degree or Some College	11	8	15	3 or More	19	10	27
Bachelor or Advanced Degree	0	0	0	T054T454T 0555D044 604965			
514010144515				TREATMENT REFERRAL SOURCE	11	16	27
EMPLOYMENT	4.4	40	07	Self / Family / Friend	14	16	27
Employed	11	18	27	School Mantal Haalth Bravidan	0	0	0
Unemployed	35	26	42	Mental Health Provider		0	
Not in Labor Force	40	19	50	Health Care Provider	5		6
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	49	24	78
Independent Living	78	51	103	Other Referral Source	13	16	7
Dependent Living	8	12	14				
Homeless	0	0	*	TREATMENT ACCOMMODATION		_	
				Pregnant when Admitted to any Episode	*	5 *	*
MARITAL / FAMILY STATUS				Military Veteran	5		*
Never Married	38	29	55	Special Education Services Needed	19	8	11
Married / Cohabitating	25	17	30	Co-Occurring Psychological Problem	47	27	39
Previously Married	23	17	34	Co-Occurring Developmental Problem	13	*	8

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Southeast PSYCHIATRIC SERVICE AREA 21 CENSUS 2010 12,363 2014 POPULATION ESTIMATE 12,394

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.						
DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012			
Adjustment Disorder	56	33	48			
Anxiety Disorder	69	63	66			
Dementia	0	0	0			
Developmental Disorder	0	0	0			
Impulse Control Disorder	67	58	60			
Mood Disorder	257	234	250			
Personality Disorder	0	*	*			
Psychotic Disorder	67	63	70			
Sexual Disorder	*	*	0			
Other Diagnosis	17	11	14			
Diagnosis Unknown	26	45	101			

Individuals who received psychiatric services had the following types of

NUMBER SERVED	FY2014	FY2013	FY2012	EDUCATION	FY2014	FY2013	FY2012
Total Individuals	486	453	549	Less than High School Diploma	82	73	73
				High School Grad or G.E.D.	0	0	42
AGE				Associate Degree or Some College	0	0	12
Under 6	*	*	*	Bachelor or Advanced Degree	0	0	*
6 to 9	24	20	20	Education Level Unknown	404	380	418
10 to 13	39	31	43	244441011 20101 011111101111		000	
14 to 17	33	31	46	EMPLOYMENT			
18 to 24	47	45	60	Employed	*	10	21
25 to 29	40	46	44	Unemployed	*	*	101
30 to 34	45	36	48	Not in Labor Force	160	137	24
35 to 39	42	41	50	Employment Status Unknown	323	302	403
40 to 44	42	38	48				
45 to 49	46	55	60	HOUSING / LIVING ARRANGEMENT			
50 to 54	53	43	50	Independent Living	69	58	59
55 to 59	42	33	37	Dependent Living	93	95	89
60 and Over	31	33	40	Homeless	*	0	*
Age Unknown	0	0	0	Other	0	0	*
CENDED				Housing Unknown	323	300	399
GENDER Male	211	200	233				
Female	275	253	233 316	TREATMENT REFERRAL SOURCE			
Gender Unknown	0		0	Self / Family / Friend	300	285	380
Gender Offknown	U	0	U	School	7	8	*
RACE / ETHNICITY				Mental Health Provider	32	33	33
Caucasian	443	397	473	Health Care Provider	57	66	63
African American	7	11	11	Court / Criminal Justice	13	9	13
Native American / Alaskan	*	*	*	Other	75	50	56
Asian / Pacific Islander	0	0	0	Referral Source Unknown	*	*	*
Hispanic	23	25	46				
Other Race	12	17	18	TYPE OF COMMITMENT	404	440	540
Race/Ethnicity Unknown	0	0	0	Voluntary	481	448	543
				Civil	0	0	_
TREATMENT ACCOMMODATION	4-	40	0.4	Criminal			*
Hearing Impaired	17	10	21	Sexual Predatory	0	0	0
Past or Current Military Service	15	14	12	Commitment Type Unknown	*	*	*

MISSOURI STUDENT SURVEY

Percent of students who have ever used:	2014	2012	2010	Percent who believe they risk harm if they use:	2014	2012	2010
Alcohol	34.9	37.6	49.0	Alcohol (1 or 2 drinks daily)	52.4		
Cigarettes	24.7	31.5	35.1	Alcohol (Binge: 5+ drinks once or twice a week)	62.1		
Chewing Tobacco	17.8	18.2	25.6	Alcohol (any use)		70.0	78.9
Marijuana	9.7	10.5	12.0	Cigarettes (1+ packs per day)	81.0		
Inhalants	2.1	5.0	9.6	Cigarettes (any use)		76.9	76.5
Prescription medications not prescribed for student	7.6	9.4	15.7	Marijuana (once or twice a week)	69.9		
Over-the-counter medications for non-medical use	2.1	4.4	8.9	Marijuana (any use)		79.6	72.3
Methamphetamine	0.7	1.7	0.8	Other: Cocaine, LSD, Meth, Club Drug (any use)	91.8	95.6	89.7
Cocaine	0.7	1.1	0.8				
Heroin	0.7	0.6	0.8	Percent of students who, in past 30 days:	40.7	477	44.0
Hallucinogens	0.7	1.7	2.4	Were very sad	19.7	17.7	11.0
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.7	1.7	2.8	Were grouchy, irritable, or in a bad mood	24.7	22.2	23.4
Steroids not prescribed for student	0.7	1.7	0.4	Felt hopeless about the future	9.6	6.7	6.3
Synthetic drugs (K2, bath salts, Spice, etc)	2.1	4.4		Felt like not eating or eating more than usual	17.1	17.8	15.3
Average and of abudantal first use of				Slept a lot more or a lot less than usual	13.6	18.3	23.9
Average age of students' first use of: Alcohol	12.40	10 11	11 00	Had difficulty concentrating on school work	23.1	23.2	15.3
Cigarettes		12.11 12.28		Percent of students who, in past 12 months:			
•		13.36		Seriously considered attempting suicide	8.8	10.4	13.0
Marijuana Inhalants		12.86		Made plan about how they would attempt suicide	6.8	7.2	9.8
IIIIdidiiIS	11.20	12.00	11.52	Attempted suicide	2.7	4.4	7.0
Percent of students who, in past 30 days, used:				Attempted suicide and resulting injury, poisonng, or overdose	1.4	0.6	2.8
Alcohol	9.7	14.4	24.1	had to be treated by doctor or nurse	1.4	0.6	2.0
Alcohol (Binge: 5+ drinks on one occassion)		8.8	15.7	Percent of students who, in past 12 months:			
Cigarettes	9.7	14.3	14.9	Were threatened/injured with weapon at school	4.8	3.9	10.3
Chewing Tobacco	10.2	12.2	12.7	Were in a physical fight	19.0	16.1	26.0
Marijuana	3.5	3.9	4.4	Were in a fight and had to be treated by a doctor or nurse	2.7	1.6	6.3
Inhalants	0.7	2.2	5.2				
Prescription medications not prescribed for student	3.5	5.5	9.3	Percent of students who, in past 3 months:			
Over-the-counter medications for non-medical use	1.4	1.7	4.5	Were victims of mean rumors or lies spread at school	49.3	48.9	57.9
Percent of students who, in past 2 weeks, used:				Were made fun of by others	60.5	59.8	70.5
Alcohol (Binge: 5+ drinks on one occassion)	2.8			Were victims of an embarrassing or hurtful text message or something posted on the internet	19.0	19.1	21.6
-	2.0				040	040	04.0
Percent whose friends used in past 12 months:				Spread mean rumors or lies about other kids at school	24.3	24.9	31.0
Alcohol	41.5	45.3	-	Made fun of other people	57.8	60.2	70.5
Cigarettes	31.3	39.2		Posted something on the internet or sent a text that might embarrass or hurt another student	13.6	9.5	16.2
Marijuana	19.9	20.6	28.2	Cindulates of Hart allother Station			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	5.5	6.1	16.7	Percent of students who agree that:			
Percent who would likely use, if offered by a best friend:				Teachers notice and comment on student's good work	73.5	72.4	70.0
Alcohol	24.7	26.7	40.3	School provides feedback to parents on positive student	42.9	43.0	47.0
Cigarettes	11.7	15.5	18.6	performance	42.9	43.0	47.0
Marijuana	8.3	9.4	9.2	Rules are enforced fairly	64.6	67.4	64.2
				Students of all races/ethnicities are treated equal	81.5	79.4	74.3
Percent who say it would be wrong to use:	2.5	00.5	50 5	Percent of students who agree that:			
Alcohol	64.8	66.5	56.0	Parents notice and comment on student's good work	78.3	84.0	80.7
Cigarettes	82.9	77.7	74.2	Parents involve student in making family decisions	66.7	68.5	68.3
Marijuana	86.3	86.7	83.2	It is important to be honest with parents regardless of		20.0	
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.6	97.8	92.8	consequences	89.8	84.9	81.8
Percent whose parents would disapprove if they use:				Student could ask parent for help with a personal problem	76.2	77.2	73.0
Alcohol	80.3	83.2	75.7	2.22011 Sound done parotit for Holp Will a porsonial problem			. 0.0
Cigarettes	90.9	89.9	88.7	Missouri Student Survey is conducted biennially.			
Marijuana	94.4	93.8	95.5	Similar affirmative response choices for individual questions are			
•				Blank data cells indicate estimates are not available for item or Survey is not conducted in every school district nor reported for			•
Percent who say it would be easy to obtain: Alcohol	50.2	47.0	57 E	Estimates are not available for counties with small numbers of			
Cigarettes	50.3 49.7	47.2 48.1	57.5 61.3	Percentages are estimates based on weighted data. Some year-to-year differences in percentages are not statistica	ılly signifi	cant	
Marijuana	49.7 21.9	22.8	33.7	Some year-to-year unrecences in percentages are not statistical	ny signille	Jani.	
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	11.0	9.6	33. <i>1</i> 19.8	Data source: Missouri Institute of Mental Health, 2010-2014 Mi	ssouri St	udent Su	ırveys
Sansi micit (Cocame, LSD, Mctil, Ciub Diug, Cit)	11.0	9.0	13.0				

BOOKE GOOK!!!							
DBH RE	GION	Central		IMPAIRED DRIVING	2013	2012	2011
DBH SE	RVICE AREAS			Alcohol Involved CrashesTotal	161	163	143
Subst	tance Use	12		Fatal Crashes	3	6	6
Adult	Psychiatric	12		Injury Crashes	58	72	52
POPUL	•			Property Damage Crashes	100	85	85
	us 2010	162,642		Crash Fatalities	3	6	8
	Estimate	172,717		Crash Injuries	74	102	85
		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		Drug Involved CrashesTotal	22	20	24
<u></u>				Fatal Crashes	2	0	2
				Injury Crashes	5	12	13
BIRTH RISK	2013	2012	2011	Property Damage Crashes	15	8	9
Resident BirthsTotal	2,166	2,132	2,112	Crash Fatalities	2	0	3
Mother Reported Smoking while Preg	nant 289	309	291	Crash Injuries	7	23	15
DISEASE INCIDENCE 1	2012	2012	2011	Order injunes	,	20	10
DISEASE INCIDENCE 1 HIV/AIDS Cases	2013	2012	2011 7	POLICE REPORTS	2013	2012	2011
	5	5		DUI Arrests, DWI Tracking System	990	1,098	1,137
Hepatitis B Chronic, Acute, Prenatal	22	27	13	Liquor Law Arrests	661	768	895
Hepatitis C Chronic and Acute	130	162	160	Drug Arrests	958	1,026	1,179
Tuberculosis Infection Cases	431	257	292	Violent Offenses	570	627	716
DEATHS and INJURIES	2013	2012	2011	Property Offenses	5,645	5,579	5,528
Resident DeathsTotal	1,059	956	980	Domestic Violence Reports	1,562	1,738	1,722
Suicides	34	21	23	Zemeene Helenee Heperte	2014	2013	2012
Self-inflicted Injuries	140	142	130	Methamphetamine Lab Seizures	12	12	20
Homicides	5	3	4	Mothamphotamino Lab Collaros			20
Assault Injuries	455	450	463	SCHOOL REPORTS	2013-14	2012-13	2011-12
Alcohol Induced Deaths	433	7	403 9	Enrollment Grades 9-12	6,600	6,669	6,653
Drug Induced Deaths	23	18	24	Drop-outs	170	173	231
_		140	146	Drop-out Rate	2.6%	2.6%	3.5%
Smoking Attributable Deaths	155	140	140	School Discipline Involving Alcohol	0	5	0
HOSPITAL EPISODES 2	2013	2012	2011	School Discipline Involving Drugs	24	40	36
Hospitalization, no Emergency Room	:			School Discipline Involving Tobacco	0	1	0
Mental Illness Principal Diagnosis	356	384	410				
Mental Illness Secondary Diagnosis	1,328	2,119	2,341	JUVENILE COURT REFERRALS 3	2013	2012	2011
Alcohol Principal Diagnosis	43	66	64	Juvenile Violent Offenses	199	276	299
Alcohol Secondary Diagnosis	122	157	163	Juvenile Alcohol Offenses	16	15	15
Drug Principal Diagnosis	21	31	37	Juvenile Drug Offenses	90	95	87
Drug Secondary Diagnosis	107	120	111	School Truancy Status Offense	81	130	95
Emergency Room + Hospitalization:				Absent from Home Status Offense	190	141	96
Mental Illness Principal Diagnosis	1,090	952	762	Beyond Parental Control Status Offense	204	320	300
Mental Illness Secondary Diagnosis	•	1,598	1,010	Injurious Behavior Status Offense	199	243	331
Alcohol Principal Diagnosis	336	276	230	Child Abuse	56	54	47
Alcohol Secondary Diagnosis	325	209	165	Child Neglect	239	280	196
Drug Principal Diagnosis	145	117	131	Child Custody Issues	47	57	46
Drug Secondary Diagnosis	193	137	128	JUVENILE COURT PLACEMENTS	2013	2012	2011
Emergency Room, no Hospitalization				Out-of-Home PlacementsTotal	165	162	126
Mental Illness Principal Diagnosis	1,164	1,037	1,083	Parental Alcohol Use Related	8	4	9
Mental Illness Secondary Diagnosis		1,501	1,594	Parental Drug Use Related	62	69	19
Alcohol Principal Diagnosis	397	340	289	Parental Alcohol and Drug Use	8	5	4
Alcohol Secondary Diagnosis	409	281	237	r aromar riconor and Drug Coo	Ū	ŭ	•
Drug Principal Diagnosis	180	202	162	CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Secondary Diagnosis	300	192	192	Drug Court Participants	232	307	302
2.4g Coolidary Diagnosis	500	102	102	Probation/Parole AdmissionsDrug	238	282	275
ALCOHOL OUTLETS	2014	2013	2012	Probation/Parole AdmissionsDWI	53	67	102
Alcohol On-Premise Drink Licenses	253	243	233	Prison AdmissionsDrug	148	127	132
Alcohol Package Carry-out Licenses	115	119	117	Prison AdmissionsDWI	35	38	53
EMPLOYMENT	2014	2013	2012	1 All Kansas City hepatitis and TB case report			County
Labor Force	98,216	93,834	92,286	totals and all Joplin case reports are include Beginning with 2010 data, diagnosis counts			es are
Employed	94,156	89,639	88,027	based on codes developed by the Healthcar	e Cost and L	Jtilization Proj	ject.
Unemployed	4,060	4,195	4,259	3 Beginning in 2013, juvenile municipal violati court orders are categorized as status offen:			
Unemployment Rate	4.1%	4.5%	4.6%	Court orders are categorized as status oriens	instead 0	i iaw violatioi	10.

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	77	152	148
CSTAR Adolescent	59	74	58
CSTAR Women and Children	155	169	197
CSTAR General Adult	542	504	310
CSTAR Opioid	0	*	0
Primary Recovery Treatment	181	207	366
Clinical SATOP (CIP, YCIP, SROP)	179	194	189
Other Substance Abuse Treatment	5	*	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	820	938	942
- Adolescent Diversion Education Prograr	37	37	60
- Offender Education Program	345	401	387
- Weekend Intervention Program	153	197	186
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	36	44	60
Compulsive Gambling	*	0	*
Recovery Supports	*	6	7
Early Intervention	21	12	*

Total Individuals	NUMBER ADMITTED	FY2014	FY2013	FY2012	PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
AGE	Total Individuals	967	1,026	1,007	Alcohol	405	470	477
Under 18	ACE				Marijuana / Hashish	271	290	264
18 to 24		61	76	50	Cocaine (total)	95	70	112
25 to 29					- Crack	50	44	65
30 to 34					Stimulant (total)	83	64	52
122 119 101 Heroin 50 51					- Methamphetamine	82	57	41
Analgesic except Herrin					Heroin	50	51	39
174 159 173 173 174 159 173 173 174 175 173 173 174 175 173 173 174 175 173 175					Analgesic except Heroin	44	54	41
S5 and Over		_			- Non-Prescription Methadone	*	0	0
Franquilizer Fran					PCP, LSD, other Hallucinogen	12	11	8
Male	55 and Over	63	73	59	Tranquilizer	*	9	*
Male 663 644 647 Sedative *	GENDER				Inhalant	0	*	*
Average Age at First Use of Drug		663	644	647	Sedative	*	*	*
RACE / ETHNICITY Average Age at First Use of Drug 17.9 17.4 Caucasian 607 711 683 INJECTION DRUG USE African American 296 264 265 Any Injection Use at Admission 97 93 Native American / Alaskan * * * * * Daily Injection Use 27 19 Asian / Pacific Islander 7 5 7 - Daily Injection Use 35 34 Hispanic 19 12 23 - Less than Weekly Injection Use 35 34 Other Race / Two or More Races 40 38 38 - Less than Weekly Injection Use 35 34 Less than High School Diploma 250 272 292 0 500 517 High School Graduate or G.E.D. 409 399 405 1 or 2 324 387 Associate Degree or Some College 275 311 287 3 or More 143 122 Bachelor or Advanced Degree 31	Female	304	382	360	Other Medication or Illicit Drug	6	*	9
Caucasian 607 711 683 683 684 685					•	17.9	17.4	17.3
African American 296 264 265 INJECTION DRUG USE Native American / Alaskan * * * * * Any Injection Use at Admission 97 93 Asian / Pacific Islander 7 5 7 - Daily Injection Use 27 19 Hispanic 19 12 23 - Weekly Injection Use 35 34 Other Race / Two or More Races 40 38 38 - Less than Weekly Injection Use 35 40 EDUCATION LIFETIME DUI / DWI ARRESTS Less than High School Diploma 250 272 292 0 500 517 High School Graduate or G.E.D. 409 399 405 1 or 2 324 387 Associate Degree or Some College 275 311 287 3 or More 143 122 Bachelor or Advanced Degree 31 33 43 23 TREATMENT REFERRAL SOURCE EMPLOYMENT Solf / Family / Friend 350 400 Unemployed					3 3			
African American 296 264 265 Any Injection Use at Admission 97 93 Native American / Alaskan * * * * * * Daily Injection Use 27 19 Asian / Pacific Islander 7 5 7 - Weekly Injection Use 35 34 Hispanic 19 12 23 - Less than Weekly Injection Use 35 40 Other Race / Two or More Races 40 38 38 - Less than Weekly Injection Use 35 40 EDUCATION LIFETIME DUI / DWI ARRESTS Less than High School Diploma 250 272 292 0 500 517 High School Graduate or G.E.D. 409 399 405 1 or 2 324 387 Associate Degree or Some College 275 311 287 3 or More 143 122 Bachelor or Advanced Degree 33 43 23 TREATMENT REFERRAL SOURCE * * Employed 316 328 318 Scho					INIECTION DRUG LISE			
Native American / Alaskan 7 5 7 - Daily Injection Use 27 19 Asian / Pacific Islander 7 5 7 - Weekly Injection Use 35 34 Hispanic 19 12 23 - Less than Weekly Injection Use 35 34 Other Race / Two or More Races 40 38 38 - Less than Weekly Injection Use 35 40 EDUCATION LIFETIME DUI / DWI ARRESTS Less than High School Diploma 250 272 292 0 500 517 High School Graduate or G.E.D. 409 399 405 1 or 2 324 387 Associate Degree or Some College 275 311 287 3 or More 143 122 Bachelor or Advanced Degree 33 43 23 TREATMENT REFERRAL SOURCE Self / Family / Friend 350 400 Employed 316 328 318 School * * * Unemployed 339 355 362 <						97	93	73
Asian / Pacific Islander								24
19	Asian / Pacific Islander	7					_	30
EDUCATION LIFETIME DUI / DWI ARRESTS Less than High School Diploma 250 272 292 0 500 517 High School Graduate or G.E.D. 409 399 405 1 or 2 324 387 Associate Degree or Some College 275 311 287 3 or More 143 122 Bachelor or Advanced Degree 33 43 23 TREATMENT REFERRAL SOURCE EMPLOYMENT Self / Family / Friend 350 400 Employed 316 328 318 School * * * Unemployed 339 355 362 Mental Health Provider 7 19 Not in Labor Force 312 343 327 Health Care Provider 42 43 HOUSING / LIVING ARRANGEMENT Independent Living 732 790 818 Other Referral Source 120 65 Dependent Living 115 128 97 97 97 97 97 97 97	Hispanic	19						19
Less than High School Diploma 250 272 292 0 500 517 High School Graduate or G.E.D. 409 399 405 1 or 2 324 387 Associate Degree or Some College 275 311 287 3 or More 143 122 Bachelor or Advanced Degree 33 43 23 TREATMENT REFERRAL SOURCE EMPLOYMENT Self / Family / Friend 350 400 Employed 316 328 318 School * * * Unemployed 339 355 362 Mental Health Provider 7 19 Not in Labor Force 312 343 327 Health Care Provider 42 43 HOUSING / LIVING ARRANGEMENT Court / Criminal Justice 440 490 Independent Living 732 790 818 Dependent Living 732 790 818 Dependent Living 115 128 97	Other Race / Two or More Races	40	38	38	2000 than Woolly Injection Coc	00	10	
High School Graduate or G.E.D. 409 399 405 1 or 2 324 387 Associate Degree or Some College Bachelor or Advanced Degree 275 311 287 3 or More 143 122 TREATMENT REFERRAL SOURCE Self / Family / Friend 350 400 Employed 316 328 318 School * * * Unemployed 339 355 362 Mental Health Provider 7 19 Not in Labor Force 312 343 327 Health Care Provider 42 43 HOUSING / LIVING ARRANGEMENT Independent Living 732 790 818 Dependent Living 732 790 818 Dependent Living 115 128 97	EDUCATION				LIFETIME DUI / DWI ARRESTS			
Associate Degree or Some College Bachelor or Advanced Degree 33	Less than High School Diploma	250	272	292	0	500	517	518
Bachelor or Advanced Degree 33 43 23 TREATMENT REFERRAL SOURCE	High School Graduate or G.E.D.	409	399	405	1 or 2	324	387	359
### TREATMENT REFERRAL SOURCE Self / Family / Friend 350 400	Associate Degree or Some College	275	311	287	3 or More	143	122	130
EMPLOYMENT Self / Family / Friend 350 400 Employed 316 328 318 School * * * Unemployed 339 355 362 Mental Health Provider 7 19 Not in Labor Force 312 343 327 Health Care Provider 42 43 HOUSING / LIVING ARRANGEMENT Court / Criminal Justice 440 490 Independent Living 732 790 818 Other Referral Source 120 65 Dependent Living 115 128 97 <	Bachelor or Advanced Degree	33	43	23	TOTATACNT DEFENDAL COURCE			
Employed 316 328 318 School * * * Unemployed 339 355 362 Mental Health Provider 7 19 Not in Labor Force 312 343 327 Health Care Provider 42 43 HOUSING / LIVING ARRANGEMENT Court / Criminal Justice 440 490 Independent Living 732 790 818 Dependent Living 115 128 97	FAADI OVAAFAIT					350	400	370
Unemployed 339 355 362 Mental Health Provider 7 19 Not in Labor Force 312 343 327 Health Care Provider 42 43 HOUSING / LIVING ARRANGEMENT Court / Criminal Justice 440 490 Independent Living 732 790 818 Other Referral Source 120 65 Dependent Living 115 128 97 97 97 97		316	328	318	•	*		*
Not in Labor Force 312 343 327 Health Care Provider 42 43 HOUSING / LIVING ARRANGEMENT Court / Criminal Justice 440 490 Independent Living 732 790 818 Other Referral Source 120 65 Dependent Living 115 128 97						7	10	22
HOUSING / LIVING ARRANGEMENT Independent Living 732 790 818 Dependent Living 115 128 97 Court / Criminal Justice 440 490 Other Referral Source 120 65								28
HOUSING / LIVING ARRANGEMENT Independent Living 732 790 818 Dependent Living 115 128 97 Other Referral Source 120 65	Not in Labor Porce	312	343	321				526
Independent Living 732 790 818 Dependent Living 115 128 97	HOUSING / LIVING ARRANGEMENT					-		
Dependent Living 115 128 97	Independent Living	732	790	818	Other Referral Source	120	65	60
	Dependent Living	115	128	97				
Homeless 82 82 73	Homeless	82	82		TREATMENT ACCOMMODATION	_	40	4-
Pregnant when Admitted to any Episode 5 12					, ,			15
MARITAL / FAMILY STATUS Military Veteran 43 63		046	0.46	647				42
Never Married 616 619 617 Special Education Services Needed 73 108					•			111
Married / Cohabitating 169 191 191 Co-Occurring Psychological Problem 394 485	· ·		-	_				370
Previously Married 182 216 199 Co-Occurring Developmental Problem 20 60	Previously Married	182	216	199	Co-Occurring Developmental Problem	20	60	58

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Central
PSYCHIATRIC SERVICE AREA 12
CENSUS 2010 162,642
2014 POPULATION ESTIMATE 172,717

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.								
DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012					
Adjustment Disorder	91	75	76					
Anxiety Disorder	804	756	752					
Dementia	*	*	*					
Developmental Disorder	29	20	27					
Impulse Control Disorder	287	244	238					
Mood Disorder	1,138	1,117	1,080					
Personality Disorder	164	161	155					
Psychotic Disorder	340	349	326					
Sexual Disorder	5	*	*					
Other Diagnosis	132	110	100					
Diagnosis Unknown	95	98	182					

Individuals who received psychiatric services had the following types of

NUMBER SERVED	FY2014	FY2013	FY2012	EDUCATION	FY2014	FY2013	FY2012
Total Individuals	1,773	1,771	1,802	Less than High School Diploma	554	508	317
				High School Grad or G.E.D.	*	0	325
AGE				Associate Degree or Some College	0	0	209
Under 6	15	16	13	Bachelor or Advanced Degree	0	*	66
6 to 9	101	67	71	Education Level Unknown	1,218	1,262	885
10 to 13	126	130	126		, -	, -	
14 to 17	136	136	125	EMPLOYMENT			
18 to 24	142	175	225	Employed	199	197	174
25 to 29	155	158	178	Unemployed	208	326	702
30 to 34	167	165	168	Not in Labor Force	1,141	949	219
35 to 39	152	147	139	Employment Status Unknown	225	299	707
40 to 44	157	185	189				
45 to 49	176	187	180	HOUSING / LIVING ARRANGEMENT			
50 to 54	182	170	167	Independent Living	970	887	872
55 to 59	146	124	116	Dependent Living	426	450	229
60 and Over	118	111	105	Homeless	79	80	35
Age Unknown	0	0	0	Other	0	0	28
				Housing Unknown	298	354	638
GENDER				•			
Male	844	864	853	TREATMENT REFERRAL SOURCE			
Female	929	907	949	Self / Family / Friend	671	558	674
Gender Unknown	0	0	0	School	9	8	5
RACE / ETHNICITY				Mental Health Provider	130	115	137
Caucasian	1,156	1,150	1,222	Health Care Provider	485	625	575
African American	486	494	448	Court / Criminal Justice	169	206	167
Native American / Alaskan	*	5	6	Other	303	252	238
Asian / Pacific Islander	11	9	9	Referral Source Unknown	6	7	6
Hispanic	36	36	27				
Other Race	81	77	90	TYPE OF COMMITMENT			
Race/Ethnicity Unknown	0	0	0	Voluntary	1,738	1,737	1,772
•	· ·	· ·		Civil	8	5	6
TREATMENT ACCOMMODATION				Criminal	17	18	15
Hearing Impaired	72	67	61	Sexual Predatory	*	*	*
Past or Current Military Service	40	37	41	Commitment Type Unknown	7	7	7

MISSOURI STUDENT SURVEY

			• .
Percent of students who have ever used:	2014	2012	2010
Alcohol	37.2	46.9	47.7
Cigarettes	28.8		28.7
Chewing Tobacco	21.8		11.2
Marijuana	15.4	19.2	22.6
Inhalants	3.4	5.0	7.1
Prescription medications not prescribed for student	5.6	10.2	12.7
Over-the-counter medications for non-medical use	0.0	5.9	8.5
Methamphetamine	0.0	0.7	0.6
Cocaine	1.2	2.1	2.4
Heroin	0.0	0.4	0.7
Hallucinogens	0.0	1.6	4.2
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.2 0.0	1.9	3.3 0.5
Steroids not prescribed for student Synthetic drugs (K2, bath salts, Spice, etc)	2.2	1.8 6.8	0.5
	2.2	0.0	
Average age of students' first use of:	4477	40.00	40.00
Alcohol		12.86 12.67	
Cigarettes Marijuana		13.91	
Inhalants		12.52	
inidiants	13.54	12.52	12.50
Percent of students who, in past 30 days, used:			
Alcohol	11.2	_	
Alcohol (Binge: 5+ drinks on one occassion)		11.6	11.2
Cigarettes	13.3	10.6	13.0
Chewing Tobacco	7.2		5.8
Marijuana	4.4	7.0	
Inhalants Prescription medications not prescribed for student	0.0 4.5	1.3 3.7	
Over-the-counter medications for non-medical use	0.0	2.8	5.0
	0.0	2.0	0.0
Percent of students who, in past 2 weeks, used:			
Alcohol (Binge: 5+ drinks on one occassion)	4.5		
Percent whose friends used in past 12 months:			
Alcohol	60.5	-	
Cigarettes		49.8	
Marijuana	19.3		
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	2.2	14.8	22.8
Percent who would likely use, if offered by a best friend:			
Alcohol	31.8	37.4	35.8
Cigarettes	14.5	16.3	14.7
Marijuana	5.6	11.3	17.0
Percent who say it would be wrong to use:			
Alcohol	51.9	56.3	53.3
Clgarettes	75.1		77.3
Marijuana	85.3	83.9	76.0
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	98.8	96.1	94.1
Percent whose parents would disapprove if they use:			
Alcohol	77.8	76.5	76.1
Cigarettes	91.0	89.4	89.9
Marijuana	97.6	94.8	91.8
•			
Percent who say it would be easy to obtain: Alcohol	57.1	60 F	65.5
Cigarettes	50.0	60.5 56.9	
Marijuana	24.5		
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	4.4		
(,,,,,,	•••	•••	

DENT SURVEY			
Descent who helieve they riek how if they year	2014	2012	2010
Percent who believe they risk harm if they use:	40.4		
Alcohol (1 or 2 drinks daily)	40.1		
Alcohol (Binge: 5+ drinks once or twice a week)	52.8		
Alcohol (any use)		68.2	70.1
Cigarettes (1+ packs per day)	79.7		
Cigarettes (any use)		79.9	80.2
Marijuana (once or twice a week)	59.7		
Marijuana (any use)		74.4	70.9
Other: Cocaine, LSD, Meth, Club Drug (any use)	87.2	93.0	93.2
Percent of students who, in past 30 days:			
Were very sad	19.0	15.1	23.4
Were grouchy, irritable, or in a bad mood	32.1	21.1	34.0
Felt hopeless about the future	11.4	12.0	15.0
Felt like not eating or eating more than usual	13.1	15.9	23.1
Slept a lot more or a lot less than usual	17.0	19.8	32.3
Had difficulty concentrating on school work	27.0	22.2	29.2
Percent of students who, in past 12 months:			
Seriously considered attempting suicide	5.3	9.1	13.4
Made plan about how they would attempt suicide	6.3	7.6	8.9
Attempted suicide	0.0	4.6	5.2
Attempted suicide and resulting injury, poisonng, or overdose	0.0	4.0	5.2
had to be treated by doctor or nurse	1.2	1.3	1.9
Percent of students who, in past 12 months:			
Were threatened/injured with weapon at school	3.7	6.2	8.7
Were in a physical fight	18.7	17.7	17.9
Were in a fight and had to be treated by a doctor or nurse	1.2	3.1	2.2
Percent of students who, in past 3 months:			
Were victims of mean rumors or lies spread at school	58.4	42.4	52.4
Were made fun of by others	63.6	62.9	68.5
Were victims of an embarrassing or hurtful text message or	00.0	02.0	00.0
something posted on the internet	18.4	19.2	18.1
Spread mean rumors or lies about other kids at school	18.4	20.9	30.8
Made fun of other people	56.9	64.9	75.9
Posted something on the internet or sent a text that might	04.7	4- 4	40.5
embarrass or hurt another student	21.7	15.1	16.5
Percent of students who agree that:			
Teachers notice and comment on student's good work	78.2	70.1	69.9
School provides feedback to parents on positive student			00.0
performance	47.8	43.5	42.3
Rules are enforced fairly	74.0	67.4	67.3
Students of all races/ethnicities are treated equal	76.1	78.7	70.3
Percent of students who agree that:			
Parents notice and comment on student's good work	91.2	82.9	83.8
Parents involve student in making family decisions	61.0	70.1	70.2
It is important to be honest with parents regardless of	01.0		. 5.2
consequences	94.4	86.7	82.0
Student could ask parent for help with a personal problem	91.3	78.5	76.3
	-		
Missouri Student Survey is conducted bioppially			

Missouri Student Survey is conducted biennially.
Similar affirmative response choices for individual questions are combined.
Blank data cells indicate estimates are not available for item or geographic area. Survey is not conducted in every school district nor reported for every county. Estimates are not available for counties with small numbers of respondents. Percentages are estimates based on weighted data.

Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

20011/11/11/000111	•						
DBH REGION	v	Western		IMPAIRED DRIVING	2013	2012	2011
DBH SERVIC	E AREAS			Alcohol Involved CrashesTotal	126	121	90
Substance	e Use	1		Fatal Crashes	1	5	2
Adult Psy	chiatric	1		Injury Crashes	55	52	35
POPULATION				Property Damage Crashes	70	64	53
Census 2	010	89,201		Crash Fatalities	1	7	2
2014 Esti	mate	89,486		Crash Injuries	73	75	51
		,		Drug Involved CrashesTotal	32	28	24
213				Fatal Crashes	1	2	1
				Injury Crashes	11	12	13
BIRTH RISK	2013	2012	2011	Property Damage Crashes	20	14	10
Resident BirthsTotal	1,154	1,212	1,215	Crash Fatalities	2	3	1
Mother Reported Smoking while Pregnant	t 289	351	300	Crash Injuries	18	20	13
DISEASE INCIDENCE 1	2013	2012	2011				
HIV/AIDS Cases	7	3	6	POLICE REPORTS	2013	2012	2011
Hepatitis B Chronic, Acute, Prenatal	14	16	15	DUI Arrests, DWI Tracking System	491	403	505
Hepatitis C Chronic and Acute	95	76	147	Liquor Law Arrests	243	203	239
Tuberculosis Infection Cases	15	26	22	Drug Arrests	705	620	619
Tubbliodiolio illicotioni Gudoc	10	20		Violent Offenses	399	348	308
DEATHS and INJURIES	2013	2012	2011	Property Offenses	4,674	5,062	4,372
Resident DeathsTotal	942	979	982	Domestic Violence Reports	898	769	829
Suicides	17	8	14		2014	2013	2012
Self-inflicted Injuries	190	169	171	Methamphetamine Lab Seizures	1	3	2
Homicides	2	2	5				
Assault Injuries	456	447	547	SCHOOL REPORTS	2013-14	2012-13	2011-12
Alcohol Induced Deaths	11	6	7	Enrollment Grades 9-12	3,788	3,786	3,691
Drug Induced Deaths	15	10	10	Drop-outs	25	76	88
Smoking Attributable Deaths	167	181	172	Drop-out Rate	0.7%	2.0%	2.4%
				School Discipline Involving Alcohol	12	4	2
HOSPITAL EPISODES 2	2013	2012	2011	School Discipline Involving Drugs	23	28	48
Hospitalization, no Emergency Room:				School Discipline Involving Tobacco	1	0	0
Mental Illness Principal Diagnosis	615	703	941	JUVENILE COURT REFERRALS 3	2013	2012	2011
Mental Illness Secondary Diagnosis	643	750	708	Juvenile Violent Offenses	108	127	155
Alcohol Principal Diagnosis	36	68	75	Juvenile Alcohol Offenses	16	17	8
Alcohol Secondary Diagnosis	51	49	50	Juvenile Drug Offenses	26	26	29
Drug Principal Diagnosis	41	62	65	School Truancy Status Offense	329	229	125
Drug Secondary Diagnosis	52	56	40	Absent from Home Status Offense	124	100	120
Emergency Room + Hospitalization:				Beyond Parental Control Status Offense	100	138	68
Mental Illness Principal Diagnosis	871	860	603	Injurious Behavior Status Offense	11	40	8
Mental Illness Secondary Diagnosis	1,503	1,590	1,894	Child Abuse	9	16	13
Alcohol Principal Diagnosis	142	141	166	Child Neglect	93	70	35
Alcohol Secondary Diagnosis	232	264	259	Child Custody Issues	0	1	0
Drug Principal Diagnosis	132	109	91		•	•	
Drug Secondary Diagnosis	159	152	167	JUVENILE COURT PLACEMENTS	2013	2012	2011
Emergency Room, no Hospitalization:				Out-of-Home PlacementsTotal	52	60	33
Mental Illness Principal Diagnosis	1,142	1,250	1,310	Parental Alcohol Use Related	0	0	4
Mental Illness Secondary Diagnosis	1,188	1,350	1,749	Parental Drug Use Related	8	12	2
Alcohol Principal Diagnosis	294	343	291	Parental Alcohol and Drug Use	1	6	0
Alcohol Secondary Diagnosis	321	255	236	CDINAINAL ILICTICE	EV2014	EV2012	EV2012
Drug Principal Diagnosis	162	148	147	CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Secondary Diagnosis	206	197	165	Drug Court Participants	220 415	271 363	244 384
	_			Probation/Parole AdmissionsDrug Probation/Parole AdmissionsDWI	415 52	363 81	384 98
ALCOHOL OUTLETS	2014	2013	2012	Prison AdmissionsDrug	52 251	245	230
Alcohol On-Premise Drink Licenses	119	115	118	Prison AdmissionsDrug Prison AdmissionsDWI	251 35	33	230 37
Alcohol Package Carry-out Licenses	85	83	82	1 113011 Autili3310113D441	აა	აა	31
EMPLOYMENT	2014	2013	2012	1 All Kansas City hepatitis and TB case report			County
Labor Force	47,454	51,111	51,416	totals and all Joplin case reports are include Beginning with 2010 data, diagnosis counts			es are
Employed	44,822	48,312	48,525	based on codes developed by the Healthcar	e Cost and U	Itilization Pro	ject.
Unemployed	2,632	2,799	2,891	3 Beginning in 2013, juvenile municipal violati			
Unemployment Rate	5.5%	5.5%	5.6%	court orders are categorized as status offens	oes iiisiedu 0	ı ıaw violatior	13.

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	154	172	196
CSTAR Adolescent	89	82	92
CSTAR Women and Children	12	12	7
CSTAR General Adult	521	572	313
CSTAR Opioid	*	*	0
Primary Recovery Treatment	11	23	289
Clinical SATOP (CIP, YCIP, SROP)	67	68	79
Other Substance Abuse Treatment	0	*	*

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	363	360	398
- Adolescent Diversion Education Prograr	5	*	10
- Offender Education Program	164	164	166
- Weekend Intervention Program	77	81	84
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	6	8	11
Compulsive Gambling	*	*	5
Recovery Supports	7	12	7
Early Intervention	17	51	163

NUMBER ADMITTED	FY2014	FY2013	FY2012	PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Total Individuals	749	806	770	Alcohol	224	260	294
				Marijuana / Hashish	196	267	235
AGE				Cocaine (total)	30	22	48
Under 18	85	84	89	- Crack	21	18	40
18 to 24	121	161	120	Stimulant (total)	184	162	107
25 to 29	121	126	131	- Methamphetamine	178	161	107
30 to 34	119	120	98	Heroin	6	7	*
35 to 39	71	70	80	Analgesic except Heroin	89	80	73
40 to 44	66	69	71	- Non-Prescription Methadone	0	*	0
45 to 54	122	127	143	PCP, LSD, other Hallucinogen	7	*	*
55 and Over	44	49	38	Tranquilizer	7	*	*
GENDER				Inhalant	*	0	*
Male	495	569	556	Sedative	*	*	0
Female	254	237	214	Other Medication or Illicit Drug	*	*	*
				Average Age at First Use of Drug	18.6	17.7	17.3
RACE / ETHNICITY							
Caucasian	639	666	653	INJECTION DRUG USE			
African American	71	102	81 *	Any Injection Use at Admission	125	102	83
Native American / Alaskan	*	0	*	- Daily Injection Use	35	25	24
Asian / Pacific Islander	*	*		- Weekly Injection Use	30	30	19
Hispanic	21	28	25	- Less than Weekly Injection Use	60	47	40
Other Race / Two or More Races	23	22	19				
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	272	290	255	0	499	509	466
High School Graduate or G.E.D.	359	386	374	1 or 2	160	191	191
Associate Degree or Some College	109	127	131	3 or More	90	106	113
Bachelor or Advanced Degree	9	*	10	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	363	266	190
Employed	174	211	200	School	*	0	*
Unemployed	228	428	365	Mental Health Provider	5	11	21
Not in Labor Force	347	167	205	Health Care Provider	42	34	57
Not in Labor Porce	347	107	203	Court / Criminal Justice	313	444	447
HOUSING / LIVING ARRANGEMENT				Other Referral Source	21	444	447
Independent Living	499	537	540	Other Referral Source	21	44	41
Dependent Living	147	180	160	TREATMENT ACCOMMAND ATION			
Homeless	75	72	63	TREATMENT ACCOMMODATION	6	-	-
AAADITAL / FAAAU V STATUS				Pregnant when Admitted to any Episode	6	5 46	5
MARITAL / FAMILY STATUS	460	400	464	Military Veteran	20	46	33
Never Married	466	499	461	Special Education Services Needed	74	81	12
Married / Cohabitating	120	141	136	Co-Occurring Psychological Problem	214	267	112
Previously Married	163	166	173	Co-Occurring Developmental Problem	23	28	8

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Western
PSYCHIATRIC SERVICE AREA
CENSUS 2010 89,201
2014 POPULATION ESTIMATE 89,486

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.						
DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012			
Adjustment Disorder	76	63	85			
Anxiety Disorder	539	510	477			
Dementia	8	*	*			
Developmental Disorder	32	18	18			
Impulse Control Disorder	331	387	427			
Mood Disorder	920	884	885			
Personality Disorder	149	141	143			
Psychotic Disorder	396	392	391			
Sexual Disorder	*	*	0			
Other Diagnosis	239	247	268			
Diagnosis Unknown	169	193	281			

Individuals who received psychiatric services had the following types of

NUMBER SERVED	FY2014	FY2013	FY2012	EDUCATION	FY2014	FY2013	FY2012
Total Individuals	1,630	1,747	1,901	Less than High School Diploma	566	690	342
		·	•	High School Grad or G.E.D.	*	30	436
AGE				Associate Degree or Some College	0	15	155
Under 6	37	55	61	Bachelor or Advanced Degree	0	*	31
6 to 9	134	173	195	Education Level Unknown	1,060	1,011	937
10 to 13	118	164	202		1,222	.,	
14 to 17	111	138	194	EMPLOYMENT			
18 to 24	116	124	128	Employed	101	86	112
25 to 29	130	120	109	Unemployed	134	191	749
30 to 34	118	104	108	Not in Labor Force	968	1,028	114
35 to 39	113	116	128	Employment Status Unknown	427	442	926
40 to 44	133	142	139				
45 to 49	162	153	194	HOUSING / LIVING ARRANGEMENT			
50 to 54	203	204	196	Independent Living	643	682	686
55 to 59	119	118	111	Dependent Living	540	619	406
60 and Over	136	136	136	Homeless	41	23	25
Age Unknown	0	0	0	Other	0	0	13
				Housing Unknown	406	423	771
GENDER				•			
Male	906	984	1,058	TREATMENT REFERRAL SOURCE			
Female	724	763	843	Self / Family / Friend	575	555	588
Gender Unknown	0	0	0	School	80	114	118
RACE / ETHNICITY				Mental Health Provider	350	386	456
Caucasian	1,329	1,419	1,543	Health Care Provider	246	276	295
African American	162	175	201	Court / Criminal Justice	183	177	160
Native American / Alaskan	5	9	12	Other	171	220	263
Asian / Pacific Islander	*	*	*	Referral Source Unknown	25	19	21
Hispanic	62	61	59				
Other Race	71	81	84	TYPE OF COMMITMENT			
Race/Ethnicity Unknown	0	0	0	Voluntary	1,490	1,615	1,766
race, Enmony Charletti	O	U	0	Civil	8	12	14
TREATMENT ACCOMMODATION				Criminal	107	101	100
Hearing Impaired	82	103	107	Sexual Predatory	0	0	0
Past or Current Military Service	65	71	73	Commitment Type Unknown	25	19	21

MISSOURI STUDENT SURVEY

	IVIIOO	OUR	(1310
Descent of students who have every used.	2014	2012	2010
Percent of students who have ever used: Alcohol	24.0	31.9	39.8
Cigarettes	18.6	21.5	
Chewing Tobacco	6.3	10.1	
Marijuana	12.7	14.2	
Inhalants	3.2	5.8	
Prescription medications not prescribed for student	5.9	7.0	
Over-the-counter medications for non-medical use	2.3	4.7	
Methamphetamine	1.0	0.3	_
Cocaine	0.7	1.2	-
Heroin	0.2	0.2	-
Hallucinogens	1.9	1.7	
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.2	1.2	1.6
Steroids not prescribed for student	0.6	0.8	
Synthetic drugs (K2, bath salts, Spice, etc)	3.3	6.6	
Average age of students' first use of:	10.41	12.58	10.47
Alcohol		12.56	
Cigarettes		13.45	_
Marijuana Inhalants		11.89	
IIIIdiditS	10.76	11.09	12.00
Percent of students who, in past 30 days, used:			
Alcohol	6.7	12.4	18.2
Alcohol (Binge: 5+ drinks on one occassion)		7.9	10.5
Cigarettes	6.8	10.6	15.5
Chewing Tobacco	2.6	5.2	7.2
Marijuana	5.4	7.2	6.9
Inhalants	1.2	1.9	3.3
Prescription medications not prescribed for student	2.6	3.8	5.5
Over-the-counter medications for non-medical use	1.1	2.8	4.7
Percent of students who, in past 2 weeks, used:			
Alcohol (Binge: 5+ drinks on one occassion)	2.0		
-			
Percent whose friends used in past 12 months:	20.2	47.0	50 F
Alcohol	32.3	47.8	
Cigarettes	31.9	40.2	
Marijuana Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	25.9	35.0	36.1 18.4
Other mich (Cocame, LSD, Meth, Club Drug, etc)	8.0	16.1	10.4
Percent who would likely use, if offered by a best friend:			
Alcohol	14.9	22.9	31.3
Cigarettes	9.3	11.0	16.5
Marijuana	10.5	12.1	10.0
Percent who say it would be wrong to use:			
Alcohol	77.1	70.9	63.4
Cigarettes	87.6	84.3	
Marijuana	83.2	83.9	
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.5	96.3	94.8
	00.0	00.0	00
Percent whose parents would disapprove if they use:			
Alcohol	89.3	86.5	
Cigarettes	94.0	94.0	
Marijuana	92.6	94.3	95.1
Percent who say it would be easy to obtain:			
Alcohol	38.8	45.6	53.3
Cigarettes	37.9	44.5	54.2
Marijuana	27.8	31.4	32.3
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	9.3	13.0	16.8

DENT SURVET			
Dercent who hollows they rick harm if they use.	2014	2012	2010
Percent who believe they risk harm if they use: Alcohol (1 or 2 drinks daily)	61.5		
Alcohol (Binge: 5+ drinks once or twice a week)	72.6		
	72.0	74.6	79.1
Alcohol (any use) Cigarettes (1+ packs per day)	84.8	74.0	79.1
Cigarettes (any use)	04.0	81.6	81.9
Marijuana (once or twice a week)	65.1	01.0	01.9
Marijuana (once of twice a week)	05.1	73.8	76.1
Other: Cocaine, LSD, Meth, Club Drug (any use)	91.6	92.7	94.2
Other. Cocame, LSD, Meth, Club Drug (any use)	31.0	32.1	34.2
Percent of students who, in past 30 days:			
Were very sad	20.7	18.1	24.7
Were grouchy, irritable, or in a bad mood	26.2	24.4	36.1
Felt hopeless about the future	11.4	10.6	11.9
Felt like not eating or eating more than usual	16.5	15.8	24.0
Slept a lot more or a lot less than usual	15.3	19.5	36.3
Had difficulty concentrating on school work	24.3	21.7	27.8
Percent of students who, in past 12 months:			
Seriously considered attempting suicide	12.3	10.5	10.8
Made plan about how they would attempt suicide	9.5	7.5	7.5
Attempted suicide	5.6	5.0	6.3
Attempted suicide and resulting injury, poisonng, or overdose			
had to be treated by doctor or nurse	1.6	1.3	2.4
Percent of students who, In past 12 months:			
Were threatened/injured with weapon at school	6.5	6.7	9.3
Were in a physical fight	20.0	20.8	23.8
Were in a fight and had to be treated by a doctor or nurse	3.2	2.2	3.7
Percent of students who, In past 3 months:			
Were victims of mean rumors or lies spread at school	46.2	46.2	53.6
Were made fun of by others	53.6	56.3	64.6
Were victims of an embarrassing or hurtful text message or something posted on the internet	25.7	19.3	21.0
Spread mean rumors or lies about other kids at school	19.8	26.1	33.9
Made fun of other people	44.2	55.6	66.8
Posted something on the internet or sent a text that might embarrass or hurt another student	16.9	14.1	19.3
onburioss of flat director station.			
Percent of students who agree that:	70.0	740	70.5
Teachers notice and comment on student's good work	76.6	74.9	78.5
School provides feedback to parents on positive student performance	42.5	39.2	47.6
Rules are enforced fairly	70.3	70.6	71.8
Students of all races/ethnicities are treated equal	80.9	83.3	84.1
Percent of students who agree that:			
Parents notice and comment on student's good work	84.2	82.9	83.8
Parents involve student in making family decisions	73.3	70.6	72.1
It is important to be honest with parents regardless of	07.0	040	04 5
consequences	87.9	84.8	81.5
Student could ask parent for help with a personal problem	79.9	80.0	77.4
Missouri Student Survey is conducted biennially.			

Missouri Student Survey is conducted biennially. Similar affirmative response choices for individual questions are combined. Blank data cells indicate estimates are not available for item or geographic area. Survey is not conducted in every school district nor reported for every county. Estimates are not available for counties with small numbers of respondents. Percentages are estimates based on weighted data.

Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

BOTELIN GOOMTT							
DBH REC	SION	Southeast		IMPAIRED DRIVING	2013	2012	2011
DBH SER	RVICE AREAS			Alcohol Involved CrashesTotal	56	70	52
Substa	ance Use	19		Fatal Crashes	1	4	1
Adult F	Psychiatric	19		Injury Crashes	26	35	15
POPULA				Property Damage Crashes	29	31	36
	s 2010	42,794		Crash Fatalities	1	5	1
2014 E	Estimate	42,972		Crash Injuries	33	52	21
				Drug Involved CrashesTotal	13	16	17
				Fatal Crashes	1	1	1
BIRTH RISK	2013	2012	2011	Injury Crashes	3	10	9
Resident BirthsTotal	580	615	569	Property Damage Crashes	9	5	7
Mother Reported Smoking while Pregr	nant 168	190	190	Crash Fatalities Crash Injuries	1 4	1 18	2 11
DISEASE INCIDENCE 1	2013	2012	2011				
HIV/AIDS Cases	6	6	1	POLICE REPORTS	2013	2012	2011
Hepatitis B Chronic, Acute, Prenatal	5	11	6	DUI Arrests, DWI Tracking System	200	276	263
Hepatitis C Chronic and Acute	92	91	104	Liquor Law Arrests	26	47	41
Tuberculosis Infection Cases	12	18	7	Drug Arrests	305	266	342
				Violent Offenses	216	239	184
DEATHS and INJURIES	2013	2012	2011	Property Offenses	2,013	2,074	2,128
Resident DeathsTotal	585	516	560	Domestic Violence Reports	244	253	275
Suicides	10	10	6	Mathamphatamina Lah Caizuraa	2014 2	2013 12	2012 29
Self-inflicted Injuries	107	123	123	Methamphetamine Lab Seizures	2	12	29
Homicides	1	1	3	SCHOOL REPORTS	2013-14	2012-13	2011-12
Assault Injuries Alcohol Induced Deaths	205 11	236 7	205 0	Enrollment Grades 9-12	1,830	1,825	1,778
Drug Induced Deaths	11	, 11	18	Drop-outs	34	66	89
Smoking Attributable Deaths	108	98	112	Drop-out Rate	1.9%	3.6%	5.0%
Omoking Attributable Deaths	100	30	112	School Discipline Involving Alcohol	11	8	7
HOSPITAL EPISODES 2	2013	2012	2011	School Discipline Involving Drugs	40	21	16
Hospitalization, no Emergency Room:				School Discipline Involving Tobacco	1	3	0
Mental Illness Principal Diagnosis	503	495	517	JUVENILE COURT REFERRALS 3	2013	2012	2011
Mental Illness Secondary Diagnosis	948	878	796	Juvenile Violent Offenses	96	83	112
Alcohol Principal Diagnosis	28	35	26	Juvenile Alcohol Offenses	4	15	2
Alcohol Secondary Diagnosis	96	85	93	Juvenile Drug Offenses	15	16	13
Drug Principal Diagnosis	48	56	37	School Truancy Status Offense	45	29	34
Drug Secondary Diagnosis	72	68	32	Absent from Home Status Offense	26	36	52
Emergency Room + Hospitalization:				Beyond Parental Control Status Offense	52	30	37
Mental Illness Principal Diagnosis	154	123	150	Injurious Behavior Status Offense	1	2	6
Mental Illness Secondary Diagnosis	961	936	946	Child Abuse	11	12	15
Alcohol Principal Diagnosis	16	20	13	Child Neglect	167	138	86
Alcohol Secondary Diagnosis	59	69	52 46	Child Custody Issues	0	2	0
Drug Principal Diagnosis Drug Secondary Diagnosis	29 36	28 29	16 17	JUVENILE COURT PLACEMENTS	2012	2012	2011
Emergency Room, no Hospitalization:	30	29	17	Out-of-Home PlacementsTotal	2013 147	104	2011 55
Mental Illness Principal Diagnosis	667	698	734	Parental Alcohol Use Related	1	2	0
Mental Illness Secondary Diagnosis	1,774	485	296	Parental Drug Use Related	77	30	22
Alcohol Principal Diagnosis	89	74	85	Parental Alcohol and Drug Use	2	3	0
Alcohol Secondary Diagnosis	81	47	69	r aromar ricons and Drug Coo	_	· ·	·
Drug Principal Diagnosis	80	90	80	CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Secondary Diagnosis	96	73	52	Drug Court Participants	89	92	67
3 ,3		-		Probation/Parole AdmissionsDrug	157	138	131
ALCOHOL OUTLETS	2014	2013	2012	Probation/Parole AdmissionsDWI	16	13	8
Alcohol On-Premise Drink Licenses	55	59	57	Prison AdmissionsDrug	105	84	64
Alcohol Package Carry-out Licenses	51	49	46	Prison AdmissionsDWI	6	7	4
EMPLOYMENT	2014	2013	2012	1 All Kansas City hepatitis and TB case report			
Labor Force	18,993	21,196	20,614	totals and all Joplin case reports are include Beginning with 2010 data, diagnosis counts			
Employed	17,669	19,791	19,102	based on codes developed by the Healthcar	re Cost and L	Itilization Pro	ject.
Unemployed	1,324	1,405	1,512	3 Beginning in 2013, juvenile municipal violati- court orders are categorized as status offens			
Unampleyment Pate	7 00/	6 60/	7 20/	<u> </u>			

7.0%

6.6%

7.3%

Unemployment Rate

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	85	78	88
CSTAR Adolescent	15	22	29
CSTAR Women and Children	18	28	21
CSTAR General Adult	308	264	194
CSTAR Opioid	0	0	0
Primary Recovery Treatment	70	144	259
Clinical SATOP (CIP, YCIP, SROP)	45	46	58
Other Substance Abuse Treatment	0	*	*

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	131	164	173
- Adolescent Diversion Education Prograr	0	0	0
- Offender Education Program	43	55	45
- Weekend Intervention Program	19	38	33
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	5	*
Compulsive Gambling	*	*	0
Recovery Supports	138	158	170
Early Intervention	*	*	*

NUMBER ADMITTED	FY2014	FY2013	FY2012	PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Total Individuals	540	504	619	Alcohol	142	148	168
				Marijuana / Hashish	135	140	186
AGE				Cocaine (total)	11	14	28
Under 18	17	22	33	- Crack	10	11	25
18 to 24	98	95	113	Stimulant (total)	153	94	126
25 to 29	83	85	116	- Methamphetamine	149	91	122
30 to 34	107	92	96	Heroin	31	30	25
35 to 39	75	58	94	Analgesic except Heroin	56	72	74
40 to 44	70	58	58	- Non-Prescription Methadone	0	0	0
45 to 54	63	76	82	PCP, LSD, other Hallucinogen	*	0	0
55 and Over	27	18	27	Tranquilizer	7	*	9
GENDER				Inhalant	*	*	*
Male	350	339	406	Sedative	*	*	0
Female	189	165	213	Other Medication or Illicit Drug	*	0	*
				Average Age at First Use of Drug	18.7	18.0	17.5
RACE / ETHNICITY							
Caucasian	464	432	516	INJECTION DRUG USE			
African American	59	57	87	Any Injection Use at Admission	131	96	78
Native American / Alaskan	*	*	0	- Daily Injection Use	33	21	9
Asian / Pacific Islander	*	*	*	- Weekly Injection Use	44	34	13
Hispanic	10	10	8	- Less than Weekly Injection Use	54	41	56
Other Race / Two or More Races	7	6	10	Less than Weekly Injection ese	54	71	30
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	200	188	270	0	354	301	411
High School Graduate or G.E.D.	256	249	270	1 or 2	139	150	154
Associate Degree or Some College	82	66	77	3 or More	47	53	54
Bachelor or Advanced Degree	*	*	*				
_				TREATMENT REFERRAL SOURCE		400	400
EMPLOYMENT	440	440	404	Self / Family / Friend	145	129	130
Employed	119	112	134	School	*	*	_
Unemployed	273	245	304	Mental Health Provider			7
Not in Labor Force	148	147	181	Health Care Provider	46	46	33
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	243	246	395
Independent Living	407	389	494	Other Referral Source	71	67	52
Dependent Living	87	88	96				
Homeless	40	22	26	TREATMENT ACCOMMODATION			
	.0			Pregnant when Admitted to any Episode	8	8	9
MARITAL / FAMILY STATUS				Military Veteran	19	15	23
Never Married	230	234	258	Special Education Services Needed	62	70	102
Married / Cohabitating	164	158	207	Co-Occurring Psychological Problem	290	251	300
Previously Married	146	112	154	Co-Occurring Developmental Problem	59	59	64

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Southeast
PSYCHIATRIC SERVICE AREA 19
CENSUS 2010 42,794
2014 POPULATION ESTIMATE 42,972

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.						
DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012			
Adjustment Disorder	39	27	9			
Anxiety Disorder	98	108	72			
Dementia	*	*	*			
Developmental Disorder	*	*	*			
Impulse Control Disorder	53	72	54			
Mood Disorder	517	483	344			
Personality Disorder	7	5	6			
Psychotic Disorder	111	105	95			
Sexual Disorder	*	*	*			
Other Diagnosis	12	7	9			
Diagnosis Unknown	94	66	91			

Individuals who received psychiatric services had the following types of

NUMBER SERVED	FY2014	FY2013	FY2012	EDUCATION	FY2014	FY2013	FY2012
Total Individuals	848	821	627	Less than High School Diploma	269	232	120
				High School Grad or G.E.D.	*	0	118
AGE				Associate Degree or Some College	0	0	24
Under 6	*	6	*	Bachelor or Advanced Degree	0	0	*
6 to 9	50	43	31	Education Level Unknown	578	589	364
10 to 13	60	50	40	200000000000000000000000000000000000000	0.0	000	
14 to 17	53	54	42	EMPLOYMENT			
18 to 24	45	62	34	Employed	40	7	26
25 to 29	66	63	56	Unemployed	45	9	207
30 to 34	81	83	59	Not in Labor Force	475	400	52
35 to 39	81	77	52	Employment Status Unknown	288	405	342
40 to 44	83	87	56				
45 to 49	90	88	85	HOUSING / LIVING ARRANGEMENT			
50 to 54	94	90	74	Independent Living	359	221	200
55 to 59	71	53	45	Dependent Living	185	186	118
60 and Over	72	65	49	Homeless	13	*	*
Age Unknown	0	0	0	Other	0	*	*
0511050				Housing Unknown	291	410	305
GENDER Male	000	070	007				
	382	370	287	TREATMENT REFERRAL SOURCE			
Female	466	451	340	Self / Family / Friend	333	296	211
Gender Unknown	0	0	0	School	30	24	19
RACE / ETHNICITY				Mental Health Provider	88	88	92
Caucasian	781	743	572	Health Care Provider	153	168	103
African American	48	60	45	Court / Criminal Justice	95	112	89
Native American / Alaskan	*	*	*	Other	148	132	112
Asian / Pacific Islander	*	0	0	Referral Source Unknown	*	*	*
Hispanic	6	6	*				
Other Race	11	11	5	TYPE OF COMMITMENT			
Race/Ethnicity Unknown	0	0	0	Voluntary	831	799	600
·				Civil		*	*
TREATMENT ACCOMMODATION				Criminal	11	18	23
Hearing Impaired	37	40	35	Sexual Predatory		*	*
Past or Current Military Service	20	15	18	Commitment Type Unknown	0	0	0

MISSOURI STUDENT SURVEY

	IVIIO	OUI	(1310	DENT SORVET			
Percent of students who have ever used:	2014	2012	2010	Percent who believe they risk harm if they use:	2014	2012	2010
Alcohol	30.0	39.6	42.7	Alcohol (1 or 2 drinks daily)	56.8		
Cigarettes	21.5	28.7	32.5	Alcohol (Binge: 5+ drinks once or twice a week)	66.3		
Chewing Tobacco	13.1	14.0	15.2	Alcohol (any use)	00.0	74.1	74.9
Marijuana	13.4	18.7	18.6	Cigarettes (1+ packs per day)	78.8		7 1.0
Inhalants	2.8	5.1	8.1	Cigarettes (any use)	70.0	81.8	81.3
Prescription medications not prescribed for student	7.7	13.3	17.5	Marijuana (once or twice a week)	65.0	01.0	01.0
Over-the-counter medications for non-medical use	3.0	6.1	9.6	Marijuana (any use)	00.0	73.9	73.4
Methamphetamine	1.1	1.9	2.0	Other: Cocaine, LSD, Meth, Club Drug (any use)	87.4	93.8	93.0
Cocaine	0.4	2.5	2.4		01.1	00.0	00.0
Heroin	0.4	2.1	0.4	Percent of students who, in past 30 days:			
Hallucinogens	0.6	3.0	4.2	Were very sad	18.7	19.9	21.6
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.9	3.4	3.1	Were grouchy, irritable, or in a bad mood	23.5	27.1	24.0
Steroids not prescribed for student	1.1	1.8	2.0	Felt hopeless about the future	10.0	11.9	16.2
Synthetic drugs (K2, bath salts, Spice, etc)	3.5	6.6		Felt like not eating or eating more than usual	18.9	18.4	20.2
	0.0	0.0		Slept a lot more or a lot less than usual	17.2	22.3	27.8
Average age of students' first use of:				Had difficulty concentrating on school work	24.5	26.6	27.4
Alcohol		13.04		Percent of students who, in past 12 months:			
Cigarettes	_		11.98	Seriously considered attempting suicide	12.3	15.9	13.8
Marijuana		14.00		Made plan about how they would attempt suicide	10.0	10.7	9.8
Inhalants	11.94	12.36	12.69	Attempted suicide	5.1	6.7	6.6
Percent of students who, in past 30 days, used:				Attempted suicide and resulting injury, poisonng, or overdose			
Alcohol	12.7	18.3	21.1	had to be treated by doctor or nurse	1.7	2.4	2.3
Alcohol (Binge: 5+ drinks on one occassion)		13.0	13.2	Demonst of attudents who in next 12 months			
Cigarettes	10.1	14.6	17.2	Percent of students who, in past 12 months:	0.0	0.0	44.0
Chewing Tobacco	7.0	7.9	9.3	Were threatened/injured with weapon at school	8.9	8.9	11.0
Marijuana	6.2	9.6	12.4	Were in a physical fight	21.8	21.5	26.5
Inhalants	0.6	1.3	3.9	Were in a fight and had to be treated by a doctor or nurse	4.0	2.9	5.4
Prescription medications not prescribed for student	4.3	7.2	9.4	Percent of students who, in past 3 months:			
Over-the-counter medications for non-medical use	1.5	3.7	6.2	Were victims of mean rumors or lies spread at school	50.1	49.8	55.9
		0	0.2	Were made fun of by others	56.7	55.9	68.9
Percent of students who, in past 2 weeks, used:				Were victims of an embarrassing or hurtful text message or	00.7	00.5	40.5
Alcohol (Binge: 5+ drinks on one occassion)	6.7			something posted on the internet	22.7	20.5	18.5
Percent whose friends used in past 12 months:				Spread mean rumors or lies about other kids at school	25.9	24.0	31.9
Alcohol	42.6	54.0	55.6	Made fun of other people	51.9	55.7	72.5
Cigarettes	37.7	47.1	46.7	Posted something on the internet or sent a text that might	12.2	11.0	115
Marijuana	31.2	38.6	38.3	embarrass or hurt another student	13.3	11.9	14.5
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	10.5	19.5	20.9	Parcent of ctudents who agree that			
				Percent of students who agree that: Teachers notice and comment on student's good work	71.0	65.0	65.6
Percent who would likely use, if offered by a best friend:				· ·	71.0	03.0	03.0
Alcohol	24.4	30.6	32.8	School provides feedback to parents on positive student performance	36.7	31.7	36.1
Cigarettes	13.2	16.7	16.6	'	59.7	58.1	58.7
Marijuana	11.7	13.0	14.8	Rules are enforced fairly			
Percent who say it would be wrong to use:				Students of all races/ethnicities are treated equal	77.6	67.3	69.5
Alcohol	68.8	61.6	59.2	Percent of students who agree that:			
Cigarettes	84.4	78.2		Parents notice and comment on student's good work	81.2	82.7	82.7
Marijuana	82.4	80.7		Parents involve student in making family decisions	67.5	67.3	67.6
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.1	95.1	93.5	It is important to be honest with parents regardless of	88.8	88.7	84.2
-				consequences	00.0	00.7	04.2
Percent whose parents would disapprove if they use:				Student could ask parent for help with a personal problem	80.1	78.5	77.1
Alcohol	82.6	79.1	78.6				
Cigarettes	92.7	89.2	88.9	Missouri Student Survey is conducted biennially.			
Marijuana	92.5	93.9	92.8	Similar affirmative response choices for individual questions are Blank data cells indicate estimates are not available for item or			
Percent who say it would be easy to obtain:				Survey is not conducted in every school district nor reported for	r every co	ounty.	
Alcohol	45.9	53.8	54.4	Estimates are not available for counties with small numbers of	responde	nts.	
Cigarettes	46.7	53.7		Percentages are estimates based on weighted data. Some year-to-year differences in percentages are not statistica	lly sianifi	cant.	
Marijuana	32.0	40.8	39.3		-		
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	15.8	24.0	22.7	Data source: Missouri Institute of Mental Health, 2010-2014 Mis	ssouri St	udent Su	ırveys
(

ONEDWILL GOV	51411						
DBI	H REGION	Western		IMPAIRED DRIVING	2013	2012	2011
DBI	H SERVICE AREAS			Alcohol Involved CrashesTotal	3	4	5
S	ubstance Use	13		Fatal Crashes	0	1	1
A A	dult Psychiatric	13		Injury Crashes	2	1	3
POI	PULATION			Property Damage Crashes	1	2	1
	ensus 2010	9,424		Crash Fatalities	0	1	1
	014 Estimate	9,034		Crash Injuries	6	1	3
				Drug Involved CrashesTotal	1	1	0
213				Fatal Crashes	0	0	0
BIRTH RISK	2013	2012	2011	Injury Crashes	1	1	0
Resident BirthsTotal	84	89	90	Property Damage Crashes	0	0	0
Mother Reported Smoking while F		25	28	Crash Fatalities	0	0	0
_	rognam 22	20	20	Crash Injuries	1	1	0
DISEASE INCIDENCE 1	2013	2012	2011	POLICE REPORTS	2013	2012	2011
HIV/AIDS Cases	0	0	0	DUI Arrests, DWI Tracking System	53	49	53
Hepatitis B Chronic, Acute, Prena		0	0	Liquor Law Arrests	9	9	11
Hepatitis C Chronic and Acute	3	5	3	Drug Arrests	33	41	37
Tuberculosis Infection Cases	0	0	1	Violent Offenses	25	33	26
DEATHS and INJURIES	2013	2012	2011	Property Offenses	127	188	101
Resident DeathsTotal	102	112	92	Domestic Violence Reports	81	69	60
Suicides	1	2	1	Zomosio moismo mopone	2014	2013	2012
Self-inflicted Injuries	7	5	8	Methamphetamine Lab Seizures	0	0	0
Homicides	0	0	0	·			
Assault Injuries	23	17	18	SCHOOL REPORTS	2013-14	2012-13	2011-12
Alcohol Induced Deaths	0	1	0	Enrollment Grades 9-12	448	486	455
Drug Induced Deaths	0	1	3	Drop-outs	1	1	5
Smoking Attributable Deaths	21	23	19	Drop-out Rate	0.2%	0.2%	1.1%
				School Discipline Involving Alcohol	0	0	0
HOSPITAL EPISODES 2	2013	2012	2011	School Discipline Involving Drugs School Discipline Involving Tobacco	2 0	0 0	5 0
Hospitalization, no Emergency Ro		0.4	50	School discipline involving Tobacco	U	U	U
Mental Illness Principal Diagnos		34	53	JUVENILE COURT REFERRALS 3	2013	2012	2011
Mental Illness Secondary Diagnosis	osis 98 1	124 1	121	Juvenile Violent Offenses	9	11	4
Alcohol Principal Diagnosis Alcohol Secondary Diagnosis	6	6	1 6	Juvenile Alcohol Offenses	0	1	0
Drug Principal Diagnosis	2	1	2	Juvenile Drug Offenses	0	1	4
Drug Secondary Diagnosis	11	6	7	School Truancy Status Offense	7	21	11
Emergency Room + Hospitalization		O	,	Absent from Home Status Offense	3	1	0
Mental Illness Principal Diagnos		15	18	Beyond Parental Control Status Offense	4	6	5
Mental Illness Secondary Diagno		180	175	Injurious Behavior Status Offense	9	12	3
Alcohol Principal Diagnosis	2	2	2	Child Abuse	5	0	0
Alcohol Secondary Diagnosis	11	30	22	Child Neglect	3	19	1
Drug Principal Diagnosis	3	1	4	Child Custody Issues	3	0	3
Drug Secondary Diagnosis	8	13	11	JUVENILE COURT PLACEMENTS	2013	2012	2011
Emergency Room, no Hospitaliza	tion:			Out-of-Home PlacementsTotal	10	5	6
Mental Illness Principal Diagnos	is 63	50	46	Parental Alcohol Use Related	0	0	0
Mental Illness Secondary Diagno	osis 92	74	83	Parental Drug Use Related	4	0	0
Alcohol Principal Diagnosis	1	8	5	Parental Alcohol and Drug Use	0	0	2
Alcohol Secondary Diagnosis	11	4	6		EV004.4	EV0040	EV0040
Drug Principal Diagnosis	7	10	6	CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Secondary Diagnosis	23	18	13	Drug Court Participants Probation/Parole AdmissionsDrug	0 37	0 22	0 27
				Probation/Parole AdmissionsDWI	10	5	9
ALCOHOL OUTLETS	2014	2013	2012	Prison AdmissionsDrug	25	22	16
Alcohol On-Premise Drink Licens		5 10	4	Prison AdmissionsDWI	7	6	6
Alcohol Package Carry-out Licens	ses 11	10	12				
EMPLOYMENT	2014	2013	2012	1 All Kansas City hepatitis and TB case report totals and all Joplin case reports are include			County
Labor Force	4,452	4,149	4,287	2 Beginning with 2010 data, diagnosis counts			es are
Employed	4,209	3,868	3,970	based on codes developed by the Healthca			
Unemployed	243	281	317	3 Beginning in 2013, juvenile municipal violati court orders are categorized as status offen			
Unemployment Rate	5.5%	6.8%	7.4%				

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	*	*	*
CSTAR Adolescent	*	*	*
CSTAR Women and Children	*	*	*
CSTAR General Adult	12	14	20
CSTAR Opioid	0	0	0
Primary Recovery Treatment	13	6	5
Clinical SATOP (CIP, YCIP, SROP)	8	6	6
Other Substance Abuse Treatment	0	*	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	34	22	33
- Adolescent Diversion Education Prograr	*	0	*
- Offender Education Program	8	8	16
- Weekend Intervention Program	6	5	8
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	0	0
Compulsive Gambling	0	0	0
Recovery Supports	*	*	0
Early Intervention	*	*	*

, 6	FY2014	FY2013	FY2012		FY2014	FY2013	FY2012
NUMBER ADMITTED	26	20	27	PRIMARY DRUG PROBLEM	15	11	17
Total Individuals	26	30	37	Alcohol Mariiyana (Hashiah	15	11	17
AGE				Marijuana / Hashish		10 0	11
Under 18	*	*	*	Cocaine (total)	0	0	*
18 to 24	*	7	6	- Crack	0		
25 to 29	*	5	8	Stimulant (total)		5	
30 to 34	5	9	5	- Methamphetamine		5	
35 to 39	6	0	*	Heroin		0	
40 to 44	*	*	6	Analgesic except Heroin			
45 to 54	*	*	*	- Non-Prescription Methadone	0	0	_
55 and Over	*	0	*	PCP, LSD, other Hallucinogen	0	0	0
				Tranquilizer		0	0
GENDER				Inhalant	0		*
Male	17	19	23	Sedative	0	0	0
Female	9	11	14	Other Medication or Illicit Drug		0	0
RACE / ETHNICITY				Average Age at First Use of Drug	17.8	16.6	18.0
Caucasian	25	30	36				
African American	0	0	0	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	*	*	*
Asian / Pacific Islander	0	0	0	- Daily Injection Use	0	0	0
Hispanic	*	0	*	- Weekly Injection Use	0	*	0
Other Race / Two or More Races	0	0	0	- Less than Weekly Injection Use	*	0	*
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	*	8	9	0	10	19	19
High School Graduate or G.E.D.	14	18	27	1 or 2	8	8	10
Associate Degree or Some College	8	*	*	3 or More	8	*	8
Bachelor or Advanced Degree	0	0	0	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	6	5	10
Employed	7	12	15	School	0	*	0
Unemployed	9	12	17	Mental Health Provider	0	*	*
Not in Labor Force	10	6	5	Health Care Provider	0	*	0
		-	-	Court / Criminal Justice	14	13	22
HOUSING / LIVING ARRANGEMENT				Other Referral Source	6	7	*
Independent Living	21	25	30			-	
Dependent Living	*	*	6	TREATMENT ACCOMMODATION			
Homeless	0	*	*	Pregnant when Admitted to any Episode	0	0	0
MARITAL / FAMILY STATUS				Military Veteran	0	0	*
Never Married	13	20	20	Special Education Services Needed	*	*	*
Married / Cohabitating	9	5	9	Co-Occurring Psychological Problem	10	14	12
Previously Married	*	5	8	Co-Occurring Developmental Problem	0	0	*
		3	ŭ	2 2 2 2 2 2 2 2 3 3 p. 10 3 10 11 11 11 11 11 11 11 11 11 11 11 11	J	J	

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Western
PSYCHIATRIC SERVICE AREA 13
CENSUS 2010 9,424
2014 POPULATION ESTIMATE 9,034

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.						
DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012			
Adjustment Disorder	*	*	*			
Anxiety Disorder	42	37	47			
Dementia	0	*	*			
Developmental Disorder	*	*	*			
Impulse Control Disorder	15	14	18			
Mood Disorder	58	60	68			
Personality Disorder	8	13	16			
Psychotic Disorder	9	15	16			
Sexual Disorder	0	0	0			
Other Diagnosis	6	11	11			
Diagnosis Unknown	6	*	10			

Individuals who received psychiatric services had the following types of

NUMBER SERVED	FY2014	FY2013	FY2012	EDUCATION	FY2014	FY2013	FY2012
Total Individuals	82	83	103	Less than High School Diploma	23	30	17
Total Marviadalo	02	00	100	High School Grad or G.E.D.	0	*	16
AGE				Associate Degree or Some College	0	0	*
Under 6	0	0	*	Bachelor or Advanced Degree	0	0	0
6 to 9	*	*	5	Education Level Unknown	59	52	68
10 to 13	8	10	8	Education Edver Officiown	00	02	00
14 to 17	6	5	10	EMPLOYMENT			
18 to 24	8	7	7	Employed	5	9	7
25 to 29	6	6	11	Unemployed	9	5	26
30 to 34	14	9	7	Not in Labor Force	51	56	11
35 to 39	6	7	9	Employment Status Unknown	17	13	59
40 to 44	5	8	14				
45 to 49	12	12	12	HOUSING / LIVING ARRANGEMENT			
50 to 54	8	7	7	Independent Living	48	49	37
55 to 59	*	*	5	Dependent Living	16	19	12
60 and Over	5	6	7	Homeless	*	0	0
Age Unknown	0	0	0	Other	0	0	*
				Housing Unknown	16	15	53
GENDER Male	00	00	44				
	33	33	41	TREATMENT REFERRAL SOURCE			
Female	49	50	62	Self / Family / Friend	40	38	45
Gender Unknown	0	0	0	School	0	*	*
RACE / ETHNICITY				Mental Health Provider	7	10	15
Caucasian	79	80	98	Health Care Provider	16	20	20
African American	0	*	*	Court / Criminal Justice	13	7	11
Native American / Alaskan	*	*	*	Other	6	7	10
Asian / Pacific Islander	0	0	0	Referral Source Unknown	0	0	0
Hispanic	0	0	0				
Other Race	*	*	*	TYPE OF COMMITMENT			
Race/Ethnicity Unknown	0	0	0	Voluntary	81	82 *	102
•				Civil			*
TREATMENT ACCOMMODATION				Criminal	0	0	0
Hearing Impaired	*	*	*	Sexual Predatory	0	0	0
Past or Current Military Service	0	*	*	Commitment Type Unknown	0	0	0

MISSOURI STUDENT SURVEY

	MIIOO	OUR	(151)
Percent of students who have ever used:	2014	2012	2010
Alcohol	37.0	38.8	49.5
Cigarettes	22.7		32.3
Chewing Tobacco	13.9	16.9	17.0
Marijuana	4.6	8.8	10.6
Inhalants	0.9	3.1	3.7
Prescription medications not prescribed for student	6.4	6.9	11.0
Over-the-counter medications for non-medical use	0.0	3.8	4.7
Methamphetamine	0.0	0.7	0.0
Cocalne	0.9	1.3	1.4
Heroin	0.0	1.9	0.5
Hallucinogens	0.9	1.3	1.8
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.9	0.6	1.4
Steroids not prescribed for student	0.9	0.6	1.8
Synthetic drugs (K2, bath salts, Spice, etc)	1.8	3.8	
Average age of students' first use of:			
Alcohol	12 84	12.93	13 29
Cigarettes		13.07	
Marijuana		13.48	
Inhalants		10.74	
Percent of students who, in past 30 days, used:			
Alcohol	13.9	16.3	19.4
Alcohol (Binge: 5+ drinks on one occassion)		11.9	11.5
Cigarettes	7.3	8.8	15.6
Chewing Tobacco	7.4	10.6	5.0
Marijuana	1.8	3.1	4.2
Inhalants	0.9	0.6	2.3
Prescription medications not prescribed for student	4.6	3.8	6.9
Over-the-counter medications for non-medical use	0.0	2.5	2.8
Percent of students who, in past 2 weeks, used: Alcohol (Binge: 5+ drinks on one occassion)	5.5		
Percent whose friends used in past 12 months:			
Alcohol	52.8	50.0	66.8
Cigarettes	39.8	37.5	42.2
Marijuana	25.9	21.9	30.1
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	9.3	9.4	12.1
Percent who would likely use, if offered by a best friend:			
Alcohol	33.0	27.5	40.3
Cigarettes	10.9	10.1	11.0
Marijuana	4.6	5.7	6.0
•			
Percent who say it would be wrong to use: Alcohol	56.9	62.0	E 1 1
	85.3	63.8 84.3	54.4 77.1
Cigarettes Marijuana	93.6	89.3	88.4
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	99.1	98.1	95.4
Other mich (Cocame, LSD, Meth, Club Drug, etc)	33.1	30.1	33.4
Percent whose parents would disapprove if they use:			
Alcohol	74.1	79.1	72.4
Cigarettes	88.9	91.2	87.9
Marijuana	94.4	95.6	92.6
Percent who say it would be easy to obtain:			
Alcohol	54.1	57.2	68.1
Cigarettes	51.4	53.1	66.8
Marijuana	23.1	32.7	32.9
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	9.3	15.2	17.6

DENT SURVEY			
Descent who hollows they wild home if they were	2014	2012	2010
Percent who believe they risk harm if they use:	50.0		
Alcohol (1 or 2 drinks daily)	50.9		
Alcohol (Binge: 5+ drinks once or twice a week)	63.9		00.0
Alcohol (any use)		68.8	80.9
Cigarettes (1+ packs per day)	81.5		
Cigarettes (any use)		78.6	75.3
Marijuana (once or twice a week)	81.7		
Marijuana (any use)		77.5	68.1
Other: Cocaine, LSD, Meth, Club Drug (any use)	94.5	93.0	92.2
Percent of students who, in past 30 days:			
Were very sad	24.8	17.6	8.3
Were grouchy, irritable, or in a bad mood	28.4	23.8	12.5
Felt hopeless about the future	11.0	10.1	5.1
Felt like not eating or eating more than usual	16.4	15.0	9.9
Slept a lot more or a lot less than usual	26.6	20.8	18.0
Had difficulty concentrating on school work	24.8	22.6	16.6
Percent of students who, in past 12 months:			
Seriously considered attempting suicide	15.9	13.8	12.8
Made plan about how they would attempt suicide	5.5	7.0	11.0
Attempted suicide	6.4	5.0	4.1
Attempted suicide and resulting injury, poisonng, or overdose	0.4	0.0	7.1
had to be treated by doctor or nurse	0.0	0.6	2.3
Percent of students who, in past 12 months:			
Were threatened/injured with weapon at school	5.5	6.9	7.3
Were in a physical fight	20.2	21.4	22.0
Were in a fight and had to be treated by a doctor or nurse	2.8	3.1	6.0
	2.0	5.1	0.0
Percent of students who, in past 3 months:			
Were victims of mean rumors or lies spread at school	55.0	61.6	59.6
Were made fun of by others	64.8	68.4	72.5
Were victims of an embarrassing or hurtful text message or something posted on the internet	36.1	27.0	18.4
Spread mean rumors or lies about other kids at school	29.1	28.1	40.4
Made fun of other people	65.1	67.9	78.4
Posted something on the internet or sent a text that might	00.1	01.0	70.4
embarrass or hurt another student	21.1	15.7	18.1
Percent of students who agree that:	77.4	70.4	70.5
Teachers notice and comment on student's good work	77.1	73.1	72.5
School provides feedback to parents on positive student performance	52.3	48.8	42.2
Rules are enforced fairly	78.0	65.0	68.2
Students of all races/ethnicities are treated equal	85.3	82.3	91.7
·	00.0	02.0	01.7
Percent of students who agree that:	70 4	00.0	70 -
Parents notice and comment on student's good work	76.1	80.0	76.5
Parents involve student in making family decisions	67.0	70.0	64.7
It is important to be honest with parents regardless of	89.8	88.1	86.8
consequences			
Student could ask parent for help with a personal problem	79.6	75.8	74.5
Missouri Student Survey is conducted biomially			

Missouri Student Survey is conducted biennially.
Similar affirmative response choices for individual questions are combined.
Blank data cells indicate estimates are not available for item or geographic area. Survey is not conducted in every school district nor reported for every county. Estimates are not available for counties with small numbers of respondents. Percentages are estimates based on weighted data.

Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

	-						
DBH REGION	1	Central		IMPAIRED DRIVING	2013	2012	2011
DBH SERVICE	E AREAS			Alcohol Involved CrashesTotal	34	41	61
Substance	Use	11		Fatal Crashes	2	2	2
Adult Psyc	chiatric	15		Injury Crashes	16	14	32
POPULATION	٧			Property Damage Crashes	16	25	27
Census 20	010	44,332		Crash Fatalities	2	2	2
2014 Estir	mate	44,750		Crash Injuries	18	20	39
LI TITALI TAN				Drug Involved CrashesTotal	5	8	10
217				Fatal Crashes	1	1	1
BIRTH RISK	2013	2012	2011	Injury Crashes	2	3	5
Resident BirthsTotal	525	527	500	Property Damage Crashes	2	4	4
Mother Reported Smoking while Pregnant		126	139	Crash Fatalities	1	1	1
- Would Reported emoking while I regularit	140	120	100	Crash Injuries	3	10	3
DISEASE INCIDENCE 1	2013	2012	2011				
HIV/AIDS Cases	0	1	1	POLICE REPORTS	2013	2012	2011
Hepatitis B Chronic, Acute, Prenatal	4	5	3	DUI Arrests, DWI Tracking System	217	245	311
Hepatitis C Chronic and Acute	26	16	16	Liquor Law Arrests	77	91	86
Tuberculosis Infection Cases	16	19	11	Drug Arrests	282	251	230
				Violent Offenses	128	117	112
DEATHS and INJURIES	2013	2012	2011	Property Offenses	1,217	1,319	1,374
Resident DeathsTotal	371	353	365	Domestic Violence Reports	441	389	444
Suicides	9	4	10		2014	2013	2012
Self-inflicted Injuries	93	86	95	Methamphetamine Lab Seizures	0	0	11
Homicides	0	4	4	SCHOOL REPORTS	2013-14	2012-13	2011-12
Assault Injuries	257	254	251	Enrollment Grades 9-12	1,495	1,524	1,521
Alcohol Induced Deaths	4	4	4	Drop-outs	48	54	50
Drug Induced Deaths	10	8	5	Drop-out Rate	3.2%	3.5%	3.3%
Smoking Attributable Deaths	58	66	75	School Discipline Involving Alcohol	1	0.070	0.070
HOSPITAL EPISODES 2	2013	2012	2011	School Discipline Involving Drugs	4	19	4
Hospitalization, no Emergency Room:	2013	2012	2011	School Discipline Involving Tobacco	2	0	3
Mental Illness Principal Diagnosis	205	135	147	_	_	ŭ	· ·
Mental Illness Secondary Diagnosis	646	711	781	JUVENILE COURT REFERRALS 3	2013	2012	2011
Alcohol Principal Diagnosis	16	10	7	Juvenile Violent Offenses	55	51	47
Alcohol Secondary Diagnosis	43	45	38	Juvenile Alcohol Offenses	13	19	8
Drug Principal Diagnosis	8	8	10	Juvenile Drug Offenses	23	29	24
Drug Secondary Diagnosis	47	43	37	School Truancy Status Offense	43	60	50
Emergency Room + Hospitalization:		10	0,	Absent from Home Status Offense	8	1	7
Mental Illness Principal Diagnosis	306	312	230	Beyond Parental Control Status Offense	113	93	45
Mental Illness Secondary Diagnosis	765	578	468	Injurious Behavior Status Offense	69	93	75
Alcohol Principal Diagnosis	57	46	35	Child Abuse	8	9	18
Alcohol Secondary Diagnosis	65	72	47	Child Neglect	172	129	68
Drug Principal Diagnosis	32	30	34	Child Custody Issues	13	16	8
Drug Secondary Diagnosis	50	47	35	JUVENILE COURT PLACEMENTS	2013	2012	2011
Emergency Room, no Hospitalization:				Out-of-Home PlacementsTotal	68	38	35
Mental Illness Principal Diagnosis	413	409	430	Parental Alcohol Use Related	4	1	0
Mental Illness Secondary Diagnosis	934	710	640	Parental Drug Use Related	28	15	20
Alcohol Principal Diagnosis	53	79	90	Parental Alcohol and Drug Use	1	0	3
Alcohol Secondary Diagnosis	86	96	77			-	-
Drug Principal Diagnosis	42	75	75	CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Secondary Diagnosis	85	82	69	Drug Court Participants	57	44	38
3 23 25 25 25 25 25 25 25 25 25 25 25 25 25				Probation/Parole AdmissionsDrug	81	94	87
ALCOHOL OUTLETS	2014	2013	2012	Probation/Parole AdmissionsDWI	32	29	31
Alcohol On-Premise Drink Licenses	42	46	42	Prison AdmissionsDrug	47	46	36
Alcohol Package Carry-out Licenses	42	46	46	Prison AdmissionsDWI	12	9	21
ENADI OVNAENT	2014	2013	2012	1 All Kansas City hepatitis and TB case report	s are include	ed in Jackson	County
EMPLOYMENT Labor Force	21,705	22,076	22,124	totals and all Joplin case reports are include	d in Jasper C	County totals.	
Employed	21,705	20,794	20,774	2 Beginning with 2010 data, diagnosis counts based on codes developed by the Healthcar			
Unemployed	1,217	1,282	1,350	3 Beginning in 2013, juvenile municipal violati	ons, infraction	ns, and violat	ions of
Unemployment Rate	5.6%	5.8%	6.1%	court orders are categorized as status offens			
Shomploymont Nato	0.070	0.070	0.170				

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	20	29	28
CSTAR Adolescent	10	17	19
CSTAR Women and Children	40	28	22
CSTAR General Adult	113	99	73
CSTAR Opioid	0	0	0
Primary Recovery Treatment	98	170	182
Clinical SATOP (CIP, YCIP, SROP)	42	52	43
Other Substance Abuse Treatment	0	0	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	181	177	231
- Adolescent Diversion Education Prograr	16	12	13
- Offender Education Program	49	55	81
- Weekend Intervention Program	39	32	49
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	7	9	8
Compulsive Gambling	0	0	*
Recovery Supports	*	*	*
Early Intervention	*	16	13

NUMBER ADMITTED	FY2014	FY2013	FY2012	PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Total Individuals	249	336	311	Alcohol	110	142	134
465				Marijuana / Hashish	47	85	96
AGE Under 18	8	17	21	Cocaine (total)	8	22	30
18 to 24	50	63	47	- Crack	*	12	20
25 to 29	49	70	58	Stimulant (total)	48	38	23
30 to 34	49	48	33	- Methamphetamine	46	35	21
35 to 39	35	35	35 35	Heroin	13	17	12
40 to 44	18	28	35	Analgesic except Heroin	11	21	11
45 to 54	29	55	66	- Non-Prescription Methadone	0	0	0
55 and Over	11	20	16	PCP, LSD, other Hallucinogen	*	*	*
33 and Over	- 11	20	10	Tranquilizer	*	*	*
GENDER				Inhalant	0	0	0
Male	166	237	239	Sedative	*	*	0
Female	83	99	72	Other Medication or Illicit Drug	9	*	*
DACE / ETUNICITY				Average Age at First Use of Drug	17.8	17.7	17.1
RACE / ETHNICITY Caucasian	213	278	263				
African American	26	49	42	INJECTION DRUG USE			
Native American / Alaskan	0	49	0	Any Injection Use at Admission	39	40	24
Asian / Pacific Islander	*	0	0	- Daily Injection Use	7	10	7
Hispanic	*	*	*	- Weekly Injection Use	10	9	*
Other Race / Two or More Races	6	7	6	- Less than Weekly Injection Use	22	21	15
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	75	99	109	0	129	168	157
High School Graduate or G.E.D.	124	157	141	1 or 2	74	102	95
Associate Degree or Some College	46	75	58	3 or More	46	66	59
Bachelor or Advanced Degree	*	5	*				
•				TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	59 *	68	57
Employed	95	127	134	School	*	0	0
Unemployed	100	130	103	Mental Health Provider		*	0
Not in Labor Force	54	79	74	Health Care Provider	8	11	8
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	142	226	229
Independent Living	203	282	256	Other Referral Source	31	23	17
Dependent Living	19	30	39				
Homeless	7	8	*	TREATMENT ACCOMMODATION			
	•	-		Pregnant when Admitted to any Episode	6	6	*
MARITAL / FAMILY STATUS				Military Veteran	9	15	19
Never Married	134	190	175	Special Education Services Needed	24	25	36
Married / Cohabitating	68	77	69	Co-Occurring Psychological Problem	91	105	84
Previously Married	47	69	67	Co-Occurring Developmental Problem	*	*	*

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



 DBH REGION
 Central

 PSYCHIATRIC SERVICE AREA
 15

 CENSUS 2010
 44,332

 2014 POPULATION ESTIMATE
 44,750

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.							
DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012				
Adjustment Disorder	39	21	22				
Anxiety Disorder	290	240	245				
Dementia	*	*	*				
Developmental Disorder	19	13	13				
Impulse Control Disorder	188	162	160				
Mood Disorder	471	457	492				
Personality Disorder	70	65	68				
Psychotic Disorder	123	113	115				
Sexual Disorder	10	*	*				
Other Diagnosis	67	62	54				
Diagnosis Unknown	68	60	88				

Individuals who received psychiatric services had the following types of

NUMBER SERVED	FY2014	FY2013	FY2012	EDUCATION	FY2014	FY2013	FY2012
Total Individuals	729	682	745	Less than High School Diploma	248	196	110
				High School Grad or G.E.D.	0	*	90
AGE				Associate Degree or Some College	0	0	17
Under 6	10	*	5	Bachelor or Advanced Degree	0	0	6
6 to 9	40	33	31	Education Level Unknown	481	482	522
10 to 13	62	53	57				
14 to 17	60	63	59	EMPLOYMENT			
18 to 24	76	55	73	Employed	56	43	59
25 to 29	51	49	64	Unemployed	68	47	144
30 to 34	66	73	82	Not in Labor Force	429	358	64
35 to 39	81	61	62	Employment Status Unknown	176	234	478
40 to 44	50	63	68				
45 to 49	77	64	74	HOUSING / LIVING ARRANGEMENT			
50 to 54	62	73	68	Independent Living	221	200	169
55 to 59	42	44	48	Dependent Living	228	195	106
60 and Over	52	47	54	Homeless	8	6	*
Age Unknown	0	0	0	Other	0	0	*
GENDER				Housing Unknown	272	281	465
Male	366	333	362				
Female	363	349	383	TREATMENT REFERRAL SOURCE			
Gender Unknown	0	0	0	Self / Family / Friend	389	374	455
Gender Officiowit	U	U	U	School	*	*	*
RACE / ETHNICITY				Mental Health Provider	80	84	86
Caucasian	663	617	681	Health Care Provider	70	74	70
African American	46	42	40	Court / Criminal Justice	41	37	34
Native American / Alaskan	*	*	*	Other	145	111	98
Asian / Pacific Islander	0	*	*	Referral Source Unknown	0	0	0
Hispanic	*	*	5	T/DE 05 000 40 4/T1 450/T			
Other Race	15	16	16	TYPE OF COMMITMENT	605	040	740
Race/Ethnicity Unknown	0	0	0	Voluntary	695	648	713
				Civil			
TREATMENT ACCOMMODATION	00	20	20	Criminal	26	28	25
Hearing Impaired	39	33	32	Sexual Predatory	6		^
Past or Current Military Service	18	19	25	Commitment Type Unknown	0	0	0

MISSOURI STUDENT SURVEY

	IVIIOO	OUR	(151	JUEI
Percent of students who have ever used:	2014	2012	2010	Perc
Alcohol	42.0	43.6	49.6	Alc
Cigarettes	19.3	27.2	29.2	Alc
Chewing Tobacco	14.4	16.0	19.5	Alc
Marijuana	18.8	19.2	15.0	Cig
Inhalants	2.6	5.1	6.7	Cig
Prescription medications not prescribed for student	7.0	10.3	12.7	Ma
Over-the-counter medications for non-medical use	2.2	6.2	8.7	Ma
Methamphetamine	0.6	1.6	1.3	Oth
Cocaine	1.3	1.9	1.7	Doro
Heroin	0.4	1.1	8.0	Perc We
Hallucinogens	2.0	3.5	2.9	We
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.7	2.4	1.8	Fel
Steroids not prescribed for student	0.7	1.3	1.5	Fel
Synthetic drugs (K2, bath salts, Spice, etc)	4.3	6.4		Sle
Average age of students' first use of:				Ha
Alcohol	13.45	12.76	12.76	
Cigarettes	13.49	12.77		Perc
Marijuana	14.08	13.87	13.94	Se
Inhalants	11.77	12.22	12.27	Ma
				Att
Percent of students who, in past 30 days, used:				Att
Alcohol	20.1	20.4	24.4	had
Alcohol (Binge: 5+ drinks on one occassion)	0.5	11.9	13.3	Perc
Clearettes	8.5	14.1	13.3	We
Chewing Tobacco	7.4	9.1	8.4	We
Marijuana	8.2	10.2	6.5	We
Inhalants	0.4 3.0	3.2 6.0	2.8 7.2	Perc
Prescription medications not prescribed for student Over-the-counter medications for non-medical use	1.1	4.7	5.0	We
Over-the-counter medications for non-medical use	1.1	4.7	3.0	We
Percent of students who, in past 2 weeks, used:				We
Alcohol (Binge: 5+ drinks on one occassion)	10.9			sor
Percent whose friends used in past 12 months:				Spi
Alcohol	56.4	56.5	60.4	Ma
Cigarettes	39.2	44.5	48.4	Pos
Marijuana Marijuana	40.3	38.2	32.6	em
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	11.0	13.3	15.9	Perc
				Te
Percent who would likely use, if offered by a best friend:	05.0	04.5	00.0	Scl
Alcohol	35.0	34.5	38.6	per
Cigarettes	12.0	16.4	18.1	Ru
Marijuana	14.8	15.5	11.5	Stu
Percent who say it would be wrong to use:				
Alcohol	53.2	53.2	53.9	Perc
Cigarettes	83.7	77.0	77.8	Pai
Marijuana	77.8	77.0	83.8	Pa
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.4	94.6	95.5	lt is
Percent whose parents would disapprove if they use:				
Alcohol	72.4	73.0	75.2	Stu
Cigarettes	90.3	87.6	91.7	Misso
Marijuana	90.0	92.0	95.5	Simila
·		-		Blank Surve
Percent who say it would be easy to obtain:	00.0	F0 F	60.0	Estim
Alcohol	66.2	58.5	60.6	Perce
Cigarettes	54.1	54.1	56.2	Some
Marijuana Other Illicit (Cocaine, LSD, Math, Club Drug, etc.)	39.6 14.2	37.8 15.8	29.9 15.2	Data
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	14.2	15.8	15.2	

DENI SURVEY			
	2014	2012	2010
Percent who believe they risk harm if they use:	50.0		
Alcohol (1 or 2 drinks daily)	50.6		
Alcohol (Binge: 5+ drinks once or twice a week)	65.1	047	00.0
Alcohol (any use)	05.7	64.7	80.2
Cigarettes (1+ packs per day)	85.7	70.0	70.0
Cigarettes (any use)	540	79.8	79.6
Marijuana (once or twice a week)	54.8	00.0	70.0
Marijuana (any use)	04.0	66.9 93.0	70.6
Other: Cocalne, LSD, Meth, Club Drug (any use)	91.2	93.0	94.8
Percent of students who, in past 30 days:			
Were very sad	20.0	17.8	18.9
Were grouchy, irritable, or in a bad mood	22.4	23.6	21.5
Felt hopeless about the future	12.9	9.9	16.6
Felt like not eating or eating more than usual	19.1	19.2	17.9
Slept a lot more or a lot less than usual	16.0	18.6	27.2
Had difficulty concentrating on school work	24.9	19.4	23.9
Percent of students who, in past 12 months:			
Seriously considered attempting suicide	10.6	14.8	13.2
Made plan about how they would attempt suicide	9.6	10.9	7.9
Attempted suicide	4.2	6.2	4.8
Attempted suicide and resulting injury, poisonng, or overdose	1.5	1.8	2.1
had to be treated by doctor or nurse	1.5	1.0	2.1
Percent of students who, in past 12 months:			
Were threatened/injured with weapon at school	5.8	5.7	11.1
Were in a physical fight	16.5	20.0	22.1
Were in a fight and had to be treated by a doctor or nurse	3.5	3.5	3.4
Porcent of ctudents who in pact 2 months			
Percent of students who, In past 3 months: Were victims of mean rumors or lies spread at school	51.3	44.9	56.5
Were made fun of by others	64.1	57.2	71.7
Were victims of an embarrassing or hurtful text message or	04.1	01.2	, , , ,
something posted on the internet	25.3	16.5	19.1
Spread mean rumors or lies about other kids at school	23.6	23.3	34.5
Made fun of other people	58.3	60.6	77.9
Posted something on the internet or sent a text that might			-
embarrass or hurt another student	18.9	11.6	15.9
Demonst of attridents who areas that			
Percent of students who agree that:	66.4	74.0	79.4
Teachers notice and comment on student's good work	66.1	71.0	79.4
School provides feedback to parents on positive student performance	45.5	48.2	52.4
Rules are enforced fairly	55.0	63.5	70.8
Students of all races/ethnicities are treated equal	76.1	73.1	77.8
•	. 5	. 5. 1	
Percent of students who agree that:	00 -	06.5	ac =
Parents notice and comment on student's good work	82.7	82.0	86.7
Parents involve student in making family decisions	69.2	66.7	66.7
It is important to be honest with parents regardless of consequences	82.5	84.1	84.0
•	76.8	73.4	74.6
Student could ask parent for help with a personal problem	10.0	13.4	14.0

Missouri Student Survey is conducted biennially. Similar affirmative response choices for individual questions are combined.

Blank data cells indicate estimates are not available for item or geographic area. Survey is not conducted in every school district nor reported for every county. Estimates are not available for counties with small numbers of respondents. Percentages are estimates based on weighted data.

Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

or ambert occit	• •						
DB	H REGION	Central		IMPAIRED DRIVING	2013	2012	2011
DB	H SERVICE AREAS			Alcohol Involved CrashesTotal	52	65	43
S	ubstance Use	11		Fatal Crashes	4	4	3
A A A A A A A A A A A A A A A A A A A	dult Psychiatric	11		Injury Crashes	21	36	24
PO	PULATION			Property Damage Crashes	27	25	16
	ensus 2010	44,002		Crash Fatalities	4	4	3
	014 Estimate	44,021		Crash Injuries	30	48	32
				Drug Involved CrashesTotal	12	6	8
				Fatal Crashes	0	0	0
BIRTH RISK	2013	2012	2011	Injury Crashes	7	2	5
Resident BirthsTotal	384	400	413	Property Damage Crashes	5	4	3
Mother Reported Smoking while I		120	104	Crash Fatalities	0	0	0
Wother Reported Smoking while i	regnant 100	120	104	Crash Injuries	10	2	4
DISEASE INCIDENCE 1	2013	2012	2011				
HIV/AIDS Cases	0	0	1	POLICE REPORTS	2013	2012	2011
Hepatitis B Chronic, Acute, Prena	atal 3	6	2	DUI Arrests, DWI Tracking System	337	359	373
Hepatitis C Chronic and Acute	39	34	33	Liquor Law Arrests	63	93	86
Tuberculosis Infection Cases	14	11	9	Drug Arrests	180	202	233
				Violent Offenses	76	93	81
DEATHS and INJURIES	2013	2012	2011	Property Offenses	812	1,057	968
Resident DeathsTotal	458	466	441	Domestic Violence Reports	348	302	221
Suicides	8	6	4	Mathamahatamina Lah Caizuraa	2014	2013 6	2012
Self-inflicted Injuries	51	35	38	Methamphetamine Lab Seizures	9	О	8
Homicides	2	0	0	SCHOOL REPORTS	2013-14	2012-13	2011-12
Assault Injuries	76	136	108	Enrollment Grades 9-12	1,602	1,636	1,630
Alcohol Induced Deaths	1 9	10	3 7	Drop-outs	22	33	32
Drug Induced Deaths Smoking Attributable Deaths	91	9 101	7 84	Drop-out Rate	1.4%	2.0%	2.0%
Smoking Attributable Deaths	91	101	04	School Discipline Involving Alcohol	1	9	32
HOSPITAL EPISODES 2	2013	2012	2011	School Discipline Involving Drugs	18	30	43
Hospitalization, no Emergency Ro	oom:			School Discipline Involving Tobacco	1	4	6
Mental Illness Principal Diagnos	is 166	152	127	JUVENILE COURT REFERRALS 3	2013	2012	2011
Mental Illness Secondary Diagno	osis 449	499	428	Juvenile Violent Offenses	19	30	53
Alcohol Principal Diagnosis	17	10	5	Juvenile Alcohol Offenses	9	34	15
Alcohol Secondary Diagnosis	59	35	27	Juvenile Drug Offenses	15	9	21
Drug Principal Diagnosis	9	8	2	School Truancy Status Offense	17	23	21
Drug Secondary Diagnosis	23	26	22	Absent from Home Status Offense	9	7	18
Emergency Room + Hospitalization				Beyond Parental Control Status Offense	5	11	14
Mental Illness Principal Diagnos		123	110	Injurious Behavior Status Offense	30	23	25
Mental Illness Secondary Diagn		972	1,006	Child Abuse	12	14	25
Alcohol Principal Diagnosis	54	59	65	Child Neglect	77	104	74
Alcohol Secondary Diagnosis	126	132	112	Child Custody Issues	0	0	0
Drug Principal Diagnosis	23	13	30	•			
Drug Secondary Diagnosis	36	42	42	JUVENILE COURT PLACEMENTS	2013	2012	2011
Emergency Room, no Hospitaliza		000	000	Out-of-Home PlacementsTotal	44	46	29
Mental Illness Principal Diagnos		369	260	Parental Alcohol Use Related	8	0	1
Mental Illness Secondary Diagnosia		991	684	Parental Drug Use Related	2	13	1
Alcohol Principal Diagnosis	71	65 63	57 42	Parental Alcohol and Drug Use	1	0	0
Alcohol Secondary Diagnosis Drug Principal Diagnosis	79 65	62 69	43 43	CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Secondary Diagnosis	50	74	43 51	Drug Court Participants	0	0	0
Drug Secondary Diagnosis	30	74	31	Probation/Parole AdmissionsDrug	119	113	95
ALCOHOL OUTLETS	2014	2013	2012	Probation/Parole AdmissionsDWI	31	32	32
Alcohol On-Premise Drink Licens		151	145	Prison AdmissionsDrug	81	71	61
Alcohol Package Carry-out Licen		78	79	Prison AdmissionsDWI	13	16	18
EMPLOYMENT	2014	2013	2012	1 All Kansas City hepatitis and TB case repor			County
Labor Force	18,781	20,593	19,600	totals and all Joplin case reports are include 2 Beginning with 2010 data, diagnosis counts			es are
Employed	17,263	18,940	17,823	based on codes developed by the Healthca	re Cost and U	Itilization Pro	ject.
Unemployed	1,518	1,653	1,777	3 Beginning in 2013, juvenile municipal violati court orders are categorized as status offen			
Unemployment Rate	8.1%	8.0%	9.1%	Court orders are categorized as status orien	oco molead 0	i iaw violatioi	10.

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	9	7	16
CSTAR Adolescent	16	13	25
CSTAR Women and Children	10	12	19
CSTAR General Adult	151	177	167
CSTAR Opioid	0	0	0
Primary Recovery Treatment	12	10	67
Clinical SATOP (CIP, YCIP, SROP)	37	38	39
Other Substance Abuse Treatment	*	*	*

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	170	187	206
- Adolescent Diversion Education Prograr	*	0	*
- Offender Education Program	68	69	86
- Weekend Intervention Program	36	40	41
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	7	12
Compulsive Gambling	0	*	*
Recovery Supports	5	*	*
Early Intervention	*	*	*

NUMBER ADMITTED	FY2014	FY2013	FY2012	PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Total Individuals	221	250	300	Alcohol	87	111	133
			-	Marijuana / Hashish	54	58	71
AGE				Cocaine (total)	0	*	*
Under 18	18	14	24	- Crack	0	*	*
18 to 24	36	42	52	Stimulant (total)	45	44	55
25 to 29	34	45	52	- Methamphetamine	43	41	51
30 to 34	49	39	43	Heroin	5	10	13
35 to 39	27	27	32	Analgesic except Heroin	22	24	24
40 to 44	16	35	34	- Non-Prescription Methadone	0	0	0
45 to 54	33	39	48	PCP, LSD, other Hallucinogen	*	0	*
55 and Over	8	9	15	Tranquilizer	*	*	0
CENDED				Inhalant	0	0	0
GENDER Male	134	161	215	Sedative	0	0	*
Female	87	89	213 85	Other Medication or Illicit Drug	6	*	0
remale	01	09	65	3	17.5	17.5	17.3
RACE / ETHNICITY				Average Age at First Use of Drug	17.5	17.5	17.3
Caucasian	213	241	292				
African American	*	*	*	INJECTION DRUG USE	20	40	40
Native American / Alaskan	*	*	0	Any Injection Use at Admission	30	40	46
Asian / Pacific Islander	0	0	0	- Daily Injection Use			11
Hispanic	*	*	*	- Weekly Injection Use	12	11	
Other Race / Two or More Races	*	*	*	- Less than Weekly Injection Use	14	27	31
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	62	65	98	0	119	80	110
High School Graduate or G.E.D.	104	114	125	1 or 2	68	84	98
Associate Degree or Some College	53	66	76	3 or More	34	86	92
Bachelor or Advanced Degree	*	5	*				
_				TREATMENT REFERRAL SOURCE	70		00
EMPLOYMENT	20	0.4	400	Self / Family / Friend	73	74 *	62
Employed	66	91	103	School	0	*	
Unemployed	94	73	97	Mental Health Provider			*
Not in Labor Force	61	86	100	Health Care Provider	5	12	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	82	125	197
Independent Living	169	206	241	Other Referral Source	54	32	32
Dependent Living	28	24	33				
Homeless	6	8	12	TREATMENT ACCOMMODATION			
	3	3		Pregnant when Admitted to any Episode	*	*	6
MARITAL / FAMILY STATUS				Military Veteran	6	9	12
Never Married	114	126	158	Special Education Services Needed	*	19	21
Married / Cohabitating	59	66	63	Co-Occurring Psychological Problem	103	65	78
Previously Married	48	58	79	Co-Occurring Developmental Problem	7	13	12

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



 DBH REGION
 Central

 PSYCHIATRIC SERVICE AREA
 11

 CENSUS 2010
 44,002

 2014 POPULATION ESTIMATE
 44,021

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.							
DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012				
Adjustment Disorder	20	16	10				
Anxiety Disorder	243	197	158				
Dementia	0	0	0				
Developmental Disorder	5	*	*				
Impulse Control Disorder	51	36	37				
Mood Disorder	283	252	222				
Personality Disorder	17	12	9				
Psychotic Disorder	27	29	33				
Sexual Disorder	0	0	0				
Other Diagnosis	27	24	17				
Diagnosis Unknown	22	10	18				

Individuals who received psychiatric services had the following types of

NUMBER SERVED	FY2014	FY2013	FY2012	EDUCATION	FY2014	FY2013	FY2012
Total Individuals	401	331	308	Less than High School Diploma	133	124	72
. 6.6			000	High School Grad or G.E.D.	0	*	64
AGE				Associate Degree or Some College	0	*	25
Under 6	11	*	*	Bachelor or Advanced Degree	0	*	*
6 to 9	32	23	21	Education Level Unknown	268	203	145
10 to 13	35	27	28	Education Edvor Children	200	200	1 10
14 to 17	34	36	37	EMPLOYMENT			
18 to 24	29	26	25	Employed	12	16	22
25 to 29	26	23	22	Unemployed	20	30	120
30 to 34	34	28	21	Not in Labor Force	185	208	41
35 to 39	35	23	26	Employment Status Unknown	184	77	125
40 to 44	42	33	30				
45 to 49	40	38	29	HOUSING / LIVING ARRANGEMENT			
50 to 54	39	37	28	Independent Living	104	162	153
55 to 59	27	13	18	Dependent Living	117	97	57
60 and Over	17	20	20	Homeless	5	*	*
Age Unknown	0	0	0	Other	0	0	0
				Housing Unknown	175	69	96
GENDER				•			
Male	167	139	131	TREATMENT REFERRAL SOURCE			
Female	234	192	177	Self / Family / Friend	271	202	188
Gender Unknown	0	0	0	School	*	*	*
RACE / ETHNICITY				Mental Health Provider	15	21	18
Caucasian	385	316	297	Health Care Provider	43	43	35
African American	*	*	*	Court / Criminal Justice	24	23	30
Native American / Alaskan	*	*	0	Other	46	40	36
Asian / Pacific Islander	0	0	0	Referral Source Unknown	0	0	0
Hispanic	6	6	*				
Other Race	6	*	5	TYPE OF COMMITMENT			
Race/Ethnicity Unknown	0	0	0	Voluntary	398	330	307
•				Civil	*	*	*
TREATMENT ACCOMMODATION				Criminal	*	0	0
Hearing Impaired	14	13	9	Sexual Predatory	0	0	0
Past or Current Military Service	12	10	8	Commitment Type Unknown	0	0	0

MISSOURI STUDENT SURVEY

Percent of students who have ever used:	2014	2012	2010	Percent who believe they risk harm if they use:	2014	2012	2010
Alcohol	43.1	40.0	46.3	Alcohol (1 or 2 drinks daily)	52.8		
Cigarettes	34.2	26.6	32.4	Alcohol (Binge: 5+ drinks once or twice a week)	65.8		
Chewing Tobacco	10.2	12.9		Alcohol (any use)		70.0	75.5
Marijuana	19.4	17.5		Cigarettes (1+ packs per day)	88.8		
Inhalants	1.2	5.4	10.7	Cigarettes (any use)		81.3	82.3
Prescription medications not prescribed for student	10.2	9.1	14.3	Marijuana (once or twice a week)	54.7		
Over-the-counter medications for non-medical use	0.0	6.4	9.6	Marijuana (any use)		70.7	70.6
Methamphetamine	0.0	1.2		Other: Cocaine, LSD, Meth, Club Drug (any use)	90.3	92.6	94.0
Cocaine	1.0	1.5	3.3				
Heroin	0.0	0.5	1.2	Percent of students who, in past 30 days:	00.0	00.4	40.4
Hallucinogens	1.2	3.4	6.3	Were very sad	20.2	20.4	18.4
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	2.4	2.2	4.3	Were grouchy, irritable, or in a bad mood	27.3	24.9	21.6
Steroids not prescribed for student	0.2	1.5	2.5	Felt hopeless about the future	11.3	11.1	15.0
Synthetic drugs (K2, bath salts, Spice, etc)	5.4	9.7		Felt like not eating or eating more than usual	16.5	18.7	17.3
				Slept a lot more or a lot less than usual	21.4	20.2	26.8
Average age of students' first use of: Alcohol	12.05	10 10	11.92	Had difficulty concentrating on school work	24.0	22.3	26.2
Cigarettes			11.59	Percent of students who, in past 12 months:			
•		13.42		Seriously considered attempting suicide	10.1	11.3	12.7
Marijuana Inhalants			11.96	Made plan about how they would attempt suicide	5.6	8.6	8.7
IIIIdidiiIS	12.00	12.24	11.90	Attempted suicide	3.2	5.4	5.6
Percent of students who, in past 30 days, used:				Attempted suicide and resulting injury, poisonng, or overdose	0.0	2.2	1.7
Alcohol	13.9	17.7	22.3	had to be treated by doctor or nurse	0.0	2.2	1.7
Alcohol (Binge: 5+ drinks on one occassion)		11.4	14.1	Percent of students who, in past 12 months:			
Cigarettes	14.6	12.6	17.6	Were threatened/injured with weapon at school	4.4	7.6	8.9
Chewing Tobacco	5.6	6.7	8.3	Were in a physical fight	20.9	19.4	23.7
Marijuana	4.5	8.6	11.5	Were in a fight and had to be treated by a doctor or nurse	0.2	3.1	3.1
Inhalants	1.2	2.5	5.8				
Prescription medications not prescribed for student	2.2	4.4	10.5	Percent of students who, in past 3 months:			
Over-the-counter medications for non-medical use	0.0	3.5	6.8	Were victims of mean rumors or lies spread at school	43.5	50.9	53.5
Percent of students who, in past 2 weeks, used:				Were made fun of by others	46.0	60.1	67.4
Alcohol (Binge: 5+ drinks on one occassion)	2.2			Were victims of an embarrassing or hurtful text message or something posted on the internet	20.4	20.6	21.2
-				Spread mean rumors or lies about other kids at school	16.5	24.6	33.7
Percent whose friends used in past 12 months:				Made fun of other people	48.1	57.7	73.0
Alcohol	41.3	50.3		Posted something on the internet or sent a text that might	40.1	37.7	73.0
Cigarettes	42.8	43.6		embarrass or hurt another student	8.5	13.4	14.5
Marijuana	29.0	36.3					
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	6.9	16.4	23.5	Percent of students who agree that:			
Percent who would likely use, if offered by a best friend:				Teachers notice and comment on student's good work	73.5	69.1	72.8
Alcohol	26.5	29.6	38.0	School provides feedback to parents on positive student	61.8	37.2	44.3
Cigarettes	15.3	14.8	20.2	performance	01.0	37.2	77.5
Marijuana	10.7	14.0	19.2	Rules are enforced fairly	65.5	61.6	62.7
				Students of all races/ethnicities are treated equal	86.6	73.7	76.2
Percent who say it would be wrong to use:	05.0	00.4		Percent of students who agree that:			
Alcohol	65.8	63.1	55.3	Parents notice and comment on student's good work	85.2	83.2	86.1
Cigarettes	79.8	80.1	75.1	Parents involve student in making family decisions	70.0	69.5	71.0
Marijuana	75.7	79.5	76.2	It is important to be honest with parents regardless of	. 0.0		
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	95.6	94.4	93.0	consequences	81.8	88.3	83.6
Percent whose parents would disapprove if they use:				Student could ask parent for help with a personal problem	82.5	78.0	77.4
Alcohol	81.1	80.4	78.7	· · · · ·			
Cigarettes	91.1	88.5	89.8	Missouri Student Survey is conducted biennially.			
Marijuana	95.0	91.8	93.9	Similar affirmative response choices for individual questions ar			
Percent who say it would be easy to obtain:				Blank data cells indicate estimates are not available for item or Survey is not conducted in every school district nor reported fo			•
Alcohol	46.9	53.0	56.2	Estimates are not available for counties with small numbers of			
Cigarettes	56.4			Percentages are estimates based on weighted data. Some year-to-year differences in percentages are not statistical.	ally signifi	cant.	
Marijuana	36.3	34.8					
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	12.9	17.9		Data source: Missouri Institute of Mental Health, 2010-2014 Mi	ssouri St	udent Sı	urveys
Tarit (Gooding Lob) Motif Olds Bragioto)			. 5.0				

CALL GINANDE	.70 000						
DE DE	BH REGION	Southeast		IMPAIRED DRIVING	2013	2012	2011
DE	BH SERVICE AREAS			Alcohol Involved CrashesTotal	57	53	51
	Substance Use	21		Fatal Crashes	0	2	0
	dult Psychiatric	21		Injury Crashes	19	19	21
PC	PULATION			Property Damage Crashes	38	32	30
	Census 2010	75,674		Crash Fatalities	0	2	0
	014 Estimate	78,043		Crash Injuries	27	30	23
Fer				Drug Involved CrashesTotal	14	16	17
				Fatal Crashes	1	1	0
BIRTH RISK	2013	2012	2011	Injury Crashes	7	6	8
Resident BirthsTotal	942	919	897	Property Damage Crashes	6	9	9
Mother Reported Smoking while	Pregnant 192	194	159	Crash Fatalities	1	1	0
				Crash Injuries	12	6	7
DISEASE INCIDENCE 1	2013	2012	2011	POLICE REPORTS	2013	2012	2011
HIV/AIDS Cases	3	3	7	DUI Arrests, DWI Tracking System	474	572	553
Hepatitis B Chronic, Acute, Pren		8	5	Liquor Law Arrests	109	174	204
Hepatitis C Chronic and Acute	57	48	49	Drug Arrests	347	293	341
Tuberculosis Infection Cases	31	31	50	Violent Offenses	298	280	293
DEATHS and INJURIES	2013	2012	2011	Property Offenses	2,568	3,351	3,146
Resident DeathsTotal	732	719	750	Domestic Violence Reports	482	505	468
Suicides	10	12	12		2014	2013	2012
Self-inflicted Injuries	68	91	100	Methamphetamine Lab Seizures	4	15	28
Homicides	6	1	2				
Assault Injuries	270	308	291	SCHOOL REPORTS	2013-14	2012-13	2011-12
Alcohol Induced Deaths	5	3	0	Enrollment Grades 9-12	2,805	2,781	2,892
Drug Induced Deaths	10	8	11	Drop-outs	58	82	102
Smoking Attributable Deaths	135	123	129	Drop-out Rate	2.1%	2.9%	3.5%
				School Discipline Involving Alcohol	2	2	6
HOSPITAL EPISODES 2	2013	2012	2011	School Discipline Involving Drugs	23	28	37
Hospitalization, no Emergency R		070	700	School Discipline Involving Tobacco	0	0	1
Mental Illness Principal Diagnos		676	783	JUVENILE COURT REFERRALS 3	2013	2012	2011
Mental Illness Secondary Diagr		1,065	1,285	Juvenile Violent Offenses	76	101	75
Alcohol Principal Diagnosis	38 118	72 97	59 125	Juvenile Alcohol Offenses	6	13	15
Alcohol Secondary Diagnosis Drug Principal Diagnosis	34	43	37	Juvenile Drug Offenses	26	41	29
Drug Secondary Diagnosis	79	100	113	School Truancy Status Offense	92	107	23
Emergency Room + Hospitalizat		100	113	Absent from Home Status Offense	72	64	49
Mental Illness Principal Diagnos		75	58	Beyond Parental Control Status Offense	16	29	48
Mental Illness Secondary Diagr		889	796	Injurious Behavior Status Offense	163	100	26
Alcohol Principal Diagnosis	37	35	20	Child Abuse	58	36	44
Alcohol Secondary Diagnosis	89	99	80	Child Neglect	258	122	17
Drug Principal Diagnosis	18	11	9	Child Custody Issues	67	15	45
Drug Secondary Diagnosis	50	56	50	JUVENILE COURT PLACEMENTS	2013	2012	2011
Emergency Room, no Hospitaliza	ation:			Out-of-Home PlacementsTotal	72	80	81
Mental Illness Principal Diagnos	sis 824	714	801	Parental Alcohol Use Related	4	2	3
Mental Illness Secondary Diagr	osis 1,735	3,414	1,217	Parental Drug Use Related	29	40	33
Alcohol Principal Diagnosis	129	144	147	Parental Alcohol and Drug Use	2	2	5
Alcohol Secondary Diagnosis	131	135	156		510044	5/0040	EVOCAC
Drug Principal Diagnosis	95	84	106	CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Secondary Diagnosis	146	147	144	Drug Court Participants	65 497	80 470	115
				Probation/Parole AdmissionsDrug Probation/Parole AdmissionsDWI	187 32	170 54	172 35
ALCOHOL OUTLETS	2014	2013	2012	Prison AdmissionsDrug	93	79	96
Alcohol On-Premise Drink Licen		120	118	Prison AdmissionsDWI	93 25	7 9 26	25
Alcohol Package Carry-out Licer	nses 68	65	64	. Hoom Manifestorie Diff	20	20	20
EMPLOYMENT	2014	2013	2012	All Kansas City hepatitis and TB case report totals and all Joplin case reports are include			
Labor Force	40,781	39,075	38,444	2 Beginning with 2010 data, diagnosis counts			
Employed	38,556	36,773	36,172	based on codes developed by the Healthcar			
Unemployed	2,225	2,302	2,272	3 Beginning in 2013, juvenile municipal violati court orders are categorized as status offen:			

5.5%

5.9%

5.9%

Unemployment Rate

court orders are categorized as status offenses instead of law violations.

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	132	109	91
CSTAR Adolescent	29	43	70
CSTAR Women and Children	90	93	99
CSTAR General Adult	249	223	162
CSTAR Opioid	0	0	0
Primary Recovery Treatment	6	75	223
Clinical SATOP (CIP, YCIP, SROP)	77	51	42
Other Substance Abuse Treatment	*	*	*

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	369	363	417
- Adolescent Diversion Education Prograr	0	0	*
- Offender Education Program	166	184	225
- Weekend Intervention Program	93	95	102
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	5	7	15
Compulsive Gambling	*	*	*
Recovery Supports	235	208	165
Early Intervention	*	*	*

NUMBER ADMITTED	FY2014	FY2013	FY2012	PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Total Individuals	547	532	625	Alcohol	211	206	237
				Marijuana / Hashish	162	156	191
AGE				Cocaine (total)	38	41	55
Under 18	30	44	72	- Crack	16	22	34
18 to 24	112	97	117	Stimulant (total)	67	69	62
25 to 29	97	88	115	- Methamphetamine	63	65	55
30 to 34	86	79	90	Heroin	18	13	12
35 to 39	67	76	59	Analgesic except Heroin	40	38	49
40 to 44	46	56	69	- Non-Prescription Methadone	0	0	0
45 to 54	81	74	76	PCP, LSD, other Hallucinogen	*	*	5
55 and Over	28	18	27	Tranquilizer	9	5	9
GENDER				Inhalant	0	*	0
Male	385	364	434	Sedative	0	0	*
Female	162	168	191	Other Medication or Illicit Drug	0	*	*
				Average Age at First Use of Drug	17.7	17.9	17.3
RACE / ETHNICITY							
Caucasian	401	402	475	INJECTION DRUG USE			
African American	117	112	112	Any Injection Use at Admission	64	57	64
Native American / Alaskan	*	*	*	- Daily Injection Use	21	7	15
Asian / Pacific Islander	0	*	0	- Weekly Injection Use	19	15	13
Hispanic	14	7	20	- Less than Weekly Injection Use	24	35	36
Other Race / Two or More Races	14	11	20	2000 than Woodly Injection 200		00	00
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	167	165	202	0	292	281	347
High School Graduate or G.E.D.	249	243	277	1 or 2	165	153	180
Associate Degree or Some College	126	120	136	3 or More	90	98	98
Bachelor or Advanced Degree	5	*	10	TOTATAGENT DEFENDAL COURCE			
ENADLOVA AFAIT				TREATMENT REFERRAL SOURCE Self / Family / Friend	145	149	173
EMPLOYMENT Employed	176	149	172	School	145	145	0
Employed Unemployed	200	206	224	Mental Health Provider	*	7	8
Not in Labor Force	171			Health Care Provider	27	34	34
Not in Labor Force	171	177	229		27	-	332
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	284	261	
Independent Living	444	418	445	Other Referral Source	63	56	61
Dependent Living	59	90	149				
Homeless	38	18	21	TREATMENT ACCOMMODATION	*		
				Pregnant when Admitted to any Episode		8	11
MARITAL / FAMILY STATUS		000	000	Military Veteran	24	16	40
Never Married	304	288	360	Special Education Services Needed	44	62	44
Married / Cohabitating	141	131	145	Co-Occurring Psychological Problem	230	205	206
Previously Married	102	113	120	Co-Occurring Developmental Problem	8	13	16

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Southeast
PSYCHIATRIC SERVICE AREA 21
CENSUS 2010 75,674
2014 POPULATION ESTIMATE 78,043

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder. FY2014 FY2013 FY2012 **DIAGNOSIS CATEGORY** Adjustment Disorder 204 271 211 **Anxiety Disorder** 300 310 272 Dementia 0 0 0 **Developmental Disorder** 191 Impulse Control Disorder 229 257 **Mood Disorder** 972 1,185 1,183 Personality Disorder 21 24 22 Psychotic Disorder 205 190 210 Sexual Disorder 0 0 47 Other Diagnosis 54 50

152

209

470

Individuals who received psychiatric services had the following types of

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

Diagnosis Unknown

NUMBER SERVED	FY2014	FY2013	FY2012	EDUCATION	FY2014	FY2013	FY2012
Total Individuals	2,085	1,881	2,495	Less than High School Diploma	203	215	135
	•			High School Grad or G.E.D.	0	*	118
AGE	_		*	Associate Degree or Some College	0	0	32
Under 6	0	*		Bachelor or Advanced Degree	0	0	25
6 to 9	74	67	110	Education Level Unknown	1,882	1,665	2,185
10 to 13	119	91	136		•	•	,
14 to 17	121	96	151	EMPLOYMENT			
18 to 24	226	198	302	Employed	19	20	28
25 to 29	201	214	258	Unemployed	27	21	252
30 to 34	243	211	287	Not in Labor Force	436	404	85
35 to 39	197	177	232	Employment Status Unknown	1,603	1,436	2,130
40 to 44	195	178	225				
45 to 49	181	177	204	HOUSING / LIVING ARRANGEMENT			
50 to 54	195	183	218	Independent Living	258	246	247
55 to 59	157	145	178	Dependent Living	232	202	156
60 and Over	176	141	191	Homeless	11	8	*
Age Unknown	0	0	0	Other	0	0	7
0511050				Housing Unknown	1,584	1,425	2,082
GENDER	005	044	4.040				
Male	905	811	1,042	TREATMENT REFERRAL SOURCE			
Female	1,180	1,070	1,453	Self / Family / Friend	1,307	1,198	1,751
Gender Unknown	0	0	0	School	36	13	20
RACE / ETHNICITY				Mental Health Provider	175	158	177
Caucasian	1,677	1,508	1,979	Health Care Provider	230	214	231
African American	218	203	235	Court / Criminal Justice	53	57	77
Native American / Alaskan	0	*	*	Other	274	232	229
Asian / Pacific Islander	*	*	6	Referral Source Unknown	10	9	10
Hispanic	121	111	205				
Other Race	66	55	69	TYPE OF COMMITMENT			
Race/Ethnicity Unknown	0	0	0	Voluntary	2,064	1,858	2,467
•	· ·	· ·	· ·	Civil	0	*	6
TREATMENT ACCOMMODATION				Criminal	11	12	11
Hearing Impaired	79	82	100	Sexual Predatory	0	*	*
Past or Current Military Service	46	40	61	Commitment Type Unknown	10	9	10

MISSOURI STUDENT SURVEY

	IVIIOO	OUI		JULI
Percent of students who have ever used:	2014	2012	2010	Perce
Alcohol	40.3	39.2	44.9	Alco
Cigarettes	26.3	24.2	27.6	Alco
Chewing Tobacco	19.2	11.3	13.4	Alco
Marijuana	9.0	12.2	18.7	Ciga
Inhalants	5.3	3.8	6.6	Ciga
Prescription medications not prescribed for student	7.5	6.6	11.2	Mar
Over-the-counter medications for non-medical use	4.5	5.7	7.5	Mar
Methamphetamine	0.0	1.4	0.8	Oth
Cocaine	1.5	1.3	0.8	
Heroin	0.0	0.6	0.7	Perce
Hallucinogens	0.8	3.0	3.8	Wei
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.0	1.6	2.1	Wei
Steroids not prescribed for student	0.2	1.5	1.1	Felt
Synthetic drugs (K2, bath salts, Spice, etc)	3.3	6.4		Felt
				Sle
Average age of students' first use of: Alcohol	10.50	10.71	12.02	Had
		12.71 12.95		Perce
Cigarettes				Ser
Marijuana		13.75		Mad
Inhalants	13.11	12.25	12.60	Atte
Percent of students who, in past 30 days, used:				Atte
Alcohol	14.0	15.0	20.3	had
Alcohol (Binge: 5+ drinks on one occassion)		8.0	11.9	Perce
Cigarettes	15.2	12.2	14.3	Wei
Chewing Tobacco	13.1	5.6	7.5	Wei
Marijuana	2.4	4.8	10.2	Wei
Inhalants	1.8	1.3	2.5	""
Prescription medications not prescribed for student	4.8	2.7	4.9	Perce
Over-the-counter medications for non-medical use	2.4	3.1	5.2	Wei
Percent of students who, in past 2 weeks, used:				Wei
Alcohol (Binge: 5+ drinks on one occassion)	8.4			Wei
Accord (blinge: 3+ drinks on one occassion)	0.4			som
Percent whose friends used in past 12 months:				Spr
Alcohol	53.6	52.1	62.0	Mad
Cigarettes	41.0	42.7	49.9	Pos
Marijuana	18.5	32.8	41.8	emb
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	6.5	15.5	19.2	Perce
Percent who would likely use, if offered by a best friend:				Tea
Alcohol	27.6	26.3	32.4	Sch
Cigarettes	18.0	14.2	15.7	perf
Marijuana	6.7	8.6	15.1	Rule
Mangaana	0	0.0		Stu
Percent who say it would be wrong to use:				Doros
Alcohol	59.8	62.1	61.1	Perce
Cigarettes	78.1	82.0	78.3	Par
Marijuana	88.6	86.6	80.1	Par
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.6	95.8	95.1	lt is con
Percent whose parents would disapprove if they use:				
Alcohol	72.5	78.8	77.8	Stu
Cigarettes	92.0	92.1	89.7	Misso
Marijuana	93.2	94.6	94.1	Simila
•	30.2			Blank
Percent who say it would be easy to obtain:				Surve
Alcohol	55.3	57.6	61.1	Percei
Cigarettes	50.7	53.8	58.5	Some
Marijuana	22.7	35.7	39.3	Data s
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	11.5	19.5	19.4	

DENT SURVEY			
December 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,	2014	2012	2010
Percent who believe they risk harm if they use:	50.0		
Alcohol (1 or 2 drinks daily)	53.9		
Alcohol (Binge: 5+ drinks once or twice a week)	65.9		
Alcohol (any use)		72.4	75.6
Cigarettes (1+ packs per day)	82.0		
Cigarettes (any use)		81.8	80.9
Marijuana (once or twice a week)	76.5		
Marijuana (any use)		77.5	74.8
Other: Cocaine, LSD, Meth, Club Drug (any use)	91.5	93.2	94.9
Percent of students who, in past 30 days:			
Were very sad	22.2	17.5	20.3
Were grouchy, irritable, or in a bad mood	27.1	22.6	22.1
Felt hopeless about the future	10.7	11.9	14.1
Felt like not eating or eating more than usual	24.4	16.3	20.2
Slept a lot more or a lot less than usual	24.0	20.0	29.8
Had difficulty concentrating on school work	27.6	22.4	25.1
Percent of students who, in past 12 months:	0.7	0.0	40.4
Seriously considered attempting suicide	9.7	9.9	12.1
Made plan about how they would attempt suicide	6.9	7.7	8.5
Attempted suicide	2.9	4.8	5.0
Attempted suicide and resulting injury, poisonng, or overdose had to be treated by doctor or nurse	1.4	1.1	1.8
had to be treated by doctor of hurse			
Percent of students who, in past 12 months:			
Were threatened/injured with weapon at school	8.3	4.9	9.3
Were in a physical fight	17.4	19.5	19.0
Were in a fight and had to be treated by a doctor or nurse	3.2	2.9	3.7
Percent of students who, in past 3 months:			
Were victims of mean rumors or lies spread at school	59.2	49.2	50.8
Were made fun of by others	64.6	62.2	68.2
Were victims of an embarrassing or hurtful text message or something posted on the internet	28.8	20.6	22.4
Spread mean rumors or lies about other kids at school	28.3	32.2	38.1
Made fun of other people	66.7	61.3	73.7
Posted something on the internet or sent a text that might	00.7	01.0	70.7
embarrass or hurt another student	23.8	12.9	18.5
Percent of students who agree that:			
Teachers notice and comment on student's good work	74.9	73.0	72.0
School provides feedback to parents on positive student	45.4	00.0	00.5
performance	45.1	39.2	39.5
Rules are enforced fairly	66.3	70.2	68.2
Students of all races/ethnicities are treated equal	83.8	75.2	76.1
Percent of students who agree that:			
Parents notice and comment on student's good work	83.7	83.1	83.9
Parents involve student in making family decisions	77.3	70.0	69.9
It is important to be honest with parents regardless of		, 0.0	00.0
consequences	88.9	85.2	85.6
Student could ask parent for help with a personal problem	80.1	76.2	79.4
2.2.2 Sould don paront for Holy Hill a poroonal problem			
Missouri Student Survey is conducted biennially.			

Missouri Student Survey is conducted biennially. Similar affirmative response choices for individual questions are combined.

Blank data cells indicate estimates are not available for item or geographic area. Survey is not conducted in every school district nor reported for every county. Estimates are not available for counties with small numbers of respondents. Percentages are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

Debt REGION Central Debt REGION Central Debt REGION Debt REGION Debt REGION Debt REGION Central Debt Region								
Substance Use 12	DBH DBH	REGION	Central		IMPAIRED DRIVING	2013	2012	2011
Martin Popularity Popular	DBH	SERVICE AREAS			Alcohol Involved CrashesTotal	11	14	8
Population	Su	bstance Use	12		Fatal Crashes	0	0	2
Cansh 2014 Estimate 9,43 Cash Falatificas 0 0 0 2	Ad	ult Psychiatric	12		Injury Crashes	9	5	3
Care Property Care Pro	POP	ULATION			Property Damage Crashes	2	9	3
BIRTH RISK 2013 2012 2011 Failal Charabes 1	Ce	nsus 2010	9,295		Crash Fatalities	0	0	2
### Faital Crashes		14 Estimate	9,043		Crash Injuries	9	9	5
BIRTH RISK 2013 2012 2011 Property Damage Crashes 1 1 0 0 0 0 0 0 0 0	3					1	2	1
Resident Dirthria Total 123 107 119						0	0	1
Resident BirthsTotal 123 107 119 Property Damage Crashes 0 1 0 0 0 1	BIRTH RISK	2013	2012	2011	Injury Crashes	1	1	0
Crash Injuries		123	107	119		0	1	0
DISSES MCIDENCE 1	Mother Reported Smoking while P	regnant 31	27	30		_	_	
HIVAIDS Cases					Crash Injuries	1	1	0
Hepatitis C Chronic and Acute					POLICE REPORTS	2013	2012	2011
Liquor Law Arrests 21 2 5		_						
Tuberculois Infection Cases								
DEATHS and INURIES 2013 2012 2011 Property Offenses 142 141 87		-			•			
DEATHS and INURIES 2013 2012 2011 Property Offenses 142 141 87 Resident DeathsTotal 129 134 116 Domestic Violence Reports 27 50 41 Sulcides 1 0 3 2014 2013 2012 Self-inflicted Injuries 13 11 2 Methamphetamine Lab Seizures 1 0 0 Alcohol Induced Deaths 0 2 25 21 SCHOOL REPORTS 2013 2012-13 2011-13	Tuberculosis Infection Cases	1	1	1	3			
Resident Deaths—Total 129 134 116 Domestic Violence Reports 27 50 41	DEATHS and INITIRIES	2013	2012	2011				
Suicides								
Self-inflicted Injuries					Zemesie neiene nepene			
Assault Injuries					Methamphetamine Lab Seizures			
Assault Injuries 22 25 21 25 25 25 26 26 26 26 26	•				,			
Acchol Induced Deaths 0 2 0 2 0 2 0 1 2 1 2 2 2 2 2 2 2						2013-14	2012-13	2011-12
Drop-outs A	•				Enrollment Grades 9-12		474	
Smoking Attributable Deaths 22 30 22 2011 2011 2010 30 0 0 0 0 0 0 0 0		0			Drop-outs			
HOSPITAL EPISODES 2013 2012 2011 School Discipline Involving Alcohol 0 0 0 0 0 0 0 0 0	_	22			•			
Hospitalization, no Emergency Room: School Discipline Involving Tobacco O O O								
Mental Illness Principal Diagnosis 70 53 53 JUVENILE COURT REFERALS 3 2013 2012 2011 Mental Illness Secondary Diagnosis 190 186 202 Juvenile Violent Offenses 10 10 11 Alcohol Principal Diagnosis 2 4 1 Juvenile Alcohol Offenses 12 1 3 Drug Principal Diagnosis 12 18 14 School Truancy Status Offense 15 16 18 Drug Secondary Diagnosis 12 19 11 Nematal Illness Principal Diagnosis 12 19 11 Nematal Illness Principal Diagnosis 1 7 9 Mental Illness Principal Diagnosis 1 7 5 Negond Parental Control Status Offense 2 7 9 Beyond Parental Control Status Offense 2 7 9 Beyond Parental Control Status Offense 4 5 11 Injurious Behavior Status Offense 8 11 17 Alcohol Secondary Diagnosis 1 7 5 Child Abuse			2012	2011			-	
Mental Illness Secondary Diagnosis					School Discipline Involving Tobacco	0	0	0
Mental Illness Secondary Diagnosis 10 10 11 11 12 13 14 15 16 16 17 18 17 18 19 11 18 14 18 14 18 14 18 14 18 14 18 14 18 14 18 14 18 14 18 14 18 14 18 14 18 14 18 14 18 14 18 15 16 18 18 14 18 14 18 14 18 14 18 14 18 15 16 18 18 14 18 18					ILIVENII E COLIRT REFERRALS 3	2013	2012	2011
Alcohol Secondary Diagnosis								
Drug Principal Diagnosis 2 3 0 3 14 14 2013 2012 2011 2014 2013 2012 2011 2014 2013 2012 2014 2013 2012 2014 2013 2012 2014 2013 2012 2014 2013 2012 2014 2013 2012 2014 2013 2012 2014 2013 2012 2014 2013 2012 2014 2013 2012 2014 2013 2012 2014 2013 2012 2014 2013 2012 2014 2013 2012 2014 2015 2016 201					Juvenile Alcohol Offenses	12	1	3
Drug Principal Diagnosis 12 18 14 Absent from Home Status Offense 2 7 9 9 Emergency Room + Hospitalization: Mental Illness Principal Diagnosis 12 19 11 Injurious Behavior Status Offense 8 11 17 Absent from Home Status Offense 2 7 9 9 Everyord Parental Control Status Offense 2 7 9 9 Everyord Parental Control Status Offense 2 7 9 9 Everyord Parental Control Status Offense 4 5 11 Injurious Behavior Status Offense 8 11 17 7 5 11 Injurious Behavior Status Offense 8 11 17 7 5 11 Injurious Behavior Status Offense 8 11 17 7 17 17 17 17 17 17 17 17 17 17 1					Juvenile Drug Offenses	0	1	5
Emergency Room + Hospitalization: Mental Illness Principal Diagnosis Alcohol Principal Diagnosis Drug Secondary Diagnosis Alcohol Secondary Diagnosis Drug Prioripial Diagnosis Drug Prioripial Diagnosis Drug Secondary Diagnosis Drug Secondary Diagnosis Drug Secondary Dia						15	16	18
Mental Illness Principal Diagnosis Mental Illness Secondary Diagnosis Alcohol Principal Diagnosis Alcohol Secondary Diagnosis Drug Principal Diagnosis Mental Illness Principal Diagnosis Alcohol Secondary Diagnosis Drug Principal Diagnosis Mental Illness Principal Diagnosis Alcohol Secondary Diagnosis Mental Illness Principal Diagnosis Mental Illness Secondary Diagnosis Mental Illness Principal Diagnosis Mental Illness Secondary Diagnosis Mental Illness Mental Confletion Secondary Diagnosis Mental Illness Principal			18	14	•			
Mental Illness Secondary Diagnosis 87 89 96 Alcohol Principal Diagnosis 1 7 5 5 Alcohol Principal Diagnosis 8 13 11 7 Alcohol Secondary Diagnosis 8 13 11 7 Drug Principal Diagnosis 5 3 4 Child Abuse 0 2 0 2 0 Drug Secondary Diagnosis 5 3 4 Child Custody Issues 0 2 0 2 0 Mental Illness Principal Diagnosis 92 65 65 Parental Alcohol Use Related 0 0 0 0 Mental Illness Principal Diagnosis 135 122 98 Parental Alcohol Use Related 0 0 0 0 Mental Illness Secondary Diagnosis 10 8 14 Parental Alcohol and Drug Use 0 0 0 0 Alcohol Principal Diagnosis 25 17 15 Drug Principal Diagnosis 9 8 12 CRIMINAL JUSTICE FY2014 FY2013 FY2012 Drug Secondary Diagnosis 12 17 8 Drug Court Participants 0 0 0 0 ALCOHOL OUTLETS 2014 2013 2012 Alcohol On-Premise Drink Licenses 10 11 13 4 Alcohol Package Carry-out Licenses 12 11 12 Prison AdmissionsDrug 11 13 4 Alcohol Package Carry-out Licenses 12 11 12 Prison AdmissionsDWI 1 0 2 EMPLOYMENT 2014 4,475 4,568 4,886 4,678 Employed 4,417 4,568 4,303 Unemployed 339 318 375					Beyond Parental Control Status Offense	4	5	11
Alcohol Principal Diagnosis 1 7 7 5 Child Abuse 5 1 3 3 1 Alcohol Secondary Diagnosis 8 13 11 TOTUGE Principal Diagnosis 5 3 4 Child Neglect 0 3 3 1 TOTUGE Principal Diagnosis 5 3 4 Child Neglect 0 0 3 1 TOTUGE Principal Diagnosis 5 3 4 Child Neglect 0 0 2 0 TOTUGE Principal Diagnosis 5 3 4 Child Neglect 0 0 2 0 TOTUGE Principal Diagnosis 5 3 4 TOTUGE Principal Diagnosis 4 6 8 JUVENILE COURT PLACEMENTS 2013 2012 2011 TOUTUGE Principal Diagnosis 92 65 65 Parental Alcohol Use Related 0 0 0 0 0 0 TOTUGE Principal Diagnosis 135 122 98 Parental Drug Use Related 1 0 0 0 0 TOTUGE Principal Diagnosis 10 8 14 Parental Drug Use Related 1 0 0 0 0 TOTUGE Principal Diagnosis 10 8 14 Parental Alcohol and Drug Use 0 0 0 0 TOTUGE Principal Diagnosis 12 17 8 Drug Principal Diagnosis 12 17 8 Drug Principal Diagnosis 12 17 8 Drug Court Participants 0 0 0 0 TOTUGE Probation/Parole AdmissionsDrug 18 12 16 TOTUGE Probation/Parole AdmissionsDrug 18 12 16 TOTUGE Prison AdmissionsDrug 11 13 4 Alcohol On-Premise Drink Licenses 10 11 12 Prison AdmissionsDrug 11 13 4 Prison AdmissionsDWI 5 3 3 3 TOTUGE Prison AdmissionsDWI 1 0 2 TOTUGE Prison AdmissionsDWI 1 1 0 2 TOTUGE Prison Admissions or Douty totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and Bloophing with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project. Labor Force 4,756 4,886 4,678 Engling in 2013, juvenile municipal violations, and violations of court orders are categorized as status offenses instead of law violations.					Injurious Behavior Status Offense	8	11	17
Alcohol Secondary Diagnosis 8 13 11 Child Neglect U 3 1 1		sis 87				5	1	3
Drug Principal Diagnosis 5 3 4 Drug Secondary Diagnosis 4 6 8 Drug Secondary Diagnosis 4 6 8 Drug Secondary Diagnosis 4 6 8 Mental Illness Principal Diagnosis 92 65 65 Mental Illness Principal Diagnosis 135 122 98 Mental Illness Secondary Diagnosis 10 8 14 Alcohol Principal Diagnosis 25 17 15 Drug Principal Diagnosis 25 17 15 Drug Principal Diagnosis 9 8 12 Drug Secondary Diagnosis 12 17 8 Drug Principal Diagnosis 12 17 8 Alcohol OUTLETS 2014 2013 2012 Alcohol On-Premise Drink Licenses 10 11 13 Alcohol Package Carry-out Licenses 12 11 12 EMPLOYMENT 2014 2013 2012 EMPLOYMENT 2014 2013 2012 Employed 4,417 4,568 4,886 4,678 Employed 339 318 375 Cnild Custody Issues 0 0 2 DUE ONLOTH PLACEMENTS 2013 2012 Alcohol Use Related 0 0 0 0 0 Parental Alcohol Use Related 1 0 0 0 Parental Alcohol Use Related 1 0 0 0 Parental Alcohol and Drug Use 0 0 0 0 CRIMINAL JUSTICE FY2014 FY2013 FY2012 Drug Court Participants 0 0 0 0 Probation/Parole AdmissionsDrug 18 12 16 Prison AdmissionsDWI 5 3 3 3 Prison AdmissionsDWI 5 3 3 3 Al Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jacks		1			Child Neglect	0	3	1
Drug Secondary Diagnosis 4 6 8 JUVENILE COURT PLACEMENTS 2013 2012 2011 Emergency Room, no Hospitalization: Mental Illness Principal Diagnosis 92 65 65 Parental Alcohol Use Related 0 0 0 0 Mental Illness Secondary Diagnosis 135 122 98 Parental Drug Use Related 1 0 0 0 Alcohol Principal Diagnosis 10 8 14 Parental Alcohol and Drug Use 0 0 0 0 Alcohol Secondary Diagnosis 25 17 15 Drug Principal Diagnosis 9 8 12 CRIMINAL JUSTICE FY2014 FY2013 FY2012 Drug Secondary Diagnosis 12 17 8 Drug Court Participants 0 0 0 0 ALCOHOL OUTLETS 2014 2013 2012 Probation/Parole AdmissionsDrug 18 12 16 ALCOHOL OUTLETS 10 11 13 Prison AdmissionsDrug 11 13 4 Alcohol Package Carry-out Licenses 10 11 12 Prison AdmissionsDWI 1 0 2 EMPLOYMENT 2014 2013 2012 EMPLOYMENT 2014 2013 2012 Employed 4,417 4,568 4,886 4,678 Employed 339 318 375 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations of court orders are categorized as status offenses instead of law violations of court orders are categorized as status offenses instead of law violations of court orders are categorized as status offenses instead of law violations of court orders are categorized as status offenses instead of law violations of court orders are categorized as status offenses instead of law violations.	· · · · · · · · · · · · · · · · · · ·				_	0	2	0
Emergency Room, no Hospitalization:Out-of-Home PlacementsTotal220Mental Illness Principal Diagnosis926565Parental Alcohol Use Related000Mental Illness Secondary Diagnosis13512298Parental Drug Use Related100Alcohol Principal Diagnosis10814Parental Alcohol and Drug Use000Alcohol Secondary Diagnosis251715CRIMINAL JUSTICEFY2014FY2013FY2012Drug Principal Diagnosis9812Drug Court Participants000Drug Secondary Diagnosis12178Drug Court Participants000Drug Court Participants0000Probation/Parole AdmissionsDrug181216ALCOHOL OUTLETS101113Prison AdmissionsDrug11134Alcohol Package Carry-out Licenses121112Prison AdmissionsDWI102EMPLOYMENT2014201320121All Kansas City hepatitis and TB case reports are included in Jackson County totals.Labor Force4,7564,8864,6782Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.Unemployed339318375Beginning with 2010 data, diagnosis counts for hospital and ER services are cateorized as status offenses instead of law violations, infra					######################################	2042	2012	2011
Mental Illness Principal Diagnosis926565Parental Alcohol Use Related000Mental Illness Secondary Diagnosis13512298Parental Drug Use Related100Alcohol Principal Diagnosis10814Parental Alcohol and Drug Use000Alcohol Secondary Diagnosis251715CRIMINAL JUSTICEFY2014FY2013FY2012Drug Principal Diagnosis9812Drug Court Participants000Drug Secondary Diagnosis12178Drug Court Participants000Drug Court Participants0000Probation/Parole AdmissionsDrug181216ALCOHOL OUTLETS201420132012Probation/Parole AdmissionsDWI533Alcohol On-Premise Drink Licenses101113Prison AdmissionsDrug11134Alcohol Package Carry-out Licenses121112Prison AdmissionsDWI102EMPLOYMENT2014201320121All Kansas City hepatitis and TB case reports are included in Jasper County totals.Labor Force4,7564,8864,678Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.Unemployed339318375Beginning in 2013, juvenile municipal violations, infractions, and violations of count orders are categorized			6	8				
Mental Illness Secondary Diagnosis13512298Parental Drug Use Related100Alcohol Principal Diagnosis10814Parental Alcohol and Drug Use000Alcohol Secondary Diagnosis251715CRIMINAL JUSTICEFY2014FY2013FY2012Drug Principal Diagnosis9812CRIMINAL JUSTICEFY2014FY2013FY2012Drug Secondary Diagnosis12178Drug Court Participants000Probation/Parole AdmissionsDrug181216ALCOHOL OUTLETS201420132012Probation/Parole AdmissionsDWI533Alcohol On-Premise Drink Licenses101113Prison AdmissionsDrug11134Alcohol Package Carry-out Licenses121112Prison AdmissionsDWI102EMPLOYMENT2014201320121All Kansas City hepatitis and TB case reports are included in Jackson County totals.Labor Force4,7564,8864,678Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.Unemployed339318375Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.			G.E.	G.E.				
Alcohol Principal Diagnosis 10 8 14 Parental Alcohol and Drug Use 0 0 0 0 Alcohol Secondary Diagnosis 25 17 15 Drug Principal Diagnosis 9 8 12 Drug Secondary Diagnosis 12 17 8 Drug Court Participants 0 0 0 Probation/Parole AdmissionsDrug 18 12 16 ALCOHOL OUTLETS Alcohol On-Premise Drink Licenses 10 11 13 Prison AdmissionsDrug 11 13 4 Alcohol Package Carry-out Licenses 12 11 12 EMPLOYMENT Labor Force 4,756 4,886 4,678 Employed 4,417 4,568 4,303 Unemployed 339 318 375 Alcohol Parental Alcohol and Drug Use 0 0 0 0 0 CRIMINAL JUSTICE FY2014 FY2013 FY2012 Probation/Parole AdmissionsDrug 18 12 16 Prison AdmissionsDWI 5 3 3 3 Prison AdmissionsDWI 1 1 0 2 I All Kansas City hepatitis and TB case reports are included in Jackson County totals. 2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project. 3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.								
Alcohol Secondary Diagnosis Drug Principal Diagnosis Pry2014 Drug Secondary Diagnosis Drug Court Participants Probation/Parole AdmissionsDrug Prison AdmissionsDWI Drug Court Participants Drug Court Participants Drug Court Participants Probation/Parole AdmissionsDrug Drug Court Participants Drug Court Participants Drug Court Participants Drug Court Participants Prison AdmissionsDWI Drug Court Participants Drug Court Participants Drug Court Participants Prison AdmissionsDWI Drug Court Participants Drug Court Participants Prison Ad								
Drug Principal Diagnosis 9 8 12 CRIMINAL JUSTICE Probation/Parole AdmissionsDrug ALCOHOL OUTLETS Alcohol On-Premise Drink Licenses 10 11 13 Prison AdmissionsDrug EMPLOYMENT Labor Force Employed 139 8 12 CRIMINAL JUSTICE Probation/Parole AdmissionsDrug 18 12 16 Probation/Parole AdmissionsDWI 5 3 3 3 Prison AdmissionsDrug 11 13 4 Prison AdmissionsDWI 1 0 2 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals. 2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project. 3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.					Talental Alcohol and Drug Ose	U	U	U
Drug Secondary Diagnosis 12 17 8 Drug Court Participants 0 0 0 0 Probation/Parole AdmissionsDrug 18 12 16 ALCOHOL OUTLETS Alcohol On-Premise Drink Licenses 10 11 13 Prison AdmissionsDrug 11 13 4 Alcohol Package Carry-out Licenses 12 11 12 Prison AdmissionsDWI 5 3 3 3 Prison AdmissionsDrug 11 13 4 Prison AdmissionsDWI 1 0 2 EMPLOYMENT Labor Force 4,756 4,886 4,678 Employed 4,417 4,568 4,303 Unemployed 339 318 375 Drug Court Participants 0 0 0 0 Probation/Parole AdmissionsDrug 18 12 16 Probation/Parole AdmissionsDWI 5 3 3 3 Prison AdmissionsDWI 1 1 0 2 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County total and all Joplin case reports are included in Jackson County total and all Joplin case reports are included in Jackson County total and all Joplin case reports are included in Jackson County t					CRIMINAL JUSTICE	FY2014	FY2013	FY2012
ALCOHOL OUTLETS Alcohol On-Premise Drink Licenses Alcohol Package Carry-out Licenses 10 11 13 Prison AdmissionsDrug 18 12 16 Probation/Parole AdmissionsDWI 5 3 3 3 Prison AdmissionsDrug 11 13 4 Prison AdmissionsDWI 1 1 13 4 Prison AdmissionsDWI 1 1 0 2 EMPLOYMENT Labor Force 4,756 4,886 4,678 Employed 4,417 4,568 4,303 Unemployed 339 318 375 Probation/Parole AdmissionsDWI 5 3 3 3 4 Prison AdmissionsDWI 1 1 2 Prison AdmissionsDWI 1 1 3 4 Prison AdmissionsDWI 1 1 1 2 2 Beginning in 2013, juvenile municipal violations, infractions, and					Drug Court Participants	0	0	0
Alcohol On-Premise Drink Licenses 10 11 13 Prison AdmissionsDrug 11 13 4 Alcohol Package Carry-out Licenses 12 11 12 Prison AdmissionsDWI 1 10 2 EMPLOYMENT Labor Force 4,756 4,886 4,678 Employed 4,417 4,568 4,303 Unemployed 339 318 375 Prison AdmissionsDrug 11 13 4 Prison AdmissionsDWI 1 0 2 4 Prison AdmissionsDWI 1 1 0 2 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals and all Joplin case reports are included in Jasper County totals and all Joplin case reports are included in Jasper County totals and all Joplin case reports are included in Jasper County totals and all Joplin case reports are included in Jasper County totals and all Joplin case reports are included in Jasper County totals and all Joplin case reports are included in Jasper County totals and all Joplin case reports are included in Jasper County totals and all Joplin case reports are included in Jasper County totals. Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.	Drug Geochaary Diagnosis	12	.,	O	Probation/Parole AdmissionsDrug	18	12	16
Alcohol On-Premise Drink Licenses 10 11 13 Prison AdmissionsDrug 11 13 4 Alcohol Package Carry-out Licenses 12 11 12 Prison AdmissionsDWI 1 0 2 EMPLOYMENT Labor Force 4,756 4,886 4,678 Employed 4,417 4,568 4,303 Unemployed 339 318 375 Prison AdmissionsDrug 11 13 4 Prison AdmissionsDWI 1 0 0 2 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals and all Joplin case reports are included in Jasper County totals and all Joplin case reports are included in Jasper County totals and all Joplin case reports are included in Jasper County totals and all Joplin case reports are included in Jasper County totals and all Joplin case reports are included in Jasper County totals and all Joplin case reports are included in Jasper County totals and all Joplin case reports are included in Jasper County totals and all Joplin case reports are included in Jasper County totals and all Joplin case reports are included in Jasper County totals and all Joplin case reports are included in Jasper County totals and all Joplin case reports are included in Jasper County totals and all Joplin case reports are included in Jasper County totals and all Joplin case reports are included in Jasper County totals and all Joplin case reports are included in Jasper County totals and all Joplin case reports are included in Jasper County totals and all Joplin case reports are included in Jasper County totals and all Joplin case reports are included in Jasper County totals and all Joplin case reports are included in Jasper County totals and all Joplin case reports are included in Jasper County totals and all Joplin case reports are included in Jasper County totals and all Joplin case reports are included in Jasper County totals and all Joplin case reports are included in Jasper County totals and all Joplin case reports are included in Jasper County totals and all Joplin case reports are included in Jasper County totals and all Joplin case reports ar	ALCOHOL OUTLETS	2014	2013	2012	Probation/Parole AdmissionsDWI	5		3
Alcohol Package Carry-out Licenses 12 11 12 Prison AdmissionsDWI 1 0 2 EMPLOYMENT Labor Force 4,756 4,886 4,678 Employed Unemployed 1 1 1 2 Prison AdmissionsDWI 1 1 0 2 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals and all Joplin case reports are included in Jasper County totals. Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project. Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.					•	11	13	4
Labor Force 4,756 4,886 4,678 Employed 4,417 4,568 4,303 Unemployed 339 318 375 totals and all Joplin case reports are included in Jasper County totals. 2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project. 3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.					Prison AdmissionsDWI	1	0	2
Labor Force 4,756 4,886 4,678 Employed 4,417 4,568 4,303 Unemployed 339 318 375 totals and all Joplin case reports are included in Jasper County totals. 2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project. 3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.	FMPI OYMFNT	2014	2013	2012	1 All Kansas City hepatitis and TB case repor	ts are include	ed in Jackson	County
Employed 4,417 4,568 4,303 Unemployed 339 318 375 Unemployed 339 318 375 Employed 4,417 4,568 4,303 Unemployed 339 318 375					totals and all Joplin case reports are include	ed in Jasper C	County totals.	-
Unemployed 339 318 375 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.		•	-					
court orders are categorized as status orienses instead or law violations.		•			3 Beginning in 2013, juvenile municipal violati	ons, infraction	ns, and violat	tions of
	Unemployment Rate			8.0%	court orders are categorized as status offen	ses instead o	t law violation	ns.

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

FY2014	FY2013	FY2012
*	*	*
*	*	*
*	*	*
24	18	19
0	0	0
14	23	27
6	7	6
0	0	0
	* * * * 24 0 14	* * * * * 24 18 0 0 14 23

SUBSTANCE ABUSE TRAFFIC OFFENDER	FY2014	FY2013	FY2012
PROGRAM (SATOP) Offender Management Unit	29	22	30
Adolescent Diversion Education Program	29	22	0
- Offender Education Program	14	10	8
- Weekend Intervention Program	5	*	*
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	*	*
Compulsive Gambling	0	0	*
Recovery Supports	6	0	5
Early Intervention	0	0	*

NUMBER ADMITTED	FY2014	FY2013	FY2012	PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Total Individuals	42	48	60	Alcohol	12	16	32
				Marijuana / Hashish	6	6	8
AGE	_	*	*	Cocaine (total)	0	0	*
Under 18	0			- Crack	0	0	*
18 to 24	6	5	11	Stimulant (total)	21	19	15
25 to 29	10	12	11	- Methamphetamine	21	17	15
30 to 34	8	8	9	Heroin	0	0	0
35 to 39	6	7	9	Analgesic except Heroin	*	6	*
40 to 44	7	7	8	- Non-Prescription Methadone	0	0	0
45 to 54	*	6	6	PCP, LSD, other Hallucinogen	0	0	0
55 and Over	*	*	*	Tranquilizer	*	0	0
GENDER				Inhalant	0	0	0
Male	24	35	43	Sedative	0	0	0
Female	18	13	17	Other Medication or Illicit Drug	0	*	0
Cinaic	10	10	17	Average Age at First Use of Drug	19.5	19.7	17.3
RACE / ETHNICITY				Average Age at 1 list ose of Drug	13.5	13.7	17.5
Caucasian	38	46	58	INJECTION DRUG USE			
African American	*	*	*	Any Injection Use at Admission	6	13	9
Native American / Alaskan	0	0	0	- Daily Injection Use	0	*	0
Asian / Pacific Islander	0	0	0	- Weekly Injection Use	*	5	*
Hispanic	0	0	*	- Less than Weekly Injection Use	*	7	6
Other Race / Two or More Races	0	0	0	- Less than weekly injection ose		,	0
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	14	12	23	0	19	19	27
High School Graduate or G.E.D.	18	27	29	1 or 2	18	21	22
Associate Degree or Some College	9	8	7	3 or More	5	8	11
Bachelor or Advanced Degree	*	*	*	TD5.4T4.54T D555DD44 604D65			
5451 0144517				TREATMENT REFERRAL SOURCE	5	11	13
EMPLOYMENT Employed	11	12	1.1	Self / Family / Friend School	0	0	0
Employed	11 21		14		*	0	0
Unemployed		23	26	Mental Health Provider	*	-	*
Not in Labor Force	10	13	20	Health Care Provider		0	20
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	26 9	34	38 7
Independent Living	38	46	56	Other Referral Source	9		/
Dependent Living	*	*	*				
Homeless	*	0	*	TREATMENT ACCOMMODATION			
				Pregnant when Admitted to any Episode	*	*	
MARITAL / FAMILY STATUS	64	00	00	Military Veteran		*	^
Never Married	21	20	26	Special Education Services Needed	*		6
Married / Cohabitating	11	19	14	Co-Occurring Psychological Problem	12	14	19
Previously Married	10	9	20	Co-Occurring Developmental Problem	0	*	*

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Central
PSYCHIATRIC SERVICE AREA 12
CENSUS 2010 9,295
2014 POPULATION ESTIMATE 9,043

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder. FY2014 FY2013 FY2012 **DIAGNOSIS CATEGORY** Adjustment Disorder 7 11 **Anxiety Disorder** 73 65 71 Dementia **Developmental Disorder** 5 Impulse Control Disorder 27 15 21 Mood Disorder 107 92 98 Personality Disorder 23 24 26 Psychotic Disorder 12 10 8 Sexual Disorder 0 0 0 Other Diagnosis 8 6 9

6

11

Individuals who received psychiatric services had the following types of

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

Diagnosis Unknown

NUMBER SERVED	FY2014	FY2013	FY2012	EDUCATION	FY2014	FY2013	FY2012
Total Individuals	124	128	135	Less than High School Diploma	50	41	30
. otala.r.caa.o		0	.00	High School Grad or G.E.D.	0	*	35
AGE				Associate Degree or Some College	0	0	10
Under 6	0	0	0	Bachelor or Advanced Degree	0	0	*
6 to 9	11	6	*	Education Level Unknown	74	86	56
10 to 13	11	10	8	Education Edver Children		00	00
14 to 17	7	8	16	EMPLOYMENT			
18 to 24	5	*	7	Employed	9	11	13
25 to 29	8	13	10	Unemployed	9	6	63
30 to 34	10	13	9	Not in Labor Force	95	95	20
35 to 39	15	14	14	Employment Status Unknown	11	16	39
40 to 44	9	7	11				
45 to 49	12	14	15	HOUSING / LIVING ARRANGEMENT			
50 to 54	9	10	13	Independent Living	75	81	84
55 to 59	11	13	15	Dependent Living	37	30	14
60 and Over	16	16	14	Homeless	*	0	*
Age Unknown	0	0	0	Other	0	0	*
				Housing Unknown	11	17	34
GENDER	40	4-7					
Male	48	47	55	TREATMENT REFERRAL SOURCE			
Female	76	81	80	Self / Family / Friend	80	83	88
Gender Unknown	0	0	0	School	*	*	*
RACE / ETHNICITY				Mental Health Provider	11	9	11
Caucasian	118	118	123	Health Care Provider	21	19	21
African American	*	5	8	Court / Criminal Justice	5	9	*
Native American / Alaskan	0	0	0	Other	5	5	8
Asian / Pacific Islander	0	0	0	Referral Source Unknown	0	0	0
Hispanic	*	*	*				
Other Race	*	*	0	TYPE OF COMMITMENT			
Race/Ethnicity Unknown	0	0	0	Voluntary	124	127	134
•	_	_		Civil	0	*	0
TREATMENT ACCOMMODATION				Criminal	0	0	*
Hearing Impaired	*	*	*	Sexual Predatory	0	0	0
Past or Current Military Service	*	*	*	Commitment Type Unknown	0	0	0

MISSOURI STUDENT SURVEY

	IVIIO		(1510	DENI SURVET			
Percent of students who have ever used:	2014	2012	2010	Percent who believe they risk harm if they use:	2014	2012	2010
Alcohol	40.5	49.0	49.3	Alcohol (1 or 2 drinks daily)	56.0		
Cigarettes	21.8	31.2	30.8	Alcohol (Binge: 5+ drinks once or twice a week)	65.8		
Chewing Tobacco	19.8	16.9	21.8	Alcohol (any use)		56.2	76.9
Marijuana	3.6	7.7	12.1	Cigarettes (1+ packs per day)	83.6		
Inhalants	1.8	3.2	6.5	Cigarettes (any use)		72.1	76.4
Prescription medications not prescribed for student	7.2	5.2	9.8	Marijuana (once or twice a week)	73.9		
Over-the-counter medications for non-medical use	1.8	2.6	6.5	Marijuana (any use)		74.5	65.6
Methamphetamine	0.0	0.7	0.9	Other: Cocaine, LSD, Meth, Club Drug (any use)	89.3	89.5	91.1
Cocaine	0.0	0.0	0.9	Percent of students who, in past 30 days:			
Heroin	0.0	0.6	0.0	Were very sad	15.3	17.5	23.5
Hallucinogens	1.8	1.9	1.4	Were grouchy, irritable, or in a bad mood	25.2	24.7	25.1
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.9	0.7	0.9	Felt hopeless about the future	8.2	9.7	14.8
Steroids not prescribed for student	1.8	0.6	1.9	Felt like not eating or eating more than usual	17.1	15.6	19.7
Synthetic drugs (K2, bath salts, Spice, etc)	2.7	3.2		Slept a lot more or a lot less than usual	11.8	20.1	29.7
Average age of students' first use of:				Had difficulty concentrating on school work	20.7	22.7	24.1
Alcohol	12.25	12.15	11.98	Descent of students who in next 12 months.			
Cigarettes	13.08	11.89	11.85	Percent of students who, in past 12 months: Seriously considered attempting suicide	10.8	11.7	10.1
Marijuana	13.62	13.58	13.48	Made plan about how they would attempt suicide	4.5	7.8	8.3
Inhalants	11.35	11.42	11.79	Attempted suicide	6.3	7.0	4.7
Percent of students who, in past 30 days, used:				Attempted suicide and resulting injury, poisonng, or overdose	0.5	7.1	7.7
Alcohol	21.8	24.0	29.1	had to be treated by doctor or nurse	2.8	0.7	1.9
Alcohol (Binge: 5+ drinks on one occassion)	21.0	16.2	18.3				
Cigarettes	6.4	14.9	15.4	Percent of students who, in past 12 months:	7.1	7.1	7.4
Chewing Tobacco	9.0	10.4	12.0	Were threatened/injured with weapon at school Were in a physical fight	19.8	26.0	24.0
Marijuana	0.9	5.2	6.0	Were in a physical light. Were in a fight and had to be treated by a doctor or nurse	3.6	3.2	1.9
Inhalants	1.8	0.6	2.3	were in a right and flad to be treated by a doctor of hurse	5.0	0.2	1.5
Prescription medications not prescribed for student	3.6	1.9	6.0	Percent of students who, in past 3 months:			
Over-the-counter medications for non-medical use	1.8	1.3	4.2	Were victims of mean rumors or lies spread at school	56.8	56.6	54.6
Percent of students who, in past 2 weeks, used:				Were made fun of by others	60.4	68.8	67.3
Alcohol (Binge: 5+ drinks on one occassion)	10.0			Were victims of an embarrassing or hurtful text message or something posted on the internet	26.8	24.7	18.5
Percent whose friends used in past 12 months:				Spread mean rumors or lies about other kids at school	36.0	31.2	34.7
Alcohol	50.9	61.7	69.0	Made fun of other people	57.7	71.4	70.8
Cigarettes	43.2	46.8	54.4	Posted something on the internet or sent a text that might	13.4	15.6	19.2
Marijuana	19.4	26.6	27.3	embarrass or hurt another student			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	5.5	8.4	11.7	Percent of students who agree that:			
Percent who would likely use, if offered by a best friend:				Teachers notice and comment on student's good work	68.5	70.6	75.0
Alcohol	32.4	45.5	42.1	School provides feedback to parents on positive student	40.0	20.4	440
Cigarettes	8.1	18.2		performance	40.2	36.4	44.9
Marijuana	5.4	6.5	7.4	Rules are enforced fairly	60.4	57.1	58.3
•				Students of all races/ethnicities are treated equal	84.7	81.2	73.1
Percent who say it would be wrong to use:				Percent of students who agree that:			
Alcohol	62.5	47.1	51.9	Parents notice and comment on student's good work	85.6	78.6	81.1
Cigarettes	85.7	76.6	76.7	Parents involve student in making family decisions	74.8	66.9	67.1
Marijuana Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	91.0 97.3	89.0 96.7	87.9 95.8	It is important to be honest with parents regardless of	91.9	86.4	84.3
Percent whose parents would disapprove if they use:				consequences Student could ack parent for help with a parengal problem	01 1	76.0	80.1
Alcohol	77.3	69.9	71.8	Student could ask parent for help with a personal problem	81.1	76.0	ου. I
Cigarettes	91.8	89.5	88.4	Missouri Student Survey is conducted biennially.			
Marijuana	94.6	96.7		Similar affirmative response choices for individual questions ar			
•	_			Blank data cells indicate estimates are not available for item or Survey is not conducted in every school district nor reported fo			
Percent who say it would be easy to obtain:	F4 4	64 7	60.0	Estimates are not available for counties with small numbers of			
Alcohol Clarettes	51.4 49.1	61.7		Percentages are estimates based on weighted data.	ally signifi	cant	
Cigarettes Marijuana	49.1 29.1	48.1 28.8	53.5 24.9	Some year-to-year differences in percentages are not statistical	my signifi	oarit.	
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	15.6	13.0		Data source: Missouri Institute of Mental Health, 2010-2014 Mi	issouri St	udent Sı	urveys
Onto mich (Occame, LOD, Wein, Club Drug, etc)	10.0	13.0	12.0				

<i>5,</i> = <i>5 5 5</i> .							
DBH REGION		Southeast		IMPAIRED DRIVING	2013	2012	2011
DBH SERVICE	AREAS			Alcohol Involved CrashesTotal	7	8	12
Substance	Use	19		Fatal Crashes	2	0	1
Adult Psycl	hiatric	19		Injury Crashes	3	5	8
POPULATION				Property Damage Crashes	2	3	3
Census 20		6,265		Crash Fatalities	3	0	1
2014 Estim	ate	6,258		Crash Injuries	5	6	20
				Drug Involved CrashesTotal	1	3	0
				Fatal Crashes	0	0	0
BIRTH RISK	2013	2012	2011	Injury Crashes	1	2	0
Resident BirthsTotal	93	81	64	Property Damage Crashes	0	1	0
Mother Reported Smoking while Pregnant	23	30	22	Crash Fatalities Crash Injuries	0	0 2	0
DISEASE INCIDENCE 1	2013	2012	2011	Orash injunes		2	O
HIV/AIDS Cases	0	0	0	POLICE REPORTS	2013	2012	2011
Hepatitis B Chronic, Acute, Prenatal	0	0	0	DUI Arrests, DWI Tracking System	44	39	45
Hepatitis C Chronic and Acute	6	9	1	Liquor Law Arrests	21	48	9
Tuberculosis Infection Cases	0	0	0	Drug Arrests	91	100	50
				Violent Offenses	8	7	7
DEATHS and INJURIES	2013	2012	2011	Property Offenses	59	44	86
Resident DeathsTotal	58	65	92	Domestic Violence Reports	14	11	17
Suicides	1	2	1		2014	2013	2012
Self-inflicted Injuries	10	13	13	Methamphetamine Lab Seizures	2	2	1
Homicides	0	0	0	SCHOOL REPORTS	2013-14	2012-13	2011-12
Assault Injuries	22	14	15	Enrollment Grades 9-12	370	356	371
Alcohol Induced Deaths	0	0	1	Drop-outs	0	1	1
Drug Induced Deaths	1 9	1	2 23	Drop-out Rate	0.0%	0.3%	0.3%
Smoking Attributable Deaths	9	11	23	School Discipline Involving Alcohol	0	0	0
HOSPITAL EPISODES 2	2013	2012	2011	School Discipline Involving Drugs	0	0	1
Hospitalization, no Emergency Room:				School Discipline Involving Tobacco	0	0	0
Mental Illness Principal Diagnosis	60	57	57	JUVENILE COURT REFERRALS 3	2013	2012	2011
Mental Illness Secondary Diagnosis	121	95	101	Juvenile Violent Offenses	2013	2012	9
Alcohol Principal Diagnosis	2	1	4	Juvenile Alcohol Offenses	0	0	0
Alcohol Secondary Diagnosis	7	9	13	Juvenile Drug Offenses	1	1	2
Drug Principal Diagnosis	2	1	5	School Truancy Status Offense	0	1	1
Drug Secondary Diagnosis	1	3	8	Absent from Home Status Offense	3	1	2
Emergency Room + Hospitalization:				Beyond Parental Control Status Offense	10	6	7
Mental Illness Principal Diagnosis	16	16	6	Injurious Behavior Status Offense	2	5	12
Mental Illness Secondary Diagnosis	127	86	129	Child Abuse	0	0	0
Alcohol Principal Diagnosis	0	4	2	Child Neglect	3	1	1
Alcohol Secondary Diagnosis	3	8	8	Child Custody Issues	6	0	2
Drug Principal Diagnosis	2	0	2				
Drug Secondary Diagnosis	3	3	2	JUVENILE COURT PLACEMENTS	2013	2012	2011
Emergency Room, no Hospitalization: Mental Illness Principal Diagnosis	93	65	72	Out-of-Home PlacementsTotal Parental Alcohol Use Related	2 0	0 0	0 0
		64	72 49	Parental Alcohol Use Related Parental Drug Use Related	0	0	0
Mental Illness Secondary Diagnosis Alcohol Principal Diagnosis	151 8	2	49 8	Parental Alcohol and Drug Use	0	0	0
Alcohol Secondary Diagnosis	12	5	8	i arental Alcohol and Drug Use	U	U	U
Drug Principal Diagnosis	8	10	10	CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Secondary Diagnosis	11	10	7	Drug Court Participants	0	0	0
2.0g Coolidary Diagnosis		10	•	Probation/Parole AdmissionsDrug	8	5	5
ALCOHOL OUTLETS	2014	2013	2012	Probation/Parole AdmissionsDWI	1	1	0
Alcohol On-Premise Drink Licenses	10	8	8	Prison AdmissionsDrug	1	4	3
Alcohol Package Carry-out Licenses	12	13	13	Prison AdmissionsDWI	1	0	0
EMPLOYMENT	2014	2013	2012	1 All Kansas City hepatitis and TB case repor			County
Labor Force	2,537	3,015	2,908	totals and all Joplin case reports are include Beginning with 2010 data, diagnosis counts			es are
Employed	2,312	•	2,674	based on codes developed by the Healthcar	e Cost and L	Itilization Pro	ject.
Unemployed	225	226	234	3 Beginning in 2013, juvenile municipal violati			
Unamentaria Data	0.00/	7.50/	0.00/	court orders are categorized as status offen	oes iiisieau 0	i iaw violatior	10.

8.9%

7.5%

8.0%

Unemployment Rate

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	5	5	*
CSTAR Adolescent	*	*	*
CSTAR Women and Children	*	*	*
CSTAR General Adult	35	34	15
CSTAR Opioid	0	0	0
Primary Recovery Treatment	*	17	26
Clinical SATOP (CIP, YCIP, SROP)	6	*	*
Other Substance Abuse Treatment	*	0	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	16	8	15
- Adolescent Diversion Education Prograr	0	0	0
- Offender Education Program	*	*	*
- Weekend Intervention Program	*	*	8
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	0	*
Compulsive Gambling	0	0	0
Recovery Supports	13	13	*
Early Intervention	0	0	0

NUMBER ADMITTED	FY2014	FY2013	FY2012	PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Total Individuals	46	46	49	Alcohol	17	14	16
				Marijuana / Hashish	12	14	15
AGE	*	*	*	Cocaine (total)	*	0	*
Under 18				- Crack	*	0	*
18 to 24	8	6	11	Stimulant (total)	6	10	12
25 to 29	7	7	8	- Methamphetamine	6	10	12
30 to 34	10	12	7	Heroin	*	*	0
35 to 39	7	6	10	Analgesic except Heroin	5	*	*
40 to 44	*	*	*	- Non-Prescription Methadone	0	0	0
45 to 54	6	7	7	PCP, LSD, other Hallucinogen	0	0	0
55 and Over	*	*	*	Tranquilizer	*	*	*
GENDER				Inhalant	0	0	0
Male	28	27	32	Sedative	0	0	0
Female	18	19	17	Other Medication or Illicit Drug	*	0	0
· Small			• • •	Average Age at First Use of Drug	18.2	17.5	16.9
RACE / ETHNICITY							
Caucasian	44	44	47	INJECTION DRUG USE			
African American	0	*	0	Any Injection Use at Admission	6	6	5
Native American / Alaskan	*	*	*	- Daily Injection Use	*	*	*
Asian / Pacific Islander	0	0	0	- Weekly Injection Use	*	0	0
Hispanic	0	0	*	- Less than Weekly Injection Use	*	5	*
Other Race / Two or More Races	*	0	*	Ecos than Weekly Injection Coc		Ü	
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	18	26	27	0	20	26	30
High School Graduate or G.E.D.	17	15	17	1 or 2	18	15	12
Associate Degree or Some College	11	5	5	3 or More	8	5	7
Bachelor or Advanced Degree	0	0	0				
				TREATMENT REFERRAL SOURCE	4.4	0	_
EMPLOYMENT	4.4	00	4.4	Self / Family / Friend	14	9	5
Employed	14	20	14	School Market Hardth Bassidan	0	0	0
Unemployed	24	16	22	Mental Health Provider	*	0	
Not in Labor Force	8	10	13	Health Care Provider		5	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	22	25	36
Independent Living	44	43	46	Other Referral Source		5	
Dependent Living	*	*	*				
Homeless	0	*	*	TREATMENT ACCOMMODATION			_
				Pregnant when Admitted to any Episode	*	*	0
MARITAL / FAMILY STATUS				Military Veteran			*
Never Married	14	18	23	Special Education Services Needed	6	10	10
Married / Cohabitating	20	16	18	Co-Occurring Psychological Problem	23	25 *	19
Previously Married	12	12	8	Co-Occurring Developmental Problem	6	*	5

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Southeast
PSYCHIATRIC SERVICE AREA 19
CENSUS 2010 6,265
2014 POPULATION ESTIMATE 6,258

disorders. The total number of dia served because some individuals h	0		
DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012
Adjustment Disorder	*	*	0
Anxiety Disorder	16	16	9
Dementia	0	0	0
Developmental Disorder	0	0	0
Impulse Control Disorder	0	*	*
Mood Disorder	41	39	28
Personality Disorder	0	*	*
Psychotic Disorder	15	9	6
Sexual Disorder	0	0	0
Other Diagnosis	*	0	*
Diagnosis Unknown	5	*	9

Individuals who received psychiatric services had the following types of

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2014	FY2013	FY2012	EDUCATION	FY2014	FY2013	FY2012
Total Individuals	70	66	47	Less than High School Diploma	23	26	11
Total Marviadalo		00		High School Grad or G.E.D.	0	0	7
AGE				Associate Degree or Some College	0	0	*
Under 6	*	0	0	Bachelor or Advanced Degree	0	0	0
6 to 9	*	*	0	Education Level Unknown	47	40	26
10 to 13	*	*	6	Education Level Officiown	71	40	20
14 to 17	*	7	*	EMPLOYMENT			
18 to 24	5	5	*	Employed	*	*	*
25 to 29	*	5	*	Unemployed	*	0	19
30 to 34	5	*	*	Not in Labor Force	45	40	*
35 to 39	14	11	*	Employment Status Unknown	20	25	24
40 to 44	7	*	6				
45 to 49	8	*	5	HOUSING / LIVING ARRANGEMENT			
50 to 54	9	10	6	Independent Living	43	32	22
55 to 59	*	*	*	Dependent Living	5	7	6
60 and Over	11	13	7	Homeless	*	0	0
Age Unknown	0	0	0	Other	0	0	0
CENDED				Housing Unknown	21	27	19
GENDER Male	24	26	24				
Female	46	26 40	21 26	TREATMENT REFERRAL SOURCE			
Gender Unknown		_		Self / Family / Friend	24	26	24
Gender Unknown	0	0	0	School	0	0	0
RACE / ETHNICITY				Mental Health Provider	9	9	7
Caucasian	69	65	45	Health Care Provider	25	22	11
African American	0	*	*	Court / Criminal Justice	*	*	*
Native American / Alaskan	0	0	0	Other	8	5	*
Asian / Pacific Islander	0	0	0	Referral Source Unknown	0	0	0
Hispanic	0	0	*				
Other Race	*	0	0	TYPE OF COMMITMENT	00	C4	40
Race/Ethnicity Unknown	0	0	0	Voluntary	68	64	46
•				Civil	*	*	0
TREATMENT ACCOMMODATION	_	*		Criminal			
Hearing Impaired	*	*	*	Sexual Predatory	0	0	0
Past or Current Military Service	*	*	*	Commitment Type Unknown	0	0	0

MISSOURI STUDENT SURVEY

Percent of students who have ever used:	2014	2012	2010	Percent who helious they rick harm if they use	2014	2012	2010
Alcohol		44.7	55.1	Percent who believe they risk harm if they use: Alcohol (1 or 2 drinks daily)			
Cigarettes		32.0		Alcohol (Binge: 5+ drinks once or twice a week)			
Chewing Tobacco		17.5		Alcohol (any use)		62.1	67.2
Marijuana		18.4		Cigarettes (1+ packs per day)		02	0
Inhalants		2.9		Cigarettes (any use)		69.9	72.1
Prescription medications not prescribed for student		12.6	15.7	Marijuana (once or twice a week)			
Over-the-counter medications for non-medical use		6.8		Marijuana (any use)		65.7	76.7
Methamphetamine		2.9	4.7	Other: Cocaine, LSD, Meth, Club Drug (any use)		84.5	92.2
Cocaine		2.0					
Heroin		1.0		Percent of students who, in past 30 days:			
Hallucinogens		5.8	8.0	Were very sad		20.4	18.9
Club drugs (Ecstasy, GHB, roofie, Special K, etc)		2.9	3.1	Were grouchy, irritable, or in a bad mood		23.5	22.5
Steroids not prescribed for student		2.9	2.4	Felt hopeless about the future		7.8	9.3
Synthetic drugs (K2, bath salts, Spice, etc)		4.9		Felt like not eating or eating more than usual		11.8	17.8
				Slept a lot more or a lot less than usual		16.8	24.0
Average age of students' first use of:				Had difficulty concentrating on school work		31.1	26.0
Alcohol			12.27	Percent of students who, in past 12 months:			
Cigarettes			11.36	Seriously considered attempting suicide		18.8	15.6
Marijuana		12.88	12.83	Made plan about how they would attempt suicide		18.6	7.8
Inhalants			12.61	Attempted suicide		11.5	4.7
Percent of students who, in past 30 days, used:				Attempted suicide and resulting injury, poisoning, or overdose			
Alcohol		18.8	23.6	had to be treated by doctor or nurse		6.9	2.4
Alcohol (Binge: 5+ drinks on one occassion)		14.6		Descent of atudants who is next 12 months.			
Cigarettes		23.1		Percent of students who, in past 12 months:		2.0	44.0
Chewing Tobacco		12.6		Were threatened/injured with weapon at school		3.9	11.6
Marijuana		8.7		Were in a physical fight		19.4	27.9
Inhalants		1.9		Were in a fight and had to be treated by a doctor or nurse		4.9	7.0
Prescription medications not prescribed for student		7.8		Percent of students who, in past 3 months:			
Over-the-counter medications for non-medical use		5.8		Were victims of mean rumors or lies spread at school		38.8	58.1
				Were made fun of by others		58.4	61.2
Percent of students who, in past 2 weeks, used: Alcohol (Binge: 5+ drinks on one occassion)				Were victims of an embarrassing or hurtful text message or something posted on the internet		16.8	20.2
Percent whose friends used in past 12 months:				Spread mean rumors or lies about other kids at school		17.5	28.7
Alcohol		55.3	72.1	Made fun of other people		56.3	72.1
Cigarettes		52.4		Posted something on the internet or sent a text that might			
Marijuana		27.2		embarrass or hurt another student		14.6	19.5
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)		7.8					
Other fillott (Cocaline, LSD, Metil, Club Drug, etc)		7.0	34.1	Percent of students who agree that:			
Percent who would likely use, if offered by a best friend:				Teachers notice and comment on student's good work		58.3	60.2
Alcohol		34.0	40.8	School provides feedback to parents on positive student		36.9	31.3
Cigarettes		23.8	23.6	performance			
Marijuana		17.3	23.2	Rules are enforced fairly		54.4	52.7
Percent who say it would be wrong to use:				Students of all races/ethnicities are treated equal		68.0	72.4
3		EE 2	E2 1	Percent of students who agree that:			
Alcohol		55.3		Parents notice and comment on student's good work		77.5	78.0
Cigarettes		71.8		Parents involve student in making family decisions		61.6	55.9
Marijuana		76.7 95.1		It is important to be honest with parents regardless of			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)		95.1	91.3	consequences		77.7	82.0
Percent whose parents would disapprove if they use:				Student could ask parent for help with a personal problem		70.4	69.5
Alcohol		76.2	77.0	,			
Cigarettes		87.9	84.4	Missouri Student Survey is conducted biennially.			
Marijuana		94.0	91.2	Similar affirmative response choices for individual questions are			
				Blank data cells indicate estimates are not available for item or Survey is not conducted in every school district nor reported for			
Percent who say it would be easy to obtain:		E2 0	76.7	Estimates are not available for counties with small numbers of r			
Alcohol		53.9		Percentages are estimates based on weighted data.	ly cianië	cant	
Cigarettes		54.9		Some year-to-year differences in percentages are not statistical	y signific	cant.	
Marijuana		37.6		Data source: Missouri Institute of Mental Health, 2010-2014 Mis	souri St	udent Sı	ırveys
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)		14.9	31.5				

0/100 0001111							
DBH REGION		Western		IMPAIRED DRIVING	2013	2012	2011
DBH SERVICE AF	REAS			Alcohol Involved CrashesTotal	58	72	72
Substance Us	se	7		Fatal Crashes	3	4	1
Adult Psychia	atric	7		Injury Crashes	19	26	27
POPULATION				Property Damage Crashes	36	42	44
Census 2010		99,478		Crash Fatalities	7	4	1
2014 Estimate		100,889		Crash Injuries	27	35	39
		.00,000		Drug Involved CrashesTotal	11	18	21
213				Fatal Crashes	0	1	0
				Injury Crashes	3	11	4
BIRTH RISK	2013	2012	2011				•
Resident BirthsTotal	1,231	1,154	1,197	Property Damage Crashes	8	6	17
Mother Reported Smoking while Pregnant	217	202	253	Crash Fatalities	0	2	0
w .				Crash Injuries	4	19	4
DISEASE INCIDENCE 1	2013	2012	2011	POLICE REPORTS	2013	2012	2011
HIV/AIDS Cases	7	2	2	DUI Arrests, DWI Tracking System	475	610	593
Hepatitis B Chronic, Acute, Prenatal	1	3	6	Liquor Law Arrests	152	146	144
Hepatitis C Chronic and Acute	31	38	42	Drug Arrests		-	
Tuberculosis Infection Cases	25	12	13	Violent Offenses	382	410	361
					160	186	153
DEATHS and INJURIES	2013	2012	2011	Property Offenses	2,002	2,148	2,164
Resident DeathsTotal	946	890	817	Domestic Violence Reports	824	910	949
Suicides	21	15	10		2014	2013	2012
Self-inflicted Injuries	126	154	176	Methamphetamine Lab Seizures	1	0	1
Homicides	2	1	5	SCHOOL BEDORTS	2013-14	2012-13	2011-12
Assault Injuries	242	248	319	SCHOOL REPORTS Enrollment Grades 9-12	5,538	5,515	
Alcohol Induced Deaths	8	6	9		5,556 111	•	5,478
Drug Induced Deaths	12	5	15	Drop-outs		90	123
Smoking Attributable Deaths	161	162	139	Drop-out Rate	2.0%	1.6%	2.2%
_				School Discipline Involving Alcohol	10	9	8
HOSPITAL EPISODES 2	2013	2012	2011	School Discipline Involving Drugs	71	35	84
Hospitalization, no Emergency Room:				School Discipline Involving Tobacco	0	0	0
Mental Illness Principal Diagnosis	799	801	869	JUVENILE COURT REFERRALS 3	2013	2012	2011
Mental Illness Secondary Diagnosis	969	990	1,013	Juvenile Violent Offenses	102	154	84
Alcohol Principal Diagnosis	48	55	57	Juvenile Alcohol Offenses	14	21	16
Alcohol Secondary Diagnosis	75	66	90		38	78	30
Drug Principal Diagnosis	35	42	29	Juvenile Drug Offenses			30 24
Drug Secondary Diagnosis	82	74	76	School Truancy Status Offense	52	48	
Emergency Room + Hospitalization:				Absent from Home Status Offense	58	107	62
Mental Illness Principal Diagnosis	220	186	96	Beyond Parental Control Status Offense	43	69	59
	1,344	1,236	1,144	Injurious Behavior Status Offense	149	217	72
Alcohol Principal Diagnosis	53	45	36	Child Abuse	15	40	7
Alcohol Secondary Diagnosis	145	119	113	Child Neglect	231	253	45
Drug Principal Diagnosis	21	25	21	Child Custody Issues	43	36	122
Drug Secondary Diagnosis	102	104	82	JUVENILE COURT PLACEMENTS	2013	2012	2011
Emergency Room, no Hospitalization:	102		02	Out-of-Home PlacementsTotal	112	102	124
Mental Illness Principal Diagnosis	714	716	669	Parental Alcohol Use Related	3	0	7
Mental Illness Secondary Diagnosis	857	935	1,893	Parental Drug Use Related	39	17	28
Alcohol Principal Diagnosis	176	176	170	Parental Alcohol and Drug Use	5	11	8
				Farental Alcohol and Drug Ose	3	11	O
Alcohol Secondary Diagnosis	159	131	142	CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Principal Diagnosis	128	140	112	Drug Court Participants	78	103	60
Drug Secondary Diagnosis	208	265	179	Probation/Parole AdmissionsDrug	120	103	115
ALCOHOL OUTLETS	2014	2042	2042	Probation/Parole AdmissionsDWI	37	46	38
Alcohol On Promise Drink Licenses	2014	2013	2012	Prison AdmissionsDrug	48	53	47
Alcohol On-Premise Drink Licenses	68	72	76	Prison AdmissionsDWI	15	20	28
Alcohol Package Carry-out Licenses	83	82	81				
EMPLOYMENT	2014	2013	2012	1 All Kansas City hepatitis and TB case report			County
Labor Force 5	3,809	49,900	50,413	totals and all Joplin case reports are include 2 Beginning with 2010 data, diagnosis counts			es are
Employed 5	50,788	46,780	46,992	based on codes developed by the Healthcan	e Cost and L	Jtilization Proj	ect.
Unemployed	3,021	3,120	3,421	3 Beginning in 2013, juvenile municipal violation			
Unemployment Rate	5.6%	6.3%	6.8%	court orders are categorized as status offens	ies instead o	i law violation	15.

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	22	19	26
CSTAR Adolescent	54	54	71
CSTAR Women and Children	14	23	14
CSTAR General Adult	246	321	313
CSTAR Opioid	*	*	0
Primary Recovery Treatment	*	*	9
Clinical SATOP (CIP, YCIP, SROP)	102	110	115
Other Substance Abuse Treatment	0	*	*

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	353	398	441
- Adolescent Diversion Education Prograr	*	*	*
- Offender Education Program	129	147	162
- Weekend Intervention Program	73	90	97
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	10	19	27
Compulsive Gambling	0	0	0
Recovery Supports	26	68	53
Early Intervention	10	*	18

NUMBER ADMITTED	FY2014	FY2013	FY2012	PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Total Individuals	454	564	571	Alcohol	195	257	253
4.05				Marijuana / Hashish	113	128	166
AGE	E 4	57	74	Cocaine (total)	6	7	11
Under 18 18 to 24	54 73	57 85	74 110	- Crack	*	6	*
25 to 29	73 81	89	103	Stimulant (total)	101	118	100
	_		83	- Methamphetamine	96	107	94
30 to 34	71	106		Heroin	9	5	6
35 to 39	55	60	53	Analgesic except Heroin	22	34	23
40 to 44	40	48	51	- Non-Prescription Methadone	0	0	*
45 to 54	62	97	73	PCP, LSD, other Hallucinogen	0	7	*
55 and Over	18	22	24	Tranquilizer	*	*	7
GENDER				Inhalant	*	*	0
Male	317	372	382	Sedative	*	*	0
Female	137	192	189	Other Medication or Illicit Drug	*	*	*
				Average Age at First Use of Drug	17.3	17.0	16.4
RACE / ETHNICITY				3 3			
Caucasian	424	527	535	INJECTION DRUG USE			
African American	15	11	14	Any Injection Use at Admission	43	49	30
Native American / Alaskan	0	*	*	- Daily Injection Use	13	*	5
Asian / Pacific Islander	0	*	*	- Weekly Injection Use	15	15	13
Hispanic	12	15	17	- Less than Weekly Injection Use	15	30	12
Other Race / Two or More Races	7	12	11	Loos than Weekly Injection Coc	10	00	12
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	142	184	190	0	246	269	280
High School Graduate or G.E.D.	194	262	232	1 or 2	131	159	175
Associate Degree or Some College	112	115	138	3 or More	77	136	116
Bachelor or Advanced Degree	6	*	11	TD5.4T4.54T D555DD44 604D65			
				TREATMENT REFERRAL SOURCE	404	200	040
EMPLOYMENT	170	205	100	Self / Family / Friend	161	320	316
Employed	172	205	196	School Mandal Haalth Bravidan	*	0 7	40
Unemployed	149	163	113	Mental Health Provider			13
Not in Labor Force	133	196	262	Health Care Provider	7	11	16
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	177	112	160
Independent Living	359	466	458	Other Referral Source	99	71	64
Dependent Living	61	64	79				
Homeless	9	10	13	TREATMENT ACCOMMODATION	_		_
				Pregnant when Admitted to any Episode	6	10	5
MARITAL / FAMILY STATUS	:		· · ·	Military Veteran	10	21	31
Never Married	254	298	314	Special Education Services Needed	9	24	33
Married / Cohabitating	112	149	144	Co-Occurring Psychological Problem	165	156	130
Previously Married	88	117	113	Co-Occurring Developmental Problem	16	11	17

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Western
PSYCHIATRIC SERVICE AREA
7
CENSUS 2010 99,478
2014 POPULATION ESTIMATE 100,889

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder. FY2014 FY2013 FY2012 **DIAGNOSIS CATEGORY** Adjustment Disorder 66 50 57 273 **Anxiety Disorder** 268 277 Dementia 0 0 **Developmental Disorder** 13 10 9 Impulse Control Disorder 138 148 195 Mood Disorder 410 427 374 Personality Disorder 41 40 27 Psychotic Disorder 88 93 92 Sexual Disorder Other Diagnosis 40 39 58

57

82

54

Individuals who received psychiatric services had the following types of

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

Diagnosis Unknown

NUMBER SERVED	FY2014	FY2013	FY2012	EDUCATION	FY2014	FY2013	FY2012
Total Individuals	635	702	709	Less than High School Diploma	195	211	72
				High School Grad or G.E.D.	0	*	61
AGE	_			Associate Degree or Some College	0	0	9
Under 6	8	11	16	Bachelor or Advanced Degree	0	0	7
6 to 9	41	58	72	Education Level Unknown	440	489	560
10 to 13	83	69	96				
14 to 17	75	91	97	EMPLOYMENT			
18 to 24	54	69	63	Employed	21	31	19
25 to 29	56	61	55	Unemployed	28	35	103
30 to 34	55	50	47	Not in Labor Force	271	294	49
35 to 39	51	68	52	Employment Status Unknown	315	342	538
40 to 44	57	66	53				
45 to 49	55	60	63	HOUSING / LIVING ARRANGEMENT			
50 to 54	46	47	45	Independent Living	148	152	116
55 to 59	33	35	31	Dependent Living	179	200	103
60 and Over	21	17	19	Homeless	7	6	*
Age Unknown	0	0	0	Other	0	0	5
CENDED				Housing Unknown	301	344	483
GENDER Male	204	207	222				
Female	294	307	333	TREATMENT REFERRAL SOURCE			
	341	395	376	Self / Family / Friend	462	483	501
Gender Unknown	0	0	0	School	*	*	5
RACE / ETHNICITY				Mental Health Provider	9	16	17
Caucasian	572	630	642	Health Care Provider	64	70	69
African American	23	21	27	Court / Criminal Justice	15	17	18
Native American / Alaskan	0	0	*	Other	81	111	97
Asian / Pacific Islander	*	*	*	Referral Source Unknown	*	*	*
Hispanic	18	19	11				
Other Race	20	30	23	TYPE OF COMMITMENT			
Race/Ethnicity Unknown	0	0	0	Voluntary	629	692	699
•				Civil	*	*	*
TREATMENT ACCOMMODATION		_		Criminal	*	5	5
Hearing Impaired	14	15	16	Sexual Predatory	*	*	*
Past or Current Military Service	17	23	24	Commitment Type Unknown	*	*	*

MISSOURI STUDENT SURVEY

		,00.		DENT CORVET			
Percent of students who have ever used:	2014	2012	2010	Percent who believe they risk harm if they use:	2014	2012	2010
Alcohol	38.9	34.9	43.9	Alcohol (1 or 2 drinks daily)	58.4		
Cigarettes	21.1	19.3	26.5	Alcohol (Binge: 5+ drinks once or twice a week)	69.6		
Chewing Tobacco	13.4	11.3	12.0	Alcohol (any use)		66.5	75.0
Marijuana	16.7	8.2	15.9	Cigarettes (1+ packs per day)	87.5		
Inhalants	2.6	5.3	7.0	Cigarettes (any use)		79.7	80.6
Prescription medications not prescribed for student	10.0	7.6	11.9	Marijuana (once or twice a week)	61.9		
Over-the-counter medications for non-medical use	3.2	6.8	8.9	Marijuana (any use)		78.4	70.5
Methamphetamine	8.0	1.8	1.2	Other: Cocaine, LSD, Meth, Club Drug (any use)	91.1	94.1	93.5
Cocaine	1.9	2.1	2.0	Paraant of students who in past 20 days.			
Heroin	0.5	1.0	0.5	Percent of students who, in past 30 days: Were very sad	25.2	16.8	19.1
Hallucinogens	5.3	2.4	2.7	Were grouchy, irritable, or in a bad mood	26.3	18.8	25.6
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	3.6	2.2	2.4	Felt hopeless about the future	15.3	7.6	13.4
Steroids not prescribed for student	2.0	1.4	1.2	Felt like not eating or eating more than usual	19.5	16.0	19.4
Synthetic drugs (K2, bath salts, Spice, etc)	6.3	5.5		Slept a lot more or a lot less than usual	17.3	19.4	27.2
Average age of students' first use of:				Had difficulty concentrating on school work	28.4	22.2	26.6
Alcohol	13 53	12.50	12.80	riad difficulty concentrating of school work	20.4	22.2	20.0
Cigarettes		12.50		Percent of students who, in past 12 months:			
Marijuana		13.40		Seriously considered attempting suicide	14.8	10.7	11.4
Inhalants		11.39		Made plan about how they would attempt suicide	11.6	8.7	7.4
ililaalis	11.50	11.55	11.70	Attempted suicide	5.9	4.7	5.0
Percent of students who, in past 30 days, used:				Attempted suicide and resulting injury, poisonng, or overdose	1.0	1.1	1.7
Alcohol	18.0	11.6	19.4	had to be treated by doctor or nurse	1.0	1.1	1.7
Alcohol (Binge: 5+ drinks on one occassion)		6.9	11.5	Percent of students who, in past 12 months:			
Cigarettes	10.4	6.9	14.0	Were threatened/injured with weapon at school	8.4	7.2	9.0
Chewing Tobacco	5.5	5.5	7.2	Were in a physical fight	20.4	22.2	22.6
Marijuana	10.1	3.2	8.1	Were in a fight and had to be treated by a doctor or nurse	3.3	1.9	2.8
Inhalants	8.0	2.3	3.3				
Prescription medications not prescribed for student	4.5	4.1	6.6	Percent of students who, in past 3 months:			
Over-the-counter medications for non-medical use	1.7	3.6	5.3	Were victims of mean rumors or lies spread at school	54.4	50.8	54.2
Percent of students who, in past 2 weeks, used:				Were made fun of by others	64.2	63.3	67.7
Alcohol (Binge: 5+ drinks on one occassion)	7.9			Were victims of an embarrassing or hurtful text message or something posted on the internet	31.2	22.2	21.5
Percent whose friends used in past 12 months:				Spread mean rumors or lies about other kids at school	25.7	22.4	36.3
Alcohol	50.5	41.7	60.0	Made fun of other people	56.3	58.9	74.4
Cigarettes	37.8	32.1	49.1	Posted something on the internet or sent a text that might			
Marijuana	37.8	20.1	37.3	embarrass or hurt another student	20.9	13.2	18.1
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	15.6	9.8					
outst findit (obsume, Lob), Mout, Glub Brug, stoy	10.0	0.0	11.0	Percent of students who agree that:	05.4	07.4	05.7
Percent who would likely use, if offered by a best friend:				Teachers notice and comment on student's good work	65.4	67.1	65.7
Alcohol	30.8	28.7	35.2	School provides feedback to parents on positive student performance	34.1	35.8	35.9
Cigarettes	12.8	11.1	15.8	· ·	00.0	FO 0	CO 0
Marijuana	15.0	6.7	12.1	Rules are enforced fairly	62.3	59.8	60.9
Percent who say it would be wrong to use:				Students of all races/ethnicities are treated equal	79.4	83.8	74.2
Alcohol	60.6	61.8	56.4	Percent of students who agree that:			
Cigarettes	82.2			Parents notice and comment on student's good work	78.9	81.9	83.1
Marijuana	76.9	88.5	81.8	Parents involve student in making family decisions	65.9	69.6	69.0
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	95.0	95.7		It is important to be honest with parents regardless of	97.0	85.9	81.9
-	00.0	00	0	consequences	87.9	65.9	01.9
Percent whose parents would disapprove if they use:	_			Student could ask parent for help with a personal problem	75.3	75.9	75.6
Alcohol	78.6	77.9	75.8				
Cigarettes	90.6	92.0		Missouri Student Survey is conducted biennially.		مما	
Marijuana	91.3	95.5	93.9	Similar affirmative response choices for individual questions are Blank data cells indicate estimates are not available for item or			
Percent who say it would be easy to obtain:				Survey is not conducted in every school district nor reported for	r every co	ounty.	
Alcohol	57.1	51.0	61.5	Estimates are not available for counties with small numbers of Percentages are estimates based on weighted data.	responde	nts.	
Cigarettes	51.4	44.7		Some year-to-year differences in percentages are not statistical	lly signifi	cant.	
Marijuana	39.3	25.3	34.6	Deta course Microsoft Institute of Mary 111, 111, 2010 2011		ude=4 C	Im (C)
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	18.7	12.2	17.4	Data source: Missouri Institute of Mental Health, 2010-2014 Mi	ssouri Sti	udent St	urveys
· · · · · · · · · · · · · · · · · · ·							

CEDAN COON	1 1						
	DBH REGION	Southwest		IMPAIRED DRIVING	2013	2012	2011
\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	DBH SERVICE AREAS			Alcohol Involved CrashesTotal	12	24	5
	Substance Use	8		Fatal Crashes	0	1	0
	Adult Psychiatric	8B		Injury Crashes	6	6	2
	POPULATION			Property Damage Crashes	6	17	3
	Census 2010	13,982		Crash Fatalities	0	1	0
	2014 Estimate	13,952		Crash Injuries	9	13	3
)			Drug Involved CrashesTotal	0	2	1
				Fatal Crashes	0	0	0
BIRTH RISK	2013	2012	2011	Injury Crashes	0	0	0
Resident BirthsTotal	162	186	148	Property Damage Crashes	0	2	1
Mother Reported Smoking wh		42	36	Crash Fatalities	0	0	0
_	-			Crash Injuries	0	0	0
DISEASE INCIDENCE 1	2013	2012	2011	POLICE REPORTS	2013	2012	2011
HIV/AIDS Cases	1	0	0	DUI Arrests, DWI Tracking System	49	70	42
Hepatitis B Chronic, Acute, P		0	1	Liquor Law Arrests	5	10	11
Hepatitis C Chronic and Acute		7	9	Drug Arrests	22	13	19
Tuberculosis Infection Cases	1	1	0	Violent Offenses	47	56	40
DEATHS and INJURIES	2013	2012	2011	Property Offenses	386	336	351
Resident DeathsTotal	187	2012	167	Domestic Violence Reports	49	69	53
Suicides	5	201	4	Bomedio Violence Reports	2014	2013	2012
Self-inflicted Injuries	20	17	23	Methamphetamine Lab Seizures	1	2	5
Homicides	0	0	0		•	_	· ·
Assault Injuries	43	47	53	SCHOOL REPORTS	2013-14	2012-13	2011-12
Alcohol Induced Deaths	2	0	1	Enrollment Grades 9-12	709	691	684
Drug Induced Deaths	2	6	6	Drop-outs	14	8	13
Smoking Attributable Deaths	39	33	30	Drop-out Rate	2.0%	1.2%	1.9%
Cirioking Attributable Beatile	55	33	30	School Discipline Involving Alcohol	1	2	1
HOSPITAL EPISODES 2	2013	2012	2011	School Discipline Involving Drugs	4	2	6
Hospitalization, no Emergence	y Room:			School Discipline Involving Tobacco	0	0	0
Mental Illness Principal Diag	nosis 125	123	105	JUVENILE COURT REFERRALS 3	2013	2012	2011
Mental Illness Secondary Di	agnosis 331	359	374	Juvenile Violent Offenses	13	17	30
Alcohol Principal Diagnosis	4	6	4	Juvenile Alcohol Offenses	4	2	9
Alcohol Secondary Diagnosi	s 19	20	15	Juvenile Drug Offenses	2	5	3
Drug Principal Diagnosis	6	11	5	School Truancy Status Offense	12	24	20
Drug Secondary Diagnosis	25	15	17	Absent from Home Status Offense	3	3	4
Emergency Room + Hospitali	zation:			Beyond Parental Control Status Offense	11	10	18
Mental Illness Principal Diag	nosis 48	71	43	Injurious Behavior Status Offense	9	7	9
Mental Illness Secondary Di	agnosis 161	166	142	Child Abuse	20	16	8
Alcohol Principal Diagnosis	4	7	4	Child Neglect	31	32	43
Alcohol Secondary Diagnosi	s 16	21	19	Child Custody Issues	1	1	0
Drug Principal Diagnosis	8	10	5	Offild Odstody 133dC3		'	U
Drug Secondary Diagnosis	13	15	10	JUVENILE COURT PLACEMENTS	2013	2012	2011
Emergency Room, no Hospita				Out-of-Home PlacementsTotal	7	6	8
Mental Illness Principal Diag		166	182	Parental Alcohol Use Related	1	0	0
Mental Illness Secondary Di	agnosis 932	1,101	664	Parental Drug Use Related	1	1	0
Alcohol Principal Diagnosis	21	27	30	Parental Alcohol and Drug Use	0	0	0
Alcohol Secondary Diagnosi	s 58	53	37	COMMUNAL MISTIGE	EV2014	EV2012	EV2012
Drug Principal Diagnosis	27	46	39	CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Secondary Diagnosis	78	67	61	Drug Court Participants Probation/Parole AdmissionsDrug	13 27	16 22	14 15
				Probation/Parole AdmissionsDWI	6	7	11
ALCOHOL OUTLETS	2014	2013	2012	Prison AdmissionsDrug	14	14	15
Alcohol On-Premise Drink Lic Alcohol Package Carry-out Li		19 16	16 17	Prison AdmissionsDWI	5	5	5
ALCOHOLL ACKAGE CALLY-OUL LI	14	10	17				
EMPLOYMENT	2014	2013	2012	1 All Kansas City hepatitis and TB case report totals and all Joplin case reports are include			County
Labor Force	5,843	6,388	6,096	2 Beginning with 2010 data, diagnosis counts	for hospital a	ind ER servic	
Employed	5,472	6,001	5,675	based on codes developed by the Healthcar	re Cost and U	Itilization Proj	ject.
Unemployed	371	387	421	3 Beginning in 2013, juvenile municipal violati- court orders are categorized as status offens			
Unemployment Rate	6.3%	6.1%	6.9%				

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	11	8	5
CSTAR Adolescent	7	*	7
CSTAR Women and Children	6	5	6
CSTAR General Adult	92	82	80
CSTAR Opioid	*	0	0
Primary Recovery Treatment	*	0	*
Clinical SATOP (CIP, YCIP, SROP)	5	9	9
Other Substance Abuse Treatment	0	0	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	32	48	42
- Adolescent Diversion Education Prograr	0	0	0
- Offender Education Program	9	19	16
- Weekend Intervention Program	7	8	8
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	7	*
Compulsive Gambling	0	0	*
Recovery Supports	8	8	6
Early Intervention	0	*	9

NUMBER ADMITTED	FY2014	FY2013	FY2012	PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Total Individuals	113	111	93	Alcohol	38	32	31
				Marijuana / Hashish	24	26	25
AGE Under 18	0	_	7	Cocaine (total)	0	*	*
18 to 24	8 17	5 28	, 16	- Crack	0	0	*
25 to 29	20	18	17	Stimulant (total)	29	32	26
	-			- Methamphetamine	29	32	24
30 to 34	16	14	20 7	Heroin	*	0	0
35 to 39	15	16		Analgesic except Heroin	18	15	8
40 to 44	10	11	9	- Non-Prescription Methadone	0	0	0
45 to 54	21	14	13	PCP, LSD, other Hallucinogen	0	0	0
55 and Over	6	5		Tranquilizer	*	*	*
GENDER				Inhalant	0	0	0
Male	77	66	56	Sedative	*	*	*
Female	36	45	37	Other Medication or Illicit Drug	*	*	0
				Average Age at First Use of Drug	18.0	18.6	17.0
RACE / ETHNICITY	400	400	0.4				
Caucasian	109	108	91	INJECTION DRUG USE			
African American	0	0	0	Any Injection Use at Admission	21	20	14
Native American / Alaskan	0		0	- Daily Injection Use	5	6	*
Asian / Pacific Islander	0	0	0	- Weekly Injection Use	8	5	6
Hispanic	*	*	0	- Less than Weekly Injection Use	8	9	6
Other Race / Two or More Races	*	*	*				-
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	32	29	32	0	71	64	51
High School Graduate or G.E.D.	61	63	47	1 or 2	26	23	26
Associate Degree or Some College	20	19	14	3 or More	16	24	16
Bachelor or Advanced Degree	0	0	0	TREATMENT REFERRAL COURCE			
EMPLOYMENT				TREATMENT REFERRAL SOURCE Self / Family / Friend	34	51	39
Employed	27	23	26	School	*	0	0
Unemployed	36	50	26	Mental Health Provider	0	*	0
Not in Labor Force	50	38	41	Health Care Provider	8	10	*
Not in Eabor 1 orde	30	30	71	Court / Criminal Justice	20	33	41
HOUSING / LIVING ARRANGEMENT				Other Referral Source	48	16	10
Independent Living	88	84	74	Other Referral Source	40	10	10
Dependent Living	18	15	12	TREATMENT ACCOUNT OR ATION			
Homeless	*	*	*	TREATMENT ACCOMMODATION	0	*	*
AAADITAL / FAAAU V STATUS				Pregnant when Admitted to any Episode	0	*	F
MARITAL / FAMILY STATUS	40	60	4.4	Military Veteran	*		5
Never Married	49	63	44	Special Education Services Needed		12	9
Married / Cohabitating	30	24	31	Co-Occurring Psychological Problem	46	45	18
Previously Married	34	24	18	Co-Occurring Developmental Problem	•	*	•

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Southwest
PSYCHIATRIC SERVICE AREA
CENSUS 2010 13,982
2014 POPULATION ESTIMATE 13,952

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.							
DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012				
Adjustment Disorder	5	*	*				
Anxiety Disorder	91	110	100				
Dementia	0	0	0				
Developmental Disorder	*	*	*				
Impulse Control Disorder	23	24	25				
Mood Disorder	165	188	173				
Personality Disorder	13	17	18				
Psychotic Disorder	35	43	50				
Sexual Disorder	0	*	0				
Other Diagnosis	8	9	7				
Diagnosis Unknown	23	20	15				

Individuals who received psychiatric services had the following types of

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2014	FY2013	FY2012	EDUCATION	FY2014	FY2013	FY2012
Total Individuals	232	267	242	Less than High School Diploma	81	92	64
				High School Grad or G.E.D.	0	0	59
AGE				Associate Degree or Some College	0	0	14
Under 6	*	*	*	Bachelor or Advanced Degree	0	0	*
6 to 9	13	13	11	Education Level Unknown	151	175	102
10 to 13	25	15	15	Education Edvor Children			102
14 to 17	9	16	11	EMPLOYMENT			
18 to 24	13	23	22	Employed	5	11	20
25 to 29	21	24	13	Unemployed	6	5	107
30 to 34	25	22	24	Not in Labor Force	172	173	27
35 to 39	26	26	20	Employment Status Unknown	49	78	88
40 to 44	15	25	32				
45 to 49	22	33	30	HOUSING / LIVING ARRANGEMENT			
50 to 54	22	28	24	Independent Living	58	45	118
55 to 59	23	22	23	Dependent Living	120	134	32
60 and Over	16	18	15	Homeless	*	5	*
Age Unknown	0	0	0	Other	0	0	0
				Housing Unknown	51	83	89
GENDER	0.4	404					
Male	94	104	89	TREATMENT REFERRAL SOURCE			
Female	138	163	153	Self / Family / Friend	150	160	160
Gender Unknown	0	0	0	School	*	*	0
RACE / ETHNICITY				Mental Health Provider	11	23	22
Caucasian	225	258	233	Health Care Provider	33	40	26
African American	*	6	5	Court / Criminal Justice	6	7	*
Native American / Alaskan	*	*	*	Other	29	34	28
Asian / Pacific Islander	0	0	0	Referral Source Unknown	*	*	*
Hispanic	0	*	*				
Other Race	*	0	0	TYPE OF COMMITMENT			
Race/Ethnicity Unknown	0	0	0	Voluntary	228	259	235
	-		•	Civil	*	5	*
TREATMENT ACCOMMODATION				Criminal	0	*	*
Hearing Impaired	*	9	5	Sexual Predatory	0	0	0
Past or Current Military Service	*	*	*	Commitment Type Unknown	*	*	*

MISSOURI STUDENT SURVEY

	IVIIOC	OUI	11310	DENI SORVET			
Percent of students who have ever used:	2014	2012	2010	Percent who believe they risk harm if they use:	2014	2012	2010
Alcohol	33.7	43.9	44.4	Alcohol (1 or 2 drinks daily)	58.1		
Cigarettes	17.2	35.9		Alcohol (Binge: 5+ drinks once or twice a week)	79.2		
Chewing Tobacco	16.4	21.8	18.0	Alcohol (any use)		60.9	77.6
Marijuana	10.8	23.2	12.1	Cigarettes (1+ packs per day)	84.9		
Inhalants	2.4	11.8	9.2	Cigarettes (any use)		74.1	78.3
Prescription medications not prescribed for student	3.6	13.6	9.5	Marijuana (once or twice a week)	73.3		
Over-the-counter medications for non-medical use	3.6	10.5	7.8	Marijuana (any use)		67.0	72.6
Methamphetamine	1.3	8.5	0.0	Other: Cocaine, LSD, Meth, Club Drug (any use)	94.2	87.3	91.6
Cocaine	2.5	9.6	0.0	Percent of students who, in past 30 days:			
Heroin	0.6	7.3		Were very sad	16.4	29.2	21.0
Hallucinogens	2.4	8.7		Were grouchy, irritable, or in a bad mood	17.6	27.9	27.0
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.2	8.2		Felt hopeless about the future	10.5	14.7	16.0
Steroids not prescribed for student	0.0	8.2	1.7	Felt like not eating or eating more than usual	12.8	21.9	19.1
Synthetic drugs (K2, bath salts, Spice, etc)	1.8	13.6		Slept a lot more or a lot less than usual	18.5	19.3	27.4
Average age of students' first use of:				Had difficulty concentrating on school work	17.6	31.8	29.3
Alcohol	13.14	11.26	11.74				
Cigarettes	12.91	11.35	11.41	Percent of students who, in past 12 months:	40.5	04.0	45.0
Marijuana	14.54	11.85	13.69	Seriously considered attempting suicide	13.5	21.9	15.0
Inhalants	12.48	10.46	12.39	Made plan about how they would attempt suicide	9.3	15.0	10.4
Descript of students who be used 20 days and				Attempted suicide	1.2	11.3	9.0
Percent of students who, in past 30 days, used:	440	00.0	00.0	Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	1.3	6.4	3.0
Alcohol (Ringo, F., drinks on one coccesion)	14.2		22.0 13.1	had to be treated by decidi of harse			
Alcohol (Binge: 5+ drinks on one occassion)	6.1	19.5 15.5		Percent of students who, in past 12 months:			
Cigarettes Chewing Tobacco	6.1 8.5	12.7	12.9	Were threatened/injured with weapon at school	6.7	10.0	9.3
•	6.5 4.8	11.5	4.7	Were in a physical fight	20.0	30.9	30.0
Marijuana Inhalants	4.0 1.2	6.8	2.7	Were in a fight and had to be treated by a doctor or nurse	3.0	6.9	3.4
Prescription medications not prescribed for student	1.2	9.5		Percent of students who, in past 3 months:			
Over-the-counter medications for non-medical use	1.2	8.6		Were victims of mean rumors or lies spread at school	46.7	51.4	57.1
Over-the-counter medications for non-medical use	1.2	0.0	5.4	Were made fun of by others	54.5	57.8	68.7
Percent of students who, in past 2 weeks, used:				Were victims of an embarrassing or hurtful text message or			
Alcohol (Binge: 5+ drinks on one occassion)	7.4			something posted on the internet	17.6	16.4	17.5
Percent whose friends used in past 12 months:				Spread mean rumors or lies about other kids at school	17.0	25.0	27.8
Alcohol	38.2	62.7	53.5	Made fun of other people	51.8	61.4	70.0
Cigarettes	35.2	52.7	42.0	Posted something on the internet or sent a text that might	10.4	15.9	15.9
Marijuana	20.6	40.5		embarrass or hurt another student	10.4	15.9	15.9
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	7.3	21.0	10.7	Percent of students who agree that:			
				Teachers notice and comment on student's good work	73.3	71.4	72.2
Percent who would likely use, if offered by a best friend:	040	40.7	05.5	School provides feedback to parents on positive student	70.0	7	12.2
Alcohol	24.8	42.7		performance	44.4	35.6	37.2
Cigarettes	7.3	19.6		Rules are enforced fairly	81.8	64.5	74.0
Marijuana	4.9	17.8	11.4	Students of all races/ethnicities are treated equal	78.0	71.5	80.3
Percent who say it would be wrong to use:				<u>'</u>	. 0.0		00.0
Alcohol	66.9	52.1	58.6	Percent of students who agree that:			
Cigarettes	82.2	74.5	78.7	Parents notice and comment on student's good work	82.1	79.4	79.1
Marijuana	89.6	74.3	83.9	Parents involve student in making family decisions	72.2	57.8	67.9
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	98.1	88.6	96.6	It is important to be honest with parents regardless of consequences	97.0	79.1	77.9
Percent whose parents would disapprove if they use:				· ·	77.0	00.0	70.7
Alcohol	78.5	76.8	79.1	Student could ask parent for help with a personal problem	77.9	68.8	72.7
Cigarettes	88.5	89.9		Missouri Student Survey is conducted biognially			
Marijuana	94.4	91.2		Missouri Student Survey is conducted biennially. Similar affirmative response choices for individual questions are	e combin	ed.	
•	O 1T	J 1.2	23.0	Blank data cells indicate estimates are not available for item or	geograp	hic area	
Percent who say it would be easy to obtain:				Survey is not conducted in every school district nor reported for Estimates are not available for counties with small numbers of			
Alcohol	46.0	58.9		Percentages are estimates based on weighted data.	•		
Cigarettes	50.3			Some year-to-year differences in percentages are not statistical	IIIy signifi	cant.	
Marijuana	17.8	29.0		Data source: Missouri Institute of Mental Health, 2010-2014 Mi	ssouri St	udent Si	urveys
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	5.8	18.3	13.8				

	J. 4 1 1						
DI	BH REGION	Central		IMPAIRED DRIVING	2013	2012	2011
DI	BH SERVICE AREAS			Alcohol Involved CrashesTotal	13	9	6
The property of the second	Substance Use	12		Fatal Crashes	1	1	0
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Adult Psychiatric	12		Injury Crashes	7	4	0
PC	DPULATION			Property Damage Crashes	5	4	6
	Census 2010	7,831		Crash Fatalities	2	1	0
	2014 Estimate	7,694		Crash Injuries	8	6	0
T.				Drug Involved CrashesTotal	0	6	1
				Fatal Crashes	0	0	0
BIRTH RISK	2013	2012	2011	Injury Crashes	0	4	0
Resident BirthsTotal	104	80	80	Property Damage Crashes	0	2	1
Mother Reported Smoking while		14	11	Crash Fatalities	0	0	0
Wother Reported Officking Wille	Trognam 21	17		Crash Injuries	0	7	0
DISEASE INCIDENCE 1	2013	2012	2011		2042	2012	2044
HIV/AIDS Cases	0	0	0	POLICE REPORTS	2013	2012	2011
Hepatitis B Chronic, Acute, Pren	atal 0	0	2	DUI Arrests, DWI Tracking System	26	36	33
Hepatitis C Chronic and Acute	4	0	2	Liquor Law Arrests	1	4	6
Tuberculosis Infection Cases	1	1	0	Drug Arrests	11	6	2
				Violent Offenses	25	24	23
DEATHS and INJURIES	2013	2012	2011	Property Offenses	132	94	77
Resident DeathsTotal	78	88	90	Domestic Violence Reports	17	24	6
Suicides	0	0	1		2014	2013	2012
Self-inflicted Injuries	14	12	4	Methamphetamine Lab Seizures	0	0	1
Homicides	1	0	0	SCHOOL REPORTS	2013-14	2012-13	2011-12
Assault Injuries	16	22	10	Enrollment Grades 9-12	320	328	324
Alcohol Induced Deaths	0	0	0	Drop-outs	4	6	6
Drug Induced Deaths	2	1	1	Drop-out Rate	1.2%	1.8%	1.9%
Smoking Attributable Deaths	14	19	16	School Discipline Involving Alcohol	0	0	0
HOSPITAL EPISODES 2	2013	2012	2011	School Discipline Involving Drugs	1	2	1
Hospitalization, no Emergency R		2012	2011	School Discipline Involving Tobacco	0	0	0
Mental Illness Principal Diagno		60	87	Consor Discipline inverting reseases	Ŭ	Ü	Ü
Mental Illness Secondary Diagr		267	242	JUVENILE COURT REFERRALS 3	2013	2012	2011
Alcohol Principal Diagnosis	192	207	5	Juvenile Violent Offenses	1	3	1
Alcohol Secondary Diagnosis	9	6	9	Juvenile Alcohol Offenses	0	0	0
Drug Principal Diagnosis	3	3	4	Juvenile Drug Offenses	0	1	0
Drug Secondary Diagnosis	9	9	6	School Truancy Status Offense	8	11	7
Emergency Room + Hospitalizat		9	U	Absent from Home Status Offense	0	0	0
Mental Illness Principal Diagno		20	12	Beyond Parental Control Status Offense	4	4	3
Mental Illness Secondary Diagr		53	31	Injurious Behavior Status Offense	18	20	44
Alcohol Principal Diagnosis	2	3	4	Child Abuse	0	1	0
Alcohol Secondary Diagnosis	7	6	7	Child Neglect	8	24	7
Drug Principal Diagnosis	2	3	5	Child Custody Issues	0	0	0
Drug Secondary Diagnosis	1	4	4	JUVENILE COURT PLACEMENTS	2013	2012	2011
Emergency Room, no Hospitaliz		4	4	Out-of-Home PlacementsTotal	2013 7	11	9
Mental Illness Principal Diagno		44	60	Parental Alcohol Use Related	0	0	0
Mental Illness Secondary Diagro		197	172	Parental Drug Use Related	0	5	0
Alcohol Principal Diagnosis	8	6	8	Parental Alcohol and Drug Use	0	0	0
			11	Farental Alcohol and Drug Ose	U	U	U
Alcohol Secondary Diagnosis	11 4	9 7	11	CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Principal Diagnosis				Drug Court Participants	14	16	9
Drug Secondary Diagnosis	7	14	9	Probation/Parole AdmissionsDrug	10	15	8
ALCOHOL OUTLETS	2014	2013	2012	Probation/Parole AdmissionsDWI	3	6	4
Alcohol On-Premise Drink Licen		11	10	Prison AdmissionsDrug	6	12	5
Alcohol Package Carry-out Licer		16	15	Prison AdmissionsDWI	0	2	2
and a stage carry out bloom		10	10				
EMPLOYMENT	2014	2013	2012	All Kansas City hepatitis and TB case report totals and all Joplin case reports are include			County
Labor Force	3,806	3,950	4,214	2 Beginning with 2010 data, diagnosis counts			es are
Employed	3,583	3,724	3,951	based on codes developed by the Healthcar			
Unemployed	223	226	263	3 Beginning in 2013, juvenile municipal violati court orders are categorized as status offen:			
Unemployment Rate	5.9%	5.7%	6.2%	Total Class are early on 200 as status offens	oload 0	a Holation	

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	*	*	*
CSTAR Adolescent	0	*	0
CSTAR Women and Children	*	*	*
CSTAR General Adult	18	22	13
CSTAR Opioid	0	0	0
Primary Recovery Treatment	6	*	6
Clinical SATOP (CIP, YCIP, SROP)	*	5	*
Other Substance Abuse Treatment	0	0	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	24	27	30
- Adolescent Diversion Education Prograr	0	*	*
- Offender Education Program	7	9	15
- Weekend Intervention Program	6	5	6
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	0	0
Compulsive Gambling	0	0	0
Recovery Supports	0	*	*
Early Intervention	*	*	*

NUMBER ADMITTED	FY2014	FY2013	FY2012	PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Total Individuals	25	33	25	Alcohol	11	13	8
-				Marijuana / Hashish	*	8	10
AGE	•	*		Cocaine (total)	0	0	*
Under 18	0		0	- Crack	0	0	0
18 to 24	*	5	5	Stimulant (total)	7	7	*
25 to 29	*	6	6	- Methamphetamine	7	6	*
30 to 34	5	6	5	Heroin	0	*	0
35 to 39	5	7	*	Analgesic except Heroin	*	*	*
40 to 44	*	*	*	- Non-Prescription Methadone	0	0	0
45 to 54	6	5	*	PCP, LSD, other Hallucinogen	0	0	0
55 and Over	0	*	*	Tranquilizer	0	*	0
GENDER				Inhalant	0	0	0
Male	14	16	12	Sedative	0	0	0
Female	11	17	13	Other Medication or Illicit Drug	0	0	*
				Average Age at First Use of Drug	19.4	19.0	18.2
RACE / ETHNICITY							
Caucasian	25	32	24	INJECTION DRUG USE			
African American	0		0	Any Injection Use at Admission	*	*	*
Native American / Alaskan	0	0	0	- Daily Injection Use	0	0	0
Asian / Pacific Islander	0	0	0	- Weekly Injection Use	0	*	0
Hispanic	0	0	0	- Less than Weekly Injection Use	*	*	*
Other Race / Two or More Races	0	0	*				
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	9	8	8	0	12	16	13
High School Graduate or G.E.D.	12	15	14	1 or 2	9	10	7
Associate Degree or Some College	*	8	*	3 or More	*	7	5
Bachelor or Advanced Degree	0	*	0	T054T454T 0555D044 604965			
51401014515				TREATMENT REFERRAL SOURCE	-	0	6
EMPLOYMENT	10	10	6	Self / Family / Friend	5 0	8	6
Employed	10	12	6	School Mantal Haalth Bravidan	_	_	0
Unemployed	10	8	12	Mental Health Provider	0	0	0
Not in Labor Force	5	13	7	Health Care Provider			0
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	10	12	16
Independent Living	23	31	24	Other Referral Source	9	11	
Dependent Living	*	*	0				
Homeless	*	0	0	TREATMENT ACCOMMODATION	•	•	
				Pregnant when Admitted to any Episode	0	0	0
MARITAL / FAMILY STATUS	40	4.4	40	Military Veteran		*	· ·
Never Married	13	11	10	Special Education Services Needed	0		0
Married / Cohabitating		10	7	Co-Occurring Psychological Problem	12	17	9
Previously Married	9	12	8	Co-Occurring Developmental Problem	0	0	0

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Central
PSYCHIATRIC SERVICE AREA 12
CENSUS 2010 7,831
2014 POPULATION ESTIMATE 7,694

disorders. The total number of diag served because some individuals ha	,		
DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012
Adjustment Disorder	0	0	0
Anxiety Disorder	25	14	20
Dementia	0	0	0
Developmental Disorder	*	*	*
Impulse Control Disorder	9	5	6
Mood Disorder	42	28	40
Personality Disorder	10	*	5
Psychotic Disorder	10	6	8
Sexual Disorder	0	0	0
Other Diagnosis	5	*	5
Diagnosis Unknown	0	*	5

Individuals who received psychiatric services had the following types of

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2014	FY2013	FY2012	EDUCATION	FY2014	FY2013	FY2012
Total Individuals	62	33	54	Less than High School Diploma	25	12	8
. otala.riada.o	0 -		٠.	High School Grad or G.E.D.	0	0	13
AGE				Associate Degree or Some College	0	0	7
Under 6	*	0	0	Bachelor or Advanced Degree	0	0	0
6 to 9	*	*	*	Education Level Unknown	37	21	26
10 to 13	5	*	*	Education Edver Officion	01		20
14 to 17	5	*	*	EMPLOYMENT			
18 to 24	*	*	*	Employed	5	*	*
25 to 29	6	*	6	Unemployed	*	*	25
30 to 34	10	*	7	Not in Labor Force	47	26	5
35 to 39	7	*	5	Employment Status Unknown	6	*	23
40 to 44	6	5	*				
45 to 49	*	0	*	HOUSING / LIVING ARRANGEMENT			
50 to 54	5	*	7	Independent Living	30	17	24
55 to 59	5	5	7	Dependent Living	23	12	6
60 and Over	*	*	6	Homeless	0	*	*
Age Unknown	0	0	0	Other	0	0	*
CENDED				Housing Unknown	9	*	21
GENDER Male	22	12	22				
Female	40	21	32	TREATMENT REFERRAL SOURCE			
Gender Unknown	0	0	0	Self / Family / Friend	38	22	30
Gender Unknown	U	U	U	School	0	0	0
RACE / ETHNICITY				Mental Health Provider	*	*	5
Caucasian	56	31	51	Health Care Provider	17	8	14
African American	*	*	*	Court / Criminal Justice	*	0	*
Native American / Alaskan	*	0	0	Other	*	*	*
Asian / Pacific Islander	0	0	0	Referral Source Unknown	0	0	0
Hispanic	*	*	0				
Other Race	*	0	*	TYPE OF COMMITMENT	0.4	00	50
Race/Ethnicity Unknown	0	0	0	Voluntary	61	33	52
				Civil		0	_
TREATMENT ACCOMMODATION	_	*	*	Criminal	0	0	
Hearing Impaired	*	*		Sexual Predatory	0	0	0
Past or Current Military Service	*	*	6	Commitment Type Unknown	0	0	0

MISSOURI STUDENT SURVEY

WIIOC	OUR		DENI SURVE
2014	2012	2010	Percent who believe they
38.1	46.6	51.4	Alcohol (1 or 2 drinks d
25.0	23.7	27.4	Alcohol (Binge: 5+ drin
19.0	19.5	13.1	Alcohol (any use)
6.0	10.2	9.0	Cigarettes (1+ packs p
4.7	5.1	5.5	Cigarettes (any use)
6.0	7.6	8.8	Marijuana (once or twi
1.2	4.2	6.2	Marijuana (any use)
0.0	0.0	0.0	Other: Cocaine, LSD, I
0.0	0.9	0.7	Doroont of ctudents who
0.0	0.0	0.7	Percent of students who Were very sad
1.2	0.8	1.4	Were grouchy, irritable
1.2	0.9	0.0	Felt hopeless about the
1.2	0.8	0.7	Felt like not eating or e
2.4	3.4		Slept a lot more or a lo
			Had difficulty concentra
13.02	12 70	12 58	riad difficulty concerns
	_		Percent of students who
			Seriously considered a
			Made plan about how t
13.00	11.02	12.51	Attempted suicide
			Attempted suicide and
14.3	19.5	26.0	had to be treated by do
	14.4	16.9	Percent of students who
11.9	11.8	10.3	Were threatened/injure
11.9	11.9	9.0	Were in a physical figh
3.6	4.2	4.1	Were in a fight and had
0.0	1.7	1.4	
1.2	4.2	5.4	Percent of students who,
1.2	2.5	4.1	Were victims of mean i
			Were made fun of by o
7.1			Were victims of an emb something posted on the
			Spread mean rumors of
	_		Made fun of other peop
			Posted something on the embarrass or hurt anot
			Cimbarrass of Hart ariot
4.7	6.8	8.8	Percent of students who
			Teachers notice and co
23.8	31.1	42.6	School provides feedba
			performance
			Rules are enforced fair
			Students of all races/et
			Percent of students who
68.2	56.8	57.8	
79.8	76.9	81.6	Parents notice and con
90.5	88.1		Parents involve studen It is important to be ho
98.8	96.6	97.9	consequences
			Student could ask pare
78.8	74.4	73.5	
89.4	90.7	92.5	Missouri Student Survey
97.6	96.6	98.0	Similar affirmative respo
			Blank data cells indicate Survey is not conducted
47.0	40.6	60.2	Estimates are not availal
			Percentages are estimat
			Some year-to-year differ
			Data source: Missouri In
7.2	11.1	8.2	
	2014 38.1 25.0 19.0 6.0 4.7 6.0 1.2 0.0 0.0 1.2 1.2 1.2 1.4 13.02 13.56 12.66 13.06 14.3 11.9 11.9 3.6 0.0 1.2 1.2 7.1 47.1 36.5 15.5 4.7 23.8 13.1 4.8 68.2 79.8 90.5 98.8	2014 2012 38.1 46.6 25.0 23.7 19.0 19.5 6.0 10.2 4.7 5.1 6.0 7.6 1.2 4.2 0.0 0.0 0.0 0.0 1.2 0.8 1.2 0.9 1.2 0.8 2.4 3.4 13.02 12.70 13.56 12.81 12.66 13.52 13.06 11.82 14.3 19.5 14.4 11.9 11.8 11.9 11.9 3.6 4.2 0.0 1.7 1.2 4.2 1.2 2.5 7.1 47.1 51.7 36.5 44.1 15.5 24.6 4.7 6.8 23.8 31.1 13.1 1.1 4.8 5.9 56.8 79.8 76.9 90.5	2014 2012 2010 38.1 46.6 51.4 25.0 23.7 27.4 19.0 19.5 13.1 6.0 10.2 9.0 4.7 5.1 5.5 6.0 7.6 8.8 1.2 4.2 6.2 0.0 0.0 0.0 0.0 0.9 0.7 0.0 0.0 0.7 1.2 0.8 1.4 1.2 0.9 0.0 1.2 0.8 0.7 2.4 3.4 13.02 12.70 12.58 13.56 12.81 11.75 12.66 13.52 13.40 13.06 11.82 12.31 14.3 19.5 26.0 14.4 16.9 11.9 1.0 3.6 4.2 4.1 0.0 1.7 1.4 1.2 4.2 5.4 1.2

DENT SURVEY			
	2014	2012	2010
Percent who believe they risk harm if they use:			
Alcohol (1 or 2 drinks daily)	56.6		
Alcohol (Binge: 5+ drinks once or twice a week)	66.3		
Alcohol (any use)		68.6	88.4
Cigarettes (1+ packs per day)	83.1		
Cigarettes (any use)		81.2	86.4
Marijuana (once or twice a week)	79.8		
Marijuana (any use)		81.5	70.5
Other: Cocaine, LSD, Meth, Club Drug (any use)	95.1	93.2	95.2
Percent of students who, in past 30 days:			
Were very sad	14.1	21.0	26.9
Were grouchy, irritable, or in a bad mood	18.8	26.1	29.5
Felt hopeless about the future	7.1	11.0	16.4
Felt like not eating or eating more than usual	11.9	15.3	21.9
Slept a lot more or a lot less than usual	15.5	21.8	31.5
Had difficulty concentrating on school work	17.9	17.6	31.7
	17.0	17.0	01.7
Percent of students who, in past 12 months:		44.0	
Seriously considered attempting suicide	7.1	11.9	8.8
Made plan about how they would attempt suicide	4.8	6.7	6.1
Attempted suicide	1.2	2.5	2.7
Attempted suicide and resulting injury, poisonng, or overdose had to be treated by doctor or nurse	0.0	1.7	0.7
Percent of students who, in past 12 months:			
Were threatened/injured with weapon at school	3.5	5.1	5.4
Were in a physical fight	19.0	21.2	22.4
Were in a fight and had to be treated by a doctor or nurse	0.0	2.5	3.4
Percent of students who, in past 3 months:	50.0	40.0	00.4
Were victims of mean rumors or lies spread at school	50.0	49.2	62.1
Were made fun of by others	60.0	67.5	74.1
Were victims of an embarrassing or hurtful text message or something posted on the internet	20.2	24.8	25.2
Spread mean rumors or lies about other kids at school	16.7	32.2	41.8
Made fun of other people	56.0	66.1	77.4
Posted something on the internet or sent a text that might	40.0	404	20.7
embarrass or hurt another student	10.6	16.1	20.7
Percent of students who agree that:			
Teachers notice and comment on student's good work	81.2	69.2	80.8
School provides feedback to parents on positive student	544	47.5	45.5
performance	54.1	47.5	45.5
Rules are enforced fairly	65.5	66.9	67.8
Students of all races/ethnicities are treated equal	89.4	85.6	84.8
Percent of students who agree that:			
Parents notice and comment on student's good work	88.2	86.4	90.5
Parents involve student in making family decisions	77.4	68.4	75.5
It is important to be honest with parents regardless of consequences	94.0	88.0	90.4
Student could ask parent for help with a personal problem	85.7	78.8	82.3
,			

ey is conducted biennially.

onse choices for individual questions are combined.

e estimates are not available for item or geographic area. d in every school district nor reported for every county. able for counties with small numbers of respondents. ates based on weighted data.

rences in percentages are not statistically significant.

nstitute of Mental Health, 2010-2014 Missouri Student Surveys

CHRISTIAN CO							
	DBH REGION	Southwest		IMPAIRED DRIVING	2013	2012	2011
	DBH SERVICE AREAS			Alcohol Involved CrashesTotal	65	57	56
The way be to be	Substance Use	10		Fatal Crashes	1	3	1
	Adult Psychiatric	10		Injury Crashes	29	25	26
- - - - - - - - - - - - - - - - - - -	POPULATION			Property Damage Crashes	35	29	29
	Census 2010	77,422		Crash Fatalities	1	3	1
	2014 Estimate	82,101		Crash Injuries	38	33	36
73				Drug Involved CrashesTotal	12	25	20
				Fatal Crashes	0	1	0
BIRTH RISK	2013	2012	2011	Injury Crashes	7	11	12
Resident BirthsTotal	980	962	996	Property Damage Crashes	5	13	8
Mother Reported Smoking wh	nile Pregnant 134	108	145	Crash Fatalities Crash Injuries	0 13	1 12	0 11
DISEASE INCIDENCE 1	2013	2012	2011	Crash injunes	13	12	- ''
HIV/AIDS Cases	2	2	3	POLICE REPORTS	2013	2012	2011
Hepatitis B Chronic, Acute, Pi		8	5	DUI Arrests, DWI Tracking System	313	292	268
Hepatitis C Chronic and Acute		39	35	Liquor Law Arrests	134	94	91
Tuberculosis Infection Cases	6	10	14	Drug Arrests	463	409	312
				Violent Offenses	138	140	147
DEATHS and INJURIES	2013	2012	2011	Property Offenses	1,423	1,381	1,420
Resident DeathsTotal	563	557	504	Domestic Violence Reports	472	444	514
Suicides	11	14	13		2014	2013	2012
Self-inflicted Injuries	92	75	71	Methamphetamine Lab Seizures	15	18	22
Homicides	2	0	2	SCHOOL REPORTS	2013-14	2012-13	2011-12
Assault Injuries	144	139	127	Enrollment Grades 9-12	4,171	4,082	4,128
Alcohol Induced Deaths	4	2	4	Drop-outs	29	40	58
Drug Induced Deaths	7	14	12	Drop-out Rate	0.7%	1.0%	1.4%
Smoking Attributable Deaths	102	93	80	School Discipline Involving Alcohol	3	5	6
HOSPITAL EPISODES 2	2013	2012	2011	School Discipline Involving Drugs	20	29	28
Hospitalization, no Emergency				School Discipline Involving Tobacco	0	0	0
Mental Illness Principal Diag		216	237	ILIVENILE COLIRT REFERRALS 3	2012	2012	2011
Mental Illness Secondary Dia	agnosis 508	563	516	JUVENILE COURT REFERRALS Juvenile Violent Offenses	2013 74	2012 77	2011 100
Alcohol Principal Diagnosis	11	16	6	Juvenile Alcohol Offenses	74 28	10	100
Alcohol Secondary Diagnosi	s 16	23	19	Juvenile Drug Offenses	44	39	48
Drug Principal Diagnosis	14	18	11	School Truancy Status Offense	21	5	7
Drug Secondary Diagnosis	31	33	36	Absent from Home Status Offense	16	12	23
Emergency Room + Hospitali				Beyond Parental Control Status Offense	16	17	32
Mental Illness Principal Diag		322	263	Injurious Behavior Status Offense	130	177	187
Mental Illness Secondary Dia	-	1,085	913	Child Abuse	17	15	13
Alcohol Principal Diagnosis	111	87	77	Child Neglect	92	120	87
Alcohol Secondary Diagnosi		105	91	Child Custody Issues	4	5	1
Drug Principal Diagnosis	74	88	64		2042	2042	2044
Drug Secondary Diagnosis	102	83	65	JUVENILE COURT PLACEMENTS	2013	2012	2011
Emergency Room, no Hospita		E02	414	Out-of-Home PlacementsTotal Parental Alcohol Use Related	40 0	65 0	53
Mental Illness Principal Diag		503 1,977	732	Parental Arconol Ose Related Parental Drug Use Related	14	27	1 18
Mental Illness Secondary Dia Alcohol Principal Diagnosis	agnosis 1,985 137	1,977	108	Parental Alcohol and Drug Use	0	2 <i>1</i> 5	10
Alcohol Secondary Diagnosi		72	69	r aremai Alcohol and Drug Ose	U	3	,
Drug Principal Diagnosis	109	133	126	CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Secondary Diagnosis	122	135	88	Drug Court Participants	59	58	49
Drag Coodinary Diagnosis	122	100	50	Probation/Parole AdmissionsDrug	156	126	141
ALCOHOL OUTLETS	2014	2013	2012	Probation/Parole AdmissionsDWI	18	16	28
Alcohol On-Premise Drink Lic		43	42	Prison AdmissionsDrug	71	61	61
Alcohol Package Carry-out Li		46	46	Prison AdmissionsDWI	7	8	13
EMPLOYMENT	2014	2013	2012	1 All Kansas City hepatitis and TB case report			County
Labor Force	42,022	40,999	40,892	totals and all Joplin case reports are include Beginning with 2010 data, diagnosis counts			es are
Employed	39,959	38,798	38,523	based on codes developed by the Healthcar			
Unemployed	2,063	2,201	2,369	3 Beginning in 2013, juvenile municipal violati			
Unemployment Rate	4.9%		5.8%	court orders are categorized as status offens	369 IIISI690 0	i iaw violatior	10.

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	57	49	51
CSTAR Adolescent	25	35	28
CSTAR Women and Children	24	35	18
CSTAR General Adult	64	91	80
CSTAR Opioid	0	0	0
Primary Recovery Treatment	160	104	125
Clinical SATOP (CIP, YCIP, SROP)	65	28	40
Other Substance Abuse Treatment	0	0	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	260	214	260
- Adolescent Diversion Education Prograr	*	0	6
- Offender Education Program	98	87	94
- Weekend Intervention Program	51	56	66
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	6	8
Compulsive Gambling	0	0	0
Recovery Supports	108	173	121
Early Intervention	15	17	21

NUMBER ADMITTED	FY2014	FY2013	FY2012	PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Total Individuals	392	428	400	Alcohol	148	127	152
		_		Marijuana / Hashish	90	89	91
AGE				Cocaine (total)	*	*	5
Under 18	24	37	30	- Crack	*	0	5
18 to 24	74	80	72	Stimulant (total)	90	130	99
25 to 29	71	76	69	- Methamphetamine	84	114	96
30 to 34	70	85	68	Heroin	11	18	9
35 to 39	46	64	53	Analgesic except Heroin	42	47	33
40 to 44	48	36	44	- Non-Prescription Methadone	0	*	*
45 to 54	37	39	54	PCP, LSD, other Hallucinogen	*	*	*
55 and Over	22	11	10	Tranquilizer	*	9	8
GENDER				Inhalant	0	0	0
Male	268	292	288	Sedative	0	0	0
Female	124	136	112	Other Medication or Illicit Drug	*	*	*
_				Average Age at First Use of Drug	17.9	17.8	17.5
RACE / ETHNICITY							
Caucasian	362	398	376	INJECTION DRUG USE			
African American	6	*	7	Any Injection Use at Admission	67	102	76
Native American / Alaskan			*	- Daily Injection Use	12	10	12
Asian / Pacific Islander	0	*		- Weekly Injection Use	14	20	19
Hispanic	10	11	9	- Less than Weekly Injection Use	41	72	45
Other Race / Two or More Races	16	17	9				
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	108	153	130	0	206	258	201
High School Graduate or G.E.D.	177	189	175	1 or 2	121	123	119
Associate Degree or Some College	105	84	92	3 or More	65	47	80
Bachelor or Advanced Degree	*	*	*	TREATMENT REFERRAL COURSE			
ENADLOVA AFAIT				TREATMENT REFERRAL SOURCE Self / Family / Friend	183	293	99
EMPLOYMENT Employed	158	152	131	School	103	293	*
Employed Unemployed	130	146	162	Mental Health Provider	7	7	8
Not in Labor Force			102	Health Care Provider	10	7	10
Not in Labor Force	104	130	107	Court / Criminal Justice	157	7 80	264
HOUSING / LIVING ARRANGEMENT					34	33	∠ 04 18
Independent Living	337	349	336	Other Referral Source	34	33	10
Dependent Living	40	63	52				
Homeless	9	7	8	TREATMENT ACCOMMODATION	*	0	•
				Pregnant when Admitted to any Episode		9	8
MARITAL / FAMILY STATUS	000	007	400	Military Veteran	23	9	25
Never Married	200	237	193	Special Education Services Needed	18	43	42
Married / Cohabitating	96	90	103	Co-Occurring Psychological Problem	112	130	142
Previously Married	96	101	104	Co-Occurring Developmental Problem	11	12	*

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Southwest
PSYCHIATRIC SERVICE AREA 10
CENSUS 2010 77,422
2014 POPULATION ESTIMATE 82,101

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.							
DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012				
Adjustment Disorder	18	12	19				
Anxiety Disorder	95	89	108				
Dementia	*	*	*				
Developmental Disorder	8	11	18				
Impulse Control Disorder	39	39	53				
Mood Disorder	163	161	181				
Personality Disorder	43	37	46				
Psychotic Disorder	90	91	100				
Sexual Disorder	0	0	0				
Other Diagnosis	44	41	38				
Diagnosis Unknown	17	18	41				

Individuals who received psychiatric services had the following types of

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2014	FY2013	FY2012	EDUCATION	FY2014	FY2013	FY2012
Total Individuals	273	284	331	Less than High School Diploma	73	82	60
Total Marviadalo	2.0	201	001	High School Grad or G.E.D.	0	*	56
AGE				Associate Degree or Some College	0	0	22
Under 6	8	9	9	Bachelor or Advanced Degree	0	0	8
6 to 9	9	15	28	Education Level Unknown	200	201	185
10 to 13	16	22	30	Education Edver Officiown	200	201	100
14 to 17	22	20	26	EMPLOYMENT			
18 to 24	26	12	12	Employed	7	7	16
25 to 29	18	21	21	Unemployed	6	6	105
30 to 34	20	31	33	Not in Labor Force	159	183	64
35 to 39	34	36	30	Employment Status Unknown	101	88	146
40 to 44	33	28	32				
45 to 49	25	25	29	HOUSING / LIVING ARRANGEMENT			
50 to 54	23	23	31	Independent Living	61	60	81
55 to 59	20	17	25	Dependent Living	105	126	114
60 and Over	19	25	25	Homeless	*	7	*
Age Unknown	0	0	0	Other	0	0	*
				Housing Unknown	104	91	134
GENDER	400	450	4.47				
Male	129	152	147	TREATMENT REFERRAL SOURCE			
Female	144	132	184	Self / Family / Friend	132	139	208
Gender Unknown	0	0	0	School	*	*	*
RACE / ETHNICITY				Mental Health Provider	17	21	19
Caucasian	254	263	311	Health Care Provider	53	48	27
African American	*	*	*	Court / Criminal Justice	17	16	11
Native American / Alaskan	0	0	0	Other	51	55	55
Asian / Pacific Islander	*	*	*	Referral Source Unknown	*	*	9
Hispanic	5	*	*				
Other Race	9	12	13	TYPE OF COMMITMENT			
Race/Ethnicity Unknown	0	0	0	Voluntary	263	271	315
				Civil	*	6	*
TREATMENT ACCOMMODATION		_	_	Criminal	5		*
Hearing Impaired	*	7	9	Sexual Predatory	0	0	0
Past or Current Military Service	5	5	6	Commitment Type Unknown	*	*	9

MISSOURI STUDENT SURVEY

	IVIIOO		(1510	DENI SURVET			
Percent of students who have ever used:	2014	2012	2010	Percent who believe they risk harm if they use:	2014	2012	2010
Alcohol	20.9	25.3	33.2	Alcohol (1 or 2 drinks daily)	67.0		
Cigarettes	17.2	16.2	20.7	Alcohol (Binge: 5+ drinks once or twice a week)	78.4		
Chewing Tobacco	9.2	9.0	9.4	Alcohol (any use)		74.9	75.5
Marijuana	10.3	10.4	12.0	Cigarettes (1+ packs per day)	90.4		
Inhalants	2.0	6.2	6.7	Cigarettes (any use)		84.5	79.2
Prescription medications not prescribed for student	5.2	7.1	10.1	Marijuana (once or twice a week)	76.0		
Over-the-counter medications for non-medical use	2.8	6.4	8.3	Marijuana (any use)		77.6	72.2
Methamphetamine	0.3	1.0	0.8	Other: Cocaine, LSD, Meth, Club Drug (any use)	93.8	94.0	89.1
Cocaine	0.1	1.3	1.5	Percent of students who, in past 30 days:			
Heroin	0.0	0.6	8.0	Were very sad	18.7	17.4	16.1
Hallucinogens	0.5	2.1	3.5	Were grouchy, irritable, or in a bad mood	24.0	19.3	22.0
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.4	1.5	2.4	Felt hopeless about the future	9.8	8.8	11.0
Steroids not prescribed for student	0.4	1.0	1.7	Felt like not eating or eating more than usual	15.8	15.3	16.3
Synthetic drugs (K2, bath salts, Spice, etc)	1.7	6.1		Slept a lot more or a lot less than usual	12.4	19.2	23.2
Average age of students' first use of:				Had difficulty concentrating on school work	19.5	19.3	23.6
Alcohol	12.79	12.51	12.27				
Cigarettes	12.66	12.35	12.10	Percent of students who, in past 12 months:	0.0	44.4	44.0
Marijuana	13.99	13.09	12.93	Seriously considered attempting suicide	9.6 7.8	11.1 8.1	11.2
Inhalants	12.24	11.39	11.79	Made plan about how they would attempt suicide	7.0 4.1	5.4	9.0 5.3
Descent of students who in next 20 days yeard.				Attempted suicide Attempted suicide and resulting injury, poisonng, or overdose	4.1	5.4	5.3
Percent of students who, in past 30 days, used: Alcohol	7.6	9.2	13.3	had to be treated by doctor or nurse	1.7	1.7	2.5
Alcohol (Binge: 5+ drinks on one occassion)	7.0	5.5	6.3	-			
Cigarettes	7.4	7.1	10.7	Percent of students who, in past 12 months:			
Chewing Tobacco	3.2	4.3	4.8	Were threatened/injured with weapon at school	4.0	6.7	8.8
Marijuana	3.1	4.9	6.3	Were in a physical fight	16.0	19.6	27.2
Inhalants	1.6	2.2	2.9	Were in a fight and had to be treated by a doctor or nurse	3.6	3.8	3.7
Prescription medications not prescribed for student	3.0	3.2	5.3	Percent of students who, in past 3 months:			
Over-the-counter medications for non-medical use	2.2	3.5	4.9	Were victims of mean rumors or lies spread at school	50.4	47.7	57.6
Description for the transfer and				Were made fun of by others	58.8	59.0	70.3
Percent of students who, in past 2 weeks, used: Alcohol (Binge: 5+ drinks on one occassion)	2.7			Were victims of an embarrassing or hurtful text message or something posted on the internet	24.2	21.6	20.4
Percent whose friends used in past 12 months:				Spread mean rumors or lies about other kids at school	24.7	24.1	35.7
Alcohol	32.3	40.0	52.2	Made fun of other people	51.0	55.8	71.7
Cigarettes	29.5	32.9	39.7	Posted something on the internet or sent a text that might	14.0	14.0	18.9
Marijuana	24.4	28.9	32.8	embarrass or hurt another student	14.0	14.0	10.9
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	9.5	14.6	20.1	Percent of students who agree that:			
Description of the second state of the second secon				Teachers notice and comment on student's good work	74.0	66.6	68.7
Percent who would likely use, if offered by a best friend:	10.4	177	25.5	School provides feedback to parents on positive student			
Alcohol Cigarettes	13.4 8.4	17.7 8.8	12.3	performance	45.2	36.3	33.3
Marijuana	7.6	9.2		Rules are enforced fairly	70.3	69.2	69.2
Manjuana	7.0	9.2	12.2	Students of all races/ethnicities are treated equal	86.9	80.8	83.8
Percent who say it would be wrong to use:				·			
Alcohol	75.6	73.6	65.6	Percent of students who agree that:	04.4	044	047
Cigarettes	85.9	86.8	78.7	Parents notice and comment on student's good work	84.4 68.2	84.1 71.9	84.7 73.5
Marijuana	85.3	86.0	85.1	Parents involve student in making family decisions	00.2	11.9	73.5
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	98.3	96.7	95.4	It is important to be honest with parents regardless of consequences	88.5	87.9	84.3
Percent whose parents would disapprove if they use:				Student could ask parent for help with a personal problem	81.0	77.2	78.2
Alcohol	87.7	87.4	85.9	Statistic doubt dock paront for Holp With a porsonal problem	01.0		. 5
Cigarettes	95.6	95.1	93.9	Missouri Student Survey is conducted biennially.			
Marijuana	95.1	95.1	95.9	Similar affirmative response choices for individual questions are			
•				Blank data cells indicate estimates are not available for item or Survey is not conducted in every school district nor reported for			•
Percent who say it would be easy to obtain: Alcohol	40.7	45 O	40.0	Estimates are not available for counties with small numbers of			
Cigarettes	40.7 39.3	45.9 39.4	49.9 52.4	Percentages are estimates based on weighted data. Some year-to-year differences in percentages are not statistical	ally eignifi	cant	
Marijuana	39.3 24.6	28.1	52.4 29.8	Como year-to-year umerences in percentages are not statistica	my signill	Jant.	
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	8.6	12.9	29.8 16.8	Data source: Missouri Institute of Mental Health, 2010-2014 Mi	ssouri St	udent Sı	urveys
Caron micht (Coccamo, ECD, Michi, Club Drug, Cic)	0.0	12.5	10.0				

CLANN COON	1 1						
THI	DBH REGION	Central		IMPAIRED DRIVING	2013	2012	2011
	DBH SERVICE AREAS			Alcohol Involved CrashesTotal	9	8	3
	Substance Use	14		Fatal Crashes	1	0	2
	Adult Psychiatric	14		Injury Crashes	4	6	0
	POPULATION			Property Damage Crashes	4	2	1
	Census 2010	7,139		Crash Fatalities	1	0	2
	2014 Estimate	6,917		Crash Injuries	9	8	0
		0,0		Drug Involved CrashesTotal	1	2	0
213				Fatal Crashes	0	0	0
				Injury Crashes	1	1	0
BIRTH RISK	2013	2012	2011		0	1	0
Resident BirthsTotal	75	103	68	Property Damage Crashes Crash Fatalities	0	0	0
Mother Reported Smoking wh	nile Pregnant 26	29	20	Crash Injuries	1	1	0
DISEASE INCIDENCE 1	2013	2012	2011	Crash injunes			O
HIV/AIDS Cases	0	0	0	POLICE REPORTS	2013	2012	2011
Hepatitis B Chronic, Acute, P		0	0	DUI Arrests, DWI Tracking System	54	78	66
Hepatitis C Chronic and Acut		5	3	Liquor Law Arrests	8	31	10
Tuberculosis Infection Cases		0	0	Drug Arrests	60	73	68
Tuberculosis infection Cases	2	U	U	Violent Offenses	10	9	12
DEATHS and INJURIES	2013	2012	2011	Property Offenses	50	42	31
Resident DeathsTotal	94	89	81	Domestic Violence Reports	17	14	19
Suicides	1	0	2	'	2014	2013	2012
Self-inflicted Injuries	3	3	3	Methamphetamine Lab Seizures	4	4	8
Homicides	0	0	0				_
Assault Injuries	2	4	4	SCHOOL REPORTS	2013-14	2012-13	2011-12
Alcohol Induced Deaths	1	0	0	Enrollment Grades 9-12	326	324	320
Drug Induced Deaths	0	0	2	Drop-outs	0	4	4
Smoking Attributable Deaths	21	18	16	Drop-out Rate	0.0%	1.2%	1.3%
Smoking Attributable Deaths	21	10	10	School Discipline Involving Alcohol	0	0	0
HOSPITAL EPISODES 2	2013	2012	2011	School Discipline Involving Drugs	0	0	0
Hospitalization, no Emergence	y Room:			School Discipline Involving Tobacco	0	0	0
Mental Illness Principal Diag		20	17				
Mental Illness Secondary Di		211	172	JUVENILE COURT REFERRALS 3	2013	2012	2011
Alcohol Principal Diagnosis	2	1	4	Juvenile Violent Offenses	4	2	2
Alcohol Secondary Diagnosi		6	4	Juvenile Alcohol Offenses	4	7	0
Drug Principal Diagnosis	1	2	3	Juvenile Drug Offenses	4	2	0
Drug Secondary Diagnosis	12	10	9	School Truancy Status Offense	9	16	11
Emergency Room + Hospitali			ŭ	Absent from Home Status Offense	0	1	2
Mental Illness Principal Diag		1	2	Beyond Parental Control Status Offense	2	5	3
Mental Illness Secondary Di		16	7	Injurious Behavior Status Offense	70	52	84
Alcohol Principal Diagnosis	0	0	0	Child Abuse	0	0	0
Alcohol Secondary Diagnosi		4	1	Child Neglect	53	64	32
Drug Principal Diagnosis	1	1	0	Child Custody Issues	0	0	0
Drug Secondary Diagnosis	3	2	0	ILIVENILE COLIDT DI ACEMENTS	2013	2012	2011
		2	U	JUVENILE COURT PLACEMENTS Out-of-Home PlacementsTotal	2013	26	25
Emergency Room, no Hospital		17	7				
Mental Illness Principal Diag		17	7	Parental Arva Llea Balated	1	0	0
Mental Illness Secondary Di		49	12	Parental Alaskal and Drug Llas	6	8	8 2
Alcohol Principal Diagnosis	1	2	1	Parental Alcohol and Drug Use	3	2	2
Alcohol Secondary Diagnosi		3	3	CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Principal Diagnosis	5	3	0	Drug Court Participants	29	36	38
Drug Secondary Diagnosis	5	4	1	Probation/Parole AdmissionsDrug	26	32	25
ALCOHOL C. 171 577	0011	2012	2012	Probation/Parole AdmissionsDWI	13	13	12
ALCOHOL OUTLETS	2014	2013	2012	Prison AdmissionsDrug	12	18	14
Alcohol On-Premise Drink Lic		11	12	Prison AdmissionsDWI	3	7	9
Alcohol Package Carry-out Li	icenses 12	12	14		Ū	,	
EMPLOYMENT	2014	2013	2012	1 All Kansas City hepatitis and TB case report			County
Labor Force	3,421	3,374	3,481	totals and all Joplin case reports are include Beginning with 2010 data, diagnosis counts			es are
Employed	3,185	3,127	3,231	based on codes developed by the Healthcar			
Unemployed	236	247	250	3 Beginning in 2013, juvenile municipal violation	ons, infraction	ns, and violat	ions of
Unemployment Rate	6.9%		7.2%	court orders are categorized as status offens	ses instead o	i iaw violatior	15.

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

	FY2014	FY2013	FY2012
TREATMENT CATEGORY			
Detoxification	*	5	*
CSTAR Adolescent	7	*	*
CSTAR Women and Children	0	*	*
CSTAR General Adult	28	27	35
CSTAR Opioid	0	0	0
Primary Recovery Treatment	0	5	26
Clinical SATOP (CIP, YCIP, SROP)	*	5	*
Other Substance Abuse Treatment	0	0	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	34	27	23
- Adolescent Diversion Education Prograr	0	*	*
- Offender Education Program	14	8	11
- Weekend Intervention Program	7	9	5
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	0	*
Compulsive Gambling	0	0	0
Recovery Supports	*	*	0
Early Intervention	13	9	*

NUMBER ADMITTED	FY2014	FY2013	FY2012	PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Total Individuals	39	40	53	Alcohol	14	16	9
465				Marijuana / Hashish	16	8	27
AGE Under 18	7	*	*	Cocaine (total)	0	0	0
18 to 24	*	*	8	- Crack	0	0	0
25 to 29	9	6	11	Stimulant (total)	6	11	13
30 to 34	6	6	14	- Methamphetamine	6	11	13
		9		Heroin	*	0	0
35 to 39	6	6	5 5	Analgesic except Heroin	*	*	*
40 to 44	0		5 *	- Non-Prescription Methadone	0	0	0
45 to 54	8	6	*	PCP, LSD, other Hallucinogen	0	0	0
55 and Over	0			Tranquilizer	0	0	0
GENDER				Inhalant	0	0	0
Male	25	24	37	Sedative	0	0	0
Female	14	16	16	Other Medication or Illicit Drug	0	*	0
_				Average Age at First Use of Drug	16.4	17.6	18.2
RACE / ETHNICITY							
Caucasian	38	39	53	INJECTION DRUG USE			
African American		0	0	Any Injection Use at Admission	*	5	*
Native American / Alaskan	0	0	0	- Daily Injection Use	*	0	0
Asian / Pacific Islander	0		0	- Weekly Injection Use	0	0	0
Hispanic	0	0	0	- Less than Weekly Injection Use	*	5	*
Other Race / Two or More Races	0	0	0				
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	16	14	15	0	26	25	40
High School Graduate or G.E.D.	18	22	33	1 or 2	7	6	10
Associate Degree or Some College	5	*	5	3 or More	6	9	*
Bachelor or Advanced Degree	0	*	0	TOTATALENT DESERBAL COURCE			
SA ADI OVA ASAIT				TREATMENT REFERRAL SOURCE Self / Family / Friend	6	6	5
EMPLOYMENT Employed	14	17	26	School	0	0	0
Unemployed	9	10	16	Mental Health Provider	0	0	*
Not in Labor Force	16	13	11	Health Care Provider	0	*	*
NOT III LABOT FOICE	10	13	- 11		-		27
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	16	17 14	37 9
Independent Living	31	36	47	Other Referral Source	16	14	9
Dependent Living	7	*	5				
Homeless	*	*	0	TREATMENT ACCOMMODATION	0	*	
				Pregnant when Admitted to any Episode	0		•
MARITAL / FAMILY STATUS	00	40	00	Military Veteran	*	0	·
Never Married	20	19	30	Special Education Services Needed		8	
Married / Cohabitating	12	13	12	Co-Occurring Psychological Problem	18	21	22
Previously Married	7	8	11	Co-Occurring Developmental Problem	0	*	*

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



 DBH REGION
 Central

 PSYCHIATRIC SERVICE AREA
 14

 CENSUS 2010
 7,139

 2014 POPULATION ESTIMATE
 6,917

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.							
DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012				
Adjustment Disorder	*	*	*				
Anxiety Disorder	27	24	27				
Dementia	0	0	0				
Developmental Disorder	*	*	*				
Impulse Control Disorder	29	24	23				
Mood Disorder	44	46	45				
Personality Disorder	*	*	*				
Psychotic Disorder	7	*	*				
Sexual Disorder	0	*	0				
Other Diagnosis	14	11	10				
Diagnosis Unknown	*	*	5				

Individuals who received psychiatric services had the following types of

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2014	FY2013	FY2012	EDUCATION	FY2014	FY2013	FY2012
Total Individuals	59	62	68	Less than High School Diploma	33	35	15
Total marriadalo	00	02	00	High School Grad or G.E.D.	0	0	13
AGE				Associate Degree or Some College	0	0	*
Under 6	0	0	*	Bachelor or Advanced Degree	0	0	*
6 to 9	8	11	11	Education Level Unknown	26	27	37
10 to 13	12	8	11	Education Level Officiown	20	21	31
14 to 17	10	15	14	EMPLOYMENT			
18 to 24	6	*	6	Employed	*	*	*
25 to 29	*	*	*	Unemployed	*	*	21
30 to 34	*	*	*	Not in Labor Force	48	50	10
35 to 39	*	*	5	Employment Status Unknown	8	9	34
40 to 44	*	*	*				
45 to 49	*	5	*	HOUSING / LIVING ARRANGEMENT			
50 to 54	*	5	*	Independent Living	21	25	26
55 to 59	*	*	*	Dependent Living	30	26	19
60 and Over	*	*	*	Homeless	0	0	0
Age Unknown	0	0	0	Other	0	0	0
				Housing Unknown	8	11	23
GENDER Male	00	00	00				
	26	26	23	TREATMENT REFERRAL SOURCE			
Female	33	36	45	Self / Family / Friend	15	19	21
Gender Unknown	0	0	0	School	*	*	*
RACE / ETHNICITY				Mental Health Provider	*	0	*
Caucasian	58	60	66	Health Care Provider	*	*	*
African American	*	*	*	Court / Criminal Justice	*	*	*
Native American / Alaskan	0	0	0	Other	35	35	38
Asian / Pacific Islander	0	*	0	Referral Source Unknown	0	0	0
Hispanic	0	0	0				
Other Race	0	0	0	TYPE OF COMMITMENT	50	00	00
Race/Ethnicity Unknown	0	0	0	Voluntary	58	60	68
				Civil	0	0	0
TREATMENT ACCOMMODATION	-	_	_	Criminal		*	0
Hearing Impaired	0	0	0	Sexual Predatory	0		0
Past or Current Military Service	*	0	*	Commitment Type Unknown	0	0	0

MISSOURI STUDENT SURVEY

	2014	2012 2010	I am a second and a	2014	2012	2010
Percent of students who have ever used:			Percent who believe they risk harm if they use:			
Alcohol	49.4	53.5	Alcohol (1 or 2 drinks daily)	46.8		
Cigarettes	24.1	35.9	Alcohol (Binge: 5+ drinks once or twice a week)	64.1		
Chewing Tobacco	11.5	20.6	Alcohol (any use)			79.4
Marijuana	12.7	10.3	Cigarettes (1+ packs per day)	92.3		
Inhalants	3.8	9.1	Cigarettes (any use)			75.6
Prescription medications not prescribed for student	16.7	13.5	Marijuana (once or twice a week)	64.1		
Over-the-counter medications for non-medical use	6.4	11.0	Marijuana (any use)			65.2
Methamphetamine	0.0	0.0	Other: Cocaine, LSD, Meth, Club Drug (any use)	97.5		92.8
Cocaine	0.0	0.7	Percent of students who, in past 30 days:			
Heroin	0.0	0.0	Were very sad	13.2		17.5
Hallucinogens	5.1	1.3	Were grouchy, irritable, or in a bad mood	23.1		25.6
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.0	0.6	Felt hopeless about the future	3.8		11.0
Steroids not prescribed for student	0.0	2.6	Felt like not eating or eating more than usual	9.0		20.0
Synthetic drugs (K2, bath salts, Spice, etc)	5.1		Slept a lot more or a lot less than usual	6.4		24.0
Average age of students' first use of:			Had difficulty concentrating on school work	11.5		20.0
Alcohol	12.36	12.08	riad dimedity concentrating on scribbl work	11.0		20.0
Cigarettes	11.62	11.78	Percent of students who, in past 12 months:			
Marijuana	13.21	14.19	Seriously considered attempting suicide	7.7		15.4
Inhalants	13.58	13.58	Made plan about how they would attempt suicide	7.6		10.3
IIIIdidillS	13.30	13.36	Attempted suicide	1.3		4.5
Percent of students who, in past 30 days, used:			Attempted suicide and resulting injury, poisonng, or overdose	0.0		0.7
Alcohol	19.0	29.0	had to be treated by doctor or nurse	0.0		0.7
Alcohol (Binge: 5+ drinks on one occassion)		18.1	Percent of students who, in past 12 months:			
Cigarettes	11.5	16.8	Were threatened/injured with weapon at school	3.8		4.5
Chewing Tobacco	6.3	12.3	Were in a physical fight	12.8		25.6
Marijuana	1.3	5.1	, , ,	1.3		3.2
Inhalants	1.3	2.6	Were in a fight and had to be treated by a doctor or nurse	1.3		3.2
Prescription medications not prescribed for student	3.8	9.7	Percent of students who, in past 3 months:			
Over-the-counter medications for non-medical use	1.3	5.8	Were victims of mean rumors or lies spread at school	59.5		61.5
			Were made fun of by others	66.7		74.4
Percent of students who, in past 2 weeks, used:	40.0		Were victims of an embarrassing or hurtful text message or	23.1		17.6
Alcohol (Binge: 5+ drinks on one occassion)	10.3		something posted on the internet			
Percent whose friends used in past 12 months:			Spread mean rumors or lies about other kids at school	38.5		30.1
Alcohol	64.1	65.6	Made fun of other people	67.9		78.8
Cigarettes	48.7	54.8	Posted something on the internet or sent a text that might	24.1		14.2
Marijuana	29.5	25.8	embarrass or hurt another student			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	11.5	9.7	Percent of students who agree that:			
Percent who would likely use, if offered by a best friend:			Teachers notice and comment on student's good work	69.6		72.4
Alcohol	29.5	45.5	School provides feedback to parents on positive student	00.0		40.0
Cigarettes	15.2	18.6	performance	26.9		42.9
Marijuana	10.1	7.7	Rules are enforced fairly	69.2		60.0
	10.1		Students of all races/ethnicities are treated equal	86.1		84.5
Percent who say it would be wrong to use:			Parcent of ctudents who agree that			
Alcohol	58.2	46.2	Percent of students who agree that:	89.7		79.5
Cigarettes	79.7	74.2	Parents notice and comment on student's good work	89.7 59.5		79.5 64.1
Marijuana	83.3	85.9	Parents involve student in making family decisions	ນສ.ວ		04.1
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	98.7	94.3	It is important to be honest with parents regardless of consequences	91.1		84.5
Percent whose parents would disapprove if they use:			Student could ask parent for help with a personal problem	78.2		74.0
Alcohol	80.8	63.6	,			
Cigarettes	96.2	90.3	Missouri Student Survey is conducted biennially.			
Marijuana	97.5	94.8	Similar affirmative response choices for individual questions ar Blank data cells indicate estimates are not available for item or	geograph	hic area	
Percent who say it would be easy to obtain:			Survey is not conducted in every school district nor reported fo			
Alcohol	55.1	63.5	Estimates are not available for counties with small numbers of Percentages are estimates based on weighted data.	responde	iilo.	
Cigarettes	53.8	58.7	Some year-to-year differences in percentages are not statistical	ally signific	cant.	
Marijuana	33.3	31.4	Data source: Missouri Institute of Mental Health, 2010-2014 Mi	iccouri Ct.	Ident C.	urveve
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	10.7	15.5	Data Source. Iviissouri iristitute Ul Ivietital Fieditti, 2010-2014 Mi	osuuri Oll	uu c iil Sl	ui veys

OLAT GOOTH							
DBH REGIO	ON	Western		IMPAIRED DRIVING	2013	2012	2011
DBH SERVI	CE AREAS			Alcohol Involved CrashesTotal	165	176	154
Substan	ce Use	6		Fatal Crashes	1	1	3
Adult Ps	ychiatric	6		Injury Crashes	71	71	55
POPULATION	•			Property Damage Crashes	93	104	96
Census	2010	221,939		Crash Fatalities	1	1	3
2014 Es	timate	233,682		Crash Injuries	100	96	87
		,		Drug Involved CrashesTotal	33	42	29
213				Fatal Crashes	0	1	0
				Injury Crashes	21	18	12
BIRTH RISK	2013	2012	2011	Property Damage Crashes	12	23	17
Resident BirthsTotal	3,043	3,121	3,005	Crash Fatalities	0	1	0
Mother Reported Smoking while Pregna	nt 409	446	440	Crash Injuries	27	25	13
DISEASE INCIDENCE 1	2013	2012	2011				
HIV/AIDS Cases	9	19	17	POLICE REPORTS	2013	2012	2011
Hepatitis B Chronic, Acute, Prenatal	6	5	7	DUI Arrests, DWI Tracking System	1,029	989	1,049
Hepatitis C Chronic and Acute	38	38	45	Liquor Law Arrests	179	229	320
Tuberculosis Infection Cases	22	25	32	Drug Arrests	778	776	787
Tuberculosis infection dases	22	20	32	Violent Offenses	202	244	235
DEATHS and INJURIES	2013	2012	2011	Property Offenses	2,435	2,828	2,682
Resident DeathsTotal	1,624	1,580	1,535	Domestic Violence Reports	540	640	572
Suicides	39	36	28		2014	2013	2012
Self-inflicted Injuries	423	343	351	Methamphetamine Lab Seizures	2	4	8
Homicides	5	11	10				
Assault Injuries	692	750	740	SCHOOL REPORTS	2013-14	2012-13	2011-12
Alcohol Induced Deaths	21	19	22	Enrollment Grades 9-12	11,720	11,788	11,424
Drug Induced Deaths	30	30	21	Drop-outs	138	154	245
Smoking Attributable Deaths	298	282	268	Drop-out Rate	1.2%	1.3%	2.1%
_				School Discipline Involving Alcohol	13	0	16
HOSPITAL EPISODES 2	2013	2012	2011	School Discipline Involving Drugs	72	128	101
Hospitalization, no Emergency Room:				School Discipline Involving Tobacco	3	0	6
Mental Illness Principal Diagnosis	1,568	1,543	1,587	JUVENILE COURT REFERRALS 3	2013	2012	2011
Mental Illness Secondary Diagnosis	2,498	2,535	2,453	Juvenile Violent Offenses	146	151	133
Alcohol Principal Diagnosis	119	132	144	Juvenile Alcohol Offenses	26	33	35
Alcohol Secondary Diagnosis	179	178	173	Juvenile Drug Offenses	101	89	91
Drug Principal Diagnosis	70	86	95	School Truancy Status Offense	13	13	10
Drug Secondary Diagnosis	198	174	181	Absent from Home Status Offense	26	25	24
Emergency Room + Hospitalization:				Beyond Parental Control Status Offense	17	23	11
Mental Illness Principal Diagnosis	312	368	344	Injurious Behavior Status Offense	3	5	4
Mental Illness Secondary Diagnosis	4,856	4,986	5,254	Child Abuse	24	17	18
Alcohol Principal Diagnosis	112	156	154	Child Neglect	265	230	188
Alcohol Secondary Diagnosis	479	533	541	Child Custody Issues	9	17	13
Drug Principal Diagnosis	71	77	90	oa dadicay issaes	· ·	• • •	
Drug Secondary Diagnosis	345	377	331	JUVENILE COURT PLACEMENTS	2013	2012	2011
Emergency Room, no Hospitalization:				Out-of-Home PlacementsTotal	85	44	34
Mental Illness Principal Diagnosis	2,037	1,975	1,752	Parental Alcohol Use Related	1	2	3
Mental Illness Secondary Diagnosis	5,915	4,400	3,417	Parental Drug Use Related	39	11	7
Alcohol Principal Diagnosis	536	594	629	Parental Alcohol and Drug Use	0	0	1
Alcohol Secondary Diagnosis	515	554	508	CRIMANAL WISTIGE	EV2014	EV2012	EV2012
Drug Principal Diagnosis	300	343	288	CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Secondary Diagnosis	847	642	511	Drug Court Participants	40	50	57
				Probation/Parole Admissions - Drug	273	219	231
ALCOHOL OUTLETS	2014	2013	2012	Prices Admissions - Drug	82 140	72 110	70 108
Alcohol On-Premise Drink Licenses	190	185	189	Prison Admissions - Drug	140	119	108
Alcohol Package Carry-out Licenses	148	146	151	Prison AdmissionsDWI	39	42	35
EMPLOYMENT	2014	2013	2012	1 All Kansas City hepatitis and TB case report			County
Labor Force	130,479	121,070	120,910	totals and all Joplin case reports are include			one are
Employed	123,484	113,476	113,144	2 Beginning with 2010 data, diagnosis counts based on codes developed by the Healthcar			
Unemployed	6,995	7,594	7,766	3 Beginning in 2013, juvenile municipal violati	ons, infraction	ns, and violat	ions of
Unemployment Rate	5.4%	6.3%	6.4%	court orders are categorized as status offens	ses instead o	t law violation	ns.
		-					

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	62	59	60
CSTAR Adolescent	65	52	37
CSTAR Women and Children	40	33	28
CSTAR General Adult	673	631	631
CSTAR Opioid	12	*	7
Primary Recovery Treatment	10	35	33
Clinical SATOP (CIP, YCIP, SROP)	227	200	205
Other Substance Abuse Treatment	0	*	*

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	811	856	904
- Adolescent Diversion Education Prograr	7	6	18
- Offender Education Program	288	303	329
- Weekend Intervention Program	220	233	261
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	10	16	13
Compulsive Gambling	*	*	*
Recovery Supports	31	43	20
Early Intervention	30	5	12

NUMBER ADMITTED	FY2014	FY2013	FY2012	PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Total Individuals	1.056	988	969	Alcohol	448	424	472
	,			Marijuana / Hashish	234	243	219
AGE				Cocaine (total)	27	28	31
Under 18	66	57	44	- Crack	14	14	23
18 to 24	215	195	211	Stimulant (total)	237	187	159
25 to 29	193	171	163	- Methamphetamine	233	184	158
30 to 34	171	161	141	Heroin	27	20	13
35 to 39	117	90	125	Analgesic except Heroin	67	64	60
40 to 44	92	103	97	- Non-Prescription Methadone	0	*	0
45 to 54	146	163	147	PCP, LSD, other Hallucinogen	*	*	7
55 and Over	56	48	41	Tranquilizer	6	12	5
GENDER				Inhalant	*	0	0
Male	718	692	650	Sedative	0	0	0
Female	338	296	319	Other Medication or Illicit Drug	5	7	*
_				Average Age at First Use of Drug	17.7	17.9	17.9
RACE / ETHNICITY							
Caucasian	944	873	862	INJECTION DRUG USE			
African American	49	52 *	50 *	Any Injection Use at Admission	122	94	68
Native American / Alaskan	6		*	- Daily Injection Use	22	12	24
Asian / Pacific Islander		8		- Weekly Injection Use	28	22	9
Hispanic	44	38	42	- Less than Weekly Injection Use	72	60	35
Other Race / Two or More Races	31	26	22	, ,,			
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	256	260	251	0	530	476	467
High School Graduate or G.E.D.	522	456	456	1 or 2	330	318	286
Associate Degree or Some College	265	265	245	3 or More	196	194	216
Bachelor or Advanced Degree	13	7	17	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	259	190	169
Employed	414	347	357	School	5	*	*
Unemployed	333	380	342	Mental Health Provider	74	90	93
Not in Labor Force	309	260	270	Health Care Provider	29	29	25
Not in Eabor Force	309	200	210	Court / Criminal Justice	428	454	564
HOUSING / LIVING ARRANGEMENT				Other Referral Source	121	113	89
Independent Living	925	869	874	Other Referral Source	121	113	03
Dependent Living	77	68	54	TREATMENT ACCOMMAND ATION			
Homeless	23	32	30	TREATMENT ACCOMMODATION	10	16	17
AAADITAL / CAAAU V STATUS				Pregnant when Admitted to any Episode Military Veteran	12 33	33	58
MARITAL / FAMILY STATUS Never Married	618	562	537	•	33 49	46	43
	221	222	193	Special Education Services Needed	344	319	43 313
Married / Cohabitating	221	204	239	Co-Occurring Psychological Problem	3 44 12	19	313 14
Previously Married	217	204	239	Co-Occurring Developmental Problem	12	19	14

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Western
PSYCHIATRIC SERVICE AREA 6
CENSUS 2010 221,939
2014 POPULATION ESTIMATE 233,682

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.							
DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012				
Adjustment Disorder	42	34	29				
Anxiety Disorder	538	503	517				
Dementia	0	*	*				
Developmental Disorder	8	7	9				
Impulse Control Disorder	320	274	250				
Mood Disorder	1,805	1,796	1,763				
Personality Disorder	33	32	31				
Psychotic Disorder	363	344	341				
Sexual Disorder	*	*	*				
Other Diagnosis	43	43	39				
Diagnosis Unknown	191	287	309				

Individuals who received psychiatric services had the following types of

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2014	FY2013	FY2012	EDUCATION	FY2014	FY2013	FY2012
Total Individuals	2,719	2,749	2,691	Less than High School Diploma	432	381	154
		·	·	High School Grad or G.E.D.	0	0	140
AGE				Associate Degree or Some College	0	0	60
Under 6	15	28	26	Bachelor or Advanced Degree	0	0	20
6 to 9	138	133	98	Education Level Unknown	2,287	2,368	2,317
10 to 13	172	141	123		_,	_,	_,
14 to 17	204	184	165	EMPLOYMENT			
18 to 24	205	215	252	Employed	161	191	80
25 to 29	218	228	256	Unemployed	184	201	290
30 to 34	268	284	280	Not in Labor Force	871	854	177
35 to 39	259	249	256	Employment Status Unknown	1,503	1,503	2,144
40 to 44	257	277	260				
45 to 49	246	299	298	HOUSING / LIVING ARRANGEMENT			
50 to 54	279	286	278	Independent Living	780	860	420
55 to 59	243	227	211	Dependent Living	414	365	160
60 and Over	215	198	188	Homeless	36	34	10
Age Unknown	0	0	0	Other	0	0	6
0511050				Housing Unknown	1,489	1,490	2,095
GENDER Male	4.470	4.450	4 405				
Female	1,179	1,159	1,135	TREATMENT REFERRAL SOURCE			
	1,540	1,590	1,556	Self / Family / Friend	2,553	2,563	2,493
Gender Unknown	0	0	0	School	*	*	*
RACE / ETHNICITY				Mental Health Provider	36	38	47
Caucasian	2,347	2,351	2,329	Health Care Provider	53	49	51
African American	138	164	156	Court / Criminal Justice	10	14	20
Native American / Alaskan	13	14	11	Other	42	57	54
Asian / Pacific Islander	18	14	11	Referral Source Unknown	23	26	24
Hispanic	90	88	83				
Other Race	113	118	101	TYPE OF COMMITMENT			
Race/Ethnicity Unknown	0	0	0	Voluntary	2,688	2,715	2,661
•				Civil			*
TREATMENT ACCOMMODATION			_	Criminal	5	*	*
Hearing Impaired	52	46	53	Sexual Predatory	*	*	*
Past or Current Military Service	28	28	33	Commitment Type Unknown	23	26	24

MISSOURI STUDENT SURVEY

	IVIIO			DENT SORVET			
Percent of students who have ever used:	2014	2012	2010	Percent who believe they risk harm if they use:	2014	2012	2010
Alcohol	28.0	35.6	37.9	Alcohol (1 or 2 drinks daily)	63.8		
Cigarettes	13.1	18.6	20.8	Alcohol (Binge: 5+ drinks once or twice a week)	75.6		
Chewing Tobacco	7.1	9.6	10.1	Alcohol (any use)		71.1	77.5
Marijuana	12.1	16.2	14.3	Cigarettes (1+ packs per day)	88.7		
Inhalants	2.5	5.5	6.9	Cigarettes (any use)		83.8	82.0
Prescription medications not prescribed for student	6.9	8.7	11.6	Marijuana (once or twice a week)	66.6		
Over-the-counter medications for non-medical use	2.4	6.6	8.5	Marijuana (any use)		73.1	72.7
Methamphetamine	0.5	1.1	1.0	Other: Cocaine, LSD, Meth, Club Drug (any use)	93.1	94.1	93.8
Cocaine	0.7	1.7	1.8	Percent of students who, in past 30 days:			
Heroin	0.2	0.8	0.7	Were very sad	19.0	18.4	20.2
Hallucinogens	1.8	3.2	3.2	Were grouchy, irritable, or in a bad mood	22.8	23.1	25.2
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.2	2.3	2.5	Felt hopeless about the future	11.8	11.3	12.3
Steroids not prescribed for student	8.0	1.0	1.2	Felt like not eating or eating more than usual	16.8	16.0	19.0
Synthetic drugs (K2, bath salts, Spice, etc)	2.5	6.4		Slept a lot more or a lot less than usual	17.1	20.1	25.3
Average age of students' first use of:				Had difficulty concentrating on school work	24.1	22.5	23.2
Alcohol	13.31	13.00	12.75	Descent of attidants who in next 12 months.			
Cigarettes	13.30	13.06	12.55	Percent of students who, in past 12 months: Seriously considered attempting suicide	11.1	12.1	11.9
Marijuana	14.13	13.83	13.72	Made plan about how they would attempt suicide	7.9	8.5	8.0
Inhalants	11.53	11.90	11.77	Attempted suicide	4.7	4.5	5.3
Percent of students who, in past 30 days, used:				Attempted suicide and resulting injury, poisoning, or overdose		4.0	0.0
Alcohol	11.8	16.0	17.3	had to be treated by doctor or nurse	1.5	1.6	2.0
Alcohol (Binge: 5+ drinks on one occassion)	11.0	8.7	9.5	_			
Cigarettes	5.3	8.3	11.5	Percent of students who, in past 12 months:	E 2	5.2	0 0
Chewing Tobacco	2.9	5.2	5.3	Were threatened/injured with weapon at school Were in a physical fight	5.3 13.9	5.2 16.4	8.8 21.5
Marijuana	6.2	8.3	7.7	Were in a physical light Were in a fight and had to be treated by a doctor or nurse	1.9	2.8	3.6
Inhalants	1.0	2.0	3.3	were in a right and had to be treated by a doctor of hurse	1.5	2.0	5.0
Prescription medications not prescribed for student	3.4	4.5	6.8	Percent of students who, in past 3 months:			
Over-the-counter medications for non-medical use	1.6	3.8	5.7	Were victims of mean rumors or lies spread at school	45.7	47.1	53.5
Percent of students who, in past 2 weeks, used:				Were made fun of by others	58.7	61.3	68.8
Alcohol (Binge: 5+ drinks on one occassion)	5.2			Were victims of an embarrassing or hurtful text message or something posted on the internet	25.6	22.5	21.4
Percent whose friends used in past 12 months:				Spread mean rumors or lies about other kids at school	25.3	29.0	36.4
Alcohol	40.9	51.1	54.9	Made fun of other people	52.6	60.9	72.1
Cigarettes	29.6	39.8	42.9	Posted something on the internet or sent a text that might	17.9	15.9	19.9
Marijuana	33.3	38.8	37.1	embarrass or hurt another student			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	12.7	17.4	20.4	Percent of students who agree that:			
Percent who would likely use, if offered by a best friend:				Teachers notice and comment on student's good work	69.1	67.2	68.3
Alcohol	21.8	27.2	29.0	School provides feedback to parents on positive student	26.2	240	27.0
Cigarettes	8.0	11.0	13.4	performance	36.3	34.0	37.9
Marijuana	11.5	13.5	12.3	Rules are enforced fairly	68.2	69.0	69.9
•				Students of all races/ethnicities are treated equal	83.2	79.0	78.3
Percent who say it would be wrong to use:	00.0	040	00.0	Percent of students who agree that:			
Alcohol	68.8	64.9	63.2	Parents notice and comment on student's good work	83.2	82.7	83.6
Cigarettes	87.8	83.2		Parents involve student in making family decisions	72.4	69.0	70.5
Marijuana Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	81.7 96.5	81.4 95.3		It is important to be honest with parents regardless of	87.6	83.0	80.9
Percent whose parents would disapprove if they use:				consequences	70 <i>E</i>	76.0	7F F
Alcohol	83.8	80.9	80.6	Student could ask parent for help with a personal problem	79.5	76.0	75.5
Cigarettes	94.7	93.0	91.6	Missouri Student Survey is conducted biennially.			
Marijuana	94.4	93.9	94.5	Similar affirmative response choices for individual questions are	e combin	ed.	
•				Blank data cells indicate estimates are not available for item or Survey is not conducted in every school district nor reported fo			
Percent who say it would be easy to obtain:	50.0	F0 0	E0 7	Estimates are not available for counties with small numbers of			
Alcohol	52.9	59.2		Percentages are estimates based on weighted data.	•		
Cigarettes	43.8		52.5 35.9	Some year-to-year differences in percentages are not statistical	ıııy sıgnıtı	uant.	
Marijuana Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	33.6 12.9	37.9 17.7		Data source: Missouri Institute of Mental Health, 2010-2014 Mi	ssouri St	udent Sı	urveys
outer filler (cocaine, LDD, Mctil, Club Drug, Cic)	12.5	11.1	10.0				

CLINTON COUNTY							
DBH REGI	ON	Western		IMPAIRED DRIVING	2013	2012	2011
DBH SERV	ICE AREAS			Alcohol Involved CrashesTotal	14	16	13
Substar	nce Use	1		Fatal Crashes	0	1	1
Adult Ps	sychiatric	1		Injury Crashes	8	10	9
POPULATI	ON			Property Damage Crashes	6	5	3
Census	2010	20,743		Crash Fatalities	0	1	1
2014 Es	stimate	20,299		Crash Injuries	11	14	12
Tan Tan				Drug Involved CrashesTotal	3	1	2
				Fatal Crashes	0	0	1
BIRTH RISK	2013	2012	2011	Injury Crashes	1	1	0
Resident BirthsTotal	203	220	249	Property Damage Crashes	2	0	1
Mother Reported Smoking while Pregna		49	59	Crash Injuries	0 1	0 1	1
DISEASE INCIDENCE 1	2013	2012	2011	Crash Injuries	ı	ı	1
HIV/AIDS Cases	0	0	0	POLICE REPORTS	2013	2012	2011
Hepatitis B Chronic, Acute, Prenatal	1	1	0	DUI Arrests, DWI Tracking System	125	117	187
Hepatitis C Chronic and Acute	10	12	16	Liquor Law Arrests	32	20	51
Tuberculosis Infection Cases	7	7	4	Drug Arrests	208	144	158
				Violent Offenses	71	71	92
DEATHS and INJURIES	2013	2012	2011	Property Offenses	364	465	408
Resident DeathsTotal	247	239	254	Domestic Violence Reports	278	296	298
Suicides	2	4	3		2014	2013	2012
Self-inflicted Injuries	21	25	29	Methamphetamine Lab Seizures	1	0	0
Homicides	0	2	2	SCHOOL REPORTS	2013-14	2012-13	2011-12
Assault Injuries	47	60	51	Enrollment Grades 9-12	1,024	1,022	1,010
Alcohol Induced Deaths	4	1	4	Drop-outs	14	14	30
Drug Induced Deaths	4	5	3	Drop-out Rate	1.4%	1.4%	3.0%
Smoking Attributable Deaths	47	43	42	School Discipline Involving Alcohol	0	0	0
HOSPITAL EPISODES 2	2013	2012	2011	School Discipline Involving Drugs	2	1	0
Hospitalization, no Emergency Room:	2013	2012	2011	School Discipline Involving Tobacco	0	0	0
Mental Illness Principal Diagnosis	147	127	169				
Mental Illness Secondary Diagnosis	237	256	261	JUVENILE COURT REFERRALS 3	2013	2012	2011
Alcohol Principal Diagnosis	9	13	3	Juvenile Violent Offenses	24	32	28
Alcohol Secondary Diagnosis	11	11	14	Juvenile Alcohol Offenses	3	11	11
Drug Principal Diagnosis	3	8	3	Juvenile Drug Offenses	2	3	13
Drug Secondary Diagnosis	10	10	11	School Truancy Status Offense	40	43	37
Emergency Room + Hospitalization:				Absent from Home Status Offense	14	28	22 16
Mental Illness Principal Diagnosis	56	53	57	Beyond Parental Control Status Offense	17	29	_
Mental Illness Secondary Diagnosis	477	505	531	Injurious Behavior Status Offense Child Abuse	28 2	25 4	25 8
Alcohol Principal Diagnosis	10	8	12	Child Neglect	11	24	9
Alcohol Secondary Diagnosis	37	46	29	Child Custody Issues	0	0	0
Drug Principal Diagnosis	7	7	10	Office Outstoay 155005	· ·	· ·	· ·
Drug Secondary Diagnosis	22	31	30	JUVENILE COURT PLACEMENTS	2013	2012	2011
Emergency Room, no Hospitalization:				Out-of-Home PlacementsTotal	17	21	18
Mental Illness Principal Diagnosis	123	154	156	Parental Alcohol Use Related	0	2	0
Mental Illness Secondary Diagnosis	239	183	163	Parental Drug Use Related	9	9	6
Alcohol Principal Diagnosis	23	22	16	Parental Alcohol and Drug Use	0	0	1
Alcohol Secondary Diagnosis	22	25	22	CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Principal Diagnosis	20	13	20	Drug Court Participants	0	0	0
Drug Secondary Diagnosis	40	50	31	Probation/Parole AdmissionsDrug	41	41	46
ALCOHOL OUTLETS	2014	2012	2012	Probation/Parole AdmissionsDWI	8	11	7
ALCOHOL OUTLETS Alcohol On-Premise Drink Licenses	2014	2013	2012	Prison AdmissionsDrug	25	35	29
Alcohol Package Carry-out Licenses	15 21	18 19	19 17	Prison AdmissionsDWI	7	4	5
				1 All Kansas City hepatitis and TB case report	s are include	d in Jackson	County
EMPLOYMENT	2014	2013	2012	totals and all Joplin case reports are include	d in Jasper C	County totals.	
Labor Force	11,057	9,890	10,174	2 Beginning with 2010 data, diagnosis counts			
Employed	10,418	9,184	9,383	based on codes developed by the Healthcar Beginning in 2013, juvenile municipal violati			
Unemployment Pate	639 5.8%	706 7.1%	791 7.8%	court orders are categorized as status offens			
Unemployment Rate	5.8%	7.1%	7.8%				

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TD5.474.547.6475.600V	FY2014	FY2013	FY2012
TREATMENT CATEGORY			
Detoxification	8	5	8
CSTAR Adolescent	5	14	9
CSTAR Women and Children	*	*	0
CSTAR General Adult	26	44	42
CSTAR Opioid	0	0	0
Primary Recovery Treatment	31	39	30
Clinical SATOP (CIP, YCIP, SROP)	14	25	18
Other Substance Abuse Treatment	0	0	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	63	77	89
- Adolescent Diversion Education Prograr	0	*	*
- Offender Education Program	19	32	29
- Weekend Intervention Program	18	14	20
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	*	0
Compulsive Gambling	*	0	0
Recovery Supports	*	0	*
Early Intervention	*	8	12

NUMBER ADMITTED	FY2014	FY2013	FY2012	PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Total Individuals	72	119	101	Alcohol	30	53	48
				Marijuana / Hashish	15	31	30
AGE	_	1.1	10	Cocaine (total)	0	0	*
Under 18 18 to 24	5 7	14 21	10 16	- Crack	0	0	*
25 to 29	, 15	23	19	Stimulant (total)	15	24	11
	_	_		- Methamphetamine	15	23	10
30 to 34	8	16	14	Heroin	*	*	*
35 to 39	10	6	6	Analgesic except Heroin	8	7	6
40 to 44	8	12	11	- Non-Prescription Methadone	0	0	*
45 to 54	10	24	19	PCP, LSD, other Hallucinogen	*	*	0
55 and Over	9	Ŷ	6	Tranquilizer	0	*	*
GENDER				Inhalant	0	0	0
Male	50	82	73	Sedative	0	0	0
Female	22	37	28	Other Medication or Illicit Drug	*	0	*
				Average Age at First Use of Drug	18.5	16.5	17.3
RACE / ETHNICITY							
Caucasian	70 *	114	97	INJECTION DRUG USE			
African American				Any Injection Use at Admission	8	9	7
Native American / Alaskan	0	0	0	- Daily Injection Use	0	*	*
Asian / Pacific Islander	0	0	0	- Weekly Injection Use	*	*	*
Hispanic	0	*	*	- Less than Weekly Injection Use	5	5	*
Other Race / Two or More Races	0	*	0	2000	· ·	· ·	
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	24	39	39	0	36	65	46
High School Graduate or G.E.D.	38	61	45	1 or 2	21	31	31
Associate Degree or Some College	10	18	15	3 or More	15	23	24
Bachelor or Advanced Degree	0	*	*	TREATMENT REFERRAL COURSE			
SAADI OVAASAIT				TREATMENT REFERRAL SOURCE	23	28	17
EMPLOYMENT Employed	17	38	44	Self / Family / Friend School	0	0	0
Employed	20	34	29	Mental Health Provider	0	*	*
Unemployed Not in Labor Force				Health Care Provider	*	*	*
Not in Labor Force	35	47	28				70
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	30	55 45	72 7
Independent Living	58	98	87	Other Referral Source	9	15	7
Dependent Living	6	17	12				
Homeless	*	*	*	TREATMENT ACCOMMODATION	*	*	_
				Pregnant when Admitted to any Episode			0
MARITAL / FAMILY STATUS		0.5		Military Veteran	6	10	7 *
Never Married	33	68	54	Special Education Services Needed		7	
Married / Cohabitating	22	28	23	Co-Occurring Psychological Problem	22	30	15
Previously Married	17	23	24	Co-Occurring Developmental Problem	*	*	*

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Western
PSYCHIATRIC SERVICE AREA
CENSUS 2010 20,743
2014 POPULATION ESTIMATE 20,299

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.						
DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012			
Adjustment Disorder	6	*	16			
Anxiety Disorder	52	73	76			
Dementia	0	0	0			
Developmental Disorder	*	*	*			
Impulse Control Disorder	29	37	38			
Mood Disorder	69	86	92			
Personality Disorder	14	15	15			
Psychotic Disorder	20	21	17			
Sexual Disorder	0	*	0			
Other Diagnosis	13	16	16			
Diagnosis Unknown	6	29	31			

Individuals who received psychiatric services had the following types of

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2014	FY2013	FY2012	EDUCATION	FY2014	FY2013	FY2012
Total Individuals	112	178	206	Less than High School Diploma	43	74	43
. otala.r.caa.o				High School Grad or G.E.D.	0	*	25
AGE				Associate Degree or Some College	0	0	16
Under 6	*	5	7	Bachelor or Advanced Degree	0	0	*
6 to 9	14	24	30	Education Level Unknown	69	103	121
10 to 13	14	23	36	Education Edver Officion	00	100	
14 to 17	7	20	25	EMPLOYMENT			
18 to 24	9	16	20	Employed	11	10	12
25 to 29	6	12	14	Unemployed	11	16	59
30 to 34	12	24	19	Not in Labor Force	79	110	27
35 to 39	8	12	17	Employment Status Unknown	11	42	108
40 to 44	9	12	13				
45 to 49	8	8	8	HOUSING / LIVING ARRANGEMENT			
50 to 54	13	10	8	Independent Living	63	81	81
55 to 59	*	8	7	Dependent Living	38	51	32
60 and Over	7	*	*	Homeless	*	*	0
Age Unknown	0	0	0	Other	0	0	*
				Housing Unknown	10	45	92
GENDER				-			
Male	45	77	84	TREATMENT REFERRAL SOURCE			
Female	67	101	122	Self / Family / Friend	52	82	96
Gender Unknown	0	0	0	School	*	6	12
RACE / ETHNICITY				Mental Health Provider	16	28	29
Caucasian	105	160	190	Health Care Provider	25	29	30
African American	*	*	*	Court / Criminal Justice	*	7	11
Native American / Alaskan	*	*	*	Other	13	24	26
Asian / Pacific Islander	0	0	0	Referral Source Unknown	*	*	*
Hispanic	*	8	6				
Other Race	*	6	6	TYPE OF COMMITMENT			
Race/Ethnicity Unknown	0	0	0	Voluntary	108	168	203
•	ŭ	· ·		Civil	*	8	*
TREATMENT ACCOMMODATION				Criminal	*	0	0
Hearing Impaired	*	*	*	Sexual Predatory	0	0	0
Past or Current Military Service	*	*	*	Commitment Type Unknown	*	*	*

MISSOURI STUDENT SURVEY

	IVIIO		11310	DENI SORVET				
Percent of students who have ever used:	2014	2012	2010	Percent who believe they risk harm if they use:	2014	2012	2010	
Alcohol	36.7	34.8	41.9	Alcohol (1 or 2 drinks daily)	59.5			
Cigarettes	21.9	15.3		Alcohol (Binge: 5+ drinks once or twice a week)	72.0			
Chewing Tobacco	11.8	12.3	13.8	Alcohol (any use)		64.7	82.9	
Marijuana	15.2	8.2	9.1	Cigarettes (1+ packs per day)	86.9			
Inhalants	5.1	4.2	9.0	Cigarettes (any use)		76.4	81.9	
Prescription medications not prescribed for student	7.6	5.1	16.1	Marijuana (once or twice a week)	66.5			
Over-the-counter medications for non-medical use	3.4	2.2		Marijuana (any use)		80.6	73.1	
Methamphetamine	1.3	2.6		Other: Cocaine, LSD, Meth, Club Drug (any use)	94.5	91.8	91.9	
Cocaine	1.3	0.1	0.9	Percent of students who, in past 30 days:				
Heroin	0.8	0.4		Were very sad	25.3	12.8	23.0	
Hallucinogens	1.7	1.6		Were grouchy, irritable, or in a bad mood	26.6	26.5	25.2	
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.7	0.4		Felt hopeless about the future	13.5	9.1	10.3	
Steroids not prescribed for student	1.3 5.1	0.3 6.7	1.5	Felt like not eating or eating more than usual	17.8	17.0	21.7	
Synthetic drugs (K2, bath salts, Spice, etc)	5.1	0.7		Slept a lot more or a lot less than usual	18.1	22.4	23.1	
Average age of students' first use of:				Had difficulty concentrating on school work	24.9	23.4	19.1	
Alcohol		11.86		Percent of students who, in past 12 months:				
Cigarettes			11.75	Seriously considered attempting suicide	12.7	10.5	17.4	
Marijuana			13.52	Made plan about how they would attempt suicide	9.3	9.9	8.1	
Inhalants	11.91	10.24	11.41	Attempted suicide	5.1	3.3	5.1	
Percent of students who, in past 30 days, used:				Attempted suicide and resulting injury, poisonng, or overdose	0.0	0.5	4 7	
Alcohol	17.3	14.7	17.1	had to be treated by doctor or nurse	0.9	2.5	1.7	
Alcohol (Binge: 5+ drinks on one occassion)		8.4	10.8	Percent of students who, in past 12 months:				
Cigarettes	11.8	5.6	14.2	Were threatened/injured with weapon at school	7.6	7.2	13.9	
Chewing Tobacco	5.5	5.4	7.3	Were in a physical fight	19.7	20.0	29.2	
Marijuana	9.3	3.7	5.9	Were in a fight and had to be treated by a doctor or nurse	2.5	1.1	6.4	
Inhalants	1.7	1.5						
Prescription medications not prescribed for student	3.8	3.2		Percent of students who, in past 3 months:	50.0	54.4	FC 4	
Over-the-counter medications for non-medical use	1.7	0.5	6.5	Were victims of mean rumors or lies spread at school	53.2 65.0	51.4 68.2	56.1 69.3	
Percent of students who, in past 2 weeks, used:				Were made fun of by others Were victims of an embarrassing or hurtful text message or	65.0	00.2	09.3	
Alcohol (Binge: 5+ drinks on one occassion)	9.3			something posted on the internet	25.7	19.4	20.5	
Percent whose friends used in past 12 months:				Spread mean rumors or lies about other kids at school	26.1	26.1	34.3	
Alcohol	47.5	50.2	54.1	Made fun of other people	57.4	58.1	68.6	
Cigarettes	38.7	38.0		Posted something on the internet or sent a text that might	47.0	40.0	47.0	
Marijuana	33.1	27.8		embarrass or hurt another student	17.2	10.8	17.2	
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	14.3	10.9		Persont of students who agree that				
				Percent of students who agree that: Teachers notice and comment on student's good work	66.8	67.5	60.0	
Percent who would likely use, if offered by a best friend:				School provides feedback to parents on positive student	00.0	07.5	00.0	
Alcohol	29.7	27.9		performance	26.1	38.4	34.3	
Cigarettes	15.2	11.1	15.3	Rules are enforced fairly	57.8	69.1	59.5	
Marijuana	13.1	8.0	9.4	Students of all races/ethnicities are treated equal	83.1	84.6	75.2	
Percent who say it would be wrong to use:				· ·				
Alcohol	62.7	61.7	60.5	Percent of students who agree that:		0.4.7	0.4.0	
Cigarettes	82.2			Parents notice and comment on student's good work	80.6	84.7	84.8	
Marijuana	81.0	90.0		Parents involve student in making family decisions	68.2	70.1	63.9	
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	95.7	98.1	93.3	It is important to be honest with parents regardless of consequences	86.4	86.2	79.9	
Percent whose parents would disapprove if they use:				Student could ask parent for help with a personal problem	74.6	81.1	72.0	
Alcohol	78.9	84.7	78.5	Oragoni could ask paroni for fielp with a personal problem	1-7.0	01.1	, 2.0	
Cigarettes	90.3	97.6		Missouri Student Survey is conducted biennially.				
Marijuana	91.8	98.0	95.7	Similar affirmative response choices for individual questions are				
Percent who say it would be easy to obtain:				Blank data cells indicate estimates are not available for item or Survey is not conducted in every school district nor reported for			•	
Alcohol	53.0	54.8	54.1	Estimates are not available for counties with small numbers of				
Cigarettes	50.4		56.9	Percentages are estimates based on weighted data. Some year-to-year differences in percentages are not statistical.	ally signifi	cant.		
Marijuana	37.9	24.6						
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	16.7	12.8		Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys				

COLL COUNTY							
DBH REG	ION	Central		IMPAIRED DRIVING	2013	2012	2011
DBH SER'	VICE AREAS			Alcohol Involved CrashesTotal	73	57	68
Substa	nce Use	11		Fatal Crashes	2	1	2
Adult P	sychiatric	11		Injury Crashes	37	18	31
POPULAT	•			Property Damage Crashes	34	38	35
Census		75,990		Crash Fatalities	2	1	2
2014 E	stimate	76,557		Crash Injuries	53	24	41
		-,		Drug Involved CrashesTotal	18	10	16
213				Fatal Crashes	1	0	2
				Injury Crashes	8	4	5
BIRTH RISK	2013	2012	2011	Property Damage Crashes	9	6	9
Resident BirthsTotal	946	927	902	Crash Fatalities	1	0	2
Mother Reported Smoking while Pregn	ant 141	169	172	Crash Injuries	11	5	9
DISEASE INCIDENCE 1	2013	2012	2011	Orden injunes	• • •	· ·	Ŭ
HIV/AIDS Cases	2013	6	2011 5	POLICE REPORTS	2013	2012	2011
	10	5	8	DUI Arrests, DWI Tracking System	307	366	485
Hepatitis B Chronic, Acute, Prenatal	72	5 56	76	Liquor Law Arrests	162	136	138
Hepatitis C Chronic and Acute Tuberculosis Infection Cases	46	30	38	Drug Arrests	566	534	371
Tuberculosis infection Cases	40	30	30	Violent Offenses	269	319	306
DEATHS and INJURIES	2013	2012	2011	Property Offenses	1,739	1,930	2,133
Resident DeathsTotal	627	608	593	Domestic Violence Reports	607	540	617
Suicides	15	15	11	·	2014	2013	2012
Self-inflicted Injuries	93	113	112	Methamphetamine Lab Seizures	0	0	5
Homicides	4	1	1	·			
Assault Injuries	278	304	334	SCHOOL REPORTS	2013-14	2012-13	2011-12
Alcohol Induced Deaths	5	4	6	Enrollment Grades 9-12	3,452	3,516	3,518
Drug Induced Deaths	7	9	8	Drop-outs	114	95	100
Smoking Attributable Deaths	105	116	106	Drop-out Rate	3.3%	2.7%	2.8%
	100		100	School Discipline Involving Alcohol	0	2	5
HOSPITAL EPISODES 2	2013	2012	2011	School Discipline Involving Drugs	18	25	32
Hospitalization, no Emergency Room:				School Discipline Involving Tobacco	1	1	1
Mental Illness Principal Diagnosis	332	221	206	JUVENILE COURT REFERRALS 3	2013	2012	2011
Mental Illness Secondary Diagnosis	812	740	792	Juvenile Violent Offenses	2013 77	95	138
Alcohol Principal Diagnosis	29	20	19	Juvenile Alcohol Offenses	13	17	33
Alcohol Secondary Diagnosis	50	50	54	Juvenile Drug Offenses	25	36	53 51
Drug Principal Diagnosis	18	12	7	School Truancy Status Offense	50	131	126
Drug Secondary Diagnosis	57	56	54	Absent from Home Status Offense	45	64	54
Emergency Room + Hospitalization:				Beyond Parental Control Status Offense	28	15	30
Mental Illness Principal Diagnosis	435	500	408	Injurious Behavior Status Offense	112	65	79
Mental Illness Secondary Diagnosis	922	1,242	1,381	Child Abuse	181	211	133
Alcohol Principal Diagnosis	89	98	129	Child Abuse Child Neglect	94	158	108
Alcohol Secondary Diagnosis	122	126	138	Child Custody Issues	0	0	0
Drug Principal Diagnosis	46	61	50	Crina Custody issues	U	U	U
Drug Secondary Diagnosis	62	65	71	JUVENILE COURT PLACEMENTS	2013	2012	2011
Emergency Room, no Hospitalization:				Out-of-Home PlacementsTotal	114	98	77
Mental Illness Principal Diagnosis	771	661	685	Parental Alcohol Use Related	0	0	3
Mental Illness Secondary Diagnosis	2,291	1,957	1,692	Parental Drug Use Related	25	33	33
Alcohol Principal Diagnosis	150	157	172	Parental Alcohol and Drug Use	9	2	0
Alcohol Secondary Diagnosis	230	180	189				
Drug Principal Diagnosis	107	103	109	CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Secondary Diagnosis	192	201	112	Drug Court Participants	64	100	99
				Probation/Parole AdmissionsDrug	174	179	130
ALCOHOL OUTLETS	2014	2013	2012	Probation/Parole AdmissionsDWI	27	36	53
Alcohol On-Premise Drink Licenses	105	104	108	Prison AdmissionsDrug	96	51	67
Alcohol Package Carry-out Licenses	68	71	67	Prison AdmissionsDWI	9	16	17
EMPLOYMENT	2014	2013	2012	1 All Kansas City hepatitis and TB case report			County
Labor Force	39,931	39,543	39,483	totals and all Joplin case reports are include Beginning with 2010 data, diagnosis counts			es are
Employed	37,932	37,484	37,394	based on codes developed by the Healthcar	e Cost and U	Itilization Pro	ject.
Unemployed	1,999	2,059	2,089	3 Beginning in 2013, juvenile municipal violati- court orders are categorized as status offens			
Unemployment Rate	5.0%	5.2%	5.3%	Court orders are categorized as status offens	instead 0	i iaw violatioi	10.

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	42	53	49
CSTAR Adolescent	29	41	29
CSTAR Women and Children	76	34	42
CSTAR General Adult	388	419	358
CSTAR Opioid	0	*	0
Primary Recovery Treatment	36	47	55
Clinical SATOP (CIP, YCIP, SROP)	88	83	109
Other Substance Abuse Treatment	*	*	*

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	283	306	381
- Adolescent Diversion Education Prograr	14	14	9
- Offender Education Program	100	100	117
- Weekend Intervention Program	51	61	93
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	6	*	9
Compulsive Gambling	0	*	*
Recovery Supports	*	5	*
Early Intervention	30	30	47

NUMBER ADMITTED	FY2014	FY2013	FY2012	PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Total Individuals	538	587	540	Alcohol	215	268	258
AGE				Marijuana / Hashish	133	158	147
Under 18	29	40	29	Cocaine (total)	23	21	22
18 to 24	82	112	100	- Crack	8	8	8
25 to 29	102	105	107	Stimulant (total)	84	54	55
30 to 34	82	92	95	- Methamphetamine	81	47	54
35 to 39	67	69	63	Heroin	51	42	34
40 to 44	60	52	41	Analgesic except Heroin	17	30	19
45 to 54	75	85	75	- Non-Prescription Methadone	*	*	0
55 and Over	41	32	30	PCP, LSD, other Hallucinogen	*	0	*
33 and Gver	41	52	30	Tranquilizer	*	*	*
GENDER				Inhalant	0	0	0
Male	367	428	383	Sedative	*	*	*
Female	171	159	157	Other Medication or Illicit Drug	11	9	0
RACE / ETHNICITY				Average Age at First Use of Drug	18.7	17.8	17.2
Caucasian	393	443	402				
African American	116	116	114	INJECTION DRUG USE			
Native American / Alaskan	*	*	0	Any Injection Use at Admission	69	53	60
Asian / Pacific Islander	*	*	*	- Daily Injection Use	17	13	12
Hispanic	8	9	6	- Weekly Injection Use	23	12	16
Other Race / Two or More Races	17	20	16	- Less than Weekly Injection Use	29	28	32
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	149	174	169	0	308	326	265
High School Graduate or G.E.D.	243	260	218	1 or 2	149	167	163
Associate Degree or Some College	132	137	145	3 or More	81	94	112
Bachelor or Advanced Degree	14	14	8	TD5.4T4.554T D555DD.44.604D.65			
51401014515				TREATMENT REFERRAL SOURCE	101	177	100
EMPLOYMENT Employed	165	100	204	Self / Family / Friend	184	177 0	109 0
Employed	165 211	199	204 163	School Montal Health Provider	0 6	15	6
Unemployed Not in Labor Force	162	223 165	173	Mental Health Provider Health Care Provider	20	17	
NOT III LABOT FOICE	102	100	1/3	Court / Criminal Justice	244		18 378
HOUSING / LIVING ARRANGEMENT				Other Referral Source	2 44 81	326 50	28
Independent Living	441	485	472	Other Referral Source	01	50	26
Dependent Living	50	59	40	TD5 171 151/7 1 6601 11 10D 17/01/			
Homeless	20	19	11	TREATMENT ACCOMMODATION	_	40	0
AAADITAL / FAAAU V STATUS				Pregnant when Admitted to any Episode	5	10	9
MARITAL / FAMILY STATUS	244	254	220	Military Veteran	20	30	30
Never Married	311 115	351	329 98	Special Education Services Needed	9	39	59
Married / Cohabitating		118		Co-Occurring Psychological Problem	219	234	177 17
Previously Married	112	118	113	Co-Occurring Developmental Problem		20	17

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



 DBH REGION
 Central

 PSYCHIATRIC SERVICE AREA
 11

 CENSUS 2010
 75,990

 2014 POPULATION ESTIMATE
 76,557

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.						
DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012			
Adjustment Disorder	13	12	14			
Anxiety Disorder	209	192	197			
Dementia	0	0	0			
Developmental Disorder	9	6	*			
Impulse Control Disorder	47	46	40			
Mood Disorder	367	342	319			
Personality Disorder	33	37	32			
Psychotic Disorder	163	163	154			
Sexual Disorder	*	*	0			
Other Diagnosis	17	25	24			
Diagnosis Unknown	55	37	65			

Individuals who received psychiatric services had the following types of

NUMBER SERVED	FY2014	FY2013	FY2012	EDUCATION	FY2014	FY2013	FY2012
Total Individuals	620	591	594	Less than High School Diploma	150	149	137
. otala.r.aaa.o	020			High School Grad or G.E.D.	0	*	158
AGE				Associate Degree or Some College	0	*	61
Under 6	*	0	*	Bachelor or Advanced Degree	0	0	17
6 to 9	15	10	11	Education Level Unknown	470	438	221
10 to 13	29	24	32	Education Edver Children		100	
14 to 17	39	49	34	EMPLOYMENT			
18 to 24	32	37	37	Employed	41	31	52
25 to 29	58	46	46	Unemployed	74	40	298
30 to 34	48	47	51	Not in Labor Force	350	395	84
35 to 39	49	44	48	Employment Status Unknown	155	125	160
40 to 44	55	63	53				
45 to 49	78	67	82	HOUSING / LIVING ARRANGEMENT			
50 to 54	82	83	84	Independent Living	299	281	335
55 to 59	71	61	53	Dependent Living	161	182	125
60 and Over	63	60	59	Homeless	10	20	*
Age Unknown	0	0	0	Other	0	0	9
				Housing Unknown	150	108	121
GENDER	075	050	055				
Male	275	250	255	TREATMENT REFERRAL SOURCE			
Female	345	341	339	Self / Family / Friend	373	324	302
Gender Unknown	0	0	0	School	*	*	0
RACE / ETHNICITY				Mental Health Provider	91	97	104
Caucasian	511	474	468	Health Care Provider	67	72	77
African American	80	81	88	Court / Criminal Justice	13	17	24
Native American / Alaskan	*	*	*	Other	74	79	86
Asian / Pacific Islander	0	0	0	Referral Source Unknown	*	*	*
Hispanic	13	13	16				
Other Race	14	21	20	TYPE OF COMMITMENT			
Race/Ethnicity Unknown	0	0	0	Voluntary	608	577	580
				Civil		*	*
TREATMENT ACCOMMODATION				Criminal	9	8	11
Hearing Impaired	36	39	37	Sexual Predatory	*	*	0
Past or Current Military Service	25	23	19	Commitment Type Unknown	*	*	*

MISSOURI STUDENT SURVEY

				DEITH GORVET			
Percent of students who have ever used:	2014	2012	2010	Percent who believe they risk harm if they use:	2014	2012	2010
Alcohol	40.8	43.4	42.6	Alcohol (1 or 2 drinks daily)	56.0		
Cigarettes	22.0	25.1	25.5	Alcohol (Binge: 5+ drinks once or twice a week)	71.0		
Chewing Tobacco	11.6	9.5	10.6	Alcohol (any use)		69.2	75.9
Marijuana	18.6	16.8	16.1	Cigarettes (1+ packs per day)	86.9		
Inhalants	1.7	4.5	5.3	Cigarettes (any use)		83.6	83.1
Prescription medications not prescribed for student	8.6	9.6	11.2	Marijuana (once or twice a week)	64.3		
Over-the-counter medications for non-medical use	3.7	7.3	7.5	Marijuana (any use)		71.2	73.8
Methamphetamine	0.1	0.9	0.7	Other: Cocalne, LSD, Meth, Club Drug (any use)	91.4	94.8	94.6
Cocaine	0.9	1.7	2.0	Descript of the dente who be used 20 days			
Heroin	0.2	0.5	0.6	Percent of students who, in past 30 days:	00.0	20.0	20.0
Hallucinogens	2.5	3.6	3.8	Were grouphy initiable, or in a had mood	22.9 24.7	20.9 25.2	28.9 27.9
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.1	2.7	3.0	Were grouchy, irritable, or in a bad mood		25.2 11.9	12.5
Steroids not prescribed for student	0.2	1.8	0.7	Felt like not ceiting or ceiting more than usual	16.6 20.7	17.4	22.0
Synthetic drugs (K2, bath salts, Spice, etc)	2.6	7.6		Felt like not eating or eating more than usual	21.4	17.4	26.8
Average age of students' first use of				Slept a lot more or a lot less than usual Had difficulty concentrating on school work		23.7	20.6
Average age of students' first use of: Alcohol	12.26	12.64	12.64	Had difficulty concentrating on school work	26.1	23.7	20.6
		12.48		Percent of students who, in past 12 months:			
Cigarettes				Seriously considered attempting suicide	13.6	13.8	11.4
Marijuana		13.59 12.05		Made plan about how they would attempt suicide	9.9	10.4	8.2
Inhalants	11.10	12.05	12.20	Attempted suicide	5.2	6.2	4.9
Percent of students who, in past 30 days, used:				Attempted suicide and resulting injury, poisonng, or overdose	1.6	2.3	1.8
Alcohol	15.3	19.2	20.1	had to be treated by doctor or nurse	1.0	2.3	1.0
Alcohol (Binge: 5+ drinks on one occassion)		10.6	11.6	Percent of students who, in past 12 months:			
Cigarettes	9.1	11.3	13.6	Were threatened/injured with weapon at school	9.1	7.0	10.2
Chewing Tobacco	6.1	5.1	5.6	Were in a physical fight	17.8	18.6	22.6
Marijuana	7.7	8.2	7.6	Were in a fight and had to be treated by a doctor or nurse	3.6	3.0	4.1
Inhalants	0.1	1.8	2.2				
Prescription medications not prescribed for student	4.8	5.1	7.4	Percent of students who, in past 3 months:			
Over-the-counter medications for non-medical use	2.1	4.7	4.0	Were victims of mean rumors or lies spread at school	54.3	49.1	52.1
Percent of students who, in past 2 weeks, used:				Were made fun of by others	62.4	62.0	68.2
Alcohol (Binge: 5+ drinks on one occassion)	7.0			Were victims of an embarrassing or hurtful text message or something posted on the internet	26.8	21.9	18.3
Automot (Singer of diffice of the occasion)	7.0				04.4	04.0	00 -
Percent whose friends used in past 12 months:				Spread mean rumors or lies about other kids at school	24.1	31.9	33.7
Alcohol	52.1		62.7	Made fun of other people	54.0	66.5	73.2
Cigarettes	38.9	47.1	48.4	Posted something on the internet or sent a text that might embarrass or hurt another student	15.1	16.4	17.0
Marijuana	34.6	41.1	40.2	Cribariass of flat unotific student			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	13.5	16.9	20.9	Percent of students who agree that:			
Percent who would likely use, if offered by a best friend:				Teachers notice and comment on student's good work	70.6	65.3	71.0
Alcohol	30.1	32.8	33.9	School provides feedback to parents on positive student	39.2	33.4	35.3
Cigarettes	12.6	14.7	14.5	performance	39.2	33.4	33.3
Marijuana	14.9	14.3	13.6	Rules are enforced fairly	54.7	59.1	58.9
				Students of all races/ethnicities are treated equal	73.6	68.6	71.3
Percent who say it would be wrong to use:				Percent of students who agree that:			
Alcohol	60.8		59.1	Parents notice and comment on student's good work	76.1	82.5	85.5
Cigarettes	82.0	80.4	78.4	Parents involve student in making family decisions	66.2	67.6	72.0
Marijuana	78.1	79.3	80.0	It is important to be honest with parents regardless of	00.2	07.0	12.0
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	94.6	95.0	93.7	consequences	86.0	84.6	82.4
Percent whose parents would disapprove if they use:				Student could ask parent for help with a personal problem	74.9	71.8	77.0
Alcohol	80.4	77.1	79.6	Stadon Could ask paron for holp that a personal problem			
Cigarettes	93.5	91.1	91.3	Missouri Student Survey is conducted biennially.			
Marijuana	92.2			Similar affirmative response choices for individual questions are			
				Blank data cells indicate estimates are not available for item or Survey is not conducted in every school district nor reported for			
Percent who say it would be easy to obtain:	E 1 1	62.0	640	Estimates are not available for counties with small numbers of			
Alcohol	54.4		64.2	Percentages are estimates based on weighted data.	dhy sister	oort	
Cigarettes	50.9 36.2	54.7 40.4	58.1 40.4	Some year-to-year differences in percentages are not statistical	my signific	Jaiil.	
Marijuana Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	36.2 17.4		40.4 22.6	Data source: Missouri Institute of Mental Health, 2010-2014 Mi	ssouri Str	udent Su	ırveys
Other mich (Cocame, LSD, Weth, Club Drug, etc)	17.4	19.0	22.0				

COO! EN COO	14 1 1						
THI	DBH REGION	Central		IMPAIRED DRIVING	2013	2012	2011
	DBH SERVICE AREAS			Alcohol Involved CrashesTotal	35	16	20
	Substance Use	12		Fatal Crashes	1	0	0
	Adult Psychiatric	12		Injury Crashes	17	7	6
	POPULATION			Property Damage Crashes	17	9	14
	Census 2010	17,601		Crash Fatalities	1	0	0
	2014 Estimate	17,585		Crash Injuries	28	8	9
				Drug Involved CrashesTotal	3	4	2
				Fatal Crashes	0	0	0
BIRTH RISK	2013	2012	2011	Injury Crashes	1	2	1
Resident BirthsTotal	2013	191	2011	Property Damage Crashes	2	2	1
Mother Reported Smoking wh		38	53	Crash Fatalities	0	0	0
_	mo i rogilant	00	00	Crash Injuries	1	4	1
DISEASE INCIDENCE 1	2013	2012	2011	POLICE REPORTS	2013	2012	2011
HIV/AIDS Cases	0	0	0	DUI Arrests, DWI Tracking System	105	128	140
Hepatitis B Chronic, Acute, Pr		1	0	Liquor Law Arrests	26	42	53
Hepatitis C Chronic and Acute	9	15	17	Drug Arrests	193	188	164
Tuberculosis Infection Cases	1	8	3	Violent Offenses	36	34	13
DEATHS and INJURIES	2013	2012	2011	Property Offenses	398	455	451
Resident DeathsTotal	182	186	2011	Domestic Violence Reports	53	77	69
Suicides	3	2	209	Bomestic Violence Reports	2014	2013	2012
Self-inflicted Injuries	32	30	20	Methamphetamine Lab Seizures	1	3	6
Homicides	0	1	0		·	· ·	· ·
Assault Injuries	43	72	48	SCHOOL REPORTS	2013-14	2012-13	2011-12
Alcohol Induced Deaths	0	2	2	Enrollment Grades 9-12	781	822	859
Drug Induced Deaths	1	3	0	Drop-outs	12	10	12
Smoking Attributable Deaths	34	29	34	Drop-out Rate	1.5%	1.2%	1.4%
			-	School Discipline Involving Alcohol	0	0	10
HOSPITAL EPISODES 2	2013	2012	2011	School Discipline Involving Drugs	3	10	11
Hospitalization, no Emergency				School Discipline Involving Tobacco	0	0	2
Mental Illness Principal Diag		61	74	JUVENILE COURT REFERRALS 3	2013	2012	2011
Mental Illness Secondary Dia		325	366	Juvenile Violent Offenses	84	19	19
Alcohol Principal Diagnosis	6	4	7	Juvenile Alcohol Offenses	1	7	1
Alcohol Secondary Diagnosi		24	24	Juvenile Drug Offenses	8	14	4
Drug Principal Diagnosis	4	3	2	School Truancy Status Offense	11	9	1
Drug Secondary Diagnosis	9	17	13	Absent from Home Status Offense	3	4	3
Emergency Room + Hospitaliz				Beyond Parental Control Status Offense	27	26	24
Mental Illness Principal Diag		42	64	Injurious Behavior Status Offense	69	92	71
Mental Illness Secondary Dia	-	152	101	Child Abuse	5	4	1
Alcohol Principal Diagnosis	13	13	19	Child Neglect	17	5	2
Alcohol Secondary Diagnosis		20	14	Child Custody Issues	0	0	0
Drug Principal Diagnosis	10	10	7		2042	2042	2011
Drug Secondary Diagnosis	10	11	1	JUVENILE COURT PLACEMENTS	2013	2012	2011
Emergency Room, no Hospita		151	101	Out-of-Home PlacementsTotal	14	17	12
Mental Illness Principal Diag		154 464	121	Parental Alcohol Use Related	0	0	4
Mental Illness Secondary Diagnosis		464	368	Parental Drug Use Related	4	3	2
Alcohol Principal Diagnosis	32	8	20	Parental Alcohol and Drug Use	1	0	U
Alcohol Secondary Diagnosis	s 46 25	32 21	36 5	CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Principal Diagnosis			19	Drug Court Participants	9	17	16
Drug Secondary Diagnosis	91	23	19	Probation/Parole AdmissionsDrug	47	52	46
ALCOHOL OUTLETS	2014	2013	2012	Probation/Parole AdmissionsDWI	10	16	15
Alcohol On-Premise Drink Lic		21	21	Prison AdmissionsDrug	26	17	21
Alcohol Package Carry-out Li		21	24	Prison AdmissionsDWI	11	10	7
ENADI OVNACNIT	2014	2012	2012	1 All Kansas City hepatitis and TB case report	ts are include	d in Jackson	County
EMPLOYMENT Labor Force	7,671	2013 8,570	8,434	totals and all Joplin case reports are include	d in Jasper C	County totals.	
Employed	7,671 7,216	8,031	6,434 7,857	2 Beginning with 2010 data, diagnosis counts based on codes developed by the Healthcar			
Unemployed	455	539	7,637 577	3 Beginning in 2013, juvenile municipal violation			
Unemployment Rate	5.9%		6.8%	court orders are categorized as status offens			
Shomploymont reac	5.570	0.070	0.070				

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	*	*	*
	_	_	_
CSTAR Adolescent	7	9	5
CSTAR Women and Children	16	*	5
CSTAR General Adult	39	29	27
CSTAR Opioid	0	0	0
Primary Recovery Treatment	*	6	13
Clinical SATOP (CIP, YCIP, SROP)	10	14	14
Other Substance Abuse Treatment	0	0	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	58	65	78
- Adolescent Diversion Education Prograr	0	*	5
- Offender Education Program	21	22	34
- Weekend Intervention Program	14	17	13
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	*	*
Compulsive Gambling	0	0	0
Recovery Supports	*	*	*
Early Intervention	0	*	0

NUMBER ADMITTED	FY2014	FY2013	FY2012	PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Total Individuals	67	56	63	Alcohol	27	22	31
				Marijuana / Hashish	20	15	13
AGE		_	_	Cocaine (total)	*	*	*
Under 18	8	8	5	- Crack	*	0	*
18 to 24	*	9	7	Stimulant (total)	11	10	11
25 to 29	17	15	13	- Methamphetamine	11	9	10
30 to 34	13	8	11	Heroin	0	0	*
35 to 39	5	*	9	Analgesic except Heroin	*	6	*
40 to 44	5	*	7	- Non-Prescription Methadone	0	*	0
45 to 54	10	7	6	PCP, LSD, other Hallucinogen	0	0	0
55 and Over	5	*	5	Tranquilizer	0	0	0
GENDER				Inhalant	0	0	0
Male	37	35	42	Sedative	0	0	0
Female	30	21	21	Other Medication or Illicit Drug	*	*	0
				Average Age at First Use of Drug	16.9	18.3	16.0
RACE / ETHNICITY							
Caucasian	55	48	52	INJECTION DRUG USE			
African American	8	7	7	Any Injection Use at Admission	6	*	10
Native American / Alaskan	*	0	0	- Daily Injection Use	*	*	*
Asian / Pacific Islander	*	*	0	- Weekly Injection Use	*	0	*
Hispanic	*	*	*	- Less than Weekly Injection Use	*	*	7
Other Race / Two or More Races	*	0	*	, ,			
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	24	19	19	0	43	29	29
High School Graduate or G.E.D.	26	19	25	1 or 2	18	19	19
Associate Degree or Some College	17	18	19	3 or More	6	8	15
Bachelor or Advanced Degree	0	0	0	TOTATAGENT DESCRIPTION COLLEGE			
ENADLOVA AFAIT				TREATMENT REFERRAL SOURCE Self / Family / Friend	23	17	18
EMPLOYMENT Employed	19	19	23	School	0	*	0
Employed Unemployed	24	18	23	Mental Health Provider	*	0	*
Not in Labor Force	24	19	23 17	Health Care Provider	*	0	*
Not ill Labor Force	24	19	17	Court / Criminal Justice	29	34	35
HOUSING / LIVING ARRANGEMENT					29 11	34 *	ან 6
Independent Living	45	41	52	Other Referral Source	11		O
Dependent Living	11	12	6	TD5.4T4.454.7 4.6604.440.0 4.7404			
Homeless	*	*	*	TREATMENT ACCOMMODATION	0	0	*
				Pregnant when Admitted to any Episode	0	0	
MARITAL / FAMILY STATUS	0.5	07	04	Military Veteran	*	*	5
Never Married	35	37	31	Special Education Services Needed			40
Married / Cohabitating	21	9	23	Co-Occurring Psychological Problem	27	15	18
Previously Married	11	10	9	Co-Occurring Developmental Problem	0	0	Î

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



 DBH REGION
 Central

 PSYCHIATRIC SERVICE AREA
 12

 CENSUS 2010
 17,601

 2014 POPULATION ESTIMATE
 17,585

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.							
DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012				
Adjustment Disorder	13	10	5				
Anxiety Disorder	79	67	78				
Dementia	0	0	0				
Developmental Disorder	*	*	*				
Impulse Control Disorder	15	11	13				
Mood Disorder	98	88	115				
Personality Disorder	7	9	15				
Psychotic Disorder	23	23	26				
Sexual Disorder	*	*	0				
Other Diagnosis	10	9	7				
Diagnosis Unknown	*	8	9				

Individuals who received psychiatric services had the following types of

NUMBER SERVED	FY2014	FY2013	FY2012	EDUCATION	FY2014	FY2013	FY2012
Total Individuals	143	137	152	Less than High School Diploma	54	43	37
Total Marviadalo	1.10	101	102	High School Grad or G.E.D.	0	0	41
AGE				Associate Degree or Some College	0	0	22
Under 6	*	*	0	Bachelor or Advanced Degree	0	0	*
6 to 9	6	7	*	Education Level Unknown	89	94	50
10 to 13	18	10	7	Education Edver Officiowin	00	04	00
14 to 17	8	9	10	EMPLOYMENT			
18 to 24	5	13	13	Employed	14	14	17
25 to 29	19	14	26	Unemployed	10	5	78
30 to 34	22	20	24	Not in Labor Force	104	83	21
35 to 39	11	11	8	Employment Status Unknown	15	35	36
40 to 44	*	8	12				
45 to 49	17	13	12	HOUSING / LIVING ARRANGEMENT			
50 to 54	11	11	13	Independent Living	82	59	95
55 to 59	10	9	13	Dependent Living	47	41	24
60 and Over	11	11	10	Homeless	*	*	*
Age Unknown	0	0	0	Other	0	0	*
CENDED				Housing Unknown	13	34	31
GENDER Male	62	63	60				
Female	81	74	62	TREATMENT REFERRAL SOURCE			
			90	Self / Family / Friend	93	84	94
Gender Unknown	0	0	0	School	0	0	0
RACE / ETHNICITY				Mental Health Provider	*	7	7
Caucasian	117	114	130	Health Care Provider	25	29	35
African American	17	13	16	Court / Criminal Justice	8	6	*
Native American / Alaskan	0	0	0	Other	13	11	13
Asian / Pacific Islander	0	0	0	Referral Source Unknown	0	0	0
Hispanic	0	*	*				
Other Race	9	8	*	TYPE OF COMMITMENT	4.40	405	450
Race/Ethnicity Unknown	0	0	0	Voluntary	143	135	150
				Civil	0	0	0
TREATMENT ACCOMMODATION	_	*		Criminal	0		
Hearing Impaired	*	*	*	Sexual Predatory	0	0	0
Past or Current Military Service	*	*	*	Commitment Type Unknown	0	0	0

MISSOURI STUDENT SURVEY

	IVIIOS	OUF	(151	DUENT SURVET
Percent of students who have ever used:	2014	2012	2010	Percent who believe they risk harm if they use:
Alcohol	44.9	54.6	49.1	Alcohol (1 or 2 drinks daily)
Cigarettes	20.6	31.7	33.9	Alcohol (Binge: 5+ drinks once or twice a week)
Chewing Tobacco	16.1	15.8	25.6	Alcohol (any use)
Marijuana	13.2	22.9	22.5	Cigarettes (1+ packs per day)
Inhalants	2.0	8.1	9.2	Cigarettes (any use)
Prescription medications not prescribed for student	7.9	12.0	13.8	Marijuana (once or twice a week)
Over-the-counter medications for non-medical use	2.5	8.8	9.5	Marijuana (any use)
Methamphetamine	0.5	1.1	1.3	Other: Cocaine, LSD, Meth, Club Drug (any use)
Cocaine	2.0	2.1	4.0	Descent of students who in past 20 days.
Heroin	0.5	0.7	8.0	Percent of students who, in past 30 days: Were very sad
Hallucinogens	2.5	4.6	1.6	Were grouchy, irritable, or in a bad mood
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.5	1.8	2.1	Felt hopeless about the future
Steroids not prescribed for student	1.0	1.1	1.1	Felt like not eating or eating more than usual
Synthetic drugs (K2, bath salts, Spice, etc)	2.9	10.2		Slept a lot more or a lot less than usual
Average age of students' first use of:				Had difficulty concentrating on school work
Alcohol	12 73	12.31	12 46	Trad difficulty concentrating on school work
Cigarettes		12.58		Percent of students who, in past 12 months:
Marijuana		13.39		Seriously considered attempting suicide
Inhalants		13.46		Made plan about how they would attempt suicide
madno	12.00	10.10	11.00	Attempted suicide
Percent of students who, in past 30 days, used:				Attempted suicide and resulting injury, poisonng, or
Alcohol	20.3	27.2	28.4	had to be treated by doctor or nurse
Alcohol (Binge: 5+ drinks on one occassion)		17.3	19.5	Percent of students who, in past 12 months:
Cigarettes	8.4	16.0	16.2	Were threatened/injured with weapon at school
Chewing Tobacco	10.2	7.7	14.2	Were in a physical fight
Marijuana	4.9	13.0	12.4	Were in a fight and had to be treated by a doctor or
Inhalants	1.0	3.5	3.9	
Prescription medications not prescribed for student	4.4			Percent of students who, in past 3 months:
Over-the-counter medications for non-medical use	2.0	6.0	4.5	Were victims of mean rumors or lies spread at scho
Percent of students who, in past 2 weeks, used:				Were made fun of by others
Alcohol (Binge: 5+ drinks on one occassion)	9.9			Were victims of an embarrassing or hurtful text mes something posted on the internet
				T
Percent whose friends used in past 12 months:				Spread mean rumors or lies about other kids at scho
Alcohol	49.5	62.9	69.1	Made fun of other people
Cigarettes	33.5	50.7		Posted something on the internet or sent a text that embarrass or hurt another student
Marijuana	28.3			cribariass of flatt another stadent
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	8.8	21.6	20.8	Percent of students who agree that:
Percent who would likely use, if offered by a best friend:				Teachers notice and comment on student's good wo
Alcohol	31.7	41.2	45.0	School provides feedback to parents on positive stu
Cigarettes	10.7		17.1	performance
Marijuana	10.3		18.2	Rules are enforced fairly
•				Students of all races/ethnicities are treated equal
Percent who say it would be wrong to use:				Percent of students who agree that:
Alcohol	56.7	50.2		Parents notice and comment on student's good work
Cigarettes	82.8	77.7	76.6	· ·
Marijuana	83.0	79.9	79.1	Parents involve student in making family decisions
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	95.0	96.8	92.6	It is important to be honest with parents regardless of consequences
Percent whose parents would disapprove if they use:				Student could ask parent for help with a personal pr
Alcohol	73.5	72.0	69.8	Student could ask parent for help with a personal pr
Cigarettes	92.1	90.7	89.1	Missouri Student Survey is conducted biennially.
Marijuana	93.0	93.8	94.1	Similar affirmative response choices for individual quality
•				Blank data cells indicate estimates are not available
Percent who say it would be easy to obtain:	·	04.0	04.0	Survey is not conducted in every school district nor Estimates are not available for counties with small n
Alcohol	55.1	61.6	64.6	Percentages are estimates based on weighted data
Cigarettes	49.8	57.3		Some year-to-year differences in percentages are n
Marijuana	30.7			Data source: Missouri Institute of Mental Health, 20
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	10.3	19.4	19.0	

DENT SURVET			
Dercent who hollows they rick harm if they use.	2014	2012	2010
Percent who believe they risk harm if they use: Alcohol (1 or 2 drinks daily)	58.3		
and the second s			
Alcohol (Binge: 5+ drinks once or twice a week)	67.6	CE O	71.6
Alcohol (any use)	05.0	65.8	71.6
Cigarettes (1+ packs per day)	85.3	00.0	70.7
Cigarettes (any use)	00.0	80.6	79.7
Marijuana (once or twice a week)	66.2		
Marijuana (any use)		68.7	68.7
Other: Cocaine, LSD, Meth, Club Drug (any use)	91.6	93.3	91.8
Percent of students who, in past 30 days:			
Were very sad	17.0	20.1	15.9
Were grouchy, irritable, or in a bad mood	23.0	29.6	22.1
Felt hopeless about the future	10.8	14.0	12.3
Felt like not eating or eating more than usual	15.7	17.3	17.2
Slept a lot more or a lot less than usual	17.6	21.6	27.6
Had difficulty concentrating on school work	23.9	25.5	26.6
Percent of students who, in past 12 months:			
Seriously considered attempting suicide	7.4	14.1	9.2
Made plan about how they would attempt suicide	5.4	13.4	7.6
Attempted suicide	2.9	5.3	3.2
Attempted suicide and resulting injury, poisonng, or overdose had to be treated by doctor or nurse	0.5	2.2	1.4
•			
Percent of students who, in past 12 months:	4.0		400
Were threatened/injured with weapon at school	4.9	6.7	10.8
Were in a physical fight	18.0	23.2	30.5
Were in a fight and had to be treated by a doctor or nurse	2.9	2.8	3.7
Percent of students who, in past 3 months:			
Were victims of mean rumors or lies spread at school	48.1	50.7	63.8
Were made fun of by others	57.8	68.3	75.3
Were victims of an embarrassing or hurtful text message or			
something posted on the internet	23.5	25.9	25.4
Spread mean rumors or lies about other kids at school	27.8	33.3	41.9
Made fun of other people	54.6	72.4	75.3
Posted something on the internet or sent a text that might			
embarrass or hurt another student	15.5	17.0	21.9
Percent of students who agree that:			
Teachers notice and comment on student's good work	73.8	62.9	68.9
School provides feedback to parents on positive student	70.0	02.0	00.0
performance	48.3	36.7	44.9
Rules are enforced fairly	63.6	52.6	59.3
Students of all races/ethnicities are treated equal	84.4	73.5	77.0
Percent of students who agree that:			
Parents notice and comment on student's good work	82.9	80.2	78.4
Parents involve student in making family decisions	71.7	65.6	66.8
It is important to be honest with parents regardless of			
consequences	88.2	83.1	80.8
Student could ask parent for help with a personal problem	80.8	72.2	75.1

questions are combined. le for item or geographic area. r reported for every county. numbers of respondents.

not statistically significant.

2010-2014 Missouri Student Surveys

CITATION COUNT	•						
DBH REGION		Southeast		IMPAIRED DRIVING	2013	2012	2011
DBH SERVICE A	AREAS			Alcohol Involved CrashesTotal	29	35	31
Substance U	Jse	17		Fatal Crashes	0	3	0
Adult Psych	iatric	17A		Injury Crashes	12	18	14
POPULATION				Property Damage Crashes	17	14	17
Census 201	0	24,696		Crash Fatalities	0	3	0
2014 Estima		24,650		Crash Injuries	25	28	20
		_ ,,		Drug Involved CrashesTotal	8	5	4
<u></u>				Fatal Crashes	0	0	0
				Injury Crashes	1	2	2
BIRTH RISK	2013	2012	2011	Property Damage Crashes	7	3	2
Resident BirthsTotal	311	288	265	Crash Fatalities	0	0	0
Mother Reported Smoking while Pregnant	110	78	81	Crash Injuries	1	2	2
DISEASE INCIDENCE 1	2013	2012	2011	Gradit injunios	•	_	_
HIV/AIDS Cases	0	0	1	POLICE REPORTS	2013	2012	2011
Hepatitis B Chronic, Acute, Prenatal	1	1	2	DUI Arrests, DWI Tracking System	203	234	299
Hepatitis C Chronic and Acute	21	18	26	Liquor Law Arrests	93	119	147
Tuberculosis Infection Cases	3	4	1	Drug Arrests	288	403	219
Tuberculosis infection cases	3	4	'	Violent Offenses	81	64	60
DEATHS and INJURIES	2013	2012	2011	Property Offenses	906	914	844
Resident DeathsTotal	264	268	298	Domestic Violence Reports	230	306	347
Suicides	2	4	6		2014	2013	2012
Self-inflicted Injuries	23	38	29	Methamphetamine Lab Seizures	37	51	51
Homicides	0	0	0				
Assault Injuries	80	93	90	SCHOOL REPORTS	2013-14	2012-13	2011-12
Alcohol Induced Deaths	1	3	3	Enrollment Grades 9-12	938	994	984
Drug Induced Deaths	5	3	5	Drop-outs	20	24	24
Smoking Attributable Deaths	52	59	53	Drop-out Rate	2.1%	2.4%	2.4%
				School Discipline Involving Alcohol	0	13	4
HOSPITAL EPISODES 2	2013	2012	2011	School Discipline Involving Drugs	5	9	15
Hospitalization, no Emergency Room:				School Discipline Involving Tobacco	1	0	0
Mental Illness Principal Diagnosis	201	179	194	JUVENILE COURT REFERRALS 3	2013	2012	2011
Mental Illness Secondary Diagnosis	341	326	447	Juvenile Violent Offenses	2013	23	17
Alcohol Principal Diagnosis	13	6	13	Juvenile Alcohol Offenses	4	6	3
Alcohol Secondary Diagnosis	28	35	31	Juvenile Drug Offenses	10	7	10
Drug Principal Diagnosis	40	23	24	School Truancy Status Offense	16	, 17	7
Drug Secondary Diagnosis	31	16	33	Absent from Home Status Offense	1	2	1
Emergency Room + Hospitalization:				Beyond Parental Control Status Offense	28	30	11
Mental Illness Principal Diagnosis	138	141	93	Injurious Behavior Status Offense	6	2	1
Mental Illness Secondary Diagnosis	383	427	398	Child Abuse	29	2	5
Alcohol Principal Diagnosis	16	12	10	Child Neglect	117	20	32
Alcohol Secondary Diagnosis	30	40	26	Child Custody Issues	0	0	0
Drug Principal Diagnosis	7	16	11	Office Outstody 1550C5	O	O	U
Drug Secondary Diagnosis	19	29	28	JUVENILE COURT PLACEMENTS	2013	2012	2011
Emergency Room, no Hospitalization:				Out-of-Home PlacementsTotal	33	17	43
Mental Illness Principal Diagnosis	289	283	245	Parental Alcohol Use Related	0	3	0
Mental Illness Secondary Diagnosis	1,023	1,059	908	Parental Drug Use Related	17	4	16
Alcohol Principal Diagnosis	48	35	39	Parental Alcohol and Drug Use	0	0	4
Alcohol Secondary Diagnosis	57	76	59				
Drug Principal Diagnosis	42	58	45	CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Secondary Diagnosis	89	97	58	Drug Court Participants	27	25	28
				Probation/Parole Admissions - Drug	138	128	117
ALCOHOL OUTLETS	2014	2013	2012	Probation/Parole AdmissionsDWI	23	23	19 51
Alcohol On-Premise Drink Licenses	31	27	29	Prison AdmissionsDrug	66	43	51
Alcohol Package Carry-out Licenses	26	30	30	Prison AdmissionsDWI	7	8	9
EMPLOYMENT	2014	2013	2012	1 All Kansas City hepatitis and TB case report			County
Labor Force	10,888	12,297	11,676	totals and all Joplin case reports are include Beginning with 2010 data, diagnosis counts			es are
Employed	10,040	11,416	10,749	based on codes developed by the Healthcar	e Cost and L	Itilization Proj	ect.
Unemployed	848	881	927	3 Beginning in 2013, juvenile municipal violati			
Unemployment Rate	7.8%	7.2%	7.9%	court orders are categorized as status offens) DESTINCTIN COC	i iaw violatior	13.

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	17	11	13
CSTAR Adolescent	5	6	12
CSTAR Women and Children	5	5	6
CSTAR General Adult	103	132	81
CSTAR Opioid	0	*	*
Primary Recovery Treatment	*	51	174
Clinical SATOP (CIP, YCIP, SROP)	40	43	36
Other Substance Abuse Treatment	*	0	*

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	121	146	147
- Adolescent Diversion Education Prograr	0	0	0
- Offender Education Program	34	46	46
- Weekend Intervention Program	24	28	26
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	*	*
Compulsive Gambling	0	0	0
Recovery Supports	*	0	*
Early Intervention	*	*	11

NUMBER ADMITTED	FY2014	FY2013	FY2012	PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Total Individuals	158	212	288	Alcohol	61	94	116
				Marijuana / Hashish	27	48	81
AGE				Cocaine (total)	0	*	*
Under 18	5	8	13	- Crack	0	*	*
18 to 24	25	29	42	Stimulant (total)	41	33	54
25 to 29	30	51	53	- Methamphetamine	40	32	53
30 to 34	31	36	54	Heroin	12	10	17
35 to 39	20	26	34	Analgesic except Heroin	15	22	15
40 to 44	13	15	32	- Non-Prescription Methadone	0	*	0
45 to 54	27	35	50	PCP, LSD, other Hallucinogen	0	0	0
55 and Over	7	12	10		0	*	*
CENTER				Tranquilizer Inhalant	0	0	*
GENDER Male	100	137	212	Sedative	0	0	0
		75	76		*	0	0
Female	58	75	76	Other Medication or Illicit Drug		_	-
RACE / ETHNICITY				Average Age at First Use of Drug	19.0	18.7	17.5
Caucasian	148	202	279				
African American	*	*	*	INJECTION DRUG USE			
Native American / Alaskan	*	*	0	Any Injection Use at Admission	29	25 *	39
Asian / Pacific Islander	0	0	*	- Daily Injection Use	6		_
Hispanic	*	*	*	- Weekly Injection Use	7	6	5
Other Race / Two or More Races	*	*	*	- Less than Weekly Injection Use	16	17	30
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	56	73	108	0	74	118	152
High School Graduate or G.E.D.	76	100	136	1 or 2	56	61	85
Associate Degree or Some College	26	39	44	3 or More	28	33	51
Bachelor or Advanced Degree	0	0	0				
Ç				TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	59	54	42
Employed	57	66	110	School	0	0	0
Unemployed	62	86	119	Mental Health Provider	*		*
Not in Labor Force	39	60	59	Health Care Provider	*	*	6
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	60	123	223
Independent Living	139	191	257	Other Referral Source	34	28	16
Dependent Living	10	16	23				
Homeless	*	*	5	TREATMENT ACCOMMODATION			
Homoloss			3	Pregnant when Admitted to any Episode	0	6	*
MARITAL / FAMILY STATUS				Military Veteran	6	10	19
Never Married	74	109	127	Special Education Services Needed	19	37	54
Married / Cohabitating	51	66	89	Co-Occurring Psychological Problem	59	95	101
Previously Married	33	37	72	Co-Occurring Developmental Problem	*	19	11

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Southeast
PSYCHIATRIC SERVICE AREA 17A
CENSUS 2010 24,696
2014 POPULATION ESTIMATE 24,650

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.							
DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012				
Adjustment Disorder	25	17	14				
Anxiety Disorder	225	237	191				
Dementia	0	0	0				
Developmental Disorder	*	0	0				
Impulse Control Disorder	86	60	70				
Mood Disorder	351	359	303				
Personality Disorder	16	12	14				
Psychotic Disorder	66	58	47				
Sexual Disorder	0	*	0				
Other Diagnosis	19	17	12				
Diagnosis Unknown	29	23	21				

Individuals who received psychiatric services had the following types of

NUMBER SERVED	FY2014	FY2013	FY2012	EDUCATION	FY2014	FY2013	FY2012
Total Individuals	484	482	417	Less than High School Diploma	184	238	149
Total Marviadalo	.01	102	• • • •	High School Grad or G.E.D.	0	24	53
AGE				Associate Degree or Some College	0	14	29
Under 6	11	9	7	Bachelor or Advanced Degree	0	0	0
6 to 9	35	29	30	Education Level Unknown	300	206	186
10 to 13	45	34	33	Education Edver Officiowin	000	200	100
14 to 17	33	34	24	EMPLOYMENT			
18 to 24	38	31	27	Employed	8	34	32
25 to 29	49	59	57	Unemployed	5	67	174
30 to 34	39	47	40	Not in Labor Force	301	281	27
35 to 39	35	42	36	Employment Status Unknown	170	100	184
40 to 44	51	46	40				
45 to 49	52	56	42	HOUSING / LIVING ARRANGEMENT			
50 to 54	43	42	38	Independent Living	158	257	193
55 to 59	28	26	25	Dependent Living	145	128	70
60 and Over	25	27	18	Homeless	*	*	*
Age Unknown	0	0	0	Other	0	0	*
				Housing Unknown	178	93	152
GENDER				-			
Male	217	205	178	TREATMENT REFERRAL SOURCE			
Female	267	277	239	Self / Family / Friend	367	354	281
Gender Unknown	0	0	0	School	5	8	12
RACE / ETHNICITY				Mental Health Provider	7	9	8
Caucasian	466	458	402	Health Care Provider	51	49	40
African American	*	*	*	Court / Criminal Justice	*	6	11
Native American / Alaskan	*	*	*	Other	50	56	65
Asian / Pacific Islander	0	0	0	Referral Source Unknown	0	0	0
Hispanic	9	11	8				
Other Race	*	7	*	TYPE OF COMMITMENT			
Race/Ethnicity Unknown	0	0	0	Voluntary	483	479	412
	· ·	· ·		Civil	*	*	*
TREATMENT ACCOMMODATION				Criminal	0	*	*
Hearing Impaired	11	14	10	Sexual Predatory	0	0	0
Past or Current Military Service	8	10	7	Commitment Type Unknown	0	0	0

MISSOURI STUDENT SURVEY

	IVIIOC		(1510	DENT SORVET			
Percent of students who have ever used:	2014	2012	2010	Percent who believe they risk harm if they use:	2014	2012	2010
Alcohol	37.8	46.6	52.7	Alcohol (1 or 2 drinks daily)	60.9		
Cigarettes	25.9	30.8	36.0	Alcohol (Binge: 5+ drinks once or twice a week)	64.5		
Chewing Tobacco	14.7	17.5	19.3	Alcohol (any use)		67.1	71.0
Marijuana	15.9	20.0	17.8	Cigarettes (1+ packs per day)	81.0		
Inhalants	3.3	8.6	9.8	Cigarettes (any use)		76.9	73.6
Prescription medications not prescribed for student	9.6	12.6	16.4	Marijuana (once or twice a week)	65.5		
Over-the-counter medications for non-medical use	2.6	6.8	9.8	Marijuana (any use)		67.8	69.0
Methamphetamine	0.7	2.3	1.8	Other: Cocaine, LSD, Meth, Club Drug (any use)	93.7	90.6	92.0
Cocaine	1.1	2.6	1.8	Percent of students who, in past 30 days:			
Heroin	0.0	1.5	8.0	Were very sad	20.9	25.1	8.7
Hallucinogens	1.5	4.8	3.7	Were grouchy, irritable, or in a bad mood	31.3	28.4	14.8
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.7	3.3	1.8	Felt hopeless about the future	12.0	12.9	7.4
Steroids not prescribed for student	1.1	1.8	1.2	Felt like not eating or eating more than usual	20.0	19.8	12.9
Synthetic drugs (K2, bath salts, Spice, etc)	4.1	9.1		Slept a lot more or a lot less than usual	17.6	21.6	21.7
Average age of students' first use of:				Had difficulty concentrating on school work	29.7	24.4	18.6
Alcohol	12.66	12.37	12.32				
Cigarettes	12.07	11.70	11.80	Percent of students who, in past 12 months:	40.0	445	440
Marijuana	14.08	13.07	13.41	Seriously considered attempting suicide	10.8	14.5	14.3
Inhalants	12.84	12.65	12.61	Made plan about how they would attempt suicide	9.4	11.2	10.3
Descent of children who is next 20 days wood				Attempted suicide	5.4	8.1	7.0
Percent of students who, in past 30 days, used:	15.0	10.4	24.0	Attempted suicide and resulting injury, poisonng, or overdose had to be treated by doctor or nurse	2.6	3.4	1.8
Alcohol Alcohol (Binge: 5+ drinks on one occassion)	15.3	19.4 12.4					
Cigarettes	9.9	16.8	19.1	Percent of students who, in past 12 months:			
Chewing Tobacco	8.1	8.9	8.8	Were threatened/injured with weapon at school	6.9	7.9	11.1
Marijuana	7.7	11.1	10.8	Were in a physical fight	15.5	24.9	24.3
Inhalants	1.5	4.0	4.5	Were in a fight and had to be treated by a doctor or nurse	3.6	3.8	1.5
Prescription medications not prescribed for student	4.4	7.1	10.5	Percent of students who, in past 3 months:			
Over-the-counter medications for non-medical use	1.1	4.8	5.3	Were victims of mean rumors or lies spread at school	56.0	53.4	61.7
				Were made fun of by others	61.4	62.9	72.0
Percent of students who, in past 2 weeks, used: Alcohol (Binge: 5+ drinks on one occassion)	8.2			Were victims of an embarrassing or hurtful text message or something posted on the internet	27.9	23.5	22.8
Percent whose friends used in past 12 months:				Spread mean rumors or lies about other kids at school	26.7	28.5	44.1
Alcohol	49.6	60.2	66.7	Made fun of other people	56.0	66.6	79.7
Cigarettes	36.1	55.2		Posted something on the internet or sent a text that might			
Marijuana	32.1	40.4		embarrass or hurt another student	18.9	15.7	19.8
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	7.2	19.4		Demont of students who serves that			
•				Percent of students who agree that: Teachers notice and comment on student's good work	72.7	66.8	67.7
Percent who would likely use, if offered by a best friend:				School provides feedback to parents on positive student	12.1	00.0	07.7
Alcohol	30.8	33.2		performance	50.2	36.5	36.9
Cigarettes	14.0	18.5	18.4	Rules are enforced fairly	65.7	57.4	59.7
Marijuana	13.3	15.7	12.8	Students of all races/ethnicities are treated equal	85.3	78.4	79.4
Percent who say it would be wrong to use:				· ·			
Alcohol	61.1	55.9	49.7	Percent of students who agree that:	- · -		
Cigarettes	80.0	71.9	71.5	Parents notice and comment on student's good work	81.5	79.0	80.4
Marijuana	79.8	77.2		Parents involve student in making family decisions	62.5	61.9	60.5
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.3	93.7	94.1	It is important to be honest with parents regardless of consequences	89.5	83.8	82.8
Percent whose parents would disapprove if they use:				Student could ask parent for help with a personal problem	77.4	69.3	72.8
Alcohol	73.5	74.7	72.4	Otagoni ocala ask paroni for holp milit a porsonal problem		00.0	
Cigarettes	87.1	86.5	85.7	Missouri Student Survey is conducted biennially.			
Marijuana	88.8	88.7	93.9	Similar affirmative response choices for individual questions ar			
Percent who say it would be easy to obtain:				Blank data cells indicate estimates are not available for item or Survey is not conducted in every school district nor reported fo			•
Alcohol	51.4	57.1	63.0	Estimates are not available for counties with small numbers of			
Cigarettes	50.7	56.5	67.1	Percentages are estimates based on weighted data. Some year-to-year differences in percentages are not statistical	ılly signifi	cant.	
Marijuana	35.6	38.5	40.0				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	14.7	20.9	21.8	Data source: Missouri Institute of Mental Health, 2010-2014 Mi	ssouri St	udent Su	ırveys

DADE GOOM I							
DBH REGION		Southwest		IMPAIRED DRIVING	2013	2012	2011
DBH SERVICE A	AREAS			Alcohol Involved CrashesTotal	4	6	10
Substance U	Jse	10		Fatal Crashes	0	0	0
Adult Psych	iatric	8A		Injury Crashes	3	3	7
POPULATION				Property Damage Crashes	1	3	3
Census 201	0	7,883		Crash Fatalities	0	0	0
2014 Estima		7,628		Crash Injuries	4	4	8
		7,020		Drug Involved CrashesTotal	1	3	1
213				Fatal Crashes	0	0	0
				Injury Crashes	0	1	1
BIRTH RISK	2013	2012	2011	Property Damage Crashes	1	2	0
Resident BirthsTotal	62	60	73	. ,	•	0	
Mother Reported Smoking while Pregnant	16	20	19	Crash Fatalities Crash Injuries	0 0	1	0 2
DISEASE INCIDENCE 1	2013	2012	2011	Crash injunes	Ū		_
HIV/AIDS Cases	0	0	0	POLICE REPORTS	2013	2012	2011
Hepatitis B Chronic, Acute, Prenatal	0	1	0	DUI Arrests, DWI Tracking System	26	24	28
	5	3	5	Liquor Law Arrests	3	0	2
Hepatitis C Chronic and Acute Tuberculosis Infection Cases	1	0	0	Drug Arrests	33	36	21
Tuberculosis Infection Cases		U	U	Violent Offenses	33	10	14
DEATHS and INJURIES	2013	2012	2011	Property Offenses	80	67	79
Resident DeathsTotal	97	86	107	Domestic Violence Reports	26	17	19
Suicides	2	1	1		2014	2013	2012
Self-inflicted Injuries	7	13	10	Methamphetamine Lab Seizures	2	2	4
Homicides	0	0	1		_	_	
Assault Injuries	20	16	17	SCHOOL REPORTS	2013-14	2012-13	2011-12
Alcohol Induced Deaths	1	0	0	Enrollment Grades 9-12	350	344	342
Drug Induced Deaths	0	1	2	Drop-outs	9	1	9
Smoking Attributable Deaths		11	15	Drop-out Rate	2.6%	0.3%	2.6%
Smoking Attributable Deaths	21	11	13	School Discipline Involving Alcohol	1	0	0
HOSPITAL EPISODES 2	2013	2012	2011	School Discipline Involving Drugs	2	0	7
Hospitalization, no Emergency Room:				School Discipline Involving Tobacco	0	0	0
Mental Illness Principal Diagnosis	51	33	51				
Mental Illness Secondary Diagnosis	72	89	100	JUVENILE COURT REFERRALS 3	2013	2012	2011
Alcohol Principal Diagnosis	0	3	2	Juvenile Violent Offenses	1	7	3
Alcohol Secondary Diagnosis	4	2	6	Juvenile Alcohol Offenses	1	0	0
Drug Principal Diagnosis	3	8	5	Juvenile Drug Offenses	3	2	1
Drug Secondary Diagnosis	2	0	0	School Truancy Status Offense	4	6	6
Emergency Room + Hospitalization:	_	· ·	ŭ	Absent from Home Status Offense	2	0	2
Mental Illness Principal Diagnosis	39	20	26	Beyond Parental Control Status Offense	4	1	4
Mental Illness Secondary Diagnosis	139	105	102	Injurious Behavior Status Offense	5	13	13
Alcohol Principal Diagnosis	9	3	11	Child Abuse	21	14	6
Alcohol Secondary Diagnosis	9	10	13	Child Neglect	27	39	38
Drug Principal Diagnosis	8	7	6	Child Custody Issues	0	0	2
Drug Secondary Diagnosis	5	15	4	JUVENILE COURT PLACEMENTS	2013	2012	2011
Emergency Room, no Hospitalization:	3	13	7	Out-of-Home PlacementsTotal	2013	1	5
Mental Illness Principal Diagnosis	51	55	48	Parental Alcohol Use Related	1	0	0
Mental Illness Secondary Diagnosis	214	222	114	Parental Drug Use Related	0	0	0
Alcohol Principal Diagnosis	5	5	6	Parental Alcohol and Drug Use	0	0	3
				Farental Aconol and Drug Ose	U	U	3
Alcohol Secondary Diagnosis	22	11	12 9	CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Principal Diagnosis	18	19		Drug Court Participants	5	0	0
Drug Secondary Diagnosis	19	22	8	Probation/Parole AdmissionsDrug	20	6	13
ALCOHOL OUTLETS	2014	2012	2012	Probation/Parole AdmissionsDWI	4	3	0
ALCOHOL OUTLETS Alcohol On-Premise Drink Licenses	2014	2013 3	3	Prison AdmissionsDrug	8	5	5
Alcohol Package Carry-out Licenses	3 12	3 11	3 12	Prison AdmissionsDWI	1	2	0
Alcohol I ackage Carry-out Licenses	12	11	12				
EMPLOYMENT	2014	2013	2012	1 All Kansas City hepatitis and TB case report			County
Labor Force	3,496	3,625	3,472	totals and all Joplin case reports are include Beginning with 2010 data, diagnosis counts			es are
Employed	3,287	3,400	3,222	based on codes developed by the Healthcar			
Unemployed	209	225	250	3 Beginning in 2013, juvenile municipal violation	ons, infractio	ns, and violat	ions of
Unemployment Rate	6.0%		7.2%	court orders are categorized as status offens	ses instead o	i iaw violation	18.

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	9	5	5
CSTAR Adolescent	*	*	0
CSTAR Women and Children	11	*	*
CSTAR General Adult	8	9	8
CSTAR Opioid	0	0	0
Primary Recovery Treatment	*	*	5
Clinical SATOP (CIP, YCIP, SROP)	6	6	*
Other Substance Abuse Treatment	0	0	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	13	20	20
- Adolescent Diversion Education Prograr	0	*	0
- Offender Education Program	*	5	13
- Weekend Intervention Program	*	5	*
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	0	*
Compulsive Gambling	0	0	0
Recovery Supports	0	6	0
Early Intervention	0	0	0

NUMBER ADMITTED	FY2014	FY2013	FY2012	PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Total Individuals	30	27	15	Alcohol	8	10	7
				Marijuana / Hashish	*	5	*
AGE	*	*		Cocaine (total)	0	0	0
Under 18			0	- Crack	0	0	0
18 to 24	5	9	*	Stimulant (total)	9	6	*
25 to 29	*		*	- Methamphetamine	9	6	*
30 to 34	7	0	*	Heroin	*	0	*
35 to 39	6	*	*	Analgesic except Heroin	7	5	*
40 to 44	*	*	*	- Non-Prescription Methadone	0	0	0
45 to 54	5	*	*	PCP, LSD, other Hallucinogen	0	0	*
55 and Over	0	*	0	Tranquilizer	0	0	0
GENDER				Inhalant	0	0	0
Male	12	17	11	Sedative	0	0	0
Female	18	10	*	Other Medication or Illicit Drug	*	*	0
				Average Age at First Use of Drug	21.2	18.0	18.3
RACE / ETHNICITY	20	0.5	4.4				
Caucasian	30	25	14	INJECTION DRUG USE			
African American	0		0 0	Any Injection Use at Admission	11	6	*
Native American / Alaskan	•	0	-	- Daily Injection Use	*	0	0
Asian / Pacific Islander	0	0	0	- Weekly Injection Use	6	*	*
Hispanic	0	0	0	- Less than Weekly Injection Use	*	*	0
Other Race / Two or More Races	0						
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	8	7	*	0	15	18	8
High School Graduate or G.E.D.	17	12	7	1 or 2	10	5	6
Associate Degree or Some College	5	7	*	3 or More	5	*	*
Bachelor or Advanced Degree	0	*	0	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	11	16	8
Employed	*	9	*	School	*	0	0
Unemployed	10	5	*	Mental Health Provider	0	0	0
Not in Labor Force	16	13	8	Health Care Provider	*	*	*
Not in Eabor Force	10	13	O	Court / Criminal Justice	7	9	5
HOUSING / LIVING ARRANGEMENT				Other Referral Source	8	*	*
Independent Living	21	23	15	Other Referral Source	O		
Dependent Living	*	*	0	TREATMENT ACCOMMAND ATION			
Homeless	*	0	0	TREATMENT ACCOMMODATION Pregnant when Admitted to any Episode	*	0	*
MARITAL / FAMILY STATUS				Military Veteran	*	0	0
Never Married	12	11	5	Special Education Services Needed	0	0	*
Married / Cohabitating	12	8	6	Co-Occurring Psychological Problem	10	12	8
Previously Married	6	8	*	Co-Occurring Developmental Problem	0	*	*
1 Toviodory Married	0	0		25 Coodining Developmental Frobletti	J		

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Southwest
PSYCHIATRIC SERVICE AREA 8A
CENSUS 2010 7,883
2014 POPULATION ESTIMATE 7,628

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.						
DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012			
Adjustment Disorder	*	*	0			
Anxiety Disorder	7	7	7			
Dementia	0	0	0			
Developmental Disorder	*	*	*			
Impulse Control Disorder	6	*	5			
Mood Disorder	14	14	14			
Personality Disorder	*	*	*			
Psychotic Disorder	6	6	*			
Sexual Disorder	0	0	0			
Other Diagnosis	8	5	5			
Diagnosis Unknown	5	*	6			

Individuals who received psychiatric services had the following types of

NUMBER SERVED	FY2014	FY2013	FY2012	EDUCATION	FY2014	FY2013	FY2012
Total Individuals	32	30	29	Less than High School Diploma	15	9	5
. otala.r.aaa.o	0-			High School Grad or G.E.D.	0	0	*
AGE				Associate Degree or Some College	0	0	*
Under 6	0	0	0	Bachelor or Advanced Degree	0	0	0
6 to 9	5	*	*	Education Level Unknown	17	21	20
10 to 13	*	*	*	Education Edver Children	• • •		20
14 to 17	5	8	7	EMPLOYMENT			
18 to 24	*	*	5	Employed	0	0	0
25 to 29	*	*	*	Unemployed	*	0	5
30 to 34	*	*	*	Not in Labor Force	19	12	*
35 to 39	0	0	*	Employment Status Unknown	12	18	20
40 to 44	*	*	*				
45 to 49	*	*	*	HOUSING / LIVING ARRANGEMENT			
50 to 54	*	*	*	Independent Living	7	*	7
55 to 59	*	*	0	Dependent Living	11	10	5
60 and Over	0	*	*	Homeless	0	*	0
Age Unknown	0	0	0	Other	0	0	0
GENDER				Housing Unknown	14	17	17
Male	19	18	16				
Female	13	12	13	TREATMENT REFERRAL SOURCE			
Gender Unknown	0	0	0	Self / Family / Friend	15	9	7
Gender Offkriown	U	U	U	School	*	*	0
RACE / ETHNICITY				Mental Health Provider	*	*	*
Caucasian	30	25	26	Health Care Provider	*	*	7
African American	*	*	*	Court / Criminal Justice	*	*	0
Native American / Alaskan	0	0	0	Other	7	10	13
Asian / Pacific Islander	0	0	0	Referral Source Unknown	0	0	0
Hispanic	0	*	*	T/DE 05 000 40 4/T1 450/T			
Other Race	*	*	0	TYPE OF COMMITMENT	24	20	20
Race/Ethnicity Unknown	0	0	0	Voluntary	31	30	29
TD5.4T4.54T 4.600444.0D4T:5::				Civil		0	0
TREATMENT ACCOMMODATION	2	^	0	Criminal	0	0	0
Hearing Impaired	0	0	0	Sexual Predatory	0	0	0
Past or Current Military Service	0	0	0	Commitment Type Unknown	0	0	0

MISSOURI STUDENT SURVEY

Percent of students who have ever used:	2014	2012	2010
Alcohol	28.7	36.7	37.3
Cigarettes	15.1	22.3	
Chewing Tobacco	7.4	10.8	16.3
Marijuana	7.6	10.8	13.9
Inhalants	2.1	7.9	4.1
Prescription medications not prescribed for student	10.8	6.5	10.6
Over-the-counter medications for non-medical use	1.1	7.2	6.1
Methamphetamine	1.1	0.7	0.7
Cocaine	1.1	2.9	-
Heroin	0.0	0.0	
Hallucinogens	1.1	1.4	
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.1	2.2	
Steroids not prescribed for student	0.0	0.7	0.0
Synthetic drugs (K2, bath salts, Spice, etc)	2.1	5.7	
Average age of students' first use of:			
Alcohol		12.70	
Cigarettes		12.11	
Marijuana		13.72	
Inhalants	11.76	12.36	13.90
Percent of students who, in past 30 days, used:			
Alcohol	12.9	17.3	14.7
Alcohol (Binge: 5+ drinks on one occassion)		10.1	13.9
Cigarettes	8.6	10.0	12.8
Chewing Tobacco	4.2	5.8	8.2
Marijuana	5.4	4.3	7.3
Inhalants	1.1	3.6	2.7
Prescription medications not prescribed for student	5.4	4.3	8.0
Over-the-counter medications for non-medical use	0.0	2.2	4.1
Percent of students who, in past 2 weeks, used:			
Alcohol (Binge: 5+ drinks on one occassion)	6.4		
Percent whose friends used in past 12 months:			
Alcohol	35.1	43.9	52.3
Cigarettes	29.0		
Marijuana	22.3	23.0	
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	5.3	14.3	
Percent who would likely use, if offered by a best friend:	40.4	20.2	20.0
Alcohol	19.4	22.3	
Cigarettes Marijuana	10.9 10.6	10.8 6.5	
Wanjuana	10.0	0.5	3.4
Percent who say it would be wrong to use:			
Alcohol	71.0	69.8	
Cigarettes	89.2	86.3	
Marijuana	88.0	87.8	
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.7	97.1	94.7
Percent whose parents would disapprove if they use:			
Alcohol	82.8	81.2	83.3
Cigarettes	94.6	92.8	90.5
Marijuana	95.7	95.6	93.9
Percent who say it would be easy to obtain:			
Alcohol	46.2	55.0	53.6
Clgarettes	47.3	50.7	54.0
Marijuana	29.0	29.5	38.4
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	10.6	15.8	22.5

DENT SURVEY			
Percent who believe they risk harm if they use:	2014	2012	2010
Alcohol (1 or 2 drinks daily)	62.8		
Alcohol (Binge: 5+ drinks once or twice a week)	74.5		
Alcohol (any use)	74.5	76.3	78.8
	87.1	70.3	70.0
Cigarettes (1+ packs per day)	07.1	05.7	00.0
Cigarettes (any use)	70.4	85.7	82.8
Marijuana (once or twice a week)	73.4		
Marijuana (any use)		79.1	74.0
Other: Cocaine, LSD, Meth, Club Drug (any use)	92.5	96.4	91.4
Percent of students who, in past 30 days:			
Were very sad	19.4	17.1	11.3
Were grouchy, irritable, or in a bad mood	24.7	27.3	19.3
Felt hopeless about the future	12.8	13.0	10.1
Felt like not eating or eating more than usual	16.0	14.6	17.4
Slept a lot more or a lot less than usual	14.0	18.0	19.9
Had difficulty concentrating on school work	25.5	25.2	24.8
	_0.0		
Percent of students who, in past 12 months:			
Seriously considered attempting suicide	10.5	10.8	7.3
Made plan about how they would attempt suicide	8.5	7.9	6.0
Attempted suicide	4.3	4.3	3.3
Attempted suicide and resulting injury, poisonng, or overdose	2.2	1.5	1.4
had to be treated by doctor or nurse	2.2	1.0	1.7
Percent of students who, in past 12 months:			
Were threatened/injured with weapon at school	7.5	7.9	7.9
Were in a physical fight	19.1	20.9	23.8
Were in a fight and had to be treated by a doctor or nurse	4.3	2.9	2.6
Percent of students who, in past 3 months:			
Were victims of mean rumors or lies spread at school	57.4	53.6	62.2
Were made fun of by others	65.6	66.2	75.5
Were victims of an embarrassing or hurtful text message or something posted on the internet	25.5	22.1	23.5
Spread mean rumors or lies about other kids at school	23.2	31.4	39.7
Made fun of other people	52.1	67.9	73.5
Posted something on the internet or sent a text that might			
embarrass or hurt another student	13.8	13.7	20.0
Descript of attribute who assure that			
Percent of students who agree that:	00.5	70.0	70.5
Teachers notice and comment on student's good work	69.5	72.9	72.5
School provides feedback to parents on positive student performance	42.6	38.1	50.3
Rules are enforced fairly	69.1	56.5	68.9
Students of all races/ethnicities are treated equal	85.1	78.3	85.3
Percent of students who agree that:			
Parents notice and comment on student's good work	79.8	87.1	88.6
Parents involve student in making family decisions	71.3	74.8	73.0
It is important to be honest with parents regardless of	, 1.5	7 7.0	7 3.0
consequences	88.3	90.6	85.9
Student could ask parent for help with a personal problem	78.7	81.3	84.0
Stadent could ask parent for help with a personal problem	10.1	01.0	U-1.U

Missouri Student Survey is conducted biennially.
Similar affirmative response choices for individual questions are combined.
Blank data cells indicate estimates are not available for item or geographic area. Survey is not conducted in every school district nor reported for every county. Estimates are not available for counties with small numbers of respondents. Percentages are estimates based on weighted data.

Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

DALLAS COUNTI							
DBH REGION		Southwest		IMPAIRED DRIVING	2013	2012	2011
DBH SERVICE	AREAS			Alcohol Involved CrashesTotal	15	10	11
Substance	Use	10		Fatal Crashes	0	1	0
Adult Psych	niatric	10		Injury Crashes	9	6	5
POPULATION				Property Damage Crashes	6	3	6
Census 20	10	16,777		Crash Fatalities	0	1	0
2014 Estim	ate	16,389		Crash Injuries	13	7	6
				Drug Involved CrashesTotal	2	2	0
				Fatal Crashes	0	0	0
BIRTH RISK	2013	2012	2011	Injury Crashes	1	2	0
Resident BirthsTotal	2013	192	2011	Property Damage Crashes	1	0	0
Mother Reported Smoking while Pregnant	43	41	39	Crash Fatalities	0	0	0
- Wother Reported Smoking while i regnant	43	41	39	Crash Injuries	1	5	0
DISEASE INCIDENCE 1	2013	2012	2011				
HIV/AIDS Cases	1	0	1	POLICE REPORTS	2013	2012	2011
Hepatitis B Chronic, Acute, Prenatal	1	0	0	DUI Arrests, DWI Tracking System	74	116	76
Hepatitis C Chronic and Acute	16	8	13	Liquor Law Arrests	53	83	82
Tuberculosis Infection Cases	1	1	5	Drug Arrests	129	132	94
				Violent Offenses	40	34	40
DEATHS and INJURIES	2013	2012	2011	Property Offenses	340	401	325
Resident DeathsTotal	194	162	149	Domestic Violence Reports	98	128	115
Suicides	4	1	3		2014	2013	2012
Self-inflicted Injuries	18	8	22	Methamphetamine Lab Seizures	5	10	12
Homicides	0	1	0	SCHOOL REPORTS	2013-14	2012-13	2011-12
Assault Injuries	35	64	35	Enrollment Grades 9-12	486	496	556
Alcohol Induced Deaths	1	4	0	Drop-outs	10	19	28
Drug Induced Deaths	2	1	3	Drop-out Rate	2.1%	3.8%	5.0%
Smoking Attributable Deaths	42	35	22	School Discipline Involving Alcohol	0	1	1
HOSPITAL EPISODES 2	2013	2012	2011	School Discipline Involving Drugs	5	6	11
Hospitalization, no Emergency Room:	2013	2012	2011	School Discipline Involving Tobacco	0	0	3
Mental Illness Principal Diagnosis	110	89	99	_			
Mental Illness Secondary Diagnosis	148	165	163	JUVENILE COURT REFERRALS 3	2013	2012	2011
Alcohol Principal Diagnosis	7	3	0	Juvenile Violent Offenses	20	27	28
Alcohol Secondary Diagnosis	4	6	2	Juvenile Alcohol Offenses	6	2	2
Drug Principal Diagnosis	3	8	0	Juvenile Drug Offenses	7	10	8
Drug Secondary Diagnosis	8	14	6	School Truancy Status Offense	12	14	6
Emergency Room + Hospitalization:				Absent from Home Status Offense	6	6	14
Mental Illness Principal Diagnosis	72	69	57	Beyond Parental Control Status Offense	8	14	14
Mental Illness Secondary Diagnosis	324	315	260	Injurious Behavior Status Offense	1	7	6
Alcohol Principal Diagnosis	10	15	16	Child Abuse	44	42	58
Alcohol Secondary Diagnosis	31	31	31	Child Neglect	69	82	62
Drug Principal Diagnosis	21	20	13	Child Custody Issues	3	0	0
Drug Secondary Diagnosis	23	18	27	JUVENILE COURT PLACEMENTS	2013	2012	2011
Emergency Room, no Hospitalization:				Out-of-Home PlacementsTotal	16	22	6
Mental Illness Principal Diagnosis	107	119	143	Parental Alcohol Use Related	1	4	0
Mental Illness Secondary Diagnosis	1,013	893	394	Parental Drug Use Related	5	4	1
Alcohol Principal Diagnosis	29	18	30	Parental Alcohol and Drug Use	0	0	0
Alcohol Secondary Diagnosis	34	24	26	•			
Drug Principal Diagnosis	16	33	32	CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Secondary Diagnosis	44	53	40	Drug Court Participants	0	0	0
				Probation/Parole AdmissionsDrug	39	30	24
ALCOHOL OUTLETS	2014	2013	2012	Probation/Parole AdmissionsDWI	6	5	8
Alcohol On-Premise Drink Licenses	8	10	10	Prison AdmissionsDrug	16	18	18
Alcohol Package Carry-out Licenses	19	19	17	Prison AdmissionsDWI	11	8	2
EMPLOYMENT	2014	2013	2012	1 All Kansas City hepatitis and TB case report			County
Labor Force	7,086	7,106	7,201	totals and all Joplin case reports are include Beginning with 2010 data, diagnosis counts			es are
Employed	6,561	6,584	6,623	based on codes developed by the Healthcar	e Cost and L	Itilization Pro	ject.
Unemployed	525	522	578	3 Beginning in 2013, juvenile municipal violati- court orders are categorized as status offens			

7.4%

7.3%

8.0%

Unemployment Rate

court orders are categorized as status offenses instead of law violations.

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

FY2014	FY2013	FY2012
7	10	5
5	*	8
9	6	5
57	42	43
*	*	0
7	9	9
*	9	6
0	0	0
	7 5 9 57 *	7 10 5 * 9 6 57 42 * *

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	46	42	55
- Adolescent Diversion Education Prograr	*	*	*
- Offender Education Program	12	20	27
- Weekend Intervention Program	13	8	8
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	*	*
Compulsive Gambling	0	0	0
Recovery Supports	10	*	6
Early Intervention	0	6	7

NUMBER ADMITTED	FY2014	FY2013	FY2012	PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Total Individuals	80	71	70	Alcohol	23	30	23
				Marijuana / Hashish	20	13	23
AGE	_	*	_	Cocaine (total)	0	0	*
Under 18	5		8	- Crack	0	0	*
18 to 24	16	9	12	Stimulant (total)	32	21	11
25 to 29	8	16	9	- Methamphetamine	31	21	11
30 to 34	12	6	12	Heroin	0	*	0
35 to 39	10	12	7	Analgesic except Heroin	5	*	10
40 to 44	13	11	5	- Non-Prescription Methadone	0	0	0
45 to 54	12	10	15	PCP, LSD, other Hallucinogen	0	0	0
55 and Over	*	5	*	Tranquilizer	0	0	0
GENDER				Inhalant	0	0	0
Male	52	46	48	Sedative	0	0	0
Female	28	25	22	Other Medication or Illicit Drug	0	*	*
				Average Age at First Use of Drug	16.6	17.6	15.8
RACE / ETHNICITY	70	70	00				
Caucasian	78	70	68	INJECTION DRUG USE			
African American	0	0		Any Injection Use at Admission	27	12	12
Native American / Alaskan	0		0	- Daily Injection Use	0	*	0
Asian / Pacific Islander	0	0	0	- Weekly Injection Use	11	5	*
Hispanic	*	0	*	- Less than Weekly Injection Use	16	6	9
Other Race / Two or More Races	•	0	0	, ,			
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	26	22	30	0	55	39	36
High School Graduate or G.E.D.	45	34	30	1 or 2	16	23	22
Associate Degree or Some College	9	15	10	3 or More	9	9	12
Bachelor or Advanced Degree	0	0	0	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	18	24	13
Employed	16	19	20	School	0	0	0
Unemployed	31	15	24	Mental Health Provider	*	*	0
Not in Labor Force	33	37	26	Health Care Provider	*	5	*
Not in Eddor Forde	55	37	20	Court / Criminal Justice	44	27	48
HOUSING / LIVING ARRANGEMENT				Other Referral Source	11	13	7
Independent Living	68	61	57	Other Reichar Gource		10	,
Dependent Living	10	6	12	TREATMENT ACCOMMODATION			
Homeless	*	*	*	Pregnant when Admitted to any Episode	*	0	0
MARITAL / FAMILY STATUS				Military Veteran	*	*	*
Never Married	33	26	33	Special Education Services Needed	6	10	13
Married / Cohabitating	22	20	22	Co-Occurring Psychological Problem	35	33	33
Previously Married	25	25	15	Co-Occurring Developmental Problem	*	7	*
1 Toviodory Marriod	20	20	10	33 Coodining Developmental Froblem		,	

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Southwest
PSYCHIATRIC SERVICE AREA 10
CENSUS 2010 16,777
2014 POPULATION ESTIMATE 16,389

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.						
DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012			
Adjustment Disorder	6	5	*			
Anxiety Disorder	35	27	33			
Dementia	*	*	*			
Developmental Disorder	*	*	*			
Impulse Control Disorder	11	8	7			
Mood Disorder	41	43	57			
Personality Disorder	17	16	13			
Psychotic Disorder	27	24	23			
Sexual Disorder	0	0	0			
Other Diagnosis	11	8	12			
Diagnosis Unknown	*	7	14			

Individuals who received psychiatric services had the following types of

NUMBER SERVED	FY2014	FY2013	FY2012	EDUCATION	FY2014	FY2013	FY2012
Total Individuals	79	75	95	Less than High School Diploma	21	9	18
Total Marvidualo			00	High School Grad or G.E.D.	0	0	20
AGE				Associate Degree or Some College	0	*	6
Under 6	*	*	*	Bachelor or Advanced Degree	0	0	*
6 to 9	12	6	*	Education Level Unknown	58	65	49
10 to 13	*	*	5	Education Level Officiown	30	00	70
14 to 17	*	5	9	EMPLOYMENT			
18 to 24	*	*	5	Employed	*	*	0
25 to 29	*	5	5	Unemployed	*	*	37
30 to 34	9	5	8	Not in Labor Force	35	26	14
35 to 39	9	8	11	Employment Status Unknown	40	45	44
40 to 44	8	10	10				
45 to 49	8	10	11	HOUSING / LIVING ARRANGEMENT			
50 to 54	8	6	8	Independent Living	20	19	33
55 to 59	5	6	8	Dependent Living	17	8	18
60 and Over	6	6	10	Homeless	0	0	*
Age Unknown	0	0	0	Other	0	*	*
arunen.				Housing Unknown	42	47	42
GENDER Male	44	20	40				
Female	41	38	49	TREATMENT REFERRAL SOURCE			
	38	37	46	Self / Family / Friend	42	39	49
Gender Unknown	0	0	0	School	0	0	*
RACE / ETHNICITY				Mental Health Provider	*	5	5
Caucasian	77	73	91	Health Care Provider	12	8	13
African American	0	0	0	Court / Criminal Justice	*	*	8
Native American / Alaskan	0	0	0	Other	20	20	18
Asian / Pacific Islander	0	0	0	Referral Source Unknown	0	0	*
Hispanic	0	0	*				
Other Race	*	*	*	TYPE OF COMMITMENT	70		
Race/Ethnicity Unknown	0	0	0	Voluntary	79	74 *	90
				Civil	0		*
TREATMENT ACCOMMODATION				Criminal	0	0	*
Hearing Impaired	*	*	*	Sexual Predatory	0	0	0
Past or Current Military Service	*	*	*	Commitment Type Unknown	0	0	*

MISSOURI STUDENT SURVEY

Percent of students who have ever used	2014	2012	2010	Descent who heliave they rick harm if they use.	2014	2012	2010
Percent of students who have ever used: Alcohol		39.5	38.8	Percent who believe they risk harm if they use: Alcohol (1 or 2 drinks daily)			
Cigarettes		30.3		Alcohol (Binge: 5+ drinks once or twice a week)			
Chewing Tobacco		17.5		Alcohol (any use)		76.7	85.1
Marijuana		13.2		Cigarettes (1+ packs per day)			00
Inhalants		4.9	5.6	Cigarettes (any use)		81.1	83.4
Prescription medications not prescribed for student		8.0	13.3	Marijuana (once or twice a week)			
Over-the-counter medications for non-medical use		6.3	6.5	Marijuana (any use)		76.8	80.5
Methamphetamine		1.8	0.8	Other: Cocaine, LSD, Meth, Club Drug (any use)		92.6	97.3
Cocaine		2.1	0.8				
Heroin		1.1	0.0	Percent of students who, in past 30 days:		00.0	40.0
Hallucinogens		2.5	1.4	Were very sad		20.9	13.0
Club drugs (Ecstasy, GHB, roofie, Special K, etc)		2.5	1.1	Were grouchy, irritable, or in a bad mood		27.3	21.9
Steroids not prescribed for student		2.8	0.5	Felt like and action on action many than your		12.6	9.1
Synthetic drugs (K2, bath salts, Spice, etc)		5.9		Felt like not eating or eating more than usual		19.0	11.9
Average are of studental first use of				Slept a lot more or a lot less than usual		19.6	21.1
Average age of students' first use of: Alcohol		12.50	12.10	Had difficulty concentrating on school work		24.8	19.0
			12.10 11.72	Percent of students who, in past 12 months:			
Cigarettes				Seriously considered attempting suicide		14.7	11.3
Marijuana Inhalants			12.98 12.45	Made plan about how they would attempt suicide		9.5	9.8
mialans		12.10	12.40	Attempted suicide		6.7	3.7
Percent of students who, in past 30 days, used:				Attempted suicide and resulting injury, poisonng, or overdose		3.2	0.5
Alcohol		13.3	15.4	had to be treated by doctor or nurse		3.2	0.5
Alcohol (Binge: 5+ drinks on one occassion)		7.0	8.9	Percent of students who, in past 12 months:			
Cigarettes		13.6	8.8	Were threatened/injured with weapon at school		6.6	12.4
Chewing Tobacco		9.8	12.7	Were in a physical fight		21.3	21.6
Marijuana		5.6	4.0	Were in a fight and had to be treated by a doctor or nurse		3.5	2.7
Inhalants		1.4	3.2				
Prescription medications not prescribed for student		4.9	7.1	Percent of students who, in past 3 months:			
Over-the-counter medications for non-medical use		4.5	3.8	Were victims of mean rumors or lies spread at school		51.2	59.6
Percent of students who, in past 2 weeks, used:				Were made fun of by others		61.1	67.1
Alcohol (Binge: 5+ drinks on one occassion)				Were victims of an embarrassing or hurtful text message or		18.9	18.3
				something posted on the internet		04.0	00.4
Percent whose friends used in past 12 months:				Spread mean rumors or lies about other kids at school		21.8	28.4
Alcohol		47.6		Made fun of other people		60.7	68.6
Cigarettes		42.9		Posted something on the internet or sent a text that might embarrass or hurt another student		8.4	16.6
Marijuana		28.7		Cribariass of Hart another stauent			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)		12.3	11.9	Percent of students who agree that:			
Percent who would likely use, if offered by a best friend:				Teachers notice and comment on student's good work		58.7	61.3
Alcohol		22.7	26.5	School provides feedback to parents on positive student		26.8	33.9
Cigarettes		11.3	10.4	performance		20.0	33.9
Marijuana		11.2		Rules are enforced fairly		54.1	61.5
•				Students of all races/ethnicities are treated equal		72.7	78.0
Percent who say it would be wrong to use:				Percent of students who agree that:			
Alcohol		66.0		Parents notice and comment on student's good work		78.5	84.5
Cigarettes		81.1		Parents involve student in making family decisions		67.0	66.7
Marijuana		83.2		It is important to be honest with parents regardless of		01.0	00.1
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)		95.8	98.7	consequences		87.0	91.1
Percent whose parents would disapprove if they use:				Student could ask parent for help with a personal problem		77.5	71.8
Alcohol		81.6	80.8	2.2.2. Sound done parone for many many a porsonial problem			
Cigarettes		90.2	91.0	Missouri Student Survey is conducted biennially.			
Marijuana		92.6	95.9	Similar affirmative response choices for individual questions are			
Percent who say it would be easy to obtain:				Blank data cells indicate estimates are not available for item or Survey is not conducted in every school district nor reported for			
Alcohol		47.3	52.4	Estimates are not available for counties with small numbers of re			
Cigarettes		49.1		Percentages are estimates based on weighted data. Some year-to-year differences in percentages are not statistical	v signifi	cant	
Marijuana		32.0		Some your to your differences in percentages are not statistical	y Signiff	ount.	
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)		18.0		Data source: Missouri Institute of Mental Health, 2010-2014 Mis	souri St	udent Sเ	ırveys
outer mich (cocame, LSD, Well), Club Drug, etc)		10.0	10.4				

DAVILOS COUN							
DE DE	BH REGION	Western		IMPAIRED DRIVING	2013	2012	2011
DE	BH SERVICE AREAS			Alcohol Involved CrashesTotal	6	10	2
S S S S S S S S S S S S S S S S S S S	Substance Use	13		Fatal Crashes	1	1	0
A CONTRACTOR A	dult Psychiatric	13		Injury Crashes	5	5	1
PC	PULATION			Property Damage Crashes	0	4	1
	Census 2010	8,433		Crash Fatalities	1	1	0
	014 Estimate	8,297		Crash Injuries	5	6	1
				Drug Involved CrashesTotal	2	3	3
				Fatal Crashes	0	0	0
BIRTH RISK	2013	2012	2011	Injury Crashes	1	1	2
Resident BirthsTotal	107	106	110	Property Damage Crashes	1	2	1
Mother Reported Smoking while		23	20	Crash Fatalities	0	0	0
	· ·			Crash Injuries	1	1	2
DISEASE INCIDENCE 1	2013	2012	2011	POLICE REPORTS	2013	2012	2011
HIV/AIDS Cases	0	0	0	DUI Arrests, DWI Tracking System	27	38	47
Hepatitis B Chronic, Acute, Pren		0	0	Liquor Law Arrests	3	1	7
Hepatitis C Chronic and Acute	5	1	4	Drug Arrests	57	44	53
Tuberculosis Infection Cases	0	0	0	Violent Offenses	6	6	7
DEATHS and INJURIES	2013	2012	2011	Property Offenses	64	97	89
Resident DeathsTotal	95	90	84	Domestic Violence Reports	14	15	18
Suicides	3	2	3	·	2014	2013	2012
Self-inflicted Injuries	1	9	11	Methamphetamine Lab Seizures	0	0	0
Homicides	0	0	0				
Assault Injuries	10	11	21	SCHOOL REPORTS	2013-14	2012-13	2011-12
Alcohol Induced Deaths	0	0	0	Enrollment Grades 9-12	353	348	350
Drug Induced Deaths	0	1	0	Drop-outs	3	0	5
Smoking Attributable Deaths	21	19	17	Drop-out Rate	0.8%	0.0%	1.4%
				School Discipline Involving Alcohol	0 1	0 2	0
HOSPITAL EPISODES 2	2013	2012	2011	School Discipline Involving Drugs School Discipline Involving Tobacco	0	0	0
Hospitalization, no Emergency R		45	25	School discipline involving robacco	U	U	U
Mental Illness Principal Diagnos		45	35	JUVENILE COURT REFERRALS 3	2013	2012	2011
Mental Illness Secondary Diagram	osis 80	94 2	93 7	Juvenile Violent Offenses	6	6	2
Alcohol Principal Diagnosis Alcohol Secondary Diagnosis	3	5	, 5	Juvenile Alcohol Offenses	0	2	0
Drug Principal Diagnosis	1	2	2	Juvenile Drug Offenses	2	0	0
Drug Secondary Diagnosis	7	5	7	School Truancy Status Offense	3	24	1
Emergency Room + Hospitalizati		3	,	Absent from Home Status Offense	2	6	0
Mental Illness Principal Diagnos		18	13	Beyond Parental Control Status Offense	7	9	1
Mental Illness Secondary Diagr		110	115	Injurious Behavior Status Offense	17	14	1
Alcohol Principal Diagnosis	2	2	3	Child Abuse	2	0	4
Alcohol Secondary Diagnosis	6	11	5	Child Neglect	3	5	3
Drug Principal Diagnosis	0	2	1	Child Custody Issues	0	0	2
Drug Secondary Diagnosis	8	6	6	JUVENILE COURT PLACEMENTS	2013	2012	2011
Emergency Room, no Hospitaliza	ation:			Out-of-Home PlacementsTotal	10	17	6
Mental Illness Principal Diagnos	sis 44	44	47	Parental Alcohol Use Related	0	0	0
Mental Illness Secondary Diagr	osis 55	61	74	Parental Drug Use Related	2	7	1
Alcohol Principal Diagnosis	5	14	9	Parental Alcohol and Drug Use	0	3	1
Alcohol Secondary Diagnosis	7	10	13		EV004.4	EV0040	51/0040
Drug Principal Diagnosis	2	6	4	CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Secondary Diagnosis	9	9	8	Drug Court Participants	0	0	0
				Probation/Parole AdmissionsDrug Probation/Parole AdmissionsDWI	29 8	45 7	40 8
ALCOHOL OUTLETS	2014	2013	2012	Prison AdmissionsDrug	o 21	22	27
Alcohol On-Premise Drink Licens		5	6	Prison AdmissionsDWI	2	5	6
Alcohol Package Carry-out Licer	nses 11	10	12		_	<u> </u>	
EMPLOYMENT	2014		2012	1 All Kansas City hepatitis and TB case report totals and all Joplin case reports are include			County
Labor Force	4,059	3,972	3,931	2 Beginning with 2010 data, diagnosis counts			es are
Employed	3,823	3,735	3,656	based on codes developed by the Healthcar			
Unemployed	236	237	275	3 Beginning in 2013, juvenile municipal violati court orders are categorized as status offen:			

5.8%

6.0%

7.0%

Unemployment Rate

court orders are categorized as status offenses instead of law violations.

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	*	*	0
CSTAR Adolescent	*	*	*
CSTAR Women and Children	0	0	0
CSTAR General Adult	21	25	31
CSTAR Opioid	0	0	0
Primary Recovery Treatment	7	11	*
Clinical SATOP (CIP, YCIP, SROP)	*	5	7
Other Substance Abuse Treatment	0	*	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	24	32	19
- Adolescent Diversion Education Prograr	*	*	0
- Offender Education Program	*	9	6
- Weekend Intervention Program	7	11	5
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	0	0
Compulsive Gambling	0	0	0
Recovery Supports	0	*	0
Early Intervention	*	*	5

NUMBER ADMITTED	FY2014	FY2013	FY2012	PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Total Individuals	31	39	43	Alcohol	13	18	20
Total Marvidadio	0.	00	10	Marijuana / Hashish	9	11	13
AGE				Cocaine (total)	0	0	0
Under 18	*	*	*	- Crack	0	0	0
18 to 24	6	13	6	Stimulant (total)	7	9	9
25 to 29	*	*	6	- Methamphetamine	7	9	9
30 to 34	*	7	9	Heroin	0	0	0
35 to 39	5	5	*	Analgesic except Heroin	*	*	0
40 to 44	*	*	8		0	0	0
45 to 54	7	9	7	- Non-Prescription Methadone	-	-	
55 and Over	*	0	*	PCP, LSD, other Hallucinogen	0	0	0
				Tranquilizer	0	0	
GENDER				Inhalant	0	0	0
Male	21	27	31	Sedative	0	0	0
Female	10	12	12	Other Medication or Illicit Drug	0	0	0
RACE / ETHNICITY				Average Age at First Use of Drug	15.4	16.6	16.9
Caucasian	30	39	42				
African American	0	0	0	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	*	5	*
Asian / Pacific Islander	0	0	0	- Daily Injection Use	0	*	0
Hispanic	*	0	*	- Weekly Injection Use	0	0	0
Other Race / Two or More Races	0	0	0	- Less than Weekly Injection Use	*	*	*
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	12	15	12	0	17	18	27
High School Graduate or G.E.D.	16	19	25	1 or 2	8	13	9
Associate Degree or Some College	*	5	6	3 or More	6	8	7
Bachelor or Advanced Degree	0	0	0		· ·	· ·	•
240110101 01 7 14 14 11 20 4 20 g 10 0	· ·	· ·	ŭ	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	7	*	*
Employed	13	10	14	School	0	0	0
Unemployed	11	23	22	Mental Health Provider	*	0	*
Not in Labor Force	7	6	7	Health Care Provider	*	*	0
				Court / Criminal Justice	8	14	27
HOUSING / LIVING ARRANGEMENT	0.7	20	20	Other Referral Source	14	20	11
Independent Living	27	36	39				
Dependent Living				TREATMENT ACCOMMODATION			
Homeless	0	0	0	Pregnant when Admitted to any Episode	0	0	0
MARITAL / FAMILY STATUS				Military Veteran	0	*	6
Never Married	14	18	19	Special Education Services Needed	*	*	*
Married / Cohabitating	11	11	12	Co-Occurring Psychological Problem	16	16	9
Previously Married	6	10	12	Co-Occurring Developmental Problem	0	*	0
	3	10	12	25 Coodining Dovolopinoniai i Toblom	3		3

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Western
PSYCHIATRIC SERVICE AREA 13
CENSUS 2010 8,433
2014 POPULATION ESTIMATE 8,297

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.						
DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012			
Adjustment Disorder	*	*	*			
Anxiety Disorder	26	29	41			
Dementia	0	0	0			
Developmental Disorder	*	5	5			
Impulse Control Disorder	16	23	28			
Mood Disorder	44	55	64			
Personality Disorder	7	6	7			
Psychotic Disorder	6	7	6			
Sexual Disorder	*	0	0			
Other Diagnosis	9	11	7			
Diagnosis Unknown	*	*	*			

Individuals who received psychiatric services had the following types of

NUMBER SERVED	FY2014	FY2013	FY2012	EDUCATION	FY2014	FY2013	FY2012
Total Individuals	64	78	88	Less than High School Diploma	20	38	6
Total Marviadalo	0.1		00	High School Grad or G.E.D.	*	5	11
AGE				Associate Degree or Some College	*	*	*
Under 6	0	0	0	Bachelor or Advanced Degree	0	0	0
6 to 9	5	9	9	Education Level Unknown	41	33	67
10 to 13	7	6	7	Education Edver Officiowin	71	00	01
14 to 17	7	22	15	EMPLOYMENT			
18 to 24	5	*	8	Employed	9	11	6
25 to 29	*	6	6	Unemployed	6	5	11
30 to 34	*	*	6	Not in Labor Force	39	50	9
35 to 39	5	6	5	Employment Status Unknown	10	12	62
40 to 44	*	*	7				
45 to 49	8	6	8	HOUSING / LIVING ARRANGEMENT			
50 to 54	8	5	9	Independent Living	36	32	22
55 to 59	7	*	*	Dependent Living	15	34	5
60 and Over	*	*	5	Homeless	0	0	0
Age Unknown	0	0	0	Other	0	0	0
CENDED				Housing Unknown	13	12	61
GENDER Male	27	36	25				
Female	37	36 42	35 53	TREATMENT REFERRAL SOURCE			
Gender Unknown	_			Self / Family / Friend	32	32	37
Gender Unknown	0	0	0	School	*	*	*
RACE / ETHNICITY				Mental Health Provider	6	8	13
Caucasian	62	76	86	Health Care Provider	10	9	15
African American	0	0	*	Court / Criminal Justice	8	10	8
Native American / Alaskan	0	0	0	Other	7	17	13
Asian / Pacific Islander	0	0	0	Referral Source Unknown	0	0	*
Hispanic	*	*	0				
Other Race	*	*	*	TYPE OF COMMITMENT	00	70	07
Race/Ethnicity Unknown	0	0	0	Voluntary	63	78	87
•				Civil	0	0	0
TREATMENT ACCOMMODATION		_	•	Criminal		0	0
Hearing Impaired	*	0	0	Sexual Predatory	0	0	0
Past or Current Military Service	*	*	*	Commitment Type Unknown	0	0	*

MISSOURI STUDENT SURVEY

Personal state state who have ever used:								
Aborbed Sparr Sp	Percent of students who have ever used:	2014	2012	2010	Percent who believe they risk harm if they use:	2014	2012	2010
Cheming Totacco 14,9 13,0 24,4	Alcohol	34.7	31.0	49.5	The state of the s	49.0		
Cheming Totacco 14,9 13,0 24,4	Cigarettes	26.7	30.3	29.3	The state of the s	61.4		
Protecting from middlellors not prescribed for student 30, 82, 31, 82, 95, 95, 83, 83, 95, 95, 95, 95, 95, 95, 95, 95, 95, 95	Chewing Tobacco	14.9	19.3	23.4			68.3	82.6
Description medications for prescribed for student Substitute Su	Marijuana	11.9	13.0	14.8	Cigarettes (1+ packs per day)	80.0		
Marijuana (pary uso)	Inhalants	5.0	9.6	7.1	Cigarettes (any use)		76.7	79.3
Mehr	Prescription medications not prescribed for student	8.0	12.3	19.2	Marijuana (once or twice a week)	69.0		
Percent of students who, in past 30 days: Percent days: Percent of students who, in past 30 days: Percent days: Percent of students who, in past 30 days: Percent days: Percent of students who, in past 30 days: Percent days: Percent of students who, in past 30 days: Percent days: Percent of students who, in past 30 days: Percent days	Over-the-counter medications for non-medical use	3.0	8.3	9.5	Marijuana (any use)		80.0	77.0
Percent of Students who, in past 3 diagnoses Percent whose if heads in prescribed for students who, in past 3 diagnoses 14,9 24,0 31,0 32,0 32,0 33,0 33,0 34,0 34,0 34,0 34,0 34,0 34	Methamphetamine	0.0	2.8	1.7	Other: Cocaine, LSD, Meth, Club Drug (any use)	92.0	91.7	93.9
More very said More	Cocaine	1.0	2.8	4.9	Demont of students who in next 20 days.			
Mallucingers 1,0 5,5 3,3 1,0 1	Heroin	0.0	2.8	2.2		140	24.0	7.0
Scheduling (existay, GHs, none, special K, etc.) 1,0 5,5 3,4 3,8	Hallucinogens	1.0	5.5	3.3	1	_	_	
Selections not prescribed for students 1,0 3,4 3,8 3,9 3,9 3,10 3,4 3,8 3,9 3,10 3,4 3,8 3,10 3,10 3,4 3,8 3,10	Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.0	5.5	3.3		_		
Symble drugs (LZ, belth saids, Spece, etc) Symble Teachers	Steroids not prescribed for student	1.0	3.4	3.8	· · · · · · · · · · · · · · · · · · ·			
Mariguna 12.99 12.57 12.71 12.61 13.88 12.77 12.61 13.88 1	Synthetic drugs (K2, bath salts, Spice, etc)	5.9	11.6				-	_
Acchol	Average age of students' first use of				•			_
Percent of Students who, in past 30 days, used: Alcohol 14.9 13.8 2.17 12.57 Alcohol 14.9 13.8 2.13 Alcohol 14.9 14.8 Alcoho	0 0	12.00	12.57	12 77	Had difficulty concentrating off school work	20.8	23.4	14.2
Marijuana 14.27 13.48 13.94 13.64 13.94 13.64 13.64 13.64 13.64 13.64 13.64 13.64 13.64 13.64 13.65 13.75					Percent of students who, in past 12 months:			
Inhalants					Seriously considered attempting suicide	9.9	12.6	10.3
Altenpled suicide and resulting injury, polsoning, or overdoose had to be treated by dootro or nurse and templed suicide and resulting injury, polsoning, or overdoose had to be treated by dootro or nurse and templed suicide and resulting injury, polsoning, or overdoose had to be treated by dootro or nurse and temple suicide and resulting injury, polsoning, or overdoose had to be treated by dootro or nurse and temple suicide and resulting injury, polsoning, or overdoose had to be treated by dootro or nurse and temple suicide and resulting injury, polsoning, or overdoose had to be treated by dootro or nurse and temple suicide and resulting injury, polsoning, or overdoose had to be treated by a dootro or nurse and temple suicide and resulting injury, polsoning, or overdoose had to be treated by a dootro or nurse and temple suicide and resulting injury, polsoning, or overdoose had to be treated by a dootro or nurse and temple suicide and resulting injury, polsoning, or overdoose had to be treated by a dootro or nurse and temple suicide and resulting injury, polsoning, or overdoose had to be treated by a dootro or nurse and temple suicide and resulting injury, polsoning, or overdoose had to be treated by a dootro or nurse and temple suicide. Alternoof suicides and suicides and resulting injury, polsoning, or overdoose had to be treated by a dootro or nurse and suicides and resulting injury, polsoning, or overdoor suicides and resulting injury, polsoning, or overdoo	-				Made plan about how they would attempt suicide	8.0	9.7	6.5
Alcohol (Binge: 5+ drinks on one occassion) Alcohol (Binge: 5+ drinks on one occassion) 7.9 11.6 12.0 Alcohol (Binge: 5+ drinks on one occassion) 7.9 11.6 12.0 Antipiana 4.0 5.5 7.7 Inhalants 2.0 6.8 9.9 Percent of students who, in past 12 months: 4.0 6.5 7.7 Inhalants 7.5 6.1 Vere the counter medications for non-medical use 7.5 1.6 1.7 Alcohol (Binge: 5+ drinks on one occassion) 8.9 9 Percent of students who, in past 12 months: Alcohol (Binge: 5+ drinks on one occassion) 8.9 9 Percent whose filends used in past 12 months: Alcohol (Binge: 5+ drinks on one occassion) 8.0 5 5 7.7 Alcohol (Binge: 5+ drinks on one occassion) 8.0 5 5 7.7 Alcohol (Binge: 5+ drinks on one occassion) 8.0 5 5 7.7 Percent whose filends used in past 12 months: 4.0 6 1.0 7.5 6.1 Alcohol (Binge: 5+ drinks on one occassion) 8.0 5 5 7.7 Alcohol (Binge: 5+ drinks on one occassion) 8.0 7 5 6.1 Alcohol (Binge: 5+ drinks on one occassion) 8.0 7 7.5 Alcohol (Binge: 5+ drinks on one occassion) 8.0 7 7.5 Alcohol (Binge: 5+ drinks on one occassion) 8.0 8 7 8 7 8 7 8 8 8 8 8 8 8 8 8 8 8 8 8	initalants	12.75	12.17	12.55	Attempted suicide	4.0	7.6	3.8
Alcohol (Binge: 5- drinks on one occassion) Alcohol (Binge: 5- dr	Percent of students who, in past 30 days, used:					0.0	F 0	2.2
Cigarettes	Alcohol	14.9	13.8	21.3	had to be treated by doctor or nurse	0.0	5.0	2.2
Were threatened/injured with weapon at school 3,0 5,5 8,2	Alcohol (Binge: 5+ drinks on one occassion)		9.0	13.5	Percent of students who in past 12 months			
Chewing Tobacco	Cigarettes	13.9	16.8	14.1	· ·	3.0	5.5	8.2
Marijuana 4.0 5.5 7.7	Chewing Tobacco	7.9	11.6	12.0	The state of the s			-
Inhalants 2.0 4.1 3.3 3.9 Prescription medications not prescribed for student 2.0 6.8 9.9 Percent of students who, in past 2 weeks, used: Alcohol (Binge: 5+ drinks on one occassion) 6.9	Marijuana	4.0	5.5	7.7				
Near-the-counter medications for non-medical use 1.0 7.5 6.1	Inhalants	2.0	4.1	3.3	Word in a light and had to be troated by a decitor of harse	2.0	0.1	0.0
Percent of students who, in past 2 weeks, used: Alcohol (Binge: 5+ drinks on one occassion) 6.9	Prescription medications not prescribed for student	2.0	6.8	9.9	·			
Percent of students who, in past 2 weeks, used: Alcohol (Binge: 5+ drinks on one occassion) 6.9	Over-the-counter medications for non-medical use	1.0	7.5	6.1	Were victims of mean rumors or lies spread at school	47.5		55.0
Alcohol (Binge: 5+ drinks on one occassion) 6.9	Descent of students who in most 2 weeks wood.				Were made fun of by others	55.0	66.2	69.7
Alcohol 44.0 45.9 51.1 Cigarettes 40.6 43.2 48.4 Marijuana 24.0 23.8 26.9 Other illicit (Cocaine, LSD, Meth, Club Drug, etc) 6.0 12.3 11.1 Percent who would likely use, if offered by a best friend: Alcohol 26.7 27.4 27.1 Cigarettes 17.0 21.2 16.9 Marijuana 8.9 12.4 9.4 Percent who say it would be wrong to use: Alcohol 61.4 65.5 63.0 Cigarettes 78.0 76.6 79.2 Percent who say it would be wrong to use: Alcohol 61.4 65.5 63.0 Cigarettes 78.0 76.6 79.2 Percent who say it would be parents would disapprove if they use: Alcohol 78.0 89.0 93.8 95.1 Cigarettes 89.0 92.4 88.0 Marijuana 93.9 97.3 97.3 Student Survey is not conducted biennially. Percent who say it would be easy to obtain: Alcohol 50.0 39.3 54.9 Marijuana 25.3 25.5 28.7 Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys Survey is not conducted in every school district nor reported for a very source. Alcohol 50.0 39.3 54.9 Marijuana 25.3 25.5 28.7 Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys Surveys Source Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys Source Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys Source Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys Source Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys Source Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys Source Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys Source Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys Source Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys Source Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys Source Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys Source Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys Source Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys Source Missouri Institute of Mental Health, 2010-2014 M		6.9				23.0	24.1	23.2
Alcohol 44.0 45.9 51.1 Cigarettes 40.6 43.2 48.4 Marijuana 24.0 23.8 26.9 Other illicit (Cocaine, LSD, Meth, Club Drug, etc) 6.0 12.3 11.1 Percent who would likely use, if offered by a best friend: Alcohol 26.7 27.4 27.1 Cigarettes 17.0 21.2 16.9 Marijuana 8.9 12.4 9.4 Percent who say it would be wrong to use: Alcohol 61.4 65.5 63.0 Cigarettes 78.0 76.6 79.2 Percent who say it would be wrong to use: Alcohol 61.4 65.5 63.0 Cigarettes 78.0 76.6 79.2 Percent who say it would be parents would disapprove if they use: Alcohol 78.0 89.0 93.8 95.1 Cigarettes 89.0 92.4 88.0 Marijuana 93.9 97.3 97.3 Student Survey is not conducted biennially. Percent who say it would be easy to obtain: Alcohol 50.0 39.3 54.9 Marijuana 25.3 25.5 28.7 Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys Survey is not conducted in every school district nor reported for a very source. Alcohol 50.0 39.3 54.9 Marijuana 25.3 25.5 28.7 Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys Surveys Source Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys Source Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys Source Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys Source Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys Source Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys Source Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys Source Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys Source Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys Source Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys Source Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys Source Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys Source Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys Source Missouri Institute of Mental Health, 2010-2014 M	Parcent whose friends used in nest 12 months				Spread mean rumors or lies about other kids at school	23.8	22.8	35.9
Cigareties 40.6 43.2 48.4 Marijuana 24.0 23.8 26.9 Other illicit (Cocaine, LSD, Meth, Club Drug, etc) 6.0 12.3 11.1 Percent who would likely use, if offered by a best friend: Alcohol 26.7 27.4 27.1 Cigareties 17.0 21.2 16.9 Marijuana 8.9 12.4 9.4 Richard Say It would be wrong to use: Alcohol 61.4 65.5 63.0 Cigareties 78.0 76.6 79.2 Marijuana 85.0 84.8 86.8 Marijuana 85.0 84.8 86.8 Other illicit (Cocaine, LSD, Meth, Club Drug, etc) 98.0 93.8 95.1 Other illicit (Cocaine, LSD, Meth, Club Drug, etc) 98.0 93.8 95.1 Cigareties 89.0 92.4 88.0 Marijuana 93.9 97.3 97.3 Richard Say It would be easy to obtain: Alcohol 78.0 89.0 77.7 Cigareties 89.0 92.4 88.0 Marijuana 93.9 97.3 97.3 Students of all races/ethnicities are treated equal 89.0 92.5 83.7 Cigareties 89.0 92.4 88.0 Marijuana 93.9 97.3 97.3 Students of all races with parents regardless of consequences Student to making family decisions 71.3 73.8 70.1 It is important to be honest with parents regardless of consequences Student could ask parent for help with a personal problem 80.2 72.6 76.5 Student could ask parent for help with a personal problem 90.2 72.6 76.5 Similar affirmative response choices for individual questions are combined. Blank data cells indicate estimates are not available for teem or geographic area. Survey is not conducted in every school district nor reported for every county. Estimates are not available for counties with small numbers of respondents. Percentages are not available for counties with small numbers of respondents. Percentages are not available for counties with small numbers of respondents. Percentages are not available for counties with small numbers of respondents. Percentages are not available for counties with small numbers of respondents. Percentages are not available for centages are not available for centages are not available for ecentages are not available for ecen	•	44.0	<i>1</i> 5 0	51 1	· ·	52.5	56.2	77.8
Marijuana 24.0 23.8 26.9 Other Illicit (Cocaine, LSD, Meth, Club Drug, etc) 6.0 12.3 11.1 Percent who would likely use, if offered by a best friend: Alcohol 26.7 27.4 27.1 Cigarettes 17.0 21.2 16.9 Marijuana 8.9 12.4 9.4 Percent who say it would be wrong to use: Alcohol 61.4 65.5 63.0 Cigarettes 78.0 76.6 79.2 Marijuana 85.0 84.8 86.8 Other Illicit (Cocaine, LSD, Meth, Club Drug, etc) 98.0 93.8 95.1 Other Illicit (Cocaine, LSD, Meth, Club Drug, etc) Percent who say it would be avong to use: Alcohol 78.0 89.0 77.7 Alcohol 78.0 89.0 77.7 Cigarettes 89.0 92.4 88.0 Marijuana 93.9 97.3 97.3 Alcohol 78.0 89.0 77.7 Cigarettes 89.0 92.4 88.0 Marijuana 93.9 97.3 97.3 Alcohol 50.0 39.3 54.9 Cigarettes 89.0 92.4 88.0 Cigarettes 89.0 92.4 88.0 Marijuana 93.9 97.3 97.3 Alcohol 50.0 39.3 54.9 Cigarettes 49.5 44.1 59.9 Marijuana 25.3 25.5 28.7 Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys		_		_	l · · · · · · · · · · · · · · · · · · ·			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc) Percent who would likely use, if offered by a best friend: Alcohol Cigarettes 17.0 21.2 Alcohol Percent who say it would be wrong to use: Alcohol Cigarettes 78.0 78.0 78.0 88.0 Other Illicit (Cocaine, LSD, Meth, Club Drug, etc) Percent who say it would disapprove if they use: Alcohol Cigarettes 89.0 Percent whose parents would disapprove if they use: Alcohol 78.0 89.0 77.7 Cigarettes 89.0 93.9 97.3 Percent of students who agree that: Teachers notice and comment on student's good work 74.3 72.4 75.4 School provides feedback to parents on positive student performance Rules are enforced fairly Students of all races/ethnicities are treated equal 87.1 77.4 82.2 81.4 88.0 Percent of students who agree that:	-					17.0	13.7	26.8
Percent who would likely use, if offered by a best friend: Alcohol 26.7 27.4 27.1 Alcohol 27.4 27.4 27.1 Alcohol 8.9 12.4 9.4 Percent who say it would be wrong to use: Alcohol 61.4 65.5 63.0 Cigarettes 78.0 76.6 79.2 Marijuana 85.0 84.8 86.8 Marijuana 01ther Illicit (Cocaine, LSD, Meth, Club Drug, etc) Percent whose parents would disapprove if they use: Alcohol Cigarettes 89.0 92.4 88.0 Alcohol Cigarettes 89.0 92.4 88.0 Marijuana 93.9 97.3 97.3 Percent whose y it would be easy to obtain: Alcohol Cigarettes 89.0 92.4 88.0 Marijuana Percent whose y it would be easy to obtain: Alcohol Cigarettes 89.0 93.8 54.9 Cigarettes 89.0 92.4 88.0 Missouri Student Survey is conducted biennially. Similar affirmative response choices for individual questions are combined. Similar affirmative response choices for individual questions are combined. Similar affirmative response choices for individual questions are combined. Similar affirmative response choices for individual questions are not available for item or geographic area. Survey is not conducted in every school district nor reported for every county. Estimates are not available for counties with small numbers of respondents. Percentages are enforced fairly Students who agree that: Parents notice and comment on student's good work Rules are enforced fairly Students who agree that: Parents notice and comment on student's good work 82.2 81.4 88.0 Parents notice and comment on student's good work 82.2 81.4 88.0 Parents notice and comment on student's good work 82.2 81.4 88.0 Parents notice and comment on student's good work 82.2 81.4 88.0 Parents notice and comment on student's good work 82.2 81.4 88.0 Parents notice and comment on student's good work 82.2 81.4 88.0 Parents notice and comment on student's good work 82.2 81.4 88.0 Parents notice and comment on student's good work 82.2 81.4 88.0 Parents notice and comment on student's good work 82.2 81.4 88.0 Parents notice and comment on student's good work 82.	•	_						
Alcohol 26.7 27.4 27.1 Cigarettes 17.0 21.2 16.9 Marijuana 8.9 12.4 9.4 Percent who say it would be wrong to use: Alcohol 61.4 65.5 63.0 Cigarettes 78.0 76.6 79.2 Marijuana 85.0 84.8 86.8 Marijuana 85.0 84.8 86.8 Marijuana 85.0 84.8 86.8 Other lilicit (Cocaine, LSD, Meth, Club Drug, etc) 98.0 93.8 95.1 It is important to be honest with parents regardless of consequences Student sould alkapprove if they use: Alcohol 78.0 89.0 77.7 Cigarettes 89.0 92.4 88.0 Marijuana 93.9 97.3 97.3 Student sould alkapprove if they use: Alcohol 78.0 89.0 77.7 Cigarettes 89.0 92.4 88.0 Marijuana 93.9 97.3 97.3 Student sould alkapprove if they use: Alcohol 78.0 89.0 77.7 Cigarettes 89.0 92.4 88.0 Marijuana 93.9 97.3 97.3 Student could ask parent for help with a personal problem 80.2 72.6 76.5 Student could ask parent for help with a personal problem 80.2 72.6 76.5 Student could ask parent for help with a personal problem 80.2 72.6 76.5 Student could ask parent for help with a personal problem 80.2 72.6 76.5 Student could ask parent for help with a personal problem 80.2 72.6 76.5 Student could ask parent for help with a personal problem 80.2 72.6 76.5 Student could ask parent for help with a personal problem 80.2 72.6 76.5 Student could ask parent for help with a personal problem 80.2 72.6 76.5 Student could ask parent for help with a personal problem 80.2 72.6 76.5 Student could ask parent for help with a personal problem 80.2 72.6 76.5 Student could ask parent for help with a personal problem 80.2 72.6 76.5 Student could ask parent for help with a personal problem 80.2 72.6 76.5 Student could ask parent for help with a personal problem 80.2 72.6 76.5 Student could ask parent for help with a personal problem 80.2 72.6 76.5 Student could ask parent for help with a personal problem 80.2 72.6 76.5 Student could ask parent for help with a personal problem 80.2 72.6 76.5 Student could ask parent for help with a personal problem 80.2 72.6 76.5 Student could ask parent for help with a personal problem 80.2 72.6 76.5 Student could ask paren	Other mich (Godanie, ESD, Welli, Glab Brag, etc)	0.0	12.0		<u> </u>			
Cigarettes 17.0 21.2 16.9 Marijuana 8.9 12.4 9.4 Percent who say it would be wrong to use: Alcohol 61.4 65.5 63.0 Cigarettes 78.0 76.6 79.2 Marijuana 85.0 84.8 86.8 Other Illicit (Cocaine, LSD, Meth, Club Drug, etc) 98.0 93.8 95.1 Cigarettes 89.0 92.4 88.0 Alcohol 78.0 89.0 77.7 Cigarettes 89.0 92.4 88.0 Marijuana 93.9 97.3 97.3 Alcohol 78.0 89.0 77.7 Cigarettes 89.0 92.4 88.0 Marijuana 93.9 97.3 97.3 Alcohol 78.0 89.0 77.7 Cigarettes 89.0 92.4 88.0 Marijuana 93.9 97.3 97.3 Alcohol 50.0 39.3 54.9 Percent who say it would be easy to obtain: Alcohol 50.0 39.3 54.9 Cigarettes 49.5 44.1 59.9 Marijuana 25.3 25.5 28.7 Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys	Percent who would likely use, if offered by a best friend:					74.3	72.4	75.4
Marijuana 8.9 12.4 9.4 Rules are enforced fairly Students of all races/ethnicities are treated equal 87.1 77.4 82.2 Percent who say it would be wrong to use: Alcohol Cigarettes Alcohol Other Illicit (Cocaine, LSD, Meth, Club Drug, etc) Percent whose parents would disapprove if they use: Alcohol Cigarettes Alcohol 78.0 89.0 92.4 88.0 Marijuana 89.0 92.0 93.8 95.1 Missouri Student Surveys Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys	Alcohol	26.7	27.4	27.1		52.5	48.6	42.1
Students of all races/ethnicities are treated equal 87.1 77.4 82.2 Percent who say it would be wrong to use: Alcohol 61.4 65.5 63.0 Cigarettes 78.0 76.6 79.2 Marijuana 85.0 84.8 86.8 Other Illicit (Cocaine, LSD, Meth, Club Drug, etc) 98.0 93.8 95.1 Percent whose parents would disapprove if they use: Alcohol 78.0 89.0 77.7 Cigarettes 89.0 92.4 88.0 Marijuana 93.9 97.3 97.3 Percent who say it would be easy to obtain: Alcohol 50.0 39.3 54.9 Cigarettes 49.5 44.1 59.9 Marijuana 25.3 25.5 28.7 Students of all races/ethnicities are treated equal 87.1 77.4 82.2 Percent of students who agree that: Parents notice and comment on student's good work 82.2 81.4 88.0 Parents involve student in making family decisions 71.3 73.8 70.1 It is important to be honest with parents regardless of consequences Student could ask parent for help with a personal problem 80.2 72.6 76.5 Missouri Student Survey is conducted biennially. Similar affirmative response choices for individual questions are combined. Blank data cells indicate estimates are not available for item or geographic area. Survey is not conducted in every school district nor reported for every county. Estimates are not available for counties with small numbers of respondents. Percentages are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant. Part as ource: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys.	Cigarettes	17.0	21.2	16.9	·	00.0	07.0	07.0
Percent who say it would be wrong to use:Alcohol61.465.563.0Cigarettes78.076.679.2Marijuana85.084.886.8Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)98.093.895.1Percent whose parents would disapprove if they use:89.092.488.0Alcohol78.089.077.7Cigarettes89.092.488.0Marijuana93.997.397.3Alcohol50.039.354.9Cigarettes49.544.159.9Marijuana25.325.528.7 Percent who say it would be easy to obtain: Alcohol 50.0 60.0 <td>Marijuana</td> <td>8.9</td> <td>12.4</td> <td>9.4</td> <td>•</td> <td></td> <td></td> <td></td>	Marijuana	8.9	12.4	9.4	•			
Alcohol 61.4 65.5 63.0 Cigarettes 78.0 76.6 79.2 Marijuana 85.0 84.8 86.8 Other Illicit (Cocaine, LSD, Meth, Club Drug, etc) 98.0 93.8 95.1 Other Illicit (Cocaine, LSD, Meth, Club Drug, etc) 98.0 93.8 95.1 It is important to be honest with parents regardless of consequences Student could ask parent for help with a personal problem 80.2 72.6 76.5 Alcohol 78.0 89.0 92.4 88.0 Marijuana 93.9 97.3 97.3 Similar affirmative response choices for individual questions are combined. Blank data cells indicate estimates are not available for item or geographic area. Survey is not conducted in every school district nor reported for every county. Estimates are not available for counties with small numbers of respondents. Percentages are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.	Parcent who say it would be wrong to use:				Students of all races/ethnicities are treated equal	87.1	77.4	82.2
Cigarettes 78.0 76.6 79.2 Marijuana 85.0 84.8 86.8 Other Illicit (Cocaine, LSD, Meth, Club Drug, etc) 98.0 93.8 95.1 It is important to be honest with parents regardless of consequences Student could ask parent for help with a personal problem 80.2 72.6 76.5 Alcohol 78.0 89.0 92.4 88.0 Marijuana 93.9 97.3 97.3 Student could ask parent for help with a personal problem 80.2 72.6 76.5 Student could ask parent for help with a personal problem 80.2 72.6 76.5 Student could ask parent for help with a personal problem 80.2 72.6 76.5 Student could ask parent for help with a personal problem 80.2 72.6 76.5 Student could ask parent for help with a personal problem 80.2 72.6 76.5 Student could ask parent for help with a personal problem 80.2 72.6 76.5 Student could ask parent for help with a personal problem 80.2 72.6 76.5 Student could ask parent for help with a personal problem 80.2 72.6 76.5 Student could ask parent for help with a personal problem 80.2 72.6 76.5 Student could ask parent for help with a personal problem 80.2 72.6 76.5 Student could ask parent for help with a personal problem 80.2 72.6 76.5 Student could ask parent for help with a personal problem 80.2 72.6 76.5 Student could ask parent for help with a personal problem 80.2 72.6 76.5 Student could ask parent for help with a personal problem 80.2 72.6 76.5 Student could ask parent for help with a personal problem 80.2 72.6 76.5 Student could ask parent for help with a personal problem 80.2 72.6 76.5 Student could ask parent for help with a personal problem 80.2 72.6 76.5 Student could ask parent for help with a personal problem 80.2 72.6 76.5 Student could ask parent for help with a personal problem 80.2 72.6 76.5 Student could ask parent for help with a personal problem 80.2 72.6 76.5 Student could ask parent for help with a personal problem 80.2 72.6 76.5 Student could ask parent for help with a personal problem 80.2 72.6 76.5 Student could ask parent for help with a personal problem 80.2 72.6 76.5 Student could ask parent for help with a personal probl		61.4	65.5	63.0	Percent of students who agree that:			
Marijuana Other Illicit (Cocaine, LSD, Meth, Club Drug, etc) Percent whose parents would disapprove if they use: Alcohol Marijuana Percent whose parents would disapprove if they use: Alcohol Marijuana Percent who say it would be easy to obtain: Alcohol Cigarettes Alcohol Percent who say it would be easy to obtain: Alcohol Alcohol Alcohol Alcohol Alcohol Alcohol Cigarettes Marijuana Parents involve student in making family decisions 71.3 73.8 70.1 It is important to be honest with parents regardless of consequences Student could ask parent for help with a personal problem 80.2 72.6 76.5 Missouri Student Survey is conducted biennially. Similar affirmative response choices for individual questions are combined. Blank data cells indicate estimates are not available for item or geographic area. Survey is not conducted in every school district nor reported for every county. Estimates are not available for counties with small numbers of respondents. Percentages are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant. Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys						82.2	81.4	88.0
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc) 98.0 93.8 95.1 Percent whose parents would disapprove if they use: Alcohol 78.0 89.0 77.7 Cigarettes 89.0 92.4 88.0 Marijuana 93.9 97.3 97.3 Percent who say it would be easy to obtain: Alcohol Cigarettes Alcohol 50.0 39.3 54.9 Cigarettes 49.5 44.1 59.9 Marijuana 1t is important to be honest with parents regardless of consequences 89.0 92.5 83.7 Student could ask parent for help with a personal problem 80.2 72.6 76.5 Missouri Student Survey is conducted biennially. Similar affirmative response choices for individual questions are combined. Blank data cells indicate estimates are not available for item or geographic area. Survey is not conducted in every school district nor reported for every county. Estimates are not available for counties with small numbers of respondents. Percentages are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant. Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys					· ·	71.3	73.8	70.1
Cigarettes Percent whose parents would disapprove if they use: Alcohol Cigarettes Percent who say it would be easy to obtain: Alcohol Cigarettes Alcohol Percent who say it would be easy to obtain: Alcohol Cigarettes Alcohol Solution Alcohol Student could ask parent for help with a personal problem 80.2 72.6 76.5 Missouri Student Survey is conducted biennially. Similar affirmative response choices for individual questions are combined. Blank data cells indicate estimates are not available for item or geographic area. Survey is not conducted in every school district nor reported for every county. Estimates are not available for counties with small numbers of respondents. Percentages are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant. Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys								
Alcohol 78.0 89.0 77.7 Cigarettes 89.0 92.4 88.0 Marijuana 93.9 97.3 97.3 Percent who say it would be easy to obtain: Alcohol 50.0 39.3 54.9 Cigarettes 49.5 44.1 59.9 Marijuana 25.3 25.5 28.7 Missouri Student Survey is conducted biennially. Missouri Student Survey is conducted biennially. Similar affirmative response choices for individual questions are combined. Blank data cells indicate estimates are not available for item or geographic area. Survey is not conducted in every school district nor reported for every county. Estimates are not available for counties with small numbers of respondents. Percentages are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.	Other mich (Cocame, ESD, Well), Club brug, etc)	30.0	55.0	55.1		89.0	92.5	83.7
Cigarettes 89.0 92.4 88.0 Marijuana 93.9 97.3 97.3 Percent who say it would be easy to obtain: Alcohol Cigarettes 49.5 44.1 59.9 Missouri Student Survey is conducted biennially. Similar affirmative response choices for individual questions are combined. Blank data cells indicate estimates are not available for item or geographic area. Survey is not conducted in every school district nor reported for every county. Estimates are not available for counties with small numbers of respondents. Percentages are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant. Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys					Student could ask parent for help with a personal problem	80.2	72.6	76.5
Marijuana 93.9 97.3 Similar affirmative response choices for individual questions are combined. Blank data cells indicate estimates are not available for item or geographic area. Survey is not conducted in every school district nor reported for every county. Estimates are not available for counties with small numbers of respondents. Percentages are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant. Marijuana 93.9 97.3 Similar affirmative response choices for individual questions are combined. Blank data cells indicate estimates are not available for counties with small numbers of respondents. Percentages are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant. Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys								
Percent who say it would be easy to obtain: Alcohol Cigarettes Marijuana Blank data cells indicate estimates are not available for item or geographic area. Survey is not conducted in every school district nor reported for every county. Estimates are not available for counties with small numbers of respondents. Percentages are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant. Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys						o oombin	od	
Percent who say it would be easy to obtain: Alcohol Cigarettes Marijuana Survey is not conducted in every school district nor reported for every county. Estimates are not available for counties with small numbers of respondents. Percentages are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant. Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys	Marijuana	93.9	97.3	97.3				
Alcohol 50.0 39.3 54.9 Cigarettes 49.5 44.1 59.9 Marijuana 25.3 25.5 28.7 Estimates are not available for counties with small numbers of respondents. Percentages are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant. Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys	Percent who say it would be easy to obtain:				Survey is not conducted in every school district nor reported for	r every co	ounty.	
Cigarettes 49.5 44.1 59.9 Marijuana 25.3 25.5 28.7 Marijuana 25.3 25.5 28.7 Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys		50.0	39.3	54.9		esponde	nts.	
Marijuana 25.3 25.5 28.7 Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys	Cigarettes	49.5	44.1	59.9		lly signific	cant.	
Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys	•	25.3	25.5	28.7	Data source Missouri Institute of Mart 111 His code control	0000000	ude = (C	III 48 : :-
	•	9.1	16.1	13.2	Data source: Missouri Institute of Mental Health, 2010-2014 Mis	ssouri Sti	udent St	uveys

DE ITALE COO.							
	OBH REGION	Western		IMPAIRED DRIVING	2013	2012	2011
	OBH SERVICE AREAS			Alcohol Involved CrashesTotal	10	8	14
	Substance Use	1		Fatal Crashes	1	0	1
	Adult Psychiatric	1		Injury Crashes	5	5	6
	POPULATION			Property Damage Crashes	4	3	7
	Census 2010	12,892		Crash Fatalities	2	0	1
	2014 Estimate	12,692		Crash Injuries	6	5	8
		,		Drug Involved CrashesTotal	3	1	0
<u> </u>				Fatal Crashes	0	0	0
				Injury Crashes	2	0	0
BIRTH RISK	2013	2012	2011	Property Damage Crashes	1	1	0
Resident BirthsTotal	104	100	116	Crash Fatalities	0	0	0
Mother Reported Smoking while	e Pregnant 27	28	25	Crash Injuries	2	0	0
DISEASE INCIDENCE 1	2013	2012	2011		_	-	-
HIV/AIDS Cases	0	0	0	POLICE REPORTS	2013	2012	2011
Hepatitis B Chronic, Acute, Pre		0	1	DUI Arrests, DWI Tracking System	43	41	40
Hepatitis C Chronic and Acute	17	17	21	Liquor Law Arrests	4	3	9
Tuberculosis Infection Cases	1	22	50	Drug Arrests	20	48	50
raboroalosio illiooliori Gabob	·		00	Violent Offenses	12	7	8
DEATHS and INJURIES	2013	2012	2011	Property Offenses	70	84	70
Resident DeathsTotal	132	131	117	Domestic Violence Reports	28	18	28
Suicides	2	2	1		2014	2013	2012
Self-inflicted Injuries	6	17	5	Methamphetamine Lab Seizures	1	0	0
Homicides	0	0	0				
Assault Injuries	38	20	25	SCHOOL REPORTS	2013-14	2012-13	2011-12
Alcohol Induced Deaths	2	2	0	Enrollment Grades 9-12	336	328	332
Drug Induced Deaths	1	0	2	Drop-outs	4	5	1
Smoking Attributable Deaths	24	25	20	Drop-out Rate	1.2%	1.5%	0.3%
				School Discipline Involving Alcohol	0	0	0
HOSPITAL EPISODES 2	2013	2012	2011	School Discipline Involving Drugs	0	1	1
Hospitalization, no Emergency				School Discipline Involving Tobacco	0	0	0
Mental Illness Principal Diagno		51	40	JUVENILE COURT REFERRALS 3	2013	2012	2011
Mental Illness Secondary Diag		83	91	Juvenile Violent Offenses	8	18	10
Alcohol Principal Diagnosis	0	0	1	Juvenile Alcohol Offenses	0	1	2
Alcohol Secondary Diagnosis	10	4	5	Juvenile Drug Offenses	2	1	0
Drug Principal Diagnosis	0	2	0	School Truancy Status Offense	15	10	7
Drug Secondary Diagnosis	3	5	6	Absent from Home Status Offense	6	10	2
Emergency Room + Hospitaliza				Beyond Parental Control Status Offense	14	10	5
Mental Illness Principal Diagno		33	26	Injurious Behavior Status Offense	9	19	11
Mental Illness Secondary Diag		199	181	Child Abuse	4	1	5
Alcohol Principal Diagnosis	6	1	2	Child Neglect	10	17	1
Alcohol Secondary Diagnosis	13	13	14	Child Custody Issues	0	2	0
Drug Principal Diagnosis	3	3	3	•			
Drug Secondary Diagnosis	11	9	10	JUVENILE COURT PLACEMENTS	2013	2012	2011
Emergency Room, no Hospitali				Out-of-Home PlacementsTotal	7	17	1
Mental Illness Principal Diagno		72	69	Parental Alcohol Use Related	0	0	0
Mental Illness Secondary Diag		69	107	Parental Drug Use Related	6	7	0
Alcohol Principal Diagnosis	5	7	6	Parental Alcohol and Drug Use	0	0	0
Alcohol Secondary Diagnosis	6	9	8	CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Principal Diagnosis	4	1	6	Drug Court Participants	0	0	0
Drug Secondary Diagnosis	10	13	10	Probation/Parole AdmissionsDrug	24	30	18
41 COULON COUTT TTC	2011	2012	2042	Probation/Parole AdmissionsDWI	10	6	8
ALCOHOL OUTLETS	2014	2013	2012	Prison AdmissionsDrug	20	16	18
Alcohol On-Premise Drink Lice		11	11	Prison AdmissionsDWI	5	10	5
Alcohol Package Carry-out Lice	enses 12	12	12	2	ŭ		- C
EMPLOYMENT	2014	2013	2012	1 All Kansas City hepatitis and TB case report			County
Labor Force	5,142	5,676	5,631	totals and all Joplin case reports are include Beginning with 2010 data, diagnosis counts			es are
Employed	4,870	5,327	5,281	based on codes developed by the Healthcar	re Cost and U	Itilization Pro	ject.
Unemployed	272	349	350	3 Beginning in 2013, juvenile municipal violati court orders are categorized as status offen:			
Unemployment Rate	5.3%	6.1%	6.2%	Court orders are categorized as status offers	ว _ู เวอ แางเซสน 0	n iaw violatiol	10.

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	*	*	*
CSTAR Adolescent	*	*	*
CSTAR Women and Children	*	0	0
CSTAR General Adult	13	18	13
CSTAR Opioid	0	0	0
Primary Recovery Treatment	16	15	14
Clinical SATOP (CIP, YCIP, SROP)	*	*	6
Other Substance Abuse Treatment	0	0	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	27	21	38
- Adolescent Diversion Education Prograr	0	0	*
- Offender Education Program	14	10	14
- Weekend Intervention Program	5	5	9
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	0	0
Compulsive Gambling	0	0	0
Recovery Supports	0	0	0
Early Intervention	*	*	6

NUMBER ADMITTED	FY2014	FY2013	FY2012	PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Total Individuals	33	37	34	Alcohol	13	12	14
				Marijuana / Hashish	5	11	9
AGE		*	*	Cocaine (total)	0	0	*
Under 18	*			- Crack	0	0	*
18 to 24		6	10	Stimulant (total)	12	9	6
25 to 29	8	8	7	- Methamphetamine	11	9	6
30 to 34	6	9	*	Heroin	0	*	0
35 to 39	6		*	Analgesic except Heroin	*	*	*
40 to 44	5	*	*	- Non-Prescription Methadone	0	0	0
45 to 54	*	*	*	PCP, LSD, other Hallucinogen	0	0	0
55 and Over	0	*	*	Tranquilizer	0	0	0
GENDER				Inhalant	0	0	0
Male	18	19	24	Sedative	0	0	0
Female	15	18	10	Other Medication or Illicit Drug	*	*	0
Temale	10	10	10	Average Age at First Use of Drug	17.8	18.6	17.2
RACE / ETHNICITY				Average Age at 1 list 030 of Drug	17.0	10.0	17.2
Caucasian	32	35	33	INJECTION DRUG USE			
African American	0	0	*	Any Injection Use at Admission	*	*	*
Native American / Alaskan	0	0	0	- Daily Injection Use	*	*	*
Asian / Pacific Islander	0	0	0	- Weekly Injection Use	0	*	*
Hispanic	0	*	0		*	*	*
Other Race / Two or More Races	*	*	0	- Less than Weekly Injection Use			
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	13	10	10	0	22	24	18
High School Graduate or G.E.D.	16	15	15	1 or 2	*	11	10
Associate Degree or Some College	*	12	8	3 or More	7	*	6
Bachelor or Advanced Degree	0	0	*				
				TREATMENT REFERRAL SOURCE	0	44	7
EMPLOYMENT	0	40	40	Self / Family / Friend	9	11	7
Employed	9	12	10	School Mantal Haalth Bravidan	0	0	0
Unemployed	13	14	17	Mental Health Provider	0	0	0
Not in Labor Force	11	11	7	Health Care Provider	0		0
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	15	17	20
Independent Living	26	33	29	Other Referral Source	9	7	7
Dependent Living	6	*	*				
Homeless	*	*	0	TREATMENT ACCOMMODATION			
				Pregnant when Admitted to any Episode	0	*	*
MARITAL / FAMILY STATUS				Military Veteran		*	*
Never Married	16	16	17	Special Education Services Needed	0		*
Married / Cohabitating	9	13	11	Co-Occurring Psychological Problem	12	15	10
Previously Married	8	8	6	Co-Occurring Developmental Problem	0	*	*

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Western
PSYCHIATRIC SERVICE AREA 1
CENSUS 2010 12,892
2014 POPULATION ESTIMATE 12,692

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.						
DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012			
Adjustment Disorder	*	*	5			
Anxiety Disorder	22	22	28			
Dementia	0	0	0			
Developmental Disorder	0	0	0			
Impulse Control Disorder	6	11	11			
Mood Disorder	33	38	43			
Personality Disorder	7	9	7			
Psychotic Disorder	12	10	16			
Sexual Disorder	*	*	*			
Other Diagnosis	*	6	9			
Diagnosis Unknown	*	8	12			

Individuals who received psychiatric services had the following types of

NUMBER SERVED	FY2014	FY2013	FY2012	EDUCATION	FY2014	FY2013	FY2012
Total Individuals	49	67	86	Less than High School Diploma	18	25	16
Total Marviadalo	10	0.	00	High School Grad or G.E.D.	0	*	19
AGE				Associate Degree or Some College	0	0	5
Under 6	0	0	0	Bachelor or Advanced Degree	0	0	0
6 to 9	*	8	9	Education Level Unknown	31	40	46
10 to 13	*	7	10	Education Level Officiown	31	40	40
14 to 17	*	6	14	EMPLOYMENT			
18 to 24	*	6	*	Employed	*	*	*
25 to 29	*	*	5	Unemployed	*	5	35
30 to 34	7	*	*	Not in Labor Force	39	49	7
35 to 39	*	*	8	Employment Status Unknown	6	12	42
40 to 44	5	7	7				
45 to 49	5	*	5	HOUSING / LIVING ARRANGEMENT			
50 to 54	7	7	8	Independent Living	29	31	36
55 to 59	5	6	8	Dependent Living	12	22	16
60 and Over	5	5	*	Homeless	0	0	0
Age Unknown	0	0	0	Other	0	0	0
CENDED				Housing Unknown	8	14	34
GENDER Male	18	20	20				
Female	31	29 38	39 47	TREATMENT REFERRAL SOURCE			
				Self / Family / Friend	21	32	39
Gender Unknown	0	0	0	School	0	*	*
RACE / ETHNICITY				Mental Health Provider	7	10	15
Caucasian	46	60	77	Health Care Provider	10	9	8
African American	*	*	*	Court / Criminal Justice	*	*	7
Native American / Alaskan	*	*	*	Other	9	10	15
Asian / Pacific Islander	0	0	0	Referral Source Unknown	0	0	0
Hispanic	0	0	*				
Other Race	0	*	*	TYPE OF COMMITMENT	40	00	0.5
Race/Ethnicity Unknown	0	0	0	Voluntary	48	63	85
				Civil	0		0
TREATMENT ACCOMMODATION		*		Criminal	0	0	0
Hearing Impaired	*	*	*	Sexual Predatory			*
Past or Current Military Service	*	*	*	Commitment Type Unknown	0	0	0

MISSOURI STUDENT SURVEY

				DENT CONVET			
Percent of students who have ever used:	2014	2012	2010	Percent who believe they risk harm if they use:	2014	2012	2010
Alcohol	25.8	39.5	31.2	Alcohol (1 or 2 drinks daily)	60.0		
Cigarettes	21.0	27.1	28.9	Alcohol (Binge: 5+ drinks once or twice a week)	79.0		
Chewing Tobacco	12.8	20.5	10.3	Alcohol (any use)		63.5	87.3
Marijuana	6.4	9.6	5.0	Cigarettes (1+ packs per day)	86.1		
Inhalants	3.2	2.4	4.5	Cigarettes (any use)		75.6	89.2
Prescription medications not prescribed for student	3.2	3.0	7.1	Marijuana (once or twice a week)	80.0		
Over-the-counter medications for non-medical use	0.0	2.4	2.5	Marijuana (any use)		78.9	89.0
Methamphetamine	0.0	0.6	0.5	Other: Cocaine, LSD, Meth, Club Drug (any use)	97.6	87.2	95.0
Cocaine	0.8	0.6	0.5	Descript of attribute who be most 20 days			
Heroin	0.0	1.2	0.0	Percent of students who, in past 30 days:	47.0	20.0	7.0
Hallucinogens	0.8	1.2	1.0	Were very sad	17.6	22.9	7.3
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.8	0.6	0.0	Were grouchy, irritable, or in a bad mood	20.8	21.7	14.6
Steroids not prescribed for student	0.0	0.6	0.5	Felt hopeless about the future	8.9	7.8	2.5
Synthetic drugs (K2, bath salts, Spice, etc)	0.8	1.8		Felt like not eating or eating more than usual	15.2	12.7	12.2
				Slept a lot more or a lot less than usual	15.2	11.6	11.4
Average age of students' first use of:	40.00	40.00	40.04	Had difficulty concentrating on school work	21.6	10.8	14.3
Alcohol		13.09		Percent of students who, in past 12 months:			
Cigarettes		13.15		Seriously considered attempting suicide	5.6	7.9	13.2
Marijuana		14.65		Made plan about how they would attempt suicide	3.2	4.2	11.7
Inhalants	11.28		10.32	Attempted suicide	0.8	3.0	1.5
Percent of students who, in past 30 days, used:				Attempted suicide and resulting injury, poisonng, or overdose			
Alcohol	11.3	15.6	9.1	had to be treated by doctor or nurse	0.8	3.7	0.0
Alcohol (Binge: 5+ drinks on one occassion)		6.6	5.4	Descent of students who in past 12 months.			
Cigarettes	10.5	12.0	15.6	Percent of students who, in past 12 months:	2.4	7.8	10.8
Chewing Tobacco	7.2	12.0	7.8	Were threatened/injured with weapon at school	17.6	7.0 27.1	23.0
Marijuana	0.0	1.8	2.5	Were in a physical fight			
Inhalants	0.8	1.8	2.5	Were in a fight and had to be treated by a doctor or nurse	3.2	1.8	9.3
Prescription medications not prescribed for student	0.0	1.8	3.5	Percent of students who, in past 3 months:			
Over-the-counter medications for non-medical use	0.0	1.8	2.5	Were victims of mean rumors or lies spread at school	55.2	51.8	47.8
				Were made fun of by others	68.0	63.3	64.4
Percent of students who, In past 2 weeks, used: Alcohol (Binge: 5+ drinks on one occassion)	5.6			Were victims of an embarrassing or hurtful text message or something posted on the internet	23.2	21.2	14.1
-				Spread mean rumors or lies about other kids at school	26.4	31.9	20.6
Percent whose friends used in past 12 months:	04.0	- 4 0	00.4	Made fun of other people	56.8	67.1	60.0
Alcohol	31.0	54.8	28.1	Posted something on the internet or sent a text that might	30.0	07.1	00.0
Cigarettes	32.0	50.0	34.8	embarrass or hurt another student	12.1	13.3	8.9
Marijuana	12.8	27.7	14.9				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	1.6	7.8	9.3	Percent of students who agree that:			
Percent who would likely use, if offered by a best friend:				Teachers notice and comment on student's good work	74.4	75.3	76.1
Alcohol	18.3	28.5	19.9	School provides feedback to parents on positive student	42.1	38.9	51.2
Cigarettes	13.5	13.9	9.0	performance	72.1	30.3	01.2
Marijuana	2.4	4.8	4.1	Rules are enforced fairly	61.6	65.9	56.2
				Students of all races/ethnicities are treated equal	76.0	79.4	95.8
Percent who say it would be wrong to use:				Percent of students who agree that:			
Alcohol	74.8	61.1	69.8	Parents notice and comment on student's good work	78.6	82.5	83.3
Cigarettes	82.3			Parents involve student in making family decisions	69.6	66.3	80.4
Marijuana	90.2	91.0	90.7	It is important to be honest with parents regardless of	00.0	00.0	00.4
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	99.2	97.0	98.0	consequences	92.8	89.2	91.5
Percent whose parents would disapprove if they use:	_		a -	Student could ask parent for help with a personal problem	79.8	79.6	85.0
Alcohol	81.6	79.4					
Cigarettes	88.6	93.4	93.0	Missouri Student Survey is conducted biennially.		ad	
Marijuana	92.8	97.6	97.0	Similar affirmative response choices for individual questions ar Blank data cells indicate estimates are not available for item or			
Percent who say it would be easy to obtain:				Survey is not conducted in every school district nor reported fo	r every co	ounty.	
Alcohol	46.4	59.0	39.9	Estimates are not available for counties with small numbers of Percentages are estimates based on weighted data.	responde	ents.	
Cigarettes	42.4	56.0	46.8	Some year-to-year differences in percentages are not statistical	ally signifi	cant.	
Marijuana	13.0	27.9	16.1				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	3.2		6.1	Data source: Missouri Institute of Mental Health, 2010-2014 Mi	ssouri St	udent Si	urveys
, , , , , , , , , , , , , , , , , , ,	- -	-					

DEITH GOOM!!							
	BH REGION	Southeast		IMPAIRED DRIVING	2013	2012	2011
D	BH SERVICE AREAS			Alcohol Involved CrashesTotal	16	23	15
The property	Substance Use	17		Fatal Crashes	1	1	0
	Adult Psychiatric	17A		Injury Crashes	6	9	9
PI PI	OPULATION			Property Damage Crashes	9	13	6
	Census 2010	15,657		Crash Fatalities	1	1	0
	2014 Estimate	15,655		Crash Injuries	6	12	16
The state of the s				Drug Involved CrashesTotal	9	3	2
213				Fatal Crashes	0	0	0
BIRTH RISK	2013	2012	2011	Injury Crashes	1	2	1
Resident BirthsTotal	180	173	173	Property Damage Crashes	8	1	1
Mother Reported Smoking while		49	52	Crash Fatalities	0	0	0
	or regriain co		0_	Crash Injuries	1	2	1
DISEASE INCIDENCE 1	2013	2012	2011	DOLLOS REPORTS	2012	2012	2011
HIV/AIDS Cases	0	1	0	POLICE REPORTS	2013 67	2012 100	2011 71
Hepatitis B Chronic, Acute, Pren	natal 2	0	2	DUI Arrests, DWI Tracking System	5	100	11
Hepatitis C Chronic and Acute	16	15	19	Liquor Law Arrests			
Tuberculosis Infection Cases	3	0	3	Drug Arrests Violent Offenses	69	79	49
254510 / 141112150	2042	2042	2044		27 276	33	30
DEATHS and INJURIES	2013	2012	2011	Property Offenses Domestic Violence Reports	376 30	296 31	288 25
Resident DeathsTotal	190	185	185	Domestic violence Reports			
Suicides Solf inflicted Injuries	3	2	2 34	Methamphetamine Lab Seizures	2014 6	2013 4	2012 5
Self-inflicted Injuries	22 0	26 0		Methamphetamine Lab Seizures	O	7	3
Homicides	62	59	4	SCHOOL REPORTS	2013-14	2012-13	2011-12
Assault Injuries Alcohol Induced Deaths	0	0	53	Enrollment Grades 9-12	628	631	629
	2		0	Drop-outs	1	7	10
Drug Induced Deaths	41	6 37	1 34	Drop-out Rate	0.2%	1.1%	1.6%
Smoking Attributable Deaths	41	31	34	School Discipline Involving Alcohol	1	5	2
HOSPITAL EPISODES 2	2013	2012	2011	School Discipline Involving Drugs	4	5	4
Hospitalization, no Emergency F	Room:			School Discipline Involving Tobacco	0	0	0
Mental Illness Principal Diagno	osis 142	142	136	JUVENILE COURT REFERRALS 3	2013	2012	2011
Mental Illness Secondary Diag	nosis 290	332	348	Juvenile Violent Offenses	13	26	2011
Alcohol Principal Diagnosis	9	12	7	Juvenile Alcohol Offenses	2	0	1
Alcohol Secondary Diagnosis	13	15	19	Juvenile Drug Offenses	2	2	4
Drug Principal Diagnosis	49	20	8	School Truancy Status Offense	1	21	1
Drug Secondary Diagnosis	28	9	23	Absent from Home Status Offense	4	4	4
Emergency Room + Hospitaliza				Beyond Parental Control Status Offense	7	10	10
Mental Illness Principal Diagno	osis 48	44	44	Injurious Behavior Status Offense	3	14	11
Mental Illness Secondary Diag	nosis 222	148	162	Child Abuse	1	2	2
Alcohol Principal Diagnosis	10	8	6	Child Neglect	9	13	12
Alcohol Secondary Diagnosis	17	21	20	Child Custody Issues	0	0	0
Drug Principal Diagnosis	7	6	9	orma ductouy recues	Ü	Ü	Ü
Drug Secondary Diagnosis	9	16	13	JUVENILE COURT PLACEMENTS	2013	2012	2011
Emergency Room, no Hospitaliz				Out-of-Home PlacementsTotal	14	18	13
Mental Illness Principal Diagno		175	180	Parental Alcohol Use Related	1	0	0
Mental Illness Secondary Diag		477	453	Parental Drug Use Related	3	4	4
Alcohol Principal Diagnosis	32	52	38	Parental Alcohol and Drug Use	0	3	0
Alcohol Secondary Diagnosis	19	12	18	CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Principal Diagnosis	32	33	40	Drug Court Participants	34	27	19
Drug Secondary Diagnosis	44	35	17	Probation/Parole AdmissionsDrug	54	49	54
ALCOUOL OUTLETS	2014	2012	2012	Probation/Parole AdmissionsDWI	2	7	5
ALCOHOL OUTLETS Alcohol On-Premise Drink Licer	2014 nses 10	2013 13	2012 14	Prison AdmissionsDrug	30	26	34
Alcohol Package Carry-out Lice		15	18	Prison AdmissionsDWI	3	2	4
Gonago Garry Gut Elou				All IC			0
EMPLOYMENT	2014	2013	2012	All Kansas City hepatitis and TB case report totals and all Joplin case reports are include			County
Labor Force	6,202	7,076	6,345	2 Beginning with 2010 data, diagnosis counts	for hospital a	and ER servic	
Employed	5,785	6,623	5,860	based on codes developed by the Healthcar			
Unemployed	417	453	485	3 Beginning in 2013, juvenile municipal violati court orders are categorized as status offen:			
Unemployment Rate	6.7%	6.4%	7.6%	<u> </u>			

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	24	28	23
CSTAR Adolescent	*	5	7
CSTAR Women and Children	*	5	*
CSTAR General Adult	102	118	64
CSTAR Opioid	0	*	0
Primary Recovery Treatment	0	36	106
Clinical SATOP (CIP, YCIP, SROP)	17	22	14
Other Substance Abuse Treatment	0	*	*

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	52	67	50
- Adolescent Diversion Education Prograr	0	0	0
- Offender Education Program	14	19	15
- Weekend Intervention Program	10	9	12
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	*	*
Compulsive Gambling	0	0	0
Recovery Supports	*	*	0
Early Intervention	*	*	17

NUMBER ADMITTED	FY2014	FY2013	FY2012	PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Total Individuals	123	151	174	Alcohol	47	55	55
				Marijuana / Hashish	21	27	50
AGE				Cocaine (total)	*	*	*
Under 18	*	6	8	- Crack	0	*	0
18 to 24	18	33	44	Stimulant (total)	14	18	21
25 to 29	27	32	41	- Methamphetamine	13	18	21
30 to 34	26	24	24	Heroin	11	13	9
35 to 39	14	17	14	Analgesic except Heroin	25	36	33
40 to 44	6	15	12	- Non-Prescription Methadone	0	*	0
45 to 54	24	18	24	PCP, LSD, other Hallucinogen	0	0	0
55 and Over	*	6	7	Tranquilizer	*	*	*
GENDER				Inhalant	0	0	*
Male	83	94	112	Sedative	0	0	0
Female	40	57	62	Other Medication or Illicit Drug	*	0	0
				Average Age at First Use of Drug	18.3	18.1	17.8
RACE / ETHNICITY							
Caucasian	117	147	169	INJECTION DRUG USE			
African American	*	*		Any Injection Use at Admission	29	42	31
Native American / Alaskan	*	0	0	- Daily Injection Use	*	9	*
Asian / Pacific Islander	0	0	0	- Weekly Injection Use	11	14	9
Hispanic	*	*	*	- Less than Weekly Injection Use	15	19	20
Other Race / Two or More Races	*	*	*	2000 11.01. 170011. 11.00	.0	.0	
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	47	65	70	0	60	79	94
High School Graduate or G.E.D.	57	57	80	1 or 2	38	54	57
Associate Degree or Some College	19	27	24	3 or More	25	18	23
Bachelor or Advanced Degree	0	*	0				
				TREATMENT REFERRAL SOURCE	00	400	4.4
EMPLOYMENT	00	20	50	Self / Family / Friend	98	106	44
Employed	23	38	53	School Martal Haalth Bravidan	0	0	0
Unemployed	57	72	73	Mental Health Provider	*		_
Not in Labor Force	43	41	48	Health Care Provider		6	7
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	11	32	105
Independent Living	111	135	160	Other Referral Source	8	6	16
Dependent Living	8	7	10				
Homeless	*	6	*	TREATMENT ACCOMMODATION			
				Pregnant when Admitted to any Episode	0	*	*
MARITAL / FAMILY STATUS	_			Military Veteran	7	7	11
Never Married	61	60	70	Special Education Services Needed	8	12	23
Married / Cohabitating	30	48	73	Co-Occurring Psychological Problem	61	67	71
Previously Married	32	43	31	Co-Occurring Developmental Problem	15	20	13

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Southeast
PSYCHIATRIC SERVICE AREA 17A
CENSUS 2010 15,657
2014 POPULATION ESTIMATE 15,655

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.						
DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012			
Adjustment Disorder	6	5	*			
Anxiety Disorder	188	170	125			
Dementia	0	0	0			
Developmental Disorder	*	*	*			
Impulse Control Disorder	49	46	42			
Mood Disorder	203	174	145			
Personality Disorder	14	12	8			
Psychotic Disorder	31	33	30			
Sexual Disorder	0	0	*			
Other Diagnosis	24	15	12			
Diagnosis Unknown	9	9	12			

Individuals who received psychiatric services had the following types of

NUMBER SERVED	FY2014	FY2013	FY2012	EDUCATION	FY2014	FY2013	FY2012
Total Individuals	290	258	223	Less than High School Diploma	105	80	18
				High School Grad or G.E.D.	0	*	18
AGE				Associate Degree or Some College	0	*	*
Under 6	6	*	*	Bachelor or Advanced Degree	0	0	*
6 to 9	21	16	13	Education Level Unknown	185	173	184
10 to 13	28	20	17	Education Edver Officion	100		101
14 to 17	31	29	30	EMPLOYMENT			
18 to 24	27	27	26	Employed	15	6	*
25 to 29	27	21	17	Unemployed	7	12	27
30 to 34	29	23	22	Not in Labor Force	177	121	13
35 to 39	24	26	20	Employment Status Unknown	91	119	181
40 to 44	23	28	19				
45 to 49	26	23	20	HOUSING / LIVING ARRANGEMENT			
50 to 54	23	22	18	Independent Living	124	78	32
55 to 59	15	13	12	Dependent Living	83	61	27
60 and Over	10	8	6	Homeless	*	0	0
Age Unknown	0	0	0	Other	0	0	*
				Housing Unknown	82	119	163
GENDER				-			
Male	126	123	97	TREATMENT REFERRAL SOURCE			
Female	164	135	126	Self / Family / Friend	244	202	163
Gender Unknown	0	0	0	School	*	0	0
RACE / ETHNICITY				Mental Health Provider	*	*	*
Caucasian	279	247	213	Health Care Provider	24	29	21
African American	*	0	0	Court / Criminal Justice	5	7	16
Native American / Alaskan	*	*	*	Other	15	17	20
Asian / Pacific Islander	0	0	0	Referral Source Unknown	0	0	0
Hispanic	6	7	8				
Other Race	*	*	*	TYPE OF COMMITMENT			
Race/Ethnicity Unknown	0	0	0	Voluntary	289	256	220
•	· ·	ŭ	Ü	Civil	0	*	*
TREATMENT ACCOMMODATION				Criminal	*	0	0
Hearing Impaired	12	9	7	Sexual Predatory	0	0	*
Past or Current Military Service	8	10	5	Commitment Type Unknown	0	0	0

MISSOURI STUDENT SURVEY

	IVIIOS	OUF	(1510	DENI SURVET			
Percent of students who have ever used:	2014	2012	2010	Percent who believe they risk harm if they use:	2014	2012	2010
Alcohol	12.4	28.2	40.5	Alcohol (1 or 2 drinks daily)	59.5		
Cigarettes	14.1	22.4	30.8	Alcohol (Binge: 5+ drinks once or twice a week)	69.8		
Chewing Tobacco	35.6	22.9	23.7	Alcohol (any use)		57.7	78.5
Marijuana	1.9	13.9	12.8	Cigarettes (1+ packs per day)	85.7		
Inhalants	1.8	12.6	5.8	Cigarettes (any use)		76.2	76.7
Prescription medications not prescribed for student	4.3	8.6	11.7	Marijuana (once or twice a week)	73.5		
Over-the-counter medications for non-medical use	1.2	9.8	8.4	Marijuana (any use)		73.2	74.4
Methamphetamine	0.0	0.8	1.6	Other: Cocaine, LSD, Meth, Club Drug (any use)	89.6	96.1	92.3
Cocaine	0.6	1.2	1.6	Percent of students who, in past 30 days:			
Heroin	0.6	8.0	0.3	Were very sad	8.6	28.5	9.3
Hallucinogens	0.6	3.3	2.9	Were grouchy, irritable, or in a bad mood	15.2	26.0	14.6
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.6	0.0	2.3	Felt hopeless about the future	6.7	21.2	6.4
Steroids not prescribed for student	1.9	5.7	0.6	Felt like not eating or eating more than usual	13.5	8.6	10.6
Synthetic drugs (K2, bath salts, Spice, etc)	0.6	8.2		Slept a lot more or a lot less than usual	10.4	12.6	18.1
Average age of students' first use of:				Had difficulty concentrating on school work	24.2	27.8	14.3
Alcohol		10.50		Percent of students who, in past 12 months:			
Cigarettes		10.78		Seriously considered attempting suicide	1.8	13.5	13.7
Marijuana		13.30		Made plan about how they would attempt suicide	1.2	4.9	8.9
Inhalants	9.57	9.89	11.39	Attempted suicide	0.6	2.0	6.4
Percent of students who, in past 30 days, used:				Attempted suicide and resulting injury, poisonng, or overdose	0.0	0.4	0.7
Alcohol	1.9	17.1	15.3	had to be treated by doctor or nurse	0.6	0.4	2.7
Alcohol (Binge: 5+ drinks on one occassion)		9.8	8.9	Percent of students who, in past 12 months:			
Cigarettes	3.1	13.5	16.5	Were threatened/injured with weapon at school	8.5	13.5	7.9
Chewing Tobacco	19.0	11.4	14.3	Were in a physical fight	27.8	32.9	27.6
Marijuana	0.6	6.9	6.5	Were in a fight and had to be treated by a doctor or nurse	3.7	2.4	2.9
Inhalants	0.6	9.4	2.6	Porcent of ctudents who in next 2 months:			
Prescription medications not prescribed for student	2.5	2.0	7.8	Percent of students who, in past 3 months: Were victims of mean rumors or lies spread at school	30.7	47.8	59.1
Over-the-counter medications for non-medical use	1.2	3.3	5.2	Were made fun of by others	38.0	66.5	72.1
Percent of students who, in past 2 weeks, used:				Were victims of an embarrassing or hurtful text message or	13.4	17.3	17.2
Alcohol (Binge: 5+ drinks on one occassion)	0.0			something posted on the internet	13.4	17.3	17.2
Percent whose friends used in past 12 months:				Spread mean rumors or lies about other kids at school	12.4	24.9	36.7
Alcohol	25.9	36.7	49.4	Made fun of other people	49.7	59.0	72.7
Cigarettes	26.4	34.7		Posted something on the internet or sent a text that might embarrass or hurt another student	8.6	19.6	12.4
Marijuana	16.6	19.3	28.1	embarrass of fluit another student			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	1.9	4.9	11.9	Percent of students who agree that:			
Percent who would likely use, if offered by a best friend:				Teachers notice and comment on student's good work	79.8	61.9	71.9
Alcohol	29.4	17.1	27.2	School provides feedback to parents on positive student	47.2	43.5	39.2
Cigarettes	9.2	10.2	17.0	performance			
Marijuana	3.1	9.3	9.6	Rules are enforced fairly	72.8	64.6	68.6
Percent who say it would be wrong to use:				Students of all races/ethnicities are treated equal	93.3	84.4	80.6
Alcohol	73.6	71.2	67.0	Percent of students who agree that:			
Cigarettes	78.3	82.7	76.1	Parents notice and comment on student's good work	78.7	86.1	84.9
Marijuana	94.5	83.5	85.5	Parents involve student in making family decisions	69.1	78.0	68.6
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	98.7	96.5	94.6	It is important to be honest with parents regardless of consequences	82.7	87.4	84.4
Percent whose parents would disapprove if they use:				Student could ask parent for help with a personal problem	74.8	80.7	75.6
Alcohol	70.7	76.3	79.6	Staucht could ask parcht for help with a personal problem	7 4.0	00.7	70.0
Cigarettes	74.8	83.3	91.3	Missouri Student Survey is conducted biennially.			
Marijuana	87.0	99.1	95.2	Similar affirmative response choices for individual questions are			
Percent who say it would be easy to obtain:				Blank data cells indicate estimates are not available for item or Survey is not conducted in every school district nor reported for			
Alcohol	33.1	40.2	49.4	Estimates are not available for counties with small numbers of			
Cigarettes	30.1	37.1	53.0	Percentages are estimates based on weighted data. Some year-to-year differences in percentages are not statistical	ılly signifi	cant.	
Marijuana	8.1	23.4					In (c) (=
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	4.3	7.8	16.3	Data source: Missouri Institute of Mental Health, 2010-2014 Mi	ssouri St	uaent Si	urveys

DBH REGION		Southeast		IMPAIRED DRIVING	2013	2012	2011
DBH SERVICE	AREAS			Alcohol Involved CrashesTotal	13	16	18
Substance	Use	18		Fatal Crashes	1	2	0
Adult Psyc	hiatric	18		Injury Crashes	4	11	9
POPULATION	1			Property Damage Crashes	8	3	9
Census 20	10	13,684		Crash Fatalities	1	2	0
2014 Estin	nate	13,546		Crash Injuries	6	15	9
				Drug Involved CrashesTotal	7	1	2
213				Fatal Crashes	0	0	0
BIRTH RISK	2013	2012	2011	Injury Crashes	2	0	2
Resident BirthsTotal	140	143	167	Property Damage Crashes	5	1	0
	29	35	40	Crash Fatalities	0	0	0
Mother Reported Smoking while Pregnant	29	33	40	Crash Injuries	2	0	2
DISEASE INCIDENCE 1	2013	2012	2011				
HIV/AIDS Cases	0	2	1	POLICE REPORTS	2013	2012	2011
Hepatitis B Chronic, Acute, Prenatal	0	1	0	DUI Arrests, DWI Tracking System	52	44	76
Hepatitis C Chronic and Acute	6	13	13	Liquor Law Arrests	24	23	25
Tuberculosis Infection Cases	0	2	1	Drug Arrests	106	69	56
				Violent Offenses	37	24	38
DEATHS and INJURIES	2013	2012	2011	Property Offenses	242	229	186
Resident DeathsTotal	185	140	163	Domestic Violence Reports	0	0	0
Suicides	2	3	1		2014	2013	2012
Self-inflicted Injuries	9	4	11	Methamphetamine Lab Seizures	1	10	5
Homicides	1	0	0	SCHOOL REPORTS	2013-14	2012-13	2011-12
Assault Injuries	14	18	10	Enrollment Grades 9-12	424	450	446
Alcohol Induced Deaths	0	0	0	Drop-outs	1	0	3
Drug Induced Deaths	2	1	0	Drop-out Rate	0.2%	0.0%	0.7%
Smoking Attributable Deaths	38	25	39	School Discipline Involving Alcohol	2	4	2
HOSPITAL EDISODES 2	2012	2012	2011	School Discipline Involving Drugs	1	1	6
HOSPITAL EPISODES Hospitalization, no Emergency Room:	2013	2012	2011	School Discipline Involving Tobacco	0	0	1
Mental Illness Principal Diagnosis	45	43	54	Control Dicolphine involving resucce	· ·	Ū	
Mental Illness Secondary Diagnosis	43 77	93	114	JUVENILE COURT REFERRALS 3	2013	2012	2011
Alcohol Principal Diagnosis	1	93	4	Juvenile Violent Offenses	11	25	4
Alcohol Secondary Diagnosis	2	4	6	Juvenile Alcohol Offenses	0	3	2
Drug Principal Diagnosis	4	6	2	Juvenile Drug Offenses	2	4	3
Drug Secondary Diagnosis	2	6	4	School Truancy Status Offense	4	5	9
Emergency Room + Hospitalization:	2	O	4	Absent from Home Status Offense	0	2	0
Mental Illness Principal Diagnosis	25	34	30	Beyond Parental Control Status Offense	7	11	6
Mental Illness Secondary Diagnosis	193	202	188	Injurious Behavior Status Offense	0	1	0
Alcohol Principal Diagnosis	4	13	13	Child Abuse	2	7	2
Alcohol Secondary Diagnosis			20	Child Neglect	11	16	22
Drug Principal Diagnosis	12 4	12 9	20 8	Child Custody Issues	7	5	3
Drug Secondary Diagnosis	10	11	10	JUVENILE COURT PLACEMENTS	2013	2012	2011
Emergency Room, no Hospitalization:	10		10	Out-of-Home PlacementsTotal	13	9	18
Mental Illness Principal Diagnosis	45	52	42	Parental Alcohol Use Related	13	0	2
Mental Illness Secondary Diagnosis	262	276	79	Parental Drug Use Related	0	0	5
Alcohol Principal Diagnosis	7	23	8	Parental Alcohol and Drug Use	3	1	0
Alcohol Secondary Diagnosis	, 11	10	8	r arental Alcohol and Drug Ose	3		U
Drug Principal Diagnosis	12	18	12	CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Secondary Diagnosis	8	16	17	Drug Court Participants	37	29	29
Drug Occordary Diagnosis	O	10	17	Probation/Parole AdmissionsDrug	29	28	39
ALCOHOL OUTLETS	2014	2013	2012	Probation/Parole AdmissionsDWI	4	8	10
Alcohol On-Premise Drink Licenses	4	5	4	Prison AdmissionsDrug	16	15	15
Alcohol Package Carry-out Licenses	11	12	11	Prison AdmissionsDWI	1	3	3
	0011	2012	2012	1 All Kansas City hepatitis and TB case repor	ts are include	nd in Jackson	County
EMPLOYMENT	2014	2013	2012	totals and all Joplin case reports are include			Journey
Labor Force	4,996	6,254	6,156	2 Beginning with 2010 data, diagnosis counts	for hospital a	and ER service	
Employed	4,620	5,798	5,649	based on codes developed by the Healthcan Beginning in 2013, juvenile municipal violati			
Unemployed	376	456	507	court orders are categorized as status offen			
Unemployment Rate	7.5%	7.3%	8.2%				

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
	6	F	4.4
Detoxification	6	5	14
CSTAR Adolescent	*	*	*
CSTAR Women and Children	*	*	*
CSTAR General Adult	13	15	13
CSTAR Opioid	0	0	0
Primary Recovery Treatment	14	22	45
Clinical SATOP (CIP, YCIP, SROP)	6	12	8
Other Substance Abuse Treatment	0	0	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	27	43	47
- Adolescent Diversion Education Prograr	0	0	0
- Offender Education Program	12	18	15
- Weekend Intervention Program	*	5	14
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	0	*
Compulsive Gambling	0	0	0
Recovery Supports	*	6	*
Early Intervention	0	0	*

NUMBER ADMITTED	FY2014	FY2013	FY2012	PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Total Individuals	39	52	76	Alcohol	11	24	32
				Marijuana / Hashish	6	8	12
AGE	*	*	*	Cocaine (total)	0	0	0
Under 18				- Crack	0	0	0
18 to 24	6	10	17	Stimulant (total)	17	9	19
25 to 29		9	12	- Methamphetamine	17	9	18
30 to 34	5	9	10	Heroin	*	*	*
35 to 39	8	5	6	Analgesic except Heroin	*	7	7
40 to 44	6	6	10	- Non-Prescription Methadone	0	*	0
45 to 54	6	10	12	PCP, LSD, other Hallucinogen	0	0	0
55 and Over	*	*	5	Tranquilizer	*	*	*
GENDER				Inhalant	0	0	*
Male	27	38	53	Sedative	0	0	0
Female	12	14	23	Other Medication or Illicit Drug	0	0	*
DACE / ETUNICITY				Average Age at First Use of Drug	18.7	18.2	17.8
RACE / ETHNICITY Caucasian	39	49	74				
African American	0	49 *	0	INJECTION DRUG USE			
Native American / Alaskan	0	0	*	Any Injection Use at Admission	11	10	13
Asian / Pacific Islander	0	0	0	- Daily Injection Use	*	0	*
	0	0	*	- Weekly Injection Use	*	6	*
Hispanic Other Race / Two or More Races	0	*	*	- Less than Weekly Injection Use	6	*	10
	· ·						
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	13	18	25	0	20	26	40
High School Graduate or G.E.D.	16	27	39	1 or 2	11	14	24
Associate Degree or Some College	10	7	11	3 or More	8	12	12
Bachelor or Advanced Degree	0	0	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	9	16	16
Employed	6	10	9	School	0	0	0
Unemployed	15	30	41	Mental Health Provider	0	*	*
Not in Labor Force	18	12	26	Health Care Provider	*	*	*
_				Court / Criminal Justice	23	26	52
HOUSING / LIVING ARRANGEMENT	0.4	40	07	Other Referral Source	6	6	5
Independent Living	31	43	67				
Dependent Living	6	6	6	TREATMENT ACCOMMODATION			
Homeless	*	*	*	Pregnant when Admitted to any Episode	*	0	*
MARITAL / FAMILY STATUS				Military Veteran	*	*	*
Never Married	18	26	32	Special Education Services Needed	*	*	0
Married / Cohabitating	10	18	23	Co-Occurring Psychological Problem	10	11	21
Previously Married	11	8	21	Co-Occurring Developmental Problem	0	*	0

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Southeast
PSYCHIATRIC SERVICE AREA 18
CENSUS 2010 13,684
2014 POPULATION ESTIMATE 13,546

served because some individuals ha	•		
DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012
Adjustment Disorder	*	*	*
Anxiety Disorder	43	30	24
Dementia	0	*	0
Developmental Disorder	*	*	*
Impulse Control Disorder	10	10	9
Mood Disorder	72	51	45
Personality Disorder	9	7	*
Psychotic Disorder	*	7	5
Sexual Disorder	0	0	0
Other Diagnosis	5	*	*
Diagnosis Unknown	*	*	8

Individuals who received psychiatric services had the following types of

NUMBER SERVED	FY2014	FY2013	FY2012	EDUCATION	FY2014	FY2013	FY2012
Total Individuals	92	73	64	Less than High School Diploma	26	31	12
Total marriadalo	52	70	0-1	High School Grad or G.E.D.	0	0	6
AGE				Associate Degree or Some College	0	0	*
Under 6	0	0	*	Bachelor or Advanced Degree	0	0	*
6 to 9	5	7	*	Education Level Unknown	66	42	43
10 to 13	5	5	*	Education Level Officiown	00	42	40
14 to 17	8	6	*	EMPLOYMENT			
18 to 24	16	13	11	Employed	5	7	*
25 to 29	6	*	6	Unemployed	11	9	13
30 to 34	10	*	9	Not in Labor Force	52	53	6
35 to 39	6	6	*	Employment Status Unknown	24	*	42
40 to 44	6	5	7				
45 to 49	8	7	5	HOUSING / LIVING ARRANGEMENT			
50 to 54	12	*	*	Independent Living	33	40	13
55 to 59	7	9	6	Dependent Living	19	18	6
60 and Over	*	5	*	Homeless	5	*	*
Age Unknown	0	0	0	Other	0	0	0
oswo-s				Housing Unknown	35	14	43
GENDER Male	20	20	0.4				
Female	33	30	34	TREATMENT REFERRAL SOURCE			
	59	43	30	Self / Family / Friend	44	38	27
Gender Unknown	0	0	0	School	0	0	0
RACE / ETHNICITY				Mental Health Provider	0	*	5
Caucasian	90	72	62	Health Care Provider	37	24	19
African American	0	0	0	Court / Criminal Justice	*	*	9
Native American / Alaskan	0	0	0	Other	7	8	*
Asian / Pacific Islander	0	0	0	Referral Source Unknown	0	0	0
Hispanic	*	*	0				
Other Race	*	0	*	TYPE OF COMMITMENT	04	70	00
Race/Ethnicity Unknown	0	0	0	Voluntary	91	72	62
TDE 4.71.451/7 4.000 - 51.00 - 51.00 - 51.00 - 51.00 - 51.00 - 51.00 - 51.00 - 51.00 - 51.00 - 51.00 - 51.00 -				Civil	0	0	0
TREATMENT ACCOMMODATION	_	*	*	Criminal			· ·
Hearing Impaired			*	Sexual Predatory	0	0	0
Past or Current Military Service	*	*	*	Commitment Type Unknown	0	0	0

MISSOURI STUDENT SURVEY

	IVIIOS	OUF	(131)	DDENI SURVE
Percent of students who have ever used:	2014	2012	2010	Percent who believe the
Alcohol	34.5	43.3	46.1	Alcohol (1 or 2 drinks of
Cigarettes	25.6	29.3	39.5	Alcohol (Binge: 5+ drin
Chewing Tobacco	17.0	25.0	26.9	Alcohol (any use)
Marijuana	8.0	14.5	13.5	Cigarettes (1+ packs p
Inhalants	3.4	3.4	9.8	Cigarettes (any use)
Prescription medications not prescribed for student	6.3	7.2	13.5	Marijuana (once or twi
Over-the-counter medications for non-medical use	0.6	1.9	9.4	Marijuana (any use)
Methamphetamine	0.0	1.4	0.7	Other: Cocaine, LSD, I
Cocaine	0.6	2.0	1.4	Percent of students who
Heroin	0.0	0.5	1.0	
Hallucinogens	1.1	0.5	2.7	Were very sad Were grouchy, irritable
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.1	0.5	2.7	
Steroids not prescribed for student	0.6	2.9	0.7	Felt like not eating or a
Synthetic drugs (K2, bath salts, Spice, etc)	2.9	7.7		Felt like not eating or e
Average age of ctudents' first use of				Slept a lot more or a lo Had difficulty concentra
Average age of students' first use of: Alcohol	12.50	12.95	12.02	nau uniculty concerns
		12.95		Percent of students who
Cigarettes				Seriously considered a
Marijuana		13.19		Made plan about how
Inhalants	12.91	12.41	12.78	Attempted suicide
Percent of students who, in past 30 days, used:				Attempted suicide and
Alcohol	12.1	22.1	22.1	had to be treated by do
Alcohol (Binge: 5+ drinks on one occassion)		13.5	12.8	Percent of students who
Cigarettes	9.1	11.1	20.3	Were threatened/injure
Chewing Tobacco	7.4	16.4	15.9	Were in a physical figh
Marijuana	2.3	7.7	6.1	Were in a fight and had
Inhalants	0.6	1.9	4.7	were in a light and had
Prescription medications not prescribed for student	4.0	1.4	6.8	Percent of students who
Over-the-counter medications for non-medical use	0.0	1.4	5.1	Were victims of mean
				Were made fun of by o
Percent of students who, in past 2 weeks, used: Alcohol (Binge: 5+ drinks on one occassion)	8.6			Were victims of an emission something posted on the
-				Spread mean rumors of
Percent whose friends used in past 12 months:	00.7	00.5	00.0	Made fun of other peop
Alcohol	39.7	62.5	62.2	Posted something on t
Cigarettes	37.5	53.4	54.1	embarrass or hurt anot
Marijuana	21.1	35.9	33.7	ombarrado di mart and
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	8.1	13.9	16.8	Percent of students who
Percent who would likely use, if offered by a best friend:				Teachers notice and c
Alcohol	25.0	35.7	40.3	School provides feedb
Cigarettes	9.1	19.3	23.2	performance
Marijuana	4.6	11.3	11.6	Rules are enforced fair
•				Students of all races/e
Percent who say it would be wrong to use:	00.4	00.0	50.4	Percent of students who
Alcohol	68.4	60.3	53.4	Parents notice and cor
Cigarettes	81.6	68.9	66.7	Parents involve studer
Marijuana	87.5	79.7	82.1	It is important to be ho
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	98.8	95.7	92.9	consequences
Percent whose parents would disapprove if they use:				Student could ask pare
Alcohol	83.3	75.2	79.4	
Cigarettes	90.3	84.6	88.6	Missouri Student Survey
Marijuana	95.3	92.7	95.9	Similar affirmative respo Blank data cells indicate
Percent who say it would be easy to obtain:				Survey is not conducted Estimates are not availa
Alcohol	51.2	64.4	63.9	Percentages are estimated
Cigarettes	50.0	65.5	65.5	Some year-to-year differ
Marijuana	22.7	35.8	38.4	Data source: Missouri In
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	11.7	15.2	22.3	Data Source. Missoull III

DENT SURVEY			
	2014	2012	2010
Percent who believe they risk harm if they use:			
Alcohol (1 or 2 drinks daily)	52.8		
Alcohol (Binge: 5+ drinks once or twice a week)	69.9		
Alcohol (any use)		66.2	74.7
Cigarettes (1+ packs per day)	84.9		
Cigarettes (any use)		76.4	71.6
Marijuana (once or twice a week)	74.9		
Marijuana (any use)		72.6	70.5
Other: Cocaine, LSD, Meth, Club Drug (any use)	94.3	93.7	90.6
Percent of students who, in past 30 days:			
Were very sad	16.8	25.6	22.0
Were grouchy, irritable, or in a bad mood	24.7	30.9	33.0
Felt hopeless about the future	10.8	15.2	19.5
Felt like not eating or eating more than usual	16.6	20.2	16.3
Slept a lot more or a lot less than usual	17.8	22.7	28.8
Had difficulty concentrating on school work	24.0	25.6	30.4
	24.0	20.0	00.4
Percent of students who, in past 12 months:		40.0	44.0
Seriously considered attempting suicide	7.4	10.6	11.8
Made plan about how they would attempt suicide	6.8	8.7	9.5
Attempted suicide	5.7	3.8	6.1
Attempted suicide and resulting injury, poisonng, or overdose had to be treated by doctor or nurse	1.7	2.0	1.4
Percent of students who, in past 12 months:			
Were threatened/injured with weapon at school	2.3	7.2	10.8
Were in a physical fight	13.8	21.7	30.6
Were in a fight and had to be treated by a doctor or nurse	1.1	5.3	4.7
Percent of students who, in past 3 months:			
Were victims of mean rumors or lies spread at school	41.1	52.4	54.8
Were made fun of by others	46.6	63.6	66.9
Were victims of an embarrassing or hurtful text message or	40.0	03.0	00.5
something posted on the internet	19.9	25.7	19.9
Spread mean rumors or lies about other kids at school	13.1	17.4	29.5
Made fun of other people	38.9	58.2	64.3
Posted something on the internet or sent a text that might			
embarrass or hurt another student	9.1	17.5	18.6
Percent of students who agree that:			
Teachers notice and comment on student's good work	72.7	72.5	70.0
School provides feedback to parents on positive student	12.1	12.0	70.0
performance	48.9	38.6	40.3
Rules are enforced fairly	70.1	57.2	59.7
Students of all races/ethnicities are treated equal	83.5	75.5	72.1
Percent of students who agree that:			
Parents notice and comment on student's good work	84.1	81.6	78.0
Parents involve student in making family decisions	72.0	68.8	63.1
It is important to be honest with parents regardless of	00.0	90.5	044
consequences	90.9	89.5	84.1
Student could ask parent for help with a personal problem	82.1	76.9	74.7

ey is conducted biennially.

sonse choices for individual questions are combined. te estimates are not available for item or geographic area. d in every school district nor reported for every county. able for counties with small numbers of respondents. ates based on weighted data.

erences in percentages are not statistically significant.

Institute of Mental Health, 2010-2014 Missouri Student Surveys

DOMNEIN COOL	N I I						
	BH REGION	Southeast		IMPAIRED DRIVING	2013	2012	2011
	BH SERVICE AREAS			Alcohol Involved CrashesTotal	23	35	26
	Substance Use	20		Fatal Crashes	2	2	1
	Adult Psychiatric	19		Injury Crashes	10	19	12
	OPULATION			Property Damage Crashes	11	14	13
	Census 2010	31,953		Crash Fatalities	2	2	1
	2014 Estimate	31,344		Crash Injuries	17	32	17
		•		Drug Involved CrashesTotal	18	5	16
4.5				Fatal Crashes	1	0	0
DIDTH DIGH	2012	2042	2044	Injury Crashes	10	3	8
BIRTH RISK	2013	2012	2011	Property Damage Crashes	7	2	8
Resident BirthsTotal	469	444	480	Crash Fatalities	1	0	0
Mother Reported Smoking while	e Pregnant 139	149	140	Crash Injuries	14	3	13
DISEASE INCIDENCE 1	2013	2012	2011				
HIV/AIDS Cases	1	0	0	POLICE REPORTS	2013	2012	2011
Hepatitis B Chronic, Acute, Prei	natal 0	0	2	DUI Arrests, DWI Tracking System	145	195	266
Hepatitis C Chronic and Acute	29	29	25	Liquor Law Arrests	42	79	33
Tuberculosis Infection Cases	3	2	4	Drug Arrests	152	204	294
				Violent Offenses	92	121	115
DEATHS and INJURIES	2013	2012	2011	Property Offenses	1,144	1,254	1,016
Resident DeathsTotal	423	453	433	Domestic Violence Reports	151	158	122
Suicides	6	6	9		2014	2013	2012
Self-inflicted Injuries	81	89	111	Methamphetamine Lab Seizures	2	3	4
Homicides	1	0	2	SCHOOL REPORTS	2013-14	2012-13	2011-12
Assault Injuries	207	183	199	Enrollment Grades 9-12	1,598	1,619	1,518
Alcohol Induced Deaths	1	5	2	Drop-outs	1,330	1,013	33
Drug Induced Deaths	4	15	6	Drop-out Rate	0.8%	1.1%	2.2%
Smoking Attributable Deaths	101	88	98	School Discipline Involving Alcohol	0.076	0	2.276
HOSPITAL EDISORES 3	2012	2012	2011	School Discipline Involving Drugs	26	4	12
HOSPITAL EPISODES 2	2013	2012	2011	School Discipline Involving Tobacco	0	0	1
Hospitalization, no Emergency F Mental Illness Principal Diagno		505	534	Control Bisospinio involving resucce	O	O	•
		829	929	JUVENILE COURT REFERRALS 3	2013	2012	2011
Mental Illness Secondary Diag	22	21	929 40	Juvenile Violent Offenses	50	21	48
Alcohol Principal Diagnosis	52	66	40 60	Juvenile Alcohol Offenses	13	11	9
Alcohol Secondary Diagnosis Drug Principal Diagnosis	47	42	50	Juvenile Drug Offenses	7	0	13
Drug Secondary Diagnosis	40	42	50 50	School Truancy Status Offense	53	59	15
Emergency Room + Hospitaliza		42	30	Absent from Home Status Offense	8	3	8
Mental Illness Principal Diagno		155	171	Beyond Parental Control Status Offense	26	30	30
Mental Illness Secondary Diag		736	786	Injurious Behavior Status Offense	11	8	3
Alcohol Principal Diagnosis	8	13	11	Child Abuse	166	150	158
Alcohol Secondary Diagnosis	30	58	48	Child Neglect	265	422	346
Drug Principal Diagnosis	24	20	14	Child Custody Issues	2	12	4
Drug Secondary Diagnosis	11	18	26	UNIVERSITE COLURT DI ACCRACATO	2013	2012	2011
Emergency Room, no Hospitaliz		10	20	JUVENILE COURT PLACEMENTS Out-of-Home PlacementsTotal	68	77	97
Mental Illness Principal Diagno		543	595	Parental Alcohol Use Related	0	1	97 5
Mental Illness Secondary Diag		238	355	Parental Drug Use Related	46	59	5 55
Alcohol Principal Diagnosis	73	236 71	75	Parental Alcohol and Drug Use	0	1	4
		50	73 57	Farental Alcohol and Drug Ose	U	'	4
Alcohol Secondary Diagnosis	36			CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Principal Diagnosis	68	62	75	Drug Court Participants	72	80	55
Drug Secondary Diagnosis	46	38	52	Probation/Parole AdmissionsDrug	117	112	135
ALCOHOL OUTLETS	2014	2013	2012	Probation/Parole AdmissionsDWI	22	38	48
Alcohol On-Premise Drink Licer		26	2012	Prison AdmissionsDrug	78	68	69
Alcohol Package Carry-out Lice		45	29 45	Prison AdmissionsDWI	19	22	27
				1 All Kansas City hepatitis and TB case report	ts are include	ed in Jackson	County
EMPLOYMENT	2014	2013	2012	totals and all Joplin case reports are include			County
Labor Force	12,946	14,829	14,254	2 Beginning with 2010 data, diagnosis counts			
Employed	11,794	13,648	13,041	based on codes developed by the Healthcar Beginning in 2013, juvenile municipal violati			
Unemployed	1,152	1,181	1,213	court orders are categorized as status offen:			
Unemployment Rate	8.9%	8.0%	8.5%				

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	92	74	89
CSTAR Adolescent	21	26	31
CSTAR Women and Children	23	30	21
CSTAR General Adult	146	102	96
CSTAR Opioid	0	0	0
Primary Recovery Treatment	75	172	272
Clinical SATOP (CIP, YCIP, SROP)	19	23	21
Other Substance Abuse Treatment	*	0	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	98	110	126
- Adolescent Diversion Education Prograr	0	0	0
- Offender Education Program	38	29	52
- Weekend Intervention Program	19	22	25
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	*	*
Compulsive Gambling	0	0	0
Recovery Supports	23	8	5
Early Intervention	0	0	*

NUMBER ADMITTED	FY2014	FY2013	FY2012	PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Total Individuals	278	348	408	Alcohol	85	121	121
				Marijuana / Hashish	91	115	151
AGE				Cocaine (total)	6	20	30
Under 18	25	28	34	- Crack	*	11	14
18 to 24	44	68	79	Stimulant (total)	64	48	47
25 to 29	45	61	81	- Methamphetamine	64	48	44
30 to 34	50	57	75	Heroin	*	*	*
35 to 39	37	37	40	Analgesic except Heroin	20	27	40
40 to 44	29	32	30	- Non-Prescription Methadone	0	0	0
45 to 54	36	48	54	PCP, LSD, other Hallucinogen	0	0	0
55 and Over	12	17	15		8	11	11
CENDED				Tranquilizer Inhalant	0	0	*
GENDER Male	186	243	277	Sedative	*	*	*
	92				0	*	*
Female	92	105	131	Other Medication or Illicit Drug	0	47.0	47.0
RACE / ETHNICITY				Average Age at First Use of Drug	17.5	17.8	17.6
Caucasian	226	282	328				
African American	41	55	69	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	31	25 *	19
Asian / Pacific Islander	0	*	0	- Daily Injection Use	7		*
Hispanic	5	9	8	- Weekly Injection Use	7	7	6
Other Race / Two or More Races	7	*	*	- Less than Weekly Injection Use	17	16	10
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	118	159	195	0	174	224	284
High School Graduate or G.E.D.	126	146	179	1 or 2	65	86	95
Associate Degree or Some College	31	42	32	3 or More	39	38	29
Bachelor or Advanced Degree	*	*	*				
				TREATMENT REFERRAL SOURCE	50	50	50
EMPLOYMENT	- 4	00	00	Self / Family / Friend	58	52 *	53
Employed	54	80	92	School	0	*	^
Unemployed	76	90	128	Mental Health Provider			8
Not in Labor Force	148	178	188	Health Care Provider	18	22	23
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	148	234	283
Independent Living	202	255	307	Other Referral Source	46	33	40
Dependent Living	64	78	91				
Homeless	*	5	*	TREATMENT ACCOMMODATION			
		3		Pregnant when Admitted to any Episode	6	7	*
MARITAL / FAMILY STATUS				Military Veteran	13	13	15
Never Married	133	182	197	Special Education Services Needed	28	40	36
Married / Cohabitating	78	87	120	Co-Occurring Psychological Problem	67	84	110
Previously Married	67	79	91	Co-Occurring Developmental Problem	7	8	13

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Southeast
PSYCHIATRIC SERVICE AREA 19
CENSUS 2010 31,953
2014 POPULATION ESTIMATE 31,344

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.						
DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012			
Adjustment Disorder	35	26	11			
Anxiety Disorder	86	45	28			
Dementia	0	0	0			
Developmental Disorder	*	*	*			
Impulse Control Disorder	67	51	33			
Mood Disorder	370	316	242			
Personality Disorder	*	*	*			
Psychotic Disorder	101	80	70			
Sexual Disorder	0	0	0			
Other Diagnosis	11	8	10			
Diagnosis Unknown	107	78	100			

Individuals who received psychiatric services had the following types of

NUMBER SERVED	FY2014	FY2013	FY2012	EDUCATION	FY2014	FY2013	FY2012
Total Individuals	743	585	469	Less than High School Diploma	156	132	86
. 6.6	0	000	.00	High School Grad or G.E.D.	0	*	78
AGE				Associate Degree or Some College	0	0	9
Under 6	*	*	*	Bachelor or Advanced Degree	0	0	*
6 to 9	46	28	19	Education Level Unknown	587	452	292
10 to 13	53	44	33	Education Edvor Children	00.	102	202
14 to 17	46	42	27	EMPLOYMENT			
18 to 24	76	53	53	Employed	8	*	5
25 to 29	68	58	39	Unemployed	39	6	146
30 to 34	60	48	43	Not in Labor Force	302	261	65
35 to 39	92	59	54	Employment Status Unknown	394	314	253
40 to 44	74	63	52				
45 to 49	63	52	43	HOUSING / LIVING ARRANGEMENT			
50 to 54	69	52	34	Independent Living	217	178	168
55 to 59	41	39	29	Dependent Living	98	85	43
60 and Over	53	45	40	Homeless	6	*	*
Age Unknown	0	0	0	Other	0	0	10
				Housing Unknown	422	320	246
GENDER	000	050	00.4				
Male	328	252	234	TREATMENT REFERRAL SOURCE			
Female	415	333	235	Self / Family / Friend	237	155	102
Gender Unknown	0	0	0	School	6	*	*
RACE / ETHNICITY				Mental Health Provider	78	66	52
Caucasian	583	485	385	Health Care Provider	157	146	129
African American	129	85	69	Court / Criminal Justice	143	122	109
Native American / Alaskan	0	0	0	Other	113	78	56
Asian / Pacific Islander	0	0	0	Referral Source Unknown	9	14	19
Hispanic	16	9	6				
Other Race	15	6	9	TYPE OF COMMITMENT			
Race/Ethnicity Unknown	0	0	0	Voluntary	729	568	447
•				Civil	*		*
TREATMENT ACCOMMODATION				Criminal		*	*
Hearing Impaired	16	10	10	Sexual Predatory	0	0	0
Past or Current Military Service	12	9	13	Commitment Type Unknown	9	14	19

MISSOURI STUDENT SURVEY

	IVIIOO	OUF	(1510	DENI SURVET			
Percent of students who have ever used:	2014	2012	2010	Percent who believe they risk harm if they use:	2014	2012	2010
Alcohol	49.3	42.2	42.9	Alcohol (1 or 2 drinks daily)	52.5		
Cigarettes	41.1	31.7	34.5	Alcohol (Binge: 5+ drinks once or twice a week)	55.9		
Chewing Tobacco	24.1	17.4	15.6	Alcohol (any use)		74.4	77.5
Marijuana	20.5	17.9	15.4	Cigarettes (1+ packs per day)	77.6		
Inhalants	2.6	7.2	7.4	Cigarettes (any use)		82.8	80.3
Prescription medications not prescribed for student	13.9	12.7	14.3	Marijuana (once or twice a week)	59.9		
Over-the-counter medications for non-medical use	5.0	6.6	7.5	Marijuana (any use)		74.5	76.5
Methamphetamine	0.0	1.8	1.1	Other: Cocaine, LSD, Meth, Club Drug (any use)	91.1	93.1	92.5
Cocaine	1.8	2.5	1.3	Percent of students who, in past 30 days:			
Heroin	0.5	1.5	0.3	Were very sad	21.9	18.5	13.4
Hallucinogens	0.0	2.2	1.7	Were grouchy, irritable, or in a bad mood	36.4	27.6	19.7
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.8	2.4	1.1	Felt hopeless about the future	10.8	11.0	8.3
Steroids not prescribed for student	8.0	2.2	1.9	Felt like not eating or eating more than usual	17.6	17.3	12.4
Synthetic drugs (K2, bath salts, Spice, etc)	1.8	10.2		Slept a lot more or a lot less than usual	17.1	21.5	20.2
Average age of students' first use of:				Had difficulty concentrating on school work	19.4	22.1	21.4
Alcohol	12.79	12.95	12.76	Persont of ctudents who in next 12 menths:			
Cigarettes	12.22	12.11	12.24	Percent of students who, in past 12 months: Seriously considered attempting suicide	15.9	11.8	13.1
Marijuana	13.34	13.41	13.67	Made plan about how they would attempt suicide	7.0	9.0	10.6
Inhalants	10.81	12.95	12.26	Attempted suicide	6.6	5.4	7.0
Percent of students who, in past 30 days, used:				Attempted suicide and resulting injury, poisoning, or overdose	0.0	0.4	7.0
Alcohol	18.9	18.8	17.9	had to be treated by doctor or nurse	0.8	1.9	2.9
Alcohol (Binge: 5+ drinks on one occassion)	10.0	10.8	11.2	Descript of attribute who do need 10 months			
Cigarettes	19.8	16.8	17.2	Percent of students who, in past 12 months:	<i>E</i> 0	4.0	0.4
Chewing Tobacco	20.7	9.1	6.7	Were threatened/injured with weapon at school	5.8 35.6	4.9 25.3	8.1 25.6
Marijuana	4.7	7.9	6.1	Were in a physical fight Were in a fight and had to be treated by a doctor or nurse	5.0	3.2	4.2
Inhalants	1.1	3.0	3.4	were in a light and had to be treated by a doctor of hurse	5.0	3.2	4.2
Prescription medications not prescribed for student	8.4	7.2	9.0	Percent of students who, in past 3 months:			
Over-the-counter medications for non-medical use	2.4	3.8	4.4	Were victims of mean rumors or lies spread at school	55.9	58.0	60.1
Percent of students who, in past 2 weeks, used:				Were made fun of by others	67.3	65.5	71.3
Alcohol (Binge: 5+ drinks on one occassion)	10.0			Were victims of an embarrassing or hurtful text message or something posted on the internet	20.6	23.9	19.2
Percent whose friends used in past 12 months:				Spread mean rumors or lies about other kids at school	23.6	24.4	33.8
Alcohol	53.4	56.8	58.7	Made fun of other people	51.4	67.4	75.8
Cigarettes	55.1	50.6	54.8	Posted something on the internet or sent a text that might embarrass or hurt another student	17.2	14.3	20.5
Marijuana	38.5	36.9	35.4	empariass of nurt another student			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	13.6	15.5	16.2	Percent of students who agree that:			
Percent who would likely use, if offered by a best friend:				Teachers notice and comment on student's good work	73.0	69.5	74.1
Alcohol	32.5	33.9	33.4	School provides feedback to parents on positive student	40.7	27.2	44.0
Cigarettes	18.4	17.7	17.5	performance	40.7	37.3	44.0
Marijuana	13.9	13.1	11.0	Rules are enforced fairly	62.3	65.6	64.5
				Students of all races/ethnicities are treated equal	83.6	73.8	71.4
Percent who say it would be wrong to use:	00.0	00.5	04.0	Percent of students who agree that:			
Alcohol	62.2	60.5	61.6	Parents notice and comment on student's good work	87.1	85.0	85.0
Cigarettes	75.1	76.7 81.8	75.6 83.9	Parents involve student in making family decisions	67.5	70.0	69.4
Marijuana Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	70.1 96.6	96.2		It is important to be honest with parents regardless of	92.4	86.7	84.0
Percent whose parents would disapprove if they use:				consequences	70.0		77.0
Alcohol	81.4	82.8	82.9	Student could ask parent for help with a personal problem	73.9	75.5	77.3
Cigarettes	88.7	90.2		Missouri Student Survey is conducted biennially.			
Marijuana	94.4	94.0		Similar affirmative response choices for individual questions are	e combin	ed.	
•	2		2 .	Blank data cells indicate estimates are not available for item or	geograp	hic area	
Percent who say it would be easy to obtain:		F.C		Survey is not conducted in every school district nor reported for Estimates are not available for counties with small numbers of			
Alcohol	44.4	53.5	55.5	Percentages are estimates based on weighted data.	•		
Cigarettes	63.9	59.6	58.6	Some year-to-year differences in percentages are not statistical	ılıy sıgnifi	cant.	
Marijuana Other Illicit (Coccine LSD Meth. Club Drug. etc.)	53.0	37.8	35.7	Data source: Missouri Institute of Mental Health, 2010-2014 Mi	ssouri St	udent Si	urveys
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	22.5	18.1	19.9	l			

I IVAINILIN OOONI I							
DBH REGION	1	Eastern		IMPAIRED DRIVING	2013	2012	2011
DBH SERVICE	E AREAS			Alcohol Involved CrashesTotal	106	129	127
Substance	Use	16		Fatal Crashes	5	8	5
Adult Psyc	chiatric	16		Injury Crashes	45	46	44
POPULATION				Property Damage Crashes	56	75	78
Census 20	010	101,492		Crash Fatalities	9	8	5
2014 Estir	mate	102,084		Crash Injuries	81	70	57
		- ,		Drug Involved CrashesTotal	42	44	28
213				Fatal Crashes	2	1	1
				Injury Crashes	9	22	9
BIRTH RISK	2013	2012	2011	Property Damage Crashes	31	21	18
Resident BirthsTotal	1,229	1,247	1,274	Crash Fatalities	2	1	1
Mother Reported Smoking while Pregnant	267	308	286	Crash Injuries	17	42	7
DISEASE INCIDENCE 1	2013	2012	2011				•
HIV/AIDS Cases	1	2	0	POLICE REPORTS	2013	2012	2011
Hepatitis B Chronic, Acute, Prenatal	3	2	1	DUI Arrests, DWI Tracking System	534	667	712
Hepatitis C Chronic and Acute	61	62	72	Liquor Law Arrests	104	113	154
Tuberculosis Infection Cases	5	10	12	Drug Arrests	559	619	487
ruberediosis infection oddes	3	10	12	Violent Offenses	182	178	219
DEATHS and INJURIES	2013	2012	2011	Property Offenses	2,215	2,180	1,936
Resident DeathsTotal	906	968	1,000	Domestic Violence Reports	720	553	544
Suicides	20	25	23		2014	2013	2012
Self-inflicted Injuries	132	162	149	Methamphetamine Lab Seizures	21	68	102
Homicides	3	4	5				
Assault Injuries	311	371	366	SCHOOL REPORTS	2013-14	2012-13	2011-12
Alcohol Induced Deaths	5	7	2	Enrollment Grades 9-12	4,902	4,916	4,870
Drug Induced Deaths	21	18	27	Drop-outs	91	95	128
Smoking Attributable Deaths	158	168	192	Drop-out Rate	1.9%	1.9%	2.6%
				School Discipline Involving Alcohol	14	14	8
HOSPITAL EPISODES 2	2013	2012	2011	School Discipline Involving Drugs	30	54	43
Hospitalization, no Emergency Room:				School Discipline Involving Tobacco	0	3	2
Mental Illness Principal Diagnosis	606	636	601	JUVENILE COURT REFERRALS 3	2013	2012	2011
Mental Illness Secondary Diagnosis	1,372	1,281	1,425	Juvenile Violent Offenses	62	96	76
Alcohol Principal Diagnosis	55	60	50	Juvenile Alcohol Offenses	32	38	27
Alcohol Secondary Diagnosis	78	72	84	Juvenile Drug Offenses	39	33	31
Drug Principal Diagnosis	96	92	96	School Truancy Status Offense	91	79	38
Drug Secondary Diagnosis	73	74	85	Absent from Home Status Offense	26	48	18
Emergency Room + Hospitalization:				Beyond Parental Control Status Offense	8	19	28
Mental Illness Principal Diagnosis	598	641	485	Injurious Behavior Status Offense	38	52	74
Mental Illness Secondary Diagnosis	2,065	2,166	2,073	Child Abuse	2	5	8
Alcohol Principal Diagnosis	69	60	58	Child Neglect	129	127	96
Alcohol Secondary Diagnosis	215	209	195	Child Custody Issues	0	1	1
Drug Principal Diagnosis	48	58	67	Orma Gaeteay Teedee	Ü		•
Drug Secondary Diagnosis	136	151	106	JUVENILE COURT PLACEMENTS	2013	2012	2011
Emergency Room, no Hospitalization:				Out-of-Home PlacementsTotal	123	134	108
Mental Illness Principal Diagnosis	982	1,082	1,024	Parental Alcohol Use Related	3	4	11
Mental Illness Secondary Diagnosis	8,573	7,694	4,136	Parental Drug Use Related	73	86	53
Alcohol Principal Diagnosis	184	175	202	Parental Alcohol and Drug Use	0	6	5
Alcohol Secondary Diagnosis	216	238	195	CONTRACTOR	EV204.4	EV2042	EV2042
Drug Principal Diagnosis	233	220	221	CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Secondary Diagnosis	318	375	480	Drug Court Participants	78 192	111	108
				Probation/Parole Admissions - Drug	183	188	132
ALCOHOL OUTLETS	2014	2013	2012	Probation/Parole AdmissionsDWI	57 05	72 52	57
Alcohol On-Premise Drink Licenses	127	122	128	Prison Admissions - Drug	95 36	53	55 19
Alcohol Package Carry-out Licenses	98	97	94	Prison AdmissionsDWI	26	24	18
EMPLOYMENT	2014	2013	2012	1 All Kansas City hepatitis and TB case report			
Labor Force	52,061	51,661	52,500	totals and all Joplin case reports are include Beginning with 2010 data, diagnosis counts			
Employed	48,705	48,061	48,311	based on codes developed by the Healthcar	re Cost and L	Jtilization Proj	ject.
Unemployed	3,356	3,600	4,189	3 Beginning in 2013, juvenile municipal violati			
Unemployment Rate	6.4%	7.0%	8.0%	court orders are categorized as status offens	ocs instead 0	i iaw violatior	10.

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	52	54	47
CSTAR Adolescent	48	47	47
CSTAR Women and Children	40	31	45
CSTAR General Adult	211	175	178
CSTAR Opioid	*	*	0
Primary Recovery Treatment	11	44	72
Clinical SATOP (CIP, YCIP, SROP)	99	147	142
Other Substance Abuse Treatment	*	*	*

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	422	556	546
- Adolescent Diversion Education Prograr	7	*	*
- Offender Education Program	148	208	200
- Weekend Intervention Program	124	164	138
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	5	5	9
Compulsive Gambling	0	*	*
Recovery Supports	*	*	0
Early Intervention	*	*	*

NUMBER ADMITTED	FY2014	FY2013	FY2012	PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Total Individuals	402	444	449	Alcohol	157	183	207
				Marijuana / Hashish	70	85	94
AGE				Cocaine (total)	*	*	6
Under 18	48	47	48	- Crack	*	*	*
18 to 24	81	87	90	Stimulant (total)	68	57	48
25 to 29	70	92	91	- Methamphetamine	59	57	44
30 to 34	67	64	63	Heroin	70	79	59
35 to 39	43	48	48	Analgesic except Heroin	25	29	23
40 to 44	23	32	37	- Non-Prescription Methadone	0	*	0
45 to 54	55	54	56	PCP, LSD, other Hallucinogen	0	0	0
55 and Over	15	20	16	Tranquilizer	7	5	8
GENDER				Inhalant	0	0	*
Male	259	296	315	Sedative	*	*	*
Female	143	148	134	Other Medication or Illicit Drug	*	*	*
Tomalo	110	1 10	101	Average Age at First Use of Drug	17.5	18.1	16.8
RACE / ETHNICITY				Average Age at 1 hot ode of Brag	17.0	10.1	10.0
Caucasian	386	431	433	INJECTION DRUG USE			
African American	7	*	7	Any Injection Use at Admission	104	96	73
Native American / Alaskan	*	*	*	- Daily Injection Use	30	26	21
Asian / Pacific Islander	*	0	0	- Weekly Injection Use	33	24	22
Hispanic	*	*	*		41	46	30
Other Race / Two or More Races	*	8	6	- Less than Weekly Injection Use	41	40	30
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	158	165	171	0	203	204	193
High School Graduate or G.E.D.	170	175	171	1 or 2	125	157	162
Associate Degree or Some College	72	96	104	3 or More	74	83	94
Bachelor or Advanced Degree	*	8	*				
				TREATMENT REFERRAL SOURCE		4.47	445
EMPLOYMENT	407	400		Self / Family / Friend	141	117 *	115
Employed	107	126	144	School	6	*	
Unemployed	164	179	160	Mental Health Provider	6		*
Not in Labor Force	131	139	145	Health Care Provider	13	12	7
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	168	251	270
Independent Living	331	373	362	Other Referral Source	58	48	51
Dependent Living	52	53	59				
Homeless	9	11	8	TREATMENT ACCOMMODATION			
	J		J	Pregnant when Admitted to any Episode	5	10	7
MARITAL / FAMILY STATUS				Military Veteran	19	13	18
Never Married	238	259	257	Special Education Services Needed	30	37	35
Married / Cohabitating	71	108	106	Co-Occurring Psychological Problem	142	143	152
Previously Married	93	77	86	Co-Occurring Developmental Problem	8	17	19

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Eastern
PSYCHIATRIC SERVICE AREA
CENSUS 2010 101,492
2014 POPULATION ESTIMATE 102,084

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.							
DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012				
Adjustment Disorder	39	24	21				
Anxiety Disorder	495	429	406				
Dementia	*	*	*				
Developmental Disorder	39	46	47				
Impulse Control Disorder	282	251	259				
Mood Disorder	755	710	726				
Personality Disorder	94	95	83				
Psychotic Disorder	147	137	120				
Sexual Disorder	0	0	0				
Other Diagnosis	71	58	64				
Diagnosis Unknown	57	70	128				

Individuals who received psychiatric services had the following types of

NUMBER SERVED	FY2014	FY2013	FY2012	EDUCATION	FY2014	FY2013	FY2012
Total Individuals	1,157	1,081	1,106	Less than High School Diploma	505	538	236
. otala.riada.o	.,	.,00.	.,	High School Grad or G.E.D.	*	18	122
AGE				Associate Degree or Some College	*	10	72
Under 6	16	14	8	Bachelor or Advanced Degree	0	0	10
6 to 9	128	117	102	Education Level Unknown	649	515	666
10 to 13	134	138	141	Education Edver Officion	0.10	0.10	000
14 to 17	135	135	131	EMPLOYMENT			
18 to 24	106	95	102	Employed	59	61	55
25 to 29	95	93	93	Unemployed	38	45	259
30 to 34	86	72	95	Not in Labor Force	715	727	168
35 to 39	83	72	79	Employment Status Unknown	345	248	624
40 to 44	76	76	94				
45 to 49	94	91	86	HOUSING / LIVING ARRANGEMENT			
50 to 54	85	88	83	Independent Living	418	418	365
55 to 59	61	44	41	Dependent Living	403	402	172
60 and Over	58	46	51	Homeless	15	11	7
Age Unknown	0	0	0	Other	0	0	6
CENTER				Housing Unknown	321	250	556
GENDER Male	004	550	575				
	601	559	575	TREATMENT REFERRAL SOURCE			
Female	556	522	531	Self / Family / Friend	193	170	143
Gender Unknown	0	0	0	School	181	166	114
RACE / ETHNICITY				Mental Health Provider	70	75	85
Caucasian	1,102	1,033	1,057	Health Care Provider	209	146	90
African American	15	11	17	Court / Criminal Justice	47	42	35
Native American / Alaskan	*	*	0	Other	451	474	628
Asian / Pacific Islander	*	*	*	Referral Source Unknown	6	8	11
Hispanic	15	15	11				
Other Race	21	18	18	TYPE OF COMMITMENT		4 004	4 005
Race/Ethnicity Unknown	0	0	0	Voluntary	1,141	1,061 *	1,085
				Civil			_
TREATMENT ACCOMMODATION		0.0		Criminal	8	9	7
Hearing Impaired	45	36	27	Sexual Predatory	0	0	0
Past or Current Military Service	11	9	14	Commitment Type Unknown	6	8	12

MISSOURI STUDENT SURVEY

			• .
Percent of students who have ever used:	2014	2012	2010
Alcohol	32.9	43.2	44.7
Cigarettes	19.2	21.0	
Chewing Tobacco	11.2	12.5	14.9
Marijuana	11.7	13.6	15.9
Inhalants	3.2	5.0	8.5
Prescription medications not prescribed for student	4.9	8.1	12.8
Over-the-counter medications for non-medical use	2.7	4.8	8.1
Methamphetamine	8.0	0.8	1.0
Cocaine	0.7	0.9	1.6
Heroin	0.3	0.5	0.6
Hallucinogens	1.7	2.2	
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.3	1.7	2.1
Steroids not prescribed for student	0.7	1.1	1.1
Synthetic drugs (K2, bath salts, Spice, etc)	3.4	4.9	
Average age of students' first use of:	40.04	40.50	40.00
Alcohol		12.53	
Cigarettes		12.14	_
Marijuana		13.16	
Inhalants	12.06	12.24	12.36
Percent of students who, in past 30 days, used:			
Alcohol	11.5	18.1	20.2
Alcohol (Binge: 5+ drinks on one occassion)		10.1	12.7
Cigarettes	8.0	9.6	13.5
Chewing Tobacco	4.1	7.6	9.1
Marijuana	5.8	6.2	8.1
Inhalants	1.2	2.3	
Prescription medications not prescribed for student	2.9	3.6	7.7
Over-the-counter medications for non-medical use	1.2	2.8	4.7
Percent of students who, in past 2 weeks, used:			
Alcohol (Binge: 5+ drinks on one occassion)	4.6		
Percent whose friends used in past 12 months:			
Alcohol	41.7	55.0	57.1
Cigarettes	34.2	39.5	44.5
Marijuana	29.3	32.3	33.3
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	10.5	13.2	16.7
Percent who would likely use, if offered by a best friend:			
Alcohol	21.9	32.1	33.9
Cigarettes	9.1	11.2	14.4
Marijuana	10.7	10.5	11.8
Percent who say it would be wrong to use:			
Alcohol	69.5	58.1	58.1
Cigarettes	88.9	84.1	80.1
Marijuana	83.9	84.0	83.6
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.1	96.1	95.3
Percent whose parents would disapprove if they use:			
Alcohol	82.6	78.3	76.4
Cigarettes	94.5	93.0	89.3
Marijuana	93.9	94.3	92.5
Percent who say it would be easy to obtain:			
Alcohol	47.9	58.4	58.3
Cigarettes	44.1	51.8	53.7
Marijuana	29.3		34.8
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	11.8	15.5	17.9
- man (5		0

DENT SURVET			
	2014	2012	2010
Percent who believe they risk harm if they use:	50.0		
Alcohol (1 or 2 drinks daily)	59.6		
Alcohol (Binge: 5+ drinks once or twice a week)	74.2	07.0	70.5
Alcohol (any use)	00.0	67.9	76.5
Cigarettes (1+ packs per day)	86.2	00.0	00.0
Cigarettes (any use)		83.0	80.0
Marijuana (once or twice a week)	66.4		
Marijuana (any use)		75.4	69.4
Other: Cocaine, LSD, Meth, Club Drug (any use)	94.3	93.7	92.2
Percent of students who, in past 30 days:			
Were very sad	20.5	19.7	18.7
Were grouchy, irritable, or in a bad mood	24.5	26.1	21.9
Felt hopeless about the future	12.6	11.0	10.7
Felt like not eating or eating more than usual	20.5	18.9	18.2
Slept a lot more or a lot less than usual	19.2	20.8	27.5
Had difficulty concentrating on school work	23.8	24.8	20.0
Percent of students who, in past 12 months:			
Seriously considered attempting suicide	11.8	11.9	10.9
Made plan about how they would attempt suicide	9.6	9.8	8.5
Attempted suicide	5.8	5.4	5.7
Attempted suicide and resulting injury, poisoning, or overdose	0.0	0.4	0.7
had to be treated by doctor or nurse	1.0	1.6	2.2
Parcent of students who in past 12 months			
Percent of students who, in past 12 months: Were threatened/injured with weapon at school	7.5	6.8	9.8
Were in a physical fight	7.5 17.8	21.8	24.2
Were in a fight and had to be treated by a doctor or nurse	2.6	3.3	4.3
were in a right and had to be treated by a doctor of hurse	2.0	5.5	4.5
Percent of students who, in past 3 months:			
Were victims of mean rumors or lies spread at school	48.8	51.8	55.1
Were made fun of by others	60.0	63.0	68.7
Were victims of an embarrassing or hurtful text message or	21.6	20.0	19.5
something posted on the internet			
Spread mean rumors or lies about other kids at school	23.3	27.2	34.3
Made fun of other people	50.1	61.4	70.8
Posted something on the internet or sent a text that might embarrass or hurt another student	13.5	13.6	18.3
emparrass of nurt another student			
Percent of students who agree that:			
Teachers notice and comment on student's good work	75.0	65.7	71.2
School provides feedback to parents on positive student	44.4	00.0	40.5
performance	41.4	38.9	46.5
Rules are enforced fairly	68.8	61.2	67.6
Students of all races/ethnicities are treated equal	85.4	79.0	80.1
Percent of students who agree that:			
Parents notice and comment on student's good work	84.1	82.4	84.2
Parents involve student in making family decisions	67.5	65.8	68.7
It is important to be honest with parents regardless of	01.0	55.0	55.7
consequences	89.0	86.4	82.8
Student could ask parent for help with a personal problem	80.1	76.0	77.1
		-	

Missouri Student Survey is conducted biennially.
Similar affirmative response choices for individual questions are combined.
Blank data cells indicate estimates are not available for item or geographic area. Survey is not conducted in every school district nor reported for every county. Estimates are not available for counties with small numbers of respondents. Percentages are estimates based on weighted data.

Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

CAUCOUNABL CO.	3141 1						
DBH RE	GION	Southeast		IMPAIRED DRIVING	2013	2012	2011
DBH SE	RVICE AREAS			Alcohol Involved CrashesTotal	13	26	25
Subst	ance Use	17		Fatal Crashes	0	1	6
Adult Adult	Psychiatric	17A		Injury Crashes	4	12	8
POPUL	ATION			Property Damage Crashes	9	13	11
Cens	us 2010	15,222		Crash Fatalities	0	1	6
2014	Estimate	14,866		Crash Injuries	6	18	14
				Drug Involved CrashesTotal	5	5	3
				Fatal Crashes	0	0	0
BIRTH RISK	2013	2012	2011	Injury Crashes	2	3	1
Resident BirthsTotal	183	133	153	Property Damage Crashes	3	2	2
Mother Reported Smoking while Preg		29	37	Crash Fatalities	0	0	0
_				Crash Injuries	3	5	1
DISEASE INCIDENCE 1	2013	2012	2011	POLICE REPORTS	2013	2012	2011
HIV/AIDS Cases	0	1	0	DUI Arrests, DWI Tracking System	54	63	71
Hepatitis B Chronic, Acute, Prenatal	0	1	0	Liquor Law Arrests	3	5	24
Hepatitis C Chronic and Acute	7	9	15	Drug Arrests	26	10	41
Tuberculosis Infection Cases	3	1	3	Violent Offenses	29	22	35
DEATHS and INJURIES	2013	2012	2011	Property Offenses	200	281	263
Resident DeathsTotal	199	2012	218	Domestic Violence Reports	13	12	26
Suicides	3	4	3	Zemeste viciones reperte	2014	2013	2012
Self-inflicted Injuries	11	19	10	Methamphetamine Lab Seizures	4	9	7
Homicides	1	0	0				
Assault Injuries	50	37	28	SCHOOL REPORTS	2013-14	2012-13	2011-12
Alcohol Induced Deaths	1	2	2	Enrollment Grades 9-12	903	906	952
Drug Induced Deaths	2	6	1	Drop-outs	12	13	9
Smoking Attributable Deaths	30	30	34	Drop-out Rate	1.3%	1.4%	0.9%
				School Discipline Involving Alcohol	4	3	0
HOSPITAL EPISODES 2	2013	2012	2011	School Discipline Involving Drugs	2	6	7
Hospitalization, no Emergency Room				School Discipline Involving Tobacco	0	0	0
Mental Illness Principal Diagnosis	75	84	70	JUVENILE COURT REFERRALS 3	2013	2012	2011
Mental Illness Secondary Diagnosis	307	258	266	Juvenile Violent Offenses	16	15	39
Alcohol Principal Diagnosis	4	3	3	Juvenile Alcohol Offenses	4	1	9
Alcohol Secondary Diagnosis	21	22	12	Juvenile Drug Offenses	1	10	8
Drug Principal Diagnosis	1	4	5	School Truancy Status Offense	2	5	4
Drug Secondary Diagnosis	9	7	14	Absent from Home Status Offense	6	3	6
Emergency Room + Hospitalization:	40	0.7		Beyond Parental Control Status Offense	0	1	5
Mental Illness Principal Diagnosis	48	67	55	Injurious Behavior Status Offense	5	12	2
Mental Illness Secondary Diagnosis	254	281	316	Child Abuse	0	0	0
Alcohol Principal Diagnosis	7	12	7	Child Neglect	8	16	5
Alcohol Secondary Diagnosis	29	34	34	Child Custody Issues	0	0	0
Drug Principal Diagnosis	9	8 13	3 19	UNITARIA E COLURT DI ACCAMENTO	2012	2012	2011
Drug Secondary Diagnosis Emergency Room, no Hospitalization		13	19	JUVENILE COURT PLACEMENTS Out-of-Home PlacementsTotal	2013 10	2012 21	2011 7
Mental Illness Principal Diagnosis	101	123	116	Parental Alcohol Use Related	0	2	0
Mental Illness Secondary Diagnosis	726	630	404	Parental Drug Use Related	2	7	5
Alcohol Principal Diagnosis	22	28	39	Parental Alcohol and Drug Use	0	0	2
Alcohol Secondary Diagnosis	27	35	31	1 archial Alcohol and Drug Osc	O	O .	2
Drug Principal Diagnosis	14	23	12	CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Secondary Diagnosis	20	30	27	Drug Court Participants	6	13	13
2.ag Coolinary Diagnoolo	20	00		Probation/Parole AdmissionsDrug	31	20	31
ALCOHOL OUTLETS	2014	2013	2012	Probation/Parole AdmissionsDWI	6	4	4
Alcohol On-Premise Drink Licenses	54	58	55	Prison AdmissionsDrug	9	10	8
Alcohol Package Carry-out Licenses	19	19	19	Prison AdmissionsDWI	2	0	2
EMPLOYMENT	2014	2013	2012	1 All Kansas City hepatitis and TB case report			County
Labor Force	7,605	7,439	7,220	totals and all Joplin case reports are include			ees aro
Employed	7,199	6,978	6,695	2 Beginning with 2010 data, diagnosis counts based on codes developed by the Healthcar			
Unemployed	406	461	525	3 Beginning in 2013, juvenile municipal violati	ons, infraction	ns, and violat	ions of
Unemployment Rate	5.3%		7.3%	court orders are categorized as status offens	ses instead o	i iaw violation	is.

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

	FY2014	FY2013	FY2012
TREATMENT CATEGORY			
Detoxification	5	11	8
CSTAR Adolescent	5	*	*
CSTAR Women and Children	*	6	*
CSTAR General Adult	43	51	53
CSTAR Opioid	0	0	0
Primary Recovery Treatment	*	0	15
Clinical SATOP (CIP, YCIP, SROP)	5	8	18
Other Substance Abuse Treatment	0	0	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	41	48	90
- Adolescent Diversion Education Prograr	0	0	0
- Offender Education Program	15	14	36
- Weekend Intervention Program	11	16	25
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	0	0
Compulsive Gambling	0	0	0
Recovery Supports	0	*	0
Early Intervention	*	*	*

NUMBER ADMITTED	FY2014	FY2013	FY2012	PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Total Individuals	61	70	81	Alcohol	16	25	29
405				Marijuana / Hashish	13	17	22
AGE Under 18	5	*	*	Cocaine (total)	0	*	0
18 to 24	12	15	18	- Crack	0	0	0
25 to 29	15	12	15	Stimulant (total)	8	9	18
30 to 34	11	12	15 14	- Methamphetamine	8	9	18
35 to 39	*	1Z *	8	Heroin	13	6	5
				Analgesic except Heroin	9	11	5
40 to 44	8	7	8	- Non-Prescription Methadone	0	0	*
45 to 54	7	12	11	PCP, LSD, other Hallucinogen	0	0	0
55 and Over			5	Tranquilizer	*	0	*
GENDER				Inhalant	0	*	0
Male	38	40	54	Sedative	0	0	0
Female	23	30	27	Other Medication or Illicit Drug	0	0	0
_				Average Age at First Use of Drug	17.6	18.6	18.1
RACE / ETHNICITY							
Caucasian	61	69	78 *	INJECTION DRUG USE			
African American	0	0		Any Injection Use at Admission	17	8	5
Native American / Alaskan	0	0	0	- Daily Injection Use	*	*	*
Asian / Pacific Islander	0	0	*	- Weekly Injection Use	6	*	0
Hispanic		*		- Less than Weekly Injection Use	9	*	*
Other Race / Two or More Races	0	*	0	• •			
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	25	28	29	0	40	36	37
High School Graduate or G.E.D.	25	28	39	1 or 2	15	23	31
Associate Degree or Some College	11	13	12	3 or More	6	11	13
Bachelor or Advanced Degree	0	*	*	TREATMENT REFERRAL COURCE			
EMPLOYMENT				TREATMENT REFERRAL SOURCE Self / Family / Friend	29	25	22
Employed	15	16	31	School	*	0	0
Unemployed	29	29	38	Mental Health Provider	0	0	0
Not in Labor Force	17	25	12	Health Care Provider	*	7	*
Not in Edbor Force	.,	20	12	Court / Criminal Justice	23	30	49
HOUSING / LIVING ARRANGEMENT				Other Referral Source	6	8	8
Independent Living	50	58	72	Other Referral Source	U	O	O
Dependent Living	6	7	*	TREATMENT ACCOMMODATION			
Homeless	*	*	*	Pregnant when Admitted to any Episode	0	*	*
MAADITAL / EANALLY STATUS				Military Veteran	*	6	8
MARITAL / FAMILY STATUS Never Married	39	35	41	Special Education Services Needed	*	*	6
Married / Cohabitating	9	22	21	Co-Occurring Psychological Problem	30	27	26
Previously Married	13	13	19	Co-Occurring Developmental Problem	30 5	۷1 *	∠0 *
Freviously Marrieu	13	13	19	Co-Occurring Developmental Problem	5		

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Southeast
PSYCHIATRIC SERVICE AREA 17A
CENSUS 2010 15,222
2014 POPULATION ESTIMATE 14,866

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.							
DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012				
Adjustment Disorder	12	7	*				
Anxiety Disorder	79	76	76				
Dementia	0	0	0				
Developmental Disorder	*	5	*				
Impulse Control Disorder	39	36	28				
Mood Disorder	124	105	109				
Personality Disorder	20	23	18				
Psychotic Disorder	19	21	21				
Sexual Disorder	0	0	0				
Other Diagnosis	16	7	8				
Diagnosis Unknown	13	*	9				

Individuals who received psychiatric services had the following types of

NUMBER SERVED	FY2014	FY2013	FY2012	EDUCATION	FY2014	FY2013	FY2012
Total Individuals	174	154	152	Less than High School Diploma	66	60	28
				High School Grad or G.E.D.	0	6	20
AGE			_	Associate Degree or Some College	0	*	8
Under 6	*	*	0	Bachelor or Advanced Degree	0	0	*
6 to 9	21	12	9	Education Level Unknown	108	86	95
10 to 13	18	14	11				
14 to 17	12	11	13	EMPLOYMENT			
18 to 24	13	10	8	Employed	6	11	12
25 to 29	17	15	11	Unemployed	5	23	35
30 to 34	17	15	18	Not in Labor Force	80	74	15
35 to 39	16	13	9	Employment Status Unknown	83	46	90
40 to 44	11	8	16				
45 to 49	14	19	19	HOUSING / LIVING ARRANGEMENT			
50 to 54	19	18	18	Independent Living	36	62	48
55 to 59	9	9	10	Dependent Living	53	46	18
60 and Over	5	7	10	Homeless	*	*	0
Age Unknown	0	0	0	Other	0	0	*
-				Housing Unknown	84	45	84
GENDER				· ·			
Male	80	69	58	TREATMENT REFERRAL SOURCE			
Female	94	85	94	Self / Family / Friend	87	76	61
Gender Unknown	0	0	0	School	0	*	0
RACE / ETHNICITY				Mental Health Provider	*	*	5
Caucasian	170	151	146	Health Care Provider	28	19	14
African American	0	*	*	Court / Criminal Justice	*	*	*
Native American / Alaskan	0	0	0	Other	55	52	71
Asian / Pacific Islander	0	0	0	Referral Source Unknown	0	0	0
Hispanic	*	0	*	Troignal Course Cimine III	· ·	· ·	ŭ
Other Race	*	*	*	TYPE OF COMMITMENT			
Race/Ethnicity Unknown	0	0	0	Voluntary	173	154	152
rado/Eumony ormanomi	Ü	Ū	Ū	Civil	0	0	0
TREATMENT ACCOMMODATION				Criminal	*	0	0
Hearing Impaired	7	5	7	Sexual Predatory	0	0	0
Past or Current Military Service	*	*	5	Commitment Type Unknown	0	0	0

MISSOURI STUDENT SURVEY

			•
Described shadowly who have succeed	2014	2012	2010
Percent of students who have ever used: Alcohol	39.5	44.7	52.4
Cigarettes	16.7		
Chewing Tobacco	8.0	15.1	
Marijuana	8.6	10.1	17.3
Inhalants	1.8	6.7	7.7
Prescription medications not prescribed for student	6.8	10.5	13.7
Over-the-counter medications for non-medical use	1.8	5.9	6.4
Methamphetamine	0.0	1.3	1.0
Cocaine	0.0	1.7	2.6
Heroin	0.0	0.4	0.6
Hallucinogens	0.6	2.6	4.8
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.6	1.3	2.2
Steroids not prescribed for student	1.2	1.3	1.3
Synthetic drugs (K2, bath salts, Spice, etc)	1.9	3.8	
Average age of students' first use of:	40.05	44.70	40.44
Alcohol		11.79	
Cigarettes		11.45	
Marijuana		12.15	
Inhalants	10.38	11.31	13.60
Percent of students who, in past 30 days, used:			
Alcohol	15.5	17.7	28.6
Alcohol (Binge: 5+ drinks on one occassion)		8.0	18.3
Cigarettes	6.8	9.7	13.9
Chewing Tobacco	4.3	9.7	10.3
Marijuana	2.5	6.8	7.7
Inhalants	0.6	2.9	2.9
Prescription medications not prescribed for student	2.5	5.9	7.6
Over-the-counter medications for non-medical use	0.6	2.9	3.2
Persont of students who in past 2 weeks woods			
Percent of students who, in past 2 weeks, used:	7.5		
Alcohol (Binge: 5+ drinks on one occassion)	7.5		
Percent whose friends used in past 12 months:			
Alcohol	51.2	53.0	67.9
Cigarettes	37.4	37.6	47.5
Marijuana	28.8	26.9	34.9
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	10.4	14.4	17.8
Percent who would likely use, if offered by a best friend:			
Alcohol	32.9	31.9	43.7
Cigarettes	10.5	11.8	15.9
Marijuana	8.0	11.4	12.5
•	0.0	11.7	12.0
Percent who say it would be wrong to use:			
Alcohol	57.4	55.9	50.8
Cigarettes	85.8	84.3	75.0
Marijuana	86.3	86.1	84.8
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	95.0	95.8	96.2
Percent whose parents would disapprove if they use:			
Alcohol	72.2	70.4	65.7
Cigarettes	92.6	94.1	86.6
Marijuana	94.4	95.8	93.6
•	V r	30.0	30.0
Percent who say it would be easy to obtain:		_	
Alcohol	59.3	62.9	66.6
Cigarettes	50.9	47.3	60.8
Marijuana	27.2	28.4	36.3
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	10.6	14.3	18.0

DENT SURVEY			
	2014	2012	2010
Percent who believe they risk harm if they use:	500		
Alcohol (1 or 2 drinks daily)	56.8		
Alcohol (Binge: 5+ drinks once or twice a week)	69.1	00.5	70.0
Alcohol (any use)	07.7	68.5	78.0
Cigarettes (1+ packs per day)	87.7	04.5	70.7
Cigarettes (any use)	70.0	81.5	79.7
Marijuana (once or twice a week)	72.8	00.0	74.0
Marijuana (any use)	02.2	82.2	71.2
Other: Cocaine, LSD, Meth, Club Drug (any use)	93.2	92.7	93.3
Percent of students who, in past 30 days:			
Were very sad	22.7	22.8	10.1
Were grouchy, irritable, or in a bad mood	25.8	23.3	18.9
Felt hopeless about the future	14.8	11.0	8.2
Felt like not eating or eating more than usual	19.6	19.6	11.4
Slept a lot more or a lot less than usual	19.6	22.5	19.9
Had difficulty concentrating on school work	22.7	21.9	18.9
Percent of students who, in past 12 months:			
Seriously considered attempting suicide	10.4	13.6	12.6
Made plan about how they would attempt suicide	8.0	10.2	8.8
Attempted suicide	4.3	5.9	4.7
Attempted suicide and resulting injury, poisonng, or overdose	1.9	2.6	0.7
had to be treated by doctor or nurse	1.5	2.0	0.7
Percent of students who, in past 12 months:			
Were threatened/injured with weapon at school	6.1	8.4	6.3
Were in a physical fight	15.3	24.5	21.8
Were in a fight and had to be treated by a doctor or nurse	1.8	5.0	3.5
Percent of students who, in past 3 months:			
Were victims of mean rumors or lies spread at school	51.2	55.3	54.7
Were made fun of by others	62.0	67.2	73.6
Were victims of an embarrassing or hurtful text message or			
something posted on the internet	24.7	27.1	19.6
Spread mean rumors or lies about other kids at school	29.6	30.8	31.3
Made fun of other people	59.5	66.2	75.4
Posted something on the internet or sent a text that might	13.5	14.4	13.1
embarrass or hurt another student	13.5	14.4	13.1
Percent of students who agree that:			
Teachers notice and comment on student's good work	72.4	65.8	77.5
School provides feedback to parents on positive student			
performance	40.4	32.8	45.6
Rules are enforced fairly	69.8	70.9	69.1
Students of all races/ethnicities are treated equal	88.3	82.7	88.3
Percent of students who agree that:			
Parents notice and comment on student's good work	79.0	84.4	83.8
Parents involve student in making family decisions	67.7	68.5	68.8
It is important to be honest with parents regardless of	-		
consequences	87.1	87.4	85.4
Student could ask parent for help with a personal problem	75.2	74.4	78.1

Missouri Student Survey is conducted biennially. Similar affirmative response choices for individual questions are combined. Blank data cells indicate estimates are not available for item or geographic area. Survey is not conducted in every school district nor reported for every county. Estimates are not available for counties with small numbers of respondents. Percentages are estimates based on weighted data.

Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

DBH REG	SION	Western		IMPAIRED DRIVING	2013	2012	2011
DBH SEI	RVICE AREAS			Alcohol Involved CrashesTotal	4	4	7
Substa	ance Use	1		Fatal Crashes	0	0	0
F-1 []-1,2° [7	Psychiatric	1		Injury Crashes	3	3	7
POPULA				Property Damage Crashes	1	1	0
	s 2010	6,738		Crash Fatalities	0	0	0
2014 1	Estimate	6,826		Crash Injuries	3	3	9
				Drug Involved CrashesTotal	1	0	0
				Fatal Crashes	0	0	0
BIRTH RISK	2013	2012	2011	Injury Crashes	0	0	0
Resident BirthsTotal	88	104	71	Property Damage Crashes	1	0	0
Mother Reported Smoking while Pregr	nant 19	28	15	Crash Fatalities Crash Injuries	0	0	0
DISEASE INCIDENCE 1	2013	2012	2011	0.40,400	· ·	· ·	· ·
HIV/AIDS Cases	0	0	0	POLICE REPORTS	2013	2012	2011
Hepatitis B Chronic, Acute, Prenatal	0	2	0	DUI Arrests, DWI Tracking System	10	23	22
Hepatitis C Chronic and Acute	4	2	2	Liquor Law Arrests	5	5	9
Tuberculosis Infection Cases	1	1	0	Drug Arrests	6	2	6
				Violent Offenses	2	0	1
DEATHS and INJURIES	2013	2012	2011	Property Offenses	22	46	33
Resident DeathsTotal	100	94	74	Domestic Violence Reports	1	0	1
Suicides	2	2	0	Mathamahatamina Lah Caizuraa	2014 0	2013 1	2012 1
Self-inflicted Injuries	11	14	5	Methamphetamine Lab Seizures	U	ı	1
Homicides	0	0	0	SCHOOL REPORTS	2013-14	2012-13	2011-12
Assault Injuries Alcohol Induced Deaths	23	24 1	15 0	Enrollment Grades 9-12	322	336	338
Drug Induced Deaths	1	1	0	Drop-outs	8	0	2
Smoking Attributable Deaths	22	16	13	Drop-out Rate	2.5%	0.0%	0.6%
omoking Attributable Deaths	22	10	13	School Discipline Involving Alcohol	0	0	0
HOSPITAL EPISODES 2	2013	2012	2011	School Discipline Involving Drugs	0	0	0
Hospitalization, no Emergency Room:				School Discipline Involving Tobacco	0	0	0
Mental Illness Principal Diagnosis	56	51	62	JUVENILE COURT REFERRALS 3	2013	2012	2011
Mental Illness Secondary Diagnosis	138	152	170	Juvenile Violent Offenses	2	1	1
Alcohol Principal Diagnosis	1	2	2	Juvenile Alcohol Offenses	0	2	5
Alcohol Secondary Diagnosis	6	10	2	Juvenile Drug Offenses	1	0	4
Drug Principal Diagnosis	2	3	1	School Truancy Status Offense	1	1	0
Drug Secondary Diagnosis	10	3	3	Absent from Home Status Offense	0	0	1
Emergency Room + Hospitalization:	40	0.5	40	Beyond Parental Control Status Offense	4	2	12
Mental Illness Principal Diagnosis	40	35	18	Injurious Behavior Status Offense	14	7	1
Mental Illness Secondary Diagnosis	97	114 1	115	Child Abuse	0	0	0
Alcohol Principal Diagnosis Alcohol Secondary Diagnosis	2		1 2	Child Neglect	40	22	10
Drug Principal Diagnosis	3	6 2	1	Child Custody Issues	0	0	0
Drug Secondary Diagnosis	4	9	2	JUVENILE COURT PLACEMENTS	2013	2012	2011
Emergency Room, no Hospitalization:		Ŭ	_	Out-of-Home PlacementsTotal	12	4	3
Mental Illness Principal Diagnosis	67	75	59	Parental Alcohol Use Related	0	0	0
Mental Illness Secondary Diagnosis	179	161	117	Parental Drug Use Related	2	3	0
Alcohol Principal Diagnosis	3	6	5	Parental Alcohol and Drug Use	0	0	0
Alcohol Secondary Diagnosis	11	8	11	Ü			
Drug Principal Diagnosis	7	3	5	CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Secondary Diagnosis	16	19	18	Drug Court Participants	1	0	1
				Probation/Parole AdmissionsDrug	3	0	1
ALCOHOL OUTLETS	2014	2013	2012	Priora Adminsions - Dwg	1	0	1
Alcohol On-Premise Drink Licenses	6	6	4	Prison Admissions - DWI	7	1	2
Alcohol Package Carry-out Licenses	9	10	12	Prison AdmissionsDWI	0	1	1
EMPLOYMENT	2014	2013	2012	1 All Kansas City hepatitis and TB case report			County
Labor Force	3,636	3,673	3,564	totals and all Joplin case reports are include Beginning with 2010 data, diagnosis counts			es are
Employed	3,430	3,497	3,381	based on codes developed by the Healthcar	e Cost and L	Itilization Pro	ject.
Unemployed	206	176	183	3 Beginning in 2013, juvenile municipal violati court orders are categorized as status offen:			
Unamentary and Data	E 70/	4.00/	F 40/				

5.7%

4.8%

5.1%

Unemployment Rate

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

	FY2014	FY2013	FY2012
TREATMENT CATEGORY			
Detoxification	6	5	*
CSTAR Adolescent	*	*	0
CSTAR Women and Children	*	*	0
CSTAR General Adult	11	9	6
CSTAR Opioid	0	0	0
Primary Recovery Treatment	13	7	12
Clinical SATOP (CIP, YCIP, SROP)	0	6	*
Other Substance Abuse Treatment	0	0	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	24	32	34
- Adolescent Diversion Education Prograr	5	5	11
- Offender Education Program	7	14	8
- Weekend Intervention Program	*	6	6
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	0	0
Compulsive Gambling	0	0	0
Recovery Supports	*	*	*
Early Intervention	0	6	11

NUMBER ADMITTED	FY2014	FY2013	FY2012	PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Total Individuals	25	21	18	Alcohol	8	10	7
				Marijuana / Hashish	7	*	*
AGE	_			Cocaine (total)	0	0	*
Under 18	*	0	0	- Crack	0	0	*
18 to 24		8	5	Stimulant (total)	5	*	*
25 to 29	9	*	*	- Methamphetamine	5	*	*
30 to 34	5	*	*	Heroin	*	*	0
35 to 39	*	*	*	Analgesic except Heroin	*	6	0
40 to 44	*	*	*	- Non-Prescription Methadone	0	0	0
45 to 54	*	*	*	PCP, LSD, other Hallucinogen	0	0	0
55 and Over	*	*	0	Tranquilizer	0	0	0
GENDER				Inhalant	0	0	0
Male	16	12	11	Sedative	0	0	0
Female	9	9	7	Other Medication or Illicit Drug	0	0	0
				Average Age at First Use of Drug	18.6	17.5	15.8
RACE / ETHNICITY							
Caucasian	25	21	18	INJECTION DRUG USE			
African American	0	0	0	Any Injection Use at Admission	7	9	*
Native American / Alaskan	0	0	0	- Daily Injection Use	*	*	0
Asian / Pacific Islander	0	0	0	- Weekly Injection Use	*	*	*
Hispanic	0	0	0	- Less than Weekly Injection Use	*	5	*
Other Race / Two or More Races	0	0	0	, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		_	
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	6	*	6	0	11	10	11
High School Graduate or G.E.D.	13	12	8	1 or 2	8	7	6
Associate Degree or Some College	5	8	*	3 or More	6	*	*
Bachelor or Advanced Degree	*	0	0	TOTATACNT DEFENDAL COURCE			
EAADI OVAAEAIT				TREATMENT REFERRAL SOURCE	11	5	*
EMPLOYMENT Employed	11	10	6	Self / Family / Friend School	0	0	0
Employed	8	8	9	Mental Health Provider	0	0	0
Unemployed Not in Labor Force		o *	*	Health Care Provider	0	*	*
Not in Labor Force	6			Court / Criminal Justice	8	14	11
HOUSING / LIVING ARRANGEMENT				Other Referral Source	6	14	*
Independent Living	21	19	16	Other Referral Source	O		
Dependent Living	*	*	*	TREATMENT ACCOUNT OR ATION			
Homeless	*	*	0	TREATMENT ACCOMMODATION	0	0	0
				Pregnant when Admitted to any Episode	0	0	0
MARITAL / FAMILY STATUS	0	11	0	Military Veteran	*		0
Never Married Married / Cobabitating	9 12	11	8 5	Special Education Services Needed	7	0 5	0
Married / Cohabitating	1Z *	6	5 5	Co-Occurring Psychological Problem	0	0	8 0
Previously Married		Ü	ວ	Co-Occurring Developmental Problem	U	U	U

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Western
PSYCHIATRIC SERVICE AREA 1
CENSUS 2010 6,738
2014 POPULATION ESTIMATE 6,826

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.								
DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012					
Adjustment Disorder	*	*	*					
Anxiety Disorder	14	13	14					
Dementia	0	0	0					
Developmental Disorder	0	0	0					
Impulse Control Disorder	*	*	*					
Mood Disorder	19	16	23					
Personality Disorder	*	*	*					
Psychotic Disorder	*	*	*					
Sexual Disorder	0	0	0					
Other Diagnosis	0	0	*					
Diagnosis Unknown	*	*	6					

Individuals who received psychiatric services had the following types of

NUMBER SERVED	FY2014	FY2013	FY2012	EDUCATION	FY2014	FY2013	FY2012
Total Individuals	26	27	35	Less than High School Diploma	10	5	*
. otala.r.caa.o				High School Grad or G.E.D.	0	*	9
AGE				Associate Degree or Some College	0	0	*
Under 6	*	*	0	Bachelor or Advanced Degree	0	*	0
6 to 9	0	*	*	Education Level Unknown	16	20	22
10 to 13	*	*	*	Education Edver officiown	10	20	
14 to 17	*	*	6	EMPLOYMENT			
18 to 24	*	6	*	Employed	*	*	*
25 to 29	0	0	*	Unemployed	0	6	11
30 to 34	*	*	*	Not in Labor Force	16	10	0
35 to 39	*	5	6	Employment Status Unknown	6	10	21
40 to 44	*	*	*				
45 to 49	*	*	*	HOUSING / LIVING ARRANGEMENT			
50 to 54	*	*	*	Independent Living	14	13	13
55 to 59	*	0	*	Dependent Living	5	8	7
60 and Over	*	*	*	Homeless	0	0	0
Age Unknown	0	0	0	Other	0	0	0
GENDER				Housing Unknown	7	6	15
Male	11	11	15				
Female	15	16	20	TREATMENT REFERRAL SOURCE			
Gender Unknown	0	0	0	Self / Family / Friend	6	5	8
Gender Offkriown	U	U	U	School	0	0	0
RACE / ETHNICITY				Mental Health Provider	7	7	8
Caucasian	26	27	35	Health Care Provider	8	7	9
African American	0	0	0	Court / Criminal Justice	0	6	5
Native American / Alaskan	0	0	0	Other	5	*	*
Asian / Pacific Islander	0	0	0	Referral Source Unknown	0	0	*
Hispanic	0	0	0	TVD5 05 000 40 41 TV 45 45			
Other Race	0	0	0	TYPE OF COMMITMENT	25	25	20
Race/Ethnicity Unknown	0	0	0	Voluntary	_	2 5	30
				Civil	0	*	
TREATMENT ACCOMMODATION		*	*	Criminal			^
Hearing Impaired	·	*		Sexual Predatory	0	0	0
Past or Current Military Service	*	*	0	Commitment Type Unknown	0	0	*

MISSOURI STUDENT SURVEY

Percent of students who have ever used:	2014	2012	2010	Percent who believe they risk harm if they use:	2014	2012	2010
Alcohol	2.2	29.1		Alcohol (1 or 2 drinks daily)	82.2		
Cigarettes	28.9	18.1		Alcohol (Binge: 5+ drinks once or twice a week)	88.9		
Chewing Tobacco	0.0	12.9		Alcohol (any use)		76.9	
Marijuana	0.0	6.8		Cigarettes (1+ packs per day)	95.6		
Inhalants	0.0	8.5		Cigarettes (any use)	00.0	89.7	
Prescription medications not prescribed for student	3.3	6.9		Marijuana (once or twice a week)	65.6	00.7	
Over-the-counter medications for non-medical use	28.9	11.1		Marijuana (any use)	00.0	78.6	
Methamphetamine	0.0	3.5		Other: Cocaine, LSD, Meth, Club Drug (any use)	67.8	88.0	
Cocaine	0.0	3.5		Other. Cocame, ESD, Meth, Club Drug (any use)	07.0	00.0	
Heroin	0.0	3.4		Percent of students who, in past 30 days:			
				Were very sad	38.9	16.2	
Hallucinogens	0.0	3.4		Were grouchy, irritable, or in a bad mood	40.0	21.6	
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.0	3.4		Felt hopeless about the future	6.7	11.2	
Steroids not prescribed for student	0.0	0.0		Felt like not eating or eating more than usual	9.9	12.3	
Synthetic drugs (K2, bath salts, Spice, etc)	0.0	3.4		Slept a lot more or a lot less than usual	36.7	14.7	
Average age of students' first use of:				Had difficulty concentrating on school work	32.2	8.5	
Alcohol	10.88	12.59		That almostly concern using on concern none	02.2	0.0	
Cigarettes		14.10		Percent of students who, in past 12 months:			
Marijuana	0.00	13.27		Seriously considered attempting suicide	3.3	9.5	
Inhalants	Q Q0	11.50		Made plan about how they would attempt suicide	3.4	9.4	
minalitis	0.00	11.30		Attempted suicide	2.2	3.4	
Percent of students who, in past 30 days, used:				Attempted suicide and resulting injury, poisonng, or overdose	0.0	0.0	
Alcohol	0.0	14.7		had to be treated by doctor or nurse	0.0	0.0	
Alcohol (Binge: 5+ drinks on one occassion)		8.5		Percent of students who, in past 12 months:			
Cigarettes	0.0	9.4			4.4	6.0	
Chewing Tobacco	0.0	6.9		Were threatened/injured with weapon at school	4.4		
Marijuana	0.0	3.4		Were in a physical fight	11.1	14.7	
Inhalants	0.0	0.0		Were in a fight and had to be treated by a doctor or nurse	28.9	1.7	
Prescription medications not prescribed for student	2.2	0.0		Percent of students who, in past 3 months:			
Over-the-counter medications for non-medical use	28.9	0.0		Were victims of mean rumors or lies spread at school	23.3	40.2	
Over-the-counter medications for non-medical use	20.9	0.0		Were made fun of by others	58.9	52.1	
Percent of students who, in past 2 weeks, used:				Were victims of an embarrassing or hurtful text message or			
Alcohol (Binge: 5+ drinks on one occassion)	0.0			something posted on the internet	8.9	16.5	
Descent whose friends wood in next 12 months.				Spread mean rumors or lies about other kids at school	6.7	19.5	
Percent whose friends used in past 12 months:	4.4	40.0		Made fun of other people	56.7	50.9	
Alcohol	4.4	43.6		Posted something on the internet or sent a text that might	00.7	00.0	
Cigarettes	2.2	34.2		embarrass or hurt another student	4.4	6.0	
Marijuana	28.9	21.4		Simulation of Mark district of Statistic			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	0.0	3.4		Percent of students who agree that:			
Percent who would likely use, if offered by a best friend:				Teachers notice and comment on student's good work	97.8	69.8	
Alcohol	1.1	19.8		School provides feedback to parents on positive student			
	0.0	12.8		performance	82.2	34.2	
Cigarettes Marijuana	0.0	7.7		Rules are enforced fairly	94.4	75.2	
Marijuana	0.0	1.1		Students of all races/ethnicities are treated equal	97.8	98.3	
Percent who say it would be wrong to use:				· ·	20	- 3.0	
Alcohol	68.9	76.1		Percent of students who agree that:			
Cigarettes	100.0	83.8		Parents notice and comment on student's good work	96.7	81.2	
Marijuana	70.0	92.3		Parents involve student in making family decisions	36.7	76.1	
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)		100.0		It is important to be honest with parents regardless of	42.7	90.5	
	. 30.0	,		consequences	44.1	50.5	
Percent whose parents would disapprove if they use:				Student could ask parent for help with a personal problem	68.5	73.5	
Alcohol	98.9	85.5					
Cigarettes	100.0	100.0		Missouri Student Survey is conducted biennially.			
Marijuana	100.0	100.0		Similar affirmative response choices for individual questions at			
Percent who say it would be easy to obtain:				Blank data cells indicate estimates are not available for item o Survey is not conducted in every school district nor reported for			
	111	E2 0		Estimates are not available for counties with small numbers of			
Alcohol	44.4	53.8		Percentages are estimates based on weighted data.	aller al!C		
Cigarettes	42.2	53.0		Some year-to-year differences in percentages are not statistical	ally signifi	cant.	
Marijuana	1.1	6.8		Data source: Missouri Institute of Mental Health, 2010-2014 M	issouri St	udent Su	ırveys
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	0.0	2.6					,

GILLIAL COO	1411						
	DBH REGION	Southwest		IMPAIRED DRIVING	2013	2012	2011
\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	DBH SERVICE AREAS			Alcohol Involved CrashesTotal	328	304	334
	Substance Use	10		Fatal Crashes	4	6	6
	Adult Psychiatric	10		Injury Crashes	121	123	134
	POPULATION			Property Damage Crashes	203	175	194
	Census 2010	275,174		Crash Fatalities	4	6	6
	2014 Estimate	285,865		Crash Injuries	161	178	206
	\$	•		Drug Involved CrashesTotal	74	83	80
213				Fatal Crashes	1	2	3
DIDTH DICK	2012	2012	2011	Injury Crashes	31	42	34
BIRTH RISK Resident BirthsTotal	2013	2012	2011	Property Damage Crashes	42	39	43
	3,506 nile Pregnant 670	3,574 633	3,553 658	Crash Fatalities	1	3	3
Mother Reported Smoking wh	ille Pregnant 670	033	030	Crash Injuries	54	66	36
DISEASE INCIDENCE 1	2013	2012	2011		2042	2012	2044
HIV/AIDS Cases	11	26	18	POLICE REPORTS	2013	2012	2011
Hepatitis B Chronic, Acute, P	renatal 44	26	32	DUI Arrests, DWI Tracking System	1,604	2,048	2,017
Hepatitis C Chronic and Acute	e 393	395	403	Liquor Law Arrests	114	171	282
Tuberculosis Infection Cases	127	110	158	Drug Arrests	1,413	1,414	1,325
				Violent Offenses	2,032	1,761	1,503
DEATHS and INJURIES	2013	2012	2011	Property Offenses	17,049	17,189	17,174
Resident DeathsTotal	2,643	2,530	2,533	Domestic Violence Reports	3,438	3,428	3,190
Suicides	44	35	42	Mathamahatamina Lah Cainuna	2014	2013	2012
Self-inflicted Injuries	491	504	495	Methamphetamine Lab Seizures	26	67	94
Homicides	11	16	11	SCHOOL REPORTS	2013-14	2012-13	2011-12
Assault Injuries	1,105	1,153	1,231	Enrollment Grades 9-12	11,328	11,322	11,120
Alcohol Induced Deaths	23	30	25	Drop-outs	202	247	253
Drug Induced Deaths	64	50	63	Drop-out Rate	1.8%	2.2%	2.3%
Smoking Attributable Deaths	424	413	415	School Discipline Involving Alcohol	29	22	20
HOSPITAL EPISODES 2	2013	2012	2011	School Discipline Involving Drugs	175	135	124
Hospitalization, no Emergenc	y Room:			School Discipline Involving Tobacco	11	6	47
Mental Illness Principal Diag	nosis 1,573	1,368	1,334	ILIVENII E COLIRT REFERRALS	2012	2012	2011
Mental Illness Secondary Di	agnosis 2,449	2,311	2,248	JOVENNEL COOK! KEI EKKALS	2013	2012 422	2011 505
Alcohol Principal Diagnosis	156	97	77	Juvenile Violent Offenses	410		
Alcohol Secondary Diagnosi	is 114	105	111	Juvenile Alcohol Offenses	31 105	53	63
Drug Principal Diagnosis	145	153	87	Juvenile Drug Offenses School Truancy Status Offense	105 2	127 10	138 9
Drug Secondary Diagnosis	182	155	186	Absent from Home Status Offense	55	72	94
Emergency Room + Hospitali	zation:			Beyond Parental Control Status Offense	10	1	4
Mental Illness Principal Diag	nosis 2,120	1,959	1,872	Injurious Behavior Status Offense	241	301	325
Mental Illness Secondary Di	agnosis 5,972	5,425	4,756	Child Abuse	56	50	87
Alcohol Principal Diagnosis	778	772	658	Child Neglect	354	261	347
Alcohol Secondary Diagnosi	s 735	670	600	Child Custody Issues	42	67	92
Drug Principal Diagnosis	469	533	402	Office Captions (1990)		0.	02
Drug Secondary Diagnosis	571	461	431	JUVENILE COURT PLACEMENTS	2013	2012	2011
Emergency Room, no Hospita				Out-of-Home PlacementsTotal	411	301	482
Mental Illness Principal Diag		2,955	3,145	Parental Alcohol Use Related	10	6	32
Mental Illness Secondary Di	•	12,757	4,740	Parental Drug Use Related	186	131	152
Alcohol Principal Diagnosis	1,502	1,490	1,378	Parental Alcohol and Drug Use	8	7	14
Alcohol Secondary Diagnosi		774	652	CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Principal Diagnosis	897	938	898	Drug Court Participants	1,168	888	770
Drug Secondary Diagnosis	1,042	1,012	775	Probation/Parole AdmissionsDrug	649	587	579
ALCOHOL OUTLETS	2014	2013	2012	Probation/Parole AdmissionsDWI	140	164	146
ALCOHOL OUTLETS Alcohol On-Premise Drink Lic		328	342	Prison AdmissionsDrug	324	364	324
Alcohol Package Carry-out Li		326 173	235	Prison AdmissionsDWI	49	57	54
				1 All Kansas City hepatitis and TB case report	ts are include	ad in Jackson	County
EMPLOYMENT	2014	2013	2012	totals and all Joplin case reports are include	d in Jasper C	County totals.	
Labor Force	147,884	142,013	142,285	2 Beginning with 2010 data, diagnosis counts			
Employed	140,723	134,370	133,902	based on codes developed by the Healthcar Beginning in 2013, juvenile municipal violati			
Unemployed	7,161	7,643 5.4%	8,383 5.0%	court orders are categorized as status offens			
Unemployment Rate	4.8%	5.4%	5.9%				

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	470	447	473
CSTAR Adolescent	106	135	141
CSTAR Women and Children	264	246	197
CSTAR General Adult	494	638	563
CSTAR Opioid	*	*	0
Primary Recovery Treatment	495	424	514
Clinical SATOP (CIP, YCIP, SROP)	299	270	244
Other Substance Abuse Treatment	*	6	*

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	1,387	1,468	1,447
- Adolescent Diversion Education Prograr	12	29	33
- Offender Education Program	539	600	619
- Weekend Intervention Program	279	324	270
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	105	88	113
Compulsive Gambling	0	0	*
Recovery Supports	783	837	730
Early Intervention	115	112	218

NUMBER ADMITTED	FY2014	FY2013	FY2012	PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Total Individuals	1,863	1,971	1,944	Alcohol	737	808	762
	,	, -	, -	Marijuana / Hashish	369	383	434
AGE				Cocaine (total)	21	32	64
Under 18	101	140	142	- Crack	12	12	39
18 to 24	292	289	351	Stimulant (total)	482	478	404
25 to 29	349	370	357	- Methamphetamine	464	464	396
30 to 34	316	322	288	Heroin	69	51	64
35 to 39	222	211	192	Analgesic except Heroin	139	160	153
40 to 44	183	209	220	- Non-Prescription Methadone	*	9	*
45 to 54	307	322	311	PCP, LSD, other Hallucinogen	6	12	11
55 and Over	93	108	83	Tranquilizer	26	27	31
GENDER				Inhalant	*	*	*
Male	1,239	1,345	1,360	Sedative	*	*	*
Female	624	626	583	Other Medication or Illicit Drug	8	13	15
· Smale	0	0_0	000	Average Age at First Use of Drug	17.5	17.4	17.4
RACE / ETHNICITY				7.10.1ago 7.go at 1ot 000 0. 2.1ag			
Caucasian	1,637	1,729	1,687	INJECTION DRUG USE			
African American	120	147	166	Any Injection Use at Admission	375	372	343
Native American / Alaskan	10	11	11	- Daily Injection Use	84	88	65
Asian / Pacific Islander	6	7	8	- Weekly Injection Use	108	115	82
Hispanic	38	55	42	- Less than Weekly Injection Use	183	169	196
Other Race / Two or More Races	65	47	50	- Less than Weekly Injection Ose	103	109	190
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	575	683	656	0	927	968	988
High School Graduate or G.E.D.	758	774	797	1 or 2	594	625	617
Associate Degree or Some College	509	500	472	3 or More	342	378	339
Bachelor or Advanced Degree	21	14	19				
				TREATMENT REFERRAL SOURCE	570	750	500
EMPLOYMENT	500	F44	500	Self / Family / Friend	573	750	590
Employed	526	511	522	School	7	12	
Unemployed	557	621	650	Mental Health Provider	40	44	20
Not in Labor Force	780	839	772	Health Care Provider	115	106	103
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	914	885	1,082
Independent Living	1,403	1,487	1,471	Other Referral Source	205	161	139
Dependent Living	236	264	275				
Homeless	196	186	174	TREATMENT ACCOMMODATION			
				Pregnant when Admitted to any Episode	36	30	32
MARITAL / FAMILY STATUS				Military Veteran	73	94	98
Never Married	972	1,046	1,054	Special Education Services Needed	122	167	147
Married / Cohabitating	413	424	408	Co-Occurring Psychological Problem	752	769	688
Previously Married	478	501	482	Co-Occurring Developmental Problem	76	103	55

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Southwest PSYCHIATRIC SERVICE AREA 10 275,174 2014 POPULATION ESTIMATE 285,865

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.							
DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012				
Adjustment Disorder	66	83	113				
Anxiety Disorder	977	939	898				
Dementia	13	9	8				
Developmental Disorder	54	58	60				
Impulse Control Disorder	230	226	266				
Mood Disorder	1,512	1,430	1,395				
Personality Disorder	366	309	330				
Psychotic Disorder	618	590	611				
Sexual Disorder	8	6	*				
Other Diagnosis	226	208	206				
Diagnosis Unknown	182	210	349				

Individuals who received psychiatric services had the following types of

NUMBER SERVED	FY2014	FY2013	FY2012	EDUCATION	FY2014	FY2013	FY2012
Total Individuals	2,308	2,340	2,479	Less than High School Diploma	587	630	477
	,	,	, -	High School Grad or G.E.D.	*	*	444
AGE				Associate Degree or Some College	0	0	234
Under 6	62	68	87	Bachelor or Advanced Degree	0	0	57
6 to 9	103	132	191	Education Level Unknown	1,720	1,709	1,267
10 to 13	89	101	126		.,. =0	.,. 00	.,_0.
14 to 17	70	79	138	EMPLOYMENT			
18 to 24	151	150	129	Employed	86	67	114
25 to 29	180	175	164	Unemployed	92	101	929
30 to 34	229	247	228	Not in Labor Force	1,312	1,473	427
35 to 39	255	244	226	Employment Status Unknown	818	699	1,009
40 to 44	233	226	240				
45 to 49	276	294	306	HOUSING / LIVING ARRANGEMENT			
50 to 54	296	279	280	Independent Living	827	937	1,083
55 to 59	199	196	188	Dependent Living	577	632	366
60 and Over	165	149	176	Homeless	55	89	48
Age Unknown	0	0	0	Other	0	0	29
				Housing Unknown	849	682	953
GENDER	4.004	4 407	4 450				
Male	1,094	1,127	1,152	TREATMENT REFERRAL SOURCE			
Female	1,214	1,213	1,327	Self / Family / Friend	1,206	1,361	1,645
Gender Unknown	0	0	0	School	10	12	17
RACE / ETHNICITY				Mental Health Provider	108	87	82
Caucasian	2,001	2,044	2,199	Health Care Provider	382	304	237
African American	128	113	98	Court / Criminal Justice	157	138	56
Native American / Alaskan	8	6	11	Other	387	379	383
Asian / Pacific Islander	6	5	6	Referral Source Unknown	58	59	59
Hispanic	62	60	47				
Other Race	103	112	118	TYPE OF COMMITMENT			
Race/Ethnicity Unknown	0	0	0	Voluntary	2,223	2,250	2,387
	· ·	ŭ	J	Civil	7	10	10
TREATMENT ACCOMMODATION				Criminal	17	18	19
Hearing Impaired	72	78	76	Sexual Predatory	*	*	*
Past or Current Military Service	74	74	70	Commitment Type Unknown	59	60	61

MISSOURI STUDENT SURVEY

	IVIIOO	OUR	(151)	וטנ
Percent of students who have ever used:	2014	2012	2010	l p
Alcohol	32.0	33.1	38.0	'
Cigarettes	20.1	22.9	27.0	
Chewing Tobacco	7.7	9.7	11.0	
Marijuana	16.5	18.0	20.3	
Inhalants	3.4	5.6	7.1	
Prescription medications not prescribed for student	8.7	9.4		
Over-the-counter medications for non-medical use	2.8	7.2	9.4	
Methamphetamine	1.0	1.7	1.3	
Cocaine	1.6	2.6	2.5	
Heroin	0.5	1.1	0.9	P
Hallucinogens	4.0	4.5	4.6	
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	2.9	3.0	3.1	
Steroids not prescribed for student	0.8	1.5	1.0	
Synthetic drugs (K2, bath salts, Spice, etc)	4.8	8.3		
Average age of students' first use of				
Average age of students' first use of: Alcohol	12 12	12.63	12.55	
Cigarettes		12.03		F
•		13.19		
Marijuana Inhalants		12.20		
IIIIdiditS	12.21	12.20	12.32	
Percent of students who, in past 30 days, used:				
Alcohol	12.9	13.9	16.6	
Alcohol (Binge: 5+ drinks on one occassion)		8.1	9.7	P
Cigarettes	9.2	11.3	14.5	'
Chewing Tobacco	4.1	5.1	5.6	
Marijuana	8.9	9.8	11.5	
Inhalants	1.1	2.6	2.8	
Prescription medications not prescribed for student	3.8	5.1	7.4	P
Over-the-counter medications for non-medical use	1.6	4.4	5.8	
Percent of students who, in past 2 weeks, used:				
Alcohol (Binge: 5+ drinks on one occassion)	6.5			
Percent whose friends used in past 12 months:				
Alcohol	42.7	47.5	54.3	
Cigarettes	36.7	40.9	48.0	
Marijuana	35.6	38.6	42.5	
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	17.8	19.2	23.8	P
Demonstration would Week was if afferred by a book file of				'
Percent who would likely use, if offered by a best friend: Alcohol	24.6	25.5	20.4	
	21.6 12.3	25.5 14.4	29.4 16.2	
Cigarettes Marijuana	16.3	16.8	17.2	
Manjuana	10.5	10.0	17.2	
Percent who say it would be wrong to use:				١.
Alcohol	69.0	66.1	62.4	P
Cigarettes	83.7	79.7	75.6	
Marijuana	77.3	77.9	76.5	
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	95.0	93.5	92.4	
Percent whose parents would disapprove if they use:				
Alcohol	84.8	81.9	81.6	
Cigarettes	93.5	90.9	89.4	Mi
Marijuana	92.1	92.0	91.1	Si
				Bla
Percent who say it would be easy to obtain:	40.5	- 4.0	53 0	Su
Alcohol	49.2	54.2	57.3	Pe
Cigarettes	47.2	52.0	57.8	Sc
Marijuana Other Illieit (Coccine J.S.P. Meth. Club Drug. etc.)	38.4	41.1	41.9	Da
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	18.6	21.8	23.4	

DENT SURVEY			
Descent who hellows they yield have if they year	2014	2012	2010
Percent who believe they risk harm if they use:	040		
Alcohol (1 or 2 drinks daily)	64.6		
Alcohol (Binge: 5+ drinks once or twice a week)	74.4		
Alcohol (any use)		73.0	71.3
Cigarettes (1+ packs per day)	86.5		
Cigarettes (any use)		82.4	80.8
Marijuana (once or twice a week)	64.2		
Marijuana (any use)		70.2	74.8
Other: Cocaine, LSD, Meth, Club Drug (any use)	92.2	93.0	93.2
Percent of students who, in past 30 days:			
Were very sad	24.2	19.0	18.9
Were grouchy, irritable, or in a bad mood	24.4	24.3	24.3
Felt hopeless about the future	13.1	11.4	11.9
Felt like not eating or eating more than usual	18.4	18.4	18.8
Slept a lot more or a lot less than usual	18.8	20.1	26.3
Had difficulty concentrating on school work	24.4	22.4	26.0
Percent of students who, in past 12 months:			
Seriously considered attempting suicide	13.3	13.0	11.7
Made plan about how they would attempt suicide	10.0	9.2	8.6
Attempted suicide	6.2	5.8	5.2
Attempted suicide and resulting injury, poisonng, or overdose had to be treated by doctor or nurse	2.7	1.9	2.4
Percent of students who, in past 12 months:			
Were threatened/injured with weapon at school	7.7	7.0	10.5
Were in a physical fight	16.4	18.9	21.7
Were in a fight and had to be treated by a doctor or nurse	2.8	3.7	3.8
were in a right and had to be treated by a doctor of hurse	2.0	5.1	5.0
Percent of students who, in past 3 months:			
Were victims of mean rumors or lies spread at school	51.8	47.0	51.2
Were made fun of by others	61.4	58.1	65.8
Were victims of an embarrassing or hurtful text message or	00.7	04.0	40.4
something posted on the internet	26.7	21.6	18.4
Spread mean rumors or lies about other kids at school	26.3	26.2	33.1
Made fun of other people	53.1	57.6	68.4
Posted something on the internet or sent a text that might			
embarrass or hurt another student	18.0	14.5	17.5
Descent of students who agree that			
Percent of students who agree that:	72.9	60 0	60.6
Teachers notice and comment on student's good work	72.9	68.8	69.6
School provides feedback to parents on positive student performance	39.9	38.9	38.2
Rules are enforced fairly	65.9	64.2	65.2
Students of all races/ethnicities are treated equal	80.0	77.6	79.5
Percent of students who agree that:			
Parents notice and comment on student's good work	83.2	82.0	83.4
Parents involve student in making family decisions	69.7	69.8	70.5
It is important to be honest with parents regardless of	55.1	55.5	. 5.0
consequences	85.7	83.9	80.8
Student could ask parent for help with a personal problem	78.8	77.3	78.1
			2

Viissouri Student Survey is conducted biennially. Similar affirmative response choices for individual questions are combined. Blank data cells indicate estimates are not available for item or geographic area. Survey is not conducted in every school district nor reported for every county. Estimates are not available for counties with small numbers of respondents. Percentages are estimates based on weighted data.

Some year-to-year differences in percentages are not statistically significant.

Pata source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

CITOTID 1 CCC							
	DBH REGION	Western		IMPAIRED DRIVING	2013	2012	2011
	DBH SERVICE AREAS			Alcohol Involved CrashesTotal	13	5	9
The property of the same of th	Substance Use	13		Fatal Crashes	0	0	0
	Adult Psychiatric	13		Injury Crashes	5	1	3
	POPULATION			Property Damage Crashes	8	4	6
	Census 2010	10,261		Crash Fatalities	0	0	0
	2014 Estimate	10,197		Crash Injuries	6	2	3
Far				Drug Involved CrashesTotal	3	2	2
				Fatal Crashes	0	0	0
BIRTH RISK	2013	2012	2011	Injury Crashes	1	1	0
Resident BirthsTotal	163	153	118	Property Damage Crashes	2	1	2
Mother Reported Smoking wh	ile Pregnant 35	47	32	Crash Fatalities Crash Injuries	0 1	0 2	0
DISEASE INCIDENCE 1	2013	2012	2011	Crash injunes	'	2	U
HIV/AIDS Cases	0	0	0	POLICE REPORTS	2013	2012	2011
Hepatitis B Chronic, Acute, Pr		0	0	DUI Arrests, DWI Tracking System	40	32	35
Hepatitis C Chronic and Acute		10	8	Liquor Law Arrests	7	13	39
Tuberculosis Infection Cases	2	3	1	Drug Arrests	24	27	45
				Violent Offenses	40	17	22
DEATHS and INJURIES	2013	2012	2011	Property Offenses	217	248	220
Resident DeathsTotal	142	117	126	Domestic Violence Reports	112	141	137
Suicides	1	0	1		2014	2013	2012
Self-inflicted Injuries	14	11	13	Methamphetamine Lab Seizures	0	0	0
Homicides	0	1	0	SCHOOL REPORTS	2013-14	2012-13	2011-12
Assault Injuries	28	27	24	Enrollment Grades 9-12	425	447	486
Alcohol Induced Deaths	1	0	0	Drop-outs	8	8	10
Drug Induced Deaths	1	2	0	Drop-out Rate	1.9%	1.8%	2.1%
Smoking Attributable Deaths	21	23	24	School Discipline Involving Alcohol	0	0	0
HOSPITAL EPISODES 2	2013	2012	2011	School Discipline Involving Drugs	0	5	3
Hospitalization, no Emergency				School Discipline Involving Tobacco	0	0	0
Mental Illness Principal Diag		71	83				
Mental Illness Secondary Dia		221	394	JUVENILE COURT REFERRALS 3	2013	2012	2011
Alcohol Principal Diagnosis	4	2	5	Juvenile Violent Offenses	10	14	10
Alcohol Secondary Diagnosis	s 12	10	11	Juvenile Alcohol Offenses	0	0	0
Drug Principal Diagnosis	6	6	2	Juvenile Drug Offenses	1 15	0 8	3 37
Drug Secondary Diagnosis	10	13	12	School Truancy Status Offense Absent from Home Status Offense	8	9	5 <i>1</i>
Emergency Room + Hospitaliz	zation:			Beyond Parental Control Status Offense	3	10	14
Mental Illness Principal Diag	nosis 14	20	18	Injurious Behavior Status Offense	16	14	16
Mental Illness Secondary Dia	agnosis 130	147	79	Child Abuse	42	30	17
Alcohol Principal Diagnosis	1	1	5	Child Neglect	74	32	54
Alcohol Secondary Diagnosis	s 16	12	10	Child Custody Issues	0	0	0
Drug Principal Diagnosis	2	9	2	•	ŭ	ŭ	·
Drug Secondary Diagnosis	7	12	13	JUVENILE COURT PLACEMENTS	2013	2012	2011
Emergency Room, no Hospita				Out-of-Home PlacementsTotal	25	23	16
Mental Illness Principal Diag		98	91	Parental Alcohol Use Related	0	4	2
Mental Illness Secondary Dia	-	326	312	Parental Drug Use Related	5	6	6
Alcohol Principal Diagnosis	10	15	16	Parental Alcohol and Drug Use	0	0	0
Alcohol Secondary Diagnosis		18	27	CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Principal Diagnosis	10	13	9	Drug Court Participants	23	14	12
Drug Secondary Diagnosis	22	28	30	Probation/Parole AdmissionsDrug	23	19	7
ALCOHOL OUTLETS	2014	2013	2012	Probation/Parole AdmissionsDWI	4	5	3
Alcohol On-Premise Drink Lic		11	9	Prison AdmissionsDrug	13	14	5
Alcohol Package Carry-out Lie		11	12	Prison AdmissionsDWI	3	3	2
EMPLOYMENT	2014	2013	2012	1 All Kansas City hepatitis and TB case report			County
Labor Force	4,913	5,022	4,822	totals and all Joplin case reports are include Beginning with 2010 data, diagnosis counts			es are
Employed	4,648	4,750	4,513	based on codes developed by the Healthcar			
Unemployed	265	272	309	3 Beginning in 2013, juvenile municipal violati	ons, infraction	ns, and violat	ions of
Unomployment Pate	5 49/		6 49/	court orders are categorized as status offens	ses instead o	i iaw violation	is.

5.4%

5.4%

6.4%

Unemployment Rate

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

FY2014	FY2013	FY2012
11	9	8
*	10	*
*	*	*
90	80	93
0	0	0
*	7	8
9	12	8
0	*	0
	11 * * 90 0 *	11 9 * 10 * * 90 80 0 0 * 7 9 12

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	29	28	39
- Adolescent Diversion Education Prograr	0	*	0
- Offender Education Program	11	*	12
- Weekend Intervention Program	*	9	11
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	*	*
Compulsive Gambling	0	0	0
Recovery Supports	*	*	*
Early Intervention	*	*	5

NUMBER ADMITTED	FY2014	FY2013	FY2012	PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Total Individuals	113	114	106	Alcohol	30	43	44
				Marijuana / Hashish	38	26	15
AGE				Cocaine (total)	0	0	0
Under 18	5	6	*	- Crack	0	0	0
18 to 24	19	21	18	Stimulant (total)	21	28	26
25 to 29	19	25	21	- Methamphetamine	20	28	26
30 to 34	27	18	29	Heroin	*	*	*
35 to 39	18	12	7	Analgesic except Heroin	20	14	15
40 to 44	5	11	13	- Non-Prescription Methadone	0	0	*
45 to 54	15	17	12	PCP, LSD, other Hallucinogen	0	0	0
55 and Over	5	*	*	Tranquilizer	*	*	*
GENDER				Inhalant	0	0	0
Male	66	74	67	Sedative	0	0	0
Female	47	40	39	Other Medication or Illicit Drug	*	*	*
remaio		.0	00	Average Age at First Use of Drug	17.8	17.8	17.9
RACE / ETHNICITY				Avoluge Age at 1 hot ede of Brag	17.0	17.0	17.0
Caucasian	110	112	103	INJECTION DRUG USE			
African American	*	0	*	Any Injection Use at Admission	24	21	25
Native American / Alaskan	0	0	*	- Daily Injection Use	*	*	*
Asian / Pacific Islander	0	0	0	- Weekly Injection Use	7	*	8
Hispanic	*	*	0	- Less than Weekly Injection Use	14	15	15
Other Race / Two or More Races	*	*	*	- Less than weekly injection ose	14	13	13
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	44	47	35	0	71	68	66
High School Graduate or G.E.D.	52	55	58	1 or 2	32	33	24
Associate Degree or Some College	17	11	13	3 or More	10	13	16
Bachelor or Advanced Degree	0	*	0	TD5.4T4.54T D555DD44 604D65			
SASDI OVASSAIT				TREATMENT REFERRAL SOURCE	20	18	27
EMPLOYMENT Employed	26	29	34	Self / Family / Friend School	0	10	0
Employed	71	66	59	Mental Health Provider	0	0	0
Unemployed					*	*	*
Not in Labor Force	16	19	13	Health Care Provider			
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	26	23 70	58
Independent Living	99	98	96	Other Referral Source	62	70	19
Dependent Living	8	12	8				
Homeless	6	*	*	TREATMENT ACCOMMODATION	*	0	*
				Pregnant when Admitted to any Episode	*	0	,
MARITAL / FAMILY STATUS	50	0.4	50	Military Veteran		5	8
Never Married	56	61	52	Special Education Services Needed	9	8	12
Married / Cohabitating	31	25	31	Co-Occurring Psychological Problem	53	54	50
Previously Married	26	28	23	Co-Occurring Developmental Problem	^	•	Î

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Western
PSYCHIATRIC SERVICE AREA 13
CENSUS 2010 10,261
2014 POPULATION ESTIMATE 10,197

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.						
DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012			
Adjustment Disorder	8	8	7			
Anxiety Disorder	121	109	139			
Dementia	*	*	*			
Developmental Disorder	11	12	11			
Impulse Control Disorder	53	57	57			
Mood Disorder	188	195	214			
Personality Disorder	25	26	33			
Psychotic Disorder	25	31	34			
Sexual Disorder	0	*	0			
Other Diagnosis	40	29	29			
Diagnosis Unknown	14	8	20			

Individuals who received psychiatric services had the following types of

NUMBER SERVED	FY2014	FY2013	FY2012	EDUCATION	FY2014	FY2013	FY2012
Total Individuals	275	267	301	Less than High School Diploma	130	114	44
. otala.v.aaao				High School Grad or G.E.D.	9	22	54
AGE				Associate Degree or Some College	*	*	15
Under 6	*	*	*	Bachelor or Advanced Degree	0	0	*
6 to 9	21	21	17	Education Level Unknown	135	127	184
10 to 13	38	33	32	Eddodion Edver Onknown	100	121	104
14 to 17	29	28	26	EMPLOYMENT			
18 to 24	23	25	20	Employed	22	19	13
25 to 29	20	9	19	Unemployed	26	53	91
30 to 34	11	17	20	Not in Labor Force	195	156	32
35 to 39	18	24	27	Employment Status Unknown	32	39	165
40 to 44	30	25	32				
45 to 49	18	21	25	HOUSING / LIVING ARRANGEMENT			
50 to 54	26	18	29	Independent Living	142	121	100
55 to 59	18	17	25	Dependent Living	103	101	48
60 and Over	22	26	26	Homeless	*	*	*
Age Unknown	0	0	0	Other	0	0	*
GENDER				Housing Unknown	29	41	151
Male	111	101	115				
Female	164	166	186	TREATMENT REFERRAL SOURCE			
Gender Unknown	0	0	0	Self / Family / Friend	165	151	158
Gender Offkriown	U	U	U	School	5	5	*
RACE / ETHNICITY				Mental Health Provider	15	16	30
Caucasian	265	256	291	Health Care Provider	41	43	54
African American	*	*	*	Court / Criminal Justice	8	6	11
Native American / Alaskan	0	0	0	Other	37	42	39
Asian / Pacific Islander	0	0	0	Referral Source Unknown	*	*	7
Hispanic	*	6	6	TVD5 05 001 11 4/T1 451/T			
Other Race	*	*	*	TYPE OF COMMITMENT	271	262	20.4
Race/Ethnicity Unknown	0	0	0	Voluntary		202 *	294
				Civil	0		0
TREATMENT ACCOMMODATION		-		Criminal	0	0	0
Hearing Impaired	8	7	*	Sexual Predatory	0	0	0
Past or Current Military Service	*	*	*	Commitment Type Unknown	*	*	7

MISSOURI STUDENT SURVEY

	IVIIO	OUI	(1310	DENT SORVET			
Percent of students who have ever used:	2014	2012	2010	Percent who believe they risk harm if they use:	2014	2012	2010
Alcohol	36.9	45.7	43.1	Alcohol (1 or 2 drinks daily)	56.6		
Cigarettes	23.8	30.5	24.8	Alcohol (Binge: 5+ drinks once or twice a week)	72.7		
Chewing Tobacco	22.3	11.0	14.4	Alcohol (any use)		69.1	89.8
Marijuana	13.2	13.4	3.0	Cigarettes (1+ packs per day)	82.2		00.0
Inhalants	5.3	6.7	11.3	Cigarettes (any use)	02.2	74.7	82.2
Prescription medications not prescribed for student	9.3	14.6	7.9	Marijuana (once or twice a week)	69.5		02.2
Over-the-counter medications for non-medical use	7.7	9.1	7.9	Marijuana (any use)	00.0	73.3	76.2
Methamphetamine	0.8	2.4	2.1	Other: Cocaine, LSD, Meth, Club Drug (any use)	93.9	92.6	98.5
Cocaine	2.3	3.0	2.0		00.0	02.0	00.0
Heroin	0.0	2.5	2.0	Percent of students who, in past 30 days:			
Hallucinogens	3.1	3.7	0.0	Were very sad	25.2	21.3	16.8
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.0	3.1	0.5	Were grouchy, irritable, or in a bad mood	24.2	25.0	22.4
Steroids not prescribed for student	0.8	3.1	0.0	Felt hopeless about the future	12.3	15.2	13.0
Synthetic drugs (K2, bath salts, Spice, etc)	3.9	6.7		Felt like not eating or eating more than usual	21.4	15.9	13.5
		-		Slept a lot more or a lot less than usual	22.5	20.7	27.0
Average age of students' first use of:	40.04	40.40	44.04	Had difficulty concentrating on school work	24.0	24.1	22.8
Alcohol		13.13		Percent of students who, in past 12 months:			
Cigarettes	_	_	11.16	Seriously considered attempting suicide	15.3	14.0	14.9
Marijuana			10.30	Made plan about how they would attempt suicide	11.5	10.4	11.4
Inhalants	11.12	12.27	12.26	Attempted suicide	9.4	5.5	9.5
Percent of students who, in past 30 days, used:				Attempted suicide and resulting injury, poisonng, or overdose			
Alcohol	11.8	25.2	17.9	had to be treated by doctor or nurse	3.1	0.6	2.0
Alcohol (Binge: 5+ drinks on one occassion)		14.5	9.0	Percent of students who in past 12 months			
Cigarettes	14.6	15.9	14.9	Percent of students who, In past 12 months: Were threatened/injured with weapon at school	8.4	5.5	12.4
Chewing Tobacco	9.9	4.9	6.5	Were in a physical fight	19.7	26.4	21.8
Marijuana	3.9	6.7	1.0	Were in a physical light Were in a fight and had to be treated by a doctor or nurse	3.8	1.9	6.9
Inhalants	1.5	4.3	8.2	were in a light and had to be treated by a doctor of hurse	3.0	1.9	0.9
Prescription medications not prescribed for student	6.2	7.3	3.5	Percent of students who, in past 3 months:			
Over-the-counter medications for non-medical use	4.6	6.7	5.0	Were victims of mean rumors or lies spread at school	53.4	59.1	54.3
				Were made fun of by others	69.2	69.5	61.7
Percent of students who, in past 2 weeks, used: Alcohol (Binge: 5+ drinks on one occassion)	4.7			Were victims of an embarrassing or hurtful text message or	31.5	29.4	19.3
Alcohol (blinge: 5+ drilliks off offe occassion)	4.7			something posted on the internet			
Percent whose friends used in past 12 months:				Spread mean rumors or lies about other kids at school	26.2	34.8	48.3
Alcohol	38.2	59.5	59.2	Made fun of other people	58.8	69.5	78.6
Cigarettes	31.3	51.2	46.0	Posted something on the internet or sent a text that might	16.4	17.2	26.6
Marijuana	16.8	38.9	27.1	embarrass or hurt another student			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	6.9	15.3	9.5	Percent of students who agree that:			
Percent who would likely use, if offered by a best friend:				Teachers notice and comment on student's good work	71.8	63.6	68.8
Alcohol	30.0	39.6	35.6	School provides feedback to parents on positive student	40.0	00.0	000
Cigarettes	17.6	14.7		performance	48.9	39.0	36.6
Marijuana	10.0	13.4	7.5	Rules are enforced fairly	72.5	60.4	65.2
Wanjuana	10.0	10.4	7.5	Students of all races/ethnicities are treated equal	87.6	78.0	86.1
Percent who say it would be wrong to use:				Description of the description o			
Alcohol	68.7	55.2	62.4	Percent of students who agree that:	70.0	70.5	00.0
Clgarettes	84.7	77.2	85.4	Parents notice and comment on student's good work	78.3	78.5	82.6
Marijuana	89.2	82.7	88.5	Parents involve student in making family decisions	66.2	61.0	73.8
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	98.5	92.5	98.5	It is important to be honest with parents regardless of consequences	86.3	82.9	85.6
Percent whose parents would disapprove if they use:				,	72.2	72.6	60.0
Alcohol	81.5	86.0	81.7	Student could ask parent for help with a personal problem	73.3	72.6	68.8
Cigarettes	96.2	93.2		Missouri Student Survey is conducted biennially.			
Marijuana	96.9	95.0		Similar affirmative response choices for individual questions are	e combin	ed.	
				Blank data cells indicate estimates are not available for item or	geograpl	hic area.	
Percent who say it would be easy to obtain:	_			Survey is not conducted in every school district nor reported for Estimates are not available for counties with small numbers of			
Alcohol	42.3	60.4		Percentages are estimates based on weighted data.	·		
Cigarettes	42.0	59.1	64.9	Some year-to-year differences in percentages are not statistical	lly signific	cant.	
Marijuana	26.7	34.4		Data source: Missouri Institute of Mental Health, 2010-2014 Mi	ssouri Str	udent Sı	ırveys
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	14.5	16.0	11.4				,

HARRISON CO	ONT						
	DBH REGION	Western		IMPAIRED DRIVING	2013	2012	2011
\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	DBH SERVICE AREAS			Alcohol Involved CrashesTotal	16	13	16
	Substance Use	13		Fatal Crashes	1	1	0
	Adult Psychiatric	13		Injury Crashes	4	8	7
	POPULATION			Property Damage Crashes	11	4	9
	Census 2010	8,957		Crash Fatalities	1	1	0
	2014 Estimate	8,639		Crash Injuries	5	12	10
		-,		Drug Involved CrashesTotal	1	3	1
43				Fatal Crashes	0	0	0
				Injury Crashes	1	1	0
BIRTH RISK	2013	2012	2011	Property Damage Crashes	0	2	1
Resident BirthsTotal	122	115	116	Crash Fatalities	0	0	0
Mother Reported Smoking whi	ile Pregnant 38	27	39	Crash Injuries	1	1	0
DISEASE INCIDENCE 1	2013	2012	2011				
HIV/AIDS Cases	1	0	0	POLICE REPORTS	2013	2012	2011
Hepatitis B Chronic, Acute, Pr	enatal 0	0	0	DUI Arrests, DWI Tracking System	63	73	65
Hepatitis C Chronic and Acute		4	3	Liquor Law Arrests	11	12	35
Tuberculosis Infection Cases	0	0	0	Drug Arrests	79	81	71
				Violent Offenses	8	12	13
DEATHS and INJURIES	2013	2012	2011	Property Offenses	116	111	108
Resident DeathsTotal	120	112	118	Domestic Violence Reports	13	12	11
Suicides	0	3	3		2014	2013	2012
Self-inflicted Injuries	20	13	16	Methamphetamine Lab Seizures	0	0	0
Homicides	0	2	1	CCUCOL REPORTS	2012 14	2012 12	2011 12
Assault Injuries	12	9	10	SCHOOL REPORTS Enrollment Grades 9-12	2013-14	2012-13	2011-12
Alcohol Induced Deaths	0	0	1		378	386	356
Drug Induced Deaths	2	2	2	Drop-outs	2	4	9
Smoking Attributable Deaths	20	22	22	Drop-out Rate	0.5%	1.0%	2.5%
				School Discipline Involving Alcohol	0	0	0
HOSPITAL EPISODES 2	2013	2012	2011	School Discipline Involving Drugs	0	0	0
Hospitalization, no Emergency				School Discipline Involving Tobacco	0	0	0
Mental Illness Principal Diagr		85	71	JUVENILE COURT REFERRALS 3	2013	2012	2011
Mental Illness Secondary Dia		219	228	Juvenile Violent Offenses	19	0	6
Alcohol Principal Diagnosis	2	3	7	Juvenile Alcohol Offenses	1	2	9
Alcohol Secondary Diagnosis		12	17	Juvenile Drug Offenses	3	0	0
Drug Principal Diagnosis	5	2	1	School Truancy Status Offense	10	13	0
Drug Secondary Diagnosis	6	15	5	Absent from Home Status Offense	1	0	4
Emergency Room + Hospitaliz				Beyond Parental Control Status Offense	4	0	9
Mental Illness Principal Diagr		20	19	Injurious Behavior Status Offense	3	4	4
Mental Illness Secondary Dia		82	67	Child Abuse	3	8	43
Alcohol Principal Diagnosis	0	3	2	Child Neglect	57	42	16
Alcohol Secondary Diagnosis	8	9	9	Child Custody Issues	0	0	0
Drug Principal Diagnosis	1	2	3	•			
Drug Secondary Diagnosis	8	5	4	JUVENILE COURT PLACEMENTS	2013	2012	2011
Emergency Room, no Hospita				Out-of-Home PlacementsTotal	20	18	15
Mental Illness Principal Diagr		110	84	Parental Alcohol Use Related	0	0	0
Mental Illness Secondary Dia	•	83	115	Parental Drug Use Related	7	8	0
Alcohol Principal Diagnosis	14	14	10	Parental Alcohol and Drug Use	0	0	0
Alcohol Secondary Diagnosis		15	18	CRIMAINIAL ILICTICE	EV2014	FY2013	FY2012
Drug Principal Diagnosis	15	8	6	CRIMINAL JUSTICE Drug Court Participants	FY2014 9	13	12
Drug Secondary Diagnosis	16	17	14	Probation/Parole AdmissionsDrug	28	34	33
				Probation/Parole AdmissionsDWI	5	6	33 4
ALCOHOL OUTLETS	2014	2013	2012	Prison AdmissionsDrug	16	15	20
Alcohol On-Premise Drink Lice		6	7	Prison AdmissionsDWI	4	3	4
Alcohol Package Carry-out Lic	censes 18	16	14	. HOOR AGITHOSIONS DVVI	7	J	7
EMPLOYMENT	2014	2013	2012	1 All Kansas City hepatitis and TB case report			County
Labor Force	3,988	4,398	4,262	totals and all Joplin case reports are include Beginning with 2010 data, diagnosis counts			es are
Employed	3,730	4,122	3,979	based on codes developed by the Healthcar	re Cost and U	Itilization Pro	ect.
Unemployed	258	276	283	3 Beginning in 2013, juvenile municipal violati			
Unemployment Rate	6.5%	6.3%	6.6%	court orders are categorized as status offens	ses matead 0	ı ıaw violatioi	13.

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	*	*	*
CSTAR Adolescent	0	*	*
CSTAR Women and Children	*	*	*
CSTAR General Adult	39	26	37
CSTAR Opioid	0	0	0
Primary Recovery Treatment	*	*	*
Clinical SATOP (CIP, YCIP, SROP)	6	*	7
Other Substance Abuse Treatment	0	*	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	29	22	28
- Adolescent Diversion Education Prograr	*	0	0
- Offender Education Program	*	7	13
- Weekend Intervention Program	*	7	5
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	0	0
Compulsive Gambling	0	0	0
Recovery Supports	0	0	0
Early Intervention	*	*	*

NUMBER ADMITTED	FY2014	FY2013	FY2012	PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Total Individuals	52	33	50	Alcohol	22	11	21
				Marijuana / Hashish	7	14	12
AGE				Cocaine (total)	*	*	*
Under 18	0	*	*	- Crack	0	0	*
18 to 24	15	9	15	Stimulant (total)	13	*	13
25 to 29	12	8	9	- Methamphetamine	12	*	13
30 to 34	8	*	*	Heroin	*	0	0
35 to 39	6	*	9	Analgesic except Heroin	5	*	*
40 to 44	*	*	*	- Non-Prescription Methadone	0	0	0
45 to 54	*	5	7	PCP, LSD, other Hallucinogen	0	0	0
55 and Over	*	0	*		*	0	*
CENDED				Tranquilizer Inhalant	0	0	0
GENDER Male	35	25	33	Sedative	0	0	0
	35 17	25 8			*	0	0
Female	17	0	17	Other Medication or Illicit Drug		-	-
RACE / ETHNICITY				Average Age at First Use of Drug	17.9	16.5	18.6
Caucasian	51	32	48				
African American	*	0	0	INJECTION DRUG USE			_
Native American / Alaskan	0	0	0	Any Injection Use at Admission	9	*	8
Asian / Pacific Islander	0	0	0	- Daily Injection Use	0		*
Hispanic	0	*	*	- Weekly Injection Use	*	0	0
Other Race / Two or More Races	0	*	*	- Less than Weekly Injection Use	6	*	7
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	20	11	15	0	33	22	24
High School Graduate or G.E.D.	27	18	30	1 or 2	11	7	17
Associate Degree or Some College	5	*	*	3 or More	8	*	9
Bachelor or Advanced Degree	0	0	*				
				TREATMENT REFERRAL SOURCE	0	-	0
EMPLOYMENT			4-	Self / Family / Friend	9	7	8
Employed	22	9	17	School	0	0	^
Unemployed	24	20	26	Mental Health Provider	0	0	0
Not in Labor Force	6	*	7	Health Care Provider		0	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	14	6	32
Independent Living	48	29	46	Other Referral Source	27	19	8
Dependent Living	*	*	*				
Homeless	*	*	*	TREATMENT ACCOMMODATION			
				Pregnant when Admitted to any Episode	*	0	*
MARITAL / FAMILY STATUS				Military Veteran	*	*	*
Never Married	24	18	27	Special Education Services Needed	0	*	*
Married / Cohabitating	21	6	10	Co-Occurring Psychological Problem	16	15	26
Previously Married	7	9	13	Co-Occurring Developmental Problem	0	*	0

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Western
PSYCHIATRIC SERVICE AREA 13
CENSUS 2010 8,957
2014 POPULATION ESTIMATE 8,639

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.								
DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012					
Adjustment Disorder	*	*	*					
Anxiety Disorder	51	57	61					
Dementia	*	*	*					
Developmental Disorder	0	0	0					
Impulse Control Disorder	15	22	16					
Mood Disorder	66	72	89					
Personality Disorder	20	18	17					
Psychotic Disorder	14	17	18					
Sexual Disorder	0	0	0					
Other Diagnosis	11	9	5					
Diagnosis Unknown	*	*	*					

Individuals who received psychiatric services had the following types of

NUMBER SERVED	FY2014	FY2013	FY2012	EDUCATION	FY2014	FY2013	FY2012
Total Individuals	87	102	111	Less than High School Diploma	34	40	15
Total Marviadalo	O.	102		High School Grad or G.E.D.	*	*	17
AGE				Associate Degree or Some College	0	0	7
Under 6	0	*	*	Bachelor or Advanced Degree	0	0	0
6 to 9	*	6	5	Education Level Unknown	52	60	72
10 to 13	7	7	*	Education Level Officiown	32	00	12
14 to 17	*	*	6	EMPLOYMENT			
18 to 24	12	17	12	Employed	14	14	7
25 to 29	8	9	9	Unemployed	9	11	31
30 to 34	*	5	7	Not in Labor Force	55	61	14
35 to 39	7	*	8	Employment Status Unknown	9	16	59
40 to 44	7	10	11				
45 to 49	9	14	14	HOUSING / LIVING ARRANGEMENT			
50 to 54	12	7	9	Independent Living	58	60	44
55 to 59	*	7	11	Dependent Living	21	26	9
60 and Over	10	12	14	Homeless	0	*	0
Age Unknown	0	0	0	Other	0	0	*
CENTER				Housing Unknown	8	15	57
GENDER Male	4.4	50	40				
Female	44	50	48	TREATMENT REFERRAL SOURCE			
	43	52	63	Self / Family / Friend	30	32	34
Gender Unknown	0	0	0	School	0	*	0
RACE / ETHNICITY				Mental Health Provider	8	13	18
Caucasian	84	97	104	Health Care Provider	32	38	43
African American	0	*	*	Court / Criminal Justice	12	13	11
Native American / Alaskan	0	0	0	Other	5	5	5
Asian / Pacific Islander	0	0	0	Referral Source Unknown	0	0	0
Hispanic	*	*	*				
Other Race	*	*	*	TYPE OF COMMITMENT			
Race/Ethnicity Unknown	0	0	0	Voluntary	87	101	111
•				Civil	0	*	0
TREATMENT ACCOMMODATION				Criminal	0	0	0
Hearing Impaired	*	*	6	Sexual Predatory	0	0	0
Past or Current Military Service	*	*	*	Commitment Type Unknown	0	0	0

MISSOURI STUDENT SURVEY

Percent of Statistics who have ever used: Accided					DEITH GORVET			
Accord Cigareties 20	Percent of students who have ever used:	2014	2012	2010	Percent who believe they risk harm if they use	2014	2012	2010
Cheshing Tobatozo		40.6	43.6	40.2	The state of the s	52.9		
Change C				-				
Maritanian 5.2 1.57 9.4 1.50 1.5	•				The state of the s		75.2	84.2
Prescription modications not prescribed for student 2,1 2,2 3,8 2,1 2,2	· · · · · · ·	5.2	15.7	9.4		88.2		
Persect plate medications not prescribed for student 2,1 2,2 1,6	•	6.3	3.7	3.8			73.7	78.0
Now-theramphotamine	Prescription medications not prescribed for student	2.1	2.2	12.6		80.8		
Methon 1		1.0	0.8	7.1	I The second		82.7	76.4
Percent of Students who, in past 30 days, used: Special Students who	Methamphetamine	1.1	0.0	0.5	Other: Cocaine, LSD, Meth, Club Drug (any use)	93.0	91.7	92.3
More very said More	Cocaine	1.1	0.0	1.1	Demonst of attudents who in most 20 days.			
Mallucingeries 1.0 0.0 1.1	Heroin	0.0	0.0	1.1		22.5	6.9	21.2
Schreids not prescribed for student 0.0 0.0 0.1	Hallucinogens	1.0	0.0	1.1	1			
Special color prescribed for subsent 0,0 0,0 0,0 0,0 0,0 0,0 0,0 0,0 0,0 0	Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.0	0.0	1.6				
Symbol Cut2, petth sails, SyRice, etc) 4,2 3.0 5.0	Steroids not prescribed for student	0.0	0.0	1.1	· · · · · · · · · · · · · · · · · · ·			
Mariguna 13.91 12.49 12.63 12.64 12.63 12.64 12.63 12.64 12.63 12.64 1	Synthetic drugs (K2, bath salts, Spice, etc)	4.2	3.0					
Acchole 13.31 12.49 12.69 12.69 13.33 13.49 12.59 13.64 13.36 13.49 12.59 13.64 13	Average age of students' first use of				·			
Percent of students who, in past 12 months: 1.0	5 5	13 91	12 49	12 63		10.0	14.5	13.7
Marijuana 13.78 13.64 14.32 Sarfously considered attempting suicide 14.9 3.8 8.6 Inhalants 9.31 11.99 12.18					· ·			
Inhalants						_		
Alteniped suicide and resulting injury, poisoning, or overdoose had to be treated by doctor or nurse 8.0 1.5 4.3	-				The state of the s	11.0	3.8	8.6
Alcohol 14.6 27.6 15.2 15.8 12.0 Alcohol (Binge: 5+ drinks on one occassion) 15.3 15.7 15.5		0.0.			•	8.0	1.5	4.3
Alcohol (Bings: 5+ drinks on one occassion) 14,6 27,6 15,2 Cigarettes 15,3 15,7 15,5 Chewing Tobacco 11,2 14,9 13,2 Marijluana 2,1 11,2 2,3 Inhalants 3,1 0,0 2,2 Prescription medications for non-medical use 1,0 0,8 2,4 Percent of students who, in past 1 zmonths: Vere run alphysical fight Were in a flight and had to be treated by a doctor or nurse 3,0 0,3 2,0 Were made fun of by others Percent of students who, in past 3 months: Percent of students who, in past 3 months: Percent whose friends used in past 12 months: Alcohol (Bings: 5+ drinks on one occassion) 5,2 Percent whose friends used in past 12 months: Alcohol (Bings: 5+ drinks on one occassion) 5,2 Percent who would likely use, if offered by a best friend: Alcohol (Cigarettes 16,3 16,4 17,7 Marijuana 13,9 0,3 14,0 Percent who would likely use, if offered by a best friend: Alcohol (Cigarettes 16,3 16,4 17,7 Marijuana 6,1 6,8 6,7 Marijuana 6,1 6,8 6,7 Percent who say It would be wrong to use: Alcohol (Cigarettes 83,0 72,3 71,6 Marijuana 9,7 9,4 9,7 Percent who say It would be easy to obtain: Alcohol (Cigarettes 83,0 72,3 71,6 Marijuana 9,7 9,4 9,7 Percent whose parents would disapprove if they use: Alcohol (Cigarettes 83,0 70,2 76,5 Alarijuana 9,7 9,4 9,7 Percent whose parents would disapprove if they use: Alcohol (Cigarettes 93,6 82,2 83,8 Marijuana 9,7 9,4 9,7 Percent whose parents would disapprove if they use: Alcohol (Cigarettes 93,6 82,2 83,8 Marijuana 9,7 9,4 9,7 Percent whose parents would disapprove if they use: Alcohol (Cigarettes 93,6 82,2 83,8 Marijuana 9,7 9,4 9,7 Percent whose parents would disapprove if they use: Alcohol (Cigarettes 93,6 82,2 83,8 Marijuana 9,7 9,4 9,7 Percent whose parents would disapprove if they use	Percent of students who, in past 30 days, used:					3.1	0.0	0.6
Cigarettes 15.3 15.7 15.5 1		14.6			nad to be treated by doctor or nurse			
New	· · · · · · · · · · · · · · · · · · ·				Percent of students who, in past 12 months:			
Marijuana 2.1 11.2 3.3 1.1 10.0 2.2 Prescription medications not prescribed for student Over-the-counter medications for non-medical use 1.0 0.8 4.4 Percent of students who, in past 3 months: Were in a flight and had to be treated by a doctor or nurse Were in a flight and had to be treated by a doctor or nurse Were in a flight and had to be treated by a doctor or nurse Percent of students who, in past 3 months: Were in a flight and had to be treated by a doctor or nurse Were in a flight and had to be treated by a doctor or nurse Percent of students who, in past 3 months: Were in a flight and had to be treated by a doctor or nurse Were in a flight and had to be treated by a doctor or nurse Were in a flight and had to be treated by a doctor or nurse Were in a flight and had to be treated by a doctor or nurse Were in a flight and had to be treated by a doctor or nurse Were in a flight and had to be treated by a doctor or nurse Were in a flight and had to be treated by a doctor or nurse Were in a flight and had to be treated by a doctor or nurse Were victims of an embarrassing or huriful text message or something on the internet Severe victims of an embarrassing or huriful text message or something posted on the internet Spread mean rumors or lies spread at school 45.0 46.3 50.3 42.0 40.0 20.3 16.2 40.0 20.3	· ·				Were threatened/injured with weapon at school	4.0	4.5	7.1
Inhalants 3.1 0.0 2.2 Prescription medications not prescribed for student 1.0 2.2 5.5 Percent of students who, in past 2 weeks, used: Alcohol (Bitnge: 5+ drinks on one occassion) 5.2 Vere wickins of a mem rumors or lies spread at school 45.0 46.3 50.3 Vere wickins of a mem rumors or lies spread at school 45.0 46.3 50.3 Vere wickins of a mem rumors or lies spread at school 45.0 46.3 50.3 Vere wickins of a mem rumors or lies spread at school 45.0 46.3 50.3 Vere wickins of an embarrassing or hurtful text message or something posted on the internet 5.0 2.0 2.0 3.1 6.2 2.0 2.0 3.1 6.2 2.0 2.0 3.1 6.2 2.0 2.0 3.1 6.2 2.0 2.0 3.1 6.2 2.0 2.0 3.1 6.2 2.0 3.1 6.2 2.0 3.1 6.2 3.0					Were in a physical fight	13.9	20.3	20.1
Prescription medications not prescribed for student	-				Were in a fight and had to be treated by a doctor or nurse	3.0	1.5	2.2
Over-the-counter medications for non-medical use 1.0 0.8 4.4					Parcent of students who in past 2 months			
Percent of students who, in past 2 weeks, used: Alcohol (Binge: 5+ drinks on one occassion) 5.2	· · · · · · · · · · · · · · · · · · ·				·	<i>4</i> 5.0	46.3	50.3
Mere victims of an embarrassing or hurtful text message or something posted or hie hierner	Over-tne-counter medications for non-medical use	1.0	0.8	4.4	·			
Acchol (Binge: 5+ drinks on one occassion) 5.2 Percent whose friends used in past 12 months: Alcohol 41.6 61.2 53.0 Cigarettes 37.6 59.0 55.4 Marijuana 31.9 18.8 20.2 Other illicit (Cocaine, LSD, Meth, Club Drug, etc) 4.0 0.0 11.1 Percent who would likely use, if offered by a best friend: Alcohol 29.2 35.4 Cigarettes 16.3 16.4 17.7 Cigarettes 16.3 16.4 17.7 Alcohol 65.3 43.9 62.5 Percent who say it would be wrong to use: Alcohol Cigarettes Alcohol Cigarettes 33.0 Cigarette	Percent of students who, in past 2 weeks, used:					30.0	50.4	72.0
Alcohol	Alcohol (Binge: 5+ drinks on one occassion)	5.2				26.0	20.3	16.2
Alcohol	Parcent whose friends used in past 12 months				Spread mean rumors or lies about other kids at school	18.8	25.6	34.8
Cigarettes 37.6 59.0 55.4 Marljuana 13.9 18.8 20.2 Other Illicit (Cocaine, LSD, Meth, Club Drug, etc) 4.0 0.0 11.1 Percent who would likely use, if offered by a best friend: Alcohol 29.2 35.4 29.0 Cigarettes 16.3 16.4 17.7 Marljuana 6.1 6.8 6.7 Rules are enforced fairly 72.0 68.4 59.8 School provides feedback to parents on positive student performance Rules are enforced fairly 72.0 68.4 59.8 Students of all races/ethnicitles are treated equal 84.2 93.2 82.6 Percent who say it would be wrong to use: Alcohol 65.3 43.9 62.5 Marljuana 86.7 88.1 89.6 Other Illicit (Cocaine, LSD, Meth, Club Drug, etc) 98.0 100.0 95.7 Percent whose parents would disapprove if they use: Alcohol 83.0 70.2 76.6 Cigarettes 93.6 82.2 85.8 Marljuana 95.7 94.8 97.8 Marljuana 95.7 94.8 97.8 Marljuana 195.7 62.0 Cigarettes 93.6 82.2 85.8 Marljuana 15.5 14.3 28.2 Percent who say it would be easy to obtain: Alcohol 40.8 45.7 62.0 Cigarettes 47.5 56.7 65.4 Marljuana 15.5 14.3 28.2 Pata source: Missouri Institute of Mental Health. 2010-2014 Missouri Student Surveys and source: Missouri Institute of Mental Health. 2010-2014 Missouri Student Surveys Endated and comment on student's good work 82.2 83.6 65.4 School provides feedback to parents on positive student performance Rules are not available for item and survey and survey is conducted blennially. Percent of students who agree that: Parents notice and comment on student's good work 82.2 83.6 64.7 47.0 Percent of students who agree that: Parents involve student in making family decisions 76.0 74.6 67.6 18 it is important to be honest with parents regardless of consequences Student for help with a personal problem 80.0 70.7 76.5 Student could ask parent for help with a personal problem 90.0 70.7 76.5 Student could ask parent for help with a personal problem 90.0 70.7 76.5 Student could ask parent for help with a personal problem 90.0 70.7 76.5 Student could ask parent for help with a personal problem 90.0 70.7 76.5 Student could ask parent for help with a personal problem 90.0 70.7 76.5 Student	•	416	61.2	53.0	· ·		61.2	72.3
Marijuana 13.9 18.8 20.2 Other Illicit (Cocaine, LSD, Meth, Club Drug, etc) 4.0 0.0 11.1 Percent who would likely use, if offered by a best friend: Alcohol 29.2 35.4 29.0 Cigarettes 16.3 16.4 17.7 Marijuana 6.1 6.8 6.7 Alcohol 65.3 43.9 62.5 Alcohol 65.3 43.9 62.5 Marijuana 66.7 88.1 89.6 Other Illicit (Cocaine, LSD, Meth, Club Drug, etc) 98.0 100.0 95.7 Percent whose parents would disapprove if they use: Alcohol Cigarettes 93.6 82.2 85.8 Marijuana 95.7 94.8 97.8 Percent who say it would be easy to obtain: Alcohol Cigarettes 40.8 45.7 62.0 Marijuana 40.8 45.7 62		_						
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc) 4.0 0.0 11.1 Percent who would likely use, if offered by a best friend: Alcohol Cigarettes 16.3 16.4 17.7 Marijuana 6.1 6.8 6.7 Percent who say it would be wrong to use: Alcohol Cigarettes 3.0 72.3 71.6 Marijuana 65.3 43.9 62.5 Marijuana 65.4 64.7 47.0 Cigarettes 65.3 43.9 62.5 Marijuana 65.3 43.9 62.5 Marijuana 65.3 43.9 62.5 Missouri Students who agree that: Parents notice and comment on student's good work School provides feedback to parents on positive student performance Fercent who say it would be wrong to use: Alcohol 65.3 43.9 62.5 Marijuana 65.3 43.9 62.5 Percent of students who agree that: P						12.9	14.2	21.7
Percent who would likely use, if offered by a best friend: Alcohol 29.2 35.4 29.0 Marijuana 6.1 6.8 6.7 Percent who say it would be wrong to use: Alcohol 65.3 43.9 62.5 Marijuana 86.7 88.1 89.6 Other Illicit (Cocaine, LSD, Meth, Club Drug, etc) Percent whose parents would disapprove if they use: Alcohol Cigarettes Alcohol 68.0 70.2 76.6 Cigarettes Alcohol Cigarettes Alcohol Cigarettes Alcohol Alcohol Alcohol Cigarettes Alcohol Al	•				Donard of at advata who are set first			
Alcohol Alcohol Alcohol Cigarettes Alcohol Alcoho	Carlot mon (Cooding, EDD, Mont, Clab Drag, Sto)		0.0		_	00.0	02.6	CE 4
Cigarettes Marijuana 6.1 6.8 6.7 Marijuana 6.5.3 43.9 62.5 Cigarettes Marijuana 6.6.3 43.9 62.5 Marijuana 6.6.4 6.7 Marijuana 6.6.5 43.9 62.5 Cigarettes Marijuana 6.6.7 88.1 89.6 Other Illicit (Cocaine, LSD, Meth, Club Drug, etc) Percent whose parents would disapprove if they use: Alcohol Cigarettes Alcohol Alcohol Cigarettes Alcohol Alcohol Alcohol Cigarettes Alcohol Alcohol Cigarettes Alcohol Alcohol Alcohol Alcohol Alcohol Alcohol Alcohol Cigarettes Alcohol Alcohol Alcohol Alcohol Alcohol Cigarettes Alcohol A	Percent who would likely use, if offered by a best friend:				•	82.2	83.6	65.4
Rules are enforced fairly 72.0 68.4 59.8 Students of all races/ethnicities are treated equal 84.2 93.2 82.6 Percent who say it would be wrong to use: Alcohol 65.3 43.9 62.5 Cigarettes 83.0 72.3 71.6 Marijuana 86.7 88.1 89.6 Other Illicit (Cocaine, LSD, Meth, Club Drug, etc) 98.0 100.0 95.7 Percent whose parents would disapprove if they use: Alcohol 83.0 70.2 76.6 Cigarettes 93.6 82.2 85.8 Marijuana 95.7 94.8 97.8 Marijuana 95.7 94.8 97.8 Cigarettes 93.6 82.2 85.8 Marijuana 95.7 62.0 Cigarettes 95.0 87.3 82.9 Similar affirmative response choices for individual questions are combined. Blank data cells indicate estimates are not available for item or geographic area. Survey is not conducted in every school district nor reported for every county. Estimates are not available for counties with small numbers of respondents. Percent who say it would be easy to obtain: Alcohol 40.8 45.7 62.0 Cigarettes 47.5 56.7 65.4 Marijuana 15.5 14.3 28.2						56.4	64.7	47.0
Students of all races/ethnicities are treated equal 84.2 93.2 82.6 Percent who say it would be wrong to use: Alcohol 65.3 43.9 62.5 Cigarettes 83.0 72.3 71.6 Marijuana 86.7 88.1 89.6 Other Illicit (Cocaine, LSD, Meth, Club Drug, etc) 98.0 100.0 95.7 Percent whose parents would disapprove if they use: Alcohol 83.0 70.2 76.6 Cigarettes 93.6 82.2 85.8 Marijuana 95.7 94.8 97.8 Marijuana 95.7 94.8 97.8 Percent who say it would be easy to obtain: Alcohol 40.8 45.7 62.0 Cigarettes 47.5 56.7 65.4 Marijuana 15.5 14.3 28.2 Students of all races/ethnicities are treated equal 84.2 93.2 82.6 Percent of students who agree that: Parents notice and comment on student's good work 87.5 81.2 82.0 Parents involve student in making family decisions 76.0 74.6 67.6 It is important to be honest with parents regardless of consequences Student could ask parent for help with a personal problem 80.0 70.7 76.5 Missouri Student Survey is conducted biennially. Similar affirmative response choices for individual questions are combined. Blank data cells indicate estimates are not available for item or geographic area. Survey is not conducted in every school district nor reported for every county. Estimates are not available for counties with small numbers of respondents. Percentages are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant. Pata source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys					'	72.0	60.4	E0 9
Percent who say it would be wrong to use: Alcohol Cigarettes Analijuana Other Illicit (Cocaine, LSD, Meth, Club Drug, etc) Alcohol Cigarettes Alcohol Percent whose parents would disapprove if they use: Alcohol Cigarettes Alcohol Alcohol Cigarettes Alcohol Cigarettes Alcohol Alcohol Cigarettes Alcohol Cigarettes Alcohol Alcohol Alcohol Alcohol Alcohol Cigarettes Alcohol	Marijuana	6.1	6.8	6.7	•			
Alcohol 65.3 43.9 62.5 Cigarettes 83.0 72.3 71.6 Marijuana 86.7 88.1 89.6 Other Illicit (Cocaine, LSD, Meth, Club Drug, etc) 98.0 100.0 95.7 Percent whose parents would disapprove if they use: Alcohol 83.0 70.2 76.6 Cigarettes 93.6 82.2 85.8 Marijuana 95.7 94.8 97.8 Percent who say it would be easy to obtain: Alcohol 40.8 45.7 62.0 Cigarettes 47.5 56.7 65.4 Marijuana 15.5 14.3 28.2 Percent of students who agree that: Parents notice and comment on student's good work 87.5 81.2 82.0 Parents involve student in making family decisions 76.0 74.6 67.6 It is important to be honest with parents regardless of consequences Student could ask parent for help with a personal problem 80.0 70.7 76.5 Missouri Student Survey is conducted biennially. Similar affirmative response choices for individual questions are combined. Blank data cells indicate estimates are not available for counties with small numbers of respondents. Percentages are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant. Parents notice and comment on student's good work 87.5 81.2 82.0 Parents involve student in making family decisions 76.0 74.6 67.6 It is important to be honest with parents regardless of consequences Student could ask parent for help with a personal problem 80.0 70.7 76.5 Missouri Student Survey is conducted biennially. Similar affirmative response choices for individual questions are combined. Blank data cells indicate estimates are not available for counties with small numbers of respondents. Percentages are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.	Percent who say it would be wrong to use:				Students of all faces/elimicities are treated equal	04.2	93.2	02.0
Cigarettes 83.0 72.3 71.6 Marijuana 86.7 88.1 89.6 Other Illicit (Cocaine, LSD, Meth, Club Drug, etc) 98.0 100.0 95.7 Percent whose parents would disapprove if they use: Alcohol 83.0 70.2 76.6 Cigarettes 93.6 82.2 85.8 Marijuana 95.7 94.8 97.8 Marijuana 95.7 94.8 97.8 Percent who say it would be easy to obtain: Alcohol 40.8 45.7 62.0 Cigarettes 47.5 56.7 65.4 Marijuana 15.5 14.3 28.2 Parents notice and comment on student's good work 76.0 74.6 67.6 Parents involve student in making family decisions 76.0 74.6 67.6 It is important to be honest with parents regardless of consequences Student could ask parent for help with a personal problem 80.0 70.7 76.5 Missouri Student Survey is conducted biennially. Similar affirmative response choices for individual questions are combined. Blank data cells indicate estimates are not available for item or geographic area. Survey is not conducted in every school district nor reported for every county. Estimates are not available for counties with small numbers of respondents. Percentages are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant. Parents notice and comment on student's good work 76.0 74.6 67.6 Factorial parents involve student in making family decisions 76.0 74.6 67.6 It is important to be honest with parents regardless of consequences Student could ask parent for help with a personal problem 80.0 70.7 76.5 Missouri Student Survey is conducted biennially. Similar affirmative response choices for individual questions are combined. Survey is not conducted in every school district nor reported for every county. Estimates are not available for counties with small numbers of respondents. Percent who say it would be easy to obtain: Alcohol 95.0 87.3 83.9		65.3	43.9	62.5	Percent of students who agree that:			
Marijuana Other Illicit (Cocaine, LSD, Meth, Club Drug, etc) Percent whose parents would disapprove if they use: Alcohol Cigarettes Marijuana Percent who say it would be easy to obtain: Alcohol Cigarettes Alcohol Alcohol Alcohol Alcohol Cigarettes Alcohol Alcoho	Cigarettes	83.0			The state of the s	87.5	81.2	82.0
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc) Percent whose parents would disapprove if they use: Alcohol Cigarettes Marijuana Percent who say it would be easy to obtain: Alcohol Cigarettes Alcohol Alcohol Alcohol Alcohol Cigarettes Alcohol Alcohol Alcohol Cigarettes Alcohol Alcohol Alcohol Cigarettes Alcohol Alcohol Alcohol Cigarettes Alcohol Alco		86.7		89.6	Parents involve student in making family decisions	76.0	74.6	67.6
Percent whose parents would disapprove if they use: Alcohol Signettes Marijuana Percent who say it would be easy to obtain: Alcohol Al			100.0	95.7		95.0	87.3	83.9
Alcohol 83.0 70.2 76.6 Cigarettes 93.6 82.2 85.8 Marijuana 95.7 94.8 97.8 Percent who say it would be easy to obtain: Alcohol 40.8 45.7 62.0 Cigarettes 47.5 56.7 65.4 Marijuana 15.5 14.3 28.2 Alcohol 83.0 70.2 76.6 Missouri Student Survey is conducted biennially. Similar affirmative response choices for individual questions are combined. Blank data cells indicate estimates are not available for item or geographic area. Survey is not conducted in every school district nor reported for every county. Estimates are not available for counties with small numbers of respondents. Percentages are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant. Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys	Demonstructure and account would allow many to 15 th account				·			
Cigarettes 93.6 82.2 85.8 Marijuana 95.7 94.8 97.8 Percent who say it would be easy to obtain: Alcohol 40.8 45.7 62.0 Cigarettes 47.5 56.7 65.4 Marijuana 95.7 94.8 97.8 Missouri Student Survey is conducted biennially. Similar affirmative response choices for individual questions are combined. Blank data cells indicate estimates are not available for item or geographic area. Survey is not conducted in every school district nor reported for every county. Estimates are not available for counties with small numbers of respondents. Percentages are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant. Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys	, ,	00.0	70.0	70.0	Student could ask parent for help with a personal problem	80.0	70.7	76.5
Marijuana 95.7 94.8 97.8 Similar affirmative response choices for individual questions are combined. Blank data cells indicate estimates are not available for item or geographic area. Survey is not conducted in every school district nor reported for every county. Estimates are not available for counties with small numbers of respondents. Percentages are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant. Marijuana 95.7 94.8 97.8 Similar affirmative response choices for individual questions are combined. Blank data cells indicate estimates are not available for counties with small numbers of respondents. Percentages are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant. Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys								
Percent who say it would be easy to obtain: Alcohol Alcohol Cigarettes Marijuana Blank data cells indicate estimates are not available for item or geographic area. Survey is not conducted in every school district nor reported for every county. Estimates are not available for counties with small numbers of respondents. Percentages are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant. Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys						e combin	ed	
Alcohol 40.8 45.7 62.0 Cigarettes 47.5 56.7 65.4 Marijuana 40.8 45.7 62.0 Estimates are not available for counties with small numbers of respondents. Percentages are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant. Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys	wanjualia	95.7	94.8	91.8	Blank data cells indicate estimates are not available for item or	geograpl	hic area.	
Alconol Cigarettes Ar.5 56.7 65.4 Marijuana 40.8 45.7 62.0 Percentages are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant. Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys	Percent who say it would be easy to obtain:							
Cigarettes 47.5 56.7 65.4 Some year-to-year differences in percentages are not statistically significant. Marijuana 15.5 14.3 28.2 Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys	Alcohol	40.8	45.7	62.0		esponde	1115.	
Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys	•	47.5	56.7			lly signific	cant.	
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc) 6.2 6.0 13.7	•				Data source: Missouri Institute of Mental Health 2010-2014 Mis	ssouri Str	udent Si	ırvevs
	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	6.2	6.0	13.7	The state of the s			

HEIMIN SSSIT	• •						
	DBH REGION	Southwest		IMPAIRED DRIVING	2013	2012	2011
	DBH SERVICE AREAS			Alcohol Involved CrashesTotal	16	29	32
T. T	Substance Use	8		Fatal Crashes	0	1	1
	Adult Psychiatric	8B		Injury Crashes	12	14	15
	POPULATION			Property Damage Crashes	4	14	16
	Census 2010	22,272		Crash Fatalities	0	1	1
	2014 Estimate	22,028		Crash Injuries	18	21	17
				Drug Involved CrashesTotal	8	6	6
				Fatal Crashes	0	1	0
BIRTH RISK	2013	2012	2011	Injury Crashes	3	2	0
Resident BirthsTotal	250	275	273	Property Damage Crashes	5	3	6
Mother Reported Smoking while		84	79	Crash Fatalities	0	1	0
	o i regriam	•		Crash Injuries	3	2	0
DISEASE INCIDENCE 1	2013	2012	2011	DOLLOS REPORTS	2012	2012	2011
HIV/AIDS Cases	0	0	0	POLICE REPORTS	2013	2012 106	2011
Hepatitis B Chronic, Acute, Pre	enatal 0	1	0	DUI Arrests, DWI Tracking System	113		139
Hepatitis C Chronic and Acute	20	21	21	Liquor Law Arrests	65	72 454	63
Tuberculosis Infection Cases	2	3	4	Drug Arrests Violent Offenses	120	154	179
					78 725	87	78 706
DEATHS and INJURIES	2013	2012	2011	Property Offenses	725 99	802 151	796 219
Resident DeathsTotal	299	322	312	Domestic Violence Reports			
Suicides Solf inflicted Injurios	6	3	6	Methamphetamine Lab Seizures	2014 0	2013 0	2012 7
Self-inflicted Injuries	27 0	31 1	60 2	Methamphetamine Lab Geizures	U	U	,
Homicides	73	71	82	SCHOOL REPORTS	2013-14	2012-13	2011-12
Assault Injuries Alcohol Induced Deaths	2	1		Enrollment Grades 9-12	888	883	843
	2		1	Drop-outs	14	19	46
Drug Induced Deaths Smoking Attributable Deaths	58	2 61	1 70	Drop-out Rate	1.6%	2.2%	5.5%
Smoking Attributable Deaths	56	01	70	School Discipline Involving Alcohol	0	5	1
HOSPITAL EPISODES 2	2013	2012	2011	School Discipline Involving Drugs	8	14	8
Hospitalization, no Emergency	Room:			School Discipline Involving Tobacco	0	0	0
Mental Illness Principal Diagn	osis 269	266	258	JUVENILE COURT REFERRALS 3	2013	2012	2011
Mental Illness Secondary Dia	gnosis 537	554	548	Juvenile Violent Offenses	2013	38	2011
Alcohol Principal Diagnosis	6	9	17	Juvenile Alcohol Offenses	26 5	36 15	29 9
Alcohol Secondary Diagnosis	37	35	39	Juvenile Drug Offenses		11	9 7
Drug Principal Diagnosis	10	18	10	School Truancy Status Offense	8 14	5	12
Drug Secondary Diagnosis	35	34	31	Absent from Home Status Offense	1	2	3
Emergency Room + Hospitaliz	ation:			Beyond Parental Control Status Offense	16	6	22
Mental Illness Principal Diagn	iosis 28	35	31	Injurious Behavior Status Offense	72	65	82
Mental Illness Secondary Dia	gnosis 442	501	430	Child Abuse	72 25	39	57
Alcohol Principal Diagnosis	19	14	25	Child Neglect	132	119	118
Alcohol Secondary Diagnosis	41	51	44	Child Custody Issues	19	113	8
Drug Principal Diagnosis	5	11	8	Offild Odstody 133dC3	13		U
Drug Secondary Diagnosis	25	38	35	JUVENILE COURT PLACEMENTS	2013	2012	2011
Emergency Room, no Hospital				Out-of-Home PlacementsTotal	41	38	64
Mental Illness Principal Diagn		277	197	Parental Alcohol Use Related	2	3	3
Mental Illness Secondary Dia	gnosis 348	221	619	Parental Drug Use Related	20	24	17
Alcohol Principal Diagnosis	36	40	37	Parental Alcohol and Drug Use	0	0	4
Alcohol Secondary Diagnosis		36	42	CRIMINAL ILISTICE	FY2014	FY2013	FY2012
Drug Principal Diagnosis	37	33	33	CRIMINAL JUSTICE Drug Court Participants	11	13	12
Drug Secondary Diagnosis	50	37	42	Probation/Parole AdmissionsDrug	79	13 77	40
44 COULD CUT:	0011	2042	2040	Probation/Parole AdmissionsDWI	18	15	19
ALCOHOL OUTLETS	2014	2013	2012	Prison AdmissionsDrug	41	36	25
Alcohol On-Premise Drink Lice		25 21	28	Prison AdmissionsDWI	9	7	11
Alcohol Package Carry-out Lic	enses 32	31	35	2	ŭ	·	
EMPLOYMENT	2014	2013	2012	1 All Kansas City hepatitis and TB case report			County
Labor Force	10,082	10,743	10,246	totals and all Joplin case reports are include Beginning with 2010 data, diagnosis counts			es are
Employed	9,434	10,059	9,486	based on codes developed by the Healthcar	re Cost and U	Itilization Pro	ject.
Unemployed	648	684	760	3 Beginning in 2013, juvenile municipal violati court orders are categorized as status offen:			
Unemployment Rate	6.4%	6.4%	7.4%	Court orders are categorized as status offers	Jos irisiedu 0	a law violation	10.

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	8	7	14
CSTAR Adolescent	17	13	8
CSTAR Women and Children	8	12	*
CSTAR General Adult	139	140	213
CSTAR Opioid	0	0	0
Primary Recovery Treatment	*	*	19
Clinical SATOP (CIP, YCIP, SROP)	14	16	21
Other Substance Abuse Treatment	0	0	*

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	60	76	79
- Adolescent Diversion Education Prograr	0	0	0
- Offender Education Program	20	28	37
- Weekend Intervention Program	13	15	8
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	5	6	13
Compulsive Gambling	0	0	0
Recovery Supports	113	124	20
Early Intervention	*	*	11

NUMBER ADMITTED	FY2014	FY2013	FY2012	PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Total Individuals	263	265	262	Alcohol	78	74	103
465				Marijuana / Hashish	71	82	63
AGE Under 18	16	15	8	Cocaine (total)	0	*	*
18 to 24	43	52	69	- Crack	0	*	*
25 to 29	40	40	37	Stimulant (total)	87	90	77
30 to 34	37	58	44	- Methamphetamine	82	87	75
35 to 39	41	28	30	Heroin	*	*	*
40 to 44	21	26	29	Analgesic except Heroin	20	9	13
45 to 54	46	34	37	- Non-Prescription Methadone	*	0	0
55 and Over	19	12	8	PCP, LSD, other Hallucinogen	0	*	0
33 and Over	19	12	O	Tranquilizer	0	*	0
GENDER				Inhalant	0	*	*
Male	171	174	179	Sedative	0	0	0
Female	92	91	83	Other Medication or Illicit Drug	*	*	*
DAGE / ETUNIGITY				Average Age at First Use of Drug	18.3	17.1	17.2
RACE / ETHNICITY Caucasian	253	254	251				
African American	200	204 *	231 *	INJECTION DRUG USE			
Native American / Alaskan	*	0	*	Any Injection Use at Admission	26	49	39
Asian / Pacific Islander	*	0	*	- Daily Injection Use	*	10	*
Hispanic	*	7	5	- Weekly Injection Use	7	11	7
Other Race / Two or More Races	*	*	*	- Less than Weekly Injection Use	18	28	29
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	82	87	74	0	172	154	149
High School Graduate or G.E.D.	146	139	142	1 or 2	54	79	66
Associate Degree or Some College	32	37	44	3 or More	37	32	47
Bachelor or Advanced Degree	*	*	*				
				TREATMENT REFERRAL SOURCE	00	70	0.7
EMPLOYMENT	0.5	00	0.4	Self / Family / Friend	62	79	87
Employed	65	69	81	School Market Handith Boundary	0	0	0
Unemployed	61	74	77	Mental Health Provider	5		
Not in Labor Force	137	122	104	Health Care Provider	10	5	6
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	44	72	59
Independent Living	212	203	216	Other Referral Source	141	105	108
Dependent Living	23	18	15				
Homeless	*	10	5	TREATMENT ACCOMMODATION	_	*	
				Pregnant when Admitted to any Episode	6		*
MARITAL / FAMILY STATUS	467	400	4.46	Military Veteran	5 *	6	9
Never Married	137	138	140	Special Education Services Needed		9	9
Married / Cohabitating	71	62	58	Co-Occurring Psychological Problem	59 *	40	23
Previously Married	55	65	64	Co-Occurring Developmental Problem	*	5	*

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Southwest
PSYCHIATRIC SERVICE AREA 8B
CENSUS 2010 22,272
2014 POPULATION ESTIMATE 22,028

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.								
DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012					
Adjustment Disorder	27	32	46					
Anxiety Disorder	240	255	251					
Dementia	0	0	0					
Developmental Disorder	*	6	8					
Impulse Control Disorder	37	46	64					
Mood Disorder	338	373	357					
Personality Disorder	38	45	46					
Psychotic Disorder	69	74	72					
Sexual Disorder	0	0	0					
Other Diagnosis	54	38	54					
Diagnosis Unknown	38	44	48					

Individuals who received psychiatric services had the following types of

NUMBER SERVED	FY2014	FY2013	FY2012	EDUCATION	FY2014	FY2013	FY2012
Total Individuals	493	533	546	Less than High School Diploma	208	212	119
				High School Grad or G.E.D.	0	0	101
AGE	_		_	Associate Degree or Some College	0	0	26
Under 6	5	*	7	Bachelor or Advanced Degree	0	0	7
6 to 9	26	26	30	Education Level Unknown	285	321	293
10 to 13	33	36	48				
14 to 17	23	19	33	EMPLOYMENT			
18 to 24	47	51	43	Employed	35	33	35
25 to 29	39	39	37	Unemployed	17	37	175
30 to 34	57	66	49	Not in Labor Force	333	341	88
35 to 39	40	42	39	Employment Status Unknown	108	122	248
40 to 44	43	45	60				
45 to 49	43	61	74	HOUSING / LIVING ARRANGEMENT			
50 to 54	73	66	47	Independent Living	252	267	224
55 to 59	35	49	44	Dependent Living	125	130	96
60 and Over	29	29	35	Homeless	14	9	7
Age Unknown	0	0	0	Other	0	0	5
CENDED				Housing Unknown	102	127	214
GENDER Male	207	227	222				
Female	207		229	TREATMENT REFERRAL SOURCE			
	286	306	317	Self / Family / Friend	275	323	383
Gender Unknown	0	0	0	School	*	0	0
RACE / ETHNICITY				Mental Health Provider	18	17	23
Caucasian	481	515	527	Health Care Provider	28	33	29
African American	*	5	*	Court / Criminal Justice	10	16	9
Native American / Alaskan	*	*	*	Other	155	137	94
Asian / Pacific Islander	0	0	0	Referral Source Unknown	6	7	8
Hispanic	*	5	7				
Other Race	5	7	8	TYPE OF COMMITMENT			
Race/Ethnicity Unknown	0	0	0	Voluntary	486	523	535
•				Civil	*	*	*
TREATMENT ACCOMMODATION				Criminal	0	0	0
Hearing Impaired	7	8	7	Sexual Predatory	0	0	0
Past or Current Military Service	10	16	15	Commitment Type Unknown	6	7	8

MISSOURI STUDENT SURVEY

				DENT CONTE			
Percent of students who have ever used:	2014	2012	2010	Percent who believe they risk harm if they use:	2014	2012	
Alcohol	41.6	39.8	51.1	Alcohol (1 or 2 drinks daily)	52.9		
Cigarettes	27.3	22.5	34.4	Alcohol (Binge: 5+ drinks once or twice a week)	61.5		
Chewing Tobacco	20.9	11.8	12.8	Alcohol (any use)	•	72.7	-
Marijuana	11.9	11.0	22.0	Cigarettes (1+ packs per day)	82.4		
Inhalants	4.9	3.3	5.6	Cigarettes (any use)		79.2	
Prescription medications not prescribed for student	5.3	7.4	11.5	Marijuana (once or twice a week)	75.3		
Over-the-counter medications for non-medical use	4.1	5.0	8.6	Marijuana (any use)		82.4	
Methamphetamine	0.8	0.3	1.0	Other: Cocaine, LSD, Meth, Club Drug (any use)	94.2	96.1	
Cocaine	1.7	0.6	2.5				
Heroin	0.4	0.3	0.5	Percent of students who, in past 30 days:			
Hallucinogens	1.6	0.6	3.4	Were very sad	23.3	23.7	
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	3.7	1.2	4.0	Were grouchy, irritable, or in a bad mood	26.7	24.5	
Steroids not prescribed for student	0.4	1.2	0.5	Felt hopeless about the future	14.8	9.0	
Synthetic drugs (K2, bath salts, Spice, etc)	5.1	3.6		Felt like not eating or eating more than usual	22.5	20.0	
				Slept a lot more or a lot less than usual	16.9	20.4	
Average age of students' first use of:	40.04	40.55	40.00	Had difficulty concentrating on school work	21.6	20.1	
Alcohol		12.55		Percent of students who, in past 12 months:			
Cigarettes		12.29		Seriously considered attempting suicide	14.8	9.8	
Marijuana		13.38		Made plan about how they would attempt suicide	10.2	5.3	
Inhalants	11.53	12.05	13.04	Attempted suicide	7.8	3.9	
Percent of students who, in past 30 days, used:				Attempted suicide and resulting injury, poisonng, or overdose			
Alcohol	21.0	12.5	23.7	had to be treated by doctor or nurse	1.7	1.2	
Alcohol (Binge: 5+ drinks on one occassion)		5.3	14.1	Descent of students who in next 12 months			
Cigarettes	13.1	8.3	17.3	Percent of students who, in past 12 months: Were threatened/injured with weapon at school	6.9	4.5	
Chewing Tobacco	14.7	4.7	5.8	Were in a physical fight	24.5	21.1	
Marijuana	4.1	3.6	10.7	Were in a physical light Were in a fight and had to be treated by a doctor or nurse	24.5	2.7	
Inhalants	2.0	1.2	2.2	were in a right and had to be freated by a doctor of hurse	2.9	2.1	
Prescription medications not prescribed for student	2.1	2.7	7.2	Percent of students who, in past 3 months:			
Over-the-counter medications for non-medical use	2.0	3.3	6.2	Were victims of mean rumors or lies spread at school	55.8	57.6	
				Were made fun of by others	61.2	69.9	•
Percent of students who, in past 2 weeks, used: Alcohol (Binge: 5+ drinks on one occassion)	6.7			Were victims of an embarrassing or hurtful text message or	26.9	24.7	
Alcohol (billige: 5+ drilliks off offe occassion)	0.7			something posted on the internet			
Percent whose friends used in past 12 months:				Spread mean rumors or lies about other kids at school	27.6	30.1	
Alcohol	46.9	52.8	68.3	Made fun of other people	54.3	65.8	
Cigarettes	42.9	35.1	57.3	Posted something on the internet or sent a text that might	18.0	15.5	
Marijuana	27.0	21.5	38.7	embarrass or hurt another student			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	9.9	8.3	17.9	Percent of students who agree that:			
Percent who would likely use, if offered by a best friend:				Teachers notice and comment on student's good work	82.0	72.0	
Alcohol	30.2	25.0	42.6	School provides feedback to parents on positive student		44 -	
Cigarettes	13.6	9.9	17.1	performance	55.7	41.5	•
Marijuana	6.5	6.3	15.7	Rules are enforced fairly	61.5	66.8	,
Manjadha	0.0	0.0	10.7	Students of all races/ethnicities are treated equal	91.0	84.2	
Percent who say it would be wrong to use:				Demand of students who seems that			
Alcohol	66.4	62.3	59.7	Percent of students who agree that:	040	00.0	
Cigarettes	83.8	84.5	75.7	Parents notice and comment on student's good work	84.9	83.6	
Marijuana	88.9	89.6	82.7	Parents involve student in making family decisions	67.3	70.6	•
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.5	96.4	93.0	It is important to be honest with parents regardless of consequences	90.1	89.3	8
Percent whose parents would disapprove if they use:				Student could ask parent for help with a personal problem	82.4	79.0	-
Alcohol	81.4	80.3	75.1				
Cigarettes	92.2	92.1	86.2	Missouri Student Survey is conducted biennially.			
Marijuana	95.1	95.1	91.1	Similar affirmative response choices for individual questions ar			
Percent who say it would be easy to obtain:				Blank data cells indicate estimates are not available for item or Survey is not conducted in every school district nor reported fo			•
Alcohol	46.9	56.4	65.5	Estimates are not available for counties with small numbers of			
Cigarettes	46.9	50.4	66.5	Percentages are estimates based on weighted data. Some year-to-year differences in percentages are not statistical.	ally signifi	cant	
Marijuana	17.1	26.6	46.4	555 your to your amoromous in porcentages are not statistical	y Signill	ourit.	
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	10.4	11.4	26.7	Data source: Missouri Institute of Mental Health, 2010-2014 Mi	ssouri St	udent Su	urν
outor fillot (obcarre, LDD, Metri, Oldb Drug, etc)	10.4	+	20.1				

2010

77.8

80.0

76.4 95.4

22.8 21.0 11.8 19.1 24.4 21.1

9.34.43.91.0

13.2 19.4 1.9

57.4 71.8 22.5 36.8 79.7 17.5

70.5 38.8 53.9 80.9

77.4 64.0 84.9 74.7

	-						
DBH REG	GION	Southwest		IMPAIRED DRIVING	2013	2012	2011
DBH SEI	RVICE AREAS			Alcohol Involved CrashesTotal	5	6	11
Substa	ance Use	8		Fatal Crashes	0	0	2
Adult I	Psychiatric	8B		Injury Crashes	4	4	6
POPULA	TION			Property Damage Crashes	1	2	3
Censu	ıs 2010	9,627		Crash Fatalities	0	0	3
2014	Estimate	9,219		Crash Injuries	4	5	6
				Drug Involved CrashesTotal	2	1	0
213				Fatal Crashes	0	0	0
BIRTH RISK	2013	2012	2011	Injury Crashes	1	0	0
Resident BirthsTotal	59	71	81	Property Damage Crashes	1	1	0
Mother Reported Smoking while Pregr		20	21	Crash Fatalities	0	0	0
				Crash Injuries	2	0	0
DISEASE INCIDENCE 1	2013	2012	2011				
HIV/AIDS Cases	0	0	0	POLICE REPORTS	2013	2012	2011
Hepatitis B Chronic, Acute, Prenatal	0	0	1	DUI Arrests, DWI Tracking System	17	18	38
Hepatitis C Chronic and Acute	8	7	3	Liquor Law Arrests	0	3	2
Tuberculosis Infection Cases	2	0	3	Drug Arrests	33	11	19
				Violent Offenses	1	1	2
DEATHS and INJURIES	2013	2012	2011	Property Offenses	110	143	132
Resident DeathsTotal	137	141	163	Domestic Violence Reports	6	13	17
Suicides	3	1	1		2014	2013	2012
Self-inflicted Injuries	9	20	10	Methamphetamine Lab Seizures	0	1	0
Homicides	0	0	0	SCHOOL REPORTS	2013-14	2012-13	2011-12
Assault Injuries	15	20	13	Enrollment Grades 9-12	484	505	500
Alcohol Induced Deaths	1	1	1	Drop-outs	3	0	3
Drug Induced Deaths	2	2	1	Drop-out Rate	0.6%	0.0%	0.6%
Smoking Attributable Deaths	24	30	31	School Discipline Involving Alcohol	0	4	0
HOSPITAL EPISODES 2	2013	2012	2011	School Discipline Involving Drugs	3	6	12
Hospitalization, no Emergency Room:		2012	2011	School Discipline Involving Tobacco	0	0	0
Mental Illness Principal Diagnosis	78	66	60	_	-	-	-
Mental Illness Secondary Diagnosis	103	116	114	JUVENILE COURT REFERRALS 3	2013	2012	2011
Alcohol Principal Diagnosis	3	4	4	Juvenile Violent Offenses	12	2	4
Alcohol Secondary Diagnosis	7	6	9	Juvenile Alcohol Offenses	1	3	0
Drug Principal Diagnosis	4	5	1	Juvenile Drug Offenses	3	0	1
Drug Secondary Diagnosis	5	7	10	School Truancy Status Offense	0	2	4
Emergency Room + Hospitalization:	· ·	•	. •	Absent from Home Status Offense	1	2	0
Mental Illness Principal Diagnosis	40	30	17	Beyond Parental Control Status Offense	3	4	5
Mental Illness Secondary Diagnosis	157	153	144	Injurious Behavior Status Offense	3	6	8
Alcohol Principal Diagnosis	8	3	8	Child Abuse	5	14	10
Alcohol Secondary Diagnosis	16	8	19	Child Neglect	26	23	21
Drug Principal Diagnosis	3	3	5	Child Custody Issues	0	0	0
Drug Secondary Diagnosis	15	7	7	JUVENILE COURT PLACEMENTS	2013	2012	2011
Emergency Room, no Hospitalization:				Out-of-Home PlacementsTotal	8	5	2
Mental Illness Principal Diagnosis	82	64	48	Parental Alcohol Use Related	0	0	0
Mental Illness Secondary Diagnosis	460	448	231	Parental Drug Use Related	4	1	0
Alcohol Principal Diagnosis	20	10	8	Parental Alcohol and Drug Use	0	0	0
Alcohol Secondary Diagnosis	18	16	14				
Drug Principal Diagnosis	19	13	11	CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Secondary Diagnosis	33	27	16	Drug Court Participants	0	0	0
				Probation/Parole AdmissionsDrug	8	5	11
ALCOHOL OUTLETS	2014	2013	2012	Probation/Parole AdmissionsDWI	1	3	2
Alcohol On-Premise Drink Licenses	11	13	13	Prison AdmissionsDrug	6	3	6
Alcohol Package Carry-out Licenses	12	11	11	Prison AdmissionsDWI	0	1	1
ENADLOVNAENT	2014	2013	2012	1 All Kansas City hepatitis and TB case repor	ts are include	d in Jackson	County
EMPLOYMENT Labor Force	3,705	3,540	3,521	totals and all Joplin case reports are include	d in Jasper C	County totals.	-
Employed	3,705	3,540 3,186	3,088	2 Beginning with 2010 data, diagnosis counts based on codes developed by the Healthcar			
Unemployed	3,394	3,100	433	3 Beginning in 2013, juvenile municipal violati			
Unemployment Rate	8.4%		433 12.3%	court orders are categorized as status offen			
onemployment Nate	0.4%	10.070	12.370				

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

FY2014	FY2013	FY2012
*	*	*
0	0	0
*	7	0
12	12	16
0	0	0
*	*	*
*	5	*
0	0	0
	* 0 * 12 0 *	* * 0 0 * 7 12 12 0 0 * *

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	16	18	28
- Adolescent Diversion Education Prograr	0	0	*
- Offender Education Program	5	8	13
- Weekend Intervention Program	*	*	*
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	*	0
Compulsive Gambling	0	0	0
Recovery Supports	0	*	0
Early Intervention	0	0	0

NUMBER ADMITTED	FY2014	FY2013	FY2012	PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Total Individuals	20	25	24	Alcohol	8	14	15
				Marijuana / Hashish	*	*	*
AGE				Cocaine (total)	0	0	0
Under 18	0	0	0	- Crack	0	0	0
18 to 24	*	*	*	Stimulant (total)	7	5	*
25 to 29	*			- Methamphetamine	7	5	*
30 to 34	*	5		Heroin	0	0	0
35 to 39	*	0		Analgesic except Heroin	*	*	*
40 to 44	*	5	_	- Non-Prescription Methadone	0	0	0
45 to 54	*	6	7	PCP, LSD, other Hallucinogen	0	0	0
55 and Over	*	*	5	Tranquilizer	0	0	0
GENDER				Inhalant	0	0	0
Male	13	15	15	Sedative	0	0	0
Female	7	10	9	Other Medication or Illicit Drug	0	0	0
				Average Age at First Use of Drug	17.6	19.7	15.4
RACE / ETHNICITY	20	0.5	0.4				
Caucasian	20 0	25 0	24 0	INJECTION DRUG USE			
African American Native American / Alaskan	0	0	0	Any Injection Use at Admission	5	5	*
	0	0	-	- Daily Injection Use	*	0	0
Asian / Pacific Islander	-		0	- Weekly Injection Use	*	*	*
Hispanic	0	0	0 0	- Less than Weekly Injection Use	*	*	*
Other Race / Two or More Races	0	U	U				
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	8	9	*	0	9	11	12
High School Graduate or G.E.D.	9	11	12	1 or 2	7	8	6
Associate Degree or Some College	*	5	8	3 or More	*	6	6
Bachelor or Advanced Degree	0	0	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	8	8	12
Employed	6	8	*	School	0	0	0
Unemployed	*	6	8	Mental Health Provider	*	0	0
Not in Labor Force	10	11	13	Health Care Provider	*	*	*
1101111 20001 1 0100	10		10	Court / Criminal Justice	6	10	8
HOUSING / LIVING ARRANGEMENT				Other Referral Source	*	5	*
Independent Living	17	23	21	Carlot Motorial Council		· ·	
Dependent Living	*	*	0	TREATMENT ACCOMMODATION			
Homeless	*	0	*	Pregnant when Admitted to any Episode	0	0	0
MARITAL / FAMILY STATUS				Military Veteran	*	0	*
Never Married	10	9	5	Special Education Services Needed	0	*	0
Married / Cohabitating	5	7	7	Co-Occurring Psychological Problem	11	8	8
Previously Married	5	9	12	Co-Occurring Developmental Problem	0	0	0
2 2 20 .y	· ·	· ·	. =	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	ŭ	·	· ·

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Southwest
PSYCHIATRIC SERVICE AREA 8B
CENSUS 2010 9,627
2014 POPULATION ESTIMATE 9,219

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.					
DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012		
Adjustment Disorder	*	*	*		
Anxiety Disorder	10	11	14		
Dementia	0	*	0		
Developmental Disorder	0	0	0		
Impulse Control Disorder	*	0	*		
Mood Disorder	17	22	23		
Personality Disorder	*	*	*		
Psychotic Disorder	*	*	*		
Sexual Disorder	0	0	0		
Other Diagnosis	*	*	*		
Diagnosis Unknown	*	*	*		

Individuals who received psychiatric services had the following types of

NUMBER SERVED	FY2014	FY2013	FY2012	EDUCATION	FY2014	FY2013	FY2012
Total Individuals	23	29	28	Less than High School Diploma	9	8	*
. otal mamadalo		_0	0	High School Grad or G.E.D.	0	0	8
AGE				Associate Degree or Some College	0	0	5
Under 6	*	0	0	Bachelor or Advanced Degree	0	0	0
6 to 9	*	0	0	Education Level Unknown	14	21	13
10 to 13	*	*	*	Education Edver Children			10
14 to 17	*	*	*	EMPLOYMENT			
18 to 24	*	*	*	Employed	*	*	*
25 to 29	*	6	5	Unemployed	0	0	12
30 to 34	*	*	0	Not in Labor Force	17	21	*
35 to 39	*	*	*	Employment Status Unknown	5	7	11
40 to 44	*	*	*				
45 to 49	*	5	*	HOUSING / LIVING ARRANGEMENT			
50 to 54	*	*	5	Independent Living	10	16	15
55 to 59	*	*	*	Dependent Living	9	6	*
60 and Over	0	0	0	Homeless	0	0	0
Age Unknown	0	0	0	Other	0	0	0
				Housing Unknown	*	7	10
GENDER	40		4.0				
Male	10	11	13	TREATMENT REFERRAL SOURCE			
Female	13	18	15	Self / Family / Friend	18	17	15
Gender Unknown	0	0	0	School	0	0	0
RACE / ETHNICITY				Mental Health Provider	0	*	*
Caucasian	23	29	28	Health Care Provider	*	6	8
African American	0	0	0	Court / Criminal Justice	*	*	*
Native American / Alaskan	0	0	0	Other	*	*	*
Asian / Pacific Islander	0	0	0	Referral Source Unknown	0	0	0
Hispanic	0	0	0				
Other Race	0	0	0	TYPE OF COMMITMENT			
Race/Ethnicity Unknown	0	0	0	Voluntary	23	24	26
•	_	_		Civil	0	*	0
TREATMENT ACCOMMODATION				Criminal	0	*	*
Hearing Impaired	0	0	0	Sexual Predatory	0	0	0
Past or Current Military Service	0	0	*	Commitment Type Unknown	0	0	0

MISSOURI STUDENT SURVEY

	MISS	OUF	(151	DUENT SURVET
Percent of students who have ever used:	2014	2012	2010	Percent who believe they risk harm
Alcohol	36.5	39.5	47.6	Alcohol (1 or 2 drinks daily)
Cigarettes	20.0	29.5	30.8	Alcohol (Binge: 5+ drinks once or
Chewing Tobacco	28.6	17.8	27.6	Alcohol (any use)
Marijuana	7.1	6.2	13.0	Cigarettes (1+ packs per day)
Inhalants	1.2	6.2	3.4	Cigarettes (any use)
Prescription medications not prescribed for student	7.1	7.0	9.0	Marijuana (once or twice a week)
Over-the-counter medications for non-medical use	2.4	5.4	6.1	Marijuana (any use)
Methamphetamine	0.0	0.0	0.7	Other: Cocaine, LSD, Meth, Club
Cocaine	0.0	0.8	1.4	Paraant of students who in past 2/
Heroin	0.0	0.8	0.7	Percent of students who, in past 30 Were very sad
Hallucinogens	1.2	0.0	2.1	Were grouchy, irritable, or in a ba
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.0	0.0	1.4	Felt hopeless about the future
Steroids not prescribed for student	0.0	0.0	1.4	Felt like not eating or eating more
Synthetic drugs (K2, bath salts, Spice, etc)	1.2	0.8		Slept a lot more or a lot less than
Average age of students' first use of:				Had difficulty concentrating on so
Alcohol	12 10	12.79	12 51	ridd dimedity concentrating on se
Cigarettes		12.07		Percent of students who, in past 12
Marijuana		13.66		Seriously considered attempting
Inhalants	12.00		11.45	Made plan about how they would
mainto		11.00	11.10	Attempted suicide
Percent of students who, in past 30 days, used:				Attempted suicide and resulting in
Alcohol	21.2	14.0	20.7	had to be treated by doctor or nu
Alcohol (Binge: 5+ drinks on one occassion)		7.0	14.3	Percent of students who, in past 12
Cigarettes	3.5	10.1	13.7	Were threatened/injured with wea
Chewing Tobacco	20.0	6.2	14.6	Were in a physical fight
Marijuana	7.1	1.6	6.2	Were in a fight and had to be treat
Inhalants	1.2	3.1	1.4	
Prescription medications not prescribed for student	1.2	4.7	2.8	Percent of students who, in past 3
Over-the-counter medications for non-medical use	2.4	3.9	2.7	Were victims of mean rumors or
Percent of students who, in past 2 weeks, used:				Were made fun of by others
Alcohol (Binge: 5+ drinks on one occassion)	13.1			Were victims of an embarrassing something posted on the internet
				Spread mean rumors or lies abou
Percent whose friends used in past 12 months:				Made fun of other people
Alcohol	51.8	45.0	60.3	Posted something on the internet
Cigarettes	28.2	39.5	51.0	embarrass or hurt another studer
Marijuana	21.2	24.0		Singulation of Half another Stades
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	5.9	11.8	12.2	Percent of students who agree that
Percent who would likely use, if offered by a best friend:				Teachers notice and comment or
Alcohol	31.8	31.3	33.8	School provides feedback to pare
Cigarettes	4.8	12.4	16.0	performance
Marijuana	7.1	6.9	8.8	Rules are enforced fairly
•				Students of all races/ethnicities a
Percent who say it would be wrong to use:				Percent of students who agree that
Alcohol	62.4	58.9	61.9	Parents notice and comment on s
Cigarettes	89.3	82.2	77.6	Parents involve student in making
Marijuana	90.5	89.1	86.4	It is important to be honest with p
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.6	96.9	97.3	consequences
Percent whose parents would disapprove if they use:				Student could ask parent for help
Alcohol	85.7	81.9	75.5	Otacon could ask paron for noip
Cigarettes	95.2	96.0	87.0	Missouri Student Survey is conduc
Marijuana	95.2	96.1	93.1	Similar affirmative response choice
Parcent who say it would be easy to obtain.				Blank data cells indicate estimates Survey is not conducted in every s
Percent who say it would be easy to obtain:	40.4	E40	FFF	Estimates are not available for cou
Alcohol	49.4	54.3	55.5	Percentages are estimates based
Cigarettes	45.2	51.2		Some year-to-year differences in p
Marijuana Othor Illiait (Coccine J.S.D. Moth. Club Drug. etc.)	27.1	24.8		Data source: Missouri Institute of I
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	13.3	11.7	15.0	

DEITI GORVET			
Descent who hallows they sight home if they was	2014	2012	2010
Percent who believe they risk harm if they use:	52.9		
Alcohol (1 or 2 drinks daily) Alcohol (Binge: 5+ drinks once or twice a week)	64.7		
Alcohol (any use)	04.7	59.7	77.4
Cigarettes (1+ packs per day)	87.1	55.1	77.4
Cigarettes (any use)	07.1	77.5	76.9
Marijuana (once or twice a week)	73.5	77.0	70.0
Marijuana (any use)	70.0	77.5	76.7
Other: Cocaine, LSD, Meth, Club Drug (any use)	95.3	91.3	93.8
• • • •			
Percent of students who, in past 30 days:	111	7.0	17.8
Were very sad	14.1	7.0	24.0
Were grouchy, irritable, or in a bad mood	27.1 9.4	22.5 7.8	11.6
Felt hopeless about the future Felt like not eating or eating more than usual	21.2	7.0 14.7	20.0
Slept a lot more or a lot less than usual	20.0	15.5	24.0
Had difficulty concentrating on school work	21.4	18.6	18.6
riad difficulty concentrating off school work	21.4	10.0	10.0
Percent of students who, in past 12 months:			
Seriously considered attempting suicide	8.2	10.2	5.4
Made plan about how they would attempt suicide	5.9	8.7	4.1
Attempted suicide	3.6	3.1	4.0
Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	0.0	1.6	1.4
Percent of students who, in past 12 months:			
Were threatened/injured with weapon at school	6.0	5.4	6.2
Were in a physical fight	10.6	27.1	24.3
Were in a fight and had to be treated by a doctor or nurse	3.6	3.9	3.4
· ·	0.0	0.0	0
Percent of students who, in past 3 months:			
Were victims of mean rumors or lies spread at school	50.0	47.3	56.9
Were made fun of by others	61.2	59.7	68.0
Were victims of an embarrassing or hurtful text message or something posted on the internet	18.8	20.2	18.6
Spread mean rumors or lies about other kids at school	18.8	31.0	26.7
Made fun of other people	71.8	65.9	71.4
Posted something on the internet or sent a text that might embarrass or hurt another student	18.8	10.9	15.9
Percent of students who agree that:			
Teachers notice and comment on student's good work	72.9	75.2	76.6
School provides feedback to parents on positive student performance	42.4	39.8	51.7
Rules are enforced fairly	48.2	61.2	66.4
Students of all races/ethnicities are treated equal	78.6	89.1	85.0
Percent of students who agree that:			
Parents notice and comment on student's good work	79.5	90.7	88.3
Parents involve student in making family decisions	69.9	68.2	76.0
It is important to be honest with parents regardless of	02.0	85.0	86.4
consequences	92.9	85.8	00.4
Student could ask parent for help with a personal problem	78.3	82.0	80.0

ucted biennially. ices for individual questions are combined. es are not available for item or geographic area. school district nor reported for every county. ounties with small numbers of respondents. d on weighted data.

percentages are not statistically significant.

Mental Health, 2010-2014 Missouri Student Surveys

	H REGION	Western		IMPAIRED DRIVING	2013	2012	2011
	H SERVICE AREAS	Wootom		Alcohol Involved CrashesTotal	8	6	10
	Substance Use	1		Fatal Crashes	0	0	0
	dult Psychiatric	1		Injury Crashes	4	3	5
	PULATION	'			•	3	5
	Census 2010	4,912		Property Damage Crashes	4 0	0	0
	014 Estimate	4,516		Crash Injuries	_	7	
	014 Estimate	4,516		Crash Injuries	4		8
253				Drug Involved CrashesTotal	0	1	0
				Fatal Crashes	0	0	0
BIRTH RISK	2013	2012	2011	Injury Crashes	0	1	0
Resident BirthsTotal	52	47	49	Property Damage Crashes	0	0	0
Mother Reported Smoking while	Pregnant 11	12	17	Crash Fatalities	0	0	0
_				Crash Injuries	0	2	0
DISEASE INCIDENCE 1	2013	2012	2011	POLICE REPORTS	2013	2012	2011
HIV/AIDS Cases	0	0	0		31	23	2011
Hepatitis B Chronic, Acute, Prena	atal 1	0	0	DUI Arrests, DWI Tracking System	4	23 9	4
Hepatitis C Chronic and Acute	4	3	4	Liquor Law Arrests		_	
Tuberculosis Infection Cases	0	0	0	Drug Arrests	42	22	25
				Violent Offenses	5	9	9
DEATHS and INJURIES	2013	2012	2011	Property Offenses	87	101	94
Resident DeathsTotal	69	69	61	Domestic Violence Reports	12	24	16
Suicides	1	1	0		2014	2013	2012
Self-inflicted Injuries	4	3	3	Methamphetamine Lab Seizures	0	0	0
Homicides	0	0	0	SCHOOL REPORTS	2013-14	2012-13	2011-12
Assault Injuries	6	7	12	Enrollment Grades 9-12	153	166	178
Alcohol Induced Deaths	0	0	1	Drop-outs	1	3	4
Drug Induced Deaths	1	0	0	Drop-out Rate	0.7%	1.8%	2.3%
Smoking Attributable Deaths	11	10	9	School Discipline Involving Alcohol	0.7 %	0	2.5%
	2042		2011	School Discipline Involving According	0	0	0
HOSPITAL EPISODES 2	2013	2012	2011			-	
Hospitalization, no Emergency R				School Discipline Involving Tobacco	0	0	0
Mental Illness Principal Diagnos		29	23	JUVENILE COURT REFERRALS 3	2013	2012	2011
Mental Illness Secondary Diagn		49	60	Juvenile Violent Offenses	3	1	3
Alcohol Principal Diagnosis	1	1	2	Juvenile Alcohol Offenses	0	0	1
Alcohol Secondary Diagnosis	3	0	1	Juvenile Drug Offenses	0	0	0
Drug Principal Diagnosis	2	3	1	School Truancy Status Offense	7	4	4
Drug Secondary Diagnosis	1	0	2	Absent from Home Status Offense	0	0	0
Emergency Room + Hospitalizati				Beyond Parental Control Status Offense	13	8	11
Mental Illness Principal Diagnos	sis 9	10	15	Injurious Behavior Status Offense	11	2	5
Mental Illness Secondary Diagn	osis 65	66	68	Child Abuse	4	2	0
Alcohol Principal Diagnosis	3	3	6	Child Neglect	35	23	10
Alcohol Secondary Diagnosis	8	9	6	Child Custody Issues	0	5	0
Drug Principal Diagnosis	3	5	0	Critic Custody Issues	U	3	U
Drug Secondary Diagnosis	0	4	2	JUVENILE COURT PLACEMENTS	2013	2012	2011
Emergency Room, no Hospitaliza	ation:			Out-of-Home PlacementsTotal	2	1	10
Mental Illness Principal Diagnos	sis 16	26	24	Parental Alcohol Use Related	0	0	0
Mental Illness Secondary Diagn	osis 67	59	54	Parental Drug Use Related	0	0	0
Alcohol Principal Diagnosis	2	2	4	Parental Alcohol and Drug Use	0	0	0
Alcohol Secondary Diagnosis	4	8	6				
Drug Principal Diagnosis	2	4	3	CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Secondary Diagnosis	1	5	3	Drug Court Participants	1	3	3
- , ,				Probation/Parole AdmissionsDrug	11	17	11
ALCOHOL OUTLETS	2014	2013	2012	Probation/Parole AdmissionsDWI	6	3	6
Alcohol On-Premise Drink Licens	ses 8	12	10	Prison AdmissionsDrug	4	12	8
Alcohol Package Carry-out Licen	ises 8	8	10	Prison AdmissionsDWI	6	2	4
-				1 All Kanege City bandities and TD coopers	te are includ-	d in Jackson	County
EMPLOYMENT	2014	2013	2012	All Kansas City hepatitis and TB case report totals and all Joplin case reports are included.			County
Labor Force	2,726	2,877	2,710	2 Beginning with 2010 data, diagnosis counts	for hospital a	and ER service	
Employed	2,592	2,738	2,572	based on codes developed by the Healthcan Beginning in 2013, juvenile municipal violati			
Unemployed	134	139	138	court orders are categorized as status offen			
Unemployment Rate	4.9%	4.8%	5.1%				

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	*	*	*
CSTAR Adolescent	*	*	0
CSTAR Women and Children	0	0	0
CSTAR General Adult	5	5	7
CSTAR Opioid	0	0	0
Primary Recovery Treatment	5	8	13
Clinical SATOP (CIP, YCIP, SROP)	0	*	*
Other Substance Abuse Treatment	0	0	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	10	18	18
- Adolescent Diversion Education Prograr	0	*	*
- Offender Education Program	6	7	7
- Weekend Intervention Program	*	7	*
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	0	0
Compulsive Gambling	0	0	*
Recovery Supports	0	0	0
Early Intervention	*	*	*

NUMBER ADMITTED	FY2014	FY2013	FY2012	PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Total Individuals	11	16	19	Alcohol	*	7	8
				Marijuana / Hashish	5	6	*
AGE			_	Cocaine (total)	0	0	*
Under 18	*	*	0	- Crack	0	0	0
18 to 24	*	5	7	Stimulant (total)	5	*	6
25 to 29	0	*	*	- Methamphetamine	5	*	6
30 to 34	*	*	*	Heroin	0	0	0
35 to 39	*	*	*	Analgesic except Heroin	0	0	0
40 to 44	*	*	*	- Non-Prescription Methadone	0	0	0
45 to 54	*	0	*	PCP, LSD, other Hallucinogen	0	0	0
55 and Over	0	0	*	Tranquilizer	0	0	0
GENDER				Inhalant	0	0	0
Male	8	13	16	Sedative	0	0	0
Female	*	*	*	Other Medication or Illicit Drug	0	0	0
Cinaic				Average Age at First Use of Drug	17.5	16.1	18.5
RACE / ETHNICITY				Average Age at 1 list ose of brug	17.5	10.1	10.0
Caucasian	10	16	18	INJECTION DRUG USE			
African American	0	0	0	Any Injection Use at Admission	*	*	*
Native American / Alaskan	0	0	0	- Daily Injection Use	0	0	0
Asian / Pacific Islander	0	0	*	- Weekly Injection Use	*	0	*
Hispanic	0	0	0	- Less than Weekly Injection Use	*	*	*
Other Race / Two or More Races	*	0	0	- Less than weekly injection ose			
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	5	*	*	0	8	9	11
High School Graduate or G.E.D.	*	8	15	1 or 2	*	5	6
Associate Degree or Some College	*	*	*	3 or More	0	*	*
Bachelor or Advanced Degree	0	0	0				
5451 6144517				TREATMENT REFERRAL SOURCE	*	*	0
EMPLOYMENT	*	0	_	Self / Family / Friend	0		0
Employed	*	6	5	School Mandal Haalth Bravidan	0	0	0
Unemployed	_	5	10 *	Mental Health Provider	0		
Not in Labor Force	5	5	Î	Health Care Provider		0	
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	6	11	16
Independent Living	9	14	18	Other Referral Source	0	0	0
Dependent Living	*	*	*				
Homeless	*	0	0	TREATMENT ACCOMMODATION			
				Pregnant when Admitted to any Episode	0	0	0
MARITAL / FAMILY STATUS		_		Military Veteran	*	*	0
Never Married	*	9	12	Special Education Services Needed	*		*
Married / Cohabitating	*	*	*	Co-Occurring Psychological Problem	7	8	*
Previously Married	5	*	6	Co-Occurring Developmental Problem	0	0	0

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Western
PSYCHIATRIC SERVICE AREA 1
CENSUS 2010 4,912
2014 POPULATION ESTIMATE 4,516

disorders. The total number of diagn served because some individuals had	•		
DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012
Adjustment Disorder	*	*	*
Anxiety Disorder	7	8	7
Dementia	0	0	0
Developmental Disorder	0	0	0
Impulse Control Disorder	*	*	5
Mood Disorder	16	15	15
Personality Disorder	*	*	*
Psychotic Disorder	*	*	*
Sexual Disorder	0	0	0
Other Diagnosis	*	*	*
Diagnosis Unknown	0	0	*

Individuals who received psychiatric services had the following types of

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2014	FY2013	FY2012	EDUCATION	FY2014	FY2013	FY2012
Total Individuals	21	17	21	Less than High School Diploma	8	*	*
Total Marviadalo		•		High School Grad or G.E.D.	0	*	*
AGE				Associate Degree or Some College	0	0	*
Under 6	*	0	0	Bachelor or Advanced Degree	0	0	*
6 to 9	0	0	*	Education Level Unknown	13	12	9
10 to 13	*	*	*	Education Edver Officiowin	10	12	0
14 to 17	*	*	*	EMPLOYMENT			
18 to 24	*	*	*	Employed	0	*	0
25 to 29	*	*	*	Unemployed	*	*	12
30 to 34	0	*	*	Not in Labor Force	17	10	0
35 to 39	0	0	0	Employment Status Unknown	*	*	9
40 to 44	*	*	*				
45 to 49	*	*	*	HOUSING / LIVING ARRANGEMENT			
50 to 54	*	*	*	Independent Living	13	10	12
55 to 59	*	*	*	Dependent Living	7	*	*
60 and Over	*	*	*	Homeless	0	0	0
Age Unknown	0	0	0	Other	0	0	0
CENDED				Housing Unknown	*	*	6
GENDER Male	8	7	0				
Female	13	10	9 12	TREATMENT REFERRAL SOURCE			
Gender Unknown				Self / Family / Friend	9	6	7
Gender Unknown	0	0	0	School	0	0	0
RACE / ETHNICITY				Mental Health Provider	*	0	*
Caucasian	21	17	21	Health Care Provider	7	*	5
African American	0	0	0	Court / Criminal Justice	*	*	*
Native American / Alaskan	0	0	0	Other	*	*	*
Asian / Pacific Islander	0	0	0	Referral Source Unknown	0	0	*
Hispanic	0	0	0				
Other Race	0	0	0	TYPE OF COMMITMENT	04	47	20
Race/Ethnicity Unknown	0	0	0	Voluntary	21	17	20
•				Civil	0	0	0
TREATMENT ACCOMMODATION		*	4	Criminal	0	0	0
Hearing Impaired	*	*	*	Sexual Predatory	0	0	0
Past or Current Military Service	0	*	*	Commitment Type Unknown	0	0	*

MISSOURI STUDENT SURVEY

		00.	•	JD L 111
Percent of students who have ever used:	2014	2012	2010	Percent who beli
Alcohol	20.9	49.2	18.4	Alcohol (1 or 2
Cigarettes	7.0	31.3	7.1	Alcohol (Binge:
Chewing Tobacco	9.3	23.4	0.0	Alcohol (any us
Marijuana	2.3	13.8	0.0	Cigarettes (1+
Inhalants	2.3	6.2	4.2	Cigarettes (any
Prescription medications not prescribed for student	2.3	13.8	6.3	Marijuana (onc
Over-the-counter medications for non-medical use	2.3	10.8	0.0	Marijuana (any
Methamphetamine	2.3	1.6	0.0	Other: Cocaine
Cocaine	2.3	1.5	0.0	Percent of stude
Heroin	2.3	1.6	0.0	Were very sad
Hallucinogens	2.3	1.5	0.0	Were grouchy,
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.0	4.6	0.0	Felt hopeless a
Steroids not prescribed for student	0.0	4.6	0.0	Felt like not ea
Synthetic drugs (K2, bath salts, Spice, etc)	0.0	6.2		Slept a lot more
Average age of students' first use of:				Had difficulty of
Alcohol	14.02	12.40	12 03	riau difficulty C
Cigarettes		12.72		Percent of stude
Marijuana	14.57	14.58	13.00	Seriously cons
Inhalants	13.29	14.56	9.82	Made plan abo
maans	13.29		∌.0∠	Attempted suic
Percent of students who, in past 30 days, used:				Attempted suic
Alcohol	4.7	21.5	3.1	had to be treate
Alcohol (Binge: 5+ drinks on one occassion)		15.4	0.0	Percent of stude
Cigarettes	0.0	16.9	0.0	Were threatene
Chewing Tobacco	4.7	18.5	0.0	Were in a phys
Marijuana	0.0	7.7	0.0	Were in a fight
Inhalants	2.3	4.6	1.1	Word in a right
Prescription medications not prescribed for student	0.0	9.2	5.3	Percent of stude
Over-the-counter medications for non-medical use	2.3	6.2	0.0	Were victims of
Percent of ctudents who in past 2 weeks used				Were made fur
Percent of students who, in past 2 weeks, used:	2.3			Were victims of
Alcohol (Binge: 5+ drinks on one occassion)	2.3			something post
Percent whose friends used in past 12 months:				Spread mean r
Alcohol	20.9	64.1	17.3	Made fun of oth
Cigarettes	9.1	56.9	17.3	Posted someth
Marijuana	4.7	41.5	10.2	embarrass or h
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	4.5	12.3	3.1	Percent of stude
Parcent who would likely use if offered by a heat friend.				Teachers notice
Percent who would likely use, if offered by a best friend:	13.6	3/1/	9.6	School provide
Alcohol		34.4		performance
Cigarettes Marijuana	0.0 0.0	17.5 7.8	0.0 6.3	Rules are enfo
Walijualia	0.0	1.0	0.3	Students of all
Percent who say it would be wrong to use:				
Alcohol	81.4	56.3	82.7	Percent of stude
Cigarettes	100.0	73.8	96.9	Parents notice
Marijuana	97.7	88.9	92.9	Parents involve
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.7	95.4	100.0	It is important to
Dercent whose parents would disapprove if they use				consequences
Percent whose parents would disapprove if they use:	00.0	74 4	100.0	Student could a
Alcohol	93.0		100.0	
Cigarettes	100.0	87.7	97.9	Missouri Student Similar affirmative
Marijuana	100.0	95.3	100.0	Blank data cells i
				Survey is not con
Percent who say it would be easy to obtain:				
Percent who say it would be easy to obtain: Alcohol	39.5	63.1	42.6	Estimates are no Percentages are
•	39.5 30.2	63.1 58.5	42.6 29.6	Percentages are Some year-to-year
				Percentages are

DENT SURVET			
Descriptive helians than sight have if they use.	2014	2012	2010
Percent who believe they risk harm if they use: Alcohol (1 or 2 drinks daily)	72.7		
Alcohol (Binge: 5+ drinks once or twice a week)	77.3		
Alcohol (any use)	77.5	76.6	87.6
Cigarettes (1+ packs per day)	90.9	7 0.0	01.0
Cigarettes (any use)	00.0	75.4	85.7
Marijuana (once or twice a week)	88.6	-	
Marijuana (any use)		86.2	87.8
Other: Cocalne, LSD, Meth, Club Drug (any use)	93.0	95.3	94.7
Percent of students who, in past 30 days:			
Were very sad	11.6	18.5	20.4
Were grouchy, irritable, or in a bad mood	18.2	26.2	26.5
Felt hopeless about the future	4.7	12.5	17.3
Felt like not eating or eating more than usual	11.4	16.9	24.5
Slept a lot more or a lot less than usual	9.3	17.2	35.1
Had difficulty concentrating on school work	14.0	13.8	24.2
Percent of students who, in past 12 months:			
Seriously considered attempting suicide	9.3	9.4	5.1
Made plan about how they would attempt suicide	9.1	6.3	5.1
Attempted suicide	4.5	4.6	1.0
Attempted suicide and resulting injury, poisonng, or overdose	0.0	0.0	0.0
had to be treated by doctor or nurse	0.0	0.0	0.0
Percent of students who, in past 12 months:			
Were threatened/injured with weapon at school	0.0	6.2	2.1
Were in a physical fight	11.6	20.0	13.3
Were in a fight and had to be treated by a doctor or nurse	0.0	1.5	0.0
Percent of students who, in past 3 months:			
Were victims of mean rumors or lies spread at school	41.9	49.2	44.9
Were made fun of by others	55.8	64.6	73.5
Were victims of an embarrassing or hurtful text message or something posted on the internet	11.6	21.5	23.5
Spread mean rumors or lies about other kids at school	20.5	30.8	29.6
Made fun of other people	50.0	70.8	78.6
Posted something on the internet or sent a text that might embarrass or hurt another student	11.4	20.3	18.4
Percent of students who agree that:			
Teachers notice and comment on student's good work	90.7	85.9	92.6
School provides feedback to parents on positive student performance	65.9	57.8	79.6
Rules are enforced fairly	86.4	71.4	90.9
Students of all races/ethnicities are treated equal	95.5	79.7	99.0
Percent of students who agree that:			
Parents notice and comment on student's good work	88.6	83.1	98.9
Parents involve student in making family decisions	81.8	69.2	75.8
It is important to be honest with parents regardless of			
consequences	95.3	87.5	96.9
Student could ask parent for help with a personal problem	86.0	80.0	94.7
Missouri Student Survey is conducted bioppially			

nt Survey is conducted biennially.
ive response choices for individual questions are combined.
s indicate estimates are not available for item or geographic area. onducted in every school district nor reported for every county. ot available for counties with small numbers of respondents. e estimates based on weighted data.

ear differences in percentages are not statistically significant.

issouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

DBH REGION		Central		IMPAIRED DRIVING	2013	2012	2011
DBH SERVICE AI	REAS			Alcohol Involved CrashesTotal	7	13	8
Substance U	se	12		Fatal Crashes	0	2	0
Adult Psychia	atric	12		Injury Crashes	3	6	3
POPULATION				Property Damage Crashes	4	5	5
Census 2010		10,144		Crash Fatalities	0	2	0
2014 Estimat	e	10,159		Crash Injuries	5	11	3
Tan Tan				Drug Involved CrashesTotal	2	2	1
				Fatal Crashes	0	0	0
BIRTH RISK	2013	2012	2011	Injury Crashes	2	2	0
Resident BirthsTotal	124	115	123	Property Damage Crashes	0	0	1
Mother Reported Smoking while Pregnant	35	30	25	Crash Fatalities	0	0	0
- Mountain Reported Children William Programs	00	00	20	Crash Injuries	2	3	0
DISEASE INCIDENCE 1	2013	2012	2011				
HIV/AIDS Cases	0	1	0	POLICE REPORTS	2013	2012	2011
Hepatitis B Chronic, Acute, Prenatal	0	0	0	DUI Arrests, DWI Tracking System	40	68	64
Hepatitis C Chronic and Acute	0	2	3	Liquor Law Arrests	12	47	32
Tuberculosis Infection Cases	3	0	0	Drug Arrests	51	45	37
				Violent Offenses	13	14	16
DEATHS and INJURIES	2013	2012	2011	Property Offenses	92	71	74
Resident DeathsTotal	110	81	107	Domestic Violence Reports	24	27	26
Suicides	1	2	0		2014	2013	2012
Self-inflicted Injuries	6	10	8	Methamphetamine Lab Seizures	5	0	2
Homicides	0	0	1	SCHOOL REPORTS	2013-14	2012-13	2011-12
Assault Injuries	18	20	24	Enrollment Grades 9-12	408	418	425
Alcohol Induced Deaths	0	1	0	Drop-outs	9	10	11
Drug Induced Deaths	1	1	0	Drop-out Rate	2.2%	2.4%	2.6%
Smoking Attributable Deaths	16	11	19	School Discipline Involving Alcohol	1	0	0
HOSPITAL EPISODES 2	2013	2012	2011	School Discipline Involving Drugs	5	3	0
Hospitalization, no Emergency Room:	2013	2012	2011	School Discipline Involving Tobacco	0	0	0
Mental Illness Principal Diagnosis	47	20	35	_	-	-	
Mental Illness Secondary Diagnosis	122	161	141	JUVENILE COURT REFERRALS 3	2013	2012	2011
Alcohol Principal Diagnosis	1	2	1	Juvenile Violent Offenses	9	16	4
Alcohol Secondary Diagnosis	11	11	7	Juvenile Alcohol Offenses	2	2	1
Drug Principal Diagnosis	0	1	1	Juvenile Drug Offenses	6	3	2
Drug Secondary Diagnosis	5	5	4	School Truancy Status Offense	18	19	14
Emergency Room + Hospitalization:	Ū	o o	-	Absent from Home Status Offense	0	1	1
Mental Illness Principal Diagnosis	53	40	41	Beyond Parental Control Status Offense	4	6	4
Mental Illness Secondary Diagnosis	172	87	72	Injurious Behavior Status Offense	20	35	11
Alcohol Principal Diagnosis	9	10	3	Child Abuse	17	9	4
Alcohol Secondary Diagnosis	10	17	8	Child Neglect	24	23	10
Drug Principal Diagnosis	5	1	1	Child Custody Issues	0	0	0
Drug Secondary Diagnosis	11	6	1	JUVENILE COURT PLACEMENTS	2013	2012	2011
Emergency Room, no Hospitalization:		· ·	•	Out-of-Home PlacementsTotal	26	22	9
Mental Illness Principal Diagnosis	71	50	45	Parental Alcohol Use Related	1	2	0
Mental Illness Secondary Diagnosis	236	121	108	Parental Drug Use Related	5	8	1
Alcohol Principal Diagnosis	9	8	9	Parental Alcohol and Drug Use	0	0	0
Alcohol Secondary Diagnosis	27	11	21	and and and and and	-	-	•
Drug Principal Diagnosis	3	8	1	CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Secondary Diagnosis	33	9	5	Drug Court Participants	0	0	0
. g. = = = = = = = = = = = = = = = = = =		ŭ	ŭ	Probation/Parole AdmissionsDrug	31	20	23
ALCOHOL OUTLETS	2014	2013	2012	Probation/Parole AdmissionsDWI	5	5	1
Alcohol On-Premise Drink Licenses	14	10	11	Prison AdmissionsDrug	14	12	17
Alcohol Package Carry-out Licenses	10	11	13	Prison AdmissionsDWI	3	3	6
EMPLOYMENT	2014	2013	2012	1 All Kansas City hepatitis and TB case report totals and all Joplin case reports are include			County
Labor Force	4,978	5,155	5,193	2 Beginning with 2010 data, diagnosis counts			es are
Employed	4,709	4,865	4,878	based on codes developed by the Healthcar	re Cost and L	Itilization Pro	ject.
Unemployed	269	290	315	3 Beginning in 2013, juvenile municipal violation court orders are categorized as status offens			

5.4%

5.6%

6.1%

Unemployment Rate

court orders are categorized as status offenses instead of law violations.

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	*	6	6
CSTAR Adolescent	8	6	0
CSTAR Women and Children	8	*	11
CSTAR General Adult	12	19	12
CSTAR Opioid	0	0	0
Primary Recovery Treatment	7	10	13
Clinical SATOP (CIP, YCIP, SROP)	*	8	7
Other Substance Abuse Treatment	0	0	*

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	31	33	41
- Adolescent Diversion Education Prograr	*	*	0
- Offender Education Program	8	16	28
- Weekend Intervention Program	8	*	5
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	5	*	*
Compulsive Gambling	0	0	0
Recovery Supports	*	0	*
Early Intervention	*	0	0

NUMBER ADMITTED	FY2014	FY2013	FY2012	PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Total Individuals	35	43	43	Alcohol	10	18	17
				Marijuana / Hashish	10	9	10
AGE		_		Cocaine (total)	*	*	*
Under 18	9	7	*	- Crack	*	0	0
18 to 24		5	8	Stimulant (total)	10	12	14
25 to 29	0	5		- Methamphetamine	10	12	14
30 to 34	*	8	6	Heroin	0	0	0
35 to 39	*	*	8	Analgesic except Heroin	*	*	0
40 to 44	5	*	7	- Non-Prescription Methadone	0	0	0
45 to 54	9	7	9	PCP, LSD, other Hallucinogen	*	*	0
55 and Over	*	*	*	Tranquilizer	0	0	0
GENDER				Inhalant	*	0	0
Male	20	32	27	Sedative	0	0	0
Female	15	11	16	Other Medication or Illicit Drug	*	0	0
· Smale	.0			Average Age at First Use of Drug	17.3	17.0	17.3
RACE / ETHNICITY				7.116.1ago 7.1go at 1 11.01 000 01 2.1ag			
Caucasian	30	40	37	INJECTION DRUG USE			
African American	*	*	6	Any Injection Use at Admission	*	*	5
Native American / Alaskan	0	0	0	- Daily Injection Use	*	0	0
Asian / Pacific Islander	0	0	0	- Weekly Injection Use	*	*	*
Hispanic	*	0	0	- Less than Weekly Injection Use	*	*	*
Other Race / Two or More Races	*	*	0	- Less than weekly injection ose			
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	15	22	11	0	20	21	23
High School Graduate or G.E.D.	14	14	21	1 or 2	8	12	13
Associate Degree or Some College	6	6	9	3 or More	7	10	7
Bachelor or Advanced Degree	0	*	*	TD5.4T4.51/T D555DD.44 604/D65			
51401014515				TREATMENT REFERRAL SOURCE	13	19	10
EMPLOYMENT Employed	5	8	14	Self / Family / Friend School	0	0	0
Employed	ວ 11	13	14		*	*	0
Unemployed				Mental Health Provider	*	0	*
Not in Labor Force	19	22	17	Health Care Provider		0	0.4
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	14	18	24 8
Independent Living	20	30	34	Other Referral Source			0
Dependent Living	12	9	5				
Homeless	*	*	*	TREATMENT ACCOMMODATION	0	*	*
				Pregnant when Admitted to any Episode	0	*	
MARITAL / FAMILY STATUS	40	00	40	Military Veteran	· .	*	
Never Married	18	20	16	Special Education Services Needed	47		4.5
Married / Cohabitating	8	13	15	Co-Occurring Psychological Problem	17	15	15
Previously Married	9	10	12	Co-Occurring Developmental Problem	^	0	Î

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



 DBH REGION
 Central

 PSYCHIATRIC SERVICE AREA
 12

 CENSUS 2010
 10,144

 2014 POPULATION ESTIMATE
 10,159

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.									
DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012						
Adjustment Disorder	*	*	*						
Anxiety Disorder	27	23	31						
Dementia	0	0	0						
Developmental Disorder	0	*	*						
Impulse Control Disorder	6	8	9						
Mood Disorder	41	50	52						
Personality Disorder	*	6	*						
Psychotic Disorder	22	25	25						
Sexual Disorder	0	0	0						
Other Diagnosis	*	*	*						
Diagnosis Unknown	18	22	22						

Individuals who received psychiatric services had the following types of

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2014	FY2013	FY2012	EDUCATION	FY2014	FY2013	FY2012
Total Individuals	79	91	96	Less than High School Diploma	33	30	27
Total Marviadalo		01	00	High School Grad or G.E.D.	0	0	25
AGE				Associate Degree or Some College	0	0	14
Under 6	0	0	0	Bachelor or Advanced Degree	0	0	*
6 to 9	0	*	*	Education Level Unknown	46	61	28
10 to 13	*	0	*	Education Edver Officiowin	40	01	20
14 to 17	6	5	*	EMPLOYMENT			
18 to 24	8	11	11	Employed	11	10	20
25 to 29	*	9	5	Unemployed	*	7	47
30 to 34	7	13	12	Not in Labor Force	57	53	11
35 to 39	6	5	5	Employment Status Unknown	10	21	18
40 to 44	10	9	12				
45 to 49	6	11	17	HOUSING / LIVING ARRANGEMENT			
50 to 54	11	12	14	Independent Living	31	30	39
55 to 59	12	8	6	Dependent Living	36	44	39
60 and Over	8	7	8	Homeless	*	0	0
Age Unknown	0	0	0	Other	0	0	*
CENDED				Housing Unknown	11	17	15
GENDER Male	52	61	64				
Female	52 27	30	61 25	TREATMENT REFERRAL SOURCE			
Gender Unknown	0	0	35	Self / Family / Friend	40	40	48
Gender Unknown	U	U	0	School	0	0	0
RACE / ETHNICITY				Mental Health Provider	16	18	19
Caucasian	62	69	75	Health Care Provider	17	23	19
African American	14	17	16	Court / Criminal Justice	*	6	*
Native American / Alaskan	0	0	0	Other	*	*	*
Asian / Pacific Islander	*	*	0	Referral Source Unknown	*	*	*
Hispanic	0	*	*				
Other Race	*	*	*	TYPE OF COMMITMENT	74	0.5	00
Race/Ethnicity Unknown	0	0	0	Voluntary	74	85 *	92
				Civil	0	*	0
TREATMENT ACCOMMODATION	_	*		Criminal			
Hearing Impaired	0		*	Sexual Predatory	0	0	0
Past or Current Military Service	7	7	8	Commitment Type Unknown	*	*	*

MISSOURI STUDENT SURVEY

	IVIIOS	OUF	(1310	DENI SURVET			
Percent of students who have ever used:	2014	2012	2010	Percent who believe they risk harm if they use:	2014	2012	2010
Alcohol	37.6	44.1	51.6	Alcohol (1 or 2 drinks daily)	53.2		
Cigarettes	24.0	26.3	30.0	Alcohol (Binge: 5+ drinks once or twice a week)	57.1		
Chewing Tobacco	11.9	19.6	10.9	Alcohol (any use)		62.4	77.5
Marijuana	11.2	15.1	14.1	Cigarettes (1+ packs per day)	88.8		
Inhalants	4.0	6.1	2.3	Cigarettes (any use)		67.0	88.7
Prescription medications not prescribed for student	5.6	7.8	7.3	Marijuana (once or twice a week)	65.9		
Over-the-counter medications for non-medical use	1.6	6.1	5.9	Marijuana (any use)		73.0	68.2
Methamphetamine	1.6	1.7	0.9	Other: Cocaine, LSD, Meth, Club Drug (any use)	94.4	91.5	95.9
Cocaine	8.0	2.2	2.7	Percent of students who, in past 30 days:			
Heroin	0.8	1.7	0.0	Were very sad	12.7	19.0	12.7
Hallucinogens	3.2	1.7	2.7	Were grouchy, irritable, or in a bad mood	22.4	21.9	15.8
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.0	1.7	1.4	Felt hopeless about the future	7.2	10.1	6.3
Steroids not prescribed for student	2.4	2.3	0.9	Felt like not eating or eating more than usual	12.8	13.5	17.6
Synthetic drugs (K2, bath salts, Spice, etc)	4.8	7.8		Slept a lot more or a lot less than usual	8.7	17.9	20.5
Average age of students' first use of:				Had difficulty concentrating on school work	20.0	16.9	15.0
Alcohol	13.01	12.54	13.04	Percent of students who in past 12 months			
Cigarettes	12.64	13.13	12.91	Percent of students who, in past 12 months: Seriously considered attempting suicide	4.8	7.8	7.7
Marijuana	14.48	14.43	13.82	Made plan about how they would attempt suicide	5.6	3.9	6.3
Inhalants	11.02	11.37	12.40	Attempted suicide	1.6	2.8	3.6
Percent of students who, in past 30 days, used:				Attempted suicide and resulting injury, poisoning, or overdose	1.0	2.0	3.0
Alcohol	14.4	20.2	21.5	had to be treated by doctor or nurse	0.0	0.0	0.9
Alcohol (Binge: 5+ drinks on one occassion)		11.2		Demonstration and a substitution of the substi			
Cigarettes	14.4	15.7	11.7	Percent of students who, in past 12 months:	3.2	3.9	5.0
Chewing Tobacco	4.0	11.8	6.4	Were threatened/injured with weapon at school Were in a physical fight	3.2 19.8	19.0	17.6
Marijuana	5.6	8.4	6.4	Were in a physical light Were in a fight and had to be treated by a doctor or nurse	2.4	3.4	2.3
Inhalants	0.0	2.2	0.9	Were in a right and had to be treated by a doctor of hurse	2.4	5.4	2.0
Prescription medications not prescribed for student	0.0	5.0	5.0	Percent of students who, in past 3 months:			
Over-the-counter medications for non-medical use	1.6	2.2	5.0	Were victims of mean rumors or lies spread at school	46.8	41.3	61.5
Percent of students who, in past 2 weeks, used:				Were made fun of by others	56.0	52.0	76.5
Alcohol (Binge: 5+ drinks on one occassion)	6.6			Were victims of an embarrassing or hurtful text message or something posted on the internet	21.0	12.2	23.1
Percent whose friends used in past 12 months:				Spread mean rumors or lies about other kids at school	24.0	26.3	35.1
Alcohol	49.2	49.4	77.4	Made fun of other people	60.0	59.4	84.2
Cigarettes	38.1	44.1	48.9	Posted something on the internet or sent a text that might	40.7	40.0	04.0
Marijuana	22.2	21.3	32.9	embarrass or hurt another student	16.7	12.9	21.0
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	6.3	3.9	9.0	Percent of students who agree that:			
				Teachers notice and comment on student's good work	85.7	75.0	63.2
Percent who would likely use, if offered by a best friend:		00.5	40.0	School provides feedback to parents on positive student	00.7	75.0	03.2
Alcohol	25.4	28.5		performance	59.5	50.0	50.2
Cigarettes	13.5 9.8	12.8		Rules are enforced fairly	84.9	73.1	58.4
Marijuana	9.0	8.6	13.2	Students of all races/ethnicities are treated equal	95.2	82.7	80.9
Percent who say it would be wrong to use:				· ·			
Alcohol	65.9	57.1	47.5	Percent of students who agree that:	02.0	00.0	00.0
Cigarettes	79.2	74.3		Parents notice and comment on student's good work	92.0 84.8	88.8	82.0 67.4
Marijuana	86.4	84.7		Parents involve student in making family decisions It is important to be honest with parents regardless of	04.0	81.4	67.4
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.6	96.6	98.2	consequences	89.7	85.5	86.5
Percent whose parents would disapprove if they use:				Student could ask parent for help with a personal problem	88.8	83.1	76.4
Alcohol	73.6	76.0	73.3				
Cigarettes	94.4	92.7	92.8	Missouri Student Survey is conducted biennially.			
Marijuana	95.1	93.7	96.8	Similar affirmative response choices for individual questions are Blank data cells indicate estimates are not available for item or			
Percent who say it would be easy to obtain:				Survey is not conducted in every school district nor reported for	r every co	ounty.	
Alcohol	53.2	45.8	76.6	Estimates are not available for counties with small numbers of Percentages are estimates based on weighted data.	responde	nts.	
Cigarettes	46.8	41.1	69.4	Some year-to-year differences in percentages are not statistical	lly signifi	cant.	
Marijuana	21.6	21.8	28.5	Data source: Missouri Institute of Montal Hoolth, 2010, 2014 Mis	ccouri C+	udent Si	IL/O/C
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	7.2	8.4	12.7	Data source: Missouri Institute of Mental Health, 2010-2014 Mi	ssouri St	uueni St	ai veys

HOWLLE COOK	i I I						
DB DB	BH REGION	Southeast		IMPAIRED DRIVING	2013	2012	2011
DB	BH SERVICE AREAS			Alcohol Involved CrashesTotal	56	56	46
S	Substance Use	18		Fatal Crashes	3	2	1
A CATALON A	dult Psychiatric	18		Injury Crashes	17	26	21
PO	PULATION			Property Damage Crashes	36	28	24
	Census 2010	40,400		Crash Fatalities	3	2	1
	014 Estimate	40,173		Crash Injuries	22	34	36
				Drug Involved CrashesTotal	11	12	7
				Fatal Crashes	0	0	0
BIRTH RISK	2013	2012	2011	Injury Crashes	4	6	5
Resident BirthsTotal	508	515	546	Property Damage Crashes	7	6	2
Mother Reported Smoking while		129	130	Crash Fatalities	0	0	0
1	-			Crash Injuries	6	7	7
DISEASE INCIDENCE 1	2013	2012	2011	POLICE REPORTS	2013	2012	2011
HIV/AIDS Cases	1	1	1	DUI Arrests, DWI Tracking System	252	300	341
Hepatitis B Chronic, Acute, Prena		4	1	Liquor Law Arrests	26	26	47
Hepatitis C Chronic and Acute	54	56	56	Drug Arrests	394	348	317
Tuberculosis Infection Cases	5	28	16	Violent Offenses	103	131	113
DEATHS and INJURIES	2013	2012	2011	Property Offenses	1,320	1,461	1,464
Resident DeathsTotal	547	479	508	Domestic Violence Reports	446	330	262
Suicides	14	9	9	·	2014	2013	2012
Self-inflicted Injuries	82	116	116	Methamphetamine Lab Seizures	11	11	19
Homicides	2	3	2				
Assault Injuries	121	115	169	SCHOOL REPORTS	2013-14	2012-13	2011-12
Alcohol Induced Deaths	2	3	3	Enrollment Grades 9-12	1,911	1,979	1,950
Drug Induced Deaths	7	4	5	Drop-outs	16	17	27
Smoking Attributable Deaths	103	99	101	Drop-out Rate	0.8%	0.9%	1.4%
-				School Discipline Involving Alcohol	0	3	2
HOSPITAL EPISODES 2	2013	2012	2011	School Discipline Involving Drugs	12	20	24
Hospitalization, no Emergency R				School Discipline Involving Tobacco	0	0	2
Mental Illness Principal Diagnos		627	570	JUVENILE COURT REFERRALS 3	2013	2012	2011
Mental Illness Secondary Diagn		1,269	1,285	Juvenile Violent Offenses	18	24	23
Alcohol Principal Diagnosis	81	65	59	Juvenile Alcohol Offenses	15	13	22
Alcohol Secondary Diagnosis	83	128	113	Juvenile Drug Offenses	13	18	18
Drug Principal Diagnosis	98	98	67	School Truancy Status Offense	112	169	205
Drug Secondary Diagnosis Emergency Room + Hospitalizati	63	82	83	Absent from Home Status Offense	25	24	35
Mental Illness Principal Diagnos		31	28	Beyond Parental Control Status Offense	51	75	61
Mental Illness Secondary Diagn		156	109	Injurious Behavior Status Offense	42	64	92
Alcohol Principal Diagnosis	3	11	109	Child Abuse	64	56	33
Alcohol Secondary Diagnosis	20	19	20	Child Neglect	127	111	94
Drug Principal Diagnosis	5	6	4	Child Custody Issues	26	19	11
Drug Secondary Diagnosis	12	12	6	JUVENILE COURT PLACEMENTS	2013	2012	2011
Emergency Room, no Hospitaliza			-	Out-of-Home PlacementsTotal	29	11	18
Mental Illness Principal Diagnos		481	483	Parental Alcohol Use Related	0	1	0
Mental Illness Secondary Diagn		2,214	1,223	Parental Drug Use Related	9	0	1
Alcohol Principal Diagnosis	55	74	70	Parental Alcohol and Drug Use	1	0	0
Alcohol Secondary Diagnosis	104	91	88	· ·			
Drug Principal Diagnosis	59	67	62	CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Secondary Diagnosis	87	81	93	Drug Court Participants	15	30	19
				Probation/Parole AdmissionsDrug	123	105	91
ALCOHOL OUTLETS	2014	2013	2012	Probation/Parole AdmissionsDWI	19	15	16
Alcohol On-Premise Drink Licens		30	34	Prison AdmissionsDrug	49	49	39
Alcohol Package Carry-out Licen	nses 50	42	42	Prison AdmissionsDWI	4	7	7
EMPLOYMENT	2014	2013	2012	1 All Kansas City hepatitis and TB case report			County
Labor Force	16,169	19,762	18,719	totals and all Joplin case reports are include Beginning with 2010 data, diagnosis counts			es are
Employed	15,026	18,550	17,410	based on codes developed by the Healthcar			
Unemployed	1,143	1,212	1,309	3 Beginning in 2013, juvenile municipal violati	ons, infractio	ns, and violat	ions of
Unemployment Rate	7.1%		7.0%	court orders are categorized as status offens	ses instead o	ıı iaw violatioi	15.

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	67	79	77
CSTAR Adolescent	30	27	22
CSTAR Women and Children	14	12	14
CSTAR General Adult	115	126	74
CSTAR Opioid	0	0	0
Primary Recovery Treatment	13	22	127
Clinical SATOP (CIP, YCIP, SROP)	25	45	54
Other Substance Abuse Treatment	0	0	*

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	144	170	209
- Adolescent Diversion Education Prograr	0	*	0
- Offender Education Program	69	69	88
- Weekend Intervention Program	38	33	37
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	7	10	5
Compulsive Gambling	0	0	0
Recovery Supports	7	10	*
Early Intervention	*	6	0

NUMBER ADMITTED	FY2014	FY2013	FY2012	PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Total Individuals	199	235	292	Alcohol	70	101	136
465				Marijuana / Hashish	47	42	78
AGE Under 18	31	27	25	Cocaine (total)	0	0	*
18 to 24	36	52 52	57	- Crack	0	0	0
25 to 29	31	38	36	Stimulant (total)	52	46	33
30 to 34	23	30	42	- Methamphetamine	52	46	33
35 to 39	23 17	27	42	Heroin	*	*	*
40 to 44	23	19	39	Analgesic except Heroin	25	33	30
45 to 54	29	31	38	- Non-Prescription Methadone	*	0	0
55 and Over	9	11	14	PCP, LSD, other Hallucinogen	0	0	0
33 and Over	9	11	14	Tranquilizer	*	*	*
GENDER				Inhalant	0	0	*
Male	125	146	195	Sedative	0	0	*
Female	74	89	97	Other Medication or Illicit Drug	*	9	*
DACE / STUDUCITY				Average Age at First Use of Drug	17.4	17.4	17.4
RACE / ETHNICITY Caucasian	192	228	278				
African American	192	220 *	7	INJECTION DRUG USE			
Native American / Alaskan	*	*	/ *	Any Injection Use at Admission	44	45	33
Asian / Pacific Islander	0	0	0	- Daily Injection Use	12	15	8
Hispanic	*	*	*	- Weekly Injection Use	19	14	9
Other Race / Two or More Races	5	5	*	- Less than Weekly Injection Use	13	16	16
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	86	87	92	0	120	112	141
High School Graduate or G.E.D.	84	108	147	1 or 2	49	88	109
Associate Degree or Some College	25	40	49	3 or More	30	35	42
Bachelor or Advanced Degree	*	0	*				
				TREATMENT REFERRAL SOURCE	0.4	400	70
EMPLOYMENT	00	40	00	Self / Family / Friend	84	108	72
Employed	20	19	26	School Market Hardth Bassidan		*	5
Unemployed	64	102	141	Mental Health Provider	0		
Not in Labor Force	115	114	125	Health Care Provider	13	9	9
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	64	78	175
Independent Living	155	189	237	Other Referral Source	36	33	28
Dependent Living	37	34	33				
Homeless	6	9	17	TREATMENT ACCOMMODATION	*	*	0
				Pregnant when Admitted to any Episode		*	6
MARITAL / FAMILY STATUS	404	440	400	Military Veteran	5		8
Never Married	101	116	130	Special Education Services Needed	9	18	15
Married / Cohabitating	54	58	92	Co-Occurring Psychological Problem	65 *	78	82
Previously Married	44	61	70	Co-Occurring Developmental Problem	•	8	•

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Southeast
PSYCHIATRIC SERVICE AREA 18
CENSUS 2010 40,400
2014 POPULATION ESTIMATE 40,173

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.									
DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012						
Adjustment Disorder	114	102	53						
Anxiety Disorder	611	561	410						
Dementia	*	9	*						
Developmental Disorder	10	5	*						
Impulse Control Disorder	163	170	103						
Mood Disorder	824	835	634						
Personality Disorder	53	34	25						
Psychotic Disorder	107	107	87						
Sexual Disorder	*	*	0						
Other Diagnosis	58	41	33						
Diagnosis Unknown	68	46	95						

Individuals who received psychiatric services had the following types of

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2014	FY2013	FY2012	EDUCATION	FY2014	FY2013	FY2012
Total Individuals	1,221	1,216	975	Less than High School Diploma	255	303	128
. otala.r.caa.o	.,	.,	0.0	High School Grad or G.E.D.	0	*	156
AGE				Associate Degree or Some College	0	0	32
Under 6	0	*	*	Bachelor or Advanced Degree	0	0	7
6 to 9	44	33	23	Education Level Unknown	966	912	652
10 to 13	55	42	36	Education Edver Officiown	000	012	002
14 to 17	61	59	33	EMPLOYMENT			
18 to 24	160	177	134	Employed	157	163	57
25 to 29	155	139	122	Unemployed	140	248	295
30 to 34	141	155	126	Not in Labor Force	567	587	117
35 to 39	125	111	81	Employment Status Unknown	357	218	506
40 to 44	119	127	112				
45 to 49	102	116	103	HOUSING / LIVING ARRANGEMENT			
50 to 54	127	129	99	Independent Living	562	749	359
55 to 59	77	71	54	Dependent Living	162	157	76
60 and Over	55	56	48	Homeless	50	54	30
Age Unknown	0	0	0	Other	0	*	*
GENDER				Housing Unknown	447	255	507
Male	542	565	447				
Female	679	651	528	TREATMENT REFERRAL SOURCE			
Gender Unknown	0/9	0.51	0	Self / Family / Friend	679	739	432
Gender Offkriown	U	U	U	School	*	*	*
RACE / ETHNICITY				Mental Health Provider	22	30	41
Caucasian	1,179	1,178	944	Health Care Provider	336	256	229
African American	9	10	*	Court / Criminal Justice	*	5	24
Native American / Alaskan	*	*	*	Other	180	184	245
Asian / Pacific Islander	0	0	0	Referral Source Unknown	0	0	0
Hispanic	17	14	13	T/DE 05 000 40 4/T1 450/T			
Other Race	14	13	12	TYPE OF COMMITMENT	1 010	1 010	074
Race/Ethnicity Unknown	0	0	0	Voluntary	1,219	1,213	971
TD5.4.T.4.5.WT 4.000.44.40.D.4.T.5.W				Civil	0	0	0
TREATMENT ACCOMMODATION	00	07	20	Criminal	· .	*	
Hearing Impaired	29	27	36	Sexual Predatory	*		0
Past or Current Military Service	30	34	26	Commitment Type Unknown	0	0	*

MISSOURI STUDENT SURVEY

Percent of students who have ever used: 30, 30, 31, 41, 43, 30, 30, 31, 30, 31, 31, 30, 31,			00.	
Alcohol Cigarettes 31.0 30.7 33.5 Chewing Tobacco 27.1 26.5 21.9 Marjuana 7.2 10.4 17.1 Inhalants 0.2 7.7 7.4 Prescription medications not prescribed for student 0.2 7.7 12.6 Over-the-counter medications for non-medical use Methamphetamine 0.0 1.5 1.1 Cocaine 0.0 1.6 0.6 Hallucinogens 0.0 2.8 3.3 Club drugs (Ecstasy, GHB, roofle, Special K, etc) 0.2 3.4 2.0 Steroids not prescribed for student 0.0 2.9 1.1 Synthetic drugs (K2, bath salts, Spice, etc) 2.4 8.0 Average age of students' first use of: Alcohol 13.26 12.33 12.49 Cigarettes 13.53 12.33 12.33 Inhalants 10.27 12.66 12.26 Percent of students who, in past 30 days, used: Alcohol 19.9 16.2 19.8 Alcohol 19	Paraont of students who have ever used	2014	2012	2010
Cligareites		30.0	<i>11 1</i>	/3 Q
Chewing Tobacco				
Marijuana 7.2 10.4 17.1 Inhalants 0.2 7.7 7.4 Prescription medications not prescribed for student 0.2 5.1 8.2 Methamphetamine 0.0 1.5 1.1 Cocaine 0.0 2.1 1.3 Heroin 0.0 1.6 0.6 Hallucinogens 0.0 2.8 3.3 Club drugs (Ecstasy, GHB, roofie, Special K, etc) 0.2 3.4 2.0 Steroids not prescribed for student 0.0 2.9 1.1 Synthetic drugs (K2, bath salts, Spice, etc) 2.4 8.0 Average age of students' first use of: 3.2 1.2 Alcohol 13.26 12.33 12.49 Cigarettes 13.5 12.33 12.00 Marljuana 14.19 12.66 12.26 Percent of students who, in past 30 days, used: 3.6 10.1 12.7 Clagarettes 13.6 14.4 17.9 Clachol (Binge: 5+ drinks on one occassion) 10.1 <t< td=""><td>•</td><td></td><td></td><td></td></t<>	•			
Inhalants 0.2 7.7 7.4 Prescription medications not prescribed for student 0.2 5.1 8.2 Methamphetamine 0.0 1.5 1.1 1.3 1.1 1.3 1.5 1.5 1.1 1.3 1.5 1.5 1.1 1.3 1.5 1.5 1.5 1.5 1.1 1.5				-
Over-the-counter medications for non-medical use 0.2 5.1 8.2 Methamphetamine 0.0 1.5 1.1 Cocalne 0.0 2.1 1.3 Heroin 0.0 2.1 1.3 Heroin 0.0 2.8 3.3 Club drugs (Ecstasy, GHB, roofie, Special K, etc) 0.2 3.4 2.0 Steroids not prescribed for student 0.0 2.9 1.1 Synthetic drugs (KZ, bath salts, Spice, etc) 2.4 8.0 Alcohol 13.26 12.33 12.49 Alcohol 13.53 12.33 12.03 12.49 Alcohol 13.53 12.33 12.09 12.66 13.85 Inhalants 10.0 2 2.66 13.85 Alcohol (Binge: 5+ drinks on one occassion) 10.1 12.7 Cigarettes 13.6 14.4 17.9 Chewing Tobacco 21.0 16.1 12.0 Marijuana 1.3 2.2 7.7 Inhalants 0.0	•	0.2	7.7	7.4
Methamphetamine 0.0 1.5 1.1 Cocalne 0.0 2.1 1.3 Heroin 0.0 2.8 3.3 Club drugs (Ecstasy, GHB, roofie, Special K, etc) 0.2 3.4 2.0 Steroids not prescribed for student 0.0 2.9 1.1 Synthetic drugs (K2, bath salts, Spice, etc) 2.4 8.0 Average age of students' first use of: 4.1 1.3.26 12.33 12.49 Cigarettes 13.53 12.33 12.00 Marijuana 14.19 12.66 13.85 Inhalants 10.27 12.66 12.26 12.26 12.26 12.26 Percent of students who, in past 30 days, used: Alcohol (Binge: 5+ drinks on one occassion) 10.1 12.7 12.66 12.26 Clgarettes 13.6 14.4 17.9 17.9 16.2 19.8 Alcohol (Binge: 5+ drinks on one occassion) 10.1 12.7 12.0 14.1 17.9 12.0 14.1 12.0 Marijuana <t< td=""><td>Prescription medications not prescribed for student</td><td>2.2</td><td>7.7</td><td>12.6</td></t<>	Prescription medications not prescribed for student	2.2	7.7	12.6
Cocalne	Over-the-counter medications for non-medical use	0.2	5.1	8.2
Heroin	Methamphetamine	0.0	1.5	1.1
Hallucinogens Club drugs (Ecstasy, GHB, roofle, Special K, etc) Steroids not prescribed for student Synthetic drugs (K2, bath salts, Spice, etc) Average age of students' first use of: Alcohol Cigarettes 13.53 Inhalants 10.27 Alcohol Alcoh		0.0	2.1	1.3
Club drugs (Ecstasy, GHB, roofle, Special K, etc) Steroids not prescribed for student Synthetic drugs (K2, bath salts, Spice, etc) Average age of students' first use of: Alcohol Clgarettes 13.53 Inhalants 10.27 Percent of students who, in past 30 days, used: Alcohol (Binge: 5+ drinks on one occassion) Clgarettes 13.63 Inhalants 10.11 Clgarettes 13.63 Inhalants 10.12 Percent of students who, in past 30 days, used: Alcohol (Binge: 5+ drinks on one occassion) Clgarettes 13.6 Clgarettes 13.6 Inhalants 10.1 Clgarettes 13.6 Inhalants 10.2 Inhalants 10.2 Inhalants 10.2 Inhalants 10.3 Inhalants 10.4 Inhalants 10.3 Inhalants 10.4 Inhalants 10.5 Inhalants 10.6 Inhalants 10.7 Inhalants 10.8 Inhalants 10.9			_	
Steroids not prescribed for student	· · · · · · · · · · · · · · · · · · ·		_	
Synthetic drugs (K2, bath salts, Spice, etc) 2.4 8.0		-		
Alcohol 13.26 12.33 12.49 Cigarettes 13.53 12.33 12.00 Marijuana 14.19 12.66 13.85 Inhalants 10.27 12.66 12.26 Percent of students who, in past 30 days, used: Alcohol (Binge: 5+ drinks on one occassion) 10.1 12.7 Cigarettes 13.6 14.4 17.9 Chewing Tobacco 21.0 16.1 12.0 Marijuana 1.3 2.2 7.7 Inhalants 0.0 3.1 3.3 Prescription medications not prescribed for student Over-the-counter medications for non-medical use 0.2 2.5 5.5 Percent of students who, in past 2 weeks, used: Alcohol (Binge: 5+ drinks on one occassion) 11.0 Percent whose friends used in past 12 months: Alcohol (Binge: 5+ drinks on one occassion) 11.0 Percent whose friends used in past 12 months: Alcohol (Binge: 5+ drinks on one occassion) 31.0 Percent whose friends used in past 12 months: Alcohol (Binge: 5+ drinks on one occassion) 31.0 Percent whose friends used in past 12 months: Alcohol 51.6 50.9 55.2 Cigarettes 44.2 41.7 50.2 Marijuana 19.7 21.8 33.5 Other Illicit (Cocaine, LSD, Meth, Club Drug, etc) 7.4 9.8 17.0 Percent who would likely use, if offered by a best friend: Alcohol 31.2 33.4 31.8 Cigarettes 18.1 17.3 18.1 Marijuana 7.8 6.9 12.7 Percent who say it would be wrong to use: Alcohol 56.6 58.0 59.7 Cigarettes 71.3 75.1 75.2 Marijuana 87.0 87.4 83.3 Other Illicit (Cocaine, LSD, Meth, Club Drug, etc) 97.9 96.6 94.4 Percent whose parents would disapprove if they use: Alcohol 75.8 76.8 77.3 Cigarettes 82.4 84.9 87.1 Marijuana 93.4 96.2 93.5 Percent who say it would be easy to obtain: Alcohol 68.2 51.4 55.2 Cigarettes 47.7 53.9 55.7 Marijuana 28.9 29.1 36.5	•			1.1
Alcohol Cigarettes 13.53 12.33 12.00 Marijuana Inhalants 10.27 12.66 13.85 Inhalants 10.27 12.66 12.26 Percent of students who, in past 30 days, used: Alcohol (Binge: 5+ drinks on one occassion) Cligarettes 13.6 14.4 17.9 Chewing Tobacco 14.10 16.1 12.0 Marijuana 1.3 2.2 7.7 Inhalants 0.0 3.1 3.3 Prescription medications not prescribed for student Over-the-counter medications for non-medical use 0.2 2.5 5.5 Percent of students who, in past 22 weeks, used: Alcohol (Binge: 5+ drinks on one occassion) 11.0 Percent whose friends used in past 12 months: Alcohol Cigarettes 44.2 41.7 50.2 Marijuana Other illicit (Cocaine, LSD, Meth, Club Drug, etc) Percent who would likely use, if offered by a best friend: Alcohol Cigarettes 18.1 17.3 18.1 Marijuana 7.8 6.9 12.7 Percent who say it would be wrong to use: Alcohol Cigarettes Marijuana Other illicit (Cocaine, LSD, Meth, Club Drug, etc) 7.4 9.8 17.0 Percent who say it would disapprove if they use: Alcohol Cigarettes Marijuana Other illicit (Cocaine, LSD, Meth, Club Drug, etc) 7.5 7.8 76.8 77.3 Cigarettes Marijuana Other illicit (Cocaine, LSD, Meth, Club Drug, etc) Percent whose parents would disapprove if they use: Alcohol Cigarettes Marijuana Other illicit (Cocaine, LSD, Meth, Club Drug, etc) Percent whose parents would disapprove if they use: Alcohol Cigarettes Marijuana 93.4 96.2 93.5 Percent who say it would be easy to obtain: Alcohol Cigarettes Marijuana 93.4 96.2 93.5 Percent who say it would be easy to obtain: Alcohol Cigarettes Marijuana 93.4 96.2 93.5	Synthetic drugs (KZ, bath Saits, Spice, etc)	2.4	8.0	
Cigarettes 13.53 12.33 12.00 Marijuana 14.19 12.66 13.85 Inhalants 10.27 12.66 12.26 Percent of students who, in past 30 days, used: Alcohol 19.9 16.2 19.8 Alcohol (Binge: 5+ drinks on one occassion) 10.1 12.7 Cigarettes 13.6 14.4 17.9 Chewing Tobacco 21.0 16.1 12.0 Marijuana 1.3 2.2 7.7 Inhalants 0.0 3.1 3.3 Prescription medications not prescribed for student 0.4 2.6 8.0 Over-the-counter medications for non-medical use 0.2 2.5 5.5 Percent of students who, in past 2 weeks, used: 11.0 11.0 Percent whose friends used in past 12 months: 11.0 11.0 Alcohol (Binge: 5+ drinks on one occassion) 11.0 11.0 Percent whose friends used in past 12 months: 11.0 51.6 50.9 55.2 Cigarettes 44.2 41.7 50.2 41.7 50.2 Marijuana	5 5			
Marijuana Inhalants 14.19 12.66 13.85 Inhalants 10.27 12.66 12.26 Percent of students who, in past 30 days, used: Alcohol 19.9 16.2 19.8 Alcohol (Binge: 5+ drinks on one occassion) 10.1 12.7 12.7 Cigarettes 13.6 14.4 17.9 Chewing Tobacco 21.0 16.1 12.0 Marijuana 1.3 2.2 7.7 7.7 Inhalants 0.0 3.1 3.3 Prescription medications not prescribed for student 0.4 2.6 8.0 Out at a students who, in past 2 weeks, used: 4.2 6.8.0 Out at a students who, in past 2 weeks, used: 4.2 4.2 5.5 S.5 Percent of students who, in past 2 weeks, used: 4.2 4.1 5.5 S.5 Percent whose friends used in past 12 months: 4.2 4.1 5.2 S.5 Alcohol 51.6 50.9 55.2 Cigarettes 44.2 41.7 50.2 Marijuana 19.7 21.8 33.5 70.0 74.4				
Inhalants	•			
Percent of students who, in past 30 days, used: 19.9 16.2 19.8 Alcohol (Binge: 5+ drinks on one occassion) 10.1 12.7 Cigarettes 13.6 14.4 17.9 Chewing Tobacco 21.0 16.1 12.0 Marijuana 1.3 2.2 7.7 Inhalants 0.0 3.1 3.3 Prescription medications not prescribed for student 0.4 2.6 8.0 Over-the-counter medications for non-medical use 0.2 2.5 5.5 Percent of students who, in past 2 weeks, used: 3.1 3.0 3.0 Alcohol (Binge: 5+ drinks on one occassion) 11.0 11.0 Percent whose friends used in past 12 months: 4.1 4.1 50.2 Alcohol (Binge: 5+ drinks used in past 12 months: 4.2 41.7 50.2 Cigarettes 44.2 41.7 50.2 Marijuana 19.7 21.8 33.5 Other Illicit (Cocaine, LSD, Meth, Club Drug, etc) 7.4 9.8 17.0 Percent who say it would be wrong to use: 4.1 4.2 4.1 75.2 Marijuana <td>•</td> <td></td> <td></td> <td></td>	•			
Alcohol (Binge: 5+ drinks on one occassion) 19.9 16.2 19.8 Alcohol (Binge: 5+ drinks on one occassion) 10.1 12.7 Cigarettes 13.6 14.4 17.9 Chewing Tobacco 21.0 16.1 12.0 Marijuana 1.3 2.2 7.7 Inhalants 9.0 3.1 3.3 Prescription medications not prescribed for student 9.2 2.5 5.5 Percent of students who, in past 2 weeks, used: Alcohol (Binge: 5+ drinks on one occassion) 11.0 Percent whose friends used in past 12 months: Alcohol (Binge: 5+ drinks on one occassion) 11.0 Percent whose friends used in past 12 months: Alcohol (Binge: 5+ drinks on one occassion) 51.6 50.9 55.2 Cigarettes 44.2 41.7 50.2 Marijuana 9.8 17.0 Percent who would likely use, if offered by a best friend: Alcohol 31.2 33.4 31.8 Cigarettes 18.1 17.3 18.1 Marijuana 7.8 6.9 12.7 Percent who say it would be wrong to use: Alcohol 62.6 58.0 59.7 Cigarettes 71.3 75.1 75.2 Marijuana 87.0 87.4 83.3 Other Illicit (Cocaine, LSD, Meth, Club Drug, etc) 97.9 96.6 94.4 Percent whose parents would disapprove if they use: Alcohol 75.8 76.8 77.3 Cigarettes 82.4 84.9 87.1 Marijuana 93.4 96.2 93.5 Percent who say it would be easy to obtain: Alcohol 48.2 51.4 55.2 Cigarettes 47.7 53.9 55.7 Marijuana 28.9 29.1 36.5	Inhalants	10.27	12.66	12.26
Alcohol (Binge: 5+ drinks on one occassion) Cigarettes 13.6 14.4 17.9 Chewing Tobacco 21.0 16.1 12.0 Marijuana 1.3 2.2 7.7 Inhalants Prescription medications not prescribed for student Over-the-counter medications for non-medical use Over-the-counter medications for non-medical use Alcohol (Binge: 5+ drinks on one occassion) Percent whose friends used in past 12 months: Alcohol (Binge: 5+ drinks on one occassion) Percent whose friends used in past 12 months: Alcohol Cigarettes 44.2 41.7 50.2 Marijuana Other Illicit (Cocaine, LSD, Meth, Club Drug, etc) Percent who would likely use, if offered by a best friend: Alcohol Cigarettes 18.1 17.3 18.1 Marijuana 7.8 6.9 12.7 Percent who say it would be wrong to use: Alcohol Cigarettes 71.3 75.1 75.2 Marijuana Other Illicit (Cocaine, LSD, Meth, Club Drug, etc) Percent who say it would be wrong to use: Alcohol Cigarettes 71.3 75.1 75.2 Marijuana Other Illicit (Cocaine, LSD, Meth, Club Drug, etc) Percent whose parents would disapprove if they use: Alcohol Cigarettes Alcohol 75.8 76.8 77.3 Cigarettes Alcohol 75.8 76.8 77.3 Cigarettes 82.4 84.9 87.1 Marijuana 93.4 96.2 93.5 Percent who say it would be easy to obtain: Alcohol Cigarettes 42.2 51.4 55.2 Cigarettes 47.7 53.9 55.7 Marijuana 28.9 29.1 36.5	Percent of students who, in past 30 days, used:			
Cigarettes 13.6 14.4 17.9 Chewing Tobacco 21.0 16.1 12.0 Marijuana 1.3 2.2 7.7 Inhalants 0.0 3.1 3.3 Prescription medications not prescribed for student 0.4 2.6 8.0 Over-the-counter medications for non-medical use 0.2 2.5 5.5 Percent of students who, in past 2 weeks, used: 3.1 3.0 3.1 3.0 Alcohol (Binge: 5+ drinks on one occassion) 11.0 11.0 1.0	Alcohol	19.9	16.2	19.8
Chewing Tobacco 21.0 16.1 12.0 Marijuana 1.3 2.2 7.7 Inhalants 0.0 3.1 3.3 Prescription medications not prescribed for student 0.4 2.6 8.0 Over-the-counter medications for non-medical use 0.2 2.5 5.5 Percent of students who, in past 2 weeks, used: 3.1 3.1 3.1 Alcohol (Binge: 5+ drinks on one occassion) 11.0 51.6 50.9 55.2 Cigarettes 44.2 41.7 50.2 Marijuana 19.7 21.8 33.5 Other Illicit (Cocaine, LSD, Meth, Club Drug, etc) 7.4 9.8 17.0 Percent who would likely use, if offered by a best friend: 31.2 33.4 31.8 Cigarettes 18.1 17.3 18.1 Marijuana 7.8 6.9 12.7 Percent who say it would be wrong to use: 4 Alcohol 62.6 58.0 59.7 Cigarettes 71.3 75.1 75.2 Marijuana 87.0 87.4 83.3 Other I	Alcohol (Binge: 5+ drinks on one occassion)		10.1	12.7
Marijuana 1.3 2.2 7.7 Inhalants 0.0 3.1 3.3 Prescription medications not prescribed for student 0.4 2.6 8.0 Over-the-counter medications for non-medical use 0.2 2.5 5.5 Percent of students who, in past 2 weeks, used: Alcohol (Binge: 5+ drinks on one occassion) 11.0 Percent whose friends used in past 12 months: 51.6 50.9 55.2 Cigarettes 44.2 41.7 50.2 Marijuana 19.7 21.8 33.5 Other Illicit (Cocaine, LSD, Meth, Club Drug, etc) 7.4 9.8 17.0 Percent who would likely use, if offered by a best friend: 31.2 33.4 31.8 Cigarettes 18.1 17.3 18.1 17.3 18.1 Marijuana 7.8 6.9 12.7 Percent who say it would be wrong to use: Alcohol 62.6 58.0 59.7 Cigarettes 71.3 75.1 75.2 Marijuana 87.0 87.4 83.3 Other Illicit (Cocaine, LSD, Meth, Club Drug, etc) 97.9 96.6 94.4	Cigarettes	13.6	14.4	17.9
Inhaiants	Chewing Tobacco	21.0	16.1	12.0
Prescription medications not prescribed for student Over-the-counter medications for non-medical use 0.4 2.6 8.0 Over-the-counter medications for non-medical use 0.2 2.5 5.5 Percent of students who, in past 2 weeks, used:	•	1.3		
Over-the-counter medications for non-medical use 0.2 2.5 5.5 Percent of students who, in past 2 weeks, used: Alcohol (Binge: 5+ drinks on one occassion) 11.0 Percent whose friends used in past 12 months: 44.2 41.7 50.2 Cigarettes 44.2 41.7 50.2 Marijuana 19.7 21.8 33.5 Other Illicit (Cocaine, LSD, Meth, Club Drug, etc) 7.4 9.8 17.0 Percent who would likely use, if offered by a best friend: 48.1 17.3 18.1 Alcohol 31.2 33.4 31.8 31.8 Cigarettes 18.1 17.3 18.1 18.1 17.3 18.1 Alcohol 62.6 58.0 59.7 59.7 59.7 59.7 59.7 59.7 59.7 59.7 59.7 59.9 59.2 59.7 59.9 59.6 94.4 94.4 96.6 94.4 96.6 94.4 96.6 94.4 96.6 94.4 96.6 94.4 96.6 94.4 96.6 94.4<				
Percent of students who, in past 2 weeks, used: Alcohol (Binge: 5+ drinks on one occassion) 11.0 Percent whose friends used in past 12 months: 51.6 50.9 55.2 Alcohol 51.6 50.9 55.2 Cigarettes 44.2 41.7 50.2 Marijuana 19.7 21.8 33.5 Other Illicit (Cocaine, LSD, Meth, Club Drug, etc) 7.4 9.8 17.0 Percent who would likely use, if offered by a best friend: 31.2 33.4 31.8 Alcohol 31.2 33.4 31.8 18.1 17.3 18.1 Cigarettes 18.1 17.3 18.1 18.1 17.3 18.1 Marijuana 7.8 6.9 12.7 Percent who say it would be wrong to use: 40.0 59.7 59.7 Cigarettes 71.3 75.1 75.2 75.2 Marijuana 87.0 87.4 83.3 83.3 Other Illicit (Cocaine, LSD, Meth, Club Drug, etc) 97.9 96.6 94.4 Percent whose parents would disapprove if they use: 48.2 87.1 87.1 87	· · · · · · · · · · · · · · · · · · ·	_	_	
Alcohol (Binge: 5+ drinks on one occassion) 11.0 Percent whose friends used in past 12 months: 51.6 50.9 55.2 Cigarettes 44.2 41.7 50.2 Marijuana 19.7 21.8 33.5 Other Illicit (Cocalne, LSD, Meth, Club Drug, etc) 7.4 9.8 17.0 Percent who would likely use, if offered by a best friend: 31.2 33.4 31.8 Cigarettes 18.1 17.3 18.1 Marijuana 7.8 6.9 12.7 Percent who say it would be wrong to use: 46.6 58.0 59.7 Cigarettes 71.3 75.1 75.2 Marijuana 87.0 87.4 83.3 Other Illicit (Cocalne, LSD, Meth, Club Drug, etc) 97.9 96.6 94.4 Percent whose parents would disapprove if they use: 48.2 87.1 48.9 87.1 Marijuana 93.4 96.2 93.5 Percent who say it would be easy to obtain: 48.2 51.4 55.2 Cigarettes 47.7 53.9 55.7 Marijuana 28.9 29.1 <	Over-the-counter medications for non-medical use	0.2	2.5	5.5
Percent whose friends used in past 12 months: 51.6 50.9 55.2 Cigarettes 44.2 41.7 50.2 Marijuana 19.7 21.8 33.5 Other Illicit (Cocaine, LSD, Meth, Club Drug, etc) 7.4 9.8 17.0 Percent who would likely use, if offered by a best friend: 31.2 33.4 31.8 Cigarettes 18.1 17.3 18.1 Marijuana 7.8 6.9 12.7 Percent who say it would be wrong to use: 46.9 12.7 Alcohol 62.6 58.0 59.7 Cigarettes 71.3 75.1 75.2 Marijuana 87.0 87.4 83.3 Other Illicit (Cocaine, LSD, Meth, Club Drug, etc) 97.9 96.6 94.4 Percent whose parents would disapprove if they use: 48.2 48.9 87.1 Marijuana 93.4 96.2 93.5 Percent who say it would be easy to obtain: 48.2 51.4 55.2 Cigarettes 47.7 53.9 55.7 Marijuana 28.9 29.1 36.5 </td <td>Percent of students who, in past 2 weeks, used:</td> <td></td> <td></td> <td></td>	Percent of students who, in past 2 weeks, used:			
Alcohol 51.6 50.9 55.2 Cigarettes 44.2 41.7 50.2 Marijuana 19.7 21.8 33.5 Other Illicit (Cocaine, LSD, Meth, Club Drug, etc) 7.4 9.8 17.0 Percent who would likely use, if offered by a best friend: Alcohol 31.2 33.4 31.8 Cigarettes 18.1 17.3 18.1 Marijuana 7.8 6.9 12.7 Percent who say It would be wrong to use: Alcohol 62.6 58.0 59.7 Cigarettes 71.3 75.1 75.2 Marijuana 87.0 87.4 83.3 Other Illicit (Cocaine, LSD, Meth, Club Drug, etc) 97.9 96.6 94.4 Percent whose parents would disapprove if they use: Alcohol 75.8 76.8 77.3 Cigarettes 82.4 84.9 87.1 Marijuana 93.4 96.2 93.5 Percent who say it would be easy to obtain: Alcohol 48.2 51.4 55.2 Cigarettes	Alcohol (Binge: 5+ drinks on one occassion)	11.0		
Alcohol 51.6 50.9 55.2 Cigarettes 44.2 41.7 50.2 Marijuana 19.7 21.8 33.5 Other Illicit (Cocaine, LSD, Meth, Club Drug, etc) 7.4 9.8 17.0 Percent who would likely use, if offered by a best friend: Alcohol 31.2 33.4 31.8 Cigarettes 18.1 17.3 18.1 Marijuana 7.8 6.9 12.7 Percent who say It would be wrong to use: Alcohol 62.6 58.0 59.7 Cigarettes 71.3 75.1 75.2 Marijuana 87.0 87.4 83.3 Other Illicit (Cocaine, LSD, Meth, Club Drug, etc) 97.9 96.6 94.4 Percent whose parents would disapprove If they use: Alcohol 75.8 76.8 77.3 Cigarettes 82.4 84.9 87.1 Marijuana 93.4 96.2 93.5 Percent who say it would be easy to obtain: 48.2 51.4 55.2 Cigarettes 47.7 53.9 55.7	Percent whose friends used in past 12 months:			
Cigarettes 44.2 41.7 50.2 Marijuana 19.7 21.8 33.5 Other Illicit (Cocaine, LSD, Meth, Club Drug, etc) 7.4 9.8 17.0 Percent who would likely use, if offered by a best friend: Alcohol 31.2 33.4 31.8 Cigarettes 18.1 17.3 18.1 Marijuana 7.8 6.9 12.7 Percent who say It would be wrong to use: Alcohol 62.6 58.0 59.7 Cigarettes 71.3 75.1 75.2 Marijuana 87.0 87.4 83.3 Other Illicit (Cocaine, LSD, Meth, Club Drug, etc) 97.9 96.6 94.4 Percent whose parents would disapprove if they use: Alcohol 75.8 76.8 77.3 Cigarettes 82.4 84.9 87.1 Marijuana 93.4 96.2 93.5 Percent who say it would be easy to obtain: 48.2 51.4 55.2 Cigarettes 47.7 53.9 55.7 Marijuana 28.9 29.1	•	51.6	50.9	55.2
Marijuana 19.7 21.8 33.5 Other Illicit (Cocaine, LSD, Meth, Club Drug, etc) 7.4 9.8 17.0 Percent who would likely use, if offered by a best friend: Alcohol 31.2 33.4 31.8 Cigarettes 18.1 17.3 18.1 Marijuana 7.8 6.9 12.7 Percent who say it would be wrong to use: Alcohol 62.6 58.0 59.7 Cigarettes 71.3 75.1 75.2 Marijuana 87.0 87.4 83.3 Other Illicit (Cocaine, LSD, Meth, Club Drug, etc) 97.9 96.6 94.4 Percent whose parents would disapprove if they use: Alcohol 75.8 76.8 77.3 Cigarettes 82.4 84.9 87.1 Marijuana 93.4 96.2 93.5 Percent who say it would be easy to obtain: Alcohol 48.2 51.4 55.2 Cigarettes 47.7 53.9 55.7 Marijuana 28.9 29.1 36.5		44.2	41.7	50.2
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc) 7.4 9.8 17.0 Percent who would likely use, if offered by a best friend: 31.2 33.4 31.8 Cigarettes 18.1 17.3 18.1 Marijuana 7.8 6.9 12.7 Percent who say it would be wrong to use: 62.6 58.0 59.7 Cigarettes 71.3 75.1 75.2 Marijuana 87.0 87.4 83.3 Other Illicit (Cocaine, LSD, Meth, Club Drug, etc) 97.9 96.6 94.4 Percent whose parents would disapprove if they use: Alcohol 75.8 76.8 77.3 Cigarettes 82.4 84.9 87.1 87.1 87.1 87.1 87.1 87.1 87.1 87.1 87.1 87.1 87.2 87.1 87.3 87.1 87.1 87.1 87.1 87.1 87.1 87.1 87.1 87.1 87.1 87.1 87.1 87.1 87.1 87.1 87.1 87.2 87.2 93.5 93.5	_	19.7	21.8	33.5
Alcohol 31.2 33.4 31.8 Cigarettes 18.1 17.3 18.1 Marijuana 7.8 6.9 12.7 Percent who say it would be wrong to use: Alcohol 62.6 58.0 59.7 Cigarettes 71.3 75.1 75.2 Marijuana 87.0 87.4 83.3 Other Illicit (Cocaine, LSD, Meth, Club Drug, etc) 97.9 96.6 94.4 Percent whose parents would disapprove if they use: Alcohol 75.8 76.8 77.3 Cigarettes 82.4 84.9 87.1 Marijuana 93.4 96.2 93.5 Percent who say it would be easy to obtain: Alcohol 48.2 51.4 55.2 Cigarettes 47.7 53.9 55.7 Marijuana 28.9 29.1 36.5	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	7.4	9.8	17.0
Alcohol 31.2 33.4 31.8 Cigarettes 18.1 17.3 18.1 Marijuana 7.8 6.9 12.7 Percent who say it would be wrong to use: Alcohol 62.6 58.0 59.7 Cigarettes 71.3 75.1 75.2 Marijuana 87.0 87.4 83.3 Other Illicit (Cocaine, LSD, Meth, Club Drug, etc) 97.9 96.6 94.4 Percent whose parents would disapprove if they use: Alcohol 75.8 76.8 77.3 Cigarettes 82.4 84.9 87.1 Marijuana 93.4 96.2 93.5 Percent who say it would be easy to obtain: Alcohol 48.2 51.4 55.2 Cigarettes 47.7 53.9 55.7 Marijuana 28.9 29.1 36.5	Demonstration would likely use if effected by a best friend.			
Cigarettes 18.1 17.3 18.1 Marijuana 7.8 6.9 12.7 Percent who say It would be wrong to use: Alcohol 62.6 58.0 59.7 Cigarettes 71.3 75.1 75.2 Marijuana 87.0 87.4 83.3 Other Illicit (Cocaine, LSD, Meth, Club Drug, etc) 97.9 96.6 94.4 Percent whose parents would disapprove If they use: Alcohol 75.8 76.8 77.3 Cigarettes 82.4 84.9 87.1 Marijuana 93.4 96.2 93.5 Percent who say It would be easy to obtain: Alcohol 48.2 51.4 55.2 Cigarettes 47.7 53.9 55.7 Marijuana 28.9 29.1 36.5		31.2	33 /	31.8
Marijuana 7.8 6.9 12.7 Percent who say It would be wrong to use: Alcohol 62.6 58.0 59.7 Cigarettes 71.3 75.1 75.2 Marijuana 87.0 87.4 83.3 Other Illicit (Cocaine, LSD, Meth, Club Drug, etc) 97.9 96.6 94.4 Percent whose parents would disapprove If they use: Alcohol 75.8 76.8 77.3 Cigarettes 82.4 84.9 87.1 Marijuana 93.4 96.2 93.5 Percent who say It would be easy to obtain: Alcohol 48.2 51.4 55.2 Cigarettes 47.7 53.9 55.7 Marijuana 28.9 29.1 36.5				
Percent who say it would be wrong to use: Alcohol 62.6 58.0 59.7 Cigarettes 71.3 75.1 75.2 Marijuana 87.0 87.4 83.3 Other Illicit (Cocaine, LSD, Meth, Club Drug, etc) 97.9 96.6 94.4 Percent whose parents would disapprove if they use: 48.2 75.8 76.8 77.3 Cigarettes 82.4 84.9 87.1 Marijuana 93.4 96.2 93.5 Percent who say it would be easy to obtain: Alcohol 48.2 51.4 55.2 Cigarettes 47.7 53.9 55.7 Marijuana 28.9 29.1 36.5	· ·			
Alcohol 62.6 58.0 59.7 Cigarettes 71.3 75.1 75.2 Marijuana 87.0 87.4 83.3 Other Illicit (Cocaine, LSD, Meth, Club Drug, etc) 97.9 96.6 94.4 Percent whose parents would disapprove if they use: Alcohol 75.8 76.8 77.3 Cigarettes 82.4 84.9 87.1 Marijuana 93.4 96.2 93.5 Percent who say It would be easy to obtain: Alcohol 48.2 51.4 55.2 Cigarettes 47.7 53.9 55.7 Marijuana 28.9 29.1 36.5	•			
Cigarettes 71.3 75.1 75.2 Marijuana 87.0 87.4 83.3 Other Illicit (Cocaine, LSD, Meth, Club Drug, etc) 97.9 96.6 94.4 Percent whose parents would disapprove if they use: Alcohol 75.8 76.8 77.3 Cigarettes 82.4 84.9 87.1 Marijuana 93.4 96.2 93.5 Percent who say It would be easy to obtain: Alcohol 48.2 51.4 55.2 Cigarettes 47.7 53.9 55.7 Marijuana 28.9 29.1 36.5	•			
Marijuana 87.0 87.4 83.3 Other Illicit (Cocaine, LSD, Meth, Club Drug, etc) 97.9 96.6 94.4 Percent whose parents would disapprove if they use: 75.8 76.8 77.3 Cigarettes 82.4 84.9 87.1 Marijuana 93.4 96.2 93.5 Percent who say it would be easy to obtain: Alcohol 48.2 51.4 55.2 Cigarettes 47.7 53.9 55.7 Marijuana 28.9 29.1 36.5				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc) 97.9 96.6 94.4 Percent whose parents would disapprove if they use: 75.8 76.8 77.3 Cigarettes 82.4 84.9 87.1 Marijuana 93.4 96.2 93.5 Percent who say it would be easy to obtain: 48.2 51.4 55.2 Cigarettes 47.7 53.9 55.7 Marijuana 28.9 29.1 36.5	•			
Percent whose parents would disapprove if they use: Alcohol 75.8 76.8 77.3 Cigarettes 82.4 84.9 87.1 Marijuana 93.4 96.2 93.5 Percent who say it would be easy to obtain: Alcohol 48.2 51.4 55.2 Cigarettes 47.7 53.9 55.7 Marijuana 28.9 29.1 36.5	•		-	
Alcohol 75.8 76.8 77.3 Cigarettes 82.4 84.9 87.1 Marijuana 93.4 96.2 93.5 Percent who say it would be easy to obtain: Alcohol 48.2 51.4 55.2 Cigarettes 47.7 53.9 55.7 Marijuana 28.9 29.1 36.5	Other mich (Cocame, LSD, Mein, Club Drug, etc)	91.9	90.0	34.4
Cigarettes 82.4 84.9 87.1 Marijuana 93.4 96.2 93.5 Percent who say it would be easy to obtain: Alcohol 48.2 51.4 55.2 Cigarettes 47.7 53.9 55.7 Marijuana 28.9 29.1 36.5	• • • • • • • • • • • • • • • • • • • •			
Marijuana 93.4 96.2 93.5 Percent who say it would be easy to obtain: 48.2 51.4 55.2 Clgarettes 47.7 53.9 55.7 Marijuana 28.9 29.1 36.5				
Percent who say it would be easy to obtain: Alcohol 48.2 51.4 55.2 Cigarettes 47.7 53.9 55.7 Marijuana 28.9 29.1 36.5				
Alcohol 48.2 51.4 55.2 Cigarettes 47.7 53.9 55.7 Marijuana 28.9 29.1 36.5	Marijuana	93.4	96.2	93.5
Alcohol 48.2 51.4 55.2 Cigarettes 47.7 53.9 55.7 Marijuana 28.9 29.1 36.5	Percent who say it would be easy to obtain:			
Marijuana 28.9 29.1 36.5	Alcohol	48.2	51.4	55.2
· ·	•	47.7	53.9	55.7
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc) 11.4 17.0 20.6	•			
	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	11.4	17.0	20.6

DENT SURVEY			
Percent who believe they risk harm if they use:	2014	2012	2010
Alcohol (1 or 2 drinks daily) Alcohol (Binge: 5+ drinks once or twice a week)	51.9 59.5		
Alcohol (any use) Cigarettes (1+ packs per day)	86.2	70.8	78.6
Cigarettes (any use) Marijuana (once or twice a week)	71.0	79.4	79.9
Marijuana (any use) Other: Cocalne, LSD, Meth, Club Drug (any use)	91.1	84.1 94.7	74.7 94.5
Percent of students who, in past 30 days: Were very sad	12.6	17.1	19.1
Were grouchy, irritable, or in a bad mood Felt hopeless about the future	20.6 9.6	19.0 10.6	19.8 10.9
Felt like not eating or eating more than usual Slept a lot more or a lot less than usual	13.1 14.6	13.5 16.9	17.3 22.8
Had difficulty concentrating on school work	22.9	17.3	20.7
Percent of students who, in past 12 months: Seriously considered attempting suicide	4.6	8.5	11.9
Made plan about how they would attempt suicide Attempted suicide	4.0 1.3	8.7 4.8	9.0 5.2
Attempted suicide and resulting injury, poisonng, or overdose had to be treated by doctor or nurse	1.1	1.6	2.5
Percent of students who, in past 12 months:			
Were threatened/injured with weapon at school Were in a physical fight	4.8 20.9	7.2 21.4	9.3 24.6
Were in a fight and had to be treated by a doctor or nurse	0.8	2.2	3.1
Percent of students who, in past 3 months: Were victims of mean rumors or lies spread at school	55.2	51.9	57.9
Were made fun of by others	56.6	62.4	67.1
Were victims of an embarrassing or hurtful text message or something posted on the internet	21.4	18.5	17.1
Spread mean rumors or lies about other kids at school Made fun of other people	20.2 50.1	25.7 54.8	27.2 67.7
Posted something on the internet or sent a text that might embarrass or hurt another student	13.7	11.5	14.5
Percent of students who agree that:			
Teachers notice and comment on student's good work School provides feedback to parents on positive student	75.1 41.0	70.3 36.9	73.1 36.7
performance Rules are enforced fairly	59.9	65.3	61.7
Students of all races/ethnicities are treated equal	84.7	78.1	82.0
Percent of students who agree that: Parents notice and comment on student's good work	85.2	83.4	83.2
Parents involve student in making family decisions	77.5	65.9	70.8
It is important to be honest with parents regardless of consequences	92.3	86.1	84.8
Student could ask parent for help with a personal problem	86.3	77.3	77.0
Missouri Student Survey is conducted bioppially			

Missouri Student Survey is conducted biennially.
Similar affirmative response choices for individual questions are combined.
Blank data cells indicate estimates are not available for item or geographic area. Survey is not conducted in every school district nor reported for every county. Estimates are not available for counties with small numbers of respondents. Percentages are estimates based on weighted data.

Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

mon occini i							
DBI	H REGION	Southeast		IMPAIRED DRIVING	2013	2012	2011
DBI	H SERVICE AREAS			Alcohol Involved CrashesTotal	11	6	25
S S	ubstance Use	17		Fatal Crashes	0	0	1
A A	dult Psychiatric	17B		Injury Crashes	6	5	15
PO!	PULATION			Property Damage Crashes	5	1	9
	ensus 2010	10,630		Crash Fatalities	0	0	1
	014 Estimate	10,267		Crash Injuries	6	9	22
7				Drug Involved CrashesTotal	1	3	1
				Fatal Crashes	0	0	0
BIRTH RISK	2013	2012	2011	Injury Crashes	0	3	1
Resident BirthsTotal	91	114	118	Property Damage Crashes	1	0	0
Mother Reported Smoking while I	Pregnant 32	47	43	Crash Injuries	0 0	0 3	0 1
DISEASE INCIDENCE 1	2013	2012	2011	Crash Injuries	U	3	Į.
HIV/AIDS Cases	0	0	0	POLICE REPORTS	2013	2012	2011
Hepatitis B Chronic, Acute, Prena		1	1	DUI Arrests, DWI Tracking System	42	43	66
Hepatitis C Chronic and Acute	14	16	12	Liquor Law Arrests	6	3	20
Tuberculosis Infection Cases	1	1	0	Drug Arrests	23	21	48
				Violent Offenses	40	47	32
DEATHS and INJURIES	2013	2012	2011	Property Offenses	162	118	99
Resident DeathsTotal	126	133	133	Domestic Violence Reports	36	19	14
Suicides	4	4	0		2014	2013	2012
Self-inflicted Injuries	21	18	27	Methamphetamine Lab Seizures	3	13	5
Homicides	0	1	0	SCHOOL REPORTS	2013-14	2012-13	2011-12
Assault Injuries	31	43	48	Enrollment Grades 9-12	576	575	552
Alcohol Induced Deaths	0	0	1	Drop-outs	2	1	9
Drug Induced Deaths	4	1	0	Drop-out Rate	0.3%	0.2%	1.6%
Smoking Attributable Deaths	27	32	32	School Discipline Involving Alcohol	0.070	0.270	0
HOSPITAL EPISODES 2	2013	2012	2011	School Discipline Involving Drugs	0	0	3
Hospitalization, no Emergency Ro		2012	2011	School Discipline Involving Tobacco	0	0	2
Mental Illness Principal Diagnos		274	244	_	•	•	_
Mental Illness Secondary Diagno		304	355	JUVENILE COURT REFERRALS 3	2013	2012	2011
Alcohol Principal Diagnosis	3	7	1	Juvenile Violent Offenses	2	5	8
Alcohol Secondary Diagnosis	24	23	18	Juvenile Alcohol Offenses	0	0	2
Drug Principal Diagnosis	11	8	5	Juvenile Drug Offenses	0	1	3
Drug Secondary Diagnosis	29	23	24	School Truancy Status Offense	23	28	15
Emergency Room + Hospitalization				Absent from Home Status Offense	1	1	1
Mental Illness Principal Diagnos		55	49	Beyond Parental Control Status Offense	5	7	11
Mental Illness Secondary Diagno		265	185	Injurious Behavior Status Offense	47	69	26
Alcohol Principal Diagnosis	5	2	5	Child Abuse	46	64	56
Alcohol Secondary Diagnosis	11	15	14	Child Neglect	134	99	82
Drug Principal Diagnosis	5	6	3	Child Custody Issues	4	0	0
Drug Secondary Diagnosis	10	17	7	JUVENILE COURT PLACEMENTS	2013	2012	2011
Emergency Room, no Hospitaliza	tion:			Out-of-Home PlacementsTotal	36	31	13
Mental Illness Principal Diagnos	is 174	189	212	Parental Alcohol Use Related	0	0	0
Mental Illness Secondary Diagno	osis 504	886	483	Parental Drug Use Related	15	9	3
Alcohol Principal Diagnosis	27	22	13	Parental Alcohol and Drug Use	0	0	0
Alcohol Secondary Diagnosis	26	36	44				
Drug Principal Diagnosis	30	41	22	CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Secondary Diagnosis	46	53	40	Drug Court Participants	18	14	13
				Probation/Parole Admissions - Drug	17	26	24
ALCOHOL OUTLETS	2014	2013	2012	Prison AdmissionsDrug	2 17	3 12	6 8
Alcohol On-Premise Drink Licens		10	12	Prison AdmissionsDrug Prison AdmissionsDWI	17	12	8 2
Alcohol Package Carry-out Licen	ses 8	8	10	I IISUII AUIIIISSIUIISDVVI	'	۷.	2
EMPLOYMENT	2014	2013	2012	1 All Kansas City hepatitis and TB case report			
Labor Force	3,859	5,370	5,357	totals and all Joplin case reports are include Beginning with 2010 data, diagnosis counts			
Employed	3,487	4,979	4,933	based on codes developed by the Healthcar	re Cost and U	Itilization Proj	ject.
Unemployed	372	391	424	3 Beginning in 2013, juvenile municipal violati court orders are categorized as status offen:			
Unemployment Rate	9.6%	7.3%	7.9%	Court orders are categorized as status offers	Jos maleau U	i iaw violatiol	10.

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

	FY2014	FY2013	FY2012
TREATMENT CATEGORY			
Detoxification	12	9	5
CSTAR Adolescent	*	*	*
CSTAR Women and Children	0	*	*
CSTAR General Adult	50	52	22
CSTAR Opioid	0	0	*
Primary Recovery Treatment	*	23	61
Clinical SATOP (CIP, YCIP, SROP)	9	5	5
Other Substance Abuse Treatment	0	0	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	30	40	35
- Adolescent Diversion Education Prograr	0	0	0
- Offender Education Program	10	16	12
- Weekend Intervention Program	6	18	13
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	*	0
Compulsive Gambling	0	0	0
Recovery Supports	*	*	0
Early Intervention	*	*	*

NUMBER ADMITTED	FY2014	FY2013	FY2012	PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Total Individuals	56	82	103	Alcohol	19	21	31
				Marijuana / Hashish	13	12	27
AGE			*	Cocaine (total)	*	*	*
Under 18	*	*		- Crack	0	*	*
18 to 24	5	18	25	Stimulant (total)	6	12	13
25 to 29	10	19	24	- Methamphetamine	6	12	12
30 to 34	12	11	9	Heroin	6	10	*
35 to 39	5	9	12	Analgesic except Heroin	9	22	21
40 to 44	7	6	6	- Non-Prescription Methadone	0	0	0
45 to 54	10	14	19	PCP, LSD, other Hallucinogen	0	0	*
55 and Over	*	*	*	Tranquilizer	*	*	*
GENDER				Inhalant	0	*	*
Male	36	51	74	Sedative	0	0	0
Female	20	31	29	Other Medication or Illicit Drug	*	*	0
DACE / ETUNICITY				Average Age at First Use of Drug	18.6	19.3	18.3
RACE / ETHNICITY Caucasian	54	81	98				
African American	34 *	0 I *	96 5	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	11	19	5
Asian / Pacific Islander	0	0	0	- Daily Injection Use	*	12	*
	-		*	- Weekly Injection Use	*	*	*
Hispanic Other Race / Two or More Races	0	0	0	- Less than Weekly Injection Use	6	*	*
Other Race / Two or More Races		U	U				
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	25	30	37	0	38	52	70
High School Graduate or G.E.D.	25	40	53	1 or 2	11	22	21
Associate Degree or Some College	6	12	13	3 or More	7	8	12
Bachelor or Advanced Degree	0	0	0	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	15	37	34
Employed	10	13	24	School	0	0	0
Unemployed	25	50	59	Mental Health Provider	*	0	0
Not in Labor Force	21	19	20	Health Care Provider	11	*	5
		.0	20	Court / Criminal Justice	21	31	59
HOUSING / LIVING ARRANGEMENT				Other Referral Source	8	8	*
Independent Living	47	76	89	other resental ocured	ŭ	ŭ	
Dependent Living	8	*	7	TREATMENT ACCOMMODATION			
Homeless	0	*	7	Pregnant when Admitted to any Episode	0	*	*
MARITAL / FAMILY STATUS				Military Veteran	*	6	11
Never Married	24	36	56	Special Education Services Needed	11	7	7
Married / Cohabitating	18	28	26	Co-Occurring Psychological Problem	25	, 21	26
Previously Married	14	18	21	Co-Occurring Developmental Problem	5	11	5
. Torrodory Marriod	1-7	10		55 Coodining Dovolopinionial Froblotti	9		J

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Southeast
PSYCHIATRIC SERVICE AREA 17B
CENSUS 2010 10,630
2014 POPULATION ESTIMATE 10,267

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.								
DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012					
Adjustment Disorder	*	*	*					
Anxiety Disorder	43	35	35					
Dementia	*	*	*					
Developmental Disorder	*	5	5					
Impulse Control Disorder	15	15	14					
Mood Disorder	86	85	80					
Personality Disorder	10	10	11					
Psychotic Disorder	39	39	32					
Sexual Disorder	*	*	0					
Other Diagnosis	*	*	*					
Diagnosis Unknown	18	22	31					

Individuals who received psychiatric services had the following types of

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2014	FY2013	FY2012	EDUCATION	FY2014	FY2013	FY2012
Total Individuals	184	177	180	Less than High School Diploma	47	62	47
				High School Grad or G.E.D.	0	0	36
AGE				Associate Degree or Some College	0	0	6
Under 6	*	*	0	Bachelor or Advanced Degree	0	0	*
6 to 9	14	8	8	Education Level Unknown	137	115	89
10 to 13	11	9	16			_	
14 to 17	15	19	20	EMPLOYMENT			
18 to 24	15	19	13	Employed	*	*	6
25 to 29	12	14	12	Unemployed	*	7	75
30 to 34	11	15	15	Not in Labor Force	88	100	19
35 to 39	17	16	14	Employment Status Unknown	89	66	80
40 to 44	26	22	17				
45 to 49	12	13	19	HOUSING / LIVING ARRANGEMENT			
50 to 54	21	14	17	Independent Living	32	37	68
55 to 59	12	11	10	Dependent Living	60	71	36
60 and Over	16	16	19	Homeless	*	*	0
Age Unknown	0	0	0	Other	0	0	0
GENDER				Housing Unknown	90	67	76
Male	91	88	83				
Female	93	89	97	TREATMENT REFERRAL SOURCE			
Gender Unknown	0	0	0	Self / Family / Friend	60	55	56
Gender Onknown	O	U	U	School	0	0	0
RACE / ETHNICITY				Mental Health Provider	27	28	30
Caucasian	177	170	173	Health Care Provider	40	43	34
African American	*	*	*	Court / Criminal Justice	7	*	*
Native American / Alaskan	*	*	*	Other	49	46	55
Asian / Pacific Islander	0	0	0	Referral Source Unknown	*	*	*
Hispanic	0	0	0	T/DE 05 000 40 4/T1 450/T			
Other Race	*	*	*	TYPE OF COMMITMENT	177	470	470
Race/Ethnicity Unknown	0	0	0	Voluntary		173	176
				Civil	0	0	_
TREATMENT ACCOMMODATION		_	_	Criminal	6	*	*
Hearing Impaired	10	9	9	Sexual Predatory			0
Past or Current Military Service	5	5	*	Commitment Type Unknown	0	0	0

MISSOURI STUDENT SURVEY

	IVIIO		(1510	DENI SURVET			
Percent of students who have ever used:	2014	2012	2010	Percent who believe they risk harm if they use:	2014	2012	2010
Alcohol	29.5	44.8	55.6	Alcohol (1 or 2 drinks daily)	84.0		
Cigarettes	31.1	30.3	45.7	Alcohol (Binge: 5+ drinks once or twice a week)	91.7		
Chewing Tobacco	14.4	23.2	22.7	Alcohol (any use)		70.1	72.3
Marijuana	1.5	14.6	22.9	Cigarettes (1+ packs per day)	93.2		
Inhalants	16.7	2.4	9.1	Cigarettes (any use)		75.6	70.8
Prescription medications not prescribed for student	3.8	8.5	24.4	Marijuana (once or twice a week)	72.0		
Over-the-counter medications for non-medical use	1.5	5.5	16.3	Marijuana (any use)		73.2	62.6
Methamphetamine	0.0	0.6	1.0	Other: Cocaine, LSD, Meth, Club Drug (any use)	92.4	93.9	91.0
Cocaine	0.0	0.6	1.9	Percent of students who, in past 30 days:			
Heroin	0.0	0.6	0.0	Were very sad	8.3	23.0	13.7
Hallucinogens	0.0	1.2	4.8	Were grouchy, irritable, or in a bad mood	9.8	25.6	23.0
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.0	1.8	2.4	Felt hopeless about the future	6.1	10.4	14.6
Steroids not prescribed for student	0.0	1.8	2.9	Felt like not eating or eating more than usual	5.3	22.0	12.7
Synthetic drugs (K2, bath salts, Spice, etc)	0.0	5.5		Slept a lot more or a lot less than usual	8.3	20.7	22.2
Average age of students' first use of:				Had difficulty concentrating on school work	14.5	16.4	23.1
Alcohol	10.42	12.25	11.53	Percent of students who, in past 12 months:			
Cigarettes	10.80	11.72	11.24	Seriously considered attempting suicide	3.8	9.8	15.5
Marijuana		13.25	13.08	Made plan about how they would attempt suicide	1.5	8.5	14.1
Inhalants	10.58		12.85	Attempted suicide	0.0	3.7	7.9
Percent of students who, in past 30 days, used:				Attempted suicide and resulting injury, poisoning, or overdose			
Alcohol	1.5	17.6	24.6	had to be treated by doctor or nurse	0.0	1.2	3.9
Alcohol (Binge: 5+ drinks on one occassion)		12.8	20.1	Percent of students who, in past 12 months:			
Cigarettes	1.5	10.3	23.0	Were threatened/injured with weapon at school	3.8	6.7	14.2
Chewing Tobacco	6.8	12.7	17.4	Were in a physical fight	6.8	26.2	32.4
Marijuana	1.5	7.3	11.0	Were in a fight and had to be treated by a doctor or nurse	1.5	3.0	9.8
Inhalants	1.5	1.8	2.4			0.0	0.0
Prescription medications not prescribed for student	2.3	5.5	14.4	Percent of students who, in past 3 months:			
Over-the-counter medications for non-medical use	1.5	3.6	9.6	Were victims of mean rumors or lies spread at school	66.2	55.8	63.4
Percent of students who, in past 2 weeks, used:				Were made fun of by others	50.8	66.5	72.8
Alcohol (Binge: 5+ drinks on one occassion)	0.0			Were victims of an embarrassing or hurtful text message or something posted on the internet	37.2	24.2	20.7
Percent whose friends used in past 12 months:				Spread mean rumors or lies about other kids at school	6.1	27.3	31.1
Alcohol	20.5	54.9	70.0	Made fun of other people	40.2	67.9	68.1
Cigarettes	12.9	41.8		Posted something on the internet or sent a text that might	2.0	440	47.0
Marijuana	1.5	27.3		embarrass or hurt another student	3.8	14.0	17.0
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	0.0	9.7	15.9	Percent of students who agree that:			
				Teachers notice and comment on student's good work	69.7	75.8	76.6
Percent who would likely use, if offered by a best friend:		00.7	44.0	School provides feedback to parents on positive student	00.7	70.0	70.0
Alcohol	5.3	38.7	41.8	performance	34.4	39.4	36.2
Cigarettes	4.5	14.5	23.8	Rules are enforced fairly	66.7	61.6	57.1
Marijuana	1.5	8.5	15.8	Students of all races/ethnicities are treated equal	81.1	77.0	82.9
Percent who say it would be wrong to use:				· ·	-		
Alcohol	87.1	55.2	50.7	Percent of students who agree that:	77.0	040	00.0
Cigarettes	90.7	75.6	68.5	Parents notice and comment on student's good work	77.9	84.8	83.2
Marijuana	96.2	85.5	79.2	Parents involve student in making family decisions	88.5	68.1	68.6
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	100.0	95.2	93.9	It is important to be honest with parents regardless of consequences	94.7	85.5	82.5
Percent whose parents would disapprove if they use:				Student could ask parent for help with a personal problem	68.2	75.3	70.0
Alcohol	92.2	77.3	74.5				
Cigarettes	94.7	87.7	80.6	Missouri Student Survey is conducted biennially.			
Marijuana	98.5	93.9	92.7	Similar affirmative response choices for individual questions ar Blank data cells indicate estimates are not available for item or			
Percent who say it would be easy to obtain:				Survey is not conducted in every school district nor reported fo			•
Alcohol	31.8	57.3	63.2	Estimates are not available for counties with small numbers of			
Cigarettes	35.6	52.1	60.1	Percentages are estimates based on weighted data. Some year-to-year differences in percentages are not statistical.	ally signifi	cant.	
Marijuana	9.8	30.1	37.6				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	6.1	15.3	20.8	Data source: Missouri Institute of Mental Health, 2010-2014 Mi	ssouri St	udent Su	urveys

OACITOCIT I							
DBH REGION	v	Western		IMPAIRED DRIVING	2013	2012	2011
DBH SERVIC	E AREAS			Alcohol Involved CrashesTotal	698	650	648
Substance	e Use	2-5 (JC)		Fatal Crashes	13	11	13
Adult Psy	chiatric	2, 3, 4, 5		Injury Crashes	297	251	307
POPULATION	N			Property Damage Crashes	388	388	328
Census 2	010	674,158		Crash Fatalities	14	12	14
2014 Estin	mate	683,191		Crash Injuries	448	362	500
				Drug Involved CrashesTotal	166	149	148
				Fatal Crashes	5	1	3
BIRTH RISK	2013	2012	2011	Injury Crashes	90	75	77
Resident BirthsTotal	9,478	9,630	9,583	Property Damage Crashes	71	73	68
Mother Reported Smoking while Pregnant	-	1,503	1,485	Crash Fatalities	5	1	3
- Mountain Reported Children William Program	1,007	1,000	1, 100	Crash Injuries	150	115	85
DISEASE INCIDENCE 1	2013	2012	2011				
HIV/AIDS Cases	115	125	149	POLICE REPORTS	2013	2012	2011
Hepatitis B Chronic, Acute, Prenatal	116	83	73	DUI Arrests, DWI Tracking System	3,014	3,435	3,096
Hepatitis C Chronic and Acute	519	589	644	Liquor Law Arrests	673	809	824
Tuberculosis Infection Cases	618	462	390	Drug Arrests	3,643	3,507	3,446
				Violent Offenses	6,780	6,979	6,672
DEATHS and INJURIES	2013	2012	2011	Property Offenses	38,691	40,982	39,947
Resident DeathsTotal	6,091	6,022	5,981	Domestic Violence Reports	6,699	6,986	6,469
Suicides	116	108	127	Mathamahatanina Lah Cainuna	2014	2013	2012
Self-inflicted Injuries	1,122	1,150	1,120	Methamphetamine Lab Seizures	11	29	56
Homicides	109	112	112	SCHOOL REPORTS	2013-14	2012-13	2011-12
Assault Injuries	4,242	4,567	4,490	Enrollment Grades 9-12	28,224	28,682	28,672
Alcohol Induced Deaths	77	82	65	Drop-outs	1,541	1,113	1,515
Drug Induced Deaths	118	113	105	Drop-out Rate	5.5%	3.9%	5.3%
Smoking Attributable Deaths	1,005	1,013	974	School Discipline Involving Alcohol	44	41	38
HOSPITAL EPISODES 2	2013	2012	2011	School Discipline Involving Drugs	288	286	418
Hospitalization, no Emergency Room:				School Discipline Involving Tobacco	6	8	10
Mental Illness Principal Diagnosis	6,521	6,293	7,059				
Mental Illness Secondary Diagnosis	6,771	6,511	6,521	JUVENILE COURT REFERRALS 3	2013	2012	2011
Alcohol Principal Diagnosis	815	726	732	Juvenile Violent Offenses	362	408	475
Alcohol Secondary Diagnosis	1,622	1,377	1,363	Juvenile Alcohol Offenses	8	0	4
Drug Principal Diagnosis	392	379	385	Juvenile Drug Offenses	52	47	70
Drug Secondary Diagnosis	1,301	1,364	1,388	School Truancy Status Offense	2	7	3
Emergency Room + Hospitalization:	•	•	•	Absent from Home Status Offense	18	6	18
Mental Illness Principal Diagnosis	1,615	2,112	1,549	Beyond Parental Control Status Offense	14	32	10
Mental Illness Secondary Diagnosis	12,373	11,745	11,971	Injurious Behavior Status Offense	18	22	10
Alcohol Principal Diagnosis	544	660	492	Child Abuse	315	323	142
Alcohol Secondary Diagnosis	1,923	2,022	1,972	Child Neglect	893	1,035	839
Drug Principal Diagnosis	263	330	265	Child Custody Issues	119	239	331
Drug Secondary Diagnosis	1,557	2,052	1,896	JUVENILE COURT PLACEMENTS	2013	2012	2011
Emergency Room, no Hospitalization:				Out-of-Home PlacementsTotal	1,022	1,176	994
Mental Illness Principal Diagnosis	5,482	5,886	5,955	Parental Alcohol Use Related	27	36	51
Mental Illness Secondary Diagnosis	17,292	13,602	13,369	Parental Drug Use Related	319	413	294
Alcohol Principal Diagnosis	4,099	4,113	3,963	Parental Alcohol and Drug Use	56	48	20
Alcohol Secondary Diagnosis	3,119	3,617	2,731				
Drug Principal Diagnosis	1,854	1,643	1,539	CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Secondary Diagnosis	2,978	3,491	3,481	Drug Court Participants	857	848	871
				Probation/Parole AdmissionsDrug	735	822	940
ALCOHOL OUTLETS	2014	2013	2012	Probation/Parole AdmissionsDWI	157	177	187
Alcohol On-Premise Drink Licenses	825	821	804	Prison AdmissionsDrug	182	224	249
Alcohol Package Carry-out Licenses	461	463	463	Prison AdmissionsDWI	48	76	95
EMPLOYMENT	2014	2013	2012	1 All Kansas City hepatitis and TB case report			
Labor Force	363,483	330,287	333,027	totals and all Joplin case reports are include Beginning with 2010 data, diagnosis counts			
Employed	338,018	305,538	307,454	based on codes developed by the Healthcar	re Cost and L	Jtilization Pro	ject.
Unemployed	25,465	24,749	25,573	3 Beginning in 2013, juvenile municipal violati court orders are categorized as status offen:			

7.0%

7.5%

7.7%

Unemployment Rate

court orders are categorized as status offenses instead of law violations.

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	860	822	1,134
CSTAR Adolescent	243	267	260
CSTAR Women and Children	775	698	713
CSTAR General Adult	2,031	1,430	1,287
CSTAR Opioid	124	82	69
Primary Recovery Treatment	491	863	838
Clinical SATOP (CIP, YCIP, SROP)	622	620	460
Other Substance Abuse Treatment	8	359	469

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	2,449	2,570	2,643
- Adolescent Diversion Education Prograr	5	11	20
- Offender Education Program	859	1,000	1,044
- Weekend Intervention Program	502	538	611
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	171	177	216
Compulsive Gambling	8	10	17
Recovery Supports	1,669	1,873	2,043
Early Intervention	32	32	42

dentifying information.	FY2014	FY2013	FY2012		FY2014	FY2013	FY2012
NUMBER ADMITTED	4 700	4 550	4 707	PRIMARY DRUG PROBLEM	1 005	1.070	1 006
Total Individuals	4,709	4,558	4,727	Alcohol Marijuana / Hashish	1,805 1,161	1,878 1,081	1,906 1,140
AGE				Cocaine (total)	420	422	602
Under 18	245	265	270	- Crack	251	313	462
18 to 24	637	585	641	Stimulant (total)	745	674	576
25 to 29	689	689	635	- Methamphetamine	743 706	647	556
30 to 34	772	714	701	- Methamphetamine Heroin	156	103	77
35 to 39	558	532	539	Analgesic except Heroin	208	189	158
40 to 44	510	481	553	- Non-Prescription Methadone	200 *	0	7
45 to 54	955	959	1,085	•			
55 and Over	343	333	303	PCP, LSD, other Hallucinogen Tranquilizer	168 25	166 32	203 46
CENDED				Inhalant	23	3Z *	40 *
GENDER Male	3,254	3,099	3,264	Sedative	*	*	*
Female	1,454	1,459	3,264 1,463	Other Medication or Illicit Drug	19	10	14
remale	1,434	1,439	1,403	Average Age at First Use of Drug	18.0	17.8	17.9
RACE / ETHNICITY				Average Age at First Ose of Drug	10.0	17.0	17.9
Caucasian	2,669	2,563	2,522	INVESTIGATION DRIVE VICE			
African American	1,701	1,671	1,858	INJECTION DRUG USE	400	220	202
Native American / Alaskan	16	16	26	Any Injection Use at Admission	408	328 95	283
Asian / Pacific Islander	11	15	17	- Daily Injection Use	125		65
Hispanic	208	191	190	- Weekly Injection Use	112	90	85
Other Race / Two or More Races	170	155	171	- Less than Weekly Injection Use	171	143	133
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	1,568	1,522	1,587	0	2,806	2,662	2,816
High School Graduate or G.E.D.	1,972	1,937	2,019	1 or 2	1,224	1,161	1,161
Associate Degree or Some College	1,114	1,054	1,069	3 or More	679	735	750
Bachelor or Advanced Degree	55	45	52	TOTATAKANT DEFENDAL COURCE			
FAADI OVAAFAIT				TREATMENT REFERRAL SOURCE Self / Family / Friend	1,707	1,750	1,821
EMPLOYMENT Employed	1,129	1,006	886	School	25	1,730	40
Unemployed	1,129	1,893	2,163	Mental Health Provider	23 87	85	102
Not in Labor Force	1,632	•	,	Health Care Provider	233	197	230
Not in Labor Porce	1,032	1,658	1,678	Court / Criminal Justice	1,885	1,777	2,057
HOUSING / LIVING ARRANGEMENT				Other Referral Source	562	435	426
Independent Living	3,274	3,123	3,178	Other Referral Source	302	433	420
Dependent Living	637	710	743				
Homeless	612	576	662	TREATMENT ACCOMMODATION Pregnant when Admitted to any Episode	75	66	86
MARITAL / FAMILY STATUS				Military Veteran	180	192	239
Never Married	2,986	2,904	2,828	Special Education Services Needed	293	323	353
Married / Cohabitating	844	785	848	Co-Occurring Psychological Problem	1,794	1,767	1,894
Previously Married	879	869	1,051	Co-Occurring Developmental Problem	104	135	168
- · · · · · · · · · · · · · · · · · · ·	3.0		.,50.	2 2 2 2 2 2 2 2 3 3 p 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3			.00

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Western
PSYCHIATRIC SERVICE AREA 2, 3, 4, 5
CENSUS 2010 674,158
2014 POPULATION ESTIMATE 683,191

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder. FY2014 FY2013 FY2012 **DIAGNOSIS CATEGORY** Adjustment Disorder 640 748 736 **Anxiety Disorder** 4,404 4,090 4,150 Dementia 24 27 26 **Developmental Disorder** 135 156 134 Impulse Control Disorder 1,993 2,307 2,136 **Mood Disorder** 7,051 8,148 7,606 Personality Disorder 550 552 498 Psychotic Disorder 2,810 3,097 3,067 25 Sexual Disorder 18 6 Other Diagnosis 874 1,045 973

1,770

2,223

2,706

Individuals who received psychiatric services had the following types of

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

Diagnosis Unknown

NUMBER SERVED	FY2014	FY2013	FY2012	EDUCATION	FY2014	FY2013	FY2012
Total Individuals	12,448	14,911	14,664	Less than High School Diploma	2,188	2,603	1,401
4.05				High School Grad or G.E.D.	0	15	1,304
AGE	400	400	400	Associate Degree or Some College	0	*	505
Under 6	102	130	169	Bachelor or Advanced Degree	0	0	154
6 to 9	718	807	867	Education Level Unknown	10,260	12,289	11,300
10 to 13	855	1,030	1,054				
14 to 17	870	1,021	1,104	EMPLOYMENT			
18 to 24	1,055	1,357	1,322	Employed	413	606	379
25 to 29	1,002	1,269	1,134	Unemployed	690	869	2,610
30 to 34	1,157	1,421	1,336	Not in Labor Force	4,135	4,834	1,082
35 to 39	1,065	1,258	1,177	Employment Status Unknown	7,210	8,602	10,593
40 to 44	1,090	1,276	1,292				
45 to 49	1,189	1,513	1,569	HOUSING / LIVING ARRANGEMENT			
50 to 54	1,411	1,693	1,666	Independent Living	2,654	3,060	2,752
55 to 59	1,059	1,183	1,074	Dependent Living	2,114	2,753	1,143
60 and Over	875	953	900	Homeless	338	426	256
Age Unknown	0	0	0	Other	0	*	117
CENDED				Housing Unknown	7,342	8,671	10,396
GENDER Male	0.400	7 000	7 000				
Female	6,102	7,339	7,232	TREATMENT REFERRAL SOURCE			
	6,346	7,572	7,432	Self / Family / Friend	5,822	7,437	7,149
Gender Unknown	0	0	0	School	165	170	185
RACE / ETHNICITY				Mental Health Provider	1,314	1,282	1,305
Caucasian	6,316	7,163	6,820	Health Care Provider	1,914	2,219	2,080
African American	4,966	6,219	6,497	Court / Criminal Justice	503	688	824
Native American / Alaskan	52	54	58	Other	2,651	3,027	3,022
Asian / Pacific Islander	45	62	56	Referral Source Unknown	79	88	99
Hispanic	390	438	437				
Other Race	679	975	795	TYPE OF COMMITMENT			
Race/Ethnicity Unknown	0	0	*	Voluntary	12,204	14,676	14,380
•	Ü	ŭ		Civil	49	39	84
TREATMENT ACCOMMODATION				Criminal	119	112	113
Hearing Impaired	253	248	225	Sexual Predatory	10	10	6
Past or Current Military Service	274	299	303	Commitment Type Unknown	66	74	81

MISSOURI STUDENT SURVEY

		00.	
Descent of childents who have over used	2014	2012	2010
Percent of students who have ever used: Alcohol	30.5	36.7	37.7
Cigarettes	17.3		24.7
Chewing Tobacco	7.1		
Marijuana	16.6	19.6	
Inhalants	3.4	5.0	5.8
Prescription medications not prescribed for student	8.5	8.0	9.9
Over-the-counter medications for non-medical use	3.7	5.9	7.3
Methamphetamine	0.6	1.3	0.9
Cocaine	1.5	2.1	1.8
Heroin	0.5	1.0	0.6
Hallucinogens	1.8	3.0	2.5
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.9		
Steroids not prescribed for student	1.1	_	1.0
Synthetic drugs (K2, bath salts, Spice, etc)	3.3	6.4	
Average age of students' first use of:			
Alcohol	12.99	12.94	12.46
Cigarettes	12.76	12.65	12.12
Marijuana	13.73	13.61	13.33
Inhalants	11.00	11.55	11.21
Percent of students who, in past 30 days, used:			
Alcohol	11.5	14.9	16.3
Alcohol (Binge: 5+ drinks on one occassion)		7.8	
Cigarettes	6.7	9.2	12.4
Chewing Tobacco	3.5	3.8	3.1
Marijuana	8.1	10.2	10.5
Inhalants	1.4	2.0	2.7
Prescription medications not prescribed for student	3.9	4.5	6.2
Over-the-counter medications for non-medical use	2.2	3.5	4.6
Percent of students who, in past 2 weeks, used:			
Alcohol (Binge: 5+ drinks on one occassion)	5.1		
	0.1		
Percent whose friends used in past 12 months:			
Alcohol	40.8		
Cigarettes	30.9		42.5
Marijuana Other Illigit (Coccine LSD Meth Club Drug etc)	35.2	_	
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	13.0	15.1	17.0
Percent who would likely use, if offered by a best friend:			
Alcohol	23.7	29.3	29.3
Cigarettes	9.7	12.4	
Marijuana	16.0	17.0	15.4
Percent who say it would be wrong to use:			
Alcohol	66.5	61.1	62.8
Cigarettes	86.1	81.3	79.3
Marijuana	76.0	76.9	78.0
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	95.0	93.9	93.6
Percent whose parents would disapprove if they use:			
Alcohol	83.3	79.3	80.4
Cigarettes	93.5	90.6	90.0
Marijuana	90.7	91.5	92.0
•		30	22.0
Percent who say it would be easy to obtain:	40.0	F0 0	E0.7
Alcohol	48.3	56.9	52.7
Cigarettes	44.3		
Marijuana Other Illicit (Coccine LSD, Meth, Club Drug, etc.)	37.4 15.7		
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	13.7	18.7	13.0

DENT SURVEY			
	2014	2012	2010
Percent who believe they risk harm if they use:			
Alcohol (1 or 2 drinks daily)	60.3		
Alcohol (Binge: 5+ drinks once or twice a week)	73.1	74.4	74.5
Alcohol (any use)	00.0	71.4	71.5
Cigarettes (1+ packs per day)	83.2	04.0	70.0
Cigarettes (any use) Marijuana (once or twice a week)	56.4	81.9	78.3
Marijuana (once of twice a week)	30.4	67.2	71.9
Other: Cocaine, LSD, Meth, Club Drug (any use)	88.2	91.8	89.7
	00.2	01.0	00.1
Percent of students who, in past 30 days:			
Were very sad	20.8	19.9	17.1
Were grouchy, irritable, or in a bad mood	27.6	25.5	23.4
Felt hopeless about the future	12.2 17.8	11.8 17.4	11.1 17.2
Felt like not eating or eating more than usual Slept a lot more or a lot less than usual	20.1	21.6	24.5
Had difficulty concentrating on school work	24.7	23.3	22.8
riad difficulty concerniating on school work	24.1	23.3	22.0
Percent of students who, in past 12 months:			
Seriously considered attempting suicide	13.3	12.5	11.4
Made plan about how they would attempt suicide	9.6	8.8	8.6
Attempted suicide	5.9	5.6	6.2
Attempted suicide and resulting injury, poisonng, or overdose had to be treated by doctor or nurse	2.4	1.8	2.5
Percent of students who, in past 12 months:			
Were threatened/injured with weapon at school	6.6	6.5	9.9
Were in a physical fight	18.6	19.9	26.5
Were in a fight and had to be treated by a doctor or nurse	2.9	3.0	4.9
Descent of students who in next 2 menths			
Percent of students who, in past 3 months: Were victims of mean rumors or lies spread at school	48.7	44.7	48.6
Were made fun of by others	57.9	58.0	63.7
Were victims of an embarrassing or hurtful text message or	37.3	30.0	00.7
something posted on the internet	24.1	18.3	17.2
Spread mean rumors or lies about other kids at school	23.8	25.4	30.6
Made fun of other people	52.7	62.0	68.7
Posted something on the internet or sent a text that might	40.7	40.0	47.0
embarrass or hurt another student	16.7	13.8	17.3
Percent of students who agree that:			
Teachers notice and comment on student's good work	70.6	65.8	70.7
School provides feedback to parents on positive student	70.0	03.0	10.1
performance	39.3	36.7	42.0
Rules are enforced fairly	63.6	62.3	64.4
Students of all races/ethnicities are treated equal	74.1	71.7	76.3
Percent of students who agree that:			
Parents notice and comment on student's good work	80.8	80.9	82.2
Parents involve student in making family decisions	68.8	67.0	69.1
It is important to be honest with parents regardless of			
consequences	85.6	84.6	82.2
Student could ask parent for help with a personal problem	75.8	73.8	75.7

Missouri Student Survey is conducted biennially.
Similar affirmative response choices for individual questions are combined.
Blank data cells indicate estimates are not available for item or geographic area. Survey is not conducted in every school district nor reported for every county. Estimates are not available for counties with small numbers of respondents. Percentages are estimates based on weighted data.

Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

ONO! EN OCON!	•						
DBH.	I REGION	Southwest		IMPAIRED DRIVING	2013	2012	2011
DBH	SERVICE AREAS			Alcohol Involved CrashesTotal	110	113	101
Su Su	ıbstance Use	9		Fatal Crashes	3	1	3
Ac Ac	lult Psychiatric	9		Injury Crashes	43	49	34
F-7 F S4.8 F 7	ULATION			Property Damage Crashes	64	63	64
	ensus 2010	117,404		Crash Fatalities	4	2	3
20	14 Estimate	117,543		Crash Injuries	57	66	54
		,		Drug Involved CrashesTotal	31	42	41
43				Fatal Crashes	0	0	0
				Injury Crashes	12	12	19
BIRTH RISK	2013	2012	2011	Property Damage Crashes	19	30	22
Resident BirthsTotal	1,686	1,745	1,688	Crash Fatalities	0	0	0
Mother Reported Smoking while P	regnant 319	314	362	Crash Injuries	14	18	21
DISEASE INCIDENCE 1	2013	2012	2011				
HIV/AIDS Cases	7	6	6	POLICE REPORTS	2013	2012	2011
Hepatitis B Chronic, Acute, Prenat		11	11	DUI Arrests, DWI Tracking System	1,018	1,095	1,283
Hepatitis C Chronic and Acute	123	112	141	Liquor Law Arrests	169	252	231
Tuberculosis Infection Cases	62	76	94	Drug Arrests	416	433	419
ruberediosis infection dases	02	70	34	Violent Offenses	427	520	475
DEATHS and INJURIES	2013	2012	2011	Property Offenses	6,089	6,084	5,213
Resident DeathsTotal	1,154	1,108	1,215	Domestic Violence Reports	1,234	1,431	1,112
Suicides	23	14	17		2014	2013	2012
Self-inflicted Injuries	130	152	186	Methamphetamine Lab Seizures	35	56	78
Homicides	3	4	3				
Assault Injuries	329	400	442	SCHOOL REPORTS	2013-14	2012-13	2011-12
Alcohol Induced Deaths	4	7	2	Enrollment Grades 9-12	5,803	5,852	5,643
Drug Induced Deaths	12	10	17	Drop-outs	139	164	198
Smoking Attributable Deaths	241	221	202	Drop-out Rate	2.4%	2.8%	3.5%
				School Discipline Involving Alcohol	3	7	10
HOSPITAL EPISODES 2	2013	2012	2011	School Discipline Involving Drugs	52	34	38
Hospitalization, no Emergency Ro	om:			School Discipline Involving Tobacco	0	0	1
Mental Illness Principal Diagnosis	s 878	881	1,225	JUVENILE COURT REFERRALS 3	2013	2012	2011
Mental Illness Secondary Diagno	sis 1,832	2,243	2,997	Juvenile Violent Offenses	94	161	140
Alcohol Principal Diagnosis	92	147	175	Juvenile Alcohol Offenses	19	19	33
Alcohol Secondary Diagnosis	120	173	310	Juvenile Drug Offenses	50	66	57
Drug Principal Diagnosis	60	81	105	School Truancy Status Offense	30	42	92
Drug Secondary Diagnosis	109	128	203	Absent from Home Status Offense	25	40	40
Emergency Room + Hospitalizatio				Beyond Parental Control Status Offense	39	50	58
Mental Illness Principal Diagnosis		689	285	Injurious Behavior Status Offense	93	78	90
Mental Illness Secondary Diagno	sis 2,157	1,562	836	Child Abuse	4	9	5
Alcohol Principal Diagnosis	207	206	151	Child Neglect	559	727	695
Alcohol Secondary Diagnosis	240	194	120	Child Custody Issues	0	4	0
Drug Principal Diagnosis	174	123	71	Office Captions (1990)	Ü	•	Ü
Drug Secondary Diagnosis	119	107	69	JUVENILE COURT PLACEMENTS	2013	2012	2011
Emergency Room, no Hospitalizat				Out-of-Home PlacementsTotal	258	303	307
Mental Illness Principal Diagnosis	s 1,207	1,420	1,496	Parental Alcohol Use Related	5	13	10
Mental Illness Secondary Diagno	sis 11,246	11,011	8,305	Parental Drug Use Related	102	124	136
Alcohol Principal Diagnosis	363	403	308	Parental Alcohol and Drug Use	2	6	16
Alcohol Secondary Diagnosis	346	334	309	CONTRACTOR	EV204.4	EV2042	EV2042
Drug Principal Diagnosis	251	238	191	CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Secondary Diagnosis	436	308	333	Drug Court Participants	46	35	32
				Probation/Parole Admissions - Drug	237	211	261 100
ALCOHOL OUTLETS	2014	2013	2012	Probation/Parole AdmissionsDWI	84 106	95 121	109
Alcohol On-Premise Drink License		114	112	Prison Admissions - Drug	106	121	103
Alcohol Package Carry-out Licens	es 136	107	121	Prison AdmissionsDWI	16	27	30
EMPLOYMENT	2014	2013	2012	1 All Kansas City hepatitis and TB case report			County
Labor Force	57,830	57,039	57,547	totals and all Joplin case reports are include Beginning with 2010 data, diagnosis counts			es are
Employed	54,779	53,783	54,125	based on codes developed by the Healthcar	e Cost and L	Jtilization Proj	ject.
Unemployed	3,051	3,256	3,422	3 Beginning in 2013, juvenile municipal violati			
Unemployment Rate	5.3%	5.7%	5.9%	court orders are categorized as status offens) DS911151840 0	i iaw violatior	13.

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	166	263	149
CSTAR Adolescent	74	61	80
CSTAR Women and Children	168	176	180
CSTAR General Adult	470	583	533
CSTAR Opioid	*	0	0
Primary Recovery Treatment	25	30	36
Clinical SATOP (CIP, YCIP, SROP)	125	124	134
Other Substance Abuse Treatment	0	*	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	589	638	780
- Adolescent Diversion Education Prograr	29	42	45
- Offender Education Program	198	252	291
- Weekend Intervention Program	109	109	148
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	34	56	52
Compulsive Gambling	*	*	*
Recovery Supports	270	385	415
Early Intervention	97	62	61

NUMBER ADMITTED	FY2014	FY2013	FY2012	PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Total Individuals	973	1,141	1,134	Alcohol	407	479	487
4.05				Marijuana / Hashish	206	223	237
AGE	76	C.F.	00	Cocaine (total)	17	18	26
Under 18	76 120	65 167	83 174	- Crack	10	10	14
18 to 24	129	167		Stimulant (total)	242	301	288
25 to 29	133	182	193	- Methamphetamine	236	297	283
30 to 34	167	195	200	Heroin	6	7	*
35 to 39	124	158	128	Analgesic except Heroin	76	89	66
40 to 44	97	125	116	- Non-Prescription Methadone	*	*	*
45 to 54	181	183	182	PCP, LSD, other Hallucinogen	*	*	*
55 and Over	66	66	58	Tranquilizer	9	12	17
GENDER				Inhalant	*	*	*
Male	613	738	722	Sedative	*	*	*
Female	360	403	412	Other Medication or Illicit Drug	*	5	5
				Average Age at First Use of Drug	18.1	18.2	17.3
RACE / ETHNICITY							
Caucasian	868	1,028	1,013	INJECTION DRUG USE			
African American	55	63	55	Any Injection Use at Admission	151	182	148
Native American / Alaskan	*	*	*	- Daily Injection Use	30	33	15
Asian / Pacific Islander	*	*	*	- Weekly Injection Use	54	58	35
Hispanic	32	32	42	- Less than Weekly Injection Use	67	91	98
Other Race / Two or More Races	25	22	28	Loos than Weekly Injection Coc	O1	01	30
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	334	422	411	0	479	555	515
High School Graduate or G.E.D.	384	425	464	1 or 2	302	369	386
Associate Degree or Some College	246	282	249	3 or More	192	217	233
Bachelor or Advanced Degree	9	12	10				
				TREATMENT REFERRAL SOURCE	220	000	400
EMPLOYMENT	005	0.40	0.45	Self / Family / Friend	339	662	439
Employed	265	340	345	School Market Hardth Bouriday		*	-
Unemployed	386	486	464	Mental Health Provider	6		7
Not in Labor Force	322	315	325	Health Care Provider	125	111	42
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	399	263	477
Independent Living	744	868	888	Other Referral Source	100	94	165
Dependent Living	125	131	148				
Homeless	72	103	57	TREATMENT ACCOMMODATION			
	· -			Pregnant when Admitted to any Episode	15	13	19
MARITAL / FAMILY STATUS				Military Veteran	51	60	45
Never Married	445	504	518	Special Education Services Needed	139	167	129
Married / Cohabitating	252	318	309	Co-Occurring Psychological Problem	542	715	598
Previously Married	276	319	307	Co-Occurring Developmental Problem	40	29	25

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Southwest
PSYCHIATRIC SERVICE AREA 9
CENSUS 2010 117,404
2014 POPULATION ESTIMATE 117,543

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.						
DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012			
Adjustment Disorder	149	148	186			
Anxiety Disorder	845	947	828			
Dementia	*	*	5			
Developmental Disorder	32	37	25			
Impulse Control Disorder	420	510	519			
Mood Disorder	1,201	1,502	1,445			
Personality Disorder	340	300	173			
Psychotic Disorder	202	223	252			
Sexual Disorder	13	16	0			
Other Diagnosis	205	188	131			
Diagnosis Unknown	416	485	393			

Individuals who received psychiatric services had the following types of

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2014	FY2013	FY2012	EDUCATION	FY2014	FY2013	FY2012
Total Individuals	2,332	3,042	3,107	Less than High School Diploma	587	625	271
	•	·		High School Grad or G.E.D.	0	10	236
AGE				Associate Degree or Some College	0	*	127
Under 6	62	60	57	Bachelor or Advanced Degree	0	0	32
6 to 9	157	224	213	Education Level Unknown	1,745	2,404	2,441
10 to 13	200	242	254		.,	_,	_,
14 to 17	183	246	244	EMPLOYMENT			
18 to 24	186	285	325	Employed	179	175	116
25 to 29	214	296	294	Unemployed	162	176	501
30 to 34	202	286	321	Not in Labor Force	999	1,010	181
35 to 39	214	262	268	Employment Status Unknown	992	1,681	2,309
40 to 44	209	282	279				
45 to 49	225	279	278	HOUSING / LIVING ARRANGEMENT			
50 to 54	229	300	289	Independent Living	741	677	575
55 to 59	152	165	165	Dependent Living	523	524	182
60 and Over	99	115	120	Homeless	35	59	39
Age Unknown	0	0	0	Other	0	*	22
-				Housing Unknown	1,033	1,781	2,289
GENDER				· ·			
Male	1,079	1,382	1,420	TREATMENT REFERRAL SOURCE			
Female	1,253	1,660	1,687	Self / Family / Friend	1,928	2,489	2,398
Gender Unknown	0	0	0	School	0	*	5
RACE / ETHNICITY				Mental Health Provider	28	60	91
Caucasian	2,104	2,775	2,846	Health Care Provider	123	115	121
African American	73	92	75	Court / Criminal Justice	136	159	230
Native American / Alaskan	7	6	13	Other	104	201	241
Asian / Pacific Islander	*	*	*	Referral Source Unknown	13	16	21
Hispanic	96	91	94				
Other Race	49	74	76	TYPE OF COMMITMENT			
Race/Ethnicity Unknown	0	0	0	Voluntary	2,196	2,885	2,869
•	ŭ	Ū	Ü	Civil	114	127	211
TREATMENT ACCOMMODATION				Criminal	5	8	5
Hearing Impaired	32	35	47	Sexual Predatory	*	*	0
Past or Current Military Service	38	51	67	Commitment Type Unknown	14	18	22

MISSOURI STUDENT SURVEY

	IVIIOS	OUR	(1510	יס ואוםענ
Percent of students who have ever used:	2014	2012	2010	Percent who
Alcohol	30.0	31.5	39.4	Alcohol (1 o
Cigarettes	20.2	22.3	28.4	Alcohol (Bir
Chewing Tobacco	14.3	9.1	12.7	Alcohol (ang
Marijuana	9.6	13.3	16.8	Cigarettes (
Inhalants	2.4	5.2	7.5	Cigarettes (
Prescription medications not prescribed for student	5.5	6.5	11.7	Marijuana (
Over-the-counter medications for non-medical use	2.0	5.7	8.2	Marijuana (
Methamphetamine	0.5	1.2	1.3	Other: Coca
Cocaine	0.3	1.6	2.0	Percent of stu
Heroin	0.5	0.8	0.5	Were very
Hallucinogens	0.8	2.8	3.4	Were group
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.1	1.6	2.5	Felt hopele
Steroids not prescribed for student	0.9	1.0	1.2	Felt like not
Synthetic drugs (K2, bath salts, Spice, etc)	2.4	6.4		Slept a lot r
Average age of students' first use of:				Had difficul
Alcohol	13.05	12.70	12.62	Tida amioan
Cigarettes		12.48		Percent of stu
Marijuana	14.41			Seriously co
Inhalants		12.06		Made plan
mauric	11.02	12.00		Attempted :
Percent of students who, in past 30 days, used:				Attempted :
Alcohol	12.0	12.8	16.9	had to be tr
Alcohol (Binge: 5+ drinks on one occassion)		7.9	10.6	Percent of stu
Cigarettes	8.1	10.4	14.9	Were threat
Chewing Tobacco	8.7	4.4	6.8	Were in a p
Marijuana	3.6	5.6	7.9	Were in a fi
Inhalants	1.3	1.9	3.8	
Prescription medications not prescribed for student	2.2	3.5	6.5	Percent of stu
Over-the-counter medications for non-medical use	0.8	3.3	4.9	Were victim
Percent of students who, in past 2 weeks, used:				Were made
Alcohol (Binge: 5+ drinks on one occassion)	4.8			Were victim something
Percent whose friends used in past 12 months:				Spread mea
Alcohol	37.1	44.0	51.1	Made fun of
Cigarettes	26.8	39.1	44.7	Posted som embarrass
Marijuana	16.6	30.3	35.0	Cilibariass
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	5.4	13.3	17.2	Percent of stu
Percent who would likely use, if offered by a best friend:				Teachers n
Alcohol	22.2	22.4	28.4	School prov
Cigarettes	11.7	12.0	15.7	performanc
Marijuana	6.6	10.0	12.7	Rules are e
•	0.0			Students of
Percent who say it would be wrong to use:				Doroont of ch
Alcohol	70.0	68.5	64.4	Percent of stu
Cigarettes	86.6	82.9	77.1	Parents not
Marijuana	88.1	83.9	81.4	Parents inv
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.9	95.2	93.9	It is importa
Percent whose parents would disapprove if they use:				Student cou
Alcohol	83.9	81.7	81.0	Student cot
Cigarettes	94.3	91.0	88.4	Missouri Stud
Marijuana	94.2	93.8	93.0	Similar affirma
•	J-1.Z	55.0	55.0	Blank data ce
Percent who say it would be easy to obtain:				Survey is not Estimates are
Alcohol	45.7	47.4	52.2	Percentages a
Cigarettes	42.3	46.7	55.6	Some year-to-
Marijuana	22.7	31.3	37.3	Data source:
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	11.2	15.6	19.8	2 3.12. 334. 30.

DENT SURVEY			
December to the state of the second of the s	2014	2012	2010
Percent who believe they risk harm if they use:	04.0		
Alcohol (1 or 2 drinks daily)	61.9		
Alcohol (Binge: 5+ drinks once or twice a week)	75.3	75.0	75.0
Alcohol (any use)	00.0	75.3	75.9
Cigarettes (1+ packs per day)	86.6	04.0	00.4
Cigarettes (any use)	76.6	81.2	80.4
Marijuana (once or twice a week) Marijuana (any use)	70.0	73.5	76.9
Other: Cocaine, LSD, Meth, Club Drug (any use)	94.3	93.8	93.2
Other. Cocame, LSD, Meth, Club Drug (any use)	34.3	33.0	33.2
Percent of students who, in past 30 days:			
Were very sad	21.6	17.3	20.9
Were grouchy, irritable, or in a bad mood	20.2	20.8	23.6
Felt hopeless about the future	11.8	10.5	10.5
Felt like not eating or eating more than usual	16.2	16.2	18.7
Slept a lot more or a lot less than usual	17.0	18.7	25.0
Had difficulty concentrating on school work	19.4	21.7	22.8
Percent of students who, in past 12 months:			
Seriously considered attempting suicide	11.8	9.7	10.3
Made plan about how they would attempt suicide	8.1	7.0	7.7
Attempted suicide	3.7	4.6	4.7
Attempted suicide and resulting injury, poisonng, or overdose	1.0	1.4	2.0
had to be treated by doctor or nurse	1.0	1.4	2.0
Percent of students who, in past 12 months:			
Were threatened/injured with weapon at school	6.4	6.6	8.8
Were in a physical fight	17.3	18.7	22.6
Were in a fight and had to be treated by a doctor or nurse	3.4	3.4	4.1
Percent of students who, in past 3 months:			
Were victims of mean rumors or lies spread at school	50.7	47.3	50.0
Were made fun of by others	57.3	57.6	61.6
Were victims of an embarrassing or hurtful text message or			
something posted on the internet	24.0	20.7	17.5
Spread mean rumors or lies about other kids at school	23.6	23.9	27.8
Made fun of other people	48.2	54.4	64.1
Posted something on the internet or sent a text that might	45.0	40.0	440
embarrass or hurt another student	15.6	12.3	14.9
Percent of students who agree that:			
Teachers notice and comment on student's good work	69.9	68.1	67.4
School provides feedback to parents on positive student		00.1	07.4
performance	46.5	36.8	39.4
Rules are enforced fairly	59.6	61.0	65.7
Students of all races/ethnicities are treated equal	79.2	77.0	77.2
Percent of students who agree that:	00.4	00.0	045
Parents involve student in making family decisions	83.1 70.5	82.0 69.1	84.5 71.7
Parents involve student in making family decisions	70.5	09. I	11.1
It is important to be honest with parents regardless of consequences	89.3	87.8	83.6
Student could ask parent for help with a personal problem	80.2	77.9	78.8
Statistic bound dock parone for Holp With a porsonial problem	33. <u>L</u>		. 5.5
Missouri Student Survey is conducted biennially			

dent Survey is conducted biennially. native response choices for individual questions are combined. ells indicate estimates are not available for item or geographic area. conducted in every school district nor reported for every county. e not available for counties with small numbers of respondents. are estimates based on weighted data.

o-year differences in percentages are not statistically significant.

Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

OLI I LIKOOM OO	5111 1						
DBH .	REGION	Eastern		IMPAIRED DRIVING	2013	2012	2011
DBH	SERVICE AREAS			Alcohol Involved CrashesTotal	214	236	240
Sul	bstance Use	22		Fatal Crashes	8	6	7
Adı	ult Psychiatric	22		Injury Crashes	94	101	102
POPL	ULATION			Property Damage Crashes	112	129	131
Cei	nsus 2010	218,733		Crash Fatalities	8	7	8
201	14 Estimate	222,716		Crash Injuries	147	141	142
				Drug Involved CrashesTotal	45	52	33
				Fatal Crashes	1	5	1
BIRTH RISK	2013	2012	2011	Injury Crashes	22	22	18
Resident BirthsTotal	2,639	2,702	2,662	Property Damage Crashes	22	25	14
Mother Reported Smoking while Pr		603	602	Crash Fatalities	1	6	1
_	•			Crash Injuries	28	31	23
DISEASE INCIDENCE 1	2013	2012	2011	DOLLCE REDORTS	2013	2012	2011
HIV/AIDS Cases	3	4	4	POLICE REPORTS DUI Arrests, DWI Tracking System	1,474	1,787	1,609
Hepatitis B Chronic, Acute, Prenata	al 11	7	13	Liquor Law Arrests	663	677	826
Hepatitis C Chronic and Acute	145	113	122	Drug Arrests	1,681	1,614	1,563
Tuberculosis Infection Cases	45	39	51	Violent Offenses	454	448	548
DEATHS and INILIBIES	2013	2012	2011	Property Offenses	4,144	4,390	4,462
DEATHS and INJURIES Resident DeathsTotal	1,834	1,839	1,822	Domestic Violence Reports	1,233	1,333	1,423
Suicides	35	46	41	Domestic Violence Reports	2014	2013	2012
Self-inflicted Injuries	208	251	279	Methamphetamine Lab Seizures	2014	223	346
Homicides	3	7	4	Mothamphotamino Lab Collaros	200	220	0.10
Assault Injuries	453	491	523	SCHOOL REPORTS	2013-14	2012-13	2011-12
Alcohol Induced Deaths	15	9	12	Enrollment Grades 9-12	10,646	10,525	10,668
Drug Induced Deaths	63	61	54	Drop-outs	154	195	247
Smoking Attributable Deaths	354	376	355	Drop-out Rate	1.4%	1.9%	2.3%
		0.0	000	School Discipline Involving Alcohol	9	7	26
HOSPITAL EPISODES 2	2013	2012	2011	School Discipline Involving Drugs	94	106	109
Hospitalization, no Emergency Roc				School Discipline Involving Tobacco	0	1	4
Mental Illness Principal Diagnosis		1,691	1,659	JUVENILE COURT REFERRALS 3	2013	2012	2011
Mental Illness Secondary Diagnos		1,896	1,970	Juvenile Violent Offenses	381	376	395
Alcohol Principal Diagnosis	44	52	33	Juvenile Alcohol Offenses	85	84	60
Alcohol Secondary Diagnosis	141	103	101	Juvenile Drug Offenses	117	121	131
Drug Principal Diagnosis	96	98	132	School Truancy Status Offense	227	143	172
Drug Secondary Diagnosis	148	108	95	Absent from Home Status Offense	64	64	69
Emergency Room + Hospitalization		4.404	000	Beyond Parental Control Status Offense	71	32	38
Mental Illness Principal Diagnosis		1,134	960	Injurious Behavior Status Offense	71	59	76
Mental Illness Secondary Diagnos	·	5,353	5,065	Child Abuse	228	242	40
Alcohol Principal Diagnosis	103	109	82	Child Neglect	495	430	56
Alcohol Secondary Diagnosis Drug Principal Diagnosis	411 107	405	387 119	Child Custody Issues	164	209	377
Drug Secondary Diagnosis	235	107 272	280	UNIVERSITE COURT BY A CENTENTS	2013	2012	2011
Emergency Room, no Hospitalizati		212	200	JUVENILE COURT PLACEMENTS Out-of-Home PlacementsTotal	352	368	284
Mental Illness Principal Diagnosis		1,328	1,299	Parental Alcohol Use Related	18	16	8
Mental Illness Secondary Diagnos		5,478	4,493	Parental Drug Use Related	145	215	150
Alcohol Principal Diagnosis	248	237	197	Parental Alcohol and Drug Use	11	6	12
Alcohol Secondary Diagnosis	225	193	208	Tarontal Alboriol and Drug God		· ·	12
Drug Principal Diagnosis	356	367	421	CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Secondary Diagnosis	370	328	273	Drug Court Participants	115	105	100
	3.3	320		Probation/Parole AdmissionsDrug	473	401	338
ALCOHOL OUTLETS	2014	2013	2012	Probation/Parole AdmissionsDWI	127	150	120
Alcohol On-Premise Drink License		181	183	Prison AdmissionsDrug	245	168	141
Alcohol Package Carry-out License	es 147	146	148	Prison AdmissionsDWI	41	51	63
EMPLOYMENT	2014	2013	2012	1 All Kansas City hepatitis and TB case report	ts are include	ed in Jackson	County
EMPLOYMENT Labor Force	115,975	115,155	115,338	totals and all Joplin case reports are include	ed in Jasper C	County totals.	•
Employed	108,717	107,194	106,839	2 Beginning with 2010 data, diagnosis counts based on codes developed by the Healthcar			
Unemployed	7 258	7 961	8 499	3 Beginning in 2013, juvenile municipal violati			

7,258

6.3%

7,961

6.9%

8,499

7.4%

Unemployed

Unemployment Rate

court orders are categorized as status offenses instead of law violations.

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	111	124	113
CSTAR Adolescent	154	164	178
CSTAR Women and Children	79	66	66
CSTAR General Adult	726	734	563
CSTAR Opioid	19	13	18
Primary Recovery Treatment	22	73	123
Clinical SATOP (CIP, YCIP, SROP)	312	345	301
Other Substance Abuse Treatment	12	12	6

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	985	1,093	1,261
- Adolescent Diversion Education Prograr	12	11	5
- Offender Education Program	330	431	490
- Weekend Intervention Program	213	208	262
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	13	17	18
Compulsive Gambling	*	*	7
Recovery Supports	38	17	5
Early Intervention	38	55	63

NUMBER ADMITTED	FY2014	FY2013	FY2012	PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Total Individuals	1,323	1,407	1,220	Alcohol	490	528	480
	,	•	•	Marijuana / Hashish	274	294	281
AGE				Cocaine (total)	16	20	24
Under 18	157	169	184	- Crack	9	8	14
18 to 24	208	272	235	Stimulant (total)	187	166	132
25 to 29	246	257	180	- Methamphetamine	175	155	126
30 to 34	219	219	199	Heroin	269	289	229
35 to 39	156	133	119	Analgesic except Heroin	55	69	56
40 to 44	114	120	115	- Non-Prescription Methadone	0	0	*
45 to 54	175	183	155	PCP, LSD, other Hallucinogen	5	5	*
55 and Over	48	54	33	Tranquilizer	11	19	6
GENDER				Inhalant	0	*	0
Male	883	949	785	Sedative	*	*	*
Female	440	458	435	Other Medication or Illicit Drug	16	14	7
				Average Age at First Use of Drug	18.8	18.5	18.2
RACE / ETHNICITY							
Caucasian	1,275	1,350	1,174	INJECTION DRUG USE			
African American	19	24	22	Any Injection Use at Admission	339	362	266
Native American / Alaskan		0	*	- Daily Injection Use	104	108	74
Asian / Pacific Islander	*			- Weekly Injection Use	81	77	73
Hispanic	14	8	9	- Less than Weekly Injection Use	154	177	119
Other Race / Two or More Races	18	26	16				
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	457	468	438	0	687	738	671
High School Graduate or G.E.D.	533	603	537	1 or 2	413	426	346
Associate Degree or Some College	324	328	239	3 or More	223	243	203
Bachelor or Advanced Degree	9	8	6	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	349	386	321
Employed	389	385	337	School	13	*	*
Unemployed	520	633	499	Mental Health Provider	*	*	5
Not in Labor Force	414	389	384	Health Care Provider	42	31	22
Not in Labor Force	414	309	304	Court / Criminal Justice	747	812	724
HOUSING / LIVING ARRANGEMENT				Other Referral Source	137	145	143
Independent Living	1,023	1,109	907	Other Referral Source	137	143	143
Dependent Living	183	191	202	TDE 4 TA 4 ENT 4 CCO 4 44 4 0 D 4 T 10 N			
Homeless	37	34	29	TREATMENT ACCOMMODATION	20	22	24
				Pregnant when Admitted to any Episode	28	22 58	31
MARITAL / FAMILY STATUS	020	005	770	Military Veteran	56 72		43 52
Never Married	830	905	779	Special Education Services Needed		87 560	
Married / Cohabitating	257	269	232	Co-Occurring Psychological Problem	605	569	480
Previously Married	236	233	209	Co-Occurring Developmental Problem	28	46	40

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Eastern
PSYCHIATRIC SERVICE AREA 22
CENSUS 2010 218,733
2014 POPULATION ESTIMATE 222,716

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder. FY2014 FY2013 FY2012 **DIAGNOSIS CATEGORY** Adjustment Disorder 38 39 34 **Anxiety Disorder** 960 1,085 1,003 Dementia 12 10 12 **Developmental Disorder** 61 49 52 Impulse Control Disorder 340 335 348 **Mood Disorder** 1,575 1,496 1,459 Personality Disorder 365 381 403 Psychotic Disorder 293 296 312 Sexual Disorder 5 Other Diagnosis 174 156 152

87

99

127

Individuals who received psychiatric services had the following types of

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

Diagnosis Unknown

NUMBER SERVED	FY2014	FY2013	FY2012	EDUCATION	FY2014	FY2013	FY2012
Total Individuals	1,982	1,916	1,934	Less than High School Diploma	431	442	353
	•	·	•	High School Grad or G.E.D.	0	*	357
AGE	_	_	_	Associate Degree or Some College	0	0	174
Under 6	6	5	7	Bachelor or Advanced Degree	0	0	31
6 to 9	34	36	34	Education Level Unknown	1,551	1,473	1,019
10 to 13	71	70	76		1,00	.,	.,
14 to 17	111	106	119	EMPLOYMENT			
18 to 24	164	168	175	Employed	213	191	200
25 to 29	195	182	210	Unemployed	151	121	687
30 to 34	252	223	220	Not in Labor Force	897	864	153
35 to 39	196	178	179	Employment Status Unknown	721	740	894
40 to 44	195	206	202				
45 to 49	219	238	238	HOUSING / LIVING ARRANGEMENT			
50 to 54	240	227	218	Independent Living	890	797	904
55 to 59	164	160	137	Dependent Living	370	395	167
60 and Over	135	117	119	Homeless	18	12	8
Age Unknown	0	0	0	Other	0	0	9
				Housing Unknown	704	712	846
GENDER	054	0.40	000				
Male	851	816	839	TREATMENT REFERRAL SOURCE			
Female	1,131	1,100	1,095	Self / Family / Friend	799	765	841
Gender Unknown	0	0	0	School	8	6	7
RACE / ETHNICITY				Mental Health Provider	130	162	168
Caucasian	1,897	1,823	1,840	Health Care Provider	452	388	310
African American	37	44	44	Court / Criminal Justice	96	108	102
Native American / Alaskan	*	*	*	Other	476	460	475
Asian / Pacific Islander	8	9	7	Referral Source Unknown	21	27	31
Hispanic	12	13	12				
Other Race	26	25	27	TYPE OF COMMITMENT			
Race/Ethnicity Unknown	0	0	0	Voluntary	1,951	1,874	1,888
•	ŭ	Ü	•	Civil	*	*	8
TREATMENT ACCOMMODATION				Criminal	8	10	7
Hearing Impaired	14	13	15	Sexual Predatory	*	*	*
Past or Current Military Service	40	38	39	Commitment Type Unknown	20	27	30

MISSOURI STUDENT SURVEY

				DENT CONVET			
Percent of students who have ever used:	2014	2012	2010	Percent who believe they risk harm if they use:	2014	2012	2010
Alcohol	40.0	43.9	49.4	Alcohol (1 or 2 drinks daily)	58.8		
Cigarettes	22.0	25.8	27.6	Alcohol (Binge: 5+ drinks once or twice a week)	71.2		
Chewing Tobacco	9.8	10.5	11.2	Alcohol (any use)		68.3	72.6
Marijuana	20.3	20.2	20.1	Cigarettes (1+ packs per day)	87.5		
Inhalants	3.6	6.1	6.4	Cigarettes (any use)		81.2	81.1
Prescription medications not prescribed for student	9.4	9.7	13.4	Marijuana (once or twice a week)	57.6		
Over-the-counter medications for non-medical use	3.7	7.2	9.5	Marijuana (any use)		69.3	71.6
Methamphetamine	0.6	1.2	8.0	Other: Cocaine, LSD, Meth, Club Drug (any use)	93.3	93.5	94.4
Cocaine	1.5	2.1	1.9	Percent of ctudents who in past 20 days			
Heroin	0.5	1.1	0.7	Percent of students who, in past 30 days: Were very sad	23.9	21.0	20.5
Hallucinogens	3.1	3.6	3.8	Were grouchy, irritable, or in a bad mood	28.0	24.2	28.4
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	2.1	2.6	2.6	Felt hopeless about the future	13.5	11.3	11.0
Steroids not prescribed for student	1.1	1.7	1.2	Felt like not eating or eating more than usual	20.6	18.5	20.1
Synthetic drugs (K2, bath salts, Spice, etc)	5.4	8.3		Slept a lot more or a lot less than usual	21.9	20.6	25.5
Average age of students' first use of:				Had difficulty concentrating on school work	29.7	26.1	23.4
Alcohol	12.80	12.75	12 60	riad difficulty concernating off school work	29.1	20.1	23.4
Cigarettes			12.44	Percent of students who, in past 12 months:			
Marijuana			13.68	Seriously considered attempting suicide	14.4	12.2	11.5
Inhalants			12.20	Made plan about how they would attempt suicide	10.0	8.6	8.1
IIIIddalis	12.55	12.40	12.20	Attempted suicide	5.9	5.3	5.2
Percent of students who, in past 30 days, used:				Attempted suicide and resulting injury, poisonng, or overdose	2.2	1.6	1.6
Alcohol	18.1	20.0	25.1	had to be treated by doctor or nurse	2.2	1.0	1.0
Alcohol (Binge: 5+ drinks on one occassion)		11.8	15.6	Percent of students who, in past 12 months:			
Cigarettes	10.3	13.3	14.2	Were threatened/injured with weapon at school	6.5	5.9	8.8
Chewing Tobacco	5.1	6.2	5.8	Were in a physical fight	18.3	20.8	23.9
Marijuana	11.4	11.1	11.3	Were in a fight and had to be treated by a doctor or nurse	3.3	3.2	4.1
Inhalants	1.3	2.7	3.1				
Prescription medications not prescribed for student	4.6	5.8	7.9	Percent of students who, in past 3 months:			
Over-the-counter medications for non-medical use	2.2	4.7	5.4	Were victims of mean rumors or lies spread at school	48.8	48.5	50.7
Percent of students who, in past 2 weeks, used:				Were made fun of by others	60.6	59.9	67.1
Alcohol (Binge: 5+ drinks on one occassion)	8.5			Were victims of an embarrassing or hurtful text message or something posted on the internet	28.7	21.8	19.1
					25.4	27.4	24.5
Percent whose friends used in past 12 months:				Spread mean rumors or lies about other kids at school	25.4	27.4	31.5 72.2
Alcohol	51.8	57.1	64.4	Made fun of other people	55.6	61.8	12.2
Cigarettes	43.8	47.7		Posted something on the internet or sent a text that might embarrass or hurt another student	20.3	15.4	18.2
Marijuana	43.3	43.1	44.1	ombarrass of hart another stadent			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	17.4	18.5	21.2	Percent of students who agree that:			
Percent who would likely use, if offered by a best friend:				Teachers notice and comment on student's good work	67.1	65.6	70.0
Alcohol	30.5	34.0	39.0	School provides feedback to parents on positive student	34.6	34.2	39.0
Cigarettes	12.2	13.9	15.8	performance	34.0	34.2	39.0
Marijuana	19.2	15.9	15.6	Rules are enforced fairly	63.6	62.9	66.4
				Students of all races/ethnicities are treated equal	80.9	78.8	79.9
Percent who say it would be wrong to use:	0:-	5 0 (5 4 2	Percent of students who agree that:			
Alcohol	61.9	59.1	54.6	Parents notice and comment on student's good work	79.4	81.8	83.1
Cigarettes	84.5	80.6	78.8	Parents involve student in making family decisions	66.1	67.2	67.6
Marijuana	72.9	77.7	78.3	It is important to be honest with parents regardless of	00.1	01.2	01.0
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	95.2	95.0	94.9	consequences	86.9	85.7	82.6
Percent whose parents would disapprove if they use:				Student could ask parent for help with a personal problem	74.6	76.3	76.9
Alcohol	79.4	77.1	75.3	otation doubt ask parone for holp than a porsonal problem		. 0.0	. 0.0
Cigarettes	93.6	91.2	89.9	Missouri Student Survey is conducted biennially.			
Marijuana	90.0	92.8	92.0	Similar affirmative response choices for individual questions are			
				Blank data cells indicate estimates are not available for item or Survey is not conducted in every school district nor reported for			•
Percent who say it would be easy to obtain: Alcohol	58.0	59.6	63.0	Estimates are not available for counties with small numbers of I			
Cigarettes	53.6	57.1	63.0 61.6	Percentages are estimates based on weighted data. Some year-to-year differences in percentages are not statistica	lly signifi	cant	
Marijuana	44.8	44.5	44.1	Come year-to-year uniferences in percentages are not statistica	ny aiginin	Jant.	
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	20.7	21.6		Data source: Missouri Institute of Mental Health, 2010-2014 Mis	ssouri St	udent Su	ırveys
outer milet (cocame, LDD, Meth, Club Drug, etc)	20.7	۷1.0	۷۱.۷				

	• •						
DBH RI	EGION	Western		IMPAIRED DRIVING	2013	2012	2011
\ \	ERVICE AREAS			Alcohol Involved CrashesTotal	60	63	68
	tance Use	7		Fatal Crashes	7	4	1
	Psychiatric	7		Injury Crashes	16	18	20
POPUL				Property Damage Crashes	37	41	47
Cens	sus 2010	52,595		Crash Fatalities	9	4	1
2014	Estimate	54,362		Crash Injuries	37	28	24
		•		Drug Involved CrashesTotal	9	8	7
213				Fatal Crashes	0	0	0
DIDTH DIGH	2012	2042	2044	Injury Crashes	4	3	3
BIRTH RISK	2013	2012	2011	Property Damage Crashes	5	5	4
Resident BirthsTotal	714	722	712	Crash Fatalities	0	0	0
Mother Reported Smoking while Preg	gnant 112	91	120	Crash Injuries	4	3	3
DISEASE INCIDENCE 1	2013	2012	2011				
HIV/AIDS Cases	0	2	2	POLICE REPORTS	2013	2012	2011
Hepatitis B Chronic, Acute, Prenatal	6	2	3	DUI Arrests, DWI Tracking System	233	245	270
Hepatitis C Chronic and Acute	11	16	14	Liquor Law Arrests	363	326	328
Tuberculosis Infection Cases	26	14	6	Drug Arrests	373	320	184
				Violent Offenses	68	77	76
DEATHS and INJURIES	2013	2012	2011	Property Offenses	1,213	1,392	1,366
Resident DeathsTotal	371	375	404	Domestic Violence Reports	324	390	365
Suicides	8	1	11		2014	2013	2012
Self-inflicted Injuries	70	70	52	Methamphetamine Lab Seizures	0	2	0
Homicides	1	2	2	SCHOOL REPORTS	2013-14	2012-13	2011-12
Assault Injuries	114	96	141	Enrollment Grades 9-12	2,090	2,128	2,174
Alcohol Induced Deaths	2	1	1	Drop-outs	24	29	30
Drug Induced Deaths	2	1	8	Drop-out Rate	1.1%	1.4%	1.4%
Smoking Attributable Deaths	69	62	67	School Discipline Involving Alcohol	6	0	3
HOSPITAL EPISODES 2	2013	2012	2011	School Discipline Involving Drugs	16	8	11
Hospitalization, no Emergency Room		2012	2011	School Discipline Involving Tobacco	1	1	0
Mental Illness Principal Diagnosis	328	375	431	and the second s	-		•
Mental Illness Secondary Diagnosis		584	618	JUVENILE COURT REFERRALS 3	2013	2012	2011
Alcohol Principal Diagnosis	26	27	29	Juvenile Violent Offenses	20	27	29
Alcohol Secondary Diagnosis	43	41	47	Juvenile Alcohol Offenses	2	0	1
Drug Principal Diagnosis	12	18	19	Juvenile Drug Offenses	17	7	12
Drug Secondary Diagnosis	41	25	33	School Truancy Status Offense	20	4	12
Emergency Room + Hospitalization:				Absent from Home Status Offense	11	20	30
Mental Illness Principal Diagnosis	51	56	45	Beyond Parental Control Status Offense	32	47	44
Mental Illness Secondary Diagnosis	_	739	558	Injurious Behavior Status Offense	89	110	86
Alcohol Principal Diagnosis	29	26	20	Child Abuse	0	4	3
Alcohol Secondary Diagnosis	68	68	61	Child Neglect	109	149	117
Drug Principal Diagnosis	9	14	9	Child Custody Issues	13	9	3
Drug Secondary Diagnosis	39	38	50	JUVENILE COURT PLACEMENTS	2013	2012	2011
Emergency Room, no Hospitalization	n:			Out-of-Home PlacementsTotal	41	31	18
Mental Illness Principal Diagnosis	367	403	312	Parental Alcohol Use Related	0	0	0
Mental Illness Secondary Diagnosis	323	310	297	Parental Drug Use Related	21	6	4
Alcohol Principal Diagnosis	75	61	81	Parental Alcohol and Drug Use	1	0	0
Alcohol Secondary Diagnosis	69	56	76				
Drug Principal Diagnosis	35	33	34	CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Secondary Diagnosis	56	54	64	Drug Court Participants	0	0	0
				Probation/Parole AdmissionsDrug	95	74	76
ALCOHOL OUTLETS	2014	2013	2012	Probation/Parole AdmissionsDWI	18	23	35
Alcohol On-Premise Drink Licenses	47	48	48	Prison AdmissionsDrug	43	33	33
Alcohol Package Carry-out Licenses	41	44	42	Prison AdmissionsDWI	13	13	12
EMPLOYMENT	2014	2013	2012	1 All Kansas City hepatitis and TB case report			County
Labor Force	23,101	25,887	25,036	totals and all Joplin case reports are include 2 Beginning with 2010 data, diagnosis counts			es are
Employed	21,639	24,301	23,303	based on codes developed by the Healthcar			
Unemployed	1,462	1,586	1,733	3 Beginning in 2013, juvenile municipal violati	ons, infraction	ns, and violat	ions of
Unemployment Rate	6.3%		6.9%	court orders are categorized as status offens	ses instead o	i iaw violation	15.

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	7	12	9
CSTAR Adolescent	22	17	20
CSTAR Women and Children	6	*	*
CSTAR General Adult	131	128	155
CSTAR Opioid	0	0	0
Primary Recovery Treatment	*	11	6
Clinical SATOP (CIP, YCIP, SROP)	31	53	38
Other Substance Abuse Treatment	0	*	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	193	206	240
- Adolescent Diversion Education Prograr	0	*	0
- Offender Education Program	88	83	119
- Weekend Intervention Program	47	44	60
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	8	15
Compulsive Gambling	0	0	0
Recovery Supports	112	146	136
Early Intervention	5	*	13

NUMBER ADMITTED	FY2014	FY2013	FY2012	PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Total Individuals	196	217	237	Alcohol	74	100	120
465				Marijuana / Hashish	59	55	57
AGE Under 18	21	18	21	Cocaine (total)	5	0	*
18 to 24	35	49	56	- Crack	*	0	*
25 to 29	37	43	43	Stimulant (total)	40	50	47
30 to 34	35	43 27	36	- Methamphetamine	38	50	45
35 to 39	16	16	20	Heroin	*	*	*
40 to 44	19	16	23	Analgesic except Heroin	13	8	7
45 to 54	27	38	32	 Non-Prescription Methadone 	0	*	0
55 and Over	6	10	6	PCP, LSD, other Hallucinogen	0	0	0
33 and Over	0	10	O	Tranquilizer	0	0	0
GENDER				Inhalant	0	0	0
Male	118	154	160	Sedative	0	0	0
Female	78	63	77	Other Medication or Illicit Drug	*	*	*
DACE / ETUNICITY				Average Age at First Use of Drug	17.6	17.1	17.2
RACE / ETHNICITY Caucasian	173	197	211				
African American	173	9	13	INJECTION DRUG USE			
Native American / Alaskan	0	*	*	Any Injection Use at Admission	22	24	22
Asian / Pacific Islander	*	*	0	- Daily Injection Use	*	5	*
Hispanic	*	*	6	- Weekly Injection Use	6	6	8
Other Race / Two or More Races	*	6	8	- Less than Weekly Injection Use	15	13	11
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	53	50	64	0	114	106	120
High School Graduate or G.E.D.	83	88	96	1 or 2	63	69	74
Associate Degree or Some College	58	78	72	3 or More	19	42	43
Bachelor or Advanced Degree	*	*	5				
•				TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	97	126	153
Employed	59	65	77	School	0	0	0
Unemployed	79	70	62	Mental Health Provider	*	*	*
Not in Labor Force	58	82	98	Health Care Provider	5	5	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	39	63	45
Independent Living	147	182	188	Other Referral Source	53	21	31
Dependent Living	23	22	26				
Homeless	8	*	6	TREATMENT ACCOMMODATION	_		
	_		,	Pregnant when Admitted to any Episode	*	*	*
MARITAL / FAMILY STATUS				Military Veteran	11	14	9
Never Married	111	120	138	Special Education Services Needed	6	5	7
Married / Cohabitating	45	51	48	Co-Occurring Psychological Problem	87	72	44
Previously Married	40	46	51	Co-Occurring Developmental Problem	0	*	*

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Western
PSYCHIATRIC SERVICE AREA 7
CENSUS 2010 52,595
2014 POPULATION ESTIMATE 54,362

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder. FY2014 FY2013 FY2012 **DIAGNOSIS CATEGORY** Adjustment Disorder 39 29 33 **Anxiety Disorder** 250 240 228 Dementia 0 0 **Developmental Disorder** 12 14 13 Impulse Control Disorder 66 82 94 Mood Disorder 330 343 341 Personality Disorder 10 10 8 Psychotic Disorder 81 69 83 Sexual Disorder 0 Other Diagnosis 29 41 35

33

48

36

Individuals who received psychiatric services had the following types of

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

Diagnosis Unknown

NUMBER SERVED	FY2014	FY2013	FY2012	EDUCATION	FY2014	FY2013	FY2012
Total Individuals	463	491	513	Less than High School Diploma	116	141	65
. otala.v.aaao	.00		0.0	High School Grad or G.E.D.	0	*	72
AGE				Associate Degree or Some College	0	0	25
Under 6	6	10	7	Bachelor or Advanced Degree	0	0	8
6 to 9	22	23	28	Education Level Unknown	347	347	343
10 to 13	43	45	62	Education Edvor Children	011	011	0.10
14 to 17	42	51	48	EMPLOYMENT			
18 to 24	35	50	51	Employed	13	25	31
25 to 29	40	30	39	Unemployed	19	32	110
30 to 34	41	51	46	Not in Labor Force	193	239	50
35 to 39	49	52	44	Employment Status Unknown	238	195	322
40 to 44	50	46	47				
45 to 49	38	37	52	HOUSING / LIVING ARRANGEMENT			
50 to 54	53	45	41	Independent Living	114	150	139
55 to 59	21	25	25	Dependent Living	103	139	79
60 and Over	23	26	23	Homeless	7	5	*
Age Unknown	0	0	0	Other	0	0	*
GENDER				Housing Unknown	239	197	288
Male	203	229	236				
Female	260	262	236 277	TREATMENT REFERRAL SOURCE			
Gender Unknown	0	0	0	Self / Family / Friend	378	397	421
Gender Offkriown	U	U	U	School	0	*	0
RACE / ETHNICITY				Mental Health Provider	10	10	9
Caucasian	428	448	470	Health Care Provider	32	33	29
African American	16	19	16	Court / Criminal Justice	10	7	12
Native American / Alaskan	0	*	*	Other	31	41	38
Asian / Pacific Islander	*	*	*	Referral Source Unknown	*	*	*
Hispanic	7	6	7	TVD5 05 000 40 41 TV 45 45			
Other Race	10	14	14	TYPE OF COMMITMENT	459	485	502
Race/Ethnicity Unknown	0	0	0	Voluntary	409	465 *	
TD5.4.T.4.5.V.T.4.000.4.4.4.0.0.4.5.5.5				Civil	*	*	0
TREATMENT ACCOMMODATION	40	40	4.5	Criminal			6
Hearing Impaired	16	16	15	Sexual Predatory	0	0	*
Past or Current Military Service	16	17	12	Commitment Type Unknown	*	*	*

MISSOURI STUDENT SURVEY

	IVIIOO	OUF	(1510	DENI SURVET			
Percent of students who have ever used:	2014	2012	2010	Percent who believe they risk harm if they use:	2014	2012	2010
Alcohol	39.3	38.3	45.4	Alcohol (1 or 2 drinks daily)	57.5		
Cigarettes	24.6	23.0	29.1	Alcohol (Binge: 5+ drinks once or twice a week)	69.4		
Chewing Tobacco	16.3	10.9	11.9	Alcohol (any use)	00.4	71.7	75.5
Marijuana	17.9	14.5	15.3	Cigarettes (1+ packs per day)	84.4		70.0
Inhalants	4.0	5.4	9.2	Cigarettes (any use)	0 1. 1	83.7	80.9
Prescription medications not prescribed for student	9.9	7.8	12.5	Marijuana (once or twice a week)	64.1	00	00.0
Over-the-counter medications for non-medical use	4.0	4.8	7.9	Marijuana (any use)		72.6	72.2
Methamphetamine	0.9	0.6	1.2	Other: Cocaine, LSD, Meth, Club Drug (any use)	92.0	95.3	92.2
Cocaine	2.8	1.2	2.2				
Heroin	0.6	0.4	0.4	Percent of students who, in past 30 days:	00.0	40.7	040
Hallucinogens	4.1	2.8	3.8	Were grouphy intelled on in a had mood	23.3	16.7	24.2
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	3.8	2.2	2.5	Were grouchy, irritable, or in a bad mood	28.0	23.6	29.6
Steroids not prescribed for student	1.6	0.8	1.3	Felt hopeless about the future	15.7	10.0	14.1 21.4
Synthetic drugs (K2, bath salts, Spice, etc)	6.7	4.9		Felt like not eating or eating more than usual	17.9 18.6	16.7 19.5	27.9
Avorago ago of ctudonto' firet uso of				Slept a lot more or a lot less than usual Had difficulty concentrating on school work	25.5	19.8	23.9
Average age of students' first use of: Alcohol	13 14	13.08	12 72	Had difficulty concentrating on school work	25.5	19.0	23.9
Cigarettes		12.82		Percent of students who, in past 12 months:			
Marijuana			13.77	Seriously considered attempting suicide	14.7	10.6	11.7
Inhalants			12.62	Made plan about how they would attempt suicide	12.8	8.6	8.8
miduno	10.04	12.04	12.02	Attempted suicide	6.5	4.8	5.1
Percent of students who, in past 30 days, used:				Attempted suicide and resulting injury, poisonng, or overdose	1.4	1.1	2.3
Alcohol	20.1	17.1	20.1	had to be treated by doctor or nurse	1		2.0
Alcohol (Binge: 5+ drinks on one occassion)		9.7	11.3	Percent of students who, in past 12 months:			
Cigarettes	10.6	11.6	15.3	Were threatened/injured with weapon at school	7.1	3.9	9.3
Chewing Tobacco	9.5	6.1	5.9	Were in a physical fight	18.3	16.7	21.1
Marijuana	9.6	5.9	7.5	Were in a fight and had to be treated by a doctor or nurse	3.2	2.5	3.3
Inhalants	1.2	2.0	3.3	Porcent of ctudents who in pact 2 months			
Prescription medications not prescribed for student	4.7	4.3	7.9	Percent of students who, in past 3 months: Were victims of mean rumors or lies spread at school	51.3	47.2	53.8
Over-the-counter medications for non-medical use	2.5	2.4	5.1	Were made fun of by others	62.0	57.5	68.7
Percent of students who, in past 2 weeks, used:				Were victims of an embarrassing or hurtful text message or	02.0	37.3	00.7
Alcohol (Binge: 5+ drinks on one occassion)	8.6			something posted on the internet	25.6	17.4	19.9
Percent whose friends used in past 12 months:				Spread mean rumors or lies about other kids at school	25.3	23.7	34.4
Alcohol	46.9	55.5	61.0	Made fun of other people	56.2	60.4	73.2
Cigarettes	40.5	41.8	51.3	Posted something on the internet or sent a text that might			
Marijuana	35.7	34.8	38.0	embarrass or hurt another student	16.0	12.8	17.3
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	17.6	12.7	18.3	Descript of attribute who arms a that			
early man (cocamo, 200) man, class brag, clay				Percent of students who agree that:	60.0	70.6	71 5
Percent who would likely use, if offered by a best friend:				Teachers notice and comment on student's good work	69.8	70.6	71.5
Alcohol	31.8	30.9	33.9	School provides feedback to parents on positive student performance	34.9	40.7	42.3
Cigarettes	15.2	13.7	16.3	Rules are enforced fairly	64.7	65.1	65.9
Marijuana	13.4	13.2	13.1	Students of all races/ethnicities are treated equal	83.4	81.8	82.9
Percent who say it would be wrong to use:				' '	00.1	01.0	02.0
Alcohol	59.3	60.8	58.4	Percent of students who agree that:			
Cigarettes	80.9	80.5	78.2	Parents notice and comment on student's good work	81.2	85.2	82.8
Marijuana	78.7	81.3	83.0	Parents involve student in making family decisions	69.2	70.0	70.1
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	93.8	95.9	94.2	It is important to be honest with parents regardless of consequences	86.0	86.1	83.2
Percent whose parents would disapprove if they use:				· ·	76.4	70.1	740
Alcohol	76.0	76.9	78.5	Student could ask parent for help with a personal problem	76.4	79.1	74.8
Cigarettes	91.1	92.5	91.1	Missouri Student Survey is conducted biennially.			
Marijuana	94.2	94.6		Similar affirmative response choices for individual questions are	e combin	ed.	
•			-	Blank data cells indicate estimates are not available for item or			
Percent who say it would be easy to obtain:		FC 1	00.1	Survey is not conducted in every school district nor reported for Estimates are not available for counties with small numbers of			
Alcohol	54.9	58.4	63.1	Percentages are estimates based on weighted data.	الد ماحداد	oont	
Cigarettes	48.5	52.3		Some year-to-year differences in percentages are not statistical	ny signifi	uant.	
Marijuana Other Illicit (Cocaine, LSD, Meth, Club Drug, etc.)	36.3 18.0	37.3 15.9	39.8 21.2	Data source: Missouri Institute of Mental Health, 2010-2014 Mi	ssouri St	udent Sı	ırveys
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	10.0	15.9	Z1.Z				

	BH REGION	Central		IMPAIRED DRIVING	2013	2012	2011
	BH SERVICE AREAS			Alcohol Involved CrashesTotal	3	6	6
The state of the s	Substance Use	14		Fatal Crashes	0	1	0
	Adult Psychiatric	14		Injury Crashes	2	5	4
-t-1-t-1-t-1-t-1-t-1-t-1-t-1-t-1-t-1-t-	OPULATION			Property Damage Crashes	1	0	2
	Census 2010	4,131		Crash Fatalities	0	1	0
	2014 Estimate	4,000		Crash Injuries	2	7	5
Tan Tan				Drug Involved CrashesTotal	2	0	0
				Fatal Crashes	1	0	0
BIRTH RISK	2013	2012	2011	Injury Crashes	1	0	0
Resident BirthsTotal	57	51	53	Property Damage Crashes	0	0	0
Mother Reported Smoking while		8	7	Crash Fatalities	1	0	0
	, rognant .	· ·	•	Crash Injuries	2	0	0
DISEASE INCIDENCE 1	2013	2012	2011				
HIV/AIDS Cases	0	1	0	POLICE REPORTS	2013	2012	2011
Hepatitis B Chronic, Acute, Pre	natal 1	0	0	DUI Arrests, DWI Tracking System	16	14	16
Hepatitis C Chronic and Acute	0	1	2	Liquor Law Arrests	0	0	0
Tuberculosis Infection Cases	0	1	0	Drug Arrests	0	0	0
				Violent Offenses	0	3	2
DEATHS and INJURIES	2013	2012	2011	Property Offenses	44	43	49
Resident DeathsTotal	56	55	45	Domestic Violence Reports	0	0	3
Suicides	1	1	0		2014	2013	2012
Self-inflicted Injuries	8	2	6	Methamphetamine Lab Seizures	0	4	3
Homicides	2	1	0	SCHOOL REPORTS	2013-14	2012-13	2011-12
Assault Injuries	5	6	8	Enrollment Grades 9-12	171	173	164
Alcohol Induced Deaths	1	0	0	Drop-outs	2	2	1
Drug Induced Deaths	0	0	0	Drop-out Rate	1.2%	1.2%	0.6%
Smoking Attributable Deaths	7	10	10	School Discipline Involving Alcohol	0	0	0
HOSPITAL EPISODES 2	2013	2012	2011	School Discipline Involving Drugs	0	1	0
Hospitalization, no Emergency		2022	2011	School Discipline Involving Tobacco	0	0	0
Mental Illness Principal Diagno		15	7	_			
Mental Illness Secondary Diag		112	83	JUVENILE COURT REFERRALS 3	2013	2012	2011
Alcohol Principal Diagnosis	1	0	1	Juvenile Violent Offenses	2	2	1
Alcohol Secondary Diagnosis	4	4	5	Juvenile Alcohol Offenses	0	2	0
Drug Principal Diagnosis	0	1	1	Juvenile Drug Offenses	0	0	0
Drug Secondary Diagnosis	4	3	1	School Truancy Status Offense	13	3	10
Emergency Room + Hospitaliza		· ·		Absent from Home Status Offense	0	0	0
Mental Illness Principal Diagno		3	3	Beyond Parental Control Status Offense	4	5	2
Mental Illness Secondary Diag		6	6	Injurious Behavior Status Offense	30	20	23
Alcohol Principal Diagnosis	1	1	0	Child Abuse	1	2	1
Alcohol Secondary Diagnosis	8	2	2	Child Neglect	10	10	8
Drug Principal Diagnosis	0	0	0	Child Custody Issues	0	0	0
Drug Secondary Diagnosis	1	1	0	JUVENILE COURT PLACEMENTS	2013	2012	2011
Emergency Room, no Hospitaliz			•	Out-of-Home PlacementsTotal	8	4	2
Mental Illness Principal Diagno		6	8	Parental Alcohol Use Related	0	0	0
Mental Illness Secondary Diag		28	28	Parental Drug Use Related	3	1	1
Alcohol Principal Diagnosis	3	2	4	Parental Alcohol and Drug Use	3	2	0
Alcohol Secondary Diagnosis	1	4	3	S			
Drug Principal Diagnosis	3	2	3	CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Secondary Diagnosis	3	0	3	Drug Court Participants	0	0	0
, ,				Probation/Parole AdmissionsDrug	6	5	3
ALCOHOL OUTLETS	2014	2013	2012	Probation/Parole AdmissionsDWI	0	1	1
Alcohol On-Premise Drink Licer	nses 3	3	3	Prison AdmissionsDrug	1	4	1
Alcohol Package Carry-out Lice	enses 3	3	3	Prison AdmissionsDWI	0	0	1
SAADI OVA (SAIT	2011	2012	2012	1 All Kansas City hepatitis and TB case repor	ts are include	d in Jackson	County
EMPLOYMENT	2014		2012	totals and all Joplin case reports are include	d in Jasper C	County totals.	
Labor Force	1,994	2,282	2,186	2 Beginning with 2010 data, diagnosis counts			
Employed	1,903	2,180	2,078	based on codes developed by the Healthcan Beginning in 2013, juvenile municipal violati			
Unemployed	91	102	108	court orders are categorized as status offen			
Unemployment Rate	4.6%	4.5%	4.9%				

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

FY2014	FY2013	FY2012
*	*	0
0	*	0
*	0	*
23	17	19
0	0	0
0	*	*
*	*	7
0	0	0
	* 0 * 23 0 0	* * 0 * * 0 23 17 0 0 0 *

Offender Management Unit 12 10 19 - Adolescent Diversion Education Prograr * * * * - Offender Education Program * * 6 - Weekend Intervention Program * 0 * (See also Clinical SATOP at left) * * OTHER SERVICES PROVIDED * * Co-Dependency 0 0 0 Compulsive Gambling 0 0 0 Recovery Supports 0 0 0 Early Intervention 5 0 *	SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
- Offender Education Program	Offender Management Unit	12	10	19
- Weekend Intervention Program - Weekend Intervention Program (See also Clinical SATOP at left) OTHER SERVICES PROVIDED Co-Dependency Compulsive Gambling Recovery Supports 0 0 0	- Adolescent Diversion Education Prograr	*	*	*
(See also Clinical SATOP at left) OTHER SERVICES PROVIDED Co-Dependency 0 0 0 Compulsive Gambling 0 0 0 Recovery Supports 0 0 0	- Offender Education Program	*	*	6
OTHER SERVICES PROVIDED Co-Dependency 0 0 0 Compulsive Gambling 0 0 0 Recovery Supports 0 0 0	- Weekend Intervention Program	*	0	*
Co-Dependency 0 0 0 Compulsive Gambling 0 0 0 Recovery Supports 0 0 0	(See also Clinical SATOP at left)			
Compulsive Gambling 0 0 0 0 Recovery Supports 0 0 0	OTHER SERVICES PROVIDED			
Recovery Supports 0 0 0	Co-Dependency	0	0	0
· · · · · · · · · · · · · · · · · · ·	Compulsive Gambling	0	0	0
Early Intervention 5 0 *	Recovery Supports	0	0	0
	Early Intervention	5	0	*

NUMBER ADMITTED	FY2014	FY2013	FY2012	PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Total Individuals	29	20	28	Alcohol	11	7	14
				Marijuana / Hashish	8	6	8
AGE	_			Cocaine (total)	0	0	0
Under 18	0	*	*	- Crack	0	0	0
18 to 24	8	6	5	Stimulant (total)	5	*	*
25 to 29	9	*	7	- Methamphetamine	5	*	*
30 to 34	6	*	*	Heroin	0	0	*
35 to 39	*	*	*	Analgesic except Heroin	*	*	*
40 to 44	*	*	*	- Non-Prescription Methadone	0	0	0
45 to 54	*	*	*	PCP, LSD, other Hallucinogen	0	0	0
55 and Over	*	*	*	Tranquilizer	0	0	0
GENDER				Inhalant	*	0	0
Male	19	14	21	Sedative	0	0	0
Female	10	6	7	Other Medication or Illicit Drug	*	0	0
· Smale	. •	ŭ	•	Average Age at First Use of Drug	18.4	18.1	16.8
RACE / ETHNICITY							
Caucasian	28	19	28	INJECTION DRUG USE			
African American	*	0	0	Any Injection Use at Admission	*	*	*
Native American / Alaskan	0	0	0	- Daily Injection Use	0	0	*
Asian / Pacific Islander	0	0	0	- Weekly Injection Use	0	0	0
Hispanic	0	0	*	- Less than Weekly Injection Use	*	*	*
Other Race / Two or More Races	0	*	0	Lead than Weekly Injection Coc			
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	9	6	8	0	15	12	15
High School Graduate or G.E.D.	16	12	12	1 or 2	13	8	9
Associate Degree or Some College	*	*	8	3 or More	*	0	*
Bachelor or Advanced Degree	0	0	0	TOTATAGENT DESCRIPTION COURSE			
EA ADI OVA AFAIT				TREATMENT REFERRAL SOURCE Self / Family / Friend	6	*	6
EMPLOYMENT Employed	9	6	15	School	0	0	0
Unemployed	*	*	*	Mental Health Provider	0	0	0
Not in Labor Force	16	12	10	Health Care Provider	*	*	*
Not in Labor Porce	10	12	10	Court / Criminal Justice	5	5	14
HOUSING / LIVING ARRANGEMENT				Other Referral Source	7	*	5
Independent Living	27	18	21	Other Referral Source	,		3
Dependent Living	*	*	*	TREATMENT ACCOMMAND ATION			
Homeless	*	0	0	TREATMENT ACCOMMODATION Pregnant when Admitted to any Enisode	0	0	*
AAADITAI /FAAAUVSTATUS				Pregnant when Admitted to any Episode Military Veteran	*	0	*
MARITAL / FAMILY STATUS Never Married	18	13	17	Special Education Services Needed	*	*	*
Married / Cohabitating	6	13	*	Co-Occurring Psychological Problem	17	12	9
Previously Married	5	*	7	Co-Occurring Developmental Problem	*	1Z *	0
1 Toviously Martieu	3		,	55-566uming Developmental Floblem			U

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



 DBH REGION
 Central

 PSYCHIATRIC SERVICE AREA
 14

 CENSUS 2010
 4,131

 2014 POPULATION ESTIMATE
 4,000

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.						
DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012			
Adjustment Disorder	*	0	0			
Anxiety Disorder	13	10	9			
Dementia	0	*	0			
Developmental Disorder	*	*	0			
Impulse Control Disorder	7	*	5			
Mood Disorder	31	31	21			
Personality Disorder	*	*	*			
Psychotic Disorder	27	20	8			
Sexual Disorder	0	0	0			
Other Diagnosis	5	6	*			
Diagnosis Unknown	*	*	8			

Individuals who received psychiatric services had the following types of

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2014	FY2013	FY2012	EDUCATION	FY2014	FY2013	FY2012
Total Individuals	64	58	45	Less than High School Diploma	21	21	7
. otala.v.aaao	0.		.0	High School Grad or G.E.D.	0	0	21
AGE				Associate Degree or Some College	0	*	0
Under 6	0	0	0	Bachelor or Advanced Degree	0	0	0
6 to 9	*	0	0	Education Level Unknown	43	36	17
10 to 13	*	*	*	Education Edver Officiown	70	00	
14 to 17	*	5	8	EMPLOYMENT			
18 to 24	*	*	*	Employed	0	*	5
25 to 29	*	5	*	Unemployed	0	*	21
30 to 34	6	*	*	Not in Labor Force	55	45	5
35 to 39	8	8	6	Employment Status Unknown	9	7	14
40 to 44	9	5	*				
45 to 49	11	9	8	HOUSING / LIVING ARRANGEMENT			
50 to 54	8	8	*	Independent Living	17	18	18
55 to 59	*	*	*	Dependent Living	37	31	14
60 and Over	6	6	*	Homeless	0	*	0
Age Unknown	0	0	0	Other	0	0	0
GENDER				Housing Unknown	10	8	13
Male	31	24	17				
Female	33	34	28	TREATMENT REFERRAL SOURCE			
Gender Unknown	0	0	0	Self / Family / Friend	19	18	14
Gender Offkriown	U	U	U	School	0	0	0
RACE / ETHNICITY				Mental Health Provider	7	8	9
Caucasian	52	46	40	Health Care Provider	21	18	8
African American	10	9	*	Court / Criminal Justice	*	0	0
Native American / Alaskan	0	0	0	Other	16	14	14
Asian / Pacific Islander	0	0	0	Referral Source Unknown	0	0	0
Hispanic	0	0	0	T/DE 05 000 40 4/T1 450/T			
Other Race	*	*	*	TYPE OF COMMITMENT	62	58	45
Race/Ethnicity Unknown	0	0	0	Voluntary	63		
TD5.4T4.54T 4.6004440D45:30:				Civil		0	0
TREATMENT ACCOMMODATION	2	^	0	Criminal	0	0	0
Hearing Impaired	0	0	0	Sexual Predatory	0	0	0
Past or Current Military Service	0	0	0	Commitment Type Unknown	0	0	0

MISSOURI STUDENT SURVEY

Percent of students who have ever used:	2014	2012	2010	Percent who believe they risk harm if they use:	2014	2012	2010
Alcohol	31.4			Alcohol (1 or 2 drinks daily)	62.0		
Cigarettes	13.7			Alcohol (Binge: 5+ drinks once or twice a week)	72.0		
Chewing Tobacco	5.9			Alcohol (any use)			
Marijuana	3.8			Cigarettes (1+ packs per day)	86.0		
Inhalants	2.0			Cigarettes (any use)			
Prescription medications not prescribed for student	3.9			Marijuana (once or twice a week)	85.7		
Over-the-counter medications for non-medical use	2.0			Marijuana (any use)			
Methamphetamine	2.0			Other: Cocaine, LSD, Meth, Club Drug (any use)	96.0		
Cocalne	0.0						
Heroin	0.0			Percent of students who, in past 30 days:	440		
Hallucinogens	0.0			Were very sad	14.0		
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.0			Were grouchy, irritable, or in a bad mood	27.5		
Steroids not prescribed for student	0.0			Felt hopeless about the future	7.8		
Synthetic drugs (K2, bath salts, Spice, etc)	0.0			Felt like not eating or eating more than usual	11.8		
				Slept a lot more or a lot less than usual	13.7		
Average age of students' first use of:	40.40			Had difficulty concentrating on school work	25.0		
Alcohol	12.46			Percent of students who, in past 12 months:			
Cigarettes	14.22			Seriously considered attempting suicide	13.7		
Marijuana	14.98			Made plan about how they would attempt suicide	7.8		
Inhalants				Attempted suicide	2.0		
Percent of students who, in past 30 days, used:				Attempted suicide and resulting injury, poisonng, or overdose			
Alcohol	10.0			had to be treated by doctor or nurse	2.0		
Alcohol (Binge: 5+ drinks on one occassion)				Description of the state of the			
Cigarettes	5.9			Percent of students who, in past 12 months:	7.0		
Chewing Tobacco	3.9			Were threatened/injured with weapon at school	7.8		
Marijuana	0.0			Were in a physical fight	13.7		
Inhalants	0.0			Were in a fight and had to be treated by a doctor or nurse	2.0		
Prescription medications not prescribed for student	2.0			Percent of students who, in past 3 months:			
Over-the-counter medications for non-medical use	2.0			Were victims of mean rumors or lies spread at school	58.8		
Over the counter modelations for non-medical asc	2.0			Were made fun of by others	70.6		
Percent of students who, in past 2 weeks, used:				Were victims of an embarrassing or hurtful text message or	0.4.0		
Alcohol (Binge: 5+ drinks on one occassion)	3.9			something posted on the internet	24.0		
Percent whose friends used in past 12 months:				Spread mean rumors or lies about other kids at school	29.4		
Alcohol	40.4			Made fun of other people	62.7		
Cigarettes	21.6			Posted something on the internet or sent a text that might			
Marijuana	9.8			embarrass or hurt another student	9.8		
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	2.0			5			
Other filler (Goodine, EDD, Weith, Oldb Drug, Cic)	2.0			Percent of students who agree that:	00.0		
Percent who would likely use, if offered by a best friend:				Teachers notice and comment on student's good work	68.6		
Alcohol	25.0			School provides feedback to parents on positive student	40.4		
Cigarettes	5.9			performance			
Marijuana	0.0			Rules are enforced fairly	62.7		
Percent who say it would be wrong to use				Students of all races/ethnicities are treated equal	84.6		
Percent who say it would be wrong to use:	68.6			Percent of students who agree that:			
Alcohol				Parents notice and comment on student's good work	82.4		
Cigarettes	90.2			Parents involve student in making family decisions	60.8		
Marijuana Othor Illicit (Coccino J.S.D. Moth. Club Drug. etc.)	94.1			It is important to be honest with parents regardless of			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	100.0			consequences	90.2		
Percent whose parents would disapprove if they use:				Student could ask parent for help with a personal problem	76.0		
Alcohol	74.5			,			
Cigarettes	90.4			Missouri Student Survey is conducted biennially.			
Marijuana	96.0			Similar affirmative response choices for individual questions are			
•				Blank data cells indicate estimates are not available for item or Survey is not conducted in every school district nor reported for			
Percent who say it would be easy to obtain:	40.0			Estimates are not available for counties with small numbers of			
Alcohol	49.0			Percentages are estimates based on weighted data.	ully at to	00.04	
Cigarettes	43.1			Some year-to-year differences in percentages are not statistical	ily signific	udiii.	
Marijuana	15.7			Data source: Missouri Institute of Mental Health, 2010-2014 Mi	ssouri Stı	udent Su	urveys
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	7.8						

LACEDE GOOM I							
DBH REGION	1	Central		IMPAIRED DRIVING	2013	2012	2011
DBH SERVICE	E AREAS			Alcohol Involved CrashesTotal	40	35	41
Substance	Use	11		Fatal Crashes	1	2	0
Adult Psyc	chiatric	11		Injury Crashes	22	14	17
POPULATION				Property Damage Crashes	17	19	24
Census 20	010	35,571		Crash Fatalities	1	2	0
2014 Estir	mate	35,439		Crash Injuries	34	28	28
		,		Drug Involved CrashesTotal	5	3	5
213				Fatal Crashes	0	0	0
				Injury Crashes	1	0	3
BIRTH RISK	2013	2012	2011	Property Damage Crashes	4	3	2
Resident BirthsTotal	441	445	489	Crash Fatalities	0	0	0
Mother Reported Smoking while Pregnant	138	120	129	Crash Injuries	1	0	3
DISEASE INCIDENCE 1	2013	2012	2011		-	-	-
HIV/AIDS Cases	1	1	1	POLICE REPORTS	2013	2012	2011
Hepatitis B Chronic, Acute, Prenatal	1	1	0	DUI Arrests, DWI Tracking System	135	184	187
Hepatitis C Chronic and Acute	33	38	25	Liquor Law Arrests	99	99	111
Tuberculosis Infection Cases	2	2	2	Drug Arrests	227	130	132
rasoroalosis imostism cases	_	_	_	Violent Offenses	119	155	195
DEATHS and INJURIES	2013	2012	2011	Property Offenses	1,027	994	1,083
Resident DeathsTotal	380	399	361	Domestic Violence Reports	198	189	205
Suicides	7	5	8		2014	2013	2012
Self-inflicted Injuries	50	47	43	Methamphetamine Lab Seizures	15	13	14
Homicides	0	1	0				
Assault Injuries	122	143	129	SCHOOL REPORTS	2013-14	2012-13	2011-12
Alcohol Induced Deaths	1	1	3	Enrollment Grades 9-12	1,734	1,682	1,686
Drug Induced Deaths	2	4	1	Drop-outs	24	49	51
Smoking Attributable Deaths	72	77	75	Drop-out Rate	1.4%	2.9%	3.0%
				School Discipline Involving Alcohol	11	9	6
HOSPITAL EPISODES 2	2013	2012	2011	School Discipline Involving Drugs	11	11	29
Hospitalization, no Emergency Room:				School Discipline Involving Tobacco	0	1	0
Mental Illness Principal Diagnosis	368	343	331	JUVENILE COURT REFERRALS 3	2013	2012	2011
Mental Illness Secondary Diagnosis	503	435	350	Juvenile Violent Offenses	20	43	31
Alcohol Principal Diagnosis	22	18	8	Juvenile Alcohol Offenses	13	10	3
Alcohol Secondary Diagnosis	24	25	17	Juvenile Drug Offenses	8	7	19
Drug Principal Diagnosis	23	38	22	School Truancy Status Offense	29	54	58
Drug Secondary Diagnosis	24	25	22	Absent from Home Status Offense	21	15	10
Emergency Room + Hospitalization:				Beyond Parental Control Status Offense	11	12	5
Mental Illness Principal Diagnosis	67	73	74	Injurious Behavior Status Offense	25	39	43
Mental Illness Secondary Diagnosis	586	588	482	Child Abuse	6	27	60
Alcohol Principal Diagnosis	23	29	24	Child Neglect	47	118	142
Alcohol Secondary Diagnosis	54	51	36	Child Custody Issues	0	0	0
Drug Principal Diagnosis	19	8	24	,			
Drug Secondary Diagnosis	37	49	35	JUVENILE COURT PLACEMENTS	2013	2012	2011
Emergency Room, no Hospitalization:				Out-of-Home PlacementsTotal	68	76	68
Mental Illness Principal Diagnosis	414	429	440	Parental Alcohol Use Related	0	3	0
Mental Illness Secondary Diagnosis	2,960	707	424	Parental Drug Use Related	12	24	22
Alcohol Principal Diagnosis	112	96	95	Parental Alcohol and Drug Use	6	3	1
Alcohol Secondary Diagnosis	101	75	57	CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Principal Diagnosis	54	90	104	Drug Court Participants	0	0	0
Drug Secondary Diagnosis	92	88	68	Probation/Parole AdmissionsDrug	194	193	165
ALCOHOL OUT: TTO	2011	2012	2042	Probation/Parole AdmissionsDWI	24	29	32
Alcohol On Promise Drink Licenses	2014	2013	2012	Prison AdmissionsDrug	90	117	81
Alcohol On-Premise Drink Licenses	25	23	23	Prison AdmissionsDWI	14	16	19
Alcohol Package Carry-out Licenses	41	43	49	20			
EMPLOYMENT	2014	2013	2012	1 All Kansas City hepatitis and TB case report			County
Labor Force	15,786	16,400	15,871	totals and all Joplin case reports are include Beginning with 2010 data, diagnosis counts			es are
Employed	14,511	14,974	14,433	based on codes developed by the Healthcar	re Cost and L	Itilization Pro	ject.
Unemployed	1,275	1,426	1,438	3 Beginning in 2013, juvenile municipal violati court orders are categorized as status offen:			
Unemployment Rate	8.1%	8.7%	9.1%	Court orders are categorized as status offers	Jos maleau 0	a law violation	13.

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	25	15	20
CSTAR Adolescent	10	17	30
CSTAR Women and Children	14	18	17
CSTAR General Adult	95	83	54
CSTAR Opioid	0	0	0
Primary Recovery Treatment	7	17	60
Clinical SATOP (CIP, YCIP, SROP)	25	32	18
Other Substance Abuse Treatment	0	0	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	106	133	153
- Adolescent Diversion Education Prograr	0	0	0
- Offender Education Program	26	47	52
- Weekend Intervention Program	27	25	39
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	*	*
Compulsive Gambling	0	0	0
Recovery Supports	*	*	*
Early Intervention	0	*	*

NUMBER ADMITTED	FY2014	FY2013	FY2012	PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Total Individuals	154	181	187	Alcohol	55	76	63
				Marijuana / Hashish	29	25	37
AGE				Cocaine (total)	0	*	*
Under 18	13	18	29	- Crack	0	*	0
18 to 24	35	43	32	Stimulant (total)	46	35	49
25 to 29	23	25	25	- Methamphetamine	45	35	45
30 to 34	32	30	31	Heroin	6	10	6
35 to 39	14	22	18	Analgesic except Heroin	16	22	21
40 to 44	15	18	21	- Non-Prescription Methadone	0	0	0
45 to 54	19	19	26	PCP, LSD, other Hallucinogen	0	*	0
55 and Over	*	6	5	Tranquilizer	0	*	*
GENDER				Inhalant	0	*	0
Male	98	103	109	Sedative	0	0	0
Female	56	78	78	Other Medication or Illicit Drug	*	6	9
				Average Age at First Use of Drug	17.8	18.0	17.7
RACE / ETHNICITY	4.47	470	400				
Caucasian	147	170	180	INJECTION DRUG USE			
African American		*		Any Injection Use at Admission	42	39	48
Native American / Alaskan	0		0	- Daily Injection Use	7	11	9
Asian / Pacific Islander	0	0	0	- Weekly Injection Use	17	7	16
Hispanic	*	6	*	- Less than Weekly Injection Use	18	21	23
Other Race / Two or More Races	•	0	•	, ,			
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	60	81	79	0	92	93	114
High School Graduate or G.E.D.	66	65	79	1 or 2	45	65	47
Associate Degree or Some College	27	35	29	3 or More	17	23	26
Bachelor or Advanced Degree	*	0	0	TOTATACNT DEFENDAL COURCE			
EMPLOYMENT				TREATMENT REFERRAL SOURCE Self / Family / Friend	59	76	64
Employed	26	35	31	School	*	0	0
Unemployed	72	69	66	Mental Health Provider	*	*	5
Not in Labor Force	72 56	77	90	Health Care Provider	6	7	13
Not in Labor Porce	50	7.7	90	Court / Criminal Justice	39	61	77
HOUSING / LIVING ARRANGEMENT				Other Referral Source	43	32	27
Independent Living	120	143	128	Other Referral Source	43	32	21
Dependent Living	23	26	46	TREATMENT ACCOMMAND ATION			
Homeless	*	5	9	TREATMENT ACCOMMODATION	*	*	*
AAADITAL / FAAAU V STATUS				Pregnant when Admitted to any Episode Military Veteran	7	*	7
MARITAL / FAMILY STATUS Never Married	06	90	91	•	5	17	7 12
	86 29	90 50	91 52	Special Education Services Needed	5 74	67	79
Married / Cohabitating	39	41	52 44	Co-Occurring Psychological Problem	/4 *	12	79 10
Previously Married	39	41	44	Co-Occurring Developmental Problem		12	10

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Central
PSYCHIATRIC SERVICE AREA
11
CENSUS 2010 35,571
2014 POPULATION ESTIMATE 35,439

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.							
DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012				
Adjustment Disorder	16	13	17				
Anxiety Disorder	285	238	184				
Dementia	0	0	0				
Developmental Disorder	*	*	*				
Impulse Control Disorder	76	82	71				
Mood Disorder	348	343	291				
Personality Disorder	20	20	12				
Psychotic Disorder	73	69	69				
Sexual Disorder	*	*	0				
Other Diagnosis	48	39	33				
Diagnosis Unknown	31	21	37				

Individuals who received psychiatric services had the following types of

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2014	FY2013	FY2012	EDUCATION	FY2014	FY2013	FY2012
Total Individuals	485	445	399	Less than High School Diploma	228	222	93
Total Marviadalo	100		000	High School Grad or G.E.D.	0	0	53
AGE				Associate Degree or Some College	0	0	19
Under 6	8	*	*	Bachelor or Advanced Degree	0	0	*
6 to 9	32	23	18	Education Level Unknown	257	223	232
10 to 13	50	41	47	Eddodion Edver Onknown	201	220	202
14 to 17	54	59	42	EMPLOYMENT			
18 to 24	42	43	29	Employed	32	33	20
25 to 29	31	34	29	Unemployed	21	56	110
30 to 34	44	42	38	Not in Labor Force	340	291	77
35 to 39	43	31	34	Employment Status Unknown	92	65	192
40 to 44	41	39	28				
45 to 49	42	41	44	HOUSING / LIVING ARRANGEMENT			
50 to 54	46	41	45	Independent Living	212	206	152
55 to 59	24	24	19	Dependent Living	185	179	78
60 and Over	28	23	23	Homeless	*	5	*
Age Unknown	0	0	0	Other	0	0	*
				Housing Unknown	84	55	166
GENDER	040	000	400				
Male	218	209	190	TREATMENT REFERRAL SOURCE			
Female	267	236	209	Self / Family / Friend	200	175	149
Gender Unknown	0	0	0	School	*	*	0
RACE / ETHNICITY				Mental Health Provider	18	25	29
Caucasian	455	414	370	Health Care Provider	80	82	64
African American	6	6	6	Court / Criminal Justice	71	58	43
Native American / Alaskan	*	*	*	Other	112	103	114
Asian / Pacific Islander	0	0	0	Referral Source Unknown	*	0	0
Hispanic	10	6	9				
Other Race	12	15	13	TYPE OF COMMITMENT			
Race/Ethnicity Unknown	0	0	0	Voluntary	479	439	391
				Civil		*	*
TREATMENT ACCOMMODATION				Criminal	5	*	5
Hearing Impaired	14	15	11	Sexual Predatory	0	0	0
Past or Current Military Service	8	11	10	Commitment Type Unknown	0	0	0

MISSOURI STUDENT SURVEY

	IVIIOS	OUF	(1510	DENI SURVET			
Percent of students who have ever used:	2014	2012	2010	Percent who believe they risk harm if they use:	2014	2012	2010
Alcohol	27.1	22.4	41.9	Alcohol (1 or 2 drinks daily)	63.4		
Cigarettes	35.6	4.3	30.9	Alcohol (Binge: 5+ drinks once or twice a week)	72.5		
Chewing Tobacco	15.3	6.4	20.7	Alcohol (any use)		80.3	78.0
Marijuana	1.0	0.2	13.0	Cigarettes (1+ packs per day)	92.4		
Inhalants	0.5	1.8	9.3	Cigarettes (any use)		74.7	77.7
Prescription medications not prescribed for student	0.5	0.7	14.8	Marijuana (once or twice a week)	87.8		
Over-the-counter medications for non-medical use	0.5	0.7	9.2	Marijuana (any use)		91.0	72.0
Methamphetamine	0.0	0.0	0.9	Other: Cocaine, LSD, Meth, Club Drug (any use)	92.3	93.9	90.6
Cocaine	0.0	0.0	1.7	Percent of students who, in past 30 days:			
Heroin	0.0	0.0	1.7	Were very sad	14.8	3.6	17.7
Hallucinogens	0.0	0.0	4.6	Were grouchy, irritable, or in a bad mood	19.3	21.7	23.6
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.0	0.0	3.0	Felt hopeless about the future	4.9	3.1	8.6
Steroids not prescribed for student	0.0	0.2	1.7	Felt like not eating or eating more than usual	26.6	5.9	12.8
Synthetic drugs (K2, bath salts, Spice, etc)	0.0	0.0		Slept a lot more or a lot less than usual	28.5	8.7	20.1
Average age of students' first use of:				Had difficulty concentrating on school work	11.4	20.7	19.5
Alcohol	10.16	12.09	11.93	Percent of students who, in past 12 months:			
Cigarettes	9.05	11.33	11.60	Seriously considered attempting suicide	14.2	17.2	12.5
Marijuana	10.36		12.59	Made plan about how they would attempt suicide	3.4	2.5	11.5
Inhalants	9.38	11.11	12.15	Attempted suicide	10.4	0.7	6.4
Percent of students who, in past 30 days, used:				Attempted suicide and resulting injury, poisoning, or overdose			
Alcohol	10.9	16.2	20.3	had to be treated by doctor or nurse	0.6	1.3	2.8
Alcohol (Binge: 5+ drinks on one occassion)		14.7	13.1	Percent of students who, in past 12 months:			
Cigarettes	11.6	1.6	17.1	Were threatened/injured with weapon at school	2.1	1.3	11.4
Chewing Tobacco	1.6	2.8	13.1	Were in a physical fight	16.8	25.2	30.8
Marijuana	0.5	0.2	7.3	Were in a fight and had to be treated by a doctor or nurse	0.5	0.5	6.0
Inhalants	0.0	0.8	4.5		0.0	0.0	0.0
Prescription medications not prescribed for student	0.5	0.7	9.0	Percent of students who, In past 3 months:			
Over-the-counter medications for non-medical use	0.5	0.2	6.6	Were victims of mean rumors or lies spread at school	42.7	31.3	56.1
Percent of students who, in past 2 weeks, used:				Were made fun of by others	52.1	34.4	68.7
Alcohol (Binge: 5+ drinks on one occassion)	0.0			Were victims of an embarrassing or hurtful text message or something posted on the internet	20.7	3.8	18.0
Percent whose friends used in past 12 months:				Spread mean rumors or lies about other kids at school	14.2	24.3	37.2
Alcohol	16.3	39.6	58.1	Made fun of other people	41.2	40.0	71.8
Cigarettes	15.3	28.3	50.3	Posted something on the internet or sent a text that might	8.3	3.6	19.6
Marijuana	0.5	4.1	34.5	embarrass or hurt another student			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	0.5	2.1	23.4	Percent of students who agree that:			
Percent who would likely use, if offered by a best friend:				Teachers notice and comment on student's good work	82.1	72.5	65.8
Alcohol	11.5	34.5	36.3	School provides feedback to parents on positive student	GE E	41.0	44.6
Cigarettes	1.0	15.9	17.6	performance	65.5	41.9	41.6
Marijuana	0.5	15.6	12.4	Rules are enforced fairly	83.7	85.5	64.8
•				Students of all races/ethnicities are treated equal	99.0	93.6	76.6
Percent who say it would be wrong to use:	70.0	00.4	04.0	Percent of students who agree that:			
Alcohol	72.8	62.1	61.6	Parents notice and comment on student's good work	92.7	78.8	83.4
Cigarettes	98.4 98.4	80.2 97.7	75.9 82.2	Parents involve student in making family decisions	74.9	67.5	72.8
Marijuana Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	99.5	98.8	93.7	It is important to be honest with parents regardless of	96.6	79.9	80.9
Percent whose parents would disapprove if they use:				consequences	00.0	77.0	77.5
Alcohol	77.5	80.2	81.5	Student could ask parent for help with a personal problem	83.2	77.6	77.5
Cigarettes	100.0	98.5	90.7	Missouri Student Survey is conducted biennially.			
Marijuana	100.0	99.3	94.5	Similar affirmative response choices for individual questions ar			
•				Blank data cells indicate estimates are not available for item or			
Percent who say it would be easy to obtain:	400	40.0	47.0	Survey is not conducted in every school district nor reported fo Estimates are not available for counties with small numbers of			
Alcohol	18.8	40.9	47.6	Percentages are estimates based on weighted data.	·		
Cigarettes	31.3	42.3	50.8 27.6	Some year-to-year differences in percentages are not statistical	ıny sıgnıtı	uant.	
Marijuana Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	0.5 2.1	5.6 3.8	27.6 18.1	Data source: Missouri Institute of Mental Health, 2010-2014 Mi	issouri St	udent Su	urveys
onior micit (Cocame, Lob, Meth, Club Drug, etc)	۷.۱	5.0	10.1				

LAI AI LIIL OO	5141 1						
DBH	REGION	Western		IMPAIRED DRIVING	2013	2012	2011
DBH	SERVICE AREAS			Alcohol Involved CrashesTotal	31	26	24
Su Su	bstance Use	7		Fatal Crashes	1	2	0
Ad	ult Psychiatric	7		Injury Crashes	14	10	11
POP	ULATION			Property Damage Crashes	16	14	13
	nsus 2010	33,381		Crash Fatalities	1	2	0
20	14 Estimate	32,688		Crash Injuries	15	12	20
				Drug Involved CrashesTotal	6	8	1
<u> </u>				Fatal Crashes	0	0	0
DIDTH DICK	2012	2012	2011	Injury Crashes	1	5	0
BIRTH RISK Resident BirthsTotal	2013 361	2012 386	378	Property Damage Crashes	5	3	1
Mother Reported Smoking while P		93	108	Crash Fatalities	0	0	0
Mother Reported Smoking while F	regnant 92	93	100	Crash Injuries	1	6	0
DISEASE INCIDENCE 1	2013	2012	2011				
HIV/AIDS Cases	0	0	0	POLICE REPORTS	2013	2012	2011
Hepatitis B Chronic, Acute, Prenat	al 2	1	1	DUI Arrests, DWI Tracking System	188	225	192
Hepatitis C Chronic and Acute	15	12	9	Liquor Law Arrests	50	59	64
Tuberculosis Infection Cases	6	5	4	Drug Arrests	338	314	277
				Violent Offenses	27	33	35
DEATHS and INJURIES	2013	2012	2011	Property Offenses	499	675	612
Resident DeathsTotal	376	351	325	Domestic Violence Reports	53	64	49
Suicides	5	5	2		2014	2013	2012
Self-inflicted Injuries	46	45	50	Methamphetamine Lab Seizures	1	1	1
Homicides	0	4	0	SCHOOL REPORTS	2013-14	2012-13	2011-12
Assault Injuries	71	116	92	Enrollment Grades 9-12	1,572	1,574	1,632
Alcohol Induced Deaths	3	0	2	Drop-outs	1,372	27	26
Drug Induced Deaths	2	5	6	Drop-out Rate	0.8%	1.7%	1.6%
Smoking Attributable Deaths	69	66	61	School Discipline Involving Alcohol	1	2	2
HOSPITAL EPISODES 2	2013	2012	2011	School Discipline Involving Drugs	4	4	11
Hospitalization, no Emergency Roo		2012	2011	School Discipline Involving Tobacco	0	0	0
Mental Illness Principal Diagnosis		324	318	Control Dicolphine involving reduced	Ü	· ·	O
Mental Illness Secondary Diagnos		586	672	JUVENILE COURT REFERRALS 3	2013	2012	2011
Alcohol Principal Diagnosis	13	16	19	Juvenile Violent Offenses	47	58	52
Alcohol Secondary Diagnosis	37	32	59	Juvenile Alcohol Offenses	11	11	21
Drug Principal Diagnosis	15	9	9	Juvenile Drug Offenses	10	9	13
Drug Secondary Diagnosis	26	44	51	School Truancy Status Offense	22	15	13
Emergency Room + Hospitalization		77	31	Absent from Home Status Offense	16	17	22
Mental Illness Principal Diagnosis		45	50	Beyond Parental Control Status Offense	26	32	19
Mental Illness Secondary Diagnos		453	414	Injurious Behavior Status Offense	9	22	33
Alcohol Principal Diagnosis	12	22	7	Child Abuse	1	3	0
Alcohol Secondary Diagnosis	57	62	65	Child Neglect	7	2	1
Drug Principal Diagnosis	6	13	9	Child Custody Issues	17	29	32
Drug Secondary Diagnosis	33	68	45	JUVENILE COURT PLACEMENTS	2013	2012	2011
Emergency Room, no Hospitalizati		00		Out-of-Home PlacementsTotal	22	21	31
Mental Illness Principal Diagnosis		307	262	Parental Alcohol Use Related	0	0	0
Mental Illness Secondary Diagnos		325	315	Parental Drug Use Related	3	4	5
Alcohol Principal Diagnosis	57	52	45	Parental Alcohol and Drug Use	0	0	0
Alcohol Secondary Diagnosis	39	64	44	r aromary nooner and Drug Coo	· ·	ŭ	·
Drug Principal Diagnosis	50	46	41	CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Secondary Diagnosis	60	61	71	Drug Court Participants	49	60	45
	20	0.		Probation/Parole AdmissionsDrug	135	141	187
ALCOHOL OUTLETS	2014	2013	2012	Probation/Parole AdmissionsDWI	22	29	24
Alcohol On-Premise Drink License		47	43	Prison AdmissionsDrug	110	96	106
Alcohol Package Carry-out Licens		40	39	Prison AdmissionsDWI	24	25	13
EMPLOYMENT	2014	2013	2012	1 All Kansas City hepatitis and TB case report			County
Labor Force	17,445	16,047	16,384	totals and all Joplin case reports are include Beginning with 2010 data, diagnosis counts			es are
Employed	16,428	14,991	15,167	based on codes developed by the Healthcar	e Cost and L	Itilization Pro	ject.
Unemployed	1,017	1,056	1,217	3 Beginning in 2013, juvenile municipal violati- court orders are categorized as status offens			

5.8%

6.6%

7.4%

Unemployment Rate

court orders are categorized as status offenses instead of law violations.

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

	FY2014	FY2013	FY2012
TREATMENT CATEGORY			
Detoxification	5	9	10
CSTAR Adolescent	9	*	14
CSTAR Women and Children	8	9	9
CSTAR General Adult	103	115	119
CSTAR Opioid	0	0	0
Primary Recovery Treatment	*	*	*
Clinical SATOP (CIP, YCIP, SROP)	32	36	31
Other Substance Abuse Treatment	0	0	*

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	143	135	135
- Adolescent Diversion Education Prograr	0	*	*
- Offender Education Program	55	48	47
- Weekend Intervention Program	27	25	31
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	0	*
Compulsive Gambling	0	0	0
Recovery Supports	17	60	73
Early Intervention	*	*	11

NUMBER ADMITTED	FY2014	FY2013	FY2012	PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Total Individuals	157	173	181	Alcohol	64	66	86
				Marijuana / Hashish	33	42	39
AGE				Cocaine (total)	*	*	*
Under 18	9	6	13	- Crack	0	0	*
18 to 24	37	44	33	Stimulant (total)	41	44	42
25 to 29	30	24	29	- Methamphetamine	38	42	41
30 to 34	22	32	35	Heroin	*	*	0
35 to 39	15	19	14	Analgesic except Heroin	6	14	8
40 to 44	15	14	30	- Non-Prescription Methadone	0	0	0
45 to 54	22	25	20	PCP, LSD, other Hallucinogen	*	*	0
55 and Over	7	9	7		*	0	*
CENTER				Tranquilizer Inhalant	0	*	*
GENDER Male	111	121	120	Sedative	0	0	0
		52	61		*	*	*
Female	46	52	01	Other Medication or Illicit Drug		47.0	40.0
RACE / ETHNICITY				Average Age at First Use of Drug	18.0	17.6	16.3
Caucasian	148	162	158				
African American	*	*	11	INJECTION DRUG USE			
Native American / Alaskan	0	*	*	Any Injection Use at Admission	22	23	13
Asian / Pacific Islander	0	0	*	- Daily Injection Use			5
Hispanic	5	7	6	- Weekly Injection Use	9	11	6
Other Race / Two or More Races	*	*	*	- Less than Weekly Injection Use	10	11	*
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	46	41	50	0	80	96	96
High School Graduate or G.E.D.	83	95	85	1 or 2	52	56	52
Associate Degree or Some College	27	36	44	3 or More	25	21	33
Bachelor or Advanced Degree	*	*	*				
_				TREATMENT REFERRAL SOURCE	- 4	0.4	
EMPLOYMENT		0.4		Self / Family / Friend	51	64	59
Employed	53	61	58	School	0	0	0
Unemployed	44	55	55	Mental Health Provider			*
Not in Labor Force	60	57	68	Health Care Provider	8	*	6
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	55	86	93
Independent Living	128	150	154	Other Referral Source	37	15	19
Dependent Living	16	9	14				
Homeless	*	5	5	TREATMENT ACCOMMODATION			
		Ü	J	Pregnant when Admitted to any Episode	*	*	0
MARITAL / FAMILY STATUS				Military Veteran	*	6	12
Never Married	92	87	93	Special Education Services Needed	*	5	8
Married / Cohabitating	31	52	55	Co-Occurring Psychological Problem	57	65	55
Previously Married	34	34	33	Co-Occurring Developmental Problem	*	*	5

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Western
PSYCHIATRIC SERVICE AREA 7
CENSUS 2010 33,381
2014 POPULATION ESTIMATE 32,688

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder. FY2014 FY2013 FY2012 **DIAGNOSIS CATEGORY** Adjustment Disorder 30 45 35 **Anxiety Disorder** 171 171 172 Dementia 0 0 0 **Developmental Disorder** 0 Impulse Control Disorder 69 64 60 Mood Disorder 236 236 221 Personality Disorder 13 11 14 **Psychotic Disorder** 38 48 42 Sexual Disorder 0 0 Other Diagnosis 30 23 24

31

42

32

Individuals who received psychiatric services had the following types of

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

Diagnosis Unknown

NUMBER SERVED	FY2014	FY2013	FY2012	EDUCATION	FY2014	FY2013	FY2012
Total Individuals	330	361	359	Less than High School Diploma	112	118	60
. otala.r.aaa.o	333		000	High School Grad or G.E.D.	0	*	55
AGE				Associate Degree or Some College	0	0	23
Under 6	6	6	9	Bachelor or Advanced Degree	0	0	*
6 to 9	25	26	22	Education Level Unknown	218	242	217
10 to 13	32	31	34	Education Edver Children	2.0		
14 to 17	41	35	35	EMPLOYMENT			
18 to 24	27	36	43	Employed	11	16	20
25 to 29	19	33	32	Unemployed	8	18	104
30 to 34	20	34	22	Not in Labor Force	169	189	37
35 to 39	25	19	25	Employment Status Unknown	142	138	198
40 to 44	26	31	30				
45 to 49	34	29	34	HOUSING / LIVING ARRANGEMENT			
50 to 54	34	44	36	Independent Living	93	109	127
55 to 59	28	21	22	Dependent Living	94	105	43
60 and Over	13	16	15	Homeless	0	*	*
Age Unknown	0	0	0	Other	0	0	8
				Housing Unknown	143	146	180
GENDER	400		4.47				
Male	138	141	147	TREATMENT REFERRAL SOURCE			
Female	192	220	212	Self / Family / Friend	253	269	253
Gender Unknown	0	0	0	School	*	*	*
RACE / ETHNICITY				Mental Health Provider	6	*	5
Caucasian	309	326	330	Health Care Provider	17	18	22
African American	9	15	14	Court / Criminal Justice	22	25	11
Native American / Alaskan	0	*	0	Other	30	43	65
Asian / Pacific Islander	0	*	*	Referral Source Unknown	*	*	*
Hispanic	*	7	*				
Other Race	8	11	11	TYPE OF COMMITMENT	007	0.50	0.57
Race/Ethnicity Unknown	0	0	0	Voluntary	327	358	357
				Civil	0	0	*
TREATMENT ACCOMMODATION				Criminal			0
Hearing Impaired	9	10	11	Sexual Predatory	0	0	0
Past or Current Military Service	14	12	11	Commitment Type Unknown	*	*	*

MISSOURI STUDENT SURVEY

	IVIIO		(1310	DENI SURVET			
Percent of students who have ever used:	2014	2012	2010	Percent who believe they risk harm if they use:	2014	2012	2010
Alcohol	33.8	39.9	45.1	Alcohol (1 or 2 drinks daily)	61.1		
Cigarettes	19.2	25.8		Alcohol (Binge: 5+ drinks once or twice a week)	69.5		
Chewing Tobacco	13.2	16.4	16.6	Alcohol (any use)		72.0	80.3
Marijuana	12.9	14.2		Cigarettes (1+ packs per day)	85.7		
Inhalants	4.0	5.7	6.7	Cigarettes (any use)		79.5	80.8
Prescription medications not prescribed for student	4.5	9.1	11.4	Marijuana (once or twice a week)	68.4		
Over-the-counter medications for non-medical use	1.5	6.9	6.9	Marijuana (any use)		77.2	72.1
Methamphetamine	0.3	0.9	0.7	Other: Cocaine, LSD, Meth, Club Drug (any use)	92.2	92.7	92.9
Cocaine	0.2	1.2	1.4	Percent of students who, in past 30 days:			
Heroin	0.3	0.3	0.6	Were very sad	19.6	20.5	26.7
Hallucinogens	0.7	1.4		Were grouchy, irritable, or in a bad mood	24.9	23.4	30.6
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.2	1.2	1.5	Felt hopeless about the future	10.4	10.2	12.6
Steroids not prescribed for student	0.5	0.9	8.0	Felt like not eating or eating more than usual	14.1	16.2	23.0
Synthetic drugs (K2, bath salts, Spice, etc)	4.0	5.4		Slept a lot more or a lot less than usual	14.0	19.4	30.0
Average age of students' first use of:				Had difficulty concentrating on school work	22.8	19.9	26.0
Alcohol	13.12	12.37	12.46	Descent of students who in next 12 months.			
Cigarettes	13.98	12.22	12.01	Percent of students who, in past 12 months:	7.0	12.4	11.6
Marijuana	14.75	13.33	13.17	Seriously considered attempting suicide Made plan about how they would attempt suicide	7.2 5.5	9.7	8.6
Inhalants	10.39	11.59	12.39	Attempted suicide	2.2	9. <i>1</i> 6.1	6.0
Percent of students who, in past 30 days, used:				Attempted suicide and resulting injury, poisonng, or overdose	2.2	0.1	0.0
Alcohol	11.6	17.3	22.8	had to be treated by doctor or nurse	0.3	0.7	1.4
Alcohol (Binge: 5+ drinks on one occassion)	11.0	10.6		·			
Cigarettes	7.5	13.0		Percent of students who, in past 12 months:	0.0	4.0	44.0
Chewing Tobacco	7.0	9.5		Were threatened/injured with weapon at school	2.2	4.9	11.2 20.5
Marijuana	5.5	8.1	5.2	Were in a physical fight Were in a fight and had to be treated by a doctor or nurse	18.1 2.2	19.4 2.5	3.6
Inhalants	1.2	2.4	3.8	were in a light and had to be treated by a doctor of hurse	2.2	2.5	3.0
Prescription medications not prescribed for student	2.5	5.6	6.3	Percent of students who, in past 3 months:			
Over-the-counter medications for non-medical use	0.7	3.9	4.0	Were victims of mean rumors or lies spread at school	51.1	49.4	58.5
Percent of students who, in past 2 weeks, used:				Were made fun of by others	62.5	60.9	67.4
Alcohol (Binge: 5+ drinks on one occassion)	6.0			Were victims of an embarrassing or hurtful text message or something posted on the internet	22.9	19.8	19.8
Percent whose friends used in past 12 months:				Spread mean rumors or lies about other kids at school	24.6	27.1	33.0
Alcohol	43.2	53.8	61.0	Made fun of other people	60.3	60.3	69.8
Cigarettes	33.7	47.6	49.2	Posted something on the internet or sent a text that might	16.0	13.9	17.4
Marijuana	29.2	31.4	28.5	embarrass or hurt another student	10.0	10.0	
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	8.2	11.7	13.6	Percent of students who agree that:			
Percent who would likely use, if offered by a best friend:				Teachers notice and comment on student's good work	74.3	72.0	76.7
Alcohol	25.6	29.2	38.1	School provides feedback to parents on positive student	45.4	40.7	40.4
Cigarettes	9.9	13.1	16.2	performance	45.4	42.7	46.4
Marijuana	10.7	11.2		Rules are enforced fairly	63.5	70.4	70.9
•				Students of all races/ethnicities are treated equal	84.4	80.7	85.8
Percent who say it would be wrong to use:				Percent of students who agree that:			
Alcohol	68.4	64.0		Parents notice and comment on student's good work	85.3	82.5	83.8
Cigarettes	87.3	83.4		Parents involve student in making family decisions	68.5	68.4	71.1
Marijuana Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	82.4 97.8	85.5 95.9		It is important to be honest with parents regardless of	86.8	87.9	85.7
Percent whose parents would disapprove if they use:				Consequences Student could ack parent for help with a percent problem	76.8	77.9	77.3
Alcohol	81.5	80.0	78.0	Student could ask parent for help with a personal problem	70.0	77.9	11.3
Cigarettes	91.6	92.8	90.6	Missouri Student Survey is conducted biennially.			
Marijuana	94.8	95.5		Similar affirmative response choices for individual questions ar	e combin	ed.	
•	_			Blank data cells indicate estimates are not available for item or Survey is not conducted in every school district nor reported fo			
Percent who say it would be easy to obtain:	40.0	E4 0	E0.0	Estimates are not available for counties with small numbers of			
Alcohol	49.3	51.3 50.3		Percentages are estimates based on weighted data.	ally cioniti	cant	
Cigarettes Marijuana	45.8 27.5	27.2		Some year-to-year differences in percentages are not statistical	my signiff	oaril.	
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	9.6	10.5		Data source: Missouri Institute of Mental Health, 2010-2014 Mi	ssouri St	udent Sı	urveys
and mon (account) for month of principle	0.0						

Def	LATTICE GOOM	• •						
Substance Uses Property Command Property Comm	DBH REGIO	ON	Southwest		IMPAIRED DRIVING	2013	2012	2011
Martin Psychatrin Psychat	DBH SERV	ICE AREAS			Alcohol Involved CrashesTotal	40	45	44
Property Damage Crashes	Substan	ce Use	9		Fatal Crashes	1	3	1
Ceasus 2010 38.634 Crash Fatalities 23 33 292 2011 Property Dimage Crashes—Total 12 5 6 Fatal Crash Fatalities 20 3 30 20 20 20 20 20	Adult Ps	ychiatric	8A		Injury Crashes	18	22	22
Care Property Damage Crashes 23 33 29	POPULATION	ON			Property Damage Crashes	21	20	21
BIRTH RISK 2013 2012 2011	Census	2010	38,634		Crash Fatalities	1	3	1
Resident Births-Total 48	2014 Es	timate	38,023		Crash Injuries	23	33	29
BRTH RISK	LI TEN				Drug Involved CrashesTotal	12	5	6
Resident Brithra-Total 488					Fatal Crashes	0	0	0
Property Damage Crashes	RIRTH RISK	2013	2012	2011	Injury Crashes	8	2	2
Mother Reported Smoking while Pregnant 100 111 115 115 Crash Fatalities 0 0 0 3 2 2					Property Damage Crashes	4	3	4
Crash Injunies 10 3 2012 2011 HIVIAIDS Cases 1 0 0 0 0 Hepatitis C Chronic and Acute 25 37 28 14 16 3 14 14 15 14 15 14 15 14 15 14 15 14 15 14 15 15						0	0	
HIVIAIDS Cases	_				Crash Injuries	10	3	2
Hepatitis C Chronic and Acute					DOLICE REDORTS	2013	2012	2011
Hepatitis C Drinoric and Acute 25 37 28 Drug Arrests 207 146 151		-						
Tuberculosis Infection Cases 6 7 8 Violent Offenses 128 172 154								
DEATHS and INVIRIES 2013 2012 2011 Property Offensees 1,196 1,248 1,180					•			
DEATHS and INURIES 2013 2012 2011 Property Offenses 1,196 1,248 1,180 Resident Deaths—Total 461 420 420 Domestic Violence Reports 1,196 2014 2013 2012 Self-inflicted Injuries 63 58 43 Methamphetamine Lab Seizures 16 14 17 Homicides 1 2 0 SCHOOL REPORTS 2013 2012-13 2011-14 1012-13 2011-14 177 Alcohol Induced Deaths 6 5 9 Proportio Grades 9-12 1,774 1,808 1,776 20 1,776 20 1,774 1,809 2,776 20 1,779 20 1,779 1,770 1,770 1,770 1,770 1,770 1,770 1,770 1,770 20 1,770 1,770 1,770 1,770 1,770 1,770 1,770 1,770 1,770 1,770 1,770 1,770 1,770 1,770 1,770 1,770 1,770 1,770 <td< td=""><td>Tuberculosis Infection Cases</td><td>6</td><td>7</td><td>8</td><td>•</td><td></td><td></td><td></td></td<>	Tuberculosis Infection Cases	6	7	8	•			
Resident DeathsTotal	DEATHS and INITIBLES	2012	2012	2011				
Seli-inflicted Injuries						•		•
Self-inflicted Injuries					Zemesie meiene nepene			
Assault Injuries					Methamphetamine Lab Seizures			
Assault Injuries	•							
Acchol Induced Deaths 5						2013-14	2012-13	2011-12
Drug Induced Deaths Smoking Attributable Deaths 84 77 70 70 70 70 70 70 7					Enrollment Grades 9-12	1,714	1,808	1,776
Smoking Attributable Deaths 84 77 70 Drop-out Rate 1.4% 1.9% 2.0% 2.			· ·		Drop-outs	24	34	36
HOSPITAL EPISODES 2013 2012 2011 School Discipline Involving Alcohol 5 0 0 0					•	1.4%	1.9%	2.0%
Hospitalization, no Emergency Room: Mental Illness Principal Diagnosis 182 205 201 Mental Illness Principal Diagnosis 342 381 414 Juvenile Violent Offenses 13 26 22 22 22 23 34 34 34 34		•	• •				-	
Mental Illness Principal Diagnosis 182 205 201 JUVENILE COURT REFERALS 3 2013 2012 2011 Mental Illness Secondary Diagnosis 342 381 414 7 9 Juvenile Violent Offenses 13 26 22 Alcohol Principal Diagnosis 25 21 21 21 21 21 21 21 21 21 21 21 21 22 27 22 27 22 27 22 27 22 27 22 27 22 27 22 27 22 27 22 27 22 20<	HOSPITAL EPISODES 2	2013	2012	2011			11	
Mental Illness Secondary Diagnosis 342 381					School Discipline Involving Tobacco	0	1	0
Mental Illness Secondary Diagnosis 14 7 9			205		ILIVENII E COLIRT REFERRALS 3	2013	2012	2011
Alcohol Secondary Diagnosis 14								
Alcohol Secondary Diagnosis 25 21 18 12 21 21 21 22 23 29 27 27 28 27 28 27 28 28			7					
Drug Principal Diagnosis 21 18 12 27 27 28 27 28 27 28 27 28 27 28 27 28 28						_		
Drug Secondary Diagnosis 23 29 27 Absent from Home Status Offense 13 5 9					•			
Mental Illness Principal Diagnosis 125 126 102 Mental Illness Secondary Diagnosis 639 571 472 Alcohol Principal Diagnosis 27 45 20 Alcohol Secondary Diagnosis 666 68 55 Drug Principal Diagnosis 32 45 27 Drug Secondary Diagnosis 34 31 36 Drug Secondary Diagnosis 257 334 309 Mental Illness Principal Diagnosis 35 65 65 56 56 56 Mental Illness Principal Diagnosis 35 55 65 56 56 56 56 56 56 56 56 56 56 56		23	29	27	· · · · · · · · · · · · · · · · · · ·			
Mental Illness Principal Diagnosis 125 126 102 Injurious Behavior Status Offense 14 8 12 Mental Illness Secondary Diagnosis 639 571 472 Child Abuse 12 12 12 16 Alcohol Principal Diagnosis 66 68 55 Child Abuse 12 12 16 Alcohol Secondary Diagnosis 32 45 27 Child Abuse 39 66 46 Drug Secondary Diagnosis 34 31 36 JUVENILE COURT PLACEMENTS 2013 2012 2011 Emergency Room, no Hospitalization: Out-of-Home PlacementsTotal 81 75 50 Mental Illness Principal Diagnosis 257 334 309 Parental Alcohol Use Related 0 1 0 Mental Illness Secondary Diagnosis 55 65 56 Parental Alcohol Use Related 0 1 0 1 0 Alcohol Principal Diagnosis 56 65 56 Parental Alcohol and Drug Use 2 2 2<					Beyond Parental Control Status Offense			
Mental Illness Secondary Diagnosis 27 45 20 Child Abuse 12 12 16 16 16 16 16 16						14		
Alcohol Principal Diagnosis 27 45 20 Child Neglect 39 66 46 Alcohol Secondary Diagnosis 32 45 27 Child Custody Issues 79 83 42 Drug Principal Diagnosis 34 31 36 JUVENILE COURT PLACEMENTS 2013 2012 2011 Emergency Room, no Hospitalization: Out-of-Home PlacementsTotal 81 75 50 Mental Illness Principal Diagnosis 257 334 309 Parental Alcohol Use Related 0 1 0 Mental Illness Secondary Diagnosis 896 1,061 984 Parental Drug Use Related 16 28 12 Alcohol Principal Diagnosis 55 65 56 Parental Alcohol and Drug Use 2 2 2 2 Drug Principal Diagnosis 76 70 61 CRIMINAL JUSTICE FY2014 FY2013 FY2012 Drug Secondary Diagnosis 103 140 105 CRIMINAL JUSTICE FY2014 FY2013 FY2012 <								
Alcohol Secondary Diagnosis 32 45 27 Drug Principal Diagnosis 32 45 27 Drug Secondary Diagnosis 34 31 36 Mental Illness Principal Diagnosis 257 334 309 Mental Illness Secondary Diagnosis 896 1,061 984 Parental Alcohol Use Related 0 1 0 0 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0								
Drug Principal Diagnosis 32 45 27 Drug Secondary Diagnosis 34 31 36 JUVENILE COURT PLACEMENTS 2013 2012 2011 Emergency Room, no Hospitalization: Out-of-Home PlacementsTotal 81 75 50 Mental Illness Principal Diagnosis 257 334 309 Parental Alcohol Use Related 0 1 0 Mental Illness Secondary Diagnosis 896 1,061 984 Parental Drug Use Related 16 28 12 Alcohol Principal Diagnosis 55 65 56 Parental Alcohol and Drug Use 2					•			
Emergency Room, no Hospitalization: Mental Illness Principal Diagnosis 257 334 309 Parental Alcohol Use Related 0 1 0 Mental Illness Secondary Diagnosis 896 1,061 984 Parental Drug Use Related 16 28 12 Alcohol Principal Diagnosis 55 65 56 Parental Alcohol and Drug Use Alcohol Secondary Diagnosis 51 94 87 Drug Principal Diagnosis 76 70 61 CRIMINAL JUSTICE Drug Secondary Diagnosis 103 140 105 Probation/Parole AdmissionsDrug ALCOHOL OUTLETS Alcohol On-Premise Drink Licenses 17 19 17 Prison AdmissionsDrug Alcohol Package Carry-out Licenses 42 36 43 Prison AdmissionsDWI Drug Court Participants Prison AdmissionsDWI Prison AdmissionsDWI Prison AdmissionsDWI Prison AdmissionsDWI 17 15 26 Prison AdmissionsDWI Prison AdmissionsDW								
Mental Illness Principal Diagnosis257334309Parental Alcohol Use Related010Mental Illness Secondary Diagnosis8961,061984Parental Drug Use Related162812Alcohol Principal Diagnosis556556Parental Alcohol and Drug Use222Alcohol Secondary Diagnosis519487Drug Principal Diagnosis767061CRIMINAL JUSTICEFY2014FY2013FY2012Drug Secondary Diagnosis103140105Drug Court Participants514129Probation/Parole AdmissionsDrug676474ALCOHOL OUTLETS201420132012Probation/Parole AdmissionsDWI171526Alcohol Package Carry-out Licenses171917Prison AdmissionsDrug423725Alcohol Package Carry-out Licenses423643Prison AdmissionsDWI955EMPLOYMENT2014201320121All Kansas City hepatitis and TB case reports are included in Jasper County totals.Labor Force17,41619,29418,4532Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.Unemployed1,0281,1041,1173Beginning in 2013, juvenile municipal violations, infractions, and violations of count orders are categorized as status offenses instead of law violations.		34	31	36				
Mental Illness Secondary Diagnosis8961,061984Parental Drug Use Related162812Alcohol Principal Diagnosis556556Parental Alcohol and Drug Use222Alcohol Secondary Diagnosis519487Drug Principal Diagnosis767061CRIMINAL JUSTICEFY2014FY2013FY2012Drug Secondary Diagnosis103140105Drug Court Participants514129Drug Court Participants514129Probation/Parole AdmissionsDrug676474ALCOHOL OUTLETS201420132012Probation/Parole AdmissionsDWI171526Alcohol On-Premise Drink Licenses171917Prison AdmissionsDrug423725Alcohol Package Carry-out Licenses423643Prison AdmissionsDWI955EMPLOYMENT2014201320121All Kansas City hepatitis and TB case reports are included in Jackson County totals.Labor Force17,41619,29418,4532Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.Unemployed1,0281,1041,117Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.		0.57	004	000				
Alcohol Principal Diagnosis 55 65 56 Parental Alcohol and Drug Use 2 2 2 2 2 2 Alcohol Secondary Diagnosis 51 94 87 Drug Principal Diagnosis 76 70 61 Drug Secondary Diagnosis 76 70 61 Drug Court Participants 51 41 29 Probation/Parole AdmissionsDrug 67 64 74 ALCOHOL OUTLETS Alcohol On-Premise Drink Licenses 17 19 17 Prison AdmissionsDrug 42 37 25 Alcohol Package Carry-out Licenses 42 36 43 Prison AdmissionsDWI 9 5 5 EMPLOYMENT Labor Force 17,416 19,294 18,453 Employed 1,028 1,104 1,117 Labor Force 1,028 1,104 1,117 All Kansas City hepatitis and TB case reports are included in Jackson County totals. 2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project. 3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.								
Alcohol Secondary Diagnosis Drug Principal Diagnosis Drug Secondary Diagnosis Drug Court Participants Drug Court Participants Solve Drug Secondary Diagnosis Drug Court Participants Drug Court Participants Solve Drug Secondary Diagnosis Drug Court Participants Solve Drug Court Participants Solve Drug Secondary Diagnosis Solve Drug Secondary Diagnosis Drug Court Participants Solve Drug Cour					_			
Drug Principal Diagnosis To 70 61 CRIMINAL JUSTICE FY2014 FY2013 FY2012 Drug Secondary Diagnosis Drug Secondary Diagnosis To 103 140 105 Drug Court Participants To 105 Drug Court Particants To 105 Drug Court Participants To 105 Drug Court Particip					Parental Alcohol and Drug Use	2	2	2
Drug Secondary Diagnosis 103 140 105 Drug Court Participants 51 41 29 Probation/Parole AdmissionsDrug 67 64 74 ALCOHOL OUTLETS Alcohol On-Premise Drink Licenses 17 19 17 Prison AdmissionsDrug 42 37 25 Alcohol Package Carry-out Licenses 42 36 43 Prison AdmissionsDWI 9 5 5 5 41 29 Probation/Parole AdmissionsDrug 42 37 25 Prison AdmissionsDrug 42 37 25 Prison AdmissionsDWI 9 5 5 41 41 29 Probation/Parole AdmissionsDWI 17 15 26 Prison AdmissionsDWI 9 5 5 42 43 Prison AdmissionsDWI 9 5 5 43 43 44 44 45 45 46 47 46 46 47 47 48 48 48 48 48 48 48 48 48 48 48 48 48					CRIMINAL JUSTICE	FY2014	FY2013	FY2012
ALCOHOL OUTLETS Alcohol On-Premise Drink Licenses Alcohol Package Carry-out Licenses A								
Alcohol On-Premise Drink Licenses 17 19 17 Prison AdmissionsDrug 42 37 25 Alcohol Package Carry-out Licenses 42 36 43 Prison AdmissionsDWI 9 5 5 EMPLOYMENT Labor Force 17,416 19,294 18,453 Employed 16,388 18,190 17,336 Unemployed 1,028 1,104 1,117 Prison AdmissionsDrug 42 37 25 Prison AdmissionsDWI 9 5 5 42 36 43 Prison AdmissionsDWI 9 5 5 43 Prison AdmissionsDWI 9 5 5 44 2013 2012 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals and all Joplin case reports are included in Jasper County totals and all Joplin case reports are included in Jasper County totals and all Joplin case reports are included in Jasper County totals and all Joplin case reports are included in Jasper County totals and all Joplin case reports are included in Jasper County totals and all Joplin case reports are included in Jasper County totals and all Joplin case reports are included in Jasper County totals. 2 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.	Drug Secondary Diagnosis	103	140	105	- · · · · · · · · · · · · · · · · · · ·			
Alcohol On-Premise Drink Licenses 17 19 17 Prison AdmissionsDrug 42 37 25 Alcohol Package Carry-out Licenses 42 36 43 Prison AdmissionsDWI 9 5 5 EMPLOYMENT Labor Force 17,416 19,294 18,453 Employed 16,388 18,190 17,336 Unemployed 1,028 1,104 1,117 Prison AdmissionsDrug 42 37 25 Prison AdmissionsDWI 9 5 5 43 Prison AdmissionsDWI 9 5 5 44 2013 2012 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals and all Joplin case reports are included in Jasper County totals and all Joplin case reports are included in Jasper County totals and all Joplin case reports are included in Jasper County totals and all Joplin case reports are included in Jasper County totals and all Joplin case reports are included in Jasper County totals and all Joplin case reports are included in Jasper County totals and all Joplin case reports are included in Jasper County totals and all Joplin case reports are included in Jasper County totals and all Joplin case reports are included in Jasper County totals and all Joplin case reports are included in Jasper County totals and all Joplin case reports are included in Jasper County totals and all Joplin case reports are included in Jasper County totals and all Joplin case reports are included in Jasper County totals and all Joplin case reports are included in Jasper County totals and all Joplin case reports are included in Jasper County totals and all Joplin case reports are included in Jasper County totals and all Joplin case reports are included in Jasper County totals and all Joplin case reports are included in Jasper County totals and all Joplin case reports are included in Jasper County totals and all Joplin case reports are included in Jasper County totals and all Joplin case reports are included in Jasper County totals and all Joplin case reports are included in Jasper County totals and all Joplin case reports are included in Jasper County totals and all Joplin case reports are inclu	ALCOHOL OUTLETS	2014	2013	2012	Probation/Parole AdmissionsDWI	17	15	26
Alcohol Package Carry-out Licenses 42 36 43 Prison AdmissionsDWI 9 5 5 EMPLOYMENT Labor Force 17,416 19,294 18,453 Employed 16,388 18,190 17,336 Unemployed 1,028 1,104 1,117 Prison AdmissionsDWI 9 5 5 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin c					Prison AdmissionsDrug	42	37	25
Labor Force 17,416 19,294 18,453 Employed 16,388 18,190 17,336 Unemployed 1,028 1,104 1,117 Labor Force 17,416 19,294 18,453 totals and all Joplin case reports are included in Jasper County totals. 2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project. 3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.					Prison AdmissionsDWI	9	5	5
Labor Force 17,416 19,294 18,453 Employed 16,388 18,190 17,336 Unemployed 1,028 1,104 1,117 Labor Force 17,416 19,294 18,453 totals and all Joplin case reports are included in Jasper County totals. 2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project. 3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.	EMPLOYMENT	2014	2013	2012	1 All Kansas City hepatitis and TB case repor	ts are include	ed in Jackson	County
Employed 16,388 18,190 17,336 based on codes developed by the Healthcare Cost and Utilization Project. Unemployed 1,028 1,104 1,117 based on codes developed by the Healthcare Cost and Utilization Project. Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.					totals and all Joplin case reports are include	ed in Jasper C	County totals.	-
Unemployed 1,028 1,104 1,117 3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.		•	•	-				
court orders are categorized as status orienses instead or law violations.					3 Beginning in 2013, juvenile municipal violation	ions, infraction	ns, and violat	ions of
Unemployment Nate 3.3% 3.1% 0.1%	Unemployment Rate	5.9%		6.1%	court orders are categorized as status offen	ses instead o	t law violation	ns.

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS


Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

	FY2014	FY2013	FY2012
TREATMENT CATEGORY			
Detoxification	24	35	22
CSTAR Adolescent	5	*	10
CSTAR Women and Children	24	12	20
CSTAR General Adult	160	140	96
CSTAR Opioid	0	0	0
Primary Recovery Treatment	21	29	25
Clinical SATOP (CIP, YCIP, SROP)	31	26	13
Other Substance Abuse Treatment	0	0	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	141	144	110
- Adolescent Diversion Education Prograr	*	*	*
- Offender Education Program	50	57	40
- Weekend Intervention Program	22	20	30
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	7	9	5
Compulsive Gambling	0	0	0
Recovery Supports	12	14	13
Early Intervention	*	*	*

NUMBER ADMITTED	FY2014	FY2013	FY2012	PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Total Individuals	248	207	175	Alcohol	91	96	69
				Marijuana / Hashish	53	22	37
AGE				Cocaine (total)	0	0	*
Under 18	6	*	10	- Crack	0	0	*
18 to 24	41	37	34	Stimulant (total)	73	52	40
25 to 29	46	32	35	- Methamphetamine	67	50	39
30 to 34	45	39	30	Heroin	*	*	*
35 to 39	36	28	22	Analgesic except Heroin	24	31	19
40 to 44	25	17	17	- Non-Prescription Methadone	0	0	0
45 to 54	35	34	17	PCP, LSD, other Hallucinogen	0	*	0
55 and Over	14	16	10	Tranquilizer	*	*	*
GENDER				Inhalant	0	0	0
Male	156	135	110	Sedative	0	0	*
Female	92	72	65	Other Medication or Illicit Drug	*	*	*
				Average Age at First Use of Drug	17.2	17.7	17.3
RACE / ETHNICITY	000	404	407				
Caucasian	238	194	167	INJECTION DRUG USE			
African American	*	*	0	Any Injection Use at Admission	46	42	39
Native American / Alaskan		*	0	- Daily Injection Use	7	7	8
Asian / Pacific Islander	*		0	- Weekly Injection Use	6	8	13
Hispanic	10	*	*	- Less than Weekly Injection Use	33	27	18
Other Race / Two or More Races	*	*	*				
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	83	71	74	0	128	89	90
High School Graduate or G.E.D.	128	99	68	1 or 2	78	75	55
Associate Degree or Some College	37	36	32	3 or More	42	43	30
Bachelor or Advanced Degree	0	*	*	TOTATAGENT DESCRIPTION COLLEGE			
ENADLOVA AFAIT				TREATMENT REFERRAL SOURCE Self / Family / Friend	54	73	52
EMPLOYMENT Employed	80	62	41	School	0	/ S *	0
Employed Unemployed	86	78	61	Mental Health Provider	*	0	*
Not in Labor Force		76 67	73	Health Care Provider	16	_	7
Not in Labor Force	82	67	73	Court / Criminal Justice	16 146	17 55	7 49
HOUSING / LIVING ARRANGEMENT					25	55 61	49 66
Independent Living	225	187	150	Other Referral Source	25	01	00
Dependent Living	19	11	20				
Homeless	*	*	*	TREATMENT ACCOMMODATION	*	-	
				Pregnant when Admitted to any Episode		5	_
MARITAL / FAMILY STATUS	44-	00	70	Military Veteran	12	14	7
Never Married	115	93	76	Special Education Services Needed	36	33	26
Married / Cohabitating	61	49	57	Co-Occurring Psychological Problem	84	79	75
Previously Married	72	65	42	Co-Occurring Developmental Problem	8	11	12

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Southwest
PSYCHIATRIC SERVICE AREA
CENSUS 2010 38,634
2014 POPULATION ESTIMATE 38,023

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.						
DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012			
Adjustment Disorder	27	29	43			
Anxiety Disorder	181	175	159			
Dementia	*	*	*			
Developmental Disorder	9	6	7			
Impulse Control Disorder	92	82	84			
Mood Disorder	253	248	240			
Personality Disorder	51	59	63			
Psychotic Disorder	52	44	41			
Sexual Disorder	0	*	0			
Other Diagnosis	45	36	34			
Diagnosis Unknown	205	173	90			

Individuals who received psychiatric services had the following types of

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2014	FY2013	FY2012	EDUCATION	FY2014	FY2013	FY2012
Total Individuals	582	544	464	Less than High School Diploma	167	114	46
· otal mamadalo	552	• • • • • • • • • • • • • • • • • • • •		High School Grad or G.E.D.	0	0	34
AGE				Associate Degree or Some College	0	0	10
Under 6	5	9	15	Bachelor or Advanced Degree	0	0	*
6 to 9	34	28	38	Education Level Unknown	415	430	373
10 to 13	52	48	41	Education Edver Officiown	410	400	0/0
14 to 17	51	52	44	EMPLOYMENT			
18 to 24	47	40	42	Employed	21	*	*
25 to 29	47	52	40	Unemployed	20	9	63
30 to 34	59	47	38	Not in Labor Force	283	174	40
35 to 39	52	52	35	Employment Status Unknown	258	358	357
40 to 44	60	53	42				
45 to 49	43	41	39	HOUSING / LIVING ARRANGEMENT			
50 to 54	62	64	40	Independent Living	160	80	83
55 to 59	35	31	28	Dependent Living	129	98	40
60 and Over	35	27	22	Homeless	*	*	0
Age Unknown	0	0	0	Other	0	0	*
arunra.				Housing Unknown	291	364	340
GENDER Mole	200	054	0.47				
Male	280	254	247	TREATMENT REFERRAL SOURCE			
Female	302	290	217	Self / Family / Friend	351	335	208
Gender Unknown	0	0	0	School	25	19	12
RACE / ETHNICITY				Mental Health Provider	22	23	33
Caucasian	554	521	437	Health Care Provider	63	56	50
African American	*	*	*	Court / Criminal Justice	21	12	21
Native American / Alaskan	*	0	0	Other	98	97	139
Asian / Pacific Islander	*	*	*	Referral Source Unknown	*	*	*
Hispanic	15	14	19				
Other Race	8	7	6	TYPE OF COMMITMENT			
Race/Ethnicity Unknown	0	0	0	Voluntary	575	540	457
•	_		•	Civil	*	*	6
TREATMENT ACCOMMODATION				Criminal	*	0	0
Hearing Impaired	28	22	18	Sexual Predatory	0	0	0
Past or Current Military Service	11	5	*	Commitment Type Unknown	*	*	*

MISSOURI STUDENT SURVEY

	IVIIOO	OUR	(151)	-
Percent of students who have ever used:	2014	2012	2010	
Alcohol	35.4	27.3	38.3	
Cigarettes	18.9	18.8		
Chewing Tobacco	13.6	12.1		
Marijuana	10.4	10.2	11.4	
Inhalants	0.2	3.8	7.4	
Prescription medications not prescribed for student	6.7	6.8	10.9	
Over-the-counter medications for non-medical use	2.9	5.2	8.4	
Methamphetamine	1.1	1.6	1.0	
Cocaine	0.0	1.1	0.7	
Heroin	0.2	1.0	8.0	
Hallucinogens	2.1	3.4	1.8	
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.1	1.9	2.0	
Steroids not prescribed for student	0.0	1.3	1.2	
Synthetic drugs (K2, bath salts, Spice, etc)	2.1	9.0		
Average age of students' first use of:				
Alcohol	13.45	11.93	12.24	
Cigarettes	12.91	11.58	11.74	
Marijuana		12.84		
Inhalants	12.85	12.12	12.15	
Percent of students who, in past 30 days, used:				
Alcohol	15.2	9.2	14.4	
Alcohol (Binge: 5+ drinks on one occassion)		4.0	8.0	
Cigarettes	7.4	9.6	13.5	
Chewing Tobacco	6.3	7.1	9.7	
Marijuana	3.2	5.8	4.7	
Inhalants	0.2	1.3	2.7	
Prescription medications not prescribed for student	3.8	3.2	6.8	
Over-the-counter medications for non-medical use	2.9	2.7	4.7	
Percent of students who, in past 2 weeks, used: Alcohol (Binge: 5+ drinks on one occassion)	9.9			
Percent whose friends used in past 12 months:				
Alcohol	44.3	40.7	52.7	
Cigarettes	31.5	29.3	41.6	
Marijuana	22.9	16.8	30.2	
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	8.8	9.2	16.8	
Percent who would likely use, if offered by a best friend:				
Alcohol	25.9	19.0	29.2	
Cigarettes	10.7	9.8	15.2	
Marijuana	7.1	8.6	8.8	
Percent who say it would be wrong to use:				
Alcohol	70.0	72.7	63.9	
Cigarettes	85.4	87.7	80.2	
Marijuana	86.3	88.5	86.3	
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.6	97.2	95.4	
Percent whose parents would disapprove if they use:				
Alcohol	82.0	87.5	82.6	
Cigarettes	91.0	94.4	91.3	
Marijuana	93.4	96.0	94.3	
Percent who say it would be easy to obtain:				
Alcohol	52.5	43.5	49.1	
Cigarettes	50.8	40.1	50.8	
Marijuana	27.8	21.7	29.4	
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	14.6	13.6	17.8	

JENI SURVEY			
Percent who believe they risk harm if they use:	2014	2012	2010
Alcohol (1 or 2 drinks daily)	55.1		
Alcohol (Binge: 5+ drinks once or twice a week)	63.7		
Alcohol (any use)	00.7	74.2	79.5
	04.7	14.2	19.5
Cigarettes (1+ packs per day)	81.7		
Cigarettes (any use)		82.8	75.8
Marijuana (once or twice a week)	66.8		
Marijuana (any use)		77.7	72.1
Other: Cocaine, LSD, Meth, Club Drug (any use)	88.4	94.3	92.0
Percent of students who, in past 30 days:			
Were very sad	18.9	19.2	15.6
Were grouchy, irritable, or in a bad mood	20.0	19.5	20.2
Felt hopeless about the future	14.5	10.5	10.2
Felt like not eating or eating more than usual	17.1	17.0	15.6
		_	
Slept a lot more or a lot less than usual	15.2	15.4	18.6
Had difficulty concentrating on school work	23.1	15.8	19.2
Percent of students who, in past 12 months:			
Seriously considered attempting suicide	11.1	9.8	12.9
Made plan about how they would attempt suicide	8.4	7.4	9.9
Attempted suicide	5.0	5.5	6.2
Attempted suicide and resulting injury, poisoning, or overdose			
had to be treated by doctor or nurse	1.9	2.0	2.4
Percent of students who, in past 12 months:			
Were threatened/injured with weapon at school	4.6	7.9	10.8
Were in a physical fight	13.8	17.9	26.6
		2.5	5.5
Were in a fight and had to be treated by a doctor or nurse	2.1	2.5	5.5
Percent of students who, in past 3 months:			
Were victims of mean rumors or lies spread at school	44.4	49.4	57.9
Were made fun of by others	55.4	61.4	72.3
Were victims of an embarrassing or hurtful text message or	40.0	45.0	00.0
something posted on the internet	18.8	15.2	20.3
Spread mean rumors or lies about other kids at school	19.2	24.7	34.1
Made fun of other people	48.6	60.4	71.0
Posted something on the internet or sent a text that might	45.4	40.4	40.4
embarrass or hurt another student	15.1	12.4	18.1
Percent of students who agree that:			
Teachers notice and comment on student's good work	79.5	71.8	68.9
•	19.5	71.0	00.9
School provides feedback to parents on positive student performance	49.3	45.9	40.0
	59.7	68.3	64.1
Rules are enforced fairly		83.1	80.2
Students of all races/ethnicities are treated equal	86.6	03.1	80.2
Percent of students who agree that:			
Parents notice and comment on student's good work	86.0	86.4	84.6
Parents involve student in making family decisions	74.0	74.8	70.8
It is important to be honest with parents regardless of	90.3	90.0	QE 0
consequences	89.3	89.9	85.9
Student could ask parent for help with a personal problem	80.0	78.4	79.3
Missouri Student Survey is conducted biennially			

Missouri Student Survey is conducted biennially.
Similar affirmative response choices for individual questions are combined.
Blank data cells indicate estimates are not available for item or geographic area. Survey is not conducted in every school district nor reported for every county. Estimates are not available for counties with small numbers of respondents. Percentages are estimates based on weighted data.

Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

DBH REGION		Central		IMPAIRED DRIVING	2013	2012	2011
DBH SERVICE A	AREAS			Alcohol Involved CrashesTotal	5	10	4
Substance l	Jse	14		Fatal Crashes	0	1	0
Adult Psych	iatric	14		Injury Crashes	3	4	4
POPULATION				Property Damage Crashes	2	5	0
Census 201	0	10,211		Crash Fatalities	0	1	0
2014 Estima	ate	10,138		Crash Injuries	4	5	5
				Drug Involved CrashesTotal	2	2	2
Z				Fatal Crashes	0	0	0
BIRTH RISK	2013	2012	2011	Injury Crashes	2	1	0
Resident BirthsTotal	117	108	109	Property Damage Crashes	0	1	2
Mother Reported Smoking while Pregnant	24	21	27	Crash Fatalities	0	0	0
Would reported officing while r regnant	24	21	21	Crash Injuries	2	2	4
DISEASE INCIDENCE 1	2013	2012	2011				
HIV/AIDS Cases	0	0	1	POLICE REPORTS	2013	2012	2011
Hepatitis B Chronic, Acute, Prenatal	0	2	0	DUI Arrests, DWI Tracking System	69	69	62
Hepatitis C Chronic and Acute	2	5	3	Liquor Law Arrests	12	23	10
Tuberculosis Infection Cases	1	1	0	Drug Arrests	31	34	47
				Violent Offenses	12	6	2
DEATHS and INJURIES	2013	2012	2011	Property Offenses	154	151	174
Resident DeathsTotal	91	128	98	Domestic Violence Reports	52	65	52
Suicides	1	0	0		2014	2013	2012
Self-inflicted Injuries	1	1	3	Methamphetamine Lab Seizures	7	1	10
Homicides	0	0	0	SCHOOL REPORTS	2013-14	2012-13	2011-12
Assault Injuries	2	2	3	Enrollment Grades 9-12	513	466	454
Alcohol Induced Deaths	0	0	0	Drop-outs	4	12	5
Drug Induced Deaths	2	0	1	Drop-out Rate	0.8%	2.6%	1.1%
Smoking Attributable Deaths	19	28	18	School Discipline Involving Alcohol	0	2	6
HOSPITAL EPISODES 2	2013	2012	2011	School Discipline Involving Drugs	0	6	5
Hospitalization, no Emergency Room:	2013	2022	2011	School Discipline Involving Tobacco	0	0	2
Mental Illness Principal Diagnosis	14	13	28	_			
Mental Illness Secondary Diagnosis	76	74	92	JUVENILE COURT REFERRALS 3	2013	2012	2011
Alcohol Principal Diagnosis	0	2	2	Juvenile Violent Offenses	14	7	6
Alcohol Secondary Diagnosis	8	3	5	Juvenile Alcohol Offenses	2	4	3
Drug Principal Diagnosis	1	0	0	Juvenile Drug Offenses	3	8	4
Drug Secondary Diagnosis	2	5	5	School Truancy Status Offense	14	18	9
Emergency Room + Hospitalization:				Absent from Home Status Offense	4	1	1
Mental Illness Principal Diagnosis	7	1	2	Beyond Parental Control Status Offense	12	7	11
Mental Illness Secondary Diagnosis	47	55	15	Injurious Behavior Status Offense	52	69	93
Alcohol Principal Diagnosis	0	1	0	Child Abuse	4	6	6
Alcohol Secondary Diagnosis	5	3	2	Child Neglect	45	48	43
Drug Principal Diagnosis	1	1	1	Child Custody Issues	0	0	0
Drug Secondary Diagnosis	3	2	0	JUVENILE COURT PLACEMENTS	2013	2012	2011
Emergency Room, no Hospitalization:				Out-of-Home PlacementsTotal	17	15	8
Mental Illness Principal Diagnosis	19	14	16	Parental Alcohol Use Related	1	0	0
Mental Illness Secondary Diagnosis	28	23	53	Parental Drug Use Related	8	5	0
Alcohol Principal Diagnosis	1	2	4	Parental Alcohol and Drug Use	0	1	0
Alcohol Secondary Diagnosis	3	2	2				
Drug Principal Diagnosis	4	2	0	CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Secondary Diagnosis	3	2	4	Drug Court Participants	12	20	24
				Probation/Parole AdmissionsDrug	26	30	28
ALCOHOL OUTLETS	2014	2013	2012	Probation/Parole AdmissionsDWI	6	6	10
Alcohol On-Premise Drink Licenses	12	13	13	Prison AdmissionsDrug	11	9	12
Alcohol Package Carry-out Licenses	10	11	11	Prison AdmissionsDWI	1	0	2
EMPLOYMENT	2014	2013	2012	1 All Kansas City hepatitis and TB case repor	ts are include	ed in Jackson	County
Labor Force	5,141	5,470	5,492	totals and all Joplin case reports are include	d in Jasper C	County totals.	
Employed	4,873	5,154	5,183	2 Beginning with 2010 data, diagnosis counts based on codes developed by the Healthcar			
Unemployed	268	316	309	3 Beginning in 2013, juvenile municipal violati	ons, infractio	ns, and violat	ions of
Unemployment Rate	5.2%		5.6%	court orders are categorized as status offen	ses instead c	or law violation	ns.

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS


Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

	FY2014	FY2013	FY2012
TREATMENT CATEGORY			
Detoxification	0	6	7
CSTAR Adolescent	*	*	5
CSTAR Women and Children	*	*	*
CSTAR General Adult	39	10	*
CSTAR Opioid	0	0	0
Primary Recovery Treatment	*	24	27
Clinical SATOP (CIP, YCIP, SROP)	6	6	11
Other Substance Abuse Treatment	*	*	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	49	51	46
- Adolescent Diversion Education Prograr	6	5	*
- Offender Education Program	12	18	16
- Weekend Intervention Program	8	9	10
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	0	0
Compulsive Gambling	0	0	0
Recovery Supports	0	0	0
Early Intervention	0	*	*

NUMBER ADMITTED	FY2014	FY2013	FY2012	PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Total Individuals	48	42	49	Alcohol	31	21	26
4.05				Marijuana / Hashish	12	10	14
AGE Under 18	*	*	*	Cocaine (total)	0	*	0
18 to 24	6	5	13	- Crack	0	*	0
25 to 29	*	7	5	Stimulant (total)	*	6	5
30 to 34		, 11		- Methamphetamine	*	6	5
35 to 39	10 5	*	8 5	Heroin	0	*	0
	ə *		3 *	Analgesic except Heroin	*	*	*
40 to 44	40	7	40	- Non-Prescription Methadone	*	0	0
45 to 54	12	*	10	PCP, LSD, other Hallucinogen	0	0	0
55 and Over	_		0	Tranquilizer	0	*	0
GENDER				Inhalant	0	0	0
Male	36	31	35	Sedative	0	0	0
Female	12	11	14	Other Medication or Illicit Drug	0	*	*
_				Average Age at First Use of Drug	17.0	17.5	15.9
RACE / ETHNICITY							
Caucasian	41	37	47	INJECTION DRUG USE			
African American	5			Any Injection Use at Admission	0	*	*
Native American / Alaskan	0	0	0	- Daily Injection Use	0	0	*
Asian / Pacific Islander	0	0	0	- Weekly Injection Use	0	*	0
Hispanic	0	*		- Less than Weekly Injection Use	0	*	*
Other Race / Two or More Races	*	*	0	, ,			
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	13	15	18	0	19	23	26
High School Graduate or G.E.D.	27	20	22	1 or 2	19	15	17
Associate Degree or Some College	8	7	8	3 or More	10	*	6
Bachelor or Advanced Degree	0	0	*	TREATMENT REFERRAL COLLEGE			
EMPLOYMENT				TREATMENT REFERRAL SOURCE Self / Family / Friend	*	7	6
Employed	20	13	21	School	0	0	0
Unemployed	16	16	15	Mental Health Provider	*	*	0
Not in Labor Force	12	13	13	Health Care Provider	0	0	0
Not in Eabor 1 0100	12	10	10	Court / Criminal Justice	36	23	39
HOUSING / LIVING ARRANGEMENT				Other Referral Source	5	5	*
Independent Living	42	32	37	Other Referral Source	3	3	
Dependent Living	6	8	5	TREATMENT ACCOMMODATION			
Homeless	0	0	*	Pregnant when Admitted to any Episode	0	0	*
AAADITAL / FAAAU V STATUS				Military Veteran	*	*	*
MARITAL / FAMILY STATUS Never Married	21	21	24	Special Education Services Needed	5	*	5
	9	∠ı 11	2 4 11		13	19	23
Married / Cohabitating		10	14	Co-Occurring Psychological Problem	13	19	23 6
Previously Married	18	10	14	Co-Occurring Developmental Problem			б

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



 DBH REGION
 Central

 PSYCHIATRIC SERVICE AREA
 14

 CENSUS 2010
 10,211

 2014 POPULATION ESTIMATE
 10,138

served because some individuals had more than one type of disorder.						
DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012			
Adjustment Disorder	*	5	*			
Anxiety Disorder	27	17	16			
Dementia	0	0	0			
Developmental Disorder	*	*	*			
Impulse Control Disorder	27	18	15			
Mood Disorder	52	43	46			
Personality Disorder	*	*	*			
Psychotic Disorder	*	6	8			
Sexual Disorder	0	0	0			
Other Diagnosis	11	5	*			
Diagnosis Unknown	*	*	6			

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2014	FY2013	FY2012	EDUCATION	FY2014	FY2013	FY2012
Total Individuals	68	62	67	Less than High School Diploma	29	28	10
Total marriadalo	00	02	07	High School Grad or G.E.D.	0	0	17
AGE				Associate Degree or Some College	0	0	9
Under 6	0	*	0	Bachelor or Advanced Degree	0	0	*
6 to 9	9	*	*	Education Level Unknown	39	34	29
10 to 13	5	*	6	Education Level Officiowin	00	04	25
14 to 17	7	*	7	EMPLOYMENT			
18 to 24	6	5	8	Employed	6	7	6
25 to 29	*	6	5	Unemployed	6	*	31
30 to 34	6	9	5	Not in Labor Force	45	42	6
35 to 39	6	*	8	Employment Status Unknown	11	11	24
40 to 44	5	5	*				
45 to 49	5	6	6	HOUSING / LIVING ARRANGEMENT			
50 to 54	8	9	10	Independent Living	36	35	41
55 to 59	5	*	*	Dependent Living	14	11	6
60 and Over	*	*	*	Homeless	0	*	0
Age Unknown	0	0	0	Other	0	0	0
CENDED				Housing Unknown	18	15	20
GENDER Male	29	23	25				
Female	39	23 37	25 42	TREATMENT REFERRAL SOURCE			
Gender Unknown	0	ان *	0	Self / Family / Friend	9	13	18
Gender Unknown	U		U	School	*	*	*
RACE / ETHNICITY				Mental Health Provider	*	0	0
Caucasian	61	59	63	Health Care Provider	7	6	6
African American	*	*	*	Court / Criminal Justice	0	*	*
Native American / Alaskan	0	0	0	Other	49	39	39
Asian / Pacific Islander	0	0	0	Referral Source Unknown	*	*	*
Hispanic	*	*	0				
Other Race	*	0	*	TYPE OF COMMITMENT	67	C4	00
Race/Ethnicity Unknown	0	0	0	Voluntary	67	61	66
				Civil	0	0	0
TREATMENT ACCOMMODATION	_	_	•	Criminal	0	0	0
Hearing Impaired	0	0	0	Sexual Predatory	0	0	0
Past or Current Military Service	0	*	*	Commitment Type Unknown	*	*	*

MISSOURI STUDENT SURVEY

	IVIIOO	OUR	(151)	UL
Percent of students who have ever used:	2014	2012	2010	ī
Alcohol	39.3	38.3	44.0	
Cigarettes	17.1	18.6	25.2	
Chewing Tobacco	11.3	11.4	-	
Marijuana	5.6	7.2		
Inhalants	3.3	3.6	6.1	
Prescription medications not prescribed for student	4.0	6.0	12.5	
Over-the-counter medications for non-medical use	1.6	6.0	9.1	
Methamphetamine	0.0	0.6	1.3	
Cocaine	0.8	1.2	3.5	
Heroin	0.0	1.8	0.0	
Hallucinogens	0.8	1.8	3.0	
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.8	0.6	3.1	
Steroids not prescribed for student	0.0	1.2	0.4	
Synthetic drugs (K2, bath salts, Spice, etc)	1.6	4.2		
Average age of students' first use of:				
Alcohol	13.36	13.12	12.52	
Cigarettes	12.65	13.58	12.06	
Marijuana	12.29	13.99	13.67	
Inhalants	11.43	10.98	10.86	
Percent of students who, in past 30 days, used:				
Alcohol	13.0	13.8	17.4	
Alcohol (Binge: 5+ drinks on one occassion)	13.0	6.0	10.8	
Cigarettes	9.8	8.3		
Chewing Tobacco	4.8			
Marijuana	3.2	3.0		
Inhalants	0.8			
Prescription medications not prescribed for student	2.4			
Over-the-counter medications for non-medical use	1.6	1.8	7.4	
Percent of students who, in past 2 weeks, used: Alcohol (Binge: 5+ drinks on one occassion)	7.4			
Percent whose friends used in past 12 months:				
Alcohol	47.2	49.7	50.4	
Cigarettes	35.5	40.4	42.0	
Marijuana Marijuana	18.5	26.3	25.5	
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	7.2	13.9	12.1	
Percent who would likely use, if offered by a best friend:				
Alcohol	35.0	33.5	37.0	
Cigarettes	11.3	12.0		
Marijuana	6.5	8.4		
Percent who cay it would be wrong to use				
Percent who say it would be wrong to use: Alcohol	60.2	60.0	52.0	
Cigarettes	86.2	84.2	79.6	
Marijuana	87.9	88.6	85.2	
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	98.4	96.4	94.3	
•				
Percent whose parents would disapprove if they use: Alcohol	00.4	79.1	75.0	
Cigarettes	83.1 96.0	93.3	75.2 87.9	
Marijuana	97.6	96.4	94.8	1
·	57.0	50.4	J-7.U	E
Percent who say it would be easy to obtain:	_			E
Alcohol	54.0	54.2	57.4	F
Cigarettes	48.4	50.0	53.0	5
Marijuana Other Illieit (Coccine LSD Meth. Club Drug. etc)	22.1	25.6	29.6	[
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	11.5	15.1	16.8	

DENT SURVEY			
	2014	2012	2010
Percent who believe they risk harm if they use:			
Alcohol (1 or 2 drinks daily)	54.8		
Alcohol (Binge: 5+ drinks once or twice a week)	64.5		
Alcohol (any use)		72.9	74.3
Cigarettes (1+ packs per day)	87.0		
Cigarettes (any use)		78.3	75.1
Marijuana (once or twice a week)	74.0		
Marijuana (any use)		82.4	65.8
Other: Cocaine, LSD, Meth, Club Drug (any use)	95.9	92.7	92.6
Percent of students who, in past 30 days:			
Were very sad	16.9	15.1	10.4
Were grouchy, irritable, or in a bad mood	20.2	20.4	13.4
Felt hopeless about the future	8.9	7.8	6.6
Felt like not eating or eating more than usual	13.6	13.9	9.1
Slept a lot more or a lot less than usual	12.8	13.9	16.0
Had difficulty concentrating on school work	16.3	20.5	15.2
Percent of students who, in past 12 months:			
Seriously considered attempting suicide	8.8	10.8	8.6
Made plan about how they would attempt suicide	7.3	8.4	7.4
Attempted suicide	4.0	6.5	4.8
Attempted suicide and resulting injury, poisonng, or overdose	4.0	4.0	0.0
had to be treated by doctor or nurse	1.6	1.2	2.6
Percent of students who, in past 12 months:			
Were threatened/injured with weapon at school	4.0	9.6	8.3
Were in a physical fight	16.1	21.1	30.6
Were in a fight and had to be treated by a doctor or nurse	1.6	6.6	4.4
Percent of students who, in past 3 months:			
Were victims of mean rumors or lies spread at school	45.6	52.7	59.8
Were made fun of by others	58.9	60.5	75.8
Were victims of an embarrassing or hurtful text message or			
something posted on the internet	21.8	22.9	25.4
Spread mean rumors or lies about other kids at school	20.8	33.1	32.0
Made fun of other people	56.5	60.7	74.9
Posted something on the internet or sent a text that might	16.0	11.4	16.1
embarrass or hurt another student	10.0	11.4	10.1
Percent of students who agree that:			
Teachers notice and comment on student's good work	77.4	62.0	68.1
School provides feedback to parents on positive student			
performance	49.2	22.9	32.2
Rules are enforced fairly	59.7	39.2	53.7
Students of all races/ethnicities are treated equal	85.6	76.6	77.7
Percent of students who agree that:			
Parents notice and comment on student's good work	82.4	83.1	83.0
Parents involve student in making family decisions	70.2	68.5	69.3
It is important to be honest with parents regardless of	07.	00.0	0.4.5
consequences	87.9	83.2	84.9
Student could ask parent for help with a personal problem	81.5	74.5	78.2
10: 10: 1 10: 1 11: 11:			

Missouri Student Survey is conducted biennially. Similar affirmative response choices for individual questions are combined. Blank data cells indicate estimates are not available for item or geographic area. Survey is not conducted in every school district nor reported for every county. Estimates are not available for counties with small numbers of respondents. Percentages are estimates based on weighted data.

Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

LINGOLIN GOOM I							
DBH REGIO	N	Eastern		IMPAIRED DRIVING	2013	2012	2011
DBH SERVICE	E AREAS			Alcohol Involved CrashesTotal	52	48	52
Substance	e Use	16		Fatal Crashes	1	2	3
Adult Psy	chiatric	16		Injury Crashes	29	29	26
POPULATIO				Property Damage Crashes	22	17	23
Census 2	010	52,566		Crash Fatalities	1	2	4
2014 Esti	mate	54,249		Crash Injuries	36	51	39
		- ,		Drug Involved CrashesTotal	13	10	10
<u> </u>				Fatal Crashes	0	1	0
				Injury Crashes	7	5	6
BIRTH RISK	2013	2012	2011	Property Damage Crashes	6	4	4
Resident BirthsTotal	736	707	725	Crash Fatalities	0	2	0
Mother Reported Smoking while Pregnan	t 212	165	164	Crash Injuries	9	11	4
DISEASE INCIDENCE 1	2013	2012	2011		-		•
HIV/AIDS Cases	2	0	0	POLICE REPORTS	2013	2012	2011
Hepatitis B Chronic, Acute, Prenatal	1	0	0	DUI Arrests, DWI Tracking System	292	389	274
Hepatitis C Chronic and Acute	36	44	44	Liquor Law Arrests	32	40	37
Tuberculosis Infection Cases	18	5	11	Drug Arrests	331	265	374
ruberediosis fillection dases	10	3		Violent Offenses	93	91	120
DEATHS and INJURIES	2013	2012	2011	Property Offenses	694	778	783
Resident DeathsTotal	420	404	455	Domestic Violence Reports	268	296	332
Suicides	7	8	14		2014	2013	2012
Self-inflicted Injuries	67	91	82	Methamphetamine Lab Seizures	4	4	3
Homicides	0	1	5				
Assault Injuries	187	197	221	SCHOOL REPORTS	2013-14	2012-13	2011-12
Alcohol Induced Deaths	1	0	1	Enrollment Grades 9-12	2,800	2,710	2,724
Drug Induced Deaths	9	12	7	Drop-outs	25	46	65
Smoking Attributable Deaths	73	75	85	Drop-out Rate	0.9%	1.7%	2.4%
				School Discipline Involving Alcohol	2	4	1
HOSPITAL EPISODES 2	2013	2012	2011	School Discipline Involving Drugs	30	41	52
Hospitalization, no Emergency Room:				School Discipline Involving Tobacco	0	0	0
Mental Illness Principal Diagnosis	581	429	407	JUVENILE COURT REFERRALS 3	2013	2012	2011
Mental Illness Secondary Diagnosis	995	830	853	Juvenile Violent Offenses	41	60	38
Alcohol Principal Diagnosis	24	19	17	Juvenile Alcohol Offenses	6	8	8
Alcohol Secondary Diagnosis	60	54	51	Juvenile Drug Offenses	19	28	13
Drug Principal Diagnosis	34	43	37	School Truancy Status Offense	237	113	217
Drug Secondary Diagnosis	56	37	46	Absent from Home Status Offense	22	36	39
Emergency Room + Hospitalization:				Beyond Parental Control Status Offense	1	6	13
Mental Illness Principal Diagnosis	352	526	496	Injurious Behavior Status Offense	59	38	59
Mental Illness Secondary Diagnosis	876	910	1,026	Child Abuse	13	20	15
Alcohol Principal Diagnosis	15	29	26	Child Neglect	205	168	197
Alcohol Secondary Diagnosis	95	104	114	Child Custody Issues	12	15	5
Drug Principal Diagnosis	14	25	32	orma ductouy recues		10	· ·
Drug Secondary Diagnosis	65	62	60	JUVENILE COURT PLACEMENTS	2013	2012	2011
Emergency Room, no Hospitalization:				Out-of-Home PlacementsTotal	43	70	61
Mental Illness Principal Diagnosis	492	584	585	Parental Alcohol Use Related	1	0	0
Mental Illness Secondary Diagnosis	1,490	2,540	1,293	Parental Drug Use Related	15	13	17
Alcohol Principal Diagnosis	89	213	106	Parental Alcohol and Drug Use	0	2	0
Alcohol Secondary Diagnosis	166	202	204	CONTRACTOR	EV204.4	EV2042	EVOCAC
Drug Principal Diagnosis	81	146	153	CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Secondary Diagnosis	218	307	163	Drug Court Participants	60 126	84	90 175
				Probation/Parole Admissions - DVI	126	113	175
ALCOHOL OUTLETS	2014	2013	2012	Probation/Parole AdmissionsDWI	29 66	27	34
Alcohol On-Premise Drink Licenses	44	46	47	Prison Admissions - Drug	66	62	81
Alcohol Package Carry-out Licenses	37	37	38	Prison AdmissionsDWI	8	8	6
EMPLOYMENT	2014	2013	2012	1 All Kansas City hepatitis and TB case report			County
Labor Force	26,446	26,568	26,706	totals and all Joplin case reports are include Beginning with 2010 data, diagnosis counts			es are
Employed	24,727	24,613	24,485	based on codes developed by the Healthcar	e Cost and U	Jtilization Proj	ject.
Unemployed	1,719	1,955	2,221	3 Beginning in 2013, juvenile municipal violati			
Unemployment Rate	6.5%	7.4%	8.3%	court orders are categorized as status offens	oes iiisiedu 0	i iaw violatior	13.

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	26	32	34
CSTAR Adolescent	27	40	42
CSTAR Women and Children	29	43	31
CSTAR General Adult	229	186	175
CSTAR Opioid	*	7	11
Primary Recovery Treatment	7	29	40
Clinical SATOP (CIP, YCIP, SROP)	86	101	96
Other Substance Abuse Treatment	*	0	*

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	250	255	271
- Adolescent Diversion Education Prograr	7	5	11
- Offender Education Program	80	70	77
- Weekend Intervention Program	41	40	48
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	*	*
Compulsive Gambling	*	0	*
Recovery Supports	*	*	0
Early Intervention	5	*	*

NUMBER ADMITTED	FY2014	FY2013	FY2012	PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Total Individuals	366	375	376	Alcohol	150	161	163
				Marijuana / Hashish	85	87	88
AGE				Cocaine (total)	6	5	5
Under 18	27	43	49	- Crack	*	*	*
18 to 24	78	72	85	Stimulant (total)	43	36	18
25 to 29	54	59	60	- Methamphetamine	40	33	18
30 to 34	66	62	55	Heroin	65	64	66
35 to 39	37	37	30	Analgesic except Heroin	12	12	16
40 to 44	33	34	39	- Non-Prescription Methadone	0	0	0
45 to 54	62	55	43	PCP, LSD, other Hallucinogen	0	*	5
55 and Over	9	13	15		*	*	*
CENTER				Tranquilizer Inhalant	*	*	*
GENDER Male	244	246	241	Sedative	0	0	*
	122	_	135		*	5	10
Female	122	129	135	Other Medication or Illicit Drug		_	10
RACE / ETHNICITY				Average Age at First Use of Drug	17.4	17.8	17.8
Caucasian	343	344	349				
African American	15	17	12	INJECTION DRUG USE			
Native American / Alaskan	0	0	*	Any Injection Use at Admission	82	80	68
Asian / Pacific Islander	*	0	0	- Daily Injection Use	12	14	18
Hispanic	*	5	9	- Weekly Injection Use	18	23	16
Other Race / Two or More Races	6	10	7	- Less than Weekly Injection Use	52	43	34
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	139	136	152	0	193	186	198
High School Graduate or G.E.D.	159	179	172	1 or 2	118	118	120
Associate Degree or Some College	65	60	50	3 or More	55	71	58
Bachelor or Advanced Degree	*	0	*				
· ·				TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	67	58	62
Employed	132	110	130	School	8	16	9
Unemployed	157	148	133	Mental Health Provider	5	5	*
Not in Labor Force	77	117	113	Health Care Provider	8	12	6
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	231	225	236
Independent Living	309	312	303	Other Referral Source	36	54	58
Dependent Living	40	56	58				
Homeless	11	5	10	TREATMENT ACCOMMODATION			
11011101000		3	10	Pregnant when Admitted to any Episode	*	8	8
MARITAL / FAMILY STATUS				Military Veteran	9	18	9
Never Married	198	204	227	Special Education Services Needed	27	37	41
Married / Cohabitating	93	102	85	Co-Occurring Psychological Problem	97	128	134
Previously Married	75	69	64	Co-Occurring Developmental Problem	8	12	15

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Eastern
PSYCHIATRIC SERVICE AREA 16
CENSUS 2010 52,566
2014 POPULATION ESTIMATE 54,249

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.							
FY2014	FY2013	FY2012					
8	8	12					
495	409	408					
*	*	*					
36	31	31					
191	173	190					
697	619	642					
78	73	75					
164	155	156					
*	*	0					
48	47	48					
	FY2014 8 495 * 36 191 697 78 164 *	FY2014 FY2013 8 8 495 409 * * 36 31 191 173 697 619 78 73 164 155 * *					

64

113

Individuals who received psychiatric services had the following types of

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

Diagnosis Unknown

NUMBER SERVED	FY2014	FY2013	FY2012	EDUCATION	FY2014	FY2013	FY2012
Total Individuals	982	904	989	Less than High School Diploma	351	312	197
. otala.riada.o	332		000	High School Grad or G.E.D.	*	16	158
AGE				Associate Degree or Some College	*	5	65
Under 6	5	5	*	Bachelor or Advanced Degree	0	*	10
6 to 9	73	61	66	Education Level Unknown	628	569	559
10 to 13	79	76	85	Education Edver Children	020	000	000
14 to 17	100	84	96	EMPLOYMENT			
18 to 24	85	74	106	Employed	67	49	59
25 to 29	73	71	78	Unemployed	68	63	311
30 to 34	93	85	94	Not in Labor Force	553	489	123
35 to 39	79	70	80	Employment Status Unknown	294	303	496
40 to 44	84	87	93				
45 to 49	75	77	89	HOUSING / LIVING ARRANGEMENT			
50 to 54	107	99	85	Independent Living	465	431	396
55 to 59	61	53	52	Dependent Living	205	166	137
60 and Over	68	62	61	Homeless	10	*	12
Age Unknown	0	0	0	Other	0	0	*
				Housing Unknown	302	303	441
GENDER	407	405	400				
Male	467	425	488	TREATMENT REFERRAL SOURCE			
Female	515	479	501	Self / Family / Friend	333	266	208
Gender Unknown	0	0	0	School	137	104	96
RACE / ETHNICITY				Mental Health Provider	58	67	78
Caucasian	883	816	895	Health Care Provider	111	98	102
African American	50	42	50	Court / Criminal Justice	36	41	46
Native American / Alaskan	*	*	7	Other	303	324	454
Asian / Pacific Islander	*	0	0	Referral Source Unknown	*	*	5
Hispanic	15	14	13				
Other Race	29	28	24	TYPE OF COMMITMENT			
Race/Ethnicity Unknown	0	0	0	Voluntary	970	890	974
				Civil	*	*	*
TREATMENT ACCOMMODATION		_	_	Criminal	*		*
Hearing Impaired	33	18	15	Sexual Predatory	*	*	0
Past or Current Military Service	22	18	18	Commitment Type Unknown	6	8	8

MISSOURI STUDENT SURVEY

Persont of students who have ever used.	2014	2012	2010	Descent who hellows they yield home if they year	2014	2012	2010
Percent of students who have ever used: Alcohol		51.2	45.6	Percent who believe they risk harm if they use: Alcohol (1 or 2 drinks daily)			
Cigarettes		29.2		Alcohol (Binge: 5+ drinks once or twice a week)			
Chewing Tobacco		14.8		Alcohol (any use)		67.8	74.4
Marijuana		17.2		Cigarettes (1+ packs per day)		07.0	74.4
Inhalants		3.7	6.4	Cigarettes (any use)		80.3	78.1
Prescription medications not prescribed for student		8.8	8.7	Marijuana (once or twice a week)		00.5	70.1
Over-the-counter medications for non-medical use		7.2		Marijuana (once of twice a week)		71.3	68.2
Methamphetamine		1.2		Other: Cocaine, LSD, Meth, Club Drug (any use)		93.6	91.4
Cocaine		1.4	1.5	Outer. Cocame, ESD, Well, Club Drug (any use)		55.0	31.4
Heroin		0.4	0.6	Percent of students who, in past 30 days:			
Hallucinogens		2.6	3.3	Were very sad		20.0	15.2
Club drugs (Ecstasy, GHB, roofie, Special K, etc)		1.9	1.4	Were grouchy, irritable, or in a bad mood		25.1	21.7
Steroids not prescribed for student		1.4	1.2	Felt hopeless about the future		14.6	9.1
Synthetic drugs (K2, bath salts, Spice, etc)		6.8	1.2	Felt like not eating or eating more than usual		19.9	13.8
		0.0		Slept a lot more or a lot less than usual		21.6	22.3
Average age of students' first use of:				Had difficulty concentrating on school work		22.0	19.1
Alcohol			12.56	Percent of students who, in past 12 months:			
Cigarettes			12.16	Seriously considered attempting suicide		10.4	9.6
Marijuana			13.57	Made plan about how they would attempt suicide		6.0	7.4
Inhalants		12.72	11.18	Attempted suicide		4.6	4.4
Percent of students who, in past 30 days, used:				Attempted suicide and resulting injury, poisonng, or overdose			
Alcohol		22.7	22.4	had to be treated by doctor or nurse		1.4	1.9
Alcohol (Binge: 5+ drinks on one occassion)		14.2		-			
Cigarettes		10.4		Percent of students who, in past 12 months:		5 0	44.0
Chewing Tobacco		8.3		Were threatened/injured with weapon at school		5.2	11.6
Marijuana		6.7		Were in a physical fight		19.0	25.8
Inhalants		1.2		Were in a fight and had to be treated by a doctor or nurse		1.8	5.1
Prescription medications not prescribed for student		3.8	5.1	Percent of students who, in past 3 months:			
Over-the-counter medications for non-medical use		3.3		Were victims of mean rumors or lies spread at school		48.3	52.1
				Were made fun of by others		57.2	68.8
Percent of students who, in past 2 weeks, used:				Were victims of an embarrassing or hurtful text message or		00.0	40.0
Alcohol (Binge: 5+ drinks on one occassion)				something posted on the internet		22.0	16.9
Percent whose friends used in past 12 months:				Spread mean rumors or lies about other kids at school		27.3	31.4
Alcohol		63.4	65.4	Made fun of other people		64.8	71.7
Cigarettes		44.7	54.2	Posted something on the internet or sent a text that might		14.4	15.9
Marijuana		40.4		embarrass or hurt another student		14.4	15.9
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)		15.3		Percent of students who agree that:			
•				Teachers notice and comment on student's good work		64.3	67.1
Percent who would likely use, if offered by a best friend:				School provides feedback to parents on positive student		04.5	07.1
Alcohol		39.9		performance		31.0	33.8
Cigarettes		12.7		Rules are enforced fairly		58.8	58.7
Marijuana		14.4	10.0	Students of all races/ethnicities are treated equal		71.7	
Percent who say it would be wrong to use:				Students of all races/ellinicities are treated equal		7 1.7	70.1
Alcohol		53.1	56.6	Percent of students who agree that:			
Cigarettes		79.8		Parents notice and comment on student's good work		80.0	83.1
Marijuana		78.9		Parents involve student in making family decisions		64.9	70.7
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)		96.1	94.6	It is important to be honest with parents regardless of		86.3	83.9
				consequences		00.5	00.0
Percent whose parents would disapprove if they use:		_		Student could ask parent for help with a personal problem		74.7	78.0
Alcohol		70.1	73.7				
Cigarettes		88.9		Missouri Student Survey is conducted biennially.	00001:	a d	
Marijuana		93.3	92.6	Similar affirmative response choices for individual questions are Blank data cells indicate estimates are not available for item or g			
Percent who say it would be easy to obtain:				Survey is not conducted in every school district nor reported for	every co	ounty.	
Alcohol		64.4	61.7	Estimates are not available for counties with small numbers of re Percentages are estimates based on weighted data.	sponde	nts.	
Clgarettes		60.2		Some year-to-year differences in percentages are not statistically	y signific	cant.	
Marijuana		37.7			_		
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)		14.1	19.9	Data source: Missouri Institute of Mental Health, 2010-2014 Miss	souri Stu	udent Su	ırveys
(

DBH DBH	REGION	Western		IMPAIRED DRIVING	2013	2012	2011
DBH	SERVICE AREAS			Alcohol Involved CrashesTotal	12	5	13
Sut	ostance Use	13		Fatal Crashes	0	0	1
Adı	ult Psychiatric	13		Injury Crashes	5	3	5
POPL	JLATION			Property Damage Crashes	7	2	7
	nsus 2010	12,761		Crash Fatalities	0	0	2
201	4 Estimate	12,311		Crash Injuries	6	3	5
3				Drug Involved CrashesTotal	3	4	2
				Fatal Crashes	0	0	0
BIRTH RISK	2013	2012	2011	Injury Crashes	1	4	2
Resident BirthsTotal	144	133	141	Property Damage Crashes	2	0	0
Mother Reported Smoking while Pr	egnant 38	32	34	Crash Fatalities	0	0	0
-				Crash Injuries	1	4	2
DISEASE INCIDENCE 1	2013	2012	2011	POLICE REPORTS	2013	2012	2011
HIV/AIDS Cases	0	0	0	DUI Arrests, DWI Tracking System	51	58	55
Hepatitis B Chronic, Acute, Prenata		4	0	Liquor Law Arrests	4	9	18
Hepatitis C Chronic and Acute	2	2	8	Drug Arrests	24	34	37
Tuberculosis Infection Cases	0	3	4	Violent Offenses	48	31	24
DEATHS and INJURIES	2013	2012	2011	Property Offenses	302	261	252
Resident DeathsTotal	182	157	175	Domestic Violence Reports	146	127	148
Suicides	1	4	2	Zemesile melenes repene	2014	2013	2012
Self-inflicted Injuries	33	23	16	Methamphetamine Lab Seizures	0	1	3
Homicides	0	1	0				
Assault Injuries	28	23	35	SCHOOL REPORTS	2013-14	2012-13	2011-12
Alcohol Induced Deaths	0	1	0	Enrollment Grades 9-12	734	698	722
Drug Induced Deaths	1	1	0	Drop-outs	8	13	11
Smoking Attributable Deaths	38	30	32	Drop-out Rate	1.1%	1.9%	1.5%
				School Discipline Involving Alcohol	1	0	4
HOSPITAL EPISODES 2	2013	2012	2011	School Discipline Involving Drugs	1	3	8
Hospitalization, no Emergency Roo				School Discipline Involving Tobacco	0	0	0
Mental Illness Principal Diagnosis		89	104	JUVENILE COURT REFERRALS 3	2013	2012	2011
Mental Illness Secondary Diagnos		463	420	Juvenile Violent Offenses	4	2	5
Alcohol Principal Diagnosis	4	5	11	Juvenile Alcohol Offenses	2	5	1
Alcohol Secondary Diagnosis	50	33	35	Juvenile Drug Offenses	4	7	2
Drug Principal Diagnosis	7	8	4	School Truancy Status Offense	114	56	92
Drug Secondary Diagnosis	32	33	10	Absent from Home Status Offense	0	0	0
Emergency Room + Hospitalization		00		Beyond Parental Control Status Offense	10	8	15
Mental Illness Principal Diagnosis		33	30	Injurious Behavior Status Offense	12	11	30
Mental Illness Secondary Diagnos		50	60	Child Abuse	2	2	3
Alcohol Principal Diagnosis	4	4	3	Child Neglect	30	26	38
Alcohol Secondary Diagnosis	8	20	8	Child Custody Issues	0	0	0
Drug Principal Diagnosis Drug Secondary Diagnosis	3 7	8 4	6 4	UNITARILE COURT DI ACCAMENTS	2012	2012	2011
Emergency Room, no Hospitalization		4	4	JUVENILE COURT PLACEMENTS Out-of-Home PlacementsTotal	2013 23	2012 28	2011 26
Mental Illness Principal Diagnosis		142	158	Parental Alcohol Use Related	0	1	0
Mental Illness Secondary Diagnos		520	424	Parental Drug Use Related	3	10	4
Alcohol Principal Diagnosis	6	17	18	Parental Alcohol and Drug Use	4	0	0
Alcohol Secondary Diagnosis	29	33	36	r archial Alcohol and Drug Osc	7	O	U
Drug Principal Diagnosis	28	21	7	CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Secondary Diagnosis	24	18	, 17	Drug Court Participants	24	38	44
Drag Goodinary Diagnoolo		10	• •	Probation/Parole AdmissionsDrug	23	18	25
ALCOHOL OUTLETS	2014	2013	2012	Probation/Parole AdmissionsDWI	2	0	1
Alcohol On-Premise Drink Licenses		22	19	Prison AdmissionsDrug	20	13	12
Alcohol Package Carry-out License		18	19	Prison AdmissionsDWI	1	0	0
EMPLOYMENT	2014	2013	2012	1 All Kansas City hepatitis and TB case repor	ts are include	ed in Jackson	County
Labor Force	5,191	6,106	5,703	totals and all Joplin case reports are include	ed in Jasper C	County totals.	-
Employed	4,773	5,661	5,231	2 Beginning with 2010 data, diagnosis counts based on codes developed by the Healthca			
Unemployed	418	445	472	3 Beginning in 2013, juvenile municipal violati	ions, infraction	ns, and violat	tions of
Unemployment Rate	8.1%		8.3%	court orders are categorized as status offen	ses instead o	or law violation	ns.

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

	FY2014	FY2013	FY2012
TREATMENT CATEGORY			
Detoxification	12	8	5
CSTAR Adolescent	*	11	9
CSTAR Women and Children	*	5	*
CSTAR General Adult	101	97	98
CSTAR Opioid	0	0	*
Primary Recovery Treatment	*	9	10
Clinical SATOP (CIP, YCIP, SROP)	15	11	15
Other Substance Abuse Treatment	0	*	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	52	53	48
- Adolescent Diversion Education Prograr	*	0	0
- Offender Education Program	8	25	18
- Weekend Intervention Program	7	13	14
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	0	0
Compulsive Gambling	0	0	0
Recovery Supports	*	*	*
Early Intervention	*	*	6

NUMBER ADMITTED	FY2014	FY2013	FY2012	PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Total Individuals	124	135	123	Alcohol	44	36	49
				Marijuana / Hashish	29	49	40
AGE				Cocaine (total)	0	*	*
Under 18	*	11	9	- Crack	0	*	0
18 to 24	23	31	29	Stimulant (total)	27	20	22
25 to 29	26	25	21	- Methamphetamine	27	20	21
30 to 34	29	23	18	Heroin	*	*	0
35 to 39	13	10	10	Analgesic except Heroin	18	21	11
40 to 44	13	13	11	- Non-Prescription Methadone	0	0	0
45 to 54	10	11	20	PCP, LSD, other Hallucinogen	*	0	0
55 and Over	7	11	5	Tranquilizer	0	*	0
GENDER				Inhalant	0	0	0
Male	74	82	89	Sedative	0	0	0
Female	50	53	34	Other Medication or Illicit Drug	*	*	0
				Average Age at First Use of Drug	19.0	18.6	17.1
RACE / ETHNICITY Caucasian	119	127	111				
	*	127		INJECTION DRUG USE			
African American			5 0	Any Injection Use at Admission	24	19	7
Native American / Alaskan	0	0	-	- Daily Injection Use	8	*	0
Asian / Pacific Islander	0	0	0	- Weekly Injection Use	*	*	*
Hispanic Other Race / Two or More Races	*	5	7	- Less than Weekly Injection Use	12	14	5
Other Nace / Two of More Naces		3	,				
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	35	48	52	0	72	87	64
High School Graduate or G.E.D.	73	72	53	1 or 2	41	36	42
Associate Degree or Some College	13	13	18	3 or More	11	12	17
Bachelor or Advanced Degree	*	*	0	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	25	25	21
Employed	35	38	47	School	0	0	0
Unemployed	49	49	49	Mental Health Provider	*	0	0
Not in Labor Force	40	48	27	Health Care Provider	*	5	*
		.0		Court / Criminal Justice	48	64	78
HOUSING / LIVING ARRANGEMENT				Other Referral Source	44	32	10
Independent Living	109	110	104	other resental ocures		02	
Dependent Living	5	14	10	TREATMENT ACCOMMODATION			
Homeless	7	*	*	Pregnant when Admitted to any Episode	*	*	*
MARITAL / FAMILY STATUS				Military Veteran	*	*	9
Never Married	58	77	63	Special Education Services Needed	12	22	23
Married / Cohabitating	33	33	36	Co-Occurring Psychological Problem	70	80	65
Previously Married	33	25	24	Co-Occurring Developmental Problem	*	*	0
2 2 20 .y	30	_0	<i>- ·</i>	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2			· ·

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Western
PSYCHIATRIC SERVICE AREA
13
CENSUS 2010 12,761
2014 POPULATION ESTIMATE 12,311

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder. FY2014 FY2013 FY2012 **DIAGNOSIS CATEGORY** Adjustment Disorder 5 7 8 **Anxiety Disorder** 122 102 111 Dementia 0 0 0 **Developmental Disorder** 16 11 8 Impulse Control Disorder 62 54 47 Mood Disorder 148 161 171 Personality Disorder 23 21 29 **Psychotic Disorder** 17 19 14 Sexual Disorder 0 Other Diagnosis 37 29 27 Diagnosis Unknown 6 13

Individuals who received psychiatric services had the following types of

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2014	FY2013	FY2012	EDUCATION	FY2014	FY2013	FY2012
Total Individuals	235	211	230	Less than High School Diploma	103	90	39
Total Marviadalo	200		200	High School Grad or G.E.D.	*	*	39
AGE				Associate Degree or Some College	0	0	5
Under 6	*	*	0	Bachelor or Advanced Degree	0	0	*
6 to 9	23	17	14	Education Level Unknown	131	119	143
10 to 13	33	35	28	Education Edver Officiown	101	110	140
14 to 17	26	19	20	EMPLOYMENT			
18 to 24	14	20	23	Employed	20	14	11
25 to 29	13	8	13	Unemployed	21	30	60
30 to 34	30	22	20	Not in Labor Force	174	132	33
35 to 39	14	14	25	Employment Status Unknown	20	35	126
40 to 44	21	21	29				
45 to 49	12	13	10	HOUSING / LIVING ARRANGEMENT			
50 to 54	19	14	18	Independent Living	123	101	86
55 to 59	10	9	14	Dependent Living	87	73	35
60 and Over	17	16	16	Homeless	*	*	0
Age Unknown	0	0	0	Other	0	0	0
				Housing Unknown	23	36	109
GENDER				•			
Male	126	100	114	TREATMENT REFERRAL SOURCE			
Female	109	111	116	Self / Family / Friend	117	101	93
Gender Unknown	0	0	0	School	6	6	*
RACE / ETHNICITY				Mental Health Provider	15	18	28
Caucasian	225	200	222	Health Care Provider	39	35	46
African American	6	*	*	Court / Criminal Justice	22	22	31
Native American / Alaskan	0	0	0	Other	36	29	29
Asian / Pacific Islander	0	0	0	Referral Source Unknown	0	0	0
Hispanic	*	*	*		_	-	
Other Race	0	5	*	TYPE OF COMMITMENT			
Race/Ethnicity Unknown	0	0	0	Voluntary	234	209	228
	· ·	· ·	· ·	Civil	*	*	*
TREATMENT ACCOMMODATION				Criminal	0	*	*
Hearing Impaired	8	9	9	Sexual Predatory	0	0	0
Past or Current Military Service	7	*	5	Commitment Type Unknown	0	0	0

MISSOURI STUDENT SURVEY

	WIIOO	OUI	11310	DENT SORVET			
Percent of students who have ever used:	2014	2012	2010	Percent who believe they risk harm if they use:	2014	2012	2010
Alcohol	46.2	51.5	50.0	Alcohol (1 or 2 drinks daily)	47.9		
Cigarettes	31.7	38.2		Alcohol (Binge: 5+ drinks once or twice a week)	64.6		
Chewing Tobacco	20.5	18.6	21.7	Alcohol (any use)	04.0	69.3	85.6
Marijuana	15.2	15.3	9.4	Cigarettes (1+ packs per day)	81.3	00.0	00.0
Inhalants	4.1	4.4	4.7	Cigarettes (any use)	01.0	81.2	78.8
Prescription medications not prescribed for student	9.0	9.8	7.7	Marijuana (once or twice a week)	67.6	01.2	70.0
Over-the-counter medications for non-medical use	5.6	6.9	6.1	Marijuana (any use)	0.10	75.2	68.0
Methamphetamine	1.4	1.0	0.7	Other: Cocaine, LSD, Meth, Club Drug (any use)	92.5	95.0	93.5
Cocaine	0.0	1.5	0.4		02.0	00.0	00.0
Heroin	0.0	1.0	0.4	Percent of students who, in past 30 days:			
Hallucinogens	2.1	2.0	1.5	Were very sad	20.4	20.2	21.7
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.4	1.5	0.7	Were grouchy, irritable, or in a bad mood	24.8	23.2	26.4
Steroids not prescribed for student	2.1	1.5	0.7	Felt hopeless about the future	11.6	10.3	13.0
Synthetic drugs (K2, bath salts, Spice, etc)	4.8	6.9		Felt like not eating or eating more than usual	19.0	18.3	20.2
				Slept a lot more or a lot less than usual	16.4	17.3	26.0
Average age of students' first use of:	40.05	40.04	40.07	Had difficulty concentrating on school work	23.1	19.6	27.4
Alcohol			12.37	Percent of students who, in past 12 months:			
Cigarettes		_	12.64	Seriously considered attempting suicide	12.3	13.2	11.1
Marijuana		-	13.83	Made plan about how they would attempt suicide	11.0	10.3	7.9
Inhalants	11.81	12.19	12.54	Attempted suicide	4.1	5.9	5.0
Percent of students who, in past 30 days, used:				Attempted suicide and resulting injury, poisonng, or overdose			
Alcohol	21.4	25.1	22.8	had to be treated by doctor or nurse	0.7	2.5	1.1
Alcohol (Binge: 5+ drinks on one occassion)		15.7	14.0	Percent of students who, in past 12 months:			
Cigarettes	13.9	19.7	15.6	· •	6.8	5.4	7.2
Chewing Tobacco	11.6	11.3	12.3	Were threatened/injured with weapon at school	18.5	20.7	23.3
Marijuana	8.9	7.9	4.3	Were in a fight and had to be treated by a dector or purce.	2.1	20.7	23.3
Inhalants	2.1	1.5	2.2	Were in a fight and had to be treated by a doctor or nurse	2.1	2.5	2.2
Prescription medications not prescribed for student	3.5	5.4		Percent of students who, in past 3 months:			
Over-the-counter medications for non-medical use	4.1	4.4		Were victims of mean rumors or lies spread at school	58.2	55.0	59.4
				Were made fun of by others	70.3	65.8	71.7
Percent of students who, in past 2 weeks, used:				Were victims of an embarrassing or hurtful text message or	20.2	22.2	10.0
Alcohol (Binge: 5+ drinks on one occassion)	11.0			something posted on the internet	30.3	22.3	18.9
Percent whose friends used in past 12 months:				Spread mean rumors or lies about other kids at school	34.0	32.0	36.0
Alcohol	56.2	58.9	63.7	Made fun of other people	68.0	66.5	73.8
Cigarettes	48.6	54.2	51.1	Posted something on the internet or sent a text that might	21.4	15.8	18.5
Marijuana	30.1	32.7	24.5	embarrass or hurt another student	21.4	13.0	10.5
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	10.3	11.9	14.4	Percent of students who agree that:			
				Teachers notice and comment on student's good work	68.7	64.5	76.3
Percent who would likely use, if offered by a best friend:		00.0	40.7	School provides feedback to parents on positive student	00.7	04.0	70.0
Alcohol	41.4	39.2		performance	41.1	35.5	48.6
Cigarettes	20.7	23.5		Rules are enforced fairly	61.6	61.9	67.5
Marijuana	13.1	10.3	6.2	Students of all races/ethnicities are treated equal	78.1	80.7	85.9
Percent who say it would be wrong to use:				Students of all faces/ethnicities are treated equal	70.1	00.7	00.0
Alcohol	51.4	52.5	54.3	Percent of students who agree that:			
Cigarettes	75.3	72.4	75.8	Parents notice and comment on student's good work	79.5	80.3	85.5
Marijuana	82.1	85.6		Parents involve student in making family decisions	67.8	71.1	70.7
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.9	97.0	97.5	It is important to be honest with parents regardless of	86.3	88.7	88.1
-				consequences	00.0	00.7	00.1
Percent whose parents would disapprove if they use:				Student could ask parent for help with a personal problem	72.6	78.7	79.9
Alcohol	71.5	71.8					
Cigarettes	90.4	90.6	90.3	Missouri Student Survey is conducted biennially.	o oombin	od	
Marijuana	93.1	94.0	98.2	Similar affirmative response choices for individual questions are Blank data cells indicate estimates are not available for item or			
Percent who say it would be easy to obtain:				Survey is not conducted in every school district nor reported for	r every co	ounty.	
Alcohol	63.4	63.9	62.9	Estimates are not available for counties with small numbers of Percentages are estimates based on weighted data.	esponde	nts.	
Cigarettes	54.5	63.7	58.1	Some year-to-year differences in percentages are not statistica	lly signifi	cant.	
Marijuana	34.2	41.4	25.2	Data source: Missouri Institute of Mantal Lington 2010 CO11 N	000:::: 0:	udent C	In (6) (5
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	16.7	20.9	14.8	Data source: Missouri Institute of Mental Health, 2010-2014 Mis	ssouri Sti	udent St	uveys
-							

	001111						
	OBH REGION	Western		IMPAIRED DRIVING	2013	2012	2011
	OBH SERVICE AREAS			Alcohol Involved CrashesTotal	18	18	9
	Substance Use	13		Fatal Crashes	1	0	0
	Adult Psychiatric	13		Injury Crashes	6	11	4
	POPULATION			Property Damage Crashes	11	7	5
	Census 2010	15,195		Crash Fatalities	2	0	0
	2014 Estimate	15,053		Crash Injuries	9	15	6
		-,		Drug Involved CrashesTotal	7	3	1
<u> </u>				Fatal Crashes	0	0	0
				Injury Crashes	3	2	1
BIRTH RISK	2013	2012	2011	Property Damage Crashes	4	1	0
Resident BirthsTotal	165	179	142	Crash Fatalities	0	0	0
Mother Reported Smoking while	e Pregnant 35	42	42	Crash Injuries	5	4	1
DISEASE INCIDENCE 1	2013	2012	2011				
HIV/AIDS Cases	1	0	0	POLICE REPORTS	2013	2012	2011
Hepatitis B Chronic, Acute, Pre	enatal 2	4	2	DUI Arrests, DWI Tracking System	85	70	80
Hepatitis C Chronic and Acute	6	11	10	Liquor Law Arrests	26	37	40
Tuberculosis Infection Cases	2	1	2	Drug Arrests	126	90	85
				Violent Offenses	27	20	43
DEATHS and INJURIES	2013	2012	2011	Property Offenses	298	358	330
Resident DeathsTotal	167	185	208	Domestic Violence Reports	35	57	57
Suicides	4	1	2		2014	2013	2012
Self-inflicted Injuries	14	33	20	Methamphetamine Lab Seizures	0	3	1
Homicides	0	0	2	CCUCOL REPORTS	2012 14	2012-13	2011 12
Assault Injuries	45	60	34	SCHOOL REPORTS Enrollment Grades 9-12	2013-14 620	654	2011-12 656
Alcohol Induced Deaths	0	1	1		7	17	10
Drug Induced Deaths	4	1	1	Drop-outs	1.1%	2.6%	1.5%
Smoking Attributable Deaths	31	34	43	Drop-out Rate	0	2.0%	3
				School Discipline Involving Alcohol	4	11	ა 1
HOSPITAL EPISODES 2	2013	2012	2011	School Discipline Involving Drugs	0	0	0
Hospitalization, no Emergency				School Discipline Involving Tobacco	U	U	U
Mental Illness Principal Diagno		142	97	JUVENILE COURT REFERRALS 3	2013	2012	2011
Mental Illness Secondary Diag		274	364	Juvenile Violent Offenses	11	21	22
Alcohol Principal Diagnosis	4	4	5	Juvenile Alcohol Offenses	0	0	0
Alcohol Secondary Diagnosis	19	17	18	Juvenile Drug Offenses	1	5	3
Drug Principal Diagnosis	0	3	7	School Truancy Status Offense	9	21	5
Drug Secondary Diagnosis	12	31	15	Absent from Home Status Offense	1	3	1
Emergency Room + Hospitaliza				Beyond Parental Control Status Offense	16	22	7
Mental Illness Principal Diagno		27	21	Injurious Behavior Status Offense	25	11	7
Mental Illness Secondary Diag		276	195	Child Abuse	0	8	6
Alcohol Principal Diagnosis	1	12	3	Child Neglect	3	11	11
Alcohol Secondary Diagnosis	24	17	14	Child Custody Issues	0	0	0
Drug Principal Diagnosis	3	4	4	•			
Drug Secondary Diagnosis	8	15	5	JUVENILE COURT PLACEMENTS	2013	2012	2011
Emergency Room, no Hospitali				Out-of-Home PlacementsTotal	2	9	11
Mental Illness Principal Diagno		203	109	Parental Alcohol Use Related	0	0	0
Mental Illness Secondary Diag		784	584	Parental Drug Use Related	1	3	2
Alcohol Principal Diagnosis	11	26	24	Parental Alcohol and Drug Use	0	0	0
Alcohol Secondary Diagnosis	30	33	20	CRIMINAL ILICTICS	FY2014	FY2013	EV2012
Drug Principal Diagnosis	13	20	27	CRIMINAL JUSTICE Drug Court Participants	0		FY2012
Drug Secondary Diagnosis	27	31	22	Probation/Parole AdmissionsDrug	88	0 69	0 57
		40.0		Probation/Parole AdmissionsDrug Probation/Parole AdmissionsDWI	11	10	9
ALCOHOL OUTLETS	2014	2013	2012	Prison AdmissionsDrug	72	49	9 45
Alcohol On-Premise Drink Lice		26	29	Prison AdmissionsDrug Prison AdmissionsDWI	10	49 9	45 5
Alcohol Package Carry-out Lice	enses 15	17	17	I HOULI AUTHIOOUTIODVVI	10	9	ບ
EMPLOYMENT	2014	2013	2012	1 All Kansas City hepatitis and TB case report			
Labor Force	7,274	7,462	6,996	totals and all Joplin case reports are include 2 Beginning with 2010 data, diagnosis counts			
Employed	6,909	7,052	6,542	based on codes developed by the Healthcar	re Cost and U	Jtilization Proj	ject.
Unemployed	365	410	454	3 Beginning in 2013, juvenile municipal violati court orders are categorized as status offen:			
Unemployment Rate	5.0%	5.5%	6.5%	Court orders are categorized as status oriens	oco molead 0	i iaw violatioi	10.

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

	FY2014	FY2013	FY2012
TREATMENT CATEGORY			
Detoxification	12	5	6
CSTAR Adolescent	5	9	12
CSTAR Women and Children	*	*	*
CSTAR General Adult	120	127	126
CSTAR Opioid	0	0	0
Primary Recovery Treatment	*	6	5
Clinical SATOP (CIP, YCIP, SROP)	11	*	16
Other Substance Abuse Treatment	0	*	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	41	36	49
- Adolescent Diversion Education Prograr	0	0	0
- Offender Education Program	17	15	20
- Weekend Intervention Program	5	6	9
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	*	0
Compulsive Gambling	0	0	0
Recovery Supports	*	*	5
Early Intervention	*	5	*

NUMBER ADMITTED	FY2014	FY2013	FY2012	PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Total Individuals	139	153	160	Alcohol	49	48	71
Total Marvidadio	100	100	100	Marijuana / Hashish	31	47	43
AGE				Cocaine (total)	*	*	7
Under 18	6	13	13	- Crack	*	0	*
18 to 24	27	26	26	Stimulant (total)	36	36	19
25 to 29	21	30	36	- Methamphetamine	36	36	19
30 to 34	24	34	31	Heroin	*	*	*
35 to 39	25	16	20	Analgesic except Heroin	16	12	12
40 to 44	13	15	18	- Non-Prescription Methadone	0	0	0
45 to 54	19	16	11	PCP, LSD, other Hallucinogen	0	*	0
55 and Over	*	*	5	Tranquilizer	*	*	*
GENDER				Inhalant	*	*	0
Male	76	100	104	Sedative	0	0	0
Female	63	53	56	Other Medication or Illicit Drug	0	*	*
				Average Age at First Use of Drug	18.9	16.7	16.6
RACE / ETHNICITY							
Caucasian	130	141	140	INJECTION DRUG USE			
African American	*	5	10	Any Injection Use at Admission	24	21	17
Native American / Alaskan	*	0	0	- Daily Injection Use	0	*	*
Asian / Pacific Islander	0	0	0	- Weekly Injection Use	5	*	5
Hispanic	*	*	*	- Less than Weekly Injection Use	19	15	11
Other Race / Two or More Races	*	5	7	2000 11.01. 1700.11, 11,000.01. 200	.0	.0	
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	50	55	67	0	80	94	92
High School Graduate or G.E.D.	71	79	76	1 or 2	42	37	50
Associate Degree or Some College	18	19	14	3 or More	17	22	18
Bachelor or Advanced Degree	0	0	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	33	29	22
Employed	37	37	60	School	0	0	0
Unemployed	78	87	76	Mental Health Provider	*	*	*
Not in Labor Force	24	29	24	Health Care Provider	*	*	*
		_0		Court / Criminal Justice	60	26	101
HOUSING / LIVING ARRANGEMENT				Other Referral Source	33	88	28
Independent Living	112	121	140	outer Hereitan Goules	00		
Dependent Living	15	24	15	TREATMENT ACCOMMODATION			
Homeless	*	5	5	Pregnant when Admitted to any Episode	0	0	*
MARITAL / FAMILY STATUS				Military Veteran	8	10	11
Never Married	69	89	87	Special Education Services Needed	11	10	14
Married / Cohabitating	27	40	38	Co-Occurring Psychological Problem	62	77	73
Previously Married	43	24	35	Co-Occurring Developmental Problem	*	5	20
•				,		_	

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Western
PSYCHIATRIC SERVICE AREA 13
CENSUS 2010 15,195
2014 POPULATION ESTIMATE 15,053

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder. FY2014 FY2013 FY2012 **DIAGNOSIS CATEGORY** Adjustment Disorder 7 11 11 **Anxiety Disorder** 197 199 194 Dementia **Developmental Disorder** 5 5 9 Impulse Control Disorder 60 52 52 Mood Disorder 253 273 289 Personality Disorder 52 42 47 Psychotic Disorder 57 58 60 Sexual Disorder 0 Other Diagnosis 34 31 33

18

20

29

Individuals who received psychiatric services had the following types of

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

Diagnosis Unknown

NUMBER SERVED	FY2014	FY2013	FY2012	EDUCATION	FY2014	FY2013	FY2012
Total Individuals	403	373	403	Less than High School Diploma	134	118	69
Total Marviadalo	100	0.0	100	High School Grad or G.E.D.	*	14	96
AGE				Associate Degree or Some College	0	*	23
Under 6	*	*	*	Bachelor or Advanced Degree	0	0	*
6 to 9	17	13	15	Education Level Unknown	267	239	213
10 to 13	25	27	36	Education Level Officiown	201	200	210
14 to 17	37	37	28	EMPLOYMENT			
18 to 24	52	39	37	Employed	48	42	33
25 to 29	27	24	35	Unemployed	45	56	126
30 to 34	29	28	35	Not in Labor Force	260	238	63
35 to 39	38	27	21	Employment Status Unknown	50	37	181
40 to 44	34	31	36				
45 to 49	25	32	35	HOUSING / LIVING ARRANGEMENT			
50 to 54	34	32	41	Independent Living	196	184	134
55 to 59	39	41	41	Dependent Living	154	140	100
60 and Over	44	40	41	Homeless	6	9	*
Age Unknown	0	0	0	Other	0	0	*
CENDED				Housing Unknown	47	40	166
GENDER Male	167	159	153				
Female	236	214	250	TREATMENT REFERRAL SOURCE			
				Self / Family / Friend	211	181	173
Gender Unknown	0	0	0	School	9	12	10
RACE / ETHNICITY				Mental Health Provider	32	35	43
Caucasian	378	357	383	Health Care Provider	62	61	86
African American	9	5	7	Court / Criminal Justice	42	34	31
Native American / Alaskan	*	0	0	Other	45	48	58
Asian / Pacific Islander	0	0	0	Referral Source Unknown	*	*	*
Hispanic	7	6	5				
Other Race	8	5	8	TYPE OF COMMITMENT	401	371	404
Race/Ethnicity Unknown	0	0	0	Voluntary			401
TD5.4.T.4.5.V.T.4.000.4.4.4.0.0.4.5.5.5				Civil	0	0	0
TREATMENT ACCOMMODATION	2	^	0	Criminal	0	0	0
Hearing Impaired	6	9	6	Sexual Predatory	0	0	0
Past or Current Military Service	7	7	6	Commitment Type Unknown	*	*	*

MISSOURI STUDENT SURVEY

Percent of students who have ever used:	2014	2012	2010	Percent who believe they risk harm if they use:	2014	2012	2010
Alcohol	41.5	46.7	54.2	Alcohol (1 or 2 drinks daily)	49.7		
Cigarettes	25.7	32.1	39.8	Alcohol (Binge: 5+ drinks once or twice a week)	61.5		
Chewing Tobacco	17.4	13.7	21.4	Alcohol (any use)		63.0	77.7
Marijuana	6.8	15.1	14.9	Cigarettes (1+ packs per day)	87.2		
Inhalants	5.4	5.7	5.0	Cigarettes (any use)		78.9	72.0
Prescription medications not prescribed for student	3.4	8.0	11.3	Marijuana (once or twice a week)	80.3		
Over-the-counter medications for non-medical use	1.4	6.6	8.5	Marijuana (any use)		74.9	68.5
Methamphetamine	0.0	1.4	0.0	Other: Cocaine, LSD, Meth, Club Drug (any use)	93.8	91.4	97.3
Cocaine	1.4	1.4	0.4				
Heroin	1.4	1.0	0.0	Percent of students who, in past 30 days:	40.4	00.0	04.0
Hallucinogens	0.0	2.4	0.8	Were very sad	16.1	20.8	31.0
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.4	0.9	0.8	Were grouchy, irritable, or in a bad mood	17.4	25.4	30.2
Steroids not prescribed for student	2.7	1.9	0.0	Felt like net esting on eating on eating and then usual	8.1	11.8	17.2
Synthetic drugs (K2, bath salts, Spice, etc)	1.4	8.0		Felt like not eating or eating more than usual	9.0	19.4	18.2
				Slept a lot more or a lot less than usual	13.4	26.4	26.8
Average age of students' first use of:	10.40	10.04	10.07	Had difficulty concentrating on school work	18.8	23.8	18.3
Alcohol		12.24		Percent of students who, in past 12 months:			
Cigarettes		12.60		Seriously considered attempting suicide	9.5	11.8	12.2
Marijuana		13.81		Made plan about how they would attempt suicide	6.8	8.1	6.9
Inhalants	12.42	12.36	12.39	Attempted suicide	4.7	5.2	6.5
Percent of students who, in past 30 days, used:				Attempted suicide and resulting injury, poisonng, or overdose		4.0	0.0
Alcohol	13.0	24.4	26.2	had to be treated by doctor or nurse	1.4	1.9	8.0
Alcohol (Binge: 5+ drinks on one occassion)		16.0	17.2	Percent of students who, in past 12 months:			
Cigarettes	10.7	17.5	22.7	Were threatened/injured with weapon at school	7.4	10.9	9.9
Chewing Tobacco	11.5	7.5	11.8	Were in a physical fight	21.1	19.9	22.5
Marijuana	2.7	8.0	6.1	Were in a fight and had to be treated by a doctor or nurse	0.0	1.9	1.1
Inhalants	2.0	3.3	1.5	Word in a right and had to be treated by a doctor of harse	0.0	1.0	
Prescription medications not prescribed for student	2.7	5.2	6.6	Percent of students who, in past 3 months:			
Over-the-counter medications for non-medical use	0.0	3.8	3.5	Were victims of mean rumors or lies spread at school	52.4	57.8	64.9
Persont of students who in past 2 weeks woods				Were made fun of by others	61.2	67.6	73.3
Percent of students who, in past 2 weeks, used:	9.7			Were victims of an embarrassing or hurtful text message or	17.7	27.1	25.6
Alcohol (Binge: 5+ drinks on one occassion)	9.7			something posted on the internet			
Percent whose friends used in past 12 months:				Spread mean rumors or lies about other kids at school	27.7	41.7	35.5
Alcohol	45.6	65.4	65.5	Made fun of other people	67.8	76.3	76.3
Cigarettes	27.5	58.0	66.0	Posted something on the internet or sent a text that might	14.3	20.4	17.2
Marijuana	10.2	42.6	31.0	embarrass or hurt another student			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	4.1	18.4	13.5	Percent of students who agree that:			
Parcent who would likely use if afford by a host friend:				Teachers notice and comment on student's good work	80.5	64.6	78.9
Percent who would likely use, if offered by a best friend: Alcohol	34.7	36.3	44.4	School provides feedback to parents on positive student		·	
Cigarettes	12.8	18.0		performance	53.7	35.1	43.0
Marijuana	3.4	12.3	8.9	Rules are enforced fairly	60.5	59.9	61.5
Manjaana	0.4	12.0	0.0	Students of all races/ethnicities are treated equal	96.6	81.6	82.4
Percent who say it would be wrong to use:				Demonst of attribute who arms that			
Alcohol	64.4	56.6	51.3	Percent of students who agree that:	70.2	02.5	02.0
Clgarettes	82.8	76.8	65.9	Parents notice and comment on student's good work	79.3	83.5	83.9
Marijuana	93.8	85.8	83.8	Parents involve student in making family decisions	70.3	67.8	64.6
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	95.8	96.2	98.1	It is important to be honest with parents regardless of consequences	90.4	84.4	81.3
Percent whose parents would disapprove if they use:				·	76.0	74.6	76.7
Alcohol	72.8	79.5	73.6	Student could ask parent for help with a personal problem	76.8	71.6	76.7
Cigarettes	90.3	90.6	86.2	Missouri Student Survey is conducted bioppially			
Marijuana	95.1	96.2		Missouri Student Survey is conducted biennially. Similar affirmative response choices for individual questions are	e combin	ed.	
	55.1	3 J.L	50	Blank data cells indicate estimates are not available for item or	geograpl	hic area.	
Percent who say it would be easy to obtain:		_		Survey is not conducted in every school district nor reported for Estimates are not available for counties with small numbers of			
Alcohol	51.0	67.0		Percentages are estimates based on weighted data.	•		
Cigarettes	39.9	59.7		Some year-to-year differences in percentages are not statistical	lly signific	cant.	
Marijuana	16.4	33.5	30.7	Data source: Missouri Institute of Mental Health, 2010-2014 Mi	ssouri St	udent Sı	ırveys
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	9.5	16.2	16.1				-

MO DONALD GOO!	• • •						
DBH REG	ION	Southwest		IMPAIRED DRIVING	2013	2012	2011
DBH SER'	VICE AREAS			Alcohol Involved CrashesTotal	53	45	48
Substa	nce Use	9		Fatal Crashes	4	0	1
Adult P	sychiatric	9		Injury Crashes	24	23	27
POPULAT	•			Property Damage Crashes	25	22	20
Census		23,083		Crash Fatalities	4	0	1
2014 E	stimate	22,800		Crash Injuries	37	30	40
		,		Drug Involved CrashesTotal	4	4	9
213				Fatal Crashes	1	0	1
				Injury Crashes	1	2	4
BIRTH RISK	2013	2012	2011	Property Damage Crashes	2	2	4
Resident BirthsTotal	315	320	296	Crash Fatalities	1	0	1
Mother Reported Smoking while Pregn	ant 62	65	71	Crash Injuries	1	2	3
DISEASE INCIDENCE 1	2013	2012	2011		•	_	-
HIV/AIDS Cases	0	0	0	POLICE REPORTS	2013	2012	2011
Hepatitis B Chronic, Acute, Prenatal	8	3	3	DUI Arrests, DWI Tracking System	213	199	241
Hepatitis C Chronic and Acute	28	16	28	Liquor Law Arrests	29	26	17
Tuberculosis Infection Cases	17	19	22	Drug Arrests	110	100	77
rabolodicolo illicolicii cacco				Violent Offenses	173	152	113
DEATHS and INJURIES	2013	2012	2011	Property Offenses	600	410	466
Resident DeathsTotal	227	205	194	Domestic Violence Reports	436	217	411
Suicides	6	4	5		2014	2013	2012
Self-inflicted Injuries	25	10	23	Methamphetamine Lab Seizures	15	34	29
Homicides	1	2	1		2042.44	2042.42	2014 42
Assault Injuries	35	31	31	SCHOOL REPORTS	2013-14	2012-13	2011-12
Alcohol Induced Deaths	3	2	1	Enrollment Grades 9-12	1,099	1,080	991
Drug Induced Deaths	2	0	0	Drop-outs	16	30	19
Smoking Attributable Deaths	48	37	42	Drop-out Rate	1.5%	2.8%	1.9%
-				School Discipline Involving Alcohol	3	10	2
HOSPITAL EPISODES 2	2013	2012	2011	School Discipline Involving Drugs	13	17	12
Hospitalization, no Emergency Room:				School Discipline Involving Tobacco	0	0	0
Mental Illness Principal Diagnosis	136	150	182	JUVENILE COURT REFERRALS 3	2013	2012	2011
Mental Illness Secondary Diagnosis	360	448	563	Juvenile Violent Offenses	5	44	22
Alcohol Principal Diagnosis	19	14	16	Juvenile Alcohol Offenses	2	8	2
Alcohol Secondary Diagnosis	47	41	64	Juvenile Drug Offenses	1	11	6
Drug Principal Diagnosis	9	9	14	School Truancy Status Offense	3	2	0
Drug Secondary Diagnosis	14	34	30	Absent from Home Status Offense	5	11	6
Emergency Room + Hospitalization:				Beyond Parental Control Status Offense	8	14	5
Mental Illness Principal Diagnosis	78	75	10	Injurious Behavior Status Offense	7	14	3
Mental Illness Secondary Diagnosis	190	112	31	Child Abuse	12	12	21
Alcohol Principal Diagnosis	14	14	3	Child Neglect	62	39	30
Alcohol Secondary Diagnosis	19	13	6	Child Custody Issues	2	2	3
Drug Principal Diagnosis	9	8	2				
Drug Secondary Diagnosis	13	8	1	JUVENILE COURT PLACEMENTS	2013	2012	2011
Emergency Room, no Hospitalization:			440	Out-of-Home PlacementsTotal	53	31	52
Mental Illness Principal Diagnosis	96	114	118	Parental Alcohol Use Related	0	2	0
Mental Illness Secondary Diagnosis	765	629	618	Parental Drug Use Related	22	6	23
Alcohol Principal Diagnosis	28	25	23	Parental Alcohol and Drug Use	0	3	0
Alcohol Secondary Diagnosis	32	37	30	CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Principal Diagnosis	12	19	8	Drug Court Participants	55	36	18
Drug Secondary Diagnosis	27	35	28	Probation/Parole AdmissionsDrug	40	29	24
ALCOHOL OUTLETS	2014	2012	2012	Probation/Parole AdmissionsDWI	33	39	21
ALCOHOL OUTLETS Alcohol On-Premise Drink Licenses	2014	2013		Prison AdmissionsDrug	11	13	9
Alcohol Package Carry-out Licenses	17 39	24 32	20 32	Prison AdmissionsDWI	21	18	20
Alcohol I ackage Carry-out Licenses	39	32	SZ				
EMPLOYMENT	2014	2013	2012	1 All Kansas City hepatitis and TB case report			
Labor Force	10,364	10,756	10,843	totals and all Joplin case reports are include Beginning with 2010 data, diagnosis counts			
Employed	9,770	10,077	10,167	based on codes developed by the Healthcar	e Cost and L	Jtilization Proj	ject.
Unemployed	594	679	676	3 Beginning in 2013, juvenile municipal violati court orders are categorized as status offen:			
Unemployment Rate	5.7%	6.3%	6.2%	Court of Cou	0 101.000 0	TIOIGUOI	

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	11	18	11
CSTAR Adolescent	7	13	15
CSTAR Women and Children	24	18	18
CSTAR General Adult	64	30	26
CSTAR Opioid	0	0	0
Primary Recovery Treatment	*	*	6
Clinical SATOP (CIP, YCIP, SROP)	21	22	23
Other Substance Abuse Treatment	0	0	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	68	82	88
- Adolescent Diversion Education Prograr	*	0	*
- Offender Education Program	17	26	29
- Weekend Intervention Program	12	24	23
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	13	*
Compulsive Gambling	0	0	0
Recovery Supports	25	57	46
Early Intervention	6	6	9

NUMBER ADMITTED	FY2014	FY2013	FY2012	PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Total Individuals	140	146	133	Alcohol	56	73	62
105				Marijuana / Hashish	38	27	33
AGE	7	15	16	Cocaine (total)	0	*	*
Under 18	7	15	16	- Crack	0	*	*
18 to 24	24	16	20	Stimulant (total)	40	21	22
25 to 29	25	25	22	- Methamphetamine	39	19	21
30 to 34	17	19	20	Heroin	0	0	0
35 to 39	20	21	17	Analgesic except Heroin	5	15	5
40 to 44	9	15	9	- Non-Prescription Methadone	0	0	0
45 to 54	28	29	23	PCP, LSD, other Hallucinogen	0	*	*
55 and Over	10	6	6	Tranquilizer	*	*	*
GENDER				Inhalant	0	*	*
Male	103	108	96	Sedative	0	0	0
Female	37	38	37	Other Medication or Illicit Drug	0	*	*
Tomaio	0.	00	0.	Average Age at First Use of Drug	17.0	18.4	17.4
RACE / ETHNICITY				Average Age at 1 hot obe of brag	17.0	10.4	
Caucasian	125	125	115	INJECTION DRUG USE			
African American	0	*	*	Any Injection Use at Admission	25	14	14
Native American / Alaskan	*	*	*		2 5	0	*
Asian / Pacific Islander	*	*	*	- Daily Injection Use	5	*	*
Hispanic	8	13	10	- Weekly Injection Use	_		40
Other Race / Two or More Races	5	*	*	- Less than Weekly Injection Use	17	13	10
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	58	65	55	0	74	63	65
High School Graduate or G.E.D.	58	58	59	1 or 2	34	46	40
Associate Degree or Some College	24	23	19	3 or More	32	37	28
Bachelor or Advanced Degree	0	0	0				
				TREATMENT REFERRAL SOURCE	07	07	
EMPLOYMENT	- 4			Self / Family / Friend	37	37	30
Employed	54	55	50	School	0	0	*
Unemployed	55	50	45	Mental Health Provider	0	0	
Not in Labor Force	31	41	38	Health Care Provider	*	15	5
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	81	74	78
Independent Living	126	125	107	Other Referral Source	18	19	18
Dependent Living	10	18	18				
Homeless	0	*	*	TREATMENT ACCOMMODATION			
	· ·			Pregnant when Admitted to any Episode	*	0	0
MARITAL / FAMILY STATUS				Military Veteran	8	12	6
Never Married	58	59	56	Special Education Services Needed	14	21	17
Married / Cohabitating	48	47	46	Co-Occurring Psychological Problem	62	77	61
Previously Married	34	40	31	Co-Occurring Developmental Problem	*	6	7

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Southwest
PSYCHIATRIC SERVICE AREA 9
CENSUS 2010 23,083
2014 POPULATION ESTIMATE 22,800

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.							
DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012				
Adjustment Disorder	26	17	23				
Anxiety Disorder	81	94	75				
Dementia	0	0	0				
Developmental Disorder	*	*	*				
Impulse Control Disorder	73	63	62				
Mood Disorder	110	139	135				
Personality Disorder	24	22	17				
Psychotic Disorder	16	20	23				
Sexual Disorder	*	*	0				
Other Diagnosis	29	19	17				
Diagnosis Unknown	33	25	26				

Individuals who received psychiatric services had the following types of

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2014	FY2013	FY2012	EDUCATION	FY2014	FY2013	FY2012
Total Individuals	254	281	290	Less than High School Diploma	91	71	32
. otala.r.aaa.o				High School Grad or G.E.D.	0	*	19
AGE				Associate Degree or Some College	0	*	7
Under 6	10	6	6	Bachelor or Advanced Degree	0	0	*
6 to 9	32	24	24	Education Level Unknown	163	208	231
10 to 13	39	35	36	Education Edver Officiown	100	200	201
14 to 17	46	38	33	EMPLOYMENT			
18 to 24	17	21	26	Employed	*	5	6
25 to 29	18	25	16	Unemployed	9	11	42
30 to 34	14	21	31	Not in Labor Force	126	111	19
35 to 39	11	15	19	Employment Status Unknown	115	154	223
40 to 44	15	19	20				
45 to 49	15	24	28	HOUSING / LIVING ARRANGEMENT			
50 to 54	24	26	28	Independent Living	41	58	50
55 to 59	7	16	10	Dependent Living	99	58	19
60 and Over	6	11	13	Homeless	0	*	0
Age Unknown	0	0	0	Other	0	0	0
CENDED				Housing Unknown	114	164	221
GENDER Male	137	136	142				
Female	117	145	142	TREATMENT REFERRAL SOURCE			
				Self / Family / Friend	216	227	217
Gender Unknown	0	0	0	School	0	0	*
RACE / ETHNICITY				Mental Health Provider	*	5	14
Caucasian	230	269	271	Health Care Provider	8	10	12
African American	*	0	0	Court / Criminal Justice	13	18	25
Native American / Alaskan	0	0	*	Other	16	20	20
Asian / Pacific Islander	0	0	0	Referral Source Unknown	0	*	*
Hispanic	20	9	8				
Other Race	*	*	10	TYPE OF COMMITMENT	243	000	000
Race/Ethnicity Unknown	0	0	0	Voluntary	_	266	268
				Civil	11	14	19
TREATMENT ACCOMMODATION		*	*	Criminal	0	0	
Hearing Impaired		_	*	Sexual Predatory	0	0	0
Past or Current Military Service	*	*	*	Commitment Type Unknown	0	*	*

MISSOURI STUDENT SURVEY

2012 2010

Percent of students who have ever used:

Alcohol

Cigarettes

Chewing Tobacco

Marijuana

Inhalants

Prescription medications not prescribed for student

Over-the-counter medications for non-medical use

Methamphetamine

Cocaine

Heroin

Hallucinogens

Club drugs (Ecstasy, GHB, roofie, Special K, etc)

Steroids not prescribed for student

Synthetic drugs (K2, bath salts, Spice, etc)

Average age of students' first use of:

Alcohol

Cigarettes

Marijuana

Inhalants

Percent of students who, in past 30 days, used:

Alcohol

Alcohol (Binge: 5+ drinks on one occassion)

Cigarettes

Chewing Tobacco

Marijuana

Inhalants

Prescription medications not prescribed for student

Over-the-counter medications for non-medical use

Percent of students who, in past 2 weeks, used:

Alcohol (Binge: 5+ drinks on one occassion)

Percent whose friends used in past 12 months:

Alcohol

Cigarettes

Marijuana

Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)

Percent who would likely use, if offered by a best friend:

Alcohol

Cigarettes

Marijuana

Percent who say it would be wrong to use:

Alcohol

Cigarettes

Marijuana

Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)

Percent whose parents would disapprove if they use:

Alcohol

Cigarettes

Marijuana

Percent who say it would be easy to obtain:

Alcohol

Cigarettes

Marijuana

Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)

Percent who believe they risk harm if they use:

Alcohol (1 or 2 drinks daily)

Alcohol (Binge: 5+ drinks once or twice a week)

Alcohol (any use)

Cigarettes (1+ packs per day)

Cigarettes (any use)

Marijuana (once or twice a week)

Marijuana (any use)

Other: Cocaine, LSD, Meth, Club Drug (any use)

Percent of students who, in past 30 days:

Were very sad

Were grouchy, irritable, or in a bad mood

Felt hopeless about the future

Felt like not eating or eating more than usual

Slept a lot more or a lot less than usual

Had difficulty concentrating on school work

Percent of students who, in past 12 months:

Seriously considered attempting suicide

Made plan about how they would attempt suicide

Attempted suicide

Attempted suicide and resulting injury, poisonng, or overdose

had to be treated by doctor or nurse

Percent of students who, in past 12 months:

Were threatened/injured with weapon at school

Were in a physical fight

Were in a fight and had to be treated by a doctor or nurse

Percent of students who, in past 3 months:

Were victims of mean rumors or lies spread at school

Were made fun of by others

Were victims of an embarrassing or hurtful text message or

something posted on the internet

Spread mean rumors or lies about other kids at school

Made fun of other people

Posted something on the internet or sent a text that might

embarrass or hurt another student

Percent of students who agree that:

Teachers notice and comment on student's good work

School provides feedback to parents on positive student performance

Rules are enforced fairly

Students of all races/ethnicities are treated equal

Percent of students who agree that:

Parents notice and comment on student's good work

Parents involve student in making family decisions

It is important to be honest with parents regardless of consequences

Student could ask parent for help with a personal problem

Missouri Student Survey is conducted biennially.

Similar affirmative response choices for individual questions are combined. Blank data cells indicate estimates are not available for item or geographic area.

Survey is not conducted in every school district nor reported for every county. Estimates are not available for counties with small numbers of respondents. Percentages are estimates based on weighted data.

Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

2012

2010

WIACON COON							
THHA	DBH REGION	Central		IMPAIRED DRIVING	2013	2012	2011
	DBH SERVICE AREAS			Alcohol Involved CrashesTotal	9	13	11
The property (1)	Substance Use	14		Fatal Crashes	0	0	0
	Adult Psychiatric	14		Injury Crashes	6	8	7
- - - - - - - - - - - - - - - - - - -	POPULATION			Property Damage Crashes	3	5	4
	Census 2010	15,566		Crash Fatalities	0	0	0
	2014 Estimate	15,479		Crash Injuries	7	11	9
F3**				Drug Involved CrashesTotal	3	1	1
				Fatal Crashes	0	0	0
BIRTH RISK	2013	2012	2011	Injury Crashes	1	0	0
Resident BirthsTotal	198	162	184	Property Damage Crashes	2	1	1
Mother Reported Smoking whi	ile Pregnant 51	41	37	Crash Fatalities	0	0	0
DISEASE INCIDENCE 1	2012	2012	2011	Crash Injuries	2	0	0
HIV/AIDS Cases	2013	2012 2	0	POLICE REPORTS	2013	2012	2011
Hepatitis B Chronic, Acute, Pr		0	0	DUI Arrests, DWI Tracking System	60	73	73
Hepatitis C Chronic and Acute		3	6	Liquor Law Arrests	22	25	42
Tuberculosis Infection Cases	. 1	1	0	Drug Arrests	102	92	76
ruberealesis imedicir eases	'		· ·	Violent Offenses	32	41	33
DEATHS and INJURIES	2013	2012	2011	Property Offenses	282	365	326
Resident DeathsTotal	188	208	199	Domestic Violence Reports	80	96	95
Suicides	9	8	1		2014	2013	2012
Self-inflicted Injuries	26	23	15	Methamphetamine Lab Seizures	1	5	2
Homicides	0	0	0	SCHOOL REPORTS	2013-14	2012-13	2011-12
Assault Injuries	17	31	26	Enrollment Grades 9-12	718	720	716
Alcohol Induced Deaths	2	0	0	Drop-outs	13	15	15
Drug Induced Deaths	1	4	1	Drop-out Rate	1.8%	2.1%	2.1%
Smoking Attributable Deaths	30	26	32	School Discipline Involving Alcohol	1	0	0
HOSPITAL EPISODES 2	2013	2012	2011	School Discipline Involving Drugs	2	3	2
Hospitalization, no Emergency				School Discipline Involving Tobacco	0	0	0
Mental Illness Principal Diagr		83	83				
Mental Illness Secondary Dia		409	324	JUVENILE COURT REFERRALS 3	2013	2012	2011
Alcohol Principal Diagnosis	6	8	9	Juvenile Violent Offenses	36	31	23
Alcohol Secondary Diagnosis	25	16	20	Juvenile Alcohol Offenses	3	8	2
Drug Principal Diagnosis	3	3	3	Juvenile Drug Offenses	14	4 11	3 14
Drug Secondary Diagnosis	9	9	15	School Truancy Status Offense Absent from Home Status Offense	19 6	7	3
Emergency Room + Hospitaliz	zation:			Beyond Parental Control Status Offense	53	, 57	46
Mental Illness Principal Diagr	nosis 45	52	40	Injurious Behavior Status Offense	40	38	40
Mental Illness Secondary Dia	agnosis 184	129	95	Child Abuse	33	34	69
Alcohol Principal Diagnosis	10	7	5	Child Neglect	79	67	95
Alcohol Secondary Diagnosis		10	9	Child Custody Issues	0	0	0
Drug Principal Diagnosis	5	8	5	•			
Drug Secondary Diagnosis	6	7	2	JUVENILE COURT PLACEMENTS	2013	2012	2011
Emergency Room, no Hospita		00		Out-of-Home PlacementsTotal	32	12	31
Mental Illness Principal Diagr		83	96	Parental Alcohol Use Related	0	0	0
Mental Illness Secondary Dia		76	104	Parental Drug Use Related	20	6	5
Alcohol Principal Diagnosis	22	24	23	Parental Alcohol and Drug Use	0	0	1
Alcohol Secondary Diagnosis Drug Principal Diagnosis	6 12	6 10	7 13	CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Secondary Diagnosis	6	5	8	Drug Court Participants	21	17	14
Drug Secondary Diagnosis	U	3	O	Probation/Parole AdmissionsDrug	38	49	24
ALCOHOL OUTLETS	2014	2013	2012	Probation/Parole AdmissionsDWI	5	9	13
Alcohol On-Premise Drink Lice		26	24	Prison AdmissionsDrug	17	16	15
Alcohol Package Carry-out Lic		20	21	Prison AdmissionsDWI	4	4	10
EMPLOYMENT	2014	2013	2012	1 All Kansas City hepatitis and TB case report	ts are include	ed in Jackson	County
Labor Force	7,446	8,221	7,753	totals and all Joplin case reports are include	ed in Jasper C	County totals.	
Employed	6,988	7,759	7,755	2 Beginning with 2010 data, diagnosis counts based on codes developed by the Healthcar			
Unemployed	458	462	495	3 Beginning in 2013, juvenile municipal violati	ons, infraction	ns, and violat	tions of
Unemployment Pete	6.00/	E 60/	E 40/	court orders are categorized as status offens	ses instead o	π law violation	is.

6.4%

5.6%

6.2%

Unemployment Rate

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TOTATATATAT CATECODY	FY2014	FY2013	FY2012
TREATMENT CATEGORY			
Detoxification	15	6	13
CSTAR Adolescent	13	17	7
CSTAR Women and Children	10	*	6
CSTAR General Adult	112	45	33
CSTAR Opioid	0	0	0
Primary Recovery Treatment	14	53	56
Clinical SATOP (CIP, YCIP, SROP)	14	16	15
Other Substance Abuse Treatment	0	0	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	49	59	71
- Adolescent Diversion Education Prograr	5	6	8
- Offender Education Program	15	13	18
- Weekend Intervention Program	7	16	17
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	*	*
Compulsive Gambling	0	0	0
Recovery Supports	0	*	0
Early Intervention	5	9	14

NUMBER ADMITTED	FY2014	FY2013	FY2012	PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Total Individuals	147	128	103	Alcohol	51	48	48
				Marijuana / Hashish	44	48	33
AGE				Cocaine (total)	*	*	*
Under 18	12	16	7	- Crack	0	*	*
18 to 24	43	25	26	Stimulant (total)	34	25	13
25 to 29	32	20	13	- Methamphetamine	33	22	13
30 to 34	23	22	18	Heroin	*	*	0
35 to 39	11	10	8	Analgesic except Heroin	6	*	*
40 to 44	8	8	10	- Non-Prescription Methadone	0	0	0
45 to 54	11	19	19	PCP, LSD, other Hallucinogen	*	*	*
55 and Over	7	8	*		*	*	0
CENTER				Tranquilizer Inhalant	*	0	0
GENDER Male	0.4	83	70	Sedative	0	0	0
	94	63 45	33		*	0	0
Female	53	45	33	Other Medication or Illicit Drug		-	_
RACE / ETHNICITY				Average Age at First Use of Drug	17.4	17.1	16.8
Caucasian	121	110	90				
African American	17	13	11	INJECTION DRUG USE			
Native American / Alaskan	*	*	0	Any Injection Use at Admission	13	10	13
Asian / Pacific Islander	0	0	0	- Daily Injection Use	0	*	*
Hispanic	*	*	*	- Weekly Injection Use			*
Other Race / Two or More Races	6	*	*	- Less than Weekly Injection Use	11	5	8
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	48	51	34	0	86	77	47
High School Graduate or G.E.D.	74	62	58	1 or 2	48	30	35
Associate Degree or Some College	24	14	10	3 or More	13	21	21
Bachelor or Advanced Degree	*	*	*				
_				TREATMENT REFERRAL SOURCE	0.5		4.0
EMPLOYMENT		40	40	Self / Family / Friend	25	20	16
Employed	54	43	40	School			0
Unemployed	41	35	32	Mental Health Provider	0	0	0
Not in Labor Force	52	50	31	Health Care Provider	11	7	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	50	57	70
Independent Living	121	102	84	Other Referral Source	25	30	12
Dependent Living	18	19	11				
Homeless	*	5	0	TREATMENT ACCOMMODATION			
11011101000		O	Ū	Pregnant when Admitted to any Episode	*	*	*
MARITAL / FAMILY STATUS				Military Veteran	7	5	6
Never Married	90	70	55	Special Education Services Needed	11	11	18
Married / Cohabitating	26	30	17	Co-Occurring Psychological Problem	47	42	28
Previously Married	31	28	31	Co-Occurring Developmental Problem	*	0	*

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Central
PSYCHIATRIC SERVICE AREA
CENSUS 2010 15,566
2014 POPULATION ESTIMATE 15,479

served because some individuals ha			
DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012
Adjustment Disorder	*	*	*
Anxiety Disorder	33	26	31
Dementia	*	0	0
Developmental Disorder	*	*	*
Impulse Control Disorder	23	20	18
Mood Disorder	81	78	76
Personality Disorder	21	12	10
Psychotic Disorder	8	9	13
Sexual Disorder	*	*	*
Other Diagnosis	14	11	7
Diagnosis Unknown	9	*	12

Individuals who received psychiatric services had the following types of

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2014	FY2013	FY2012	EDUCATION	FY2014	FY2013	FY2012
Total Individuals	112	108	117	Less than High School Diploma	46	47	28
4.05				High School Grad or G.E.D.	0	*	28
AGE	0	*	0	Associate Degree or Some College	0	0	11
Under 6	0	*	0	Bachelor or Advanced Degree	0	0	0
6 to 9				Education Level Unknown	66	57	50
10 to 13	7	8	7				
14 to 17	20	17	17	EMPLOYMENT	_	_	_
18 to 24	12	8	17	Employed	6	7	9
25 to 29	6	7	8	Unemployed	*	10	51
30 to 34	13	13	13	Not in Labor Force	84	78	13
35 to 39	12	11	8	Employment Status Unknown	20	13	44
40 to 44	8	12	9				
45 to 49	12	11	12	HOUSING / LIVING ARRANGEMENT			
50 to 54	12	12	11	Independent Living	58	65	62
55 to 59	5	*	8	Dependent Living	32	29	18
60 and Over	*	*	5	Homeless	0	0	*
Age Unknown	0	0	0	Other	0	0	*
CENTER				Housing Unknown	22	14	35
GENDER Male	ΕA	F2	5 0				
Female	54	53	52	TREATMENT REFERRAL SOURCE			
	58	55	65	Self / Family / Friend	27	36	35
Gender Unknown	0	0	0	School	0	0	0
RACE / ETHNICITY				Mental Health Provider	*	*	*
Caucasian	92	91	102	Health Care Provider	17	16	17
African American	17	14	12	Court / Criminal Justice	*	*	*
Native American / Alaskan	0	0	0	Other	58	47	55
Asian / Pacific Islander	0	0	0	Referral Source Unknown	*	*	*
Hispanic	*	*	*				
Other Race	*	*	*	TYPE OF COMMITMENT			
Race/Ethnicity Unknown	0	0	0	Voluntary	107	104	114
,, ,	· ·	ŭ	· ·	Civil	*	0	0
TREATMENT ACCOMMODATION				Criminal	*	*	0
Hearing Impaired	*	0	0	Sexual Predatory	*	*	*
Past or Current Military Service	0	0	*	Commitment Type Unknown	*	*	*

MISSOURI STUDENT SURVEY

	IVIIOO	OUI	(1310	DENT SORVET			
Percent of students who have ever used:	2014	2012	2010	Percent who believe they risk harm if they use:	2014	2012	2010
Alcohol	36.0	50.8	58.3	Alcohol (1 or 2 drinks daily)	49.7		
Cigarettes	13.2	35.2		Alcohol (Binge: 5+ drinks once or twice a week)	57.1		
Chewing Tobacco	19.9	17.4	28.6	Alcohol (any use)		57.9	84.6
Marijuana	11.4	15.0	12.1	Cigarettes (1+ packs per day)	85.4		
Inhalants	2.8	4.9	8.4	Cigarettes (any use)		76.3	78.9
Prescription medications not prescribed for student	5.0	10.5	7.9	Marijuana (once or twice a week)	63.8		
Over-the-counter medications for non-medical use	5.0	5.7	5.5	Marijuana (any use)		74.4	62.9
Methamphetamine	0.0	1.2	1.9	Other: Cocaine, LSD, Meth, Club Drug (any use)	85.3	93.0	95.7
Cocaine	0.0	1.6	2.8	Percent of students who, in past 30 days:			
Heroin	0.0	0.4	1.8	Were very sad	27.9	19.9	17.5
Hallucinogens	0.0	1.6	1.0	Were grouchy, irritable, or in a bad mood	30.7	24.8	27.0
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.0	1.2	1.0	Felt hopeless about the future	20.7	12.2	7.3
Steroids not prescribed for student	0.0	1.6	0.9	Felt like not eating or eating more than usual	23.5	20.2	12.6
Synthetic drugs (K2, bath salts, Spice, etc)	6.9	10.9		Slept a lot more or a lot less than usual	20.1	20.7	20.8
Average age of students' first use of:				Had difficulty concentrating on school work	44.7	25.4	13.9
Alcohol		12.28		Percent of students who, in past 12 months:			
Cigarettes			12.29	Seriously considered attempting suicide	6.7	14.8	7.4
Marijuana			14.68	Made plan about how they would attempt suicide	4.0	11.4	4.2
Inhalants	11.00	11.18	12.21	Attempted suicide	2.8	6.1	2.1
Percent of students who, in past 30 days, used:				Attempted suicide and resulting injury, poisonng, or overdose	0.0	0.0	0.0
Alcohol	13.3	25.0	24.8	had to be treated by doctor or nurse	0.0	2.0	0.0
Alcohol (Binge: 5+ drinks on one occassion)		14.6	17.5	Percent of students who, in past 12 months:			
Cigarettes	1.7	18.8	24.2	Were threatened/injured with weapon at school	10.6	6.5	9.6
Chewing Tobacco	11.0	9.7	16.7	Were in a physical fight	19.6	27.5	43.0
Marijuana	6.3	6.5	6.2	Were in a fight and had to be treated by a doctor or nurse	0.0	6.9	4.4
Inhalants	0.0	1.6	5.0	Descent of students who is next 2 months.			
Prescription medications not prescribed for student	1.7	5.3	3.2	Percent of students who, in past 3 months:	60.0	E2 2	E0.7
Over-the-counter medications for non-medical use	3.9	4.5	3.4	Were victims of mean rumors or lies spread at school Were made fun of by others	62.8 61.5	53.3 64.6	50.7 66.8
Percent of students who, in past 2 weeks, used:				Were victims of an embarrassing or hurtful text message or	01.5	04.0	00.0
Alcohol (Binge: 5+ drinks on one occassion)	6.4			something posted on the internet	19.0	25.6	17.2
Percent whose friends used in past 12 months:				Spread mean rumors or lies about other kids at school	26.8	34.8	15.9
Alcohol	35.8	66.0	60.7	Made fun of other people	60.2	68.3	66.5
Cigarettes	28.3	57.6		Posted something on the internet or sent a text that might	00.0	40.7	0.0
Marijuana	7.8	34.0		embarrass or hurt another student	26.3	16.7	8.3
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	5.0	15.4	9.9	Percent of ctudents who agree that			
•				Percent of students who agree that: Teachers notice and comment on student's good work	45.0	64.0	82.0
Percent who would likely use, if offered by a best friend:	20.0	00.0	44.0	School provides feedback to parents on positive student	43.0	04.0	02.0
Alcohol	22.2	38.2		performance	41.9	31.6	60.8
Cigarettes	8.4	22.8 11.3		Rules are enforced fairly	39.7	45.1	67.4
Marijuana	16.2	11.3	14.8	Students of all races/ethnicities are treated equal	70.4	72.2	81.6
Percent who say it would be wrong to use:				·			
Alcohol	67.0	47.3		Percent of students who agree that:	GE G	90 E	92.6
Cigarettes	82.4	69.5		Parents notice and comment on student's good work	65.6 47.8	80.5 64.0	82.6 64.6
Marijuana	73.9	84.0		Parents involve student in making family decisions It is important to be honest with parents regardless of	47.0	04.0	04.0
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	93.6	96.7	94.8	consequences	73.9	80.6	87.3
Percent whose parents would disapprove if they use:				Student could ask parent for help with a personal problem	64.2	72.4	76.1
Alcohol	87.0	69.0	74.7	Stadon Godia dok paron for holp with a porsonal problem	0		
Cigarettes	93.1	86.1	84.7	Missouri Student Survey is conducted biennially.			
Marijuana	98.2	93.4	93.7	Similar affirmative response choices for individual questions are			
Percent who say it would be easy to obtain:				Blank data cells indicate estimates are not available for item or Survey is not conducted in every school district nor reported for			
Alcohol	52.5	63.0	63.2	Estimates are not available for counties with small numbers of			
Cigarettes	53.9	63.0		Percentages are estimates based on weighted data. Some year-to-year differences in percentages are not statistica	lly signifi	cant.	
Marijuana	35.5	27.8					
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	15.8	16.8	7.2	Data source: Missouri Institute of Mental Health, 2010-2014 Mis	ssouri Stu	udent Su	ırveys
· ·							

III/ (BIOON OO)	J. 1 .						
	DBH REGION	Southeast		IMPAIRED DRIVING	2013	2012	2011
	DBH SERVICE AREAS			Alcohol Involved CrashesTotal	7	12	20
The many to the second	Substance Use	21		Fatal Crashes	0	0	0
	Adult Psychiatric	21		Injury Crashes	5	5	13
	POPULATION			Property Damage Crashes	2	7	7
	Census 2010	12,226		Crash Fatalities	0	0	0
	2014 Estimate	12,368		Crash Injuries	7	7	16
73				Drug Involved CrashesTotal	5	1	6
				Fatal Crashes	0	1	0
BIRTH RISK	2013	2012	2011	Injury Crashes	2	0	4
Resident BirthsTotal	136	151	137	Property Damage Crashes	3	0	2
Mother Reported Smoking wh	ile Pregnant 43	45	54	Crash Fatalities	0	1	0
DISEASE INCIDENCE 1	2012	2012	2011	Crash Injuries	4	7	4
HIV/AIDS Cases	2013	0	2011 1	POLICE REPORTS	2013	2012	2011
Hepatitis B Chronic, Acute, Pr		0	2	DUI Arrests, DWI Tracking System	34	59	89
Hepatitis C Chronic and Acute		11	7	Liquor Law Arrests	3	25	17
Tuberculosis Infection Cases	0	2	0	Drug Arrests	31	23	19
ruboroulosis inicolion outco	O .	_	O	Violent Offenses	38	13	19
DEATHS and INJURIES	2013	2012	2011	Property Offenses	302	224	161
Resident DeathsTotal	188	154	162	Domestic Violence Reports	227	126	111
Suicides	4	1	4		2014	2013	2012
Self-inflicted Injuries	24	20	18	Methamphetamine Lab Seizures	0	0	0
Homicides	0	0	0	COULOU DEPONTS	2012 14	2012-13	2011-12
Assault Injuries	59	61	29	SCHOOL REPORTS Enrollment Grades 9-12	2013-14 624	620	612
Alcohol Induced Deaths	0	0	0		1	5	8
Drug Induced Deaths	4	3	3	Drop-outs Drop-out Rate	0.2%	0.8%	1.3%
Smoking Attributable Deaths	41	33	28	School Discipline Involving Alcohol	0.2% 7	0.6% 5	1.3%
UCCDITAL EDICODES 2	2012	2012	2011	School Discipline Involving Arconol School Discipline Involving Drugs	0	0	0
HOSPITAL EPISODES 2 Hospitalization, no Emergency	2013	2012	2011	School Discipline Involving Tobacco	0	0	0
Mental Illness Principal Diag		147	167	Control Biodipline involving robacco	O	O	U
Mental Illness Secondary Dia		356	366	JUVENILE COURT REFERRALS 3	2013	2012	2011
Alcohol Principal Diagnosis	4	4	300	Juvenile Violent Offenses	23	18	28
Alcohol Secondary Diagnosis		14	24	Juvenile Alcohol Offenses	0	0	4
Drug Principal Diagnosis	9	10	7	Juvenile Drug Offenses	3	4	4
Drug Secondary Diagnosis	21	20	20	School Truancy Status Offense	5	14	21
Emergency Room + Hospitaliz		20	20	Absent from Home Status Offense	1	2	9
Mental Illness Principal Diag		51	15	Beyond Parental Control Status Offense	22	16	10
Mental Illness Secondary Dia		204	156	Injurious Behavior Status Offense	15	15	5
Alcohol Principal Diagnosis	3	3	3	Child Abuse	1	1	0
Alcohol Secondary Diagnosis		13	13	Child Neglect	21	11	15
Drug Principal Diagnosis	0	4	3	Child Custody Issues	5	1	7
Drug Secondary Diagnosis	5	10	9	JUVENILE COURT PLACEMENTS	2013	2012	2011
Emergency Room, no Hospita	llization:			Out-of-Home PlacementsTotal	25	12	18
Mental Illness Principal Diag		167	207	Parental Alcohol Use Related	0	0	1
Mental Illness Secondary Dia		462	211	Parental Drug Use Related	8	1	3
Alcohol Principal Diagnosis	34	17	27	Parental Alcohol and Drug Use	7	1	5
Alcohol Secondary Diagnosis	s 18	31	34				
Drug Principal Diagnosis	40	38	38	CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Secondary Diagnosis	87	62	51	Drug Court Participants	15	12	8
				Probation/Parole AdmissionsDrug	22	33	21
ALCOHOL OUTLETS	2014	2013	2012	Probation/Parole AdmissionsDWI	7	9	11
Alcohol On-Premise Drink Lic		11	12	Prison AdmissionsDrug	11	15	7
Alcohol Package Carry-out Lie	censes 12	12	13	Prison AdmissionsDWI	2	5	5
EMPLOYMENT	2014	2013	2012	1 All Kansas City hepatitis and TB case repor			County
Labor Force	5,469	6,558	6,033	totals and all Joplin case reports are include 2 Beginning with 2010 data, diagnosis counts			es are
Employed	5,099	6,158	5,607	based on codes developed by the Healthcar	re Cost and U	Itilization Pro	ject.
Unemployed	370	400	426	3 Beginning in 2013, juvenile municipal violati			
Unemployment Rate	6.8%	6.1%	7.1%	court orders are categorized as status offen	oco iiioledu 0	n law violation	13.

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TD5.474.547.6475.600V	FY2014	FY2013	FY2012
TREATMENT CATEGORY			
Detoxification	13	14	14
CSTAR Adolescent	7	5	*
CSTAR Women and Children	*	*	*
CSTAR General Adult	35	28	19
CSTAR Opioid	0	*	*
Primary Recovery Treatment	*	16	35
Clinical SATOP (CIP, YCIP, SROP)	*	14	10
Other Substance Abuse Treatment	0	0	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	28	50	49
- Adolescent Diversion Education Program	0	0	0
- Offender Education Program	10	18	24
- Weekend Intervention Program	8	11	9
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	*	0
Compulsive Gambling	0	0	*
Recovery Supports	7	5	7
Early Intervention	*	*	5

NUMBER ADMITTED	FY2014	FY2013	FY2012	PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Total Individuals	48	62	59	Alcohol	10	18	19
				Marijuana / Hashish	10	10	10
AGE	*	_	*	Cocaine (total)	0	0	*
Under 18		5		- Crack	0	0	*
18 to 24	9	15	12	Stimulant (total)	10	10	8
25 to 29	12	13	15	- Methamphetamine	10	10	7
30 to 34	10	17	6	Heroin	*	12	*
35 to 39	7	*	6	Analgesic except Heroin	13	8	13
40 to 44	*	*	6	- Non-Prescription Methadone	0	0	0
45 to 54	*	6	7	PCP, LSD, other Hallucinogen	0	0	0
55 and Over	*	*	*	Tranquilizer	0	*	*
GENDER				Inhalant	0	0	*
Male	28	39	37	Sedative	0	0	0
Female	20	23	22	Other Medication or Illicit Drug	*	0	0
· Smale		_0		Average Age at First Use of Drug	18.8	17.8	17.6
RACE / ETHNICITY							
Caucasian	46	60	56	INJECTION DRUG USE			
African American	0	*	0	Any Injection Use at Admission	9	16	8
Native American / Alaskan	0	0	0	- Daily Injection Use	5	*	*
Asian / Pacific Islander	0	0	0	- Weekly Injection Use	*	7	5
Hispanic	0	0	*	- Less than Weekly Injection Use	*	5	*
Other Race / Two or More Races	*	0	*	Less than Weekly Injection Osc		3	
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	15	23	21	0	27	34	33
High School Graduate or G.E.D.	25	28	30	1 or 2	14	21	18
Associate Degree or Some College	8	11	7	3 or More	7	7	8
Bachelor or Advanced Degree	0	0	*	TD5.171.451/T D555DD.1/ C0//D65			
EA ADI OVA AENT				TREATMENT REFERRAL SOURCE	19	30	21
EMPLOYMENT Employed	7	20	9	Self / Family / Friend School	0	0	0
Employed	7 29	31	33		0	0	*
Unemployed		-		Mental Health Provider	*	*	_
Not in Labor Force	12	11	17	Health Care Provider			5
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	19	21 7	28
Independent Living	40	50	52	Other Referral Source	6	/	
Dependent Living	6	8	5				
Homeless	*	*	*	TREATMENT ACCOMMODATION	0	*	0
				Pregnant when Admitted to any Episode	0	*	0
MARITAL / FAMILY STATUS	00	00	00	Military Veteran	5	*	5
Never Married	22	36	29	Special Education Services Needed			7
Married / Cohabitating	17	20	16	Co-Occurring Psychological Problem	22	25	30
Previously Married	9	6	14	Co-Occurring Developmental Problem	•	15	6

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Southeast
PSYCHIATRIC SERVICE AREA 21
CENSUS 2010 12,226
2014 POPULATION ESTIMATE 12,368

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.							
DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012				
Adjustment Disorder	24	22	23				
Anxiety Disorder	81	72	68				
Dementia	0	0	0				
Developmental Disorder	5	6	*				
Impulse Control Disorder	208	152	189				
Mood Disorder	454	372	410				
Personality Disorder	6	9	8				
Psychotic Disorder	50	44	38				
Sexual Disorder	0	*	*				
Other Diagnosis	41	30	49				
Diagnosis Unknown	28	29	127				

Individuals who received psychiatric services had the following types of

NUMBER SERVED	FY2014	FY2013	FY2012	EDUCATION	FY2014	FY2013	FY2012
Total Individuals	772	633	820	Less than High School Diploma	99	115	58
Total marriadais	772	000	020	High School Grad or G.E.D.	0	0	40
AGE				Associate Degree or Some College	0	0	12
Under 6	*	*	*	Bachelor or Advanced Degree	0	0	*
6 to 9	72	52	76	Education Level Unknown	673	518	707
10 to 13	102	85	116	Education Level Officiown	0/3	310	707
14 to 17	118	80	123	EMPLOYMENT			
18 to 24	79	55	83	Employed	11	6	18
25 to 29	59	44	60	Unemployed	5	5	74
30 to 34	46	64	64	Not in Labor Force	187	192	34
35 to 39	55	44	50	Employment Status Unknown	569	430	694
40 to 44	55	40	49				
45 to 49	47	54	67	HOUSING / LIVING ARRANGEMENT			
50 to 54	59	52	55	Independent Living	100	93	105
55 to 59	36	29	32	Dependent Living	113	107	48
60 and Over	40	31	42	Homeless	0	*	*
Age Unknown	0	0	0	Other	0	0	*
orwore.				Housing Unknown	559	429	661
GENDER Male	275	202	200				
Female	375	292	389	TREATMENT REFERRAL SOURCE			
	397	341	431	Self / Family / Friend	459	394	538
Gender Unknown	0	0	0	School	9	*	7
RACE / ETHNICITY				Mental Health Provider	41	23	36
Caucasian	715	587	754	Health Care Provider	82	85	80
African American	7	8	9	Court / Criminal Justice	12	12	15
Native American / Alaskan	*	*	0	Other	169	115	144
Asian / Pacific Islander	0	0	0	Referral Source Unknown	0	0	0
Hispanic	26	24	40				
Other Race	23	13	17	TYPE OF COMMITMENT	774	000	040
Race/Ethnicity Unknown	0	0	0	Voluntary	771	632	818
				Civil	0	0	0
TREATMENT ACCOMMODATION		0.5	4.5	Criminal		0	*
Hearing Impaired	39	39	46	Sexual Predatory	0		*
Past or Current Military Service	15	13	15	Commitment Type Unknown	0	0	0

MISSOURI STUDENT SURVEY

	IVIIO	OUI	11310	DENI SORVET			
Percent of students who have ever used:	2014	2012	2010	Percent who believe they risk harm if they use:	2014	2012	2010
Alcohol	34.0	37.1	48.1	Alcohol (1 or 2 drinks daily)	52.8		
Cigarettes	32.2	29.2	37.8	Alcohol (Binge: 5+ drinks once or twice a week)	54.6		
Chewing Tobacco	19.6	20.6	21.8	Alcohol (any use)	00	69.9	75.6
Marijuana	11.1	11.3	14.1	Cigarettes (1+ packs per day)	86.7		
Inhalants	4.2	4.1	6.4	Cigarettes (any use)		73.3	72.7
Prescription medications not prescribed for student	4.3	6.7	9.3	Marijuana (once or twice a week)	66.4		
Over-the-counter medications for non-medical use	2.1	4.6	8.1	Marijuana (any use)		74.1	69.2
Methamphetamine	2.8	2.1	0.4	Other: Cocaine, LSD, Meth, Club Drug (any use)	94.4	92.8	93.2
Cocaine	0.7	1.0	1.2	Percent of students who, in past 30 days:			
Heroin	0.7	1.0	1.1	Were very sad	17.4	17.9	18.6
Hallucinogens	2.1	2.1	2.7	Were grouchy, irritable, or in a bad mood	26.6	24.0	27.5
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	2.8	0.5	1.9	Felt hopeless about the future	10.6	10.8	16.0
Steroids not prescribed for student	0.7	2.1	1.1	Felt like not eating or eating more than usual	18.8	18.6	19.8
Synthetic drugs (K2, bath salts, Spice, etc)	3.5	3.6		Slept a lot more or a lot less than usual	14.0	16.6	23.7
Average age of students' first use of:				Had difficulty concentrating on school work	22.4	19.9	22.7
Alcohol	13.06	12.76	12.26				
Cigarettes	12.96	12.37	12.03	Percent of students who, in past 12 months:	40.5	40.4	40.0
Marijuana	13.78	13.49	13.14	Seriously considered attempting suicide	10.5	10.4	12.9
Inhalants	13.13	11.85	12.39	Made plan about how they would attempt suicide	12.0	9.3	12.8
Demonst of attitlants who in past 20 days wand.				Attempted suicide	4.9	4.1	6.0
Percent of students who, in past 30 days, used:	16.1	1 E E	20.7	Attempted suicide and resulting injury, poisonng, or overdose had to be treated by doctor or nurse	0.7	1.0	2.3
Alcohol (Pingo: E., drinks on ano accession)	16.1	15.5 8.2	28.7 17.0				
Alcohol (Binge: 5+ drinks on one occassion) Cigarettes	11.3	0.2 17.4	23.4	Percent of students who, in past 12 months:			
Chewing Tobacco	10.4	13.4	14.5	Were threatened/injured with weapon at school	3.5	5.2	10.2
Marijuana	4.2	5.2	9.5	Were in a physical fight	24.3	17.6	21.5
Inhalants	2.1	1.5	2.3	Were in a fight and had to be treated by a doctor or nurse	1.4	1.5	5.3
Prescription medications not prescribed for student	2.1	4.6	5.8	Percent of students who, in past 3 months:			
Over-the-counter medications for non-medical use	1.4	2.6	6.9	Were victims of mean rumors or lies spread at school	41.7	41.5	59.4
				Were made fun of by others	45.5	53.9	66.7
Percent of students who, in past 2 weeks, used: Alcohol (Binge: 5+ drinks on one occassion)	9.9			Were victims of an embarrassing or hurtful text message or something posted on the internet	21.5	16.7	22.0
Percent whose friends used in past 12 months:				Spread mean rumors or lies about other kids at school	20.1	22.2	35.6
Alcohol	52.8	56.4	74.8	Made fun of other people	50.3	57.7	75.0
Cigarettes	47.2		_	Posted something on the internet or sent a text that might	444	10.4	10 E
Marijuana	30.7	30.3	38.9	embarrass or hurt another student	14.1	12.4	18.5
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	8.6	12.3	21.8	Percent of students who agree that:			
				Teachers notice and comment on student's good work	81.3	71.0	65.6
Percent who would likely use, if offered by a best friend:	047	20.5	40.0	School provides feedback to parents on positive student	01.0	7 1.0	00.0
Alcohol	34.7	32.5	43.6	performance	43.4	35.8	37.2
Cigarettes	18.2 9.0	20.6 10.3	24.5 12.2	Rules are enforced fairly	65.3	66.5	68.4
Marijuana	9.0	10.3	12.2	Students of all races/ethnicities are treated equal	83.9	66.8	75.3
Percent who say it would be wrong to use:				·			
Alcohol	53.8	56.5	48.7	Percent of students who agree that:	70.0	00.5	00.5
Cigarettes	76.4	75.8	65.4	Parents notice and comment on student's good work	79.0	82.5	80.5
Marijuana	82.5	85.9	82.9	Parents involve student in making family decisions	63.4	64.1	64.6
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	95.7	94.8	94.3	It is important to be honest with parents regardless of consequences	86.7	83.5	84.8
Percent whose parents would disapprove if they use:				Student could ask parent for help with a personal problem	76.8	72.5	70.6
Alcohol	75.0	79.8	72.1	Statistic doubt done parotic for froit with a porsonal problem	. 5.0		. 5.5
Cigarettes	92.3	87.6	85.5	Missouri Student Survey is conducted biennially.			
Marijuana	93.0	95.3	95.8	Similar affirmative response choices for individual questions are			
Percent who say it would be easy to obtain:				Blank data cells indicate estimates are not available for item or Survey is not conducted in every school district nor reported for			
Alcohol	54.6	52.8	66.4	Estimates are not available for counties with small numbers of			
Cigarettes	56.9	58.2	66.9	Percentages are estimates based on weighted data. Some year-to-year differences in percentages are not statistical.	ılly signifi	cant.	
Marijuana	33.6	32.0	35.0				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	18.6	19.4	22.5	Data source: Missouri Institute of Mental Health, 2010-2014 Mi	ssouri St	udent Su	ırveys

III/(III)							
DBH REGIO	٧	Southeast		IMPAIRED DRIVING	2013	2012	2011
DBH SERVIC	E AREAS			Alcohol Involved CrashesTotal	11	12	7
Substance	e Use	17		Fatal Crashes	1	1	1
Adult Psy	chiatric	17A		Injury Crashes	5	8	3
POPULATION				Property Damage Crashes	5	3	3
Census 2		9,176		Crash Fatalities	1	2	1
2014 Esti		9,013		Crash Injuries	7	9	5
		0,010		Drug Involved CrashesTotal	1	2	1
<u></u>				Fatal Crashes	1	0	0
				Injury Crashes	0	2	0
BIRTH RISK	2013	2012	2011	Property Damage Crashes	0	0	1
Resident BirthsTotal	62	95	80	Crash Fatalities	1	0	0
Mother Reported Smoking while Pregnan	t 14	18	17	Crash Injuries	0	2	0
DISEASE INCIDENCE 1	2013	2012	2011	Orasii injunes	O	_	U
HIV/AIDS Cases	2013	0	0	POLICE REPORTS	2013	2012	2011
	0	0	0	DUI Arrests, DWI Tracking System	48	46	42
Hepatitis B Chronic, Acute, Prenatal	7	8	7	Liquor Law Arrests	8	24	35
Hepatitis C Chronic and Acute Tuberculosis Infection Cases	1	0	0	Drug Arrests	144	141	143
Tuberculosis injection Cases	'	U	U	Violent Offenses	21	21	58
DEATHS and INJURIES	2013	2012	2011	Property Offenses	119	131	94
Resident DeathsTotal	107	85	102	Domestic Violence Reports	60	57	53
Suicides	3	3	3	•	2014	2013	2012
Self-inflicted Injuries	1	12	7	Methamphetamine Lab Seizures	4	13	11
Homicides	0	0	0	γ			
Assault Injuries	20	8	17	SCHOOL REPORTS	2013-14	2012-13	2011-12
Alcohol Induced Deaths	0	0	0	Enrollment Grades 9-12	424	412	398
Drug Induced Deaths	0	2	2	Drop-outs	8	13	9
Smoking Attributable Deaths	19	15	20	Drop-out Rate	1.9%	3.2%	2.3%
Omoking Attributable Deaths	13	13	20	School Discipline Involving Alcohol	0	0	1
HOSPITAL EPISODES 2	2013	2012	2011	School Discipline Involving Drugs	0	5	1
Hospitalization, no Emergency Room:				School Discipline Involving Tobacco	0	1	1
Mental Illness Principal Diagnosis	50	35	24		2042	2042	2011
Mental Illness Secondary Diagnosis	84	97	87	JUVENILE COURT REFERRALS 3	2013	2012	2011
Alcohol Principal Diagnosis	1	2	0	Juvenile Violent Offenses	4	13	19
Alcohol Secondary Diagnosis	4	2	5	Juvenile Alcohol Offenses	0	0	0
Drug Principal Diagnosis	3	7	3	Juvenile Drug Offenses	0	2	1
Drug Secondary Diagnosis	2	3	2	School Truancy Status Offense	14	20	16
Emergency Room + Hospitalization:				Absent from Home Status Offense	0	0	0
Mental Illness Principal Diagnosis	33	49	32	Beyond Parental Control Status Offense	6	2	1
Mental Illness Secondary Diagnosis	132	129	142	Injurious Behavior Status Offense	5	1	11
Alcohol Principal Diagnosis	2	0	5	Child Abuse	15	37	37
Alcohol Secondary Diagnosis	4	12	12	Child Neglect	19	70	50
Drug Principal Diagnosis	0	7	1	Child Custody Issues	2	0	3
Drug Secondary Diagnosis	7	3	6	JUVENILE COURT PLACEMENTS	2013	2012	2011
Emergency Room, no Hospitalization:				Out-of-Home PlacementsTotal	1	5	1
Mental Illness Principal Diagnosis	75	59	56	Parental Alcohol Use Related	0	0	0
Mental Illness Secondary Diagnosis	396	370	352	Parental Drug Use Related	0	3	0
Alcohol Principal Diagnosis	4	8	5	Parental Alcohol and Drug Use	0	0	0
Alcohol Secondary Diagnosis	11	9	11			-	
Drug Principal Diagnosis	5	11	9	CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Secondary Diagnosis	8	10	8	Drug Court Participants	0	0	0
-g	9	. •	Ŭ	Probation/Parole AdmissionsDrug	12	20	21
ALCOHOL OUTLETS	2014	2013	2012	Probation/Parole AdmissionsDWI	5	3	3
Alcohol On-Premise Drink Licenses	4	5	4	Prison AdmissionsDrug	10	7	7
Alcohol Package Carry-out Licenses	13	12	13	Prison AdmissionsDWI	3	1	0
EMPLOYMENT	2014	2013	2012	1 All Kansas City hepatitis and TB case report			County
Labor Force	3,982	4,889	4,687	totals and all Joplin case reports are include Beginning with 2010 data, diagnosis counts			es are
Employed	3,738	4,629	4,394	based on codes developed by the Healthcar	re Cost and L	Utilization Proj	ject.
Unemployed	244	260	293	3 Beginning in 2013, juvenile municipal violati			
Unemployment Rate	6.1%	5.3%	6.3%	court orders are categorized as status offens	369 IIISI690 0	n iaw violatior	13.

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TOTATATATAT CATECODY	FY2014	FY2013	FY2012
TREATMENT CATEGORY Detoxification	*	*	8
	_	*	0
CSTAR Adolescent	0		*
CSTAR Women and Children	0	*	*
CSTAR General Adult	26	24	20
CSTAR Opioid	0	0	0
Primary Recovery Treatment	0	8	16
Clinical SATOP (CIP, YCIP, SROP)	7	7	*
Other Substance Abuse Treatment	0	0	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	29	22	29
- Adolescent Diversion Education Prograr	0	0	0
- Offender Education Program	8	*	13
- Weekend Intervention Program	9	5	*
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	*	0
Compulsive Gambling	0	0	0
Recovery Supports	*	0	0
Early Intervention	0	0	0

NUMBER ADMITTED	FY2014	FY2013	FY2012	PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Total Individuals	39	35	39	Alcohol	14	16	17
465				Marijuana / Hashish	9	9	9
AGE Under 18	*	*	*	Cocaine (total)	0	0	0
18 to 24	9	8	8	- Crack	0	0	0
25 to 29	*	7	10	Stimulant (total)	10	6	7
30 to 34	9	5	7	- Methamphetamine	8	6	7
	9	5 *	<i>7</i> 5	Heroin	*	*	*
35 to 39	*	*	5 *	Analgesic except Heroin	*	*	*
40 to 44	6			- Non-Prescription Methadone	0	0	0
45 to 54	6	6	5	PCP, LSD, other Hallucinogen	0	0	0
55 and Over	î	•	•	Tranquilizer	0	0	0
GENDER				Inhalant	0	0	0
Male	26	23	28	Sedative	0	0	0
Female	13	12	11	Other Medication or Illicit Drug	*	0	0
_				Average Age at First Use of Drug	17.5	16.3	16.0
RACE / ETHNICITY							
Caucasian	38	32	39	INJECTION DRUG USE			
African American			0	Any Injection Use at Admission	7	*	7
Native American / Alaskan	0	0	0	- Daily Injection Use	*	*	*
Asian / Pacific Islander	0	0	0	- Weekly Injection Use	*	*	*
Hispanic	0	0	0	- Less than Weekly Injection Use	*	*	*
Other Race / Two or More Races	0	*	0	, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	12	14	16	0	23	14	18
High School Graduate or G.E.D.	17	14	13	1 or 2	8	14	14
Associate Degree or Some College	9	7	9	3 or More	8	7	7
Bachelor or Advanced Degree	*	0	*	TOTATALENT DESERBAL COURCE			
EA ADI OVA AEAIT				TREATMENT REFERRAL SOURCE	6	8	12
EMPLOYMENT Employed	16	8	8	Self / Family / Friend School	0	0	0
Unemployed	13	14	23	Mental Health Provider	0	0	0
Not in Labor Force	10	13	23 8	Health Care Provider	*	*	*
Not in Labor Force	10	13	0		24		24
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	24	23	21
Independent Living	36	29	38	Other Referral Source	6		
Dependent Living	*	*	*				
Homeless	*	*	0	TREATMENT ACCOMMODATION		0	
				Pregnant when Admitted to any Episode	*	0	*
MARITAL / FAMILY STATUS	40	40	00	Military Veteran		*	*
Never Married	19	16	20	Special Education Services Needed	0		
Married / Cohabitating	9	10	10	Co-Occurring Psychological Problem	14	17	15
Previously Married	11	9	9	Co-Occurring Developmental Problem	*	*	*

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Southeast
PSYCHIATRIC SERVICE AREA 17A
CENSUS 2010 9,176
2014 POPULATION ESTIMATE 9,013

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.							
DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012				
Adjustment Disorder	0	*	0				
Anxiety Disorder	34	33	38				
Dementia	0	0	0				
Developmental Disorder	0	0	0				
Impulse Control Disorder	6	6	11				
Mood Disorder	45	46	46				
Personality Disorder	5	6	9				
Psychotic Disorder	11	10	8				
Sexual Disorder	0	0	0				
Other Diagnosis	*	*	*				
Diagnosis Unknown	*	5	5				

Individuals who received psychiatric services had the following types of

NUMBER SERVED	FY2014	FY2013	FY2012	EDUCATION	FY2014	FY2013	FY2012
Total Individuals	60	64	63	Less than High School Diploma	14	23	19
				High School Grad or G.E.D.	0	*	9
AGE			_	Associate Degree or Some College	0	*	*
Under 6	0	0	0	Bachelor or Advanced Degree	0	0	*
6 to 9	*			Education Level Unknown	46	38	32
10 to 13		5	10				
14 to 17	5	8	5	EMPLOYMENT		*	
18 to 24			*	Employed	*		*
25 to 29	6	7	*	Unemployed	*	13	22
30 to 34	9	11	6	Not in Labor Force	28	29	8
35 to 39	6	*	8	Employment Status Unknown	26	20	31
40 to 44	8	10	7				
45 to 49	*	*	6	HOUSING / LIVING ARRANGEMENT			
50 to 54	6	5	5	Independent Living	17	28	20
55 to 59	*	*	*	Dependent Living	18	17	15
60 and Over	*	*	6	Homeless	0	*	0
Age Unknown	0	0	0	Other	0	0	0
GENDER				Housing Unknown	25	17	28
Male	21	27	26				
Female	39	37	37	TREATMENT REFERRAL SOURCE			
Gender Unknown	0	0	0	Self / Family / Friend	32	36	24
CCHCC CHRIOWI	O	O	O	School	0	0	*
RACE / ETHNICITY				Mental Health Provider	*	*	*
Caucasian	56	62	60	Health Care Provider	6	8	13
African American	*	*	*	Court / Criminal Justice	*	*	*
Native American / Alaskan	0	0	0	Other	18	17	21
Asian / Pacific Islander	0	0	0	Referral Source Unknown	0	0	0
Hispanic	0	0	0	T/DE 05 001 11 15 15 15			
Other Race	*	0	*	TYPE OF COMMITMENT	00	00	00
Race/Ethnicity Unknown	0	0	0	Voluntary	60	63	63
				Civil	0	0	0
TREATMENT ACCOMMODATION	_	*	*	Criminal	0		0
Hearing Impaired	*	*		Sexual Predatory	0	0	0
Past or Current Military Service	*	*	0	Commitment Type Unknown	0	0	0

MISSOURI STUDENT SURVEY

Percent of students who have ever used: 2014 2012 2010

Alcohol

Cigarettes

Chewing Tobacco

Marijuana

Inhalants

Prescription medications not prescribed for student

Over-the-counter medications for non-medical use

Methamphetamine

Cocaine

Heroin

Hallucinogens

Club drugs (Ecstasy, GHB, roofie, Special K, etc)

Steroids not prescribed for student

Synthetic drugs (K2, bath salts, Spice, etc)

Average age of students' first use of:

Alcohol

Cigarettes

Marijuana

Inhalants

Percent of students who, in past 30 days, used:

Alcohol

Alcohol (Binge: 5+ drinks on one occassion)

Cigarettes

Chewing Tobacco

Marijuana

Inhalants

Prescription medications not prescribed for student

Over-the-counter medications for non-medical use

Percent of students who, in past 2 weeks, used:

Alcohol (Binge: 5+ drinks on one occassion)

Percent whose friends used in past 12 months:

Alcohol

Cigarettes

Marijuana

Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)

Percent who would likely use, if offered by a best friend:

Alcohol

Cigarettes

Marijuana

Percent who say it would be wrong to use:

Alcohol

Cigarettes

Marijuana

Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)

Percent whose parents would disapprove if they use:

Alcohol

Cigarettes

Marijuana

Percent who say it would be easy to obtain:

Alcohol

Cigarettes

Marijuana

Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)

Percent who believe they risk harm if they use:

Alcohol (1 or 2 drinks daily)

Alcohol (Binge: 5+ drinks once or twice a week)

Alcohol (any use)

Cigarettes (1+ packs per day)

Cigarettes (any use)

Marijuana (once or twice a week)

Marijuana (any use)

Other: Cocaine, LSD, Meth, Club Drug (any use)

Percent of students who, in past 30 days:

Were very sad

Were grouchy, irritable, or in a bad mood

Felt hopeless about the future

Felt like not eating or eating more than usual

Slept a lot more or a lot less than usual

Had difficulty concentrating on school work

Percent of students who, in past 12 months:

Seriously considered attempting suicide

Made plan about how they would attempt suicide

Attempted suicide

Attempted suicide and resulting injury, poisonng, or overdose

had to be treated by doctor or nurse

Percent of students who, in past 12 months:

Were threatened/injured with weapon at school

Were in a physical fight

Were in a fight and had to be treated by a doctor or nurse

Percent of students who, in past 3 months:

Were victims of mean rumors or lies spread at school

Were made fun of by others

Were victims of an embarrassing or hurtful text message or

something posted on the internet

Spread mean rumors or lies about other kids at school

Made fun of other people

Posted something on the internet or sent a text that might

embarrass or hurt another student

Percent of students who agree that:

Teachers notice and comment on student's good work

School provides feedback to parents on positive student performance

Rules are enforced fairly

Students of all races/ethnicities are treated equal

Percent of students who agree that:

Parents notice and comment on student's good work

Parents involve student in making family decisions

It is important to be honest with parents regardless of consequences

Student could ask parent for help with a personal problem

Missouri Student Survey is conducted biennially.

Similar affirmative response choices for individual questions are combined. Blank data cells indicate estimates are not available for item or geographic area.

Survey is not conducted in every school district nor reported for every county. Estimates are not available for counties with small numbers of respondents. Percentages are estimates based on weighted data.

Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

2012

2010

DBH RE	GION	Central		IMPAIRED DRIVING	2013	2012	2011
DBH SE	RVICE AREAS			Alcohol Involved CrashesTotal	24	37	36
Subsi	tance Use	14		Fatal Crashes	1	1	1
Adult Adult	Psychiatric	14		Injury Crashes	7	13	12
POPUL				Property Damage Crashes	16	23	23
Cens	us 2010	28,781		Crash Fatalities	1	1	1
2014	Estimate	28,920		Crash Injuries	10	16	24
		-,-		Drug Involved CrashesTotal	5	8	12
213				Fatal Crashes	0	0	0
				Injury Crashes	1	1	6
BIRTH RISK	2013	2012	2011	Property Damage Crashes	4	7	6
Resident BirthsTotal	389	350	383	Crash Fatalities	0	0	0
Mother Reported Smoking while Preg	nant 104	106	114	Crash Injuries	2	2	8
DISEASE INCIDENCE 1	2013	2012	2011		_	_	-
HIV/AIDS Cases	2013	1	1	POLICE REPORTS	2013	2012	2011
Hepatitis B Chronic, Acute, Prenatal	0	2	1	DUI Arrests, DWI Tracking System	151	230	257
Hepatitis C Chronic and Acute	19	26	25	Liquor Law Arrests	109	159	156
Tuberculosis Infection Cases	3	4	8	Drug Arrests	166	248	230
ruberediosis infection cases	3	7	O	Violent Offenses	87	73	65
DEATHS and INJURIES	2013	2012	2011	Property Offenses	1,281	1,388	1,328
Resident DeathsTotal	307	293	335	Domestic Violence Reports	183	257	256
Suicides	4	1	3		2014	2013	2012
Self-inflicted Injuries	31	53	48	Methamphetamine Lab Seizures	25	44	48
Homicides	1	1	0				
Assault Injuries	107	115	118	SCHOOL REPORTS	2013-14	2012-13	2011-12
Alcohol Induced Deaths	1	0	1	Enrollment Grades 9-12	1,457	1,494	1,470
Drug Induced Deaths	6	4	4	Drop-outs	22	18	17
Smoking Attributable Deaths	60	54	58	Drop-out Rate	1.5%	1.2%	1.2%
				School Discipline Involving Alcohol	1	0	0
HOSPITAL EPISODES 2	2013	2012	2011	School Discipline Involving Drugs	4	3	2
Hospitalization, no Emergency Room	:			School Discipline Involving Tobacco	0	0	0
Mental Illness Principal Diagnosis	227	219	291	JUVENILE COURT REFERRALS 3	2013	2012	2011
Mental Illness Secondary Diagnosis	334	332	801	Juvenile Violent Offenses	16	19	24
Alcohol Principal Diagnosis	5	5	26	Juvenile Alcohol Offenses	11	6	8
Alcohol Secondary Diagnosis	14	14	52	Juvenile Drug Offenses	11	9	15
Drug Principal Diagnosis	7	6	21	School Truancy Status Offense	21	33	18
Drug Secondary Diagnosis	29	14	26	Absent from Home Status Offense	0	3	3
Emergency Room + Hospitalization:				Beyond Parental Control Status Offense	2	5	5
Mental Illness Principal Diagnosis	42	46	40	Injurious Behavior Status Offense	50	70	50
Mental Illness Secondary Diagnosis	693	710	194	Child Abuse	15	3	1
Alcohol Principal Diagnosis	11	22	4	Child Neglect	72	70	36
Alcohol Secondary Diagnosis	56	73	26	Child Custody Issues	0	0	1
Drug Principal Diagnosis	13	16	2	Offina Galolody 100a00	Ü	Ū	•
Drug Secondary Diagnosis	34	35	14	JUVENILE COURT PLACEMENTS	2013	2012	2011
Emergency Room, no Hospitalization	:			Out-of-Home PlacementsTotal	74	60	15
Mental Illness Principal Diagnosis	328	339	314	Parental Alcohol Use Related	1	0	0
Mental Illness Secondary Diagnosis	475	511	1,150	Parental Drug Use Related	34	32	10
Alcohol Principal Diagnosis	87	78	61	Parental Alcohol and Drug Use	5	4	0
Alcohol Secondary Diagnosis	55	48	49	CONTRACTOR	EV204.4	EV2042	EV2042
Drug Principal Diagnosis	45	35	54	CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Secondary Diagnosis	20	34	29	Drug Court Participants	28	29 121	27
				Probation/Parole Admissions - Drug	128	121	98 35
ALCOHOL OUTLETS	2014	2013	2012	Probation/Parole AdmissionsDWI	21	30	35 91
Alcohol On-Premise Drink Licenses	49	50	53	Prison Admissions - DWI	92	92	81 15
Alcohol Package Carry-out Licenses	40	36	40	Prison AdmissionsDWI	10	8	15
EMPLOYMENT	2014	2013	2012	1 All Kansas City hepatitis and TB case repor			
Labor Force	14,535	15,112	14,122	totals and all Joplin case reports are include Beginning with 2010 data, diagnosis counts			
Employed	13,728	14,254	13,262	based on codes developed by the Healthcar	re Cost and L	Jtilization Pro	ject.
Unemployed	807	858	860	3 Beginning in 2013, juvenile municipal violati			
Unemployment Rate	5.6%	5.7%	6.1%	court orders are categorized as status offen	oco motedo 0	n iaw violatioi	13.

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	54	73	88
CSTAR Adolescent	34	27	19
CSTAR Women and Children	93	93	76
CSTAR General Adult	232	25	29
CSTAR Opioid	*	0	0
Primary Recovery Treatment	31	216	249
Clinical SATOP (CIP, YCIP, SROP)	17	20	16
Other Substance Abuse Treatment	0	0	*

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	168	174	167
- Adolescent Diversion Education Prograr	16	20	13
- Offender Education Program	47	50	61
- Weekend Intervention Program	28	31	35
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	23	32	31
Compulsive Gambling	0	0	0
Recovery Supports	*	*	0
Early Intervention	*	13	19

NUMBER ADMITTED	FY2014	FY2013	FY2012	PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Total Individuals	381	387	391	Alcohol	123	153	160
				Marijuana / Hashish	132	135	120
AGE				Cocaine (total)	11	10	27
Under 18	34	29	23	- Crack	8	*	12
18 to 24	89	109	100	Stimulant (total)	65	49	47
25 to 29	69	81	66	- Methamphetamine	62	49	45
30 to 34	56	50	48	Heroin	27	27	27
35 to 39	42	31	40	Analgesic except Heroin	9	6	*
40 to 44	28	26	37	- Non-Prescription Methadone	0	0	0
45 to 54	54	42	59	PCP, LSD, other Hallucinogen	*	0	0
55 and Over	9	19	18	Tranquilizer	*	*	*
GENDER				Inhalant	*	0	0
Male	264	255	286	Sedative	0	0	0
Female	117	132	105	Other Medication or Illicit Drug	9	5	5
				Average Age at First Use of Drug	17.5	16.9	17.3
RACE / ETHNICITY							
Caucasian	316	315	328	INJECTION DRUG USE			
African American	46	45	45	Any Injection Use at Admission	52	43	47
Native American / Alaskan	*	*	0	- Daily Injection Use	9	8	7
Asian / Pacific Islander	0	*	*	- Weekly Injection Use	6	10	12
Hispanic	*	*	*	- Less than Weekly Injection Use	37	25	28
Other Race / Two or More Races	15	23	15	Less than Weekly Injection osc	37	20	20
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	122	135	126	0	239	237	221
High School Graduate or G.E.D.	216	205	226	1 or 2	99	99	103
Associate Degree or Some College	42	47	36	3 or More	43	51	67
Bachelor or Advanced Degree	*	0	*	TD54T454T D555D24 604D65			
514010144515				TREATMENT REFERRAL SOURCE	34	53	E 4
EMPLOYMENT	139	1.11	135	Self / Family / Friend School	0	*	54
Employed		141			*	0	*
Unemployed	161	157	171	Mental Health Provider		_	0
Not in Labor Force	81	89	85	Health Care Provider	8	7	6
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	174	202	287
Independent Living	274	286	292	Other Referral Source	70	68	34
Dependent Living	93	87	83				
Homeless	9	13	12	TREATMENT ACCOMMODATION	_		
				Pregnant when Admitted to any Episode	5	*	
MARITAL / FAMILY STATUS				Military Veteran	16	11	15
Never Married	251	242	225	Special Education Services Needed	29	33	40
Married / Cohabitating	66	79	68	Co-Occurring Psychological Problem	99	87	93
Previously Married	64	66	98	Co-Occurring Developmental Problem	7	10	6

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



 DBH REGION
 Central

 PSYCHIATRIC SERVICE AREA
 14

 CENSUS 2010
 28,781

 2014 POPULATION ESTIMATE
 28,920

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder. FY2014 FY2013 FY2012 **DIAGNOSIS CATEGORY** Adjustment Disorder 24 18 17 **Anxiety Disorder** 181 243 162 Dementia 0 0 **Developmental Disorder** 28 24 20 207 Impulse Control Disorder 272 191 Mood Disorder 552 502 494 Personality Disorder 54 31 27 Psychotic Disorder 199 196 195 Sexual Disorder 0 0 0 Other Diagnosis 96 81 81 Diagnosis Unknown 74 90

Individuals who received psychiatric services had the following types of

NUMBER SERVED	FY2014	FY2013	FY2012	EDUCATION	FY2014	FY2013	FY2012
Total Individuals	881	841	876	Less than High School Diploma	363	348	209
Total Marviadalo	001	011	0.0	High School Grad or G.E.D.	0	9	231
AGE				Associate Degree or Some College	0	0	51
Under 6	5	*	10	Bachelor or Advanced Degree	0	0	10
6 to 9	48	47	53	Education Level Unknown	518	484	375
10 to 13	64	63	73	Education Edver Officiown	010	707	0/0
14 to 17	64	61	59	EMPLOYMENT			
18 to 24	107	84	93	Employed	74	78	78
25 to 29	75	75	84	Unemployed	58	62	367
30 to 34	90	90	85	Not in Labor Force	610	593	98
35 to 39	85	79	77	Employment Status Unknown	139	108	333
40 to 44	80	76	75				
45 to 49	72	80	91	HOUSING / LIVING ARRANGEMENT			
50 to 54	80	74	72	Independent Living	343	422	368
55 to 59	45	49	51	Dependent Living	335	260	210
60 and Over	66	59	53	Homeless	6	12	7
Age Unknown	0	0	0	Other	0	0	5
				Housing Unknown	197	147	286
GENDER	450	440	450				
Male	458	442	450	TREATMENT REFERRAL SOURCE			
Female	423	399	426	Self / Family / Friend	227	248	241
Gender Unknown	0	0	0	School	*	*	*
RACE / ETHNICITY				Mental Health Provider	55	63	69
Caucasian	726	717	745	Health Care Provider	85	72	59
African American	108	81	96	Court / Criminal Justice	19	26	43
Native American / Alaskan	*	*	*	Other	478	416	445
Asian / Pacific Islander	0	0	0	Referral Source Unknown	14	14	16
Hispanic	16	15	8				
Other Race	30	26	24	TYPE OF COMMITMENT	050	0.10	0.40
Race/Ethnicity Unknown	0	0	0	Voluntary	858	816	848
				Civil	0	0	
TREATMENT ACCOMMODATION		4.5		Criminal	8	11	11
Hearing Impaired	13	12	11	Sexual Predatory		0	0
Past or Current Military Service	26	27	29	Commitment Type Unknown	14	14	16

MISSOURI STUDENT SURVEY

	IVIIOS	OUF	(1510	DENI SURVET			
Percent of students who have ever used:	2014	2012	2010	Percent who believe they risk harm if they use:	2014	2012	2010
Alcohol	38.0	34.0	53.9	Alcohol (1 or 2 drinks daily)	58.0		
Cigarettes	14.5	17.8	30.7	Alcohol (Binge: 5+ drinks once or twice a week)	72.5		
Chewing Tobacco	10.7	8.4	15.7	Alcohol (any use)		64.4	82.0
Marijuana	4.6	7.3	11.9	Cigarettes (1+ packs per day)	83.8		
Inhalants	2.3	3.6	6.7	Cigarettes (any use)		79.5	81.8
Prescription medications not prescribed for student	5.3	6.0	11.6	Marijuana (once or twice a week)	77.0		
Over-the-counter medications for non-medical use	1.7	6.0	9.8	Marijuana (any use)		83.6	67.6
Methamphetamine	0.9	0.7	1.3	Other: Cocaine, LSD, Meth, Club Drug (any use)	91.3	93.0	94.8
Cocaine	0.9	1.4	0.7	Percent of students who, in past 30 days:			
Heroin	0.0	0.0	0.5	Were very sad	24.8	22.9	14.7
Hallucinogens	1.8	2.7	1.6	Were grouchy, irritable, or in a bad mood	33.5	24.9	24.0
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.9	1.4	1.8	Felt hopeless about the future	12.5	13.6	11.7
Steroids not prescribed for student	1.7	0.4	1.3	Felt like not eating or eating more than usual	14.4	13.4	15.4
Synthetic drugs (K2, bath salts, Spice, etc)	3.2	3.3		Slept a lot more or a lot less than usual	21.4	22.8	22.7
Average age of students' first use of:				Had difficulty concentrating on school work	22.9	25.3	25.6
Alcohol	11.78	11.97	12.11	Percent of students who, in past 12 months:			
Cigarettes		12.07		Seriously considered attempting suicide	14.2	15.1	15.3
Marijuana			12.75	Made plan about how they would attempt suicide	6.4	13.8	11.3
Inhalants	14.48	11.61	11.77	Attempted suicide	7.0	7.6	6.1
Percent of students who, in past 30 days, used:				Attempted suicide and resulting injury, poisoning, or overdose			
Alcohol	9.0	17.1	24.6	had to be treated by doctor or nurse	0.0	1.4	1.5
Alcohol (Binge: 5+ drinks on one occassion)		8.2	12.0	Percent of students who, in past 12 months:			
Cigarettes	9.3	11.4	18.3	Were threatened/injured with weapon at school	7.5	8.9	7.5
Chewing Tobacco	7.5	4.4	9.6	Were in a physical fight	13.5	18.8	25.4
Marijuana	0.9	3.8	4.7	Were in a fight and had to be treated by a doctor or nurse	4.1	2.4	3.7
Inhalants	1.4	1.3	3.4				0
Prescription medications not prescribed for student	2.9	2.4	6.4	Percent of students who, In past 3 months:			
Over-the-counter medications for non-medical use	0.9	4.9	5.5	Were victims of mean rumors or lies spread at school	43.7	49.9	63.0
Percent of students who, in past 2 weeks, used:				Were made fun of by others	62.1	63.2	75.0
Alcohol (Binge: 5+ drinks on one occassion)	2.3			Were victims of an embarrassing or hurtful text message or something posted on the internet	29.4	21.7	23.8
Percent whose friends used in past 12 months:				Spread mean rumors or lies about other kids at school	37.6	30.9	40.5
Alcohol	52.0	45.9		Made fun of other people	75.4	66.4	81.1
Cigarettes	37.1	37.5		Posted something on the internet or sent a text that might embarrass or hurt another student	24.9	13.0	23.0
Marijuana	18.0	21.1	35.9	embarrass of fluit another student			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	11.9	10.0	18.2	Percent of students who agree that:			
Percent who would likely use, if offered by a best friend:				Teachers notice and comment on student's good work	68.4	63.8	68.4
Alcohol	18.6	26.0	43.0	School provides feedback to parents on positive student	29.6	35.8	37.1
Cigarettes	8.4	12.4	18.8	performance	20.0	00.0	07.1
Marijuana	5.5	6.5	10.7	Rules are enforced fairly	62.6	56.3	60.9
Dercent who say it would be wrong to you				Students of all races/ethnicities are treated equal	77.1	78.8	77.3
Percent who say it would be wrong to use: Alcohol	63.8	66.4	49.0	Percent of students who agree that:			
Cigarettes	87.6	82.3		Parents notice and comment on student's good work	80.1	78.4	79.1
Marijuana	92.2	88.2		Parents involve student in making family decisions	68.0	61.9	63.2
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	98.2	96.2		It is important to be honest with parents regardless of consequences	90.1	86.4	82.5
Percent whose parents would disapprove if they use:				Student could ask parent for help with a personal problem	80.2	76.7	72.6
Alcohol	85.4	84.2	71.3	Statistic desired and partition from the percentage problem			
Cigarettes	94.8	91.5	90.2	Missouri Student Survey is conducted biennially.			
Marijuana	96.7	96.6	94.6	Similar affirmative response choices for individual questions ar			
Percent who say it would be easy to obtain:				Blank data cells indicate estimates are not available for item or Survey is not conducted in every school district nor reported fo			•
Alcohol	56.6	52.3	65.4	Estimates are not available for counties with small numbers of			
Cigarettes	47.2	44.0		Percentages are estimates based on weighted data. Some year-to-year differences in percentages are not statistical.	ally signifi	cant.	
Marijuana	18.8	18.7					
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	14.7	8.0		Data source: Missouri Institute of Mental Health, 2010-2014 Mi	ssouri St	udent Su	ırveys

MERCER 333							
	DBH REGION	Western		IMPAIRED DRIVING	2013	2012	2011
	DBH SERVICE AREAS			Alcohol Involved CrashesTotal	1	2	6
	Substance Use	13		Fatal Crashes	0	0	1
	Adult Psychiatric	13		Injury Crashes	1	1	3
	POPULATION			Property Damage Crashes	0	1	2
	Census 2010	3,785		Crash Fatalities	0	0	2
	2014 Estimate	3,719		Crash Injuries	1	1	5
	2011 201111010	0,1 10		Drug Involved CrashesTotal	0	0	2
25				Fatal Crashes	0	0	1
				Injury Crashes	0	0	0
BIRTH RISK	2013	2012	2011		0	0	1
Resident BirthsTotal	34	45	39	Property Damage Crashes	_	0	
Mother Reported Smoking whi	ile Pregnant 9	13	9	Crash Fatalities Crash Injuries	0 0	0	1 0
DISEASE INCIDENCE 1	2013	2012	2011	Ordon injunes	Ū	Ū	Ū
HIV/AIDS Cases	0	0	0	POLICE REPORTS	2013	2012	2011
Hepatitis B Chronic, Acute, Pr		0	0	DUI Arrests, DWI Tracking System	13	14	13
		1	1	Liquor Law Arrests	4	1	3
Hepatitis C Chronic and Acute	0		2	Drug Arrests	15	10	4
Tuberculosis Infection Cases	U	0	2	Violent Offenses	6	1	10
DEATHS and INJURIES	2013	2012	2011	Property Offenses	32	19	14
Resident DeathsTotal	28	48	47	Domestic Violence Reports	0	6	5
Suicides	0	0	0		2014	2013	2012
Self-inflicted Injuries	9	5	2	Methamphetamine Lab Seizures	0	0	0
Homicides	0	0	3		·	·	·
Assault Injuries	2	3	3	SCHOOL REPORTS	2013-14	2012-13	2011-12
Alcohol Induced Deaths	0	0	1	Enrollment Grades 9-12	194	182	182
Drug Induced Deaths	0	0	0	Drop-outs	0	0	0
	9	_	7	Drop-out Rate	0.0%	0.0%	0.0%
Smoking Attributable Deaths	9	9	1	School Discipline Involving Alcohol	0	0	0
HOSPITAL EPISODES 2	2013	2012	2011	School Discipline Involving Drugs	0	0	0
Hospitalization, no Emergency	Room:			School Discipline Involving Tobacco	0	0	0
Mental Illness Principal Diagr		23	16				
Mental Illness Secondary Dia		76	68	JUVENILE COURT REFERRALS 3	2013	2012	2011
Alcohol Principal Diagnosis	0	1	4	Juvenile Violent Offenses	5	5	2
Alcohol Secondary Diagnosis		3	4	Juvenile Alcohol Offenses	0	1	0
Drug Principal Diagnosis	4	0	2	Juvenile Drug Offenses	0	0	0
Drug Secondary Diagnosis	2	5	5	School Truancy Status Offense	1	0	0
Emergency Room + Hospitaliz		· ·	· ·	Absent from Home Status Offense	0	1	0
Mental Illness Principal Diagr		5	5	Beyond Parental Control Status Offense	1	1	2
Mental Illness Secondary Dia		35	29	Injurious Behavior Status Offense	4	1	2
Alcohol Principal Diagnosis	0	0	1	Child Abuse	8	6	1
Alcohol Secondary Diagnosis		4	3	Child Neglect	12	7	9
Drug Principal Diagnosis	0	1	2	Child Custody Issues	0	0	4
Drug Secondary Diagnosis	2	1	2	JUVENILE COURT PLACEMENTS	2013	2012	2011
Emergency Room, no Hospita		'	2		2013	5	0
		10	27	Out-of-Home PlacementsTotal			
Mental Illness Principal Diagr		19	27	Parental Alcohol Use Related	0	0	0
Mental Illness Secondary Dia	-	42	52	Parental Drug Use Related	0	0	0
Alcohol Principal Diagnosis	1	3	2	Parental Alcohol and Drug Use	0	0	0
Alcohol Secondary Diagnosis		5	4	CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Principal Diagnosis	1	2	1	Drug Court Participants	5	4	5
Drug Secondary Diagnosis	3	3	3	Probation/Parole AdmissionsDrug	5	1	0
ALCOHOL OUTLETS	2014	2012	2012	Probation/Parole AdmissionsDWI	2	4	2
ALCOHOL OUTLETS Alcohol On Promise Drink Lies	2014	2013	2012	Prison AdmissionsDrug	0	0	0
Alcohol On-Premise Drink Lice		4	4	Prison AdmissionsDWI	1	3	1
Alcohol Package Carry-out Lic	censes 7	6	7			Ū	
EMPLOYMENT	2014	2013	2012	1 All Kansas City hepatitis and TB case report			
Labor Force	1,857	1,901	1,932	totals and all Joplin case reports are include Beginning with 2010 data, diagnosis counts			
Employed	1,763	1,807	1,839	based on codes developed by the Healthcar			
Unemployed	94	94	93	3 Beginning in 2013, juvenile municipal violati	ons, infraction	ns, and violat	tions of
Unemployment Rate	5.1%		4.8%	court orders are categorized as status offens	ses instead o	i iaw violation	is.

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

	FY2014	FY2013	FY2012
TREATMENT CATEGORY			
Detoxification	0	0	*
CSTAR Adolescent	*	0	0
CSTAR Women and Children	0	0	0
CSTAR General Adult	8	12	15
CSTAR Opioid	0	0	0
Primary Recovery Treatment	*	0	0
Clinical SATOP (CIP, YCIP, SROP)	*	5	*
Other Substance Abuse Treatment	0	0	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	8	13	10
- Adolescent Diversion Education Prograr	0	0	0
- Offender Education Program	*	*	*
- Weekend Intervention Program	*	5	*
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	0	0
Compulsive Gambling	0	0	0
Recovery Supports	0	0	0
Early Intervention	*	0	*

NUMBER ADMITTED	FY2014	FY2013	FY2012	PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Total Individuals	14	16	19	Alcohol	7	13	15
				Marijuana / Hashish	*	*	*
AGE	*	•		Cocaine (total)	0	0	*
Under 18		0	0	- Crack	0	0	0
18 to 24	0		*	Stimulant (total)	*	*	*
25 to 29	*	0	*	- Methamphetamine	*	*	*
30 to 34	*	*	*	Heroin	0	0	0
35 to 39	*	*	*	Analgesic except Heroin	*	0	*
40 to 44	5		*	- Non-Prescription Methadone	0	0	0
45 to 54	*	6	*	PCP, LSD, other Hallucinogen	0	0	0
55 and Over	0	*	*	Tranquilizer	0	0	0
GENDER				Inhalant	*	0	0
Male	9	11	15	Sedative	0	0	0
Female	5	5	*	Other Medication or Illicit Drug	0	0	0
Temale	· ·	Ü		Average Age at First Use of Drug	18.4	18.4	15.5
RACE / ETHNICITY				Average Age at 1 hot ede of Brag	10.4	10.4	10.0
Caucasian	14	16	19	INJECTION DRUG USE			
African American	0	0	0	Any Injection Use at Admission	*	0	*
Native American / Alaskan	0	0	0	- Daily Injection Use	0	0	0
Asian / Pacific Islander	0	0	0	- Weekly Injection Use	*	0	0
Hispanic	0	0	0	- Less than Weekly Injection Use	*	0	*
Other Race / Two or More Races	0	0	0	- Less than Weekly injection ose		U	
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	6	5	*	0	7	6	10
High School Graduate or G.E.D.	8	8	13	1 or 2	*	6	9
Associate Degree or Some College	0	*	*	3 or More	*	*	0
Bachelor or Advanced Degree	0	0	*	TD5.171.451/T D555DD.1/ C0//D65			
5451 0144517				TREATMENT REFERRAL SOURCE	*	*	*
EMPLOYMENT Employed	*	0	0	Self / Family / Friend School	0	0	0
Employed		8 8	8 8		*	0	0
Unemployed	8	0	o *	Mental Health Provider	0	-	*
Not in Labor Force		U		Health Care Provider	0	0	40
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	6	5 7	12
Independent Living	13	16	18	Other Referral Source		/	
Dependent Living	*	0	*				
Homeless	0	0	0	TREATMENT ACCOMMODATION	•		•
				Pregnant when Admitted to any Episode	0	0	0
MARITAL / FAMILY STATUS	•	_	-	Military Veteran	0	0	
Never Married	6	7 *	7	Special Education Services Needed		0	-
Married / Cohabitating	6		8	Co-Occurring Psychological Problem	7	6	7
Previously Married	*	6	•	Co-Occurring Developmental Problem	0	0	•

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Western
PSYCHIATRIC SERVICE AREA 13
CENSUS 2010 3,785
2014 POPULATION ESTIMATE 3,719

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.						
DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012			
Adjustment Disorder	*	*	*			
Anxiety Disorder	16	20	22			
Dementia	0	0	0			
Developmental Disorder	*	*	*			
Impulse Control Disorder	11	7	5			
Mood Disorder	25	30	32			
Personality Disorder	5	6	5			
Psychotic Disorder	*	*	6			
Sexual Disorder	0	0	0			
Other Diagnosis	10	5	6			
Diagnosis Unknown	*	0	*			

Individuals who received psychiatric services had the following types of

NUMBER SERVED	FY2014	FY2013	FY2012	EDUCATION	FY2014	FY2013	FY2012
Total Individuals	37	38	44	Less than High School Diploma	19	15	7
. otala.r.aaa.o	0.			High School Grad or G.E.D.	0	*	9
AGE				Associate Degree or Some College	0	0	*
Under 6	0	0	0	Bachelor or Advanced Degree	0	0	*
6 to 9	*	*	*	Education Level Unknown	18	21	23
10 to 13	7	5	*	Education Edver Children			20
14 to 17	5	7	5	EMPLOYMENT			
18 to 24	*	0	*	Employed	*	*	0
25 to 29	*	*	0	Unemployed	*	*	17
30 to 34	*	*	*	Not in Labor Force	31	27	5
35 to 39	*	0	*	Employment Status Unknown	*	6	22
40 to 44	*	*	*				
45 to 49	*	*	5	HOUSING / LIVING ARRANGEMENT			
50 to 54	*	6	5	Independent Living	13	16	14
55 to 59	*	6	7	Dependent Living	18	17	11
60 and Over	*	*	6	Homeless	0	0	0
Age Unknown	0	0	0	Other	0	0	0
CENDED				Housing Unknown	6	5	19
GENDER Male	15	12	15				
Female	22	26	15 29	TREATMENT REFERRAL SOURCE			
Gender Unknown	0	0	0	Self / Family / Friend	18	15	18
Gender Offkriown	U	U	U	School	0	0	0
RACE / ETHNICITY				Mental Health Provider	5	6	6
Caucasian	34	37	44	Health Care Provider	6	11	14
African American	0	0	0	Court / Criminal Justice	0	0	*
Native American / Alaskan	0	0	0	Other	8	6	5
Asian / Pacific Islander	0	0	0	Referral Source Unknown	0	0	0
Hispanic	*	*	0				
Other Race	*	0	0	TYPE OF COMMITMENT	0.7	00	4.4
Race/Ethnicity Unknown	0	0	0	Voluntary	37	38	44
				Civil	0	0	0
TREATMENT ACCOMMODATION	•	*	6	Criminal	0	0	0
Hearing Impaired	0	*	0	Sexual Predatory	0	0	0
Past or Current Military Service	0	*	*	Commitment Type Unknown	0	0	0

MISSOURI STUDENT SURVEY

	IVIIOO	OUR	1310	DENI SURVET			
Percent of students who have ever used:	2014	2012	2010	Percent who believe they risk harm if they use:	2014	2012	2010
Alcohol	32.5	43.3		Alcohol (1 or 2 drinks daily)	47.5		
Cigarettes	14.6	31.3		Alcohol (Binge: 5+ drinks once or twice a week)	65.0		
Chewing Tobacco	20.0	20.6		Alcohol (any use)	00.0	61.2	
Marijuana	0.0	7.4		Cigarettes (1+ packs per day)	82.5	0	
Inhalants	2.5	6.0		Cigarettes (any use)		72.1	
Prescription medications not prescribed for student	4.9	7.4		Marijuana (once or twice a week)	82.1		
Over-the-counter medications for non-medical use	2.5	5.9		Marijuana (any use)		77.6	
Methamphetamine	0.0	1.5		Other: Cocaine, LSD, Meth, Club Drug (any use)	92.3	88.2	
Cocaine	0.0	1.5					
Heroin	0.0	1.5		Percent of students who, in past 30 days:	40.5	00.0	
Hallucinogens	0.0	1.5		Were very sad	12.5	23.9	
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.0	0.0		Were grouchy, irritable, or in a bad mood	20.0	28.4	
Steroids not prescribed for student	0.0	0.0		Felt hopeless about the future	12.5	9.0	
Synthetic drugs (K2, bath salts, Spice, etc)	0.0	0.0		Felt like not eating or eating more than usual	12.2	13.2	
				Slept a lot more or a lot less than usual	14.6	16.4	
Average age of students' first use of:	40.04	40.74		Had difficulty concentrating on school work	14.6	19.4	
Alcohol		12.71		Percent of students who, in past 12 months:			
Cigarettes	12.57	13.69		Seriously considered attempting suicide	9.8	10.4	
Marijuana		14.06		Made plan about how they would attempt suicide	9.8	4.5	
Inhalants				Attempted suicide	2.5	4.4	
Percent of students who, in past 30 days, used:				Attempted suicide and resulting injury, poisonng, or overdose			
Alcohol	15.0	19.1		had to be treated by doctor or nurse	0.0	0.0	
Alcohol (Binge: 5+ drinks on one occassion)		9.0		Percent of students who, in past 12 months:			
Cigarettes	9.8	13.4		Were threatened/injured with weapon at school	15.0	7.6	
Chewing Tobacco	10.0	14.7		Were in a physical fight	26.8	19.1	
Marijuana	0.0	1.5		1 3 3	20.8	3.0	
Inhalants	0.0	3.0		Were in a fight and had to be treated by a doctor or nurse	2.4	3.0	
Prescription medications not prescribed for student	2.5	1.5		Percent of students who, in past 3 months:			
Over-the-counter medications for non-medical use	0.0	2.9		Were victims of mean rumors or lies spread at school	48.8	53.7	
				Were made fun of by others	65.9	63.2	
Percent of students who, in past 2 weeks, used: Alcohol (Binge: 5+ drinks on one occassion)	5.0			Were victims of an embarrassing or hurtful text message or something posted on the internet	31.7	25.0	
Percent whose friends used in past 12 months:				Spread mean rumors or lies about other kids at school	31.7	28.4	
Alcohol	58.5	45.6		Made fun of other people	53.7	64.2	
Cigarettes	41.5	35.8		Posted something on the internet or sent a text that might			
Marijuana	15.0	14.9		embarrass or hurt another student	17.1	20.6	
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	7.5	4.5					
Other fillett (Cocaline, ESD, Metil, Clab Drug, etc)	7.5	4.5		Percent of students who agree that:			
Percent who would likely use, if offered by a best friend:				Teachers notice and comment on student's good work	70.7	83.8	
Alcohol	22.0	28.4		School provides feedback to parents on positive student	46.3	58.2	
Cigarettes	10.0	19.1		performance			
Marijuana	5.1	6.1		Rules are enforced fairly	55.0	74.6	
Percent who cay it would be wrong to use.				Students of all races/ethnicities are treated equal	80.5	91.2	
Percent who say it would be wrong to use:	60.2	EG 7		Percent of students who agree that:			
Alcohol Cigarettes	68.3 90.0	56.7 75.8		Parents notice and comment on student's good work	85.0	87.9	
•	92.3	89.6		Parents involve student in making family decisions	68.3	70.1	
Marijuana Other Illieit (Cassina, LSD, Meth. Club Drug, etc)	92.3 97.5	94.1		It is important to be honest with parents regardless of			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	91.5	34.1		consequences	87.8	86.6	
Percent whose parents would disapprove if they use:				Student could ask parent for help with a personal problem	82.9	77.6	
Alcohol	82.5	81.5					
Cigarettes	95.0	90.9		Missouri Student Survey is conducted biennially.			
Marijuana	97.4	98.5		Similar affirmative response choices for individual questions are			
Percent who say it would be easy to obtain:				Blank data cells indicate estimates are not available for item or Survey is not conducted in every school district nor reported fo			
Alcohol	17 5	52.2		Estimates are not available for counties with small numbers of			
	47.5 41.5	52.2 52.2		Percentages are estimates based on weighted data.	ally cioniti	cant	
Cigarettes Mariluana	12.5	52.2 11.9		Some year-to-year differences in percentages are not statistical	iny signific	caril.	
Marijuana Other Illicit (Cocaine, LSD, Meth, Club Drug, etc.)				Data source: Missouri Institute of Mental Health, 2010-2014 Mi	ssouri St	udent Su	ırveys
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	7.5	9.0					

MILLEIN GOOM	•						
DB	H REGION	Central		IMPAIRED DRIVING	2013	2012	2011
DB	H SERVICE AREAS			Alcohol Involved CrashesTotal	44	48	45
s	ubstance Use	11		Fatal Crashes	8	2	4
A A	dult Psychiatric	11		Injury Crashes	18	24	21
	PULATION			Property Damage Crashes	18	22	20
	ensus 2010	24,748		Crash Fatalities	10	2	4
	014 Estimate	25,141		Crash Injuries	26	31	28
		20,		Drug Involved CrashesTotal	9	8	4
<u> </u>				Fatal Crashes	0	0	0
				Injury Crashes	5	4	1
BIRTH RISK	2013	2012	2011	Property Damage Crashes	4	4	3
Resident BirthsTotal	303	302	273	Crash Fatalities	0	0	0
Mother Reported Smoking while I	Pregnant 70	93	83	Crash Injuries	7	5	1
DISEASE INCIDENCE 1	2013	2012	2011	Gracii injunec	•	Ü	•
HIV/AIDS Cases	0	0	0	POLICE REPORTS	2013	2012	2011
Hepatitis B Chronic, Acute, Prena		3	2	DUI Arrests, DWI Tracking System	194	246	221
Hepatitis C Chronic and Acute	17	13	12	Liquor Law Arrests	30	38	60
Tuberculosis Infection Cases	4	0	5	Drug Arrests	134	147	182
Tuberculosis infection Cases	4	U	3	Violent Offenses	47	39	95
DEATHS and INJURIES	2013	2012	2011	Property Offenses	570	618	513
Resident DeathsTotal	294	273	269	Domestic Violence Reports	278	547	501
Suicides	2	4	0		2014	2013	2012
Self-inflicted Injuries	26	23	25	Methamphetamine Lab Seizures	2	2	3
Homicides	1	0	0				
Assault Injuries	65	65	58	SCHOOL REPORTS	2013-14	2012-13	2011-12
Alcohol Induced Deaths	2	0	0	Enrollment Grades 9-12	1,480	1,452	1,456
Drug Induced Deaths	1	0	2	Drop-outs	12	15	34
Smoking Attributable Deaths	62	49	53	Drop-out Rate	0.8%	1.0%	2.3%
			-	School Discipline Involving Alcohol	11	0	2
HOSPITAL EPISODES 2	2013	2012	2011	School Discipline Involving Drugs	16	10	12
Hospitalization, no Emergency Ro	oom:			School Discipline Involving Tobacco	0	2	0
Mental Illness Principal Diagnos	is 117	92	106	JUVENILE COURT REFERRALS 3	2013	2012	2011
Mental Illness Secondary Diagno	osis 252	247	194	Juvenile Violent Offenses	10	15	43
Alcohol Principal Diagnosis	6	2	1	Juvenile Alcohol Offenses	4	6	14
Alcohol Secondary Diagnosis	19	14	16	Juvenile Drug Offenses	7	9	16
Drug Principal Diagnosis	4	3	1	School Truancy Status Offense	42	31	44
Drug Secondary Diagnosis	15	18	16	Absent from Home Status Offense	7	18	27
Emergency Room + Hospitalization				Beyond Parental Control Status Offense	2	6	17
Mental Illness Principal Diagnos	is 112	112	98	Injurious Behavior Status Offense	11	24	24
Mental Illness Secondary Diagno	osis 385	411	454	Child Abuse	3	5	18
Alcohol Principal Diagnosis	20	46	25	Child Neglect	41	30	64
Alcohol Secondary Diagnosis	53	52	75	Child Custody Issues	0	0	0
Drug Principal Diagnosis	15	12	12	Offilia Odstody 133de3	U	U	U
Drug Secondary Diagnosis	24	26	32	JUVENILE COURT PLACEMENTS	2013	2012	2011
Emergency Room, no Hospitaliza	ition:			Out-of-Home PlacementsTotal	43	19	45
Mental Illness Principal Diagnos	is 169	175	186	Parental Alcohol Use Related	0	0	0
Mental Illness Secondary Diagno	osis 650	536	442	Parental Drug Use Related	16	2	13
Alcohol Principal Diagnosis	32	27	25	Parental Alcohol and Drug Use	0	0	0
Alcohol Secondary Diagnosis	33	37	33				
Drug Principal Diagnosis	36	40	35	CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Secondary Diagnosis	30	37	26	Drug Court Participants	0	0	0
				Probation/Parole AdmissionsDrug	92	96	75 24
ALCOHOL OUTLETS	2014	2013	2012	Priora Administra Province	12	21	21
Alcohol On-Premise Drink Licens	es 57	59	55	Prison AdmissionsDrug	52	45	29
Alcohol Package Carry-out Licen	ses 35	38	38	Prison AdmissionsDWI	5	8	11
EMPLOYMENT	2014	2013	2012	1 All Kansas City hepatitis and TB case repor			County
Labor Force	11,611	12,231	11,522	totals and all Joplin case reports are include Beginning with 2010 data, diagnosis counts			es are
Employed	10,718	11,269	10,506	based on codes developed by the Healthcar	re Cost and L	Utilization Proj	ject.
Unemployed	893	962	1,016	3 Beginning in 2013, juvenile municipal violati			
Unemployment Rate	7.7%	7.9%	8.8%	court orders are categorized as status offen	oes instead 0	n iaw violatior	13.

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TOTATATATAT CATECODY	FY2014	FY2013	FY2012
TREATMENT CATEGORY			
Detoxification	6	9	16
CSTAR Adolescent	11	10	8
CSTAR Women and Children	11	10	13
CSTAR General Adult	82	91	70
CSTAR Opioid	0	0	0
Primary Recovery Treatment	8	12	17
Clinical SATOP (CIP, YCIP, SROP)	27	20	25
Other Substance Abuse Treatment	0	0	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	144	136	126
- Adolescent Diversion Education Prograr	0	0	*
- Offender Education Program	61	54	56
- Weekend Intervention Program	26	33	26
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	*	7
Compulsive Gambling	0	0	0
Recovery Supports	*	*	*
Early Intervention	*	*	0

NUMBER ADMITTED	FY2014	FY2013	FY2012	PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Total Individuals	137	136	128	Alcohol	51	55	57
465				Marijuana / Hashish	25	25	20
AGE Under 18	12	10	7	Cocaine (total)	0	0	*
18 to 24	29	28	20	- Crack	0	0	*
25 to 29	29	20	30	Stimulant (total)	42	27	25
30 to 34	19	21	22	- Methamphetamine	41	22	25
35 to 39	11	7	14	Heroin	*	*	*
40 to 44	9	11	15	Analgesic except Heroin	13	17	16
45 to 54	22	28	14	- Non-Prescription Methadone	0	*	0
55 and Over	6	11	6	PCP, LSD, other Hallucinogen	0	0	0
33 and Over	0	11	O	Tranquilizer	0	*	*
GENDER				Inhalant	0	0	0
Male	96	81	78	Sedative	0	0	*
Female	41	55	50	Other Medication or Illicit Drug	*	10	*
DACE / ETUNICITY				Average Age at First Use of Drug	17.2	17.8	17.9
RACE / ETHNICITY Caucasian	133	131	124				
African American	0	131	124	INJECTION DRUG USE			
Native American / Alaskan	*	0	0	Any Injection Use at Admission	29	16	19
Asian / Pacific Islander	0	0	0	- Daily Injection Use	7	*	*
Hispanic	0	*	0	- Weekly Injection Use	9	*	5
Other Race / Two or More Races	*	*	*	- Less than Weekly Injection Use	13	11	11
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	54	52	53	0	75	68	55
High School Graduate or G.E.D.	54	58	40	1 or 2	49	46	46
Associate Degree or Some College	29	23	35	3 or More	13	22	27
Bachelor or Advanced Degree	0	*	0				
•				TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	47	57	41
Employed	36	33	38	School	*	0	*
Unemployed	55	47	52	Mental Health Provider			
Not in Labor Force	46	56	38	Health Care Provider	6	6	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	54	56	69
Independent Living	107	113	106	Other Referral Source	26	14	11
Dependent Living	22	17	14				
Homeless	5	*	*	TREATMENT ACCOMMODATION			
	-			Pregnant when Admitted to any Episode	0	*	*
MARITAL / FAMILY STATUS				Military Veteran	7	7	7
Never Married	67	69	65	Special Education Services Needed	*	7	11
Married / Cohabitating	39	35	36	Co-Occurring Psychological Problem	60	41	45
Previously Married	31	32	27	Co-Occurring Developmental Problem	*	*	*

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



 DBH REGION
 Central

 PSYCHIATRIC SERVICE AREA
 11

 CENSUS 2010
 24,748

 2014 POPULATION ESTIMATE
 25,141

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.							
DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012				
Adjustment Disorder	20	24	17				
Anxiety Disorder	160	161	143				
Dementia	0	0	0				
Developmental Disorder	*	0	*				
Impulse Control Disorder	34	43	37				
Mood Disorder	246	233	210				
Personality Disorder	14	15	21				
Psychotic Disorder	51	41	46				
Sexual Disorder	*	0	0				
Other Diagnosis	26	27	22				
Diagnosis Unknown	25	15	17				

Individuals who received psychiatric services had the following types of

NUMBER SERVED	FY2014	FY2013	FY2012	EDUCATION	FY2014	FY2013	FY2012
Total Individuals	369	332	298	Less than High School Diploma	149	157	87
. otala.r.caa.o	000	002		High School Grad or G.E.D.	0	0	70
AGE				Associate Degree or Some College	0	0	23
Under 6	7	7	*	Bachelor or Advanced Degree	0	0	*
6 to 9	20	16	17	Education Level Unknown	220	175	115
10 to 13	35	31	31	Education Edver Officiown	220	170	110
14 to 17	33	37	28	EMPLOYMENT			
18 to 24	31	35	31	Employed	14	18	19
25 to 29	28	24	18	Unemployed	39	44	134
30 to 34	44	31	36	Not in Labor Force	243	229	49
35 to 39	37	35	31	Employment Status Unknown	73	41	96
40 to 44	31	26	21				
45 to 49	32	35	33	HOUSING / LIVING ARRANGEMENT			
50 to 54	35	23	20	Independent Living	207	184	167
55 to 59	21	17	15	Dependent Living	94	109	39
60 and Over	15	15	13	Homeless	*	*	*
Age Unknown	0	0	0	Other	0	0	*
GENDER				Housing Unknown	66	38	85
Male	193	155	133				
Female	176	177	165	TREATMENT REFERRAL SOURCE			
Gender Unknown	0	0	0	Self / Family / Friend	244	216	192
Gender Offkriown	U	U	U	School	0	*	*
RACE / ETHNICITY				Mental Health Provider	5	*	8
Caucasian	360	321	291	Health Care Provider	28	35	28
African American	*	*	0	Court / Criminal Justice	34	24	23
Native American / Alaskan	0	0	0	Other	58	52	46
Asian / Pacific Islander	0	0	0	Referral Source Unknown	0	0	0
Hispanic	*	*	*	T/DE 05 001 11 15 15 15			
Other Race	5	8	5	TYPE OF COMMITMENT	365	220	297
Race/Ethnicity Unknown	0	0	0	Voluntary	303	330	
TD5.474.547 4.600444.0047404				Civil	*		0
TREATMENT ACCOMMODATION	*	*	*	Criminal		0	
Hearing Impaired			*	Sexual Predatory	0		0
Past or Current Military Service	•	•	^	Commitment Type Unknown	0	0	0

MISSOURI STUDENT SURVEY

	IVIIO		(1510	DENI SURVET			
Percent of students who have ever used:	2014	2012	2010	Percent who believe they risk harm if they use:	2014	2012	2010
Alcohol	34.7	34.6	44.6	Alcohol (1 or 2 drinks daily)	56.7		
Cigarettes	21.7	21.4	29.5	Alcohol (Binge: 5+ drinks once or twice a week)	68.2		
Chewing Tobacco	16.6	13.3	19.6	Alcohol (any use)		74.3	78.8
Marijuana	8.6	9.6	12.2	Cigarettes (1+ packs per day)	84.1		
Inhalants	3.3	4.9	5.0	Cigarettes (any use)		82.5	83.2
Prescription medications not prescribed for student	6.5	7.6	10.0	Marijuana (once or twice a week)	74.0		
Over-the-counter medications for non-medical use	2.5	4.4	6.9	Marijuana (any use)		77.4	74.1
Methamphetamine	0.7	1.0	0.4	Other: Cocaine, LSD, Meth, Club Drug (any use)	92.4	92.3	94.1
Cocaine	0.7	1.5	1.5	Percent of students who, in past 30 days:			
Heroin	0.4	1.0	0.6	Were very sad	20.1	19.2	24.0
Hallucinogens	1.1	2.7	2.1	Were grouchy, irritable, or in a bad mood	28.0	23.2	32.7
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.7	1.7	2.1	Felt hopeless about the future	12.6	9.4	14.2
Steroids not prescribed for student	1.1	1.2	1.7	Felt like not eating or eating more than usual	20.1	15.6	23.3
Synthetic drugs (K2, bath salts, Spice, etc)	3.6	5.4		Slept a lot more or a lot less than usual	16.8	19.5	28.2
Average age of students' first use of:				Had difficulty concentrating on school work	23.7	23.9	28.9
Alcohol	12.67	12.54	12.17				
Cigarettes	12.29	12.17	12.22	Percent of students who, in past 12 months:	44.4	40.4	40.4
Marijuana	13.59	12.97	13.19	Seriously considered attempting suicide	11.1	10.1	10.4
Inhalants	12.36	12.55	12.51	Made plan about how they would attempt suicide	7.6	8.1	7.3
Decreed of declarate who to word 20 down and				Attempted suicide	4.7	5.7	3.5
Percent of students who, in past 30 days, used:	444	40.4	40.7	Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	3.0	2.3	1.3
Alcohol (Ringer F., drinks on one coccesion)	14.1	12.1	19.7 12.8	had to be treated by dector of harse			
Alcohol (Binge: 5+ drinks on one occassion)	9.4	7.4 8.9	14.5	Percent of students who, in past 12 months:			
Cigarettes Chowles Tebasso	-	6.4	14.5	Were threatened/injured with weapon at school	7.1	5.9	9.2
Chewing Tobacco	6.9 3.2	3.7	4.1	Were in a physical fight	18.9	20.7	23.8
Marijuana Inhalants	1.1	2.0	2.4	Were in a fight and had to be treated by a doctor or nurse	3.6	4.0	4.3
Prescription medications not prescribed for student	3.2	4.2	5.4	Percent of students who, in past 3 months:			
Over-the-counter medications for non-medical use	1.8	2.9	3.8	Were victims of mean rumors or lies spread at school	47.0	49.6	53.7
	1.0	2.5	3.0	Were made fun of by others	56.8	59.9	67.3
Percent of students who, In past 2 weeks, used: Alcohol (Binge: 5+ drinks on one occassion)	7.3			Were victims of an embarrassing or hurtful text message or something posted on the internet	22.6	17.4	18.2
				Spread mean rumors or lies about other kids at school	21.6	26.4	29.8
Percent whose friends used in past 12 months:	44.4	54.4	50.0	Made fun of other people	49.8	57.3	71.4
Alcohol	44.1	51.4		Posted something on the internet or sent a text that might	40.0	37.3	, 1.4
Cigarettes	33.9	42.4		embarrass or hurt another student	13.9	10.4	14.2
Marijuana	19.6	27.2					
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	8.2	13.6	15.3	Percent of students who agree that:			
Percent who would likely use, if offered by a best friend:				Teachers notice and comment on student's good work	77.1	68.7	66.6
Alcohol	23.8	24.1	32.2	School provides feedback to parents on positive student	48.0	42.7	45.8
Cigarettes	10.8	11.1	15.1	performance			
Marijuana	6.8	7.4	7.2	Rules are enforced fairly	67.7	64.4	61.4
Percent who say it would be wrong to use:				Students of all races/ethnicities are treated equal	87.8	80.2	81.7
Alcohol	69.4	68.5	63.0	Percent of students who agree that:			
Cigarettes	85.1	84.7	80.3	Parents notice and comment on student's good work	83.1	83.3	83.1
Marijuana	90.5	89.1	86.8	Parents involve student in making family decisions	73.3	68.7	70.7
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.5	95.8	96.3	It is important to be honest with parents regardless of consequences	89.6	85.2	85.3
Percent whose parents would disapprove if they use:				·	81.7	77.7	77.6
Alcohol	81.2	81.3	80.2	Student could ask parent for help with a personal problem	01.7	11.1	11.0
Cigarettes	91.7	93.3	91.6	Missouri Student Survey is conducted biennially.			
Marijuana	95.3	94.8	94.5	Similar affirmative response choices for individual questions are	e combin	ed.	
•				Blank data cells indicate estimates are not available for item or			
Percent who say it would be easy to obtain:		50 5	50 5	Survey is not conducted in every school district nor reported for Estimates are not available for counties with small numbers of			
Alcohol	55.2			Percentages are estimates based on weighted data.	•		
Cigarettes	53.2		57.5	Some year-to-year differences in percentages are not statistical	ılıy sıgnifi	cant.	
Marijuana	24.9	29.7	30.2	Data source: Missouri Institute of Mental Health, 2010-2014 Mi	ssouri St	udent Sı	urveys
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	13.4	15.4	16.8				

DBH REGION	V	Southeast		IMPAIRED DRIVING	2013	2012	2011
DBH SERVIC	E AREAS			Alcohol Involved CrashesTotal	13	7	7
Substance	e Use	20		Fatal Crashes	1	0	0
Adult Psy	chiatric	20		Injury Crashes	5	4	3
POPULATION	N			Property Damage Crashes	7	3	4
Census 20	010	14,358		Crash Fatalities	1	0	0
2014 Estir	mate	14,232		Crash Injuries	7	5	3
73				Drug Involved CrashesTotal	2	2	1
				Fatal Crashes	0	0	0
BIRTH RISK	2013	2012	2011	Injury Crashes	0	0	1
Resident BirthsTotal	159	180	194	Property Damage Crashes	2	2	0
Mother Reported Smoking while Pregnant		55	59	Crash Fatalities	0	0	0
_				Crash Injuries	0	0	1
DISEASE INCIDENCE 1	2013	2012	2011	POLICE REPORTS	2013	2012	2011
HIV/AIDS Cases	0	0	1	DUI Arrests, DWI Tracking System	66	76	80
Hepatitis B Chronic, Acute, Prenatal	2	0	2	Liquor Law Arrests	7	17	17
Hepatitis C Chronic and Acute	34	13	18	Drug Arrests	97	70	93
Tuberculosis Infection Cases	0	2	1	Violent Offenses	45	99	64
DEATUS and INVIDES	2012	2012	2011	Property Offenses	329	402	390
DEATHS and INJURIES Resident DeathsTotal	2013 168	2012 193	2011 193	Domestic Violence Reports	175	258	235
Suicides	2			Domestic Violence Reports	2014	2013	2012
Self-inflicted Injuries	12	1 19	1 30	Methamphetamine Lab Seizures	2014 1	2013 6	2012 9
Homicides	0	1	0	Methamphetamine Lab Colzures		Ū	J
Assault Injuries	70	70	56	SCHOOL REPORTS	2013-14	2012-13	2011-12
Alcohol Induced Deaths	0	0	3	Enrollment Grades 9-12	576	578	542
Drug Induced Deaths	0	0	0	Drop-outs	4	3	10
Smoking Attributable Deaths	33	41	43	Drop-out Rate	0.7%	0.5%	1.8%
Girioking / Kinbutable Beatile	33	71	40	School Discipline Involving Alcohol	0	1	1
HOSPITAL EPISODES 2	2013	2012	2011	School Discipline Involving Drugs	5	6	1
Hospitalization, no Emergency Room:				School Discipline Involving Tobacco	0	0	0
Mental Illness Principal Diagnosis	123	128	109	JUVENILE COURT REFERRALS 3	2013	2012	2011
Mental Illness Secondary Diagnosis	273	188	333	Juvenile Violent Offenses	35	80	51
Alcohol Principal Diagnosis	1	4	11	Juvenile Alcohol Offenses	5	6	3
Alcohol Secondary Diagnosis	23	28	38	Juvenile Drug Offenses	6	6	11
Drug Principal Diagnosis	5	11	8	School Truancy Status Offense	16	26	19
Drug Secondary Diagnosis	19	18	41	Absent from Home Status Offense	0	1	2
Emergency Room + Hospitalization:				Beyond Parental Control Status Offense	5	2	1
Mental Illness Principal Diagnosis	19	24	17	Injurious Behavior Status Offense	37	28	19
Mental Illness Secondary Diagnosis	193	244	129	Child Abuse	0	1	0
Alcohol Principal Diagnosis	4	9	5	Child Neglect	40	13	43
Alcohol Secondary Diagnosis	24	22	17	Child Custody Issues	0	0	0
Drug Principal Diagnosis	1	5	3	•			
Drug Secondary Diagnosis	23	20	11	JUVENILE COURT PLACEMENTS	2013	2012	2011
Emergency Room, no Hospitalization:				Out-of-Home PlacementsTotal	34	22	16
Mental Illness Principal Diagnosis	92	112	99	Parental Alcohol Use Related	3	1	0
Mental Illness Secondary Diagnosis	113	201	114	Parental Drug Use Related	15	7	5
Alcohol Principal Diagnosis	19	17	18	Parental Alcohol and Drug Use	0	0	2
Alcohol Secondary Diagnosis	11	26	24	CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Principal Diagnosis	16	24	19	Drug Court Participants	16	18	27
Drug Secondary Diagnosis	35	27	39	Probation/Parole AdmissionsDrug	49	63	62
ALCOHOL OUT: ETC	204.4	2042	2042	Probation/Parole AdmissionsDWI	8	6	4
Alcohol On-Premise Drink Licenses	2014	2013	2012 12	Prison AdmissionsDrug	26	34	39
	8 15	11 15	12 14	Prison AdmissionsDWI	3	2	4
Alcohol Package Carry-out Licenses	15	15	14	* * *	_		
EMPLOYMENT	2014	2013	2012	1 All Kansas City hepatitis and TB case report			County
Labor Force	6,212	6,229	6,099	totals and all Joplin case reports are include Beginning with 2010 data, diagnosis counts			es are
Employed	5,750	5,719	5,586	based on codes developed by the Healthcar	e Cost and L	Jtilization Pro	ject.
Unemployed	462	510	513	3 Beginning in 2013, juvenile municipal violati court orders are categorized as status offen:			
Unemployment Rate	7.4%	8.2%	8.4%	Sourt orders are categorized as status offens	Jos maleau U	, law violation	10.

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	28	33	34
CSTAR Adolescent	7	7	11
CSTAR Women and Children	16	13	30
CSTAR General Adult	116	65	12
CSTAR Opioid	0	*	0
Primary Recovery Treatment	0	73	100
Clinical SATOP (CIP, YCIP, SROP)	14	11	13
Other Substance Abuse Treatment	*	0	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	51	53	42
- Adolescent Diversion Education Prograr	0	0	0
- Offender Education Program	17	25	18
- Weekend Intervention Program	13	10	9
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	*	*
Compulsive Gambling	0	0	0
Recovery Supports	39	32	35
Early Intervention	*	*	*

NUMBER ADMITTED	FY2014	FY2013	FY2012	PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Total Individuals	168	176	173	Alcohol	45	51	59
				Marijuana / Hashish	54	58	57
AGE				Cocaine (total)	8	9	13
Under 18	7	8	10	- Crack	5	5	8
18 to 24	24	38	32	Stimulant (total)	36	33	26
25 to 29	28	30	32	- Methamphetamine	34	33	26
30 to 34	30	28	19	Heroin	9	5	5
35 to 39	18	19	23	Analgesic except Heroin	15	15	9
40 to 44	28	12	14	- Non-Prescription Methadone	0	0	0
45 to 54	22	32	32	PCP, LSD, other Hallucinogen	0	*	0
55 and Over	11	9	11	Tranquilizer	*	*	*
GENDER				Inhalant	0	0	0
Male	114	128	122	Sedative	0	0	0
Female	54	48	51	Other Medication or Illicit Drug	0	0	0
				Average Age at First Use of Drug	18.9	18.0	17.3
RACE / ETHNICITY	445	400	407				
Caucasian	115	128	127	INJECTION DRUG USE			
African American	49	46	44	Any Injection Use at Admission	19	18	12
Native American / Alaskan	0	0	0	- Daily Injection Use	7	*	*
Asian / Pacific Islander	0	0	0	- Weekly Injection Use	*	*	*
Hispanic	*	*	0	- Less than Weekly Injection Use	9	10	5
Other Race / Two or More Races	•	•	•	, ,			
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	64	80	79	0	99	113	122
High School Graduate or G.E.D.	84	82	71	1 or 2	39	47	36
Associate Degree or Some College	20	14	23	3 or More	30	16	15
Bachelor or Advanced Degree	0	0	0	TOTATACNT DEFENDAL COURCE			
EA ADI OVA AEAIT				TREATMENT REFERRAL SOURCE Self / Family / Friend	24	27	36
EMPLOYMENT Employed	46	53	55	School	0	0	0
Employed	72	69	61	Mental Health Provider	0	*	0
Unemployed					-		*
Not in Labor Force	50	54	57	Health Care Provider Court / Criminal Justice	6	9	116
HOUSING / LIVING ARRANGEMENT					114 20	117 19	116
Independent Living	144	153	139	Other Referral Source	20	19	19
Dependent Living	12	16	28				
Homeless	*	0	*	TREATMENT ACCOMMODATION	*	*	*
AAADITAL / FAAAU V STATUS				Pregnant when Admitted to any Episode	5		F
MARITAL / FAMILY STATUS	0.4	04	04	Military Veteran		6	5
Never Married	81	91 52	81 45	Special Education Services Needed	7	7	10
Married / Cohabitating	42	53	45 47	Co-Occurring Psychological Problem	27	25	25
Previously Married	45	32	47	Co-Occurring Developmental Problem	5	•	Î

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Southeast
PSYCHIATRIC SERVICE AREA 20
CENSUS 2010 14,358
2014 POPULATION ESTIMATE 14,232

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.								
DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012					
Adjustment Disorder	11	13	12					
Anxiety Disorder	102	101	94					
Dementia	0	0	0					
Developmental Disorder	*	*	*					
Impulse Control Disorder	56	68	53					
Mood Disorder	243	247	208					
Personality Disorder	27	31	33					
Psychotic Disorder	54	51	48					
Sexual Disorder	0	0	0					
Other Diagnosis	35	35	36					
Diagnosis Unknown	22	30	28					

Individuals who received psychiatric services had the following types of

NUMBER SERVED	FY2014	FY2013	FY2012	EDUCATION	FY2014	FY2013	FY2012
Total Individuals	391	398	325	Less than High School Diploma	186	204	62
. G.aaaaa.b		000	020	High School Grad or G.E.D.	0	0	31
AGE				Associate Degree or Some College	0	0	6
Under 6	*	*	*	Bachelor or Advanced Degree	0	0	*
6 to 9	16	26	15	Education Level Unknown	205	194	225
10 to 13	46	31	36	Education Edver Children	200		220
14 to 17	52	59	44	EMPLOYMENT			
18 to 24	28	37	22	Employed	24	18	8
25 to 29	37	37	23	Unemployed	34	34	69
30 to 34	37	33	23	Not in Labor Force	222	241	31
35 to 39	24	24	23	Employment Status Unknown	111	105	217
40 to 44	36	34	25				
45 to 49	38	35	35	HOUSING / LIVING ARRANGEMENT			
50 to 54	32	28	28	Independent Living	201	198	93
55 to 59	25	28	24	Dependent Living	125	130	35
60 and Over	19	23	25	Homeless	*	*	*
Age Unknown	0	0	0	Other	0	0	0
				Housing Unknown	63	69	195
GENDER	100	4-4					
Male	163	174	141	TREATMENT REFERRAL SOURCE			
Female	228	224	184	Self / Family / Friend	162	147	136
Gender Unknown	0	0	0	School	8	7	*
RACE / ETHNICITY				Mental Health Provider	33	37	35
Caucasian	303	322	259	Health Care Provider	54	47	37
African American	76	64	52	Court / Criminal Justice	47	58	41
Native American / Alaskan	0	0	0	Other	87	102	72
Asian / Pacific Islander	0	0	0	Referral Source Unknown	0	0	0
Hispanic	*	7	9				
Other Race	9	5	5	TYPE OF COMMITMENT			
Race/Ethnicity Unknown	0	0	0	Voluntary	390	397	325
·				Civil	0	0	0
TREATMENT ACCOMMODATION				Criminal	*	*	0
Hearing Impaired	8	8	6	Sexual Predatory	0	0	0
Past or Current Military Service	*	*	*	Commitment Type Unknown	0	0	0

MISSOURI STUDENT SURVEY

			•
Persont of atudanta who have ever used	2014	2012	2010
Percent of students who have ever used: Alcohol	46.7	39.3	43.3
Cigarettes	32.9		
Chewing Tobacco	20.4		
Marijuana	23.3		17.9
Inhalants	3.3	9.6	9.9
Prescription medications not prescribed for student	7.2	17.9	12.1
Over-the-counter medications for non-medical use	2.6	5.1	4.9
Methamphetamine	2.0	0.0	1.4
Cocaine	0.7	4.1	4.2
Heroin	2.0	0.0	1.4
Hallucinogens	2.0	0.0	4.6
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	2.0	0.5	3.5
Steroids not prescribed for student	0.7	1.0	2.1
Synthetic drugs (K2, bath salts, Spice, etc)	2.6	2.6	
Average age of students' first use of:			
Alcohol	13 20	12.02	12 57
Cigarettes		10.90	
Marijuana		14.31	
Inhalants		11.05	
Percent of students who, in past 30 days, used:			
Alcohol	17.1	10.7	21.4
Alcohol (Binge: 5+ drinks on one occassion)		9.6	13.9
Cigarettes	15.1	25.0	18.3
Chewing Tobacco	11.8	-	13.7
Marijuana	10.7		7.9
Inhalants	2.6	5.1	3.1
Prescription medications not prescribed for student Over-the-counter medications for non-medical use	3.9 2.0	11.7 5.1	7.3 4.5
Over-the-counter medications for non-medical use	2.0	3.1	4.5
Percent of students who, in past 2 weeks, used:			
Alcohol (Binge: 5+ drinks on one occassion)	10.6		
Percent whose friends used in past 12 months:			
Alcohol	58.6	48.0	56.1
Cigarettes	55.3	54.6	51.4
Marijuana	47.0	37.1	40.3
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	9.9	8.2	15.2
Percent who would likely use, if offered by a best friend:			
Alcohol	33.1	33.0	41.1
Cigarettes	18.3		19.7
Marijuana	21.3		13.0
·			
Percent who say it would be wrong to use:	04.0	50.0	55.4
Alcohol	61.3	56.6	55.1
Cigarettes	79.9	71.9	68.5
Marijuana Other Illieit (Cooping LSD, Moth, Club Drug, etc)	70.2		75.5
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	95.4	94.8	89.2
Percent whose parents would disapprove if they use:			
Alcohol	79.6	76.5	74.7
Cigarettes	89.3	84.1	84.9
Marijuana	90.7	88.7	86.6
Percent who say it would be easy to obtain:			
Alcohol	57.6	43.1	60.5
Cigarettes	58.3	49.7	66.1
Marijuana	50.3	35.2	52.7
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	20.5	13.8	29.5

DENT SURVEY			
Described to the state of the same of the same of	2014	2012	2010
Percent who believe they risk harm if they use: Alcohol (1 or 2 drinks daily)	62.5		
Alcohol (Binge: 5+ drinks once or twice a week)	72.4		
Alcohol (any use)	12.4	67.5	70.9
Cigarettes (1+ packs per day)	86.7	07.0	70.0
Cigarettes (any use)	00.7	75.0	70.9
Marijuana (once or twice a week)	55.3		
Marijuana (any use)		69.0	71.2
Other: Cocaine, LSD, Meth, Club Drug (any use)	89.4	86.2	83.4
Percent of students who, in past 30 days:			
Were very sad	18.4	18.4	31.6
Were grouchy, irritable, or in a bad mood	25.8	36.0	41.6
Felt hopeless about the future	15.2	8.7	21.2
Felt like not eating or eating more than usual	15.8	17.9	35.1
Slept a lot more or a lot less than usual	17.9	15.2	40.5
Had difficulty concentrating on school work	22.9	20.4	38.0
Percent of students who, in past 12 months:			
Seriously considered attempting suicide	15.8	19.4	13.9
Made plan about how they would attempt suicide	11.8	21.5	9.5
Attempted suicide	7.9	12.2	9.5
Attempted suicide and resulting injury, poisonng, or overdose had to be treated by doctor or nurse	1.4	4.1	3.1
Percent of students who, in past 12 months:			
Were threatened/injured with weapon at school	14.5	8.9	11.8
Were in a physical fight	23.0	31.9	22.6
Were in a fight and had to be treated by a doctor or nurse	2.0	2.1	7.1
Percent of students who, in past 3 months:			
Were victims of mean rumors or lies spread at school	60.5	54.8	58.1
Were made fun of by others	64.9	68.0	62.2
Were victims of an embarrassing or hurtful text message or	00.0	40.0	20.0
something posted on the internet	26.8	12.6	20.2
Spread mean rumors or lies about other kids at school	22.1	22.3	24.7
Made fun of other people	61.4	67.3	62.2
Posted something on the internet or sent a text that might embarrass or hurt another student	17.2	10.9	15.5
Percent of students who agree that:			
Teachers notice and comment on student's good work	79.5	82.7	75.3
School provides feedback to parents on positive student		540	
performance	44.1	51.3	41.1
Rules are enforced fairly	44.7	54.8	55.5
Students of all races/ethnicities are treated equal	58.6	66.3	59.2
Percent of students who agree that:			
Parents notice and comment on student's good work	86.8	85.7	75.9
Parents involve student in making family decisions	72.8	74.0	64.9
It is important to be honest with parents regardless of	89.9	83.2	77.3
consequences			
Student could ask parent for help with a personal problem	77.0	80.8	72.0

Missouri Student Survey is conducted biennially.
Similar affirmative response choices for individual questions are combined.
Blank data cells indicate estimates are not available for item or geographic area. Survey is not conducted in every school district nor reported for every county. Estimates are not available for counties with small numbers of respondents. Percentages are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

MONTEAU COON							
DBH RE	GION	Central		IMPAIRED DRIVING	2013	2012	2011
DBH SEI	RVICE AREAS			Alcohol Involved CrashesTotal	20	16	13
Subst	ance Use	11		Fatal Crashes	1	1	0
Adult	Psychiatric	12		Injury Crashes	7	5	4
POPULA	TION			Property Damage Crashes	12	10	9
Censu	ıs 2010	15,607		Crash Fatalities	1	1	0
2014	Estimate	15,856		Crash Injuries	8	7	5
Tan Tan				Drug Involved CrashesTotal	2	1	2
				Fatal Crashes	0	0	0
BIRTH RISK	2013	2012	2011	Injury Crashes	1	0	1
Resident BirthsTotal	220	216	200	Property Damage Crashes	1	1	1
Mother Reported Smoking while Preg	nant 45	38	33	Crash Fatalities	0	0	0
DISEASE MISIDENIES 1	2012	2042	2011	Crash Injuries	1	0	1
DISEASE INCIDENCE 1 HIV/AIDS Cases	2013	2012	2011 0	POLICE REPORTS	2013	2012	2011
Hepatitis B Chronic, Acute, Prenatal	0	0 2	3	DUI Arrests, DWI Tracking System	66	68	52
Hepatitis C Chronic and Acute	7	2	5 5	Liquor Law Arrests	4	5	1
Tuberculosis Infection Cases	2	2	6	Drug Arrests	39	25	51
Tuberculosis infection cases	2	2	U	Violent Offenses	24	24	14
DEATHS and INJURIES	2013	2012	2011	Property Offenses	206	209	128
Resident DeathsTotal	149	145	139	Domestic Violence Reports	47	43	29
Suicides	2	2	2		2014	2013	2012
Self-inflicted Injuries	17	14	13	Methamphetamine Lab Seizures	2	1	3
Homicides	0	0	2	COULON DEPORTS	2012.14	2042.42	2011 12
Assault Injuries	28	28	44	SCHOOL REPORTS Enrollment Grades 9-12	2013-14	2012-13	2011-12
Alcohol Induced Deaths	1	0	0		720 12	678 7	706 19
Drug Induced Deaths	0	0	0	Drop-outs Drop-out Rate	1.7%	1.0%	2.7%
Smoking Attributable Deaths	32	26	20	School Discipline Involving Alcohol	0	0	0
HOCDITAL EDISODES 2	2012	2012	2011	School Discipline Involving Drugs	0	1	3
HOSPITAL EPISODES 12 Hospitalization, no Emergency Room:	2013	2012	2011	School Discipline Involving Tobacco	0	0	0
Mental Illness Principal Diagnosis	46	27	28	_	Ü	Ŭ	Ü
Mental Illness Secondary Diagnosis	150	143	124	JUVENILE COURT REFERRALS 3	2013	2012	2011
Alcohol Principal Diagnosis	6	0	1	Juvenile Violent Offenses	3	4	3
Alcohol Secondary Diagnosis	20	7	7	Juvenile Alcohol Offenses	0	3	4
Drug Principal Diagnosis	2	2	1	Juvenile Drug Offenses	3	5	0
Drug Secondary Diagnosis	4	5	7	School Truancy Status Offense	5	6	7
Emergency Room + Hospitalization:				Absent from Home Status Offense	1	1	0
Mental Illness Principal Diagnosis	49	49	51	Beyond Parental Control Status Offense	5	3	1
Mental Illness Secondary Diagnosis	183	202	236	Injurious Behavior Status Offense	3	8	7
Alcohol Principal Diagnosis	21	15	10	Child Abuse	5	4	0
Alcohol Secondary Diagnosis	20	15	13	Child Custody Japanes	7	19	16
Drug Principal Diagnosis	3	7	10	Child Custody Issues	0	0	0
Drug Secondary Diagnosis	8	10	4	JUVENILE COURT PLACEMENTS	2013	2012	2011
Emergency Room, no Hospitalization:				Out-of-Home PlacementsTotal	5	2	6
Mental Illness Principal Diagnosis	97	81	94	Parental Alcohol Use Related	0	0	0
Mental Illness Secondary Diagnosis	305	213	213	Parental Drug Use Related	0	0	3
Alcohol Principal Diagnosis	12	8	5	Parental Alcohol and Drug Use	0	0	0
Alcohol Secondary Diagnosis	17	17	17	COMMINAL VICTICE	FY2014	EV2012	EV2012
Drug Principal Diagnosis	21	10	9	CRIMINAL JUSTICE Drug Court Participants	0	FY2013 0	FY2012 0
Drug Secondary Diagnosis	22	13	13	Probation/Parole AdmissionsDrug	36	26	20
		0010	2012	Probation/Parole AdmissionsDWI	7	8	4
ALCOHOL OUTLETS	2014	2013	2012	Prison AdmissionsDrug	, 17	12	19
Alcohol On-Premise Drink Licenses Alcohol Package Carry-out Licenses	9 15	9 17	9 18	Prison AdmissionsDWI	2	6	5
				1 All Kanaga City has at the and TD account	o oro in alu-l-	od in Joska-	Country
EMPLOYMENT	2014		2012	1 All Kansas City hepatitis and TB case report totals and all Joplin case reports are include			County
Labor Force	7,369	7,347	7,391	2 Beginning with 2010 data, diagnosis counts	for hospital a	and ER servic	
Employed	6,930	6,899	6,907	based on codes developed by the Healthcar Beginning in 2013, juvenile municipal violati			
Unemployed	439	448	484	court orders are categorized as status offen:			

6.0%

6.1%

6.5%

Unemployment Rate

court orders are categorized as status offenses instead of law violations.

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	*	*	*
CSTAR Adolescent	5	*	*
CSTAR Women and Children	7	9	8
CSTAR General Adult	54	80	53
CSTAR Opioid	0	0	0
Primary Recovery Treatment	5	*	14
Clinical SATOP (CIP, YCIP, SROP)	15	5	8
Other Substance Abuse Treatment	0	0	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	60	43	45
- Adolescent Diversion Education Prograr	*	5	*
- Offender Education Program	20	19	18
- Weekend Intervention Program	13	14	13
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	0	*
Compulsive Gambling	0	*	0
Recovery Supports	*	*	*
Early Intervention	*	*	*

NUMBER ADMITTED	FY2014	FY2013	FY2012	PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Total Individuals	82	98	73	Alcohol	37	39	24
				Marijuana / Hashish	13	24	20
AGE	_		_	Cocaine (total)	0	0	*
Under 18	5	*	5	- Crack	0	0	0
18 to 24	11	14	13	Stimulant (total)	22	27	24
25 to 29	13	22	16	- Methamphetamine	21	18	22
30 to 34	8	18	11	Heroin	*	*	*
35 to 39	14	13	13	Analgesic except Heroin	*	6	*
40 to 44	8	6	5	- Non-Prescription Methadone	0	0	0
45 to 54	17	17	9	PCP, LSD, other Hallucinogen	0	0	0
55 and Over	6	*	*	Tranquilizer	*	0	0
GENDER				Inhalant	0	0	0
Male	60	64	44	Sedative	0	0	0
Female	22	34	29	Other Medication or Illicit Drug	5	*	0
Temale		04	20	Average Age at First Use of Drug	18.3	17.7	17.8
RACE / ETHNICITY				Avoluge Ago at 1 hot coc of Brag	10.0		17.0
Caucasian	73	90	66	INJECTION DRUG USE			
African American	*	*	*	Any Injection Use at Admission	6	15	12
Native American / Alaskan	0	*	0	- Daily Injection Use	0	*	*
Asian / Pacific Islander	0	*	0	- Weekly Injection Use	*	*	0
Hispanic	5	*	6	- Less than Weekly Injection Use	5	10	11
Other Race / Two or More Races	*	*	*	- Less than Weekly Injection Ose	3	10	
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	22	25	26	0	41	54	45
High School Graduate or G.E.D.	41	51	36	1 or 2	23	28	19
Associate Degree or Some College	19	22	10	3 or More	18	16	9
Bachelor or Advanced Degree	0	0	*				
5451 6144517				TREATMENT REFERRAL SOURCE	15	22	9
EMPLOYMENT Employed	22	21	20	Self / Family / Friend School	0	0	
Employed	22 30	31 33	20 24		*	*	0
Unemployed				Mental Health Provider	*	0	*
Not in Labor Force	30	34	29	Health Care Provider		0	
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	52	62	57 5
Independent Living	70	87	67	Other Referral Source	11	11	5
Dependent Living	8	5	6				
Homeless	0	0	0	TREATMENT ACCOMMODATION	0	*	0
				Pregnant when Admitted to any Episode	0		0
MARITAL / FAMILY STATUS	65	40	0.5	Military Veteran	6	7	
Never Married	35	49	35	Special Education Services Needed			8
Married / Cohabitating	34	22	20	Co-Occurring Psychological Problem	33	32	36
Previously Married	13	27	18	Co-Occurring Developmental Problem	*	*	*

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



 DBH REGION
 Central

 PSYCHIATRIC SERVICE AREA
 12

 CENSUS 2010
 15,607

 2014 POPULATION ESTIMATE
 15,856

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.							
DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012				
Adjustment Disorder	*	*	*				
Anxiety Disorder	39	48	46				
Dementia	0	0	0				
Developmental Disorder	*	*	*				
Impulse Control Disorder	8	14	17				
Mood Disorder	67	70	66				
Personality Disorder	9	7	8				
Psychotic Disorder	14	14	15				
Sexual Disorder	0	0	0				
Other Diagnosis	5	8	7				
Diagnosis Unknown	*	*	*				

Individuals who received psychiatric services had the following types of

NUMBER SERVED	FY2014	FY2013	FY2012	EDUCATION	FY2014	FY2013	FY2012
Total Individuals	85	88	85	Less than High School Diploma	17	27	23
Total marriadalo	00	00	00	High School Grad or G.E.D.	0	0	29
AGE				Associate Degree or Some College	0	0	8
Under 6	0	*	0	Bachelor or Advanced Degree	0	0	*
6 to 9	*	*	*	Education Level Unknown	68	61	23
10 to 13	*	5	6	Education Level Officiowin	00	01	20
14 to 17	5	*	*	EMPLOYMENT			
18 to 24	*	*	5	Employed	*	*	7
25 to 29	5	5	*	Unemployed	*	*	46
30 to 34	7	8	8	Not in Labor Force	47	65	13
35 to 39	*	*	*	Employment Status Unknown	31	15	19
40 to 44	11	11	9				
45 to 49	12	9	13	HOUSING / LIVING ARRANGEMENT			
50 to 54	12	16	8	Independent Living	45	59	59
55 to 59	7	9	9	Dependent Living	11	16	9
60 and Over	15	14	17	Homeless	0	*	0
Age Unknown	0	0	0	Other	0	0	*
GENDER				Housing Unknown	29	12	15
Male	28	27	24				
Female	57	61	61	TREATMENT REFERRAL SOURCE			
Gender Unknown	0	0	0	Self / Family / Friend	46	42	43
Gender Officiown	O	U	U	School	0	0	0
RACE / ETHNICITY				Mental Health Provider	5	5	8
Caucasian	82	86	81	Health Care Provider	16	24	15
African American	*	*	*	Court / Criminal Justice	*	0	0
Native American / Alaskan	0	0	0	Other	17	17	19
Asian / Pacific Islander	0	0	0	Referral Source Unknown	0	0	0
Hispanic	0	*	*	TYPE OF CORARAITRAFAIT			
Other Race	*	0	*	TYPE OF COMMITMENT Voluntary	84	88	85
Race/Ethnicity Unknown	0	0	0	Civil	0	0	0
TREATMAENT ACCOMMAND ATION				Criminal	*	0	0
TREATMENT ACCOMMODATION Hearing Impaired	*	*	*	Sexual Predatory	0	0	0
Past or Current Military Service	*	*	*	Commitment Type Unknown	0	0	0
i ast of Current Military Service				Communicity Type Officiowit	U	U	U

MISSOURI STUDENT SURVEY

				DEITH GOILVET			
Percent of students who have ever used:	2014	2012	2010	Percent who believe they risk harm if they use:	2014	2012	2010
Alcohol	43.9	47.7	51.7	Alcohol (1 or 2 drinks daily)	55.1		
Cigarettes	28.8	19.2	24.6	Alcohol (Binge: 5+ drinks once or twice a week)	69.1		
Chewing Tobacco	17.6	19.2	24.7	Alcohol (any use)		69.4	88.0
Marijuana	17.6	11.3	10.4	Cigarettes (1+ packs per day)	80.7		
Inhalants	2.1	4.5	3.8	Cigarettes (any use)		82.7	81.9
Prescription medications not prescribed for student	3.7	6.4	5.1	Marijuana (once or twice a week)	72.9		
Over-the-counter medications for non-medical use	2.1	4.9	3.5	Marijuana (any use)		75.2	69.4
Methamphetamine	1.6	1.2	1.3	Other: Cocaine, LSD, Meth, Club Drug (any use)	94.6	92.8	95.2
Cocaine	4.3	1.1	1.0				
Heroin	0.0	0.4	0.9	Percent of students who, in past 30 days:			
Hallucinogens	2.7	0.4	1.6	Were very sad	14.4	15.4	16.5
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.0	1.5	0.3	Were grouchy, irritable, or in a bad mood	16.6	16.5	29.2
Steroids not prescribed for student	1.1	1.5	1.9	Felt hopeless about the future	8.5	7.5	12.1
Synthetic drugs (K2, bath salts, Spice, etc)	3.2	3.4		Felt like not eating or eating more than usual	13.0	13.2	19.9
				Slept a lot more or a lot less than usual	8.5	15.4	28.6
Average age of students' first use of:				Had difficulty concentrating on school work	16.0	17.7	31.1
Alcohol		12.19		Percent of students who, in past 12 months:			
Cigarettes		11.63	-	Seriously considered attempting suicide	9.0	12.8	9.8
Marijuana		13.25		Made plan about how they would attempt suicide	7.0	8.6	5.7
Inhalants	14.23	11.08	10.26	Attempted suicide	4.3	6.7	3.5
Percent of students who, in past 30 days, used:				Attempted suicide and resulting injury, poisonng, or overdose			
Alcohol	20.2	20.3	21.9	had to be treated by doctor or nurse	3.3	1.2	0.6
Alcohol (Binge: 5+ drinks on one occassion)		9.8	15.5	Paraent of students who in past 12 months.			
Cigarettes	15.2	8.6	11.1	Percent of students who, in past 12 months:	6.3	7.9	13.3
Chewing Tobacco	11.7	5.6	15.1	Were threatened/injured with weapon at school	18.2	7.9 25.5	27.8
Marijuana	13.3	4.9	6.6	Were in a physical fight	2.7	4.9	
Inhalants	0.5	2.6	1.6	Were in a fight and had to be treated by a doctor or nurse	2.1	4.9	1.9
Prescription medications not prescribed for student	2.7	2.3	2.6	Percent of students who, in past 3 months:			
Over-the-counter medications for non-medical use	1.6	3.0	1.6	Were victims of mean rumors or lies spread at school	52.7	47.7	60.4
				Were made fun of by others	56.4	63.5	77.6
Percent of students who, in past 2 weeks, used:				Were victims of an embarrassing or hurtful text message or	40.4	04.0	40.0
Alcohol (Binge: 5+ drinks on one occassion)	9.1			something posted on the internet	18.1	24.0	19.2
Percent whose friends used in past 12 months:				Spread mean rumors or lies about other kids at school	33.9	32.6	45.3
Alcohol	45.5	63.2	69.6	Made fun of other people	65.1	68.6	82.3
Cigarettes	31.9	32.5	42.6	Posted something on the internet or sent a text that might	13.4	14.0	17.9
Marijuana	30.9	27.5	29.1	embarrass or hurt another student	13.4	14.0	17.9
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	14.6	9.0	18.1	Parcent of students who agree that			
				Percent of students who agree that: Teachers notice and comment on student's good work	75.5	64.3	74.1
Percent who would likely use, if offered by a best friend:				School provides feedback to parents on positive student	75.5	04.5	74.1
Alcohol	34.2	38.0		performance	41.7	36.5	43.0
Cigarettes	21.3	9.0	13.2	Rules are enforced fairly	67.6	66.2	74.0
Marijuana	14.4	13.2	10.1	Students of all races/ethnicities are treated equal	67.6 84.6	66.2 80.1	74.0 83.7
Percent who say it would be wrong to use:				Students of all races/ellinicities are freated equal	04.0	00.1	03.1
Alcohol	62.2	56.0	53.6	Percent of students who agree that:			
Cigarettes	83.9	86.4	85.7	Parents notice and comment on student's good work	79.8	80.5	82.5
Marijuana	79.0	84.5	90.5	Parents involve student in making family decisions	71.3	69.3	74.2
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	98.4	96.6		It is important to be honest with parents regardless of	88.8	86.1	89.2
				consequences	00.0	00.1	09.2
Percent whose parents would disapprove if they use:			_	Student could ask parent for help with a personal problem	82.3	77.1	78.7
Alcohol	74.5	73.2					
Cigarettes	89.9	95.1	93.2	Missouri Student Survey is conducted biennially.			
Marijuana	91.8	97.7	97.5	Similar affirmative response choices for individual questions are Blank data cells indicate estimates are not available for item or			
Percent who say it would be easy to obtain:				Survey is not conducted in every school district nor reported for	r every co	ounty.	
Alcohol	55.0	60.8	65.3	Estimates are not available for counties with small numbers of	responde	nts.	
Cigarettes	51.9	44.0		Percentages are estimates based on weighted data. Some year-to-year differences in percentages are not statistica	lly signifi	cant.	
Marijuana	29.3	31.2					
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	17.4	14.8		Data source: Missouri Institute of Mental Health, 2010-2014 Mis	ssouri St	udent Su	urveys
Carter thank (Contained Entry Motth Class Brugh City)	.,		. 5.0				

DBH SERVICE ARLAS Subtance Use 15 Adult Psychiatric 15 Adul		-						
Substance Use 15	DBH R	EGION	Central		IMPAIRED DRIVING	2013	2012	2011
Adult Psychiatric 15 Property Damage Crashes 3 7 Property Damage Crashes 1 2 Crash Fatalities 0 0 1 Full Property Damage Crashes 1 2 Crash Fatalities 0 0 1 Full Crashes 0 0 0 Full Full Full Full Full Full Full Full	DBH SI	ERVICE AREAS			Alcohol Involved CrashesTotal	4	9	4
Property Damage Crashes	Subs	tance Use	15		Fatal Crashes	0	0	1
Cansus 2010 8,840 Crash Fatalities 0 0 0 0 0	Adult	: Psychiatric	15		Injury Crashes	3	7	3
### Crash Injuries	POPUL	ATION			Property Damage Crashes	1	2	0
### Property Damage Crashes—Total ### Property Damage Crashes ### Property Damage Crashes ### Droperty Dr	F-4-1-1 T-1 Y-4-1 X		-		Crash Fatalities	0	0	0
## Fatal Crashes 0 0 0 ## Resident Births—Total	2014	Estimate	8,707		Crash Injuries	3	12	9
BIRTH RISK 913 2012 2011 Property Damage Crashes 0 0 0 0 0 0 0 0 0	Fer				Drug Involved CrashesTotal	0	1	0
Property Damage Crashes					Fatal Crashes	0	0	0
Mother Reported Smoking while Pregnant 22 19 25 25 26 27 27 27 27 27 27 27	RIRTH RISK	2013	2012	2011	Injury Crashes	0	1	0
Mother Reported Smoking while Pregnant 22 19 25 Crash Flatalities 0 0 1					Property Damage Crashes	0	0	0
DISAASE INCIDENCE 1					Crash Fatalities	0	0	0
HIVIAIDS Cases		g <u></u>	.0		Crash Injuries	0	1	0
Hopatilis Chronic, Acute, Prenatal 0 0 0 0 0 0 0 0 0	DISEASE INCIDENCE 1	2013	2012	2011			2042	2011
Hepatitis C Horolic, and Acute Prenation C Horolic and Acute 2 3 2 2 2 2 2 2 2 2	HIV/AIDS Cases	0	1	0				2011
Trepatits Cutrinom an Acute 2 3 2 2 2 1 1 2 2 1 2 2	Hepatitis B Chronic, Acute, Prenatal	0	0	0				39
Violent Offenses 12 10 12	Hepatitis C Chronic and Acute	2	3	2	•		_	25
DEATHS and INJURIES 2013 2012 2011 Property Offenses 83 99 1.7	Tuberculosis Infection Cases	1	0	1				28
Resident Deaths—Total 89							-	28
Suicides								122
Self-inflicted Injuries					Domestic Violence Reports			25
Homicides								2012
Assault Injuries					Methamphetamine Lab Seizures	4	5	6
Assault Injunes					SCHOOL REPORTS	2013-14	2012-13	2011-12
Drop out Baths	· ·		17					498
Drug induced Deaths 20		_	1					15
School Discipline Involving Alcohol 0 0		0	1		· ·		_	3.0%
HOSPITAL EPISODES 2 2013 2012 2011 School Discipline Involving Drugs 4 1 1 1 1 1 1 1 1 1	Smoking Attributable Deaths	20	16	13	•			0.070
Hospitalization, no Emergency Room: Mental Illness Principal Diagnosis 63 54 58 Mental Illness Secondary Diagnosis 144 176 224 Alcohol Principal Diagnosis 3 0 1 1 5 Juvenile Violent Offenses 11 5 Juvenile Alcohol Offenses 11 5 Juvenile Alcohol Offenses 11 3 Juvenile Alcohol Offenses 1 3 Juvenile Diagnosis 1 2 3 Juvenile Alcohol Offenses 1 3 Juvenile Diagnosis 1 2 3 Juvenile Alcohol Offenses 1 3 Juvenile Drug Offenses 0 2 Juvenile Drug	HOSPITAL EDISODES 2	2012	2012	2011			1	4
Mental Illness Principal Diagnosis 63 54 58 Mental Illness Secondary Diagnosis 144 176 224 Alcohol Principal Diagnosis 3 0 1 Alcohol Secondary Diagnosis 9 5 15 Drug Principal Diagnosis 1 2 3 Drug Principal Diagnosis 1 2 3 Drug Secondary Diagnosis 2 6 7 Absent from Home Status Offense 0 2 Emergency Room + Hospitalization: Mental Illness Principal Diagnosis 21 18 12 Beyond Parental Control Status Offense 0 0 Mental Illness Principal Diagnosis 10 1 2 Child Abuse 2 2 Alcohol Principal Diagnosis 15 21 8 Child Abuse 2 2 Drug Principal Diagnosis 15 21 8 Child Abuse 2 2 2 Drug Principal Diagnosis 15 21 8 Child Custody Issues 0 0 Emergency			2012	2011			0	0
Mental Illness Secondary Diagnosis			E 1	E0	Control Production Inverving Tobacco	· ·	· ·	O
Alcohol Principal Diagnosis 3 0 1 Alcohol Secondary Diagnosis 9 5 15 Drug Principal Diagnosis 1 2 3 Drug Secondary Diagnosis 1 2 3 Drug Secondary Diagnosis 2 6 7 Mental Illness Principal Diagnosis 115 112 72 Alcohol Secondary Diagnosis 15 21 8 Drug Principal Diagnosis 16 21 8 Drug Principal Diagnosis 17 1 2 Drug Principal Diagnosis 17 1 2 Drug Principal Diagnosis 18 3 12 4 Drug Principal Diagnosis 17 1 2 Drug Secondary Diagnosis 17 1 2 Drug Secondary Diagnosis 19 42 45 53 Mental Illness Principal Diagnosis 114 118 116 Parental Drug Use Related 0 1 Alcohol Principal Diagnosis 11 1 12 9 Drug Principal Diagnosis 11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1					JUVENILE COURT REFERRALS 3	2013	2012	2011
Alcohol Secondary Diagnosis 9 5 15 Drug Principal Diagnosis 1 2 3 Drug Secondary Diagnosis 2 6 7 Emergency Room + Hospitalization: Mental Illness Principal Diagnosis 21 18 12 Mental Illness Principal Diagnosis 115 112 72 Alcohol Principal Diagnosis 10 1 2 Drug Secondary Diagnosis 10 1 2 Alcohol Secondary Diagnosis 15 21 8 Drug Principal Diagnosis 7 1 2 Drug Secondary Diagnosis 15 21 8 Drug Principal Diagnosis 7 1 2 Drug Secondary Diagnosis 3 12 4 Mental Illness Principal Diagnosis 15 21 8 Drug Principal Diagnosis 7 1 2 Drug Secondary Diagnosis 3 12 4 Mental Illness Principal Diagnosis 7 1 1 2 Drug Secondary Diagnosis 114 118 116 Parental Drug Use Related 0 0 Mental Illness Principal Diagnosis 114 118 116 Parental Drug Use Related 0 0 1 Alcohol Secondary Diagnosis 11 1 12 9 Drug Principal Diagnosis 7 11 9 Drug Secondary Diagnosis 11 1 12 9 Drug Principal Diagnosis 11 1 12 9 Drug Principal Diagnosis 11 1 12 9 Drug Secondary Diagnosis 11 1 12 9 Drug Secondary Diagnosis 11 1 12 9 Drug Principal Diagnosis 11 1 12 9 Drug Principal Diagnosis 11 1 12 9 Drug Secondary Diagnosis 11 1 12 9 Drug Principal Diagnosis 11 1 12 9 Drug Secondary Diagnosis 11 1 12 9 Drug Principal Diagnosis 11 1 12 9 Drug Secondary Diagnosis 11 1 1 12 9 Drug Secondary Diagnosis 11 1 1 12 9 Drug Secondary Diagnosis 11 1 1 1 1					Juvenile Violent Offenses	11	5	7
Drug Principal Diagnosis 1 2 6 7 Drug Secondary Diagnosis 2 6 7 Absent from Home Status Offense 0 2 Beyond Parental Control Status Offense 0 0 Injurious Behavior Status Offense 34 28 Alcohol Principal Diagnosis 115 112 72 Alcohol Secondary Diagnosis 15 21 8 Alcohol Secondary Diagnosis 15 21 8 Alcohol Secondary Diagnosis 7 1 2 Drug Principal Diagnosis 7 1 2 Drug Secondary Diagnosis 12 4 Injurious Behavior Status Offense 34 28 Child Abuse 2 2 2 Child Neglect 11 12 2 Child Custody Issues 0 0 0 Injurious Behavior Status Offense 34 28 Child Neglect 11 12 2 Child Custody Issues 0 0 0 Injurious Behavior Status Offense 34 28 Injurious Behavior Status Offense 34 Injurious Behavior Status Offense 40 Injurious Behavior Status Offense 40 Injurious Behavior Status Offense 40 Injurious	·				Juvenile Alcohol Offenses	1	3	0
Drug Secondary Diagnosis Emergency Room + Hospitalization: Mental Illness Principal Diagnosis Alcohol Principal Diagnosis 115 112 72 Alcohol Principal Diagnosis 15 110 11 22 Alcohol Secondary Diagnosis 15 Drug Principal Diagnosis 15 Drug Secondary Diagnosis 17 Drug Secondary Diagnosis 17 Drug Secondary Diagnosis 18 Drug Principal Diagnosis 19 Drug Principal Diagnosis 10 Drug Principal Diagnosis 11 Drug Principal Diagn					Juvenile Drug Offenses	0	2	2
Absent from Home Status Offense 0 2 Mental Illness Principal Diagnosis 21 18 12 Mental Illness Secondary Diagnosis 115 112 72 Alcohol Principal Diagnosis 10 1 2 Alcohol Secondary Diagnosis 15 21 8 Drug Principal Diagnosis 7 1 2 Drug Principal Diagnosis 7 1 2 Drug Secondary Diagnosis 3 12 4 Mental Illness Principal Diagnosis 7 1 2 Drug Secondary Diagnosis 7 1 2 Emergency Room, no Hospitalization: Mental Illness Principal Diagnosis 42 45 53 Mental Illness Principal Diagnosis 42 45 53 Alcohol Principal Diagnosis 8 3 8 Alcohol Secondary Diagnosis 11 11 12 Drug Principal Diagnosis 11 12 Drug Principal Diagnosis 11 12 Alcohol Secondary Diagnosis 11 12 Drug Principal Diagnosis 11 12 Drug Principal Diagnosis 6 6 6 7 Drug Principal Diagnosis 7 11 9 Drug Principal Diagnosis 7 11 9 Drug Principal Diagnosis 7 11 9 Drug Principal Diagnosis 11 10 10 ALCOHOL OUTLETS 2014 2013 2012 Alcohol Package Carry-out Licenses 11 10 10 10 EMPLOYMENT 2014 2013 2012 Alson Premise Drink Licenses 12 12 12 11 Alcohol Package Carry-out Licenses 12 14 164 2013 2012 Alcohol Package Carry-out Licenses 14 166 2013 Alcohol Package Carry-out Licenses 12 12 12 11 Alcohol Package Carry-out Licenses 14 166 2013 Alcohol Package Carry-out Licenses 15 2014 2013 2012 Alcohol Package Carry-out Licenses 16 2014 2013 2012 Alcohol Package Carry-out Licenses 17 2014 2013 2012 Alcohol Package Carry-out Licenses 19 2014 2013 2012 Alcohol Package		•			School Truancy Status Offense	6	6	1
Mental Illness Principal Diagnosis211812Mental Illness Secondary Diagnosis11511272Alcohol Principal Diagnosis1012Alcohol Secondary Diagnosis15218Drug Principal Diagnosis712Drug Secondary Diagnosis3124JUVENILE COURT PLACEMENTS2013201220Emergency Room, no Hospitalization:0ut-of-Home PlacementsTotal71320Mental Illness Principal Diagnosis424553Parental Alcohol Use Related00Mental Illness Secondary Diagnosis114118116Parental Drug Use Related00Alcohol Principal Diagnosis838Parental Alcohol and Drug Use10Alcohol Secondary Diagnosis11129Drug Principal Diagnosis667Drug Court Participants00Drug Secondary Diagnosis7119Probation/Parole AdmissionsDrug919ALCOHOL OUTLETS201420132012Prison AdmissionsDrug67Alcohol Package Carry-out Licenses111010Prison AdmissionsDWI11EMPLOYMENT2014201320121Al Kansas City hepatitis and TB case reports are included in Jackson County totals.		2	0	,	Absent from Home Status Offense	0	2	1
Mental Illness Secondary Diagnosis Alcohol Principal Diagnosis Alcohol Secondary Diagnosis Alcohol Secondary Diagnosis Brug Principal Diagnosis Brug Secondary Diagnosis Br		21	10	10	Beyond Parental Control Status Offense	0	0	1
Alcohol Principal Diagnosis Alcohol Secondary Diagnosis Drug Principal Diagnosis The secondary Diagnosis The secondar					Injurious Behavior Status Offense	34	28	15
Alcohol Secondary Diagnosis Drug Principal Diagnosis The proof of th					Child Abuse	2	2	1
Drug Principal Diagnosis 7 1 2 Drug Secondary Diagnosis 3 12 4 JUVENILE COURT PLACEMENTS 2013 2012 20 Emergency Room, no Hospitalization: Out-of-Home PlacementsTotal 7 13 Mental Illness Principal Diagnosis 42 45 53 Parental Alcohol Use Related 0 0 Mental Illness Secondary Diagnosis 114 118 116 Parental Drug Use Related 0 1 Alcohol Principal Diagnosis 8 3 8 Parental Alcohol and Drug Use 1 0 Alcohol Secondary Diagnosis 11 12 9 Drug Principal Diagnosis 6 6 6 7 Drug Secondary Diagnosis 7 11 9 CRIMINAL JUSTICE FY2014 FY2013 FY20 Drug Court Participants 0 0 ALCOHOL OUTLETS 2014 2013 2012 Alcohol On-Premise Drink Licenses 11 10 10 Prison AdmissionsDrug 6 7 Alcohol Package Carry-out Licenses 12 12 12 12 13 EMPLOYMENT 2014 2013 2012 I All Kansas City hepatitis and TB case reports are included in Jackson County totals.					Child Neglect	11	12	20
Drug Secondary Diagnosis 3 12 4 JUVENILE COURT PLACEMENTS 2013 2012 20 Emergency Room, no Hospitalization: Mental Illness Principal Diagnosis 42 45 53 Parental Alcohol Use Related 0 0 0 Mental Illness Secondary Diagnosis 114 118 116 Parental Drug Use Related 0 1 0 Alcohol Principal Diagnosis 8 3 8 Parental Alcohol and Drug Use 1 0 Alcohol Secondary Diagnosis 11 12 9 Drug Principal Diagnosis 6 6 6 7 CRIMINAL JUSTICE FY2014 FY2013 FY20 Drug Secondary Diagnosis 7 11 9 Drug Court Participants 0 0 0 ALCOHOL OUTLETS 2014 2013 2012 Probation/Parole AdmissionsDrug 9 19 ALCOHOL OUTLETS 11 10 10 Prison AdmissionsDWI 4 4 Alcohol Package Carry-out Licenses 12 12 12 12 Prison AdmissionsDWI 1 1 1 EMPLOYMENT 2014 2013 2012 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals.					Child Custody Issues	0	0	0
Emergency Room, no Hospitalization: Mental Illness Principal Diagnosis 42 45 53 Parental Alcohol Use Related 0 0 Mental Illness Secondary Diagnosis 114 118 116 Parental Drug Use Related 0 1 Alcohol Principal Diagnosis 8 3 8 Parental Alcohol and Drug Use 1 0 Alcohol Secondary Diagnosis 11 12 9 Drug Principal Diagnosis 6 6 7 CRIMINAL JUSTICE Probation/Parole AdmissionsDrug Probation/Parole AdmissionsDrug 9 19 ALCOHOL OUTLETS Alcohol On-Premise Drink Licenses 11 10 10 Prison AdmissionsDrug Prison AdmissionsDrug 1 Alcohol Package Carry-out Licenses 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals.					UNIVERSITE COURT DI ACCAMENTO	2012	2012	2011
Mental Illness Principal Diagnosis424553Parental Alcohol Use Related00Mental Illness Secondary Diagnosis114118116Parental Drug Use Related01Alcohol Principal Diagnosis838Parental Alcohol and Drug Use10Alcohol Secondary Diagnosis11129Drug Principal Diagnosis667CRIMINAL JUSTICEFY2014FY2013FY20Drug Secondary Diagnosis7119Drug Court Participants00Probation/Parole AdmissionsDrug919ALCOHOL OUTLETS201420132012Probation/Parole AdmissionsDWI44Alcohol On-Premise Drink Licenses111010Prison AdmissionsDrug67Alcohol Package Carry-out Licenses121212Prison AdmissionsDWI11EMPLOYMENT2014201320121All Kansas City hepatitis and TB case reports are included in Jackson County totals.Labor Force4 16014 06002 061420132012			12	4				12
Mental Illness Secondary Diagnosis114118116Parental Drug Use Related01Alcohol Principal Diagnosis838Parental Alcohol and Drug Use10Alcohol Secondary Diagnosis11129Drug Principal Diagnosis667CRIMINAL JUSTICEFY2014FY2013FY20Drug Secondary Diagnosis7119Drug Court Participants00Probation/Parole AdmissionsDrug919ALCOHOL OUTLETS201420132012Probation/Parole AdmissionsDrug919Alcohol On-Premise Drink Licenses111010Prison AdmissionsDrug67Alcohol Package Carry-out Licenses121212Prison AdmissionsDWI11EMPLOYMENT2014201320121All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.			45	52				0
Alcohol Principal Diagnosis 8 3 8 Parental Alcohol and Drug Use 1 0 Alcohol Secondary Diagnosis 11 12 9 Drug Principal Diagnosis 6 6 6 7 Drug Secondary Diagnosis 7 11 9 Drug Court Participants 0 0 Probation/Parole AdmissionsDrug 9 19 ALCOHOL OUTLETS Alcohol On-Premise Drink Licenses 11 10 10 Prison AdmissionsDrug 6 7 Alcohol Probation/Parole AdmissionsDrug 7 Prison AdmissionsDrug 8 Prison AdmissionsDrug 9 19 Prison AdmissionsDrug 1							-	5
Alcohol Secondary Diagnosis 11 12 9 Drug Principal Diagnosis 6 6 6 7 Drug Secondary Diagnosis 7 11 9 Drug Court Participants 0 0 0 Probation/Parole AdmissionsDrug 9 19 ALCOHOL OUTLETS Alcohol On-Premise Drink Licenses 11 10 10 Prison AdmissionsDrug 6 7 Alcohol Package Carry-out Licenses 12 12 12 12 Prison AdmissionsDWI 1 1 1 EMPLOYMENT Lobor Force 14 101 4 060 2 3 551					•	_	•	0
Drug Principal Diagnosis 6 6 6 7 CRIMINAL JUSTICE Drug Secondary Diagnosis 7 11 9 Drug Court Participants 0 0 ALCOHOL OUTLETS Alcohol On-Premise Drink Licenses 11 10 10 Prison AdmissionsDrug Prison AdmissionsDrug 6 7 Prison AdmissionsDrug 6 7 Prison AdmissionsDrug 6 7 Prison AdmissionsDrug 6 7 Prison AdmissionsDWI 1 1 Labor Force 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.					Parental Alcohol and Drug Ose	1	U	U
Drug Secondary Diagnosis 7 11 9 Drug Court Participants 0 0 0 Probation/Parole AdmissionsDrug 9 19 ALCOHOL OUTLETS 2014 2013 2012 Probation/Parole AdmissionsDWI 4 4 Alcohol On-Premise Drink Licenses 11 10 10 Prison AdmissionsDrug 6 7 Alcohol Package Carry-out Licenses 12 12 12 12 Prison AdmissionsDWI 1 1 EMPLOYMENT 2014 2013 2012 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.					CRIMINAL JUSTICE	FY2014	FY2013	FY2012
ALCOHOL OUTLETS Alcohol On-Premise Drink Licenses Alcohol Package Carry-out Licenses A						0	0	0
ALCOHOL OUTLETS Alcohol On-Premise Drink Licenses 11 10 10 Prison AdmissionsDWI 4 4 4 Prison AdmissionsDrug 6 7 Alcohol Package Carry-out Licenses 12 12 12 12 Probation/Parole AdmissionsDWI 1 1 1 EMPLOYMENT Lohor Force 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.	Drug Secondary Diagnosis	/	11	9	- · · · · · · · · · · · · · · · · · · ·			13
Alcohol On-Premise Drink Licenses 11 10 10 Prison AdmissionsDrug 6 7 Alcohol Package Carry-out Licenses 12 12 12 Prison AdmissionsDWI 1 1 EMPLOYMENT 2014 2013 2012 Libber Force 4161 4 050 2 3554	ALCOHOL OUTLETS	2014	2012	2012	3			2
Alcohol Package Carry-out Licenses 12 12 12 Prison AdmissionsDWI 1 1 EMPLOYMENT 2014 2013 2012 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.						6	7	5
EMPLOYMENT 2014 2013 2012 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals.					_			1
Ligher Force totals and all Joplin case reports are included in Jasper County totals.	achago carry out Liconses	12	12	12				
		2014						
2 Degining with 2010 data, diagnosis counts for hospital and Lix services are		4,161	4,059	3,851				
Employed 3,886 3,761 3,534 based on codes developed by the Healthcare Cost and Utilization Project.		3,886	3,761					
Unemployed 275 298 317 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.								
Unemployment Rate 6.6% 7.3% 8.2%	Unemployment Rate	6.6%	7.3%	8.2%				

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

	FY2014	FY2013	FY2012
TREATMENT CATEGORY			
Detoxification	*	6	*
CSTAR Adolescent	6	8	7
CSTAR Women and Children	*	10	6
CSTAR General Adult	18	7	*
CSTAR Opioid	0	0	0
Primary Recovery Treatment	*	18	29
Clinical SATOP (CIP, YCIP, SROP)	9	8	6
Other Substance Abuse Treatment	0	0	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	33	27	43
- Adolescent Diversion Education Prograr	*	*	*
- Offender Education Program	14	8	13
- Weekend Intervention Program	*	6	15
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	*	*
Compulsive Gambling	0	0	0
Recovery Supports	*	0	0
Early Intervention	*	0	0

NUMBER ADMITTED	FY2014	FY2013	FY2012	PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Total Individuals	42	45	50	Alcohol	16	17	21
				Marijuana / Hashish	11	19	19
AGE	_		_	Cocaine (total)	*	0	*
Under 18	6	8	8	- Crack	*	0	0
18 to 24	11	9	13	Stimulant (total)	9	5	*
25 to 29	*	7	10	- Methamphetamine	9	5	*
30 to 34	8	7	8	Heroin	0	*	0
35 to 39	*	*	*	Analgesic except Heroin	*	*	*
40 to 44	*	6	*	- Non-Prescription Methadone	0	0	0
45 to 54	6	*	6	PCP, LSD, other Hallucinogen	*	0	0
55 and Over	5	*	0	Tranquilizer	0	*	0
GENDER				Inhalant	0	0	0
Male	31	26	40	Sedative	0	0	0
Female	11	19	10	Other Medication or Illicit Drug	*	0	*
Cinaic		13	10	Average Age at First Use of Drug	17.6	16.1	16.3
RACE / ETHNICITY				Average Age at 1 list ose of brug	17.0	10.1	10.5
Caucasian	38	42	44	INJECTION DRUG USE			
African American	*	*	5	Any Injection Use at Admission	*	*	*
Native American / Alaskan	0	0	0	- Daily Injection Use	0	0	0
Asian / Pacific Islander	0	0	0	- Weekly Injection Use	*	0	0
Hispanic	0	0	0		*	*	*
Other Race / Two or More Races	*	*	*	- Less than Weekly Injection Use			
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	12	14	18	0	22	27	21
High School Graduate or G.E.D.	25	22	25	1 or 2	12	14	21
Associate Degree or Some College	*	8	7	3 or More	8	*	8
Bachelor or Advanced Degree	*	*	0				
				TREATMENT REFERRAL SOURCE	44	0	*
EMPLOYMENT	45	40	20	Self / Family / Friend	11	6 0	0
Employed	15	13	20	School Mandal Haalth Bravidan	0	_	0
Unemployed	16	15	18	Mental Health Provider	0	0	
Not in Labor Force	11	17	12	Health Care Provider	0		
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	21	21	35
Independent Living	32	28	34	Other Referral Source	6	12	6
Dependent Living	8	17	13				
Homeless	*	0	*	TREATMENT ACCOMMODATION			
				Pregnant when Admitted to any Episode	0	0	0
MARITAL / FAMILY STATUS				Military Veteran	*	*	*
Never Married	26	29	31	Special Education Services Needed			*
Married / Cohabitating	8	8	10	Co-Occurring Psychological Problem	12	14	13
Previously Married	8	8	9	Co-Occurring Developmental Problem	*	*	*

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



 DBH REGION
 Central

 PSYCHIATRIC SERVICE AREA
 15

 CENSUS 2010
 8,840

 2014 POPULATION ESTIMATE
 8,707

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.							
DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012				
Adjustment Disorder	9	9	6				
Anxiety Disorder	49	41	41				
Dementia	*	0	0				
Developmental Disorder	*	*	*				
Impulse Control Disorder	42	41	37				
Mood Disorder	74	58	53				
Personality Disorder	6	6	7				
Psychotic Disorder	13	11	7				
Sexual Disorder	*	*	*				
Other Diagnosis	18	9	8				
Diagnosis Unknown	*	*	10				

Individuals who received psychiatric services had the following types of

NUMBER SERVED	FY2014	FY2013	FY2012	EDUCATION	FY2014	FY2013	FY2012
Total Individuals	105	101	97	Less than High School Diploma	44	47	16
. otal mantadalo			٠.	High School Grad or G.E.D.	0	0	15
AGE				Associate Degree or Some College	0	0	*
Under 6	0	0	*	Bachelor or Advanced Degree	0	0	*
6 to 9	5	7	8	Education Level Unknown	61	54	61
10 to 13	14	16	8	Education Edver Officiown	01	04	01
14 to 17	26	22	24	EMPLOYMENT			
18 to 24	6	8	6	Employed	5	8	6
25 to 29	*	5	5	Unemployed	*	*	22
30 to 34	8	7	7	Not in Labor Force	70	73	12
35 to 39	6	6	6	Employment Status Unknown	27	17	57
40 to 44	9	8	5				
45 to 49	8	6	9	HOUSING / LIVING ARRANGEMENT			
50 to 54	7	6	*	Independent Living	27	32	31
55 to 59	7	7	6	Dependent Living	47	45	12
60 and Over	5	*	8	Homeless	*	*	0
Age Unknown	0	0	0	Other	0	0	*
CENDED				Housing Unknown	30	23	53
GENDER Male	54	E4	46				
Female	_	51 50	46 51	TREATMENT REFERRAL SOURCE			
Gender Unknown	51			Self / Family / Friend	44	47	49
Gender Unknown	0	0	0	School	*	*	*
RACE / ETHNICITY				Mental Health Provider	9	10	6
Caucasian	96	90	89	Health Care Provider	5	6	7
African American	6	7	*	Court / Criminal Justice	5	6	6
Native American / Alaskan	0	0	0	Other	39	30	27
Asian / Pacific Islander	0	0	0	Referral Source Unknown	*	*	*
Hispanic	0	0	0				
Other Race	*	*	*	TYPE OF COMMITMENT	400	00	0.5
Race/Ethnicity Unknown	0	0	0	Voluntary	103	99	95
				Civil	0	0	0
TREATMENT ACCOMMODATION		*	*	Criminal	0	0	0
Hearing Impaired	*	*	*	Sexual Predatory	*	*	*
Past or Current Military Service	*	*	*	Commitment Type Unknown	*	*	*

MISSOURI STUDENT SURVEY

			•
Percent of students who have ever used:	2014	2012	2010
Alcohol	37.9	52.2	40.1
Cigarettes	27.5		
Chewing Tobacco	_	15.6	15.3
Marijuana	6.8		9.5
Inhalants	2.9		3.7
Prescription medications not prescribed for student	10.8	7.4	9.5
Over-the-counter medications for non-medical use	1.9	5.2	5.3
Methamphetamine	1.0	0.8	0.5
Cocaine	1.0	0.7	0.5
Heroin	0.0	0.0	0.0
Hallucinogens	1.0	0.7	1.1
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.0	0.7	1.6
Steroids not prescribed for student	1.9	0.7	0.5
Synthetic drugs (K2, bath salts, Spice, etc)	2.9	4.4	
Average age of students' first use of:			
Alcohol	13 //3	12.55	11 67
Cigarettes		12.59	
Marijuana		13.29	
Inhalants	11.51		11.31
imaans	11.51	10.47	11.51
Percent of students who, in past 30 days, used:			
Alcohol	19.6	22.2	16.8
Alcohol (Binge: 5+ drinks on one occassion)		13.2	9.3
Cigarettes	6.9	13.2	17.2
Chewing Tobacco	11.7	9.6	9.5
Marijuana	2.9		
Inhalants	1.0		
Prescription medications not prescribed for student	4.9	3.0	3.7
Over-the-counter medications for non-medical use	1.0	3.7	2.1
Percent of students who, in past 2 weeks, used:			
Alcohol (Binge: 5+ drinks on one occassion)	6.9		
Percent whose friends used in past 12 months:			
Alcohol	43.1	61.0	56.3
Cigarettes	30.4	54.1	50.5
Marijuana	13.7	29.6	28.6
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	6.9	11.2	11.9
Percent who would likely use, if offered by a best friend:			
Alcohol	35.0	40.4	28.8
Cigarettes	10.7	20.0	17.6
Marijuana	4.9	8.9	7.8
·	4.9	0.9	7.0
Percent who say it would be wrong to use:			
Alcohol	57.4	51.9	60.4
Cigarettes	81.2	74.1	77.5
Marijuana	92.2	85.3	87.6
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	98.0	95.6	96.8
Percent whose parents would disapprove if they use:			
Alcohol	72.5	69.6	81.3
Cigarettes	85.3	88.1	91.5
Marijuana	94.1	94.8	96.8
•			
Percent who say it would be easy to obtain:	E0	EO O	E4 0
Alcohol	53.5	58.2	51.3
Cigarettes	57.3		55.5 27.7
Marijuana Other Illicit (Coccine LSD, Meth, Club Drug, etc.)	21.0 9.7	14.3	
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	9.7	14.3	13.0

DENT SURVEY			
Persont who helious they sight harm if they use.	2014	2012	2010
Percent who believe they risk harm if they use:	51.5		
Alcohol (1 or 2 drinks daily)			
Alcohol (Binge: 5+ drinks once or twice a week)	69.6	00.0	00.0
Alcohol (any use)	70.5	62.2	82.6
Cigarettes (1+ packs per day)	76.5	77 0	75.0
Cigarettes (any use)	70.7	77.0	75.6
Marijuana (once or twice a week)	76.7	740	70.4
Marijuana (any use)	044	74.8	72.4
Other: Cocaine, LSD, Meth, Club Drug (any use)	94.1	93.3	92.7
Percent of students who, in past 30 days:			
Were very sad	12.6	19.1	25.4
Were grouchy, irritable, or in a bad mood	16.5	26.7	33.0
Felt hopeless about the future	7.8	11.8	17.9
Felt like not eating or eating more than usual	12.6	17.0	20.3
Slept a lot more or a lot less than usual	9.7	17.6	32.1
Had difficulty concentrating on school work	15.7	21.8	32.8
Percent of students who, in past 12 months:			
Seriously considered attempting suicide	5.9	11.2	11.9
Made plan about how they would attempt suicide	4.9	9.0	8.8
Attempted suicide	3.9	5.1	7.3
Attempted suicide and resulting injury, poisonng, or overdose			
had to be treated by doctor or nurse	2.0	3.0	2.1
Percent of students who, in past 12 months:			
Were threatened/injured with weapon at school	6.7	3.7	14.0
Were in a physical fight	15.5	22.8	26.8
Were in a fight and had to be treated by a doctor or nurse	2.9	3.0	4.2
Percent of students who, in past 3 months:	47.6	55.6	71.9
Were victims of mean rumors or lies spread at school	58.3	65.7	78.9
Were made fun of by others Were victims of an embarrassing or hurtful text message or	36.3	05.7	70.9
something posted on the internet	18.4	20.9	27.0
Spread mean rumors or lies about other kids at school	23.5	34.1	35.9
Made fun of other people	53.5	71.9	76.8
Posted something on the internet or sent a text that might	55.5	71.5	70.0
embarrass or hurt another student	11.7	20.0	17.7
Percent of students who agree that:	00.0	74.0	70.4
Teachers notice and comment on student's good work	68.6	71.3	76.4
School provides feedback to parents on positive student performance	47.1	44.8	49.2
Rules are enforced fairly	67.0	65.7	64.8
Students of all races/ethnicities are treated equal	79.6	78.7	80.3
Percent of students who agree that:			
Parents notice and comment on student's good work	81.4	80.0	86.8
Parents involve student in making family decisions	70.3	65.2	70.4
It is important to be honest with parents regardless of	00.4	04.4	00.7
consequences	90.4	84.4	89.7
Student could ask parent for help with a personal problem	81.4	71.1	74.3

Missouri Student Survey is conducted biennially.
Similar affirmative response choices for individual questions are combined.
Blank data cells indicate estimates are not available for item or geographic area. Survey is not conducted in every school district nor reported for every county. Estimates are not available for counties with small numbers of respondents. Percentages are estimates based on weighted data.

Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

MONTOOMER							
	DBH REGION	Central		IMPAIRED DRIVING	2013	2012	2011
	DBH SERVICE AREAS			Alcohol Involved CrashesTotal	15	17	16
The sylventy of the sylventy o	Substance Use	15		Fatal Crashes	2	1	0
	Adult Psychiatric	15		Injury Crashes	5	9	6
	POPULATION			Property Damage Crashes	8	7	10
	Census 2010	12,236		Crash Fatalities	2	1	0
	2014 Estimate	11,841		Crash Injuries	10	12	8
				Drug Involved CrashesTotal	6	1	3
213				Fatal Crashes	0	0	0
BIRTH RISK	2013	2012	2011	Injury Crashes	1	0	2
Resident BirthsTotal	128	146	167	Property Damage Crashes	5	1	1
Mother Reported Smoking while		51	48	Crash Fatalities	0	0	0
Wolfier Reported Smoking Will	e i regnant 42	31	40	Crash Injuries	1	0	4
DISEASE INCIDENCE 1	2013	2012	2011				
HIV/AIDS Cases	0	0	0	POLICE REPORTS	2013	2012	2011
Hepatitis B Chronic, Acute, Pre	enatal 0	0	0	DUI Arrests, DWI Tracking System	59	47	75
Hepatitis C Chronic and Acute	2	5	5	Liquor Law Arrests	1	4	9
Tuberculosis Infection Cases	3	2	5	Drug Arrests	37	48	36
				Violent Offenses	10	18	18
DEATHS and INJURIES	2013	2012	2011	Property Offenses	167	189	208
Resident DeathsTotal	152	135	172	Domestic Violence Reports	49	51	51
Suicides	2	2	0	Mathematical about 0.1	2014	2013	2012
Self-inflicted Injuries	12	18	18	Methamphetamine Lab Seizures	6	16	19
Homicides	0	0	0	SCHOOL REPORTS	2013-14	2012-13	2011-12
Assault Injuries	33	42	28	Enrollment Grades 9-12	454	461	514
Alcohol Induced Deaths	1	0	0	Drop-outs	6	15	7
Drug Induced Deaths Smoking Attributable Deaths	2	0 25	4	Drop-out Rate	1.3%	3.3%	1.4%
Smoking Attributable Deaths	23	25	35	School Discipline Involving Alcohol	2	1	0
HOSPITAL EPISODES 2	2013	2012	2011	School Discipline Involving Drugs	0	11	3
Hospitalization, no Emergency	Room:			School Discipline Involving Tobacco	0	0	0
Mental Illness Principal Diagn	nosis 81	67	73	JUVENILE COURT REFERRALS 3	2013	2012	2011
Mental Illness Secondary Diag	gnosis 175	216	167	Juvenile Violent Offenses	18	11	7
Alcohol Principal Diagnosis	5	1	5	Juvenile Alcohol Offenses	2	2	1
Alcohol Secondary Diagnosis	13	17	17	Juvenile Drug Offenses	2	5	1
Drug Principal Diagnosis	7	5	2	School Truancy Status Offense	2	6	10
Drug Secondary Diagnosis	10	8	13	Absent from Home Status Offense	3	2	2
Emergency Room + Hospitaliza				Beyond Parental Control Status Offense	2	0	5
Mental Illness Principal Diagn	nosis 70	82	81	Injurious Behavior Status Offense	7	7	9
Mental Illness Secondary Diag	gnosis 210	226	208	Child Abuse	11	9	1
Alcohol Principal Diagnosis	4	6	9	Child Neglect	16	17	25
Alcohol Secondary Diagnosis	19	21	17	Child Custody Issues	0	0	1
Drug Principal Diagnosis	5	6	5	oa Gaoleay Issaes	· ·	ŭ	•
Drug Secondary Diagnosis	12	16	8	JUVENILE COURT PLACEMENTS	2013	2012	2011
Emergency Room, no Hospital				Out-of-Home PlacementsTotal	12	20	22
Mental Illness Principal Diagn		83	73	Parental Alcohol Use Related	0	3	4
Mental Illness Secondary Diag	=	266	219	Parental Drug Use Related	2	5	4
Alcohol Principal Diagnosis	10	13	14	Parental Alcohol and Drug Use	0	0	1
Alcohol Secondary Diagnosis		16	9	CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Principal Diagnosis	9	11	18	Drug Court Participants	4	6	12
Drug Secondary Diagnosis	23	22	18	Probation/Parole AdmissionsDrug	51	46	62
ALCOHOL OUTLETS	2014	2013	2012	Probation/Parole AdmissionsDWI	8	8	6
Alcohol On-Premise Drink Lice		2013	2012	Prison AdmissionsDrug	19	26	34
Alcohol Package Carry-out Lic		20	22	Prison AdmissionsDWI	3	9	3
EMPLOYMENT	2014	2013	2012	1 All Kansas City hepatitis and TB case repor			County
Labor Force	5,696	5,733	5,662	totals and all Joplin case reports are include Beginning with 2010 data, diagnosis counts			es are
Employed	5,354	5,331	5,208	based on codes developed by the Healthcar			
Unemployed	342	402	454	3 Beginning in 2013, juvenile municipal violati			
Unemployment Rate	6.0%	7.0%	8.0%	court orders are categorized as status offen	ses mstead 0	n iaw violatior	13.

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

	FY2014	FY2013	FY2012
TREATMENT CATEGORY			
Detoxification	*	9	5
CSTAR Adolescent	6	7	*
CSTAR Women and Children	*	6	8
CSTAR General Adult	78	46	44
CSTAR Opioid	0	0	0
Primary Recovery Treatment	7	23	22
Clinical SATOP (CIP, YCIP, SROP)	17	9	17
Other Substance Abuse Treatment	0	0	*

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	43	32	57
- Adolescent Diversion Education Prograr	*	0	0
- Offender Education Program	8	7	15
- Weekend Intervention Program	8	*	13
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	*	*
Compulsive Gambling	0	0	0
Recovery Supports	*	0	*
Early Intervention	*	*	*

NUMBER ADMITTED	FY2014	FY2013	FY2012	PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Total Individuals	107	82	86	Alcohol	40	31	37
	-			Marijuana / Hashish	34	25	23
AGE	_	_	*	Cocaine (total)	*	0	0
Under 18	6	6		- Crack	*	0	0
18 to 24	20	15	19	Stimulant (total)	22	15	14
25 to 29	20	16	20	- Methamphetamine	21	15	12
30 to 34	14	9	16	Heroin	*	*	6
35 to 39	10	10	8	Analgesic except Heroin	*	*	*
40 to 44	6	7	7	- Non-Prescription Methadone	0	*	0
45 to 54	24	14	11	PCP, LSD, other Hallucinogen	0	*	*
55 and Over	7	5	*	Tranquilizer	*	0	*
GENDER				Inhalant	0	0	0
Male	74	53	60	Sedative	0	0	0
Female	33	29	26	Other Medication or Illicit Drug	0	*	0
				Average Age at First Use of Drug	18.2	17.9	16.9
RACE / ETHNICITY							
Caucasian	102	75 *	81	INJECTION DRUG USE			
African American				Any Injection Use at Admission	9	12	13
Native American / Alaskan	0	0	0	- Daily Injection Use	*	*	*
Asian / Pacific Islander	0	0	0	- Weekly Injection Use	0	*	*
Hispanic	0	*	0	- Less than Weekly Injection Use	6	8	8
Other Race / Two or More Races	*	*	*	, ,			
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	35	38	24	0	61	47	41
High School Graduate or G.E.D.	60	33	49	1 or 2	26	23	28
Associate Degree or Some College	12	10	13	3 or More	20	12	17
Bachelor or Advanced Degree	0	*	0	TOTATAGENT DESCRIPTION COLLEGE			
ENADLOVA AFAIT				TREATMENT REFERRAL SOURCE Self / Family / Friend	56	13	11
EMPLOYMENT Employed	49	20	30	School	0	*	0
Unemployed	30	42	39	Mental Health Provider	0	0	*
Not in Labor Force	28	20	39 17	Health Care Provider	*	*	*
Not in Labor Porce	20	20	17	Court / Criminal Justice	40	56	67
HOUSING / LIVING ARRANGEMENT				Other Referral Source	7	8	5
Independent Living	96	67	70	Other Referral Source	,	O	3
Dependent Living	6	13	9	TREATMENT ACCOMMAND ATION			
Homeless	*	0	*	TREATMENT ACCOMMODATION	*	0	0
AAADITAL / FAAAU V STATUS				Pregnant when Admitted to any Episode	7	0 5	0
MARITAL / FAMILY STATUS	E 4	40	40	Military Veteran			0
Never Married Married / Cohobitating	51	48	49 21	Special Education Services Needed	19	12	9
Married / Cohabitating	29	20	21 16	Co-Occurring Psychological Problem	37	23 0	27
Previously Married	27	14	16	Co-Occurring Developmental Problem	13	U	

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Central
PSYCHIATRIC SERVICE AREA
15
CENSUS 2010 12,236
2014 POPULATION ESTIMATE 11,841

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder. FY2014 FY2013 FY2012 **DIAGNOSIS CATEGORY** Adjustment Disorder 16 17 16 **Anxiety Disorder** 84 74 83 Dementia 0 0 **Developmental Disorder** 18 16 16 70 Impulse Control Disorder 58 78 Mood Disorder 127 138 118 Personality Disorder 20 21 21 Psychotic Disorder 32 28 25 Sexual Disorder 0 0 0 25 28 Other Diagnosis 21

22

10

17

Individuals who received psychiatric services had the following types of

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

Diagnosis Unknown

NUMBER SERVED	FY2014	FY2013	FY2012	EDUCATION	FY2014	FY2013	FY2012
Total Individuals	198	199	214	Less than High School Diploma	71	79	32
. G.aaaaa.b				High School Grad or G.E.D.	0	*	22
AGE				Associate Degree or Some College	0	0	6
Under 6	5	6	*	Bachelor or Advanced Degree	0	0	0
6 to 9	17	23	22	Education Level Unknown	127	119	154
10 to 13	18	16	29	Education Edvor Children			101
14 to 17	21	25	25	EMPLOYMENT			
18 to 24	18	16	19	Employed	13	11	*
25 to 29	11	16	19	Unemployed	20	14	47
30 to 34	16	13	14	Not in Labor Force	110	121	15
35 to 39	23	20	16	Employment Status Unknown	55	53	149
40 to 44	13	14	14				
45 to 49	15	18	20	HOUSING / LIVING ARRANGEMENT			
50 to 54	23	17	14	Independent Living	76	67	52
55 to 59	12	10	11	Dependent Living	48	67	24
60 and Over	6	5	7	Homeless	*	*	0
Age Unknown	0	0	0	Other	0	0	0
				Housing Unknown	73	64	138
GENDER	20	400	400				
Male	99	100	109	TREATMENT REFERRAL SOURCE			
Female	99	99	105	Self / Family / Friend	129	126	143
Gender Unknown	0	0	0	School	*	*	*
RACE / ETHNICITY				Mental Health Provider	8	9	8
Caucasian	184	189	199	Health Care Provider	18	24	29
African American	7	5	7	Court / Criminal Justice	9	7	5
Native American / Alaskan	0	0	0	Other	32	31	26
Asian / Pacific Islander	0	0	0	Referral Source Unknown	0	0	0
Hispanic	5	*	*				
Other Race	*	*	6	TYPE OF COMMITMENT			
Race/Ethnicity Unknown	0	0	0	Voluntary	198	199	214
•				Civil	0	0	0
TREATMENT ACCOMMODATION				Criminal	0	0	0
Hearing Impaired	*	*	*	Sexual Predatory	0	0	0
Past or Current Military Service	*	*	*	Commitment Type Unknown	0	0	0

MISSOURI STUDENT SURVEY

	IVIIO		(1310	DENT SORVET			
Percent of students who have ever used:	2014	2012	2010	Percent who believe they risk harm if they use:	2014	2012	2010
Alcohol	39.6	48.9	68.4	Alcohol (1 or 2 drinks daily)	55.9		
Cigarettes	16.3	28.3	36.2	Alcohol (Binge: 5+ drinks once or twice a week)	71.5		
Chewing Tobacco	18.1	16.6	19.3	Alcohol (any use)		64.0	73.2
Marijuana	11.9	13.9	18.4	Cigarettes (1+ packs per day)	88.1		
Inhalants	0.0	3.7	3.5	Cigarettes (any use)		77.0	77.7
Prescription medications not prescribed for student	3.5	9.0	14.1	Marijuana (once or twice a week)	65.0		
Over-the-counter medications for non-medical use	2.1	6.9	8.0	Marijuana (any use)		76.2	64.5
Methamphetamine	0.0	1.1	0.9	Other: Cocaine, LSD, Meth, Club Drug (any use)	92.4	91.9	94.3
Cocaine	0.7	1.6	2.6				
Heroin	0.0	1.1	0.4	Percent of students who, in past 30 days:			
Hallucinogens	0.0	3.2	3.1	Were very sad	22.5	17.1	21.9
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.0	2.2	1.8	Were grouchy, irritable, or in a bad mood	31.3	19.8	36.4
Steroids not prescribed for student	0.7	0.5	3.0	Felt hopeless about the future	9.9	8.0	15.7
Synthetic drugs (K2, bath salts, Spice, etc)	1.4	7.4		Felt like not eating or eating more than usual	18.2	16.7	26.3
				Slept a lot more or a lot less than usual	21.5	16.0	34.8
Average age of students' first use of:	40.05	40.00	40.57	Had difficulty concentrating on school work	22.9	21.5	30.3
Alcohol		12.36		Percent of students who, in past 12 months:			
Cigarettes		12.39		Seriously considered attempting suicide	10.5	8.6	13.0
Marijuana	13.88	13.61		Made plan about how they would attempt suicide	8.5	3.8	10.0
Inhalants		11.79	12.54	Attempted suicide	4.9	3.2	9.6
Percent of students who, in past 30 days, used:				Attempted suicide and resulting injury, poisonng, or overdose			
Alcohol	16.7	19.3	34.6	had to be treated by doctor or nurse	0.7	2.2	3.5
Alcohol (Binge: 5+ drinks on one occassion)		12.2	22.3	Percent of students who, in past 12 months:			
Cigarettes	2.8	12.8	19.7	• •	3.5	4.3	7.4
Chewing Tobacco	9.0	10.1	12.7	Were threatened/injured with weapon at school	20.3	4.3 15.0	21.7
Marijuana	2.8	5.3	7.5	Were in a physical fight	20.3	2.2	3.1
Inhalants	0.0	1.6	0.9	Were in a fight and had to be treated by a doctor or nurse	2.0	2.2	3.1
Prescription medications not prescribed for student	0.7	5.9	7.5	Percent of students who, in past 3 months:			
Over-the-counter medications for non-medical use	0.0	3.7	4.4	Were victims of mean rumors or lies spread at school	51.4	54.5	58.6
				Were made fun of by others	59.9	62.6	69.1
Percent of students who, in past 2 weeks, used:				Were victims of an embarrassing or hurtful text message or	22.5	17.8	20.2
Alcohol (Binge: 5+ drinks on one occassion)	6.3			something posted on the internet	22.5	17.0	20.3
Percent whose friends used in past 12 months:				Spread mean rumors or lies about other kids at school	21.7	25.1	27.4
Alcohol	47.9	62.6	83.8	Made fun of other people	52.8	66.5	75.2
Cigarettes	33.8	47.3	59.0	Posted something on the internet or sent a text that might	12.1	12.8	15.8
Marijuana	31.7	32.3	38.0	embarrass or hurt another student	12.1	12.0	13.0
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	6.3	15.0	16.2	Percent of students who agree that:			
				Teachers notice and comment on student's good work	77.1	74.5	72.6
Percent who would likely use, if offered by a best friend:				School provides feedback to parents on positive student	77.1	74.5	72.0
Alcohol	28.5	36.4		performance	53.8	37.2	31.0
Cigarettes	6.3	12.4	22.4	Rules are enforced fairly	63.9	64.9	50.7
Marijuana	7.7	7.4	10.5	Students of all races/ethnicities are treated equal	93.0	84.4	83.0
Percent who say it would be wrong to use:				Stadents of an races/cumulues are urated equal	55.0	04.4	00.0
Alcohol	60.3	54.8	31.9	Percent of students who agree that:			
Cigarettes	89.6	81.2		Parents notice and comment on student's good work	79.0	85.0	83.4
Marijuana	83.8	83.8	80.3	Parents involve student in making family decisions	69.2	70.3	74.7
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.5	94.1	94.7	It is important to be honest with parents regardless of	86.0	87.7	82.9
				consequences	00.0	07.7	02.5
Percent whose parents would disapprove if they use:	_			Student could ask parent for help with a personal problem	75.0	77.3	80.3
Alcohol	70.6	70.4	58.6				
Cigarettes	90.3	89.8	85.5	Missouri Student Survey is conducted biennially.			
Marijuana	91.7	95.1	94.3	Similar affirmative response choices for individual questions are Blank data cells indicate estimates are not available for item or			
Percent who say it would be easy to obtain:				Survey is not conducted in every school district nor reported for	r every co	ounty.	
Alcohol	54.5	51.9	73.2	Estimates are not available for counties with small numbers of Percentages are estimates based on weighted data.	responde	nts.	
Cigarettes	50.0	50.3		Some year-to-year differences in percentages are not statistical	lly signifi	cant.	
Marijuana	30.6	28.6	35.5				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	10.6	14.8	15.9	Data source: Missouri Institute of Mental Health, 2010-2014 Mis	ssouri St	udent Su	ırveys
, , , , , , , , , , , , , , , , , , ,		_	-				

DBH REGION		Central		IMPAIRED DRIVING	2013	2012	2011
DBH SERVICE ARI	EAS			Alcohol Involved CrashesTotal	32	31	32
Substance Use	Э	12		Fatal Crashes	0	1	3
Adult Psychiat	ric	12		Injury Crashes	16	16	21
POPULATION				Property Damage Crashes	16	14	8
Census 2010		20,565		Crash Fatalities	0	1	3
2014 Estimate		20,240		Crash Injuries	18	20	33
		-, -		Drug Involved CrashesTotal	2	4	1
213				Fatal Crashes	0	1	1
				Injury Crashes	0	2	0
	2013	2012	2011	Property Damage Crashes	2	1	0
Resident BirthsTotal	236	264	254	Crash Fatalities	0	1	1
Mother Reported Smoking while Pregnant	68	65	69	Crash Injuries	0	3	0
DISEASE INCIDENCE 1	2013	2012	2011	•			
HIV/AIDS Cases	0	0	0	POLICE REPORTS	2013	2012	2011
Hepatitis B Chronic, Acute, Prenatal	1	0	0	DUI Arrests, DWI Tracking System	100	106	90
Hepatitis C Chronic and Acute	25	14	11	Liquor Law Arrests	12	19	10
Tuberculosis Infection Cases	1	1	0	Drug Arrests	79	137	110
				Violent Offenses	71	108	63
DEATHS and INJURIES	2013	2012	2011	Property Offenses	438	436	436
Resident DeathsTotal	266	296	326	Domestic Violence Reports	223	249	202
Suicides	1	4	8		2014	2013	2012
Self-inflicted Injuries	18	21	24	Methamphetamine Lab Seizures	3	2	3
Homicides	2	3	0	SCHOOL BEDORTS	2013-14	2012-13	2011-12
Assault Injuries	55	40	36	SCHOOL REPORTS Enrollment Grades 9-12	616	604	613
Alcohol Induced Deaths	3	3	3	Drop-outs	2	1	1
Drug Induced Deaths	2	2	3	Drop-out Rate	0.3%	0.2%	0.2%
Smoking Attributable Deaths	54	62	57	•	0.5%	0.2%	0.2%
				School Discipline Involving Alcohol School Discipline Involving Drugs	10	4	12
	2013	2012	2011	School Discipline Involving Drugs School Discipline Involving Tobacco	0	0	0
Hospitalization, no Emergency Room:	00	00	0.4	School Discipline Involving Tobacco	U	U	U
Mental Illness Principal Diagnosis	93	86	91	JUVENILE COURT REFERRALS 3	2013	2012	2011
Mental Illness Secondary Diagnosis	308	288	266	Juvenile Violent Offenses	21	25	26
Alcohol Principal Diagnosis	4	4	13	Juvenile Alcohol Offenses	8	1	6
Alcohol Secondary Diagnosis	38	22	25	Juvenile Drug Offenses	11	4	9
Drug Principal Diagnosis	3	3	1	School Truancy Status Offense	12	14	3
Drug Secondary Diagnosis	9	7	10	Absent from Home Status Offense	1	4	3
Emergency Room + Hospitalization:	70	00		Beyond Parental Control Status Offense	3	5	0
Mental Illness Principal Diagnosis	78	96	74	Injurious Behavior Status Offense	21	13	17
Mental Illness Secondary Diagnosis	395	459	397	Child Abuse	9	3	8
Alcohol Principal Diagnosis	12	23	22	Child Neglect	26	22	22
Alcohol Secondary Diagnosis	47	68	72	Child Custody Issues	0	0	0
Drug Principal Diagnosis	8	13	11	, 			
Drug Secondary Diagnosis	24	20	27	JUVENILE COURT PLACEMENTS	2013	2012	2011
Emergency Room, no Hospitalization:	400	4.45	4.47	Out-of-Home PlacementsTotal	16	12	17
Mental Illness Principal Diagnosis	132	145	117	Parental Alcohol Use Related	0	0	0
Mental Illness Secondary Diagnosis	696	552	500	Parental Drug Use Related	4	1	1
Alcohol Principal Diagnosis	24	18	26	Parental Alcohol and Drug Use	0	0	0
Alcohol Secondary Diagnosis	40	41	31	CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Principal Diagnosis	16	28	12	Drug Court Participants	0	0	0
Drug Secondary Diagnosis	34	30	26	Probation/Parole AdmissionsDrug	70	61	60
ALCOHOL OUTLETS	204.	2012	2042	Probation/Parole AdmissionsDWI	13	11	11
ALCOHOL OUTLETS	2014	2013	2012	Prison AdmissionsDrug	37	31	29
Alcohol On-Premise Drink Licenses Alcohol Package Carry-out Licenses	37 36	39 37	45 36	Prison AdmissionsDWI	3	6	8
Alcohol Fackage Carry-Out Licenses	30	ગ	30				
EMPLOYMENT	2014	2013	2012	1 All Kansas City hepatitis and TB case report			County
Labor Force	,972	9,053	8,695	totals and all Joplin case reports are include Beginning with 2010 data, diagnosis counts			es are
Employed 7	7,291	8,360	7,931	based on codes developed by the Healthcar	e Cost and L	Itilization Pro	ject.
Unemployed	681	693	764	3 Beginning in 2013, juvenile municipal violati- court orders are categorized as status offens			
Unemployment Rate	8.5%	7.7%	8.8%	Court orders are eategorized as status offens	, co moteau 0	. Idir violatiUl	.5.

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
	*	*	_
Detoxification	*	*	7
CSTAR Adolescent	*	*	*
CSTAR Women and Children	10	*	11
CSTAR General Adult	42	58	49
CSTAR Opioid	0	0	0
Primary Recovery Treatment	*	*	33
Clinical SATOP (CIP, YCIP, SROP)	15	21	14
Other Substance Abuse Treatment	0	0	*

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	81	74	61
- Adolescent Diversion Education Prograr	*	0	0
- Offender Education Program	33	30	15
- Weekend Intervention Program	12	14	13
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	0	*
Compulsive Gambling	0	0	0
Recovery Supports	*	6	*
Early Intervention	0	0	0

NUMBER ADMITTED	FY2014	FY2013	FY2012	PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Total Individuals	71	89	99	Alcohol	33	42	45
				Marijuana / Hashish	9	15	13
AGE			*	Cocaine (total)	*	*	0
Under 18	*	*		- Crack	*	0	0
18 to 24	9	14	18	Stimulant (total)	20	24	28
25 to 29	8	16	18	- Methamphetamine	20	22	28
30 to 34	14	10	19	Heroin	*	*	*
35 to 39	8	11	16	Analgesic except Heroin	*	5	9
40 to 44	*	9	6	- Non-Prescription Methadone	0	0	0
45 to 54	17	17	17	PCP, LSD, other Hallucinogen	0	0	0
55 and Over	8	10	*	Tranquilizer	0	*	0
GENDER				Inhalant	0	0	0
Male	41	57	58	Sedative	0	0	0
Female	30	32	41	Other Medication or Illicit Drug	*	0	*
_				Average Age at First Use of Drug	19.2	18.8	17.4
RACE / ETHNICITY							
Caucasian	68	87	97	INJECTION DRUG USE			
African American	*	0		Any Injection Use at Admission	9	12	13
Native American / Alaskan	*	0	0	- Daily Injection Use	*	*	*
Asian / Pacific Islander	0	0	0	- Weekly Injection Use	*	*	*
Hispanic	*	*	0	- Less than Weekly Injection Use	6	5	9
Other Race / Two or More Races	0	*	*				-
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	26	30	40	0	31	34	45
High School Graduate or G.E.D.	31	36	42	1 or 2	26	30	38
Associate Degree or Some College	13	22	17	3 or More	14	25	16
Bachelor or Advanced Degree	*	*	0	T054T454T 0555D044 6044D65			
514010144515				TREATMENT REFERRAL SOURCE	22	25	20
EMPLOYMENT	0.4	00	00	Self / Family / Friend		35	29
Employed	24	28	26	School	0	0	*
Unemployed	20	21	42	Mental Health Provider	0	*	
Not in Labor Force	27	40	31	Health Care Provider	0		
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	31	38	56
Independent Living	55	77	82	Other Referral Source	18	10	8
Dependent Living	6	*	8				
Homeless	*	*	*	TREATMENT ACCOMMODATION	•	•	
				Pregnant when Admitted to any Episode	0	0	*
MARITAL / FAMILY STATUS	6.4	07	00	Military Veteran	*	*	4.0
Never Married	31	37	38	Special Education Services Needed			10
Married / Cohabitating	14	29	35	Co-Occurring Psychological Problem	35	22	28
Previously Married	26	23	26	Co-Occurring Developmental Problem	0	*	*

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



 DBH REGION
 Central

 PSYCHIATRIC SERVICE AREA
 12

 CENSUS 2010
 20,565

 2014 POPULATION ESTIMATE
 20,240

served because some individuals had more than one type of disorder.							
DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012				
Adjustment Disorder	5	6	7				
Anxiety Disorder	129	128	139				
Dementia	*	0	0				
Developmental Disorder	11	8	*				
Impulse Control Disorder	36	37	53				
Mood Disorder	180	174	173				
Personality Disorder	17	21	18				
Psychotic Disorder	38	34	39				
Sexual Disorder	*	*	0				
Other Diagnosis	15	14	16				
Diagnosis Unknown	7	5	6				

Individuals who received psychiatric services had the following types of

NUMBER SERVED	FY2014	FY2013	FY2012	EDUCATION	FY2014	FY2013	FY2012
Total Individuals	229	223	229	Less than High School Diploma	60	79	68
Total Marviadalo	220	220	220	High School Grad or G.E.D.	0	0	57
AGE				Associate Degree or Some College	0	0	22
Under 6	*	0	*	Bachelor or Advanced Degree	0	0	*
6 to 9	6	8	7	Education Level Unknown	169	144	81
10 to 13	13	13	13	Education Edver Officiown	100	1-1-1	01
14 to 17	13	15	19	EMPLOYMENT			
18 to 24	24	25	22	Employed	11	7	15
25 to 29	18	15	20	Unemployed	11	11	116
30 to 34	21	20	19	Not in Labor Force	126	156	41
35 to 39	22	20	22	Employment Status Unknown	81	49	57
40 to 44	24	23	17				
45 to 49	27	30	33	HOUSING / LIVING ARRANGEMENT			
50 to 54	27	21	21	Independent Living	116	138	156
55 to 59	15	17	20	Dependent Living	35	41	21
60 and Over	17	16	13	Homeless	*	*	*
Age Unknown	0	0	0	Other	0	0	*
				Housing Unknown	74	43	48
GENDER	400	400	00				
Male	102	102	93	TREATMENT REFERRAL SOURCE			
Female	127	121	136	Self / Family / Friend	124	113	113
Gender Unknown	0	0	0	School	*	5	*
RACE / ETHNICITY				Mental Health Provider	13	17	17
Caucasian	218	217	216	Health Care Provider	42	45	50
African American	*	*	*	Court / Criminal Justice	9	9	8
Native American / Alaskan	0	0	0	Other	38	34	39
Asian / Pacific Islander	0	0	*	Referral Source Unknown	0	0	0
Hispanic	*	*	*				
Other Race	6	*	6	TYPE OF COMMITMENT			
Race/Ethnicity Unknown	0	0	0	Voluntary	227	223	228
•				Civil	*	0	*
TREATMENT ACCOMMODATION				Criminal	*	0	0
Hearing Impaired	6	*	*	Sexual Predatory	0	0	0
Past or Current Military Service	*	5	5	Commitment Type Unknown	0	0	0

MISSOURI STUDENT SURVEY

	IVIIOO	OUR	(151)	-
Percent of students who have ever used:	2014	2012	2010	
Alcohol	42.4	51.6	47.4	
Cigarettes	31.0	33.7		
Chewing Tobacco	19.7		20.8	
Marijuana	16.2	22.4		
Inhalants	2.0	6.7	7.9	
Prescription medications not prescribed for student	11.2	10.6	10.8	
Over-the-counter medications for non-medical use	6.1	9.3	7.5	
Methamphetamine	2.6	2.0	1.4	
Cocaine	1.5	2.3	1.0	
Heroin	1.0	1.0	0.5	
Hallucinogens	3.6	5.5	2.9	
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	3.6	1.9	2.1	
Steroids not prescribed for student	1.0	1.9	1.0	
Synthetic drugs (K2, bath salts, Spice, etc)	7.3	7.7		
Average age of students' first use of:				
Alcohol	12 98	12.41	12 50	
Cigarettes		11.62		
Marijuana		12.87		
Inhalants		11.73		
middits	11.40	11.70	10.21	
Percent of students who, in past 30 days, used:				
Alcohol	16.8	25.3	23.4	
Alcohol (Binge: 5+ drinks on one occassion)		14.7	16.4	
Cigarettes	13.7	17.0	18.4	
Chewing Tobacco	11.6	13.5		
Marijuana	9.7	11.9		
Inhalants	1.0	3.5	3.3	
Prescription medications not prescribed for student	4.1	6.1	6.5	
Over-the-counter medications for non-medical use	3.6	6.7	3.8	
Percent of students who, in past 2 weeks, used: Alcohol (Binge: 5+ drinks on one occassion)	9.7			
Percent whose friends used in past 12 months:				
Alcohol	57.9	66.0	62.6	
Cigarettes	47.2	57.7		
Marijuana	34.5	48.7	39.7	
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	15.7	18.4	18.5	
other finish (obedine, 255, Meth, Olds Brug, etc)	10.7	10.4	10.0	
Percent who would likely use, if offered by a best friend:				
Alcohol	31.2		37.9	
Cigarettes	14.6			
Marijuana	14.8	17.6	13.9	
Percent who say it would be wrong to use:				
Alcohol	63.5	48.2	56.5	
Cigarettes	80.3	70.5	73.3	
Marijuana	77.4	71.9	81.4	
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	93.9	93.3	94.2	
Demonstration and annual discourage of the contract				
Percent whose parents would disapprove if they use:	747	740	70.4	
Alcohol	74.7 87.9	74.9 91.0	73.4 84.9	
Cigarettes				
Marijuana	90.8	91.8	94.0	
Percent who say it would be easy to obtain:				
Alcohol	55.3	65.7	56.6	
Cigarettes	55.8	62.2	54.8	
Marijuana	38.5	42.9		
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	16.9	21.0	19.3	

DENT SURVEY			
Percent who believe they risk harm if they use:	2014	2012	2010
Alcohol (1 or 2 drinks daily)	53.0		
Alcohol (Binge: 5+ drinks once or twice a week)	63.3		
Alcohol (any use)		67.9	76.2
Cigarettes (1+ packs per day)	81.6		
Cigarettes (any use)		76.9	81.1
Marijuana (once or twice a week)	59.9		
Marijuana (any use)		64.7	74.4
Other: Cocaine, LSD, Meth, Club Drug (any use)	92.3	89.1	94.3
Percent of students who, in past 30 days:			
Were very sad	24.1	19.9	21.1
Were grouchy, irritable, or in a bad mood	35.0	34.2	30.1
Felt hopeless about the future	11.7	14.9	16.9
Felt like not eating or eating more than usual	19.2	23.2	25.9
Slept a lot more or a lot less than usual	18.3	21.5	29.3
Had difficulty concentrating on school work	32.1	26.9	28.9
	02.1	20.0	20.0
Percent of students who, in past 12 months:			
Seriously considered attempting suicide	13.1	15.4	12.8
Made plan about how they would attempt suicide	8.6	14.1	8.5
Attempted suicide	5.6	4.2	5.4
Attempted suicide and resulting injury, poisonng, or overdose had to be treated by doctor or nurse	1.5	1.0	1.7
Percent of students who, in past 12 months:			
Were threatened/injured with weapon at school	9.1	6.8	10.0
Were in a physical fight	22.7	27.9	24.6
Were in a fight and had to be treated by a doctor or nurse	4.0	4.2	4.7
Descent of students who is need 2 months.			
Percent of students who, in past 3 months:	EC 1	EC C	EAE
Were victims of mean rumors or lies spread at school Were made fun of by others	56.1 69.5	56.6 69.1	54.5 69.7
•	69.5	09.1	09.7
Were victims of an embarrassing or hurtful text message or something posted on the internet	25.1	23.4	19.4
Spread mean rumors or lies about other kids at school	27.9	35.9	30.0
Made fun of other people	64.0	75.6	70.9
Posted something on the internet or sent a text that might	400	400	40.0
embarrass or hurt another student	16.3	19.2	18.3
Percent of students who agree that:			
Teachers notice and comment on student's good work	64.8	66.7	70.4
	04.0	00.7	70.4
School provides feedback to parents on positive student performance	31.2	31.4	43.7
Rules are enforced fairly	51.3	57.1	56.7
Students of all races/ethnicities are treated equal	75.3	74.3	78.4
Percent of students who agree that:			
Parents notice and comment on student's good work	83.3	81.7	85.9
Parents involve student in making family decisions	61.9	62.6	72.0
It is important to be honest with parents regardless of	51.0	52.0	
consequences	88.9	85.6	83.7
Student could ask parent for help with a personal problem	75.8	74.9	77.2

Missouri Student Survey is conducted biennially.
Similar affirmative response choices for individual questions are combined.
Blank data cells indicate estimates are not available for item or geographic area. Survey is not conducted in every school district nor reported for every county. Estimates are not available for counties with small numbers of respondents. Percentages are estimates based on weighted data.

Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

Debt REGION Court	NEW MADIND COOL	N I I						
Machine Mach	DBH REGIO	N	Southeast		IMPAIRED DRIVING	2013	2012	2011
Property Damage Crashes	DBH SERVIC	CE AREAS				29	17	21
Property Damage Crashes 15 9 10 18 10 10	Substance	e Use	20		Fatal Crashes	2	0	2
Cansh Fallulines 18,272	Adult Psy	chiatric/	20		Injury Crashes	12	8	9
Secondary Diagnosis 18,272	POPULATION)N			Property Damage Crashes	15	9	10
Drug Involved Crashes=-Total 8	Census 2	2010	18,956		Crash Fatalities	2	0	4
### Faital Crashes	2014 Est	imate	18,272		Crash Injuries	17	10	18
BRTH RISK 2013 2012 2011 Property Damage Crashes 5 4 2 2 2 2 2 2 2 2 2					Drug Involved CrashesTotal	8	6	9
Property Damage Crashes					Fatal Crashes	0	0	2
Property Damage Crashes 5 4 2 2 2 2 2 2 2 2 2	BIDTH DISY	2013	2012	2011	Injury Crashes	3	2	5
Mother Reported Smoking while Pregnant 88 55 65 Crash Fetalities 0 0 0 0					Property Damage Crashes	5	4	2
Crash Injunes 3 3 6					Crash Fatalities	0	0	4
HIM/NIDS Cases	_				Crash Injuries	3	3	6
Hopatitis C Chronic and Acute					DOLICE REDORTS	2013	2012	2011
Hepatitis C Chronic and Acute								
Image Tuberculoids Tuberculoid	•							
Violent Offenses 24 41 42	•				•			
DEATHS and INJURIES 2013 2012 2011 Property Offenses 194 181 165 Resident Deaths—Total 237 255 256 Domestic Violence Reports 56 62 90 Self-inflicted Injuries 1 2 2 Methamphetamine Lab Seizures 2 9 21 Homicides 69 75 70 SCHOOL Reprost 2013 2012 2011 2012-14 2012-13 2011-12 2013-14 2012-13 2011-12 2013-14 2012-13 2011-12 2010-14 2012-13 2011-12 2010-12 2011-12 2010-14 2012-13 2011-12 <	Tuberculosis Infection Cases	2	3	0				
Resident Deaths - Total	DEATHS and INITIDIES	2012	2012	2011				
Succioides					• •			
Self-inflicted Injuries					Domestic Violence Reports			
Assault Injuries					Methamphetamine Lab Seizures			
Assault Injuries	•				Wolliamphotaliinio Eab Colearco	_	Ü	
Alcohol Induced Deaths					SCHOOL REPORTS	2013-14	2012-13	2011-12
Drop-out Rate Drop-out Rat	•				Enrollment Grades 9-12	806	812	800
Smoking Attributable Deaths					Drop-outs	5	1	11
HOSPITAL EPISODES 2 2013 2012 2011 School Discipline Involving Alcohol 0 0 5 5	_				Drop-out Rate	0.6%	0.1%	1.4%
Hospitalization, no Emergency Room: Mental Illness Principal Diagnosis 242 266 285 292 408 292 408 292 408 292 408 292 408 292 408 292 293 293 293 2012 2011 293 2014 2013 294 294		.,	0.1	0,		0	0	
Mental Illness Principal Diagnosis 242 266 285 JUVENILE COURT REFERALS 3 2013 2012 2011 Alcohol Principal Diagnosis 5 9 17 Juvenile Violent Offenses 13 15 4 Alcohol Principal Diagnosis 34 28 46 Juvenile Alcohol Offenses 15 2 12 12 Drug Principal Diagnosis 7 8 13 School Truancy Status Offense 19 11 5 Drug Secondary Diagnosis 21 22 31 School Truancy Status Offense 26 11 20 Mental Illness Principal Diagnosis 35 26 22 Injurious Behavior Status Offense 8 9 4 Alcohol Principal Diagnosis 11 12 3 Child Abuse 18 9 5 Alcohol Secondary Diagnosis 16 19 11 JUVENILE COURT PLACEMENTS 2013 2012 2011 Emergency Room, Hobspitalization: 29 29 24 Child Abuse 18 <t< td=""><td>HOSPITAL EPISODES 2</td><td>2013</td><td>2012</td><td>2011</td><td></td><td>6</td><td></td><td></td></t<>	HOSPITAL EPISODES 2	2013	2012	2011		6		
Mental Illness Secondary Diagnosis 374 292 408 Alcohol Principal Diagnosis 5 9 17 4 400					School Discipline Involving Tobacco	0	0	0
Mental Illness Secondary Diagnosis 374 292 408 294 406 295 408 295 408 295 408 295 408 295 408 295 408 295 408 295		242	266		IIIVENII E COLIRT REFERRALS	2013	2012	2011
Alcohol Secondary Diagnosis 34 28 46 28 46 28 28 46 29 29 29 29 24 29 29 29								
Alcohol Secondary Diagnosis 34 28 46 17 28 18 18 19 19 19 19 19 1		5						
Drug Secondary Diagnosis 21 22 31 School Truancy Status Offense 8 9 4 Absent from Home Status Offense 60 15 29 Injurious Behavior Status Offense 73 41 40 Offense Alcohol Principal Diagnosis 11 12 3 Child Abuse 118 9 5 Child Abuse 118 9 Child Abuse 118 9 Child Abuse 118 9 Child Abuse 118 9 Child Abus								
Emergency Room + Hospitalization: Mental Illness Principal Diagnosis Alcohol Principal Diagnosis Alcohol Principal Diagnosis Mental Illness Secondary Diagnosis Alcohol Secondary Diagnosis Drug Secondary Diagnosis Beyond Parental Control Status Offense Beyond Parental Control Status Offense Child Abuse Child Abuse Child Abuse Child Abuse Child Abuse Child Custody Issues Count-of-Home Placements—Total Status Custody Issues Child Custody Issues Child Custody Issues Count-of-Home Placements—Total Status Custody Issues Status Custody Issues Count-of-Home Placements—Total Status Custody Issues Count-of-Home Placements—Total Status Custody Issues Status Custody Issues Status Custody Issues Count-of-Home Placements—Total Status Custody Issues Statu								
Emergency Room + Hospitalization:Beyond Parental Control Status Offense601529Mental Illness Principal Diagnosis328374206Child Abuse1895Alcohol Principal Diagnosis11123Child Abuse1895Alcohol Secondary Diagnosis292924Child Neglect654127Drug Principal Diagnosis566Child Custody Issues0000Drug Secondary Diagnosis161911JUVENILE COURT PLACEMENTS201320122011Emergency Room, no Hospitalization:Out-of-Home Placements—Total543530Mental Illness Principal Diagnosis152218147Parental Alcohol Use Related101Mental Illness Secondary Diagnosis152218147Parental Drug Use Related311816Alcohol Principal Diagnosis291832Parental Alcohol and Drug Use200Alcohol Secondary Diagnosis273837Drug Secondary Diagnosis273837Drug Secondary Diagnosis243334Drug Court Participants880Drug Secondary Diagnosis243334Drug Court Participants880Alcohol On-Premise Drink Licenses151615Prison Admissions—Drug455347Alcohol On-Premise Drink Licenses2323<		21	22	31	-			
Mental Illness Secondary Diagnosis 328 374 206 Alcohol Principal Diagnosis 111 12 3 Child Abuse 18 9 5 Alcohol Principal Diagnosis 111 12 3 Child Abuse 18 9 5 Alcohol Secondary Diagnosis 29 29 24 Child Custody Issues 0 0 0 0 Drug Secondary Diagnosis 16 19 11 JUVENILE COURT PLACEMENTS 2013 2012 2011 Emergency Room, no Hospitalization: Mental Illness Principal Diagnosis 184 133 143 Parental Alcohol Use Related 1 0 1 Alcohol Principal Diagnosis 152 218 147 Parental Drug Use Related 1 0 1 Alcohol Principal Diagnosis 29 18 32 Parental Alcohol and Drug Use 2 0 0 Alcohol Secondary Diagnosis 27 38 37 Drug Principal Diagnosis 27 38 37 Drug Principal Diagnosis 24 33 34 Parental Alcohol and Drug Use 2 0 0 Alcohol Secondary Diagnosis 24 33 34 Drug Court Participants 8 8 0 Drug Secondary Diagnosis 24 33 34 Probation/Parole AdmissionsDrug 86 91 75 ALCOHOL OUTLETS 2014 2013 2012 Probation/Parole AdmissionsDrug 45 53 47 Alcohol Package Carry-out Licenses 15 16 15 Prison AdmissionsDrug 45 53 47 Alcohol Package Carry-out Licenses 8,380 8,799 8,417 Labor Force 8,380 8,799 8,417 La					Beyond Parental Control Status Offense	60	15	29
Alcohol Principal Diagnosis						73	41	40
Alcohol Secondary Diagnosis 29 29 29 24 Child Neglect Child Custody Issues 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0								
Drug Principal Diagnosis 5 6 6 6 Drug Secondary Diagnosis 16 19 11 JUVENILE COURT PLACEMENTS 2013 2012 2011 Emergency Room, no Hospitalization: Mental Illness Principal Diagnosis 184 133 143 Parental Alcohol Use Related 1 0 1 Mental Illness Secondary Diagnosis 152 218 147 Parental Drug Use Related 31 18 16 Alcohol Principal Diagnosis 29 18 32 Parental Alcohol and Drug Use 2 0 0 Alcohol Secondary Diagnosis 27 38 37 Drug Principal Diagnosis 19 16 28 Drug Secondary Diagnosis 19 16 28 Drug Secondary Diagnosis 24 33 34 Probation/Parole AdmissionsDrug 86 91 75 ALCOHOL OUTLETS 2014 2013 2012 Alcohol On-Premise Drink Licenses 15 16 15 Prison AdmissionsDrug 45 53 47 Alcohol Package Carry-out Licenses 23 23 25 Prison AdmissionsDWI 10 5 13 EMPLOYMENT 2014 2013 2012 Employed 7,760 8,185 7,771 Unemployed 620 614 666					Child Neglect	65	41	27
Drug Secondary Diagnosis 16 19 11 JUVENILE COURT PLACEMENTS 2013 2012 2011 Emergency Room, no Hospitalization: Mental Illness Principal Diagnosis 184 133 143 Parental Alcohol Use Related 1 0 1 Mental Illness Secondary Diagnosis 152 218 147 Parental Drug Use Related 31 18 16 Alcohol Principal Diagnosis 29 18 32 Parental Alcohol and Drug Use 2 0 0 Alcohol Secondary Diagnosis 27 38 37 Drug Principal Diagnosis 19 16 28 CRIMINAL JUSTICE FY2014 FY2013 FY2012 Drug Secondary Diagnosis 24 33 34 Drug Court Participants 8 8 0 Probation/Parole AdmissionsDrug 86 91 75 ALCOHOL OUTLETS 2014 2013 2012 Probation/Parole AdmissionsDWI 12 24 19 Alcohol On-Premise Drink Licenses 15 16 15 Prison AdmissionsDrug 45 53 47 Alcohol Package Carry-out Licenses 23 23 25 Prison AdmissionsDWI 10 5 13 EMPLOYMENT 2014 2013 2012 Labor Force 8,380 8,799 8,417 Labor Forc						0	0	0
Emergency Room, no Hospitalization: Mental Illness Principal Diagnosis 184 133 143 Parental Alcohol Use Related 1 0 1 Mental Illness Secondary Diagnosis 152 218 147 Parental Drug Use Related 31 18 16 Alcohol Principal Diagnosis 29 18 32 Parental Alcohol and Drug Use 2 0 0 Alcohol Secondary Diagnosis 27 38 37 Drug Principal Diagnosis 19 16 28 CRIMINAL JUSTICE FY2014 FY2013 FY2012 Drug Secondary Diagnosis 24 33 34 Drug Court Participants 8 8 0 Probation/Parole AdmissionsDrug Alcohol On-Premise Drink Licenses 15 16 15 Prison AdmissionsDrug 45 53 47 Alcohol Pricopal Diagnosis 2014 2013 2012 Probation/Parole AdmissionsDrug 45 53 47 Alcohol Package Carry-out Licenses 23 23 25 Prison AdmissionsDWI 10 5 13 EMPLOYMENT 2014 2013 2012 Labor Force 8,380 8,799 8,417 Labor Force 8,380 8,799 8,417 Labor Force 8,380 8,799 8,417 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project. 1 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project. 1 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.						2042	2042	2011
Mental Illness Principal Diagnosis184133143Parental Alcohol Use Related101Mental Illness Secondary Diagnosis152218147Parental Drug Use Related311816Alcohol Principal Diagnosis291832Parental Alcohol and Drug Use200Alcohol Secondary Diagnosis273837Drug Principal Diagnosis191628CRIMINAL JUSTICEFY2014FY2013FY2012Drug Secondary Diagnosis243334Drug Court Participants880Drug Court Participants880Probation/Parole AdmissionsDrug869175ALCOHOL OUTLETS201420132012Probation/Parole AdmissionsDWI122419Alcohol Package Carry-out Licenses151615Prison AdmissionsDWI10513EMPLOYMENT2014201320121All Kansas City hepatitis and TB case reports are included in Jackson County totals.Labor Force8,3808,7998,4172Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.Unemployed620614646Beginning in 2013, juvenile municipal violations, infractions, and violations of count orders are categorized as status offenses instead of law violations.		16	19	11				
Mental Illness Secondary Diagnosis152218147Parental Drug Use Related311816Alcohol Principal Diagnosis291832Parental Alcohol and Drug Use200Alcohol Secondary Diagnosis273837Drug Principal Diagnosis191628CRIMINAL JUSTICEFY2014FY2013FY2012Drug Secondary Diagnosis243334Drug Court Participants880Drug Court Participants8809175ALCOHOL OUTLETS201420132012Probation/Parole AdmissionsDrug869175Alcohol On-Premise Drink Licenses151615Prison AdmissionsDrug455347Alcohol Package Carry-out Licenses232325Prison AdmissionsDWI10513EMPLOYMENT2014201320121All Kansas City hepatitis and TB case reports are included in Jackson County totals.Labor Force8,3808,7998,4172Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.Unemployed620614646Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.		101	422	1.10				
Alcohol Principal Diagnosis 29 18 32 Parental Alcohol and Drug Use 2 0 0 Alcohol Secondary Diagnosis 27 38 37 Drug Principal Diagnosis 29 18 32 Parental Alcohol and Drug Use 2 0 0 Alcohol Secondary Diagnosis 27 38 37 Drug Principal Diagnosis 29 18 32 Parental Alcohol and Drug Use 20 0 0 Alcohol Secondary Diagnosis 20 19 16 28 CRIMINAL JUSTICE 30 19 16 28 Drug Court Participants 30 19 16 28 Drug Court Participants 31 19 16 28 Drug Court Participants 32 19 19 16 28 Drug Court Participants 33 19 10 10 10 10 10 10 10 10 10 10 10 10 10								
Alcohol Secondary Diagnosis Drug Principal Diagnosis Drug Secondary Diagnosis Drug Secondary Diagnosis 24 33 34 Drug Court Participants Bry2014 FY2013 FY2012 Probation/Parole AdmissionsDrug Bry2014 Prison AdmissionsDWI Drug Court Participants Bry2014 FY2013 FY2012 Probation/Parole AdmissionsDWI Drug Court Participants Bry2014 FY2013 FY2012 Probation/Parole AdmissionsDWI Drug Court Participants Bry2014 FY2013 FY2012 Probation/Parole AdmissionsDWI Drug Court Participants Bry2014 FY2013 FY2012 Prison AdmissionsDWI Drug Court Participants Bry2014 FY2013 FY2012 Probation/Parole AdmissionsDWI Drug Court Participants Bry2014 FY2013 FY2014 FY2015 FY2014 FY2013 FY2012 Probation/Parole AdmissionsDWI Drug Court Participants Bry2014 FY2013 FY2014 FY2015 FY2014 FY20	, ,							
Drug Principal Diagnosis Drug Secondary Diagnosis Drug Court Participants B					Farental Alcohol and Drug Ose	2	U	U
Drug Secondary Diagnosis 24 33 34 Drug Court Participants 8 8 0 Probation/Parole AdmissionsDrug 86 91 75 ALCOHOL OUTLETS Alcohol On-Premise Drink Licenses 15 16 15 Prison AdmissionsDrug 45 53 47 Prison AdmissionsDWI 10 5 13 EMPLOYMENT Labor Force 8,380 8,799 8,417 Labor Force 8,380 8,799 8,417 Unemployed 46 67 614 646 Drug Court Participants 8 8 8 0 Probation/Parole AdmissionsDWI 12 24 19 Prison AdmissionsDWI 10 5 13 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all J					CRIMINAL JUSTICE	FY2014	FY2013	FY2012
ALCOHOL OUTLETS Alcohol On-Premise Drink Licenses Alcohol Package Carry-out Licenses 2014 2013 2012 Probation/Parole AdmissionsDrug Alcohol On-Premise Drink Licenses Alcohol Package Carry-out Licenses Alcohol On-Premise Drink Licenses Alcoholololololololololololololololololol					Drug Court Participants	8	8	0
Alcohol On-Premise Drink Licenses 15 16 15 Prison AdmissionsDrug 45 53 47 Alcohol Package Carry-out Licenses 23 23 25 Prison AdmissionsDWI 10 5 13 EMPLOYMENT Labor Force 8,380 8,799 8,417 Employed 7,760 8,185 7,771 Unemployed 620 614 646 Prison AdmissionsDrug 45 53 47 Prison AdmissionsDWI 10 5 13 45 Prison AdmissionsDWI 10 5 13 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals. 2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project. 3 Beginning in 2013, juvenile municipal violations, and violations of court orders are categorized as status offenses instead of law violations.	Drug Geoondary Diagnosis	24	აა	34	-	86	91	75
Alcohol On-Premise Drink Licenses 15 16 15 Prison AdmissionsDrug 45 53 47 Prison AdmissionsDWI 10 5 13 EMPLOYMENT Labor Force 8,380 8,799 8,417 Employed 7,760 8,185 7,771 Unemployed 620 614 646 Prison AdmissionsDWI 10 5 13 47 Prison AdmissionsDWI 10 5 13 48 Prison AdmissionsDWI 10 5 13 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals and all Joplin case reports are included in Jasper County totals and all Joplin case reports are included in Jasper County totals and all Joplin case reports are included in Jasper County totals and all Joplin case reports are included in Jasper County totals and all Joplin case reports are included in Jasper County totals and all Joplin case reports are included in Jasper County totals and all Joplin case reports are included in Jasper County totals and all Joplin case reports are included in Jasper County totals and all Joplin case reports are included in Jasper County totals and all Joplin case reports are included in Jasper County totals and all Joplin case reports are included in Jasper County totals and all Joplin case reports are included in Jasper County totals and all Joplin case reports are included in Jasper County totals and all Joplin case reports are included in Jasper County totals and all Joplin case reports are included in Jasper County totals and all Joplin case reports are included in Jasper County totals and all Joplin case reports are included in Jasper County totals and all Joplin case reports are included in Jasper County totals and all Joplin case reports are included in Jasper County totals and all Joplin case reports are included in Jasper County totals and all Joplin case reports are included in Jasper County totals and all Joplin case reports are included in Jasper County totals and all Joplin case reports are included in Jasper County totals and all Joplin case reports are included in Jasper County totals and all Joplin case reports are in	ALCOHOL OUT! FTS	2014	2013	2012	Probation/Parole AdmissionsDWI	12	24	19
Alcohol Package Carry-out Licenses 23 23 25 Prison AdmissionsDWI 10 5 13 EMPLOYMENT Labor Force 8,380 8,799 8,417 Employed 7,760 8,185 7,771 Unemployed 620 614 646 Prison AdmissionsDWI 10 5 13 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals. Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project. Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.					Prison AdmissionsDrug	45	53	47
Labor Force 8,380 8,799 8,417 Employed 7,760 8,185 7,771 Unemployed 620 614 646 totals and all Joplin case reports are included in Jasper County totals. 2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project. 3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.					Prison AdmissionsDWI	10	5	13
Labor Force 8,380 8,799 8,417 Employed 7,760 8,185 7,771 Unemployed 620 614 646 totals and all Joplin case reports are included in Jasper County totals. 2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project. 3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.	EMPLOYMENT	2014	2012	2012	1 All Kansas City hepatitis and TB case report	s are include	ed in Jackson	County
Employed 7,760 8,185 7,771 Unemployed 620 614 646 Unemployed 620 614 646 Unemployed 7,760 8,185 7,771 Unemployed 620 614 646					totals and all Joplin case reports are include	d in Jasper C	County totals.	
Unemployed 620 614 646 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.		•						
court orders are categorized as status offenses instead of law violations.					3 Beginning in 2013, juvenile municipal violation	ons, infractio	ns, and violat	ions of
	Unemployment Rate			7.7%	court orders are categorized as status offens	ses instead o	f law violation	ns.

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	45	44	47
CSTAR Adolescent	12	20	15
CSTAR Women and Children	14	17	14
CSTAR General Adult	88	73	40
CSTAR Opioid	0	0	0
Primary Recovery Treatment	71	103	136
Clinical SATOP (CIP, YCIP, SROP)	14	20	14
Other Substance Abuse Treatment	0	0	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	56	79	61
- Adolescent Diversion Education Prograr	0	0	0
- Offender Education Program	16	31	26
- Weekend Intervention Program	20	12	15
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	*	*
Compulsive Gambling	0	0	0
Recovery Supports	32	38	27
Early Intervention	*	*	*

NUMBER ADMITTED	FY2014	FY2013	FY2012	PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Total Individuals	217	228	215	Alcohol	59	69	60
		_		Marijuana / Hashish	67	83	78
AGE				Cocaine (total)	11	11	13
Under 18	16	23	15	- Crack	*	8	8
18 to 24	33	37	37	Stimulant (total)	59	39	37
25 to 29	35	38	48	- Methamphetamine	59	39	34
30 to 34	38	44	35	Heroin	0	*	*
35 to 39	34	24	27	Analgesic except Heroin	9	18	21
40 to 44	14	22	15	- Non-Prescription Methadone	0	0	0
45 to 54	37	28	29	PCP, LSD, other Hallucinogen	0	*	0
55 and Over	10	12	9	Tranquilizer	9	*	*
GENDER				Inhalant	*	0	0
Male	145	158	147	Sedative	*	*	*
Female	72	70	68	Other Medication or Illicit Drug	0	0	0
_				Average Age at First Use of Drug	18.5	17.8	18.2
RACE / ETHNICITY							
Caucasian	168	180	163	INJECTION DRUG USE			
African American	44	42	49	Any Injection Use at Admission	23	12	10
Native American / Alaskan		0		- Daily Injection Use	*	*	*
Asian / Pacific Islander	0	0	0	- Weekly Injection Use	*	*	*
Hispanic	*	*	*	- Less than Weekly Injection Use	18	5	6
Other Race / Two or More Races	*	6	0	2000 than trootiny injection coo	.0	· ·	· ·
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	97	106	95	0	143	134	127
High School Graduate or G.E.D.	99	105	108	1 or 2	44	47	55
Associate Degree or Some College	19	16	12	3 or More	30	47	33
Bachelor or Advanced Degree	*	*	0	TOTATAGENT DEFENDAL COURCE			
ENADLOVA AFAIT				TREATMENT REFERRAL SOURCE Self / Family / Friend	34	42	30
EMPLOYMENT Employed	50	47	48	School	0	0	*
Employed Unemployed	50 52	47 87	74	Mental Health Provider	*	0	*
Not in Labor Force	115		93	Health Care Provider	-	9	0
Not in Labor Force	115	94	93	Court / Criminal Justice	5 131	138	9 148
HOUSING / LIVING ARRANGEMENT					41	37	26
Independent Living	185	186	182	Other Referral Source	41	31	20
Dependent Living	23	34	26	TD5.4T4.51/T 4.6604.44.6D 4.7/04/			
Homeless	*	0	*	TREATMENT ACCOMMODATION	*	*	*
				Pregnant when Admitted to any Episode			
MARITAL / FAMILY STATUS	404	404	400	Military Veteran	11	9	5
Never Married	101	104	106	Special Education Services Needed	18	16	9
Married / Cohabitating	63	68	67	Co-Occurring Psychological Problem	63	63	46
Previously Married	53	56	42	Co-Occurring Developmental Problem	^	•	0

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Southeast
PSYCHIATRIC SERVICE AREA 20
CENSUS 2010 18,956
2014 POPULATION ESTIMATE 18,272

served because some individuals had more than one type of disorder.						
DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012			
Adjustment Disorder	18	17	20			
Anxiety Disorder	92	113	109			
Dementia	*	*	*			
Developmental Disorder	*	6	6			
Impulse Control Disorder	49	54	52			
Mood Disorder	224	219	200			
Personality Disorder	16	23	26			
Psychotic Disorder	59	54	54			
Sexual Disorder	*	0	0			
Other Diagnosis	38	37	32			
Diagnosis Unknown	19	30	20			

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number

NUMBER SERVED	FY2014	FY2013	FY2012	EDUCATION	FY2014	FY2013	FY2012
Total Individuals	378	385	331	Less than High School Diploma	162	146	56
Total Marviadalo	0.0	000	001	High School Grad or G.E.D.	0	0	30
AGE				Associate Degree or Some College	0	0	8
Under 6	7	*	5	Bachelor or Advanced Degree	0	0	0
6 to 9	18	23	19	Education Level Unknown	216	239	237
10 to 13	28	31	29	Education Edver Officiown	210	200	201
14 to 17	39	31	24	EMPLOYMENT			
18 to 24	32	30	27	Employed	10	25	9
25 to 29	31	32	21	Unemployed	29	32	62
30 to 34	29	38	36	Not in Labor Force	229	193	30
35 to 39	28	31	36	Employment Status Unknown	110	135	230
40 to 44	35	36	25				
45 to 49	31	26	24	HOUSING / LIVING ARRANGEMENT			
50 to 54	46	44	37	Independent Living	202	179	81
55 to 59	25	28	22	Dependent Living	95	106	35
60 and Over	29	31	26	Homeless	5	*	*
Age Unknown	0	0	0	Other	0	0	*
CENDED				Housing Unknown	76	98	213
GENDER Male	181	169	140				
Female	197	216	191	TREATMENT REFERRAL SOURCE			
				Self / Family / Friend	157	151	136
Gender Unknown	0	0	0	School	7	9	6
RACE / ETHNICITY				Mental Health Provider	45	48	46
Caucasian	288	304	260	Health Care Provider	75	77	59
African American	76	64	56	Court / Criminal Justice	23	18	10
Native American / Alaskan	*	*	*	Other	70	80	72
Asian / Pacific Islander	0	0	0	Referral Source Unknown	*	*	*
Hispanic	*	5	5				
Other Race	10	11	9	TYPE OF COMMITMENT	074	000	007
Race/Ethnicity Unknown	0	0	0	Voluntary	371	380	327
•				Civil	*	*	*
TREATMENT ACCOMMODATION	_	40	45	Criminal			*
Hearing Impaired	9	12	15	Sexual Predatory	0	0	0
Past or Current Military Service	6	6	6	Commitment Type Unknown	*	*	*

MISSOURI STUDENT SURVEY

	IVIIOO	OUI		DENI SORVET
Percent of students who have ever used:	2014	2012	2010	Percent who believe they risk harm if the
Alcohol	44.0	46.4	42.0	Alcohol (1 or 2 drinks daily)
Cigarettes	31.7	33.4	35.7	Alcohol (Binge: 5+ drinks once or twice
Chewing Tobacco	19.1	14.3	12.8	Alcohol (any use)
Marijuana	14.0	17.7	10.1	Cigarettes (1+ packs per day)
Inhalants	5.7	6.5	4.9	Cigarettes (any use)
Prescription medications not prescribed for student	7.2	10.2	10.2	Marijuana (once or twice a week)
Over-the-counter medications for non-medical use	4.8	3.1	4.4	Marijuana (any use)
Methamphetamine	1.4	0.7	0.3	Other: Cocaine, LSD, Meth, Club Drug
Cocaine	1.4	1.7	0.8	
Heroin	0.5	0.7	0.5	Percent of students who, in past 30 day
Hallucinogens	2.0	1.4	0.5	Were very sad
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.0	0.7	0.5	Were grouchy, irritable, or in a bad mo
Steroids not prescribed for student	1.9	1.0	1.6	Felt like not eating as ceiting more than
Synthetic drugs (K2, bath salts, Spice, etc)	3.9	5.8		Felt like not eating or eating more than
Average age of students' first use of:				Slept a lot more or a lot less than usual Had difficulty concentrating on school
Alcohol	12 /18	12.52	12 /3	nad difficulty concentrating on school
Cigarettes	_	12.19	_	Percent of students who, in past 12 mol
Marijuana		13.85	_	Seriously considered attempting suici
Inhalants		12.36		Made plan about how they would atter
mindiants	11.03	12.50	10.55	Attempted suicide
Percent of students who, in past 30 days, used:				Attempted suicide and resulting injury
Alcohol	18.4	22.9	18.6	had to be treated by doctor or nurse
Alcohol (Binge: 5+ drinks on one occassion)		14.3	10.7	Percent of students who, in past 12 mor
Cigarettes	13.0	16.7	10.8	Were threatened/injured with weapon
Chewing Tobacco	8.7	6.8	5.5	Were in a physical fight
Marijuana	6.8	8.2	3.6	Were in a fight and had to be treated to
Inhalants	2.4	1.0	1.6	•
Prescription medications not prescribed for student	2.9	6.2	6.8	Percent of students who, in past 3 mont
Over-the-counter medications for non-medical use	2.4	2.0	2.6	Were victims of mean rumors or lies s
Percent of students who, in past 2 weeks, used:				Were made fun of by others
Alcohol (Binge: 5+ drinks on one occassion)	10.6			Were victims of an embarrassing or he
According (blinge: 54 drilliks off offe occassion)	10.0			something posted on the internet
Percent whose friends used in past 12 months:				Spread mean rumors or lies about oth
Alcohol	51.7	57.8	58.9	Made fun of other people
Cigarettes	48.8	49.3	52.7	Posted something on the internet or so embarrass or hurt another student
Marijuana	34.0	38.0	35.1	empariass of nurt another student
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	13.4	10.7	13.0	Percent of students who agree that:
Descent who would likely use if offered by a best friend				Teachers notice and comment on stud
Percent who would likely use, if offered by a best friend: Alcohol	37.2	36.9	31.6	School provides feedback to parents of
Cigarettes	18.8	18.8	13.3	performance
Marijuana Marijuana	11.2	11.9	5.1	Rules are enforced fairly
waijuana	11.2	11.9	5.1	Students of all races/ethnicities are tre
Percent who say it would be wrong to use:				
Alcohol	58.7	60.1	63.7	Percent of students who agree that:
Cigarettes	76.9	75.4	81.0	Parents notice and comment on stude
Marijuana	82.3	83.2	87.9	Parents involve student in making fam
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	95.7	96.1	96.6	It is important to be honest with parent
Dercent where parents would disapprove if they use				consequences
Percent whose parents would disapprove if they use:	77.0	01.0	927	Student could ask parent for help with
Alcohol Cigarettes	77.0 89.5	81.0 90.3	82.7	W 101 1 10
Cigarettes		96.1	92.3	Missouri Student Survey is conducted Similar affirmative response choices fo
Marijuana	93.8	90. I	96.3	Blank data cells indicate estimates are
Percent who say it would be easy to obtain:				Survey is not conducted in every school
Alcohol	53.4	54.3	57.3	Estimates are not available for counties Percentages are estimates based on w
Cigarettes	55.8	55.7	55.5	Some year-to-year differences in perce
Cigarettes Marijuana	55.8 31.6	55.7 35.9	55.5 32.3	Data source: Missouri Institute of Ment

DENT SURVET			
December to the feet and the control to the control	2014	2012	2010
Percent who believe they risk harm if they use:	40.4		
Alcohol (1 or 2 drinks daily)	48.1		
Alcohol (Binge: 5+ drinks once or twice a week)	66.7		
Alcohol (any use)		73.8	81.6
Cigarettes (1+ packs per day)	81.6		
Cigarettes (any use)		82.5	80.4
Marijuana (once or twice a week)	67.1		
Marijuana (any use)		76.0	74.0
Other: Cocaine, LSD, Meth, Club Drug (any use)	92.6	95.5	91.7
Percent of students who, in past 30 days:			
Were very sad	18.8	20.1	16.8
Were grouchy, irritable, or in a bad mood	25.5	32.9	27.8
Felt hopeless about the future	11.1	10.0	9.7
Felt like not eating or eating more than usual	18.4	16.2	18.8
Slept a lot more or a lot less than usual	16.1	22.4	23.8
Had difficulty concentrating on school work	19.1	23.4	29.4
riad difficulty concentrating on school work	13.1	25.4	23.4
Percent of students who, in past 12 months:			
Seriously considered attempting suicide	15.2	8.2	7.9
Made plan about how they would attempt suicide	8.6	6.2	4.9
Attempted suicide	6.7	2.7	3.8
Attempted suicide and resulting injury, poisonng, or overdose	3.4	1.7	3.2
had to be treated by doctor or nurse	3.4	1.7	3.2
Percent of students who, in past 12 months:			
Were threatened/injured with weapon at school	6.2	4.5	8.0
Were in a physical fight	23.4	22.3	25.8
Were in a fight and had to be treated by a doctor or nurse	2.9	3.5	4.6
Percent of students who, in past 3 months:			
Were victims of mean rumors or lies spread at school	53.6	49.1	58.6
Were made fun of by others	61.2	60.4	68.4
Were victims of an embarrassing or hurtful text message or	25.1	19.4	22.2
something posted on the internet			
Spread mean rumors or lies about other kids at school	29.2	29.0	31.2
Made fun of other people	63.0	67.9	73.1
Posted something on the internet or sent a text that might	20.8	16.0	17.5
embarrass or hurt another student	20.0	10.0	
Percent of students who agree that:			
Teachers notice and comment on student's good work	71.9	72.1	72.5
School provides feedback to parents on positive student			
performance	50.7	47.9	41.5
Rules are enforced fairly	66.5	63.6	56.5
Students of all races/ethnicities are treated equal	79.9	72.4	74.7
·			
Percent of students who agree that:	Q1 O	9F 0	0 2.0
Parents notice and comment on student's good work	81.8	85.0	82.8
Parents involve student in making family decisions	67.5	69.9	71.1
It is important to be honest with parents regardless of consequences	82.8	84.9	85.1
•	70.4	04.5	70.0
Student could ask parent for help with a personal problem	76.1	81.5	78.6

d biennially. for individual questions are combined. e not available for item or geographic area. ool district nor reported for every county. es with small numbers of respondents. weighted data.

entages are not statistically significant.

ntal Health, 2010-2014 Missouri Student Surveys

MEM FOR COOK!							
DBH REGIO	N .	Southwest		IMPAIRED DRIVING	2013	2012	2011
DBH SERVI	CE AREAS			Alcohol Involved CrashesTotal	75	69	76
Substance	ce Use	9		Fatal Crashes	2	2	3
Adult Psy	chiatric	9		Injury Crashes	37	31	31
POPULATION				Property Damage Crashes	36	36	42
Census 2		58,114		Crash Fatalities	2	2	3
2014 Est	imate	58,598		Crash Injuries	49	42	37
		,		Drug Involved CrashesTotal	16	19	21
213				Fatal Crashes	1	0	2
				Injury Crashes	4	10	9
BIRTH RISK	2013	2012	2011	Property Damage Crashes	11	9	10
Resident BirthsTotal	708	746	754	Crash Fatalities	1	0	2
Mother Reported Smoking while Pregnar	nt 152	143	144	Crash Injuries	5	13	12
DISEASE INCIDENCE 1	2013	2012	2011				
HIV/AIDS Cases	0	1	0	POLICE REPORTS	2013	2012	2011
Hepatitis B Chronic, Acute, Prenatal	2	1	5	DUI Arrests, DWI Tracking System	343	350	370
Hepatitis C Chronic and Acute	33	20	44	Liquor Law Arrests	60	39	28
Tuberculosis Infection Cases	13	16	4	Drug Arrests	218	160	176
rasoroalosio illicollori cacco	10		•	Violent Offenses	86	114	73
DEATHS and INJURIES	2013	2012	2011	Property Offenses	1,533	1,549	1,298
Resident DeathsTotal	674	619	581	Domestic Violence Reports	416	424	352
Suicides	9	12	8		2014	2013	2012
Self-inflicted Injuries	46	49	59	Methamphetamine Lab Seizures	27	29	34
Homicides	2	3	2				
Assault Injuries	114	127	131	SCHOOL REPORTS	2013-14	2012-13	2011-12
Alcohol Induced Deaths	3	2	2	Enrollment Grades 9-12	2,490	2,450	2,457
Drug Induced Deaths	10	2	10	Drop-outs	62	44	57
Smoking Attributable Deaths	121	110	107	Drop-out Rate	2.5%	1.8%	2.3%
-				School Discipline Involving Alcohol	9	5	7
HOSPITAL EPISODES 2	2013	2012	2011	School Discipline Involving Drugs	23	16	29
Hospitalization, no Emergency Room:				School Discipline Involving Tobacco	0	0	1
Mental Illness Principal Diagnosis	259	276	373	JUVENILE COURT REFERRALS 3	2013	2012	2011
Mental Illness Secondary Diagnosis	868	1,222	1,468	Juvenile Violent Offenses	21	68	68
Alcohol Principal Diagnosis	15	39	50	Juvenile Alcohol Offenses	0	16	12
Alcohol Secondary Diagnosis	52	95	112	Juvenile Drug Offenses	2	17	20
Drug Principal Diagnosis	20	30	23	School Truancy Status Offense	2	11	6
Drug Secondary Diagnosis	31	53	68	Absent from Home Status Offense	11	29	25
Emergency Room + Hospitalization:				Beyond Parental Control Status Offense	10	30	29
Mental Illness Principal Diagnosis	202	170	45	Injurious Behavior Status Offense	8	24	22
Mental Illness Secondary Diagnosis	758	448	146	Child Abuse	41	39	61
Alcohol Principal Diagnosis	32	49	18	Child Neglect	144	154	133
Alcohol Secondary Diagnosis	62	72	21	Child Custody Issues	249	200	35
Drug Principal Diagnosis	38	26	11	,			
Drug Secondary Diagnosis	34	26	11	JUVENILE COURT PLACEMENTS	2013	2012	2011
Emergency Room, no Hospitalization:				Out-of-Home PlacementsTotal	159	185	173
Mental Illness Principal Diagnosis	328	411	440	Parental Alcohol Use Related	0	15	12
Mental Illness Secondary Diagnosis	3,183	2,989	2,690	Parental Drug Use Related	52	52	51
Alcohol Principal Diagnosis	87	78	70	Parental Alcohol and Drug Use	3	1	0
Alcohol Secondary Diagnosis	92	98	83	CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Principal Diagnosis	66	66	69	Drug Court Participants	87	119	95
Drug Secondary Diagnosis	100	100	105	Probation/Parole AdmissionsDrug	66	61	65
ALCOUGH OUTLETS	204.4	2042	2042	Probation/Parole AdmissionsDWI	43	44	37
Alcohol On Promise Prink Licenses	2014	2013	2012	Prison AdmissionsDrug	22	32	26
Alcohol On-Premise Drink Licenses	36	41	41	Prison AdmissionsDWI	18	28	11
Alcohol Package Carry-out Licenses	62	50	59				
EMPLOYMENT	2014	2013	2012	1 All Kansas City hepatitis and TB case report			County
Labor Force	28,860	29,511	28,754	totals and all Joplin case reports are include Beginning with 2010 data, diagnosis counts			es are
Employed	27,322	27,848	26,971	based on codes developed by the Healthcar	re Cost and L	Jtilization Proj	ject.
Unemployed	1,538	1,663	1,783	3 Beginning in 2013, juvenile municipal violati court orders are categorized as status offen:			
Unemployment Rate	5.3%	5.6%	6.2%	court orders are categorized as status offens	oco moredu 0	i iaw violatiOf	13.

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	36	49	29
CSTAR Adolescent	24	27	40
CSTAR Women and Children	59	60	52
CSTAR General Adult	141	101	104
CSTAR Opioid	0	0	0
Primary Recovery Treatment	5	*	15
Clinical SATOP (CIP, YCIP, SROP)	68	61	45
Other Substance Abuse Treatment	0	*	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	226	232	246
- Adolescent Diversion Education Prograr	14	10	*
- Offender Education Program	79	76	88
- Weekend Intervention Program	41	64	36
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	23	16	23
Compulsive Gambling	0	*	*
Recovery Supports	32	36	32
Early Intervention	11	14	26

NUMBER ADMITTED	FY2014	FY2013	FY2012	PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Total Individuals	315	290	302	Alcohol	128	137	136
				Marijuana / Hashish	64	54	67
AGE				Cocaine (total)	*	*	*
Under 18	21	25	39	- Crack	0	0	*
18 to 24	44	43	50	Stimulant (total)	90	66	68
25 to 29	49	57	53	- Methamphetamine	86	64	64
30 to 34	55	49	46	Heroin	*	0	0
35 to 39	40	30	39	Analgesic except Heroin	25	23	16
40 to 44	46	25	25	- Non-Prescription Methadone	0	*	0
45 to 54	43	51	39	PCP, LSD, other Hallucinogen	0	*	*
55 and Over	17	10	11		*	*	*
CENTER				Tranquilizer Inhalant	*	*	0
GENDER Male	194	179	190	Sedative	0	0	0
	_	-	112		0	*	5
Female	121	111	112	Other Medication or Illicit Drug	_		_
RACE / ETHNICITY				Average Age at First Use of Drug	17.9	17.6	16.8
Caucasian	287	268	272				
African American	6	*	11	INJECTION DRUG USE			
Native American / Alaskan	*	*	0	Any Injection Use at Admission	54	29	31
Asian / Pacific Islander	5	*	*	- Daily Injection Use	8	11	7
Hispanic	14	7	8	- Weekly Injection Use	18	8	8
Other Race / Two or More Races	8	13	10	- Less than Weekly Injection Use	28	10	16
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	119	111	121	0	143	136	145
High School Graduate or G.E.D.	98	111	109	1 or 2	96	95	98
Associate Degree or Some College	95	65	67	3 or More	76	59	59
Bachelor or Advanced Degree	*	*	5				
_				TREATMENT REFERRAL SOURCE		400	404
EMPLOYMENT	0.5		0.7	Self / Family / Friend	77	138	104
Employed	95	99	87	School	0	*	
Unemployed	119	84	94	Mental Health Provider			*
Not in Labor Force	101	107	121	Health Care Provider	28	23	14
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	173	79	133
Independent Living	261	242	234	Other Referral Source	35	46	45
Dependent Living	32	33	52				
Homeless	17	8	10	TREATMENT ACCOMMODATION			
	• • •	Ü	10	Pregnant when Admitted to any Episode	7	*	5
MARITAL / FAMILY STATUS				Military Veteran	14	16	6
Never Married	132	127	153	Special Education Services Needed	42	35	40
Married / Cohabitating	94	99	81	Co-Occurring Psychological Problem	161	147	145
Previously Married	89	64	68	Co-Occurring Developmental Problem	10	12	9

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Southwest
PSYCHIATRIC SERVICE AREA 9
CENSUS 2010 58,114
2014 POPULATION ESTIMATE 58,598

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.						
DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012			
Adjustment Disorder	42	29	39			
Anxiety Disorder	290	257	202			
Dementia	*	*	0			
Developmental Disorder	7	9	9			
Impulse Control Disorder	143	127	143			
Mood Disorder	412	411	398			
Personality Disorder	105	65	38			
Psychotic Disorder	92	92	93			
Sexual Disorder	*	*	0			
Other Diagnosis	56	50	48			
Diagnosis Unknown	135	149	146			

Individuals who received psychiatric services had the following types of

NUMBER SERVED	FY2014	FY2013	FY2012	EDUCATION	FY2014	FY2013	FY2012
Total Individuals	814	841	909	Less than High School Diploma	190	180	91
. otala.r.aaa.o	0	0	000	High School Grad or G.E.D.	0	*	94
AGE				Associate Degree or Some College	0	*	35
Under 6	16	21	11	Bachelor or Advanced Degree	0	0	7
6 to 9	55	64	62	Education Level Unknown	624	658	682
10 to 13	67	64	72	Education Edver Officiown	024	000	002
14 to 17	72	78	93	EMPLOYMENT			
18 to 24	94	73	99	Employed	42	42	34
25 to 29	71	84	76	Unemployed	54	37	172
30 to 34	57	67	73	Not in Labor Force	338	344	63
35 to 39	54	57	82	Employment Status Unknown	380	418	640
40 to 44	81	81	81				
45 to 49	72	75	93	HOUSING / LIVING ARRANGEMENT			
50 to 54	75	86	92	Independent Living	227	204	195
55 to 59	56	55	47	Dependent Living	202	181	77
60 and Over	44	36	28	Homeless	22	9	*
Age Unknown	0	0	0	Other	0	0	*
				Housing Unknown	363	447	632
GENDER				-			
Male	378	395	448	TREATMENT REFERRAL SOURCE			
Female	436	446	461	Self / Family / Friend	652	666	695
Gender Unknown	0	0	0	School	0	*	*
RACE / ETHNICITY				Mental Health Provider	17	23	33
Caucasian	747	783	849	Health Care Provider	53	34	39
African American	15	9	11	Court / Criminal Justice	51	53	69
Native American / Alaskan	8	8	8	Other	38	60	70
Asian / Pacific Islander	*	*	*	Referral Source Unknown	*	*	*
Hispanic	16	13	17				
Other Race	25	25	21	TYPE OF COMMITMENT			
Race/Ethnicity Unknown	0	0	0	Voluntary	766	795	841
	-	-	·	Civil	40	42	64
TREATMENT ACCOMMODATION				Criminal	5	*	*
Hearing Impaired	5	7	8	Sexual Predatory	0	0	0
Past or Current Military Service	10	9	18	Commitment Type Unknown	*	*	*

MISSOURI STUDENT SURVEY

			• .
Percent of students who have ever used:	2014	2012	2010
Alcohol	31.8	32.3	40.2
Cigarettes		25.0	30.2
Chewing Tobacco	13.5		17.7
Marijuana	12.9		
Inhalants	3.9	5.9	7.2
Prescription medications not prescribed for student	6.8	7.8	9.6
Over-the-counter medications for non-medical use	2.3	6.3	8.5
Methamphetamine	0.5	0.9	1.4
Cocaine	0.9	1.2	1.4
Heroin	0.1	0.5	0.7
Hallucinogens	2.2	2.5	2.0
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.6	1.3	1.4
Steroids not prescribed for student	1.4	1.5	1.3
Synthetic drugs (K2, bath salts, Spice, etc)	3.3	6.6	
Average age of students' first use of:			
Alcohol	12.61	12.11	12.33
Cigarettes	12.32	11.85	12.03
Marijuana	13.72	12.37	13.13
Inhalants	10.90	12.59	11.92
Percent of students who, in past 30 days, used:			
Alcohol	11.0	11.2	19.4
Alcohol (Binge: 5+ drinks on one occassion)	11.0	4.6	10.1
Cigarettes	8.6	8.4	_
Chewing Tobacco	5.2	7.8	9.5
Marijuana	4.7	_	
Inhalants	2.2	2.3	
Prescription medications not prescribed for student	3.3	4.3	5.2
Over-the-counter medications for non-medical use	1.1	4.4	5.1
Percent of students who, in past 2 weeks, used:			
Alcohol (Binge: 5+ drinks on one occassion)	4.6		
Percent whose friends used in past 12 months: Alcohol	42.1	43.7	54.5
Cigarettes	38.7	-	
Marijuana	26.6		
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	9.0	13.2	
•	0.0	10.2	10.0
Percent who would likely use, if offered by a best friend:			
Alcohol	21.0	21.7	
Cigarettes	12.0	12.5	15.8
Marijuana	10.8	8.6	10.6
Percent who say it would be wrong to use:			
Alcohol	68.2	69.7	63.5
Cigarettes	84.9		77.4
Marijuana	83.7	87.1	84.6
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.6	94.9	94.7
Percent whose parents would disapprove if they use:			
Alcohol	82.0	85.3	80.3
Cigarettes	92.8	94.0	92.3
Marijuana	93.6	96.8	95.3
Percent who say it would be easy to obtain:			
Alcohol	49.7	43.8	51.5
Cigarettes	50.8		53.8
Marijuana	29.1		31.1
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	13.5		15.4
,,,,,			•

DENT SURVEY			
Developed the following the second se	2014	2012	2010
Percent who believe they risk harm if they use: Alcohol (1 or 2 drinks daily)	59.0		
Alcohol (Binge: 5+ drinks once or twice a week)	72.7		
Alcohol (any use)	12.1	74.2	77.6
Cigarettes (1+ packs per day)	86.9		77.0
Cigarettes (any use)		81.1	80.8
Marijuana (once or twice a week)	67.9		
Marijuana (any use)		79.4	73.8
Other: Cocaine, LSD, Meth, Club Drug (any use)	93.8	95.1	93.8
Percent of students who, in past 30 days:			
Were very sad	22.6	20.0	19.4
Were grouchy, irritable, or in a bad mood	25.6	22.2	23.3
Felt hopeless about the future	14.0	11.7	9.7
Felt like not eating or eating more than usual	18.3	19.0	16.3
Slept a lot more or a lot less than usual	18.6	19.7	26.8
Had difficulty concentrating on school work	22.5	23.7	25.6
Percent of students who, in past 12 months:			
Seriously considered attempting suicide	15.6	11.4	9.5
Made plan about how they would attempt suicide	12.4	7.7	7.0
Attempted suicide	6.9	4.9	5.2
Attempted suicide and resulting injury, poisonng, or overdose had to be treated by doctor or nurse	1.8	1.7	8.0
Percent of students who, in past 12 months:			
Were threatened/injured with weapon at school	7.8	4.7	8.8
Were in a physical fight	19.3	19.7	25.8
Were in a fight and had to be treated by a doctor or nurse	3.4	2.8	4.2
Percent of students who, In past 3 months:			
Were victims of mean rumors or lies spread at school	49.9	50.0	56.6
Were made fun of by others	60.1	59.5	66.5
Were victims of an embarrassing or hurtful text message or something posted on the internet	24.6	18.8	16.1
Spread mean rumors or lies about other kids at school	20.1	23.4	31.0
Made fun of other people	47.7	54.5	66.1
Posted something on the internet or sent a text that might embarrass or hurt another student	11.1	10.6	14.6
Percent of students who agree that:			
Teachers notice and comment on student's good work	69.3	66.8	66.9
School provides feedback to parents on positive student performance	41.2	41.4	38.9
Rules are enforced fairly	59.7	62.9	61.2
Students of all races/ethnicities are treated equal	78.2	72.7	81.6
Percent of students who agree that:			
Parents notice and comment on student's good work	83.2	84.1	83.6
Parents involve student in making family decisions	68.3	74.1	71.5
It is important to be honest with parents regardless of	89.2	89.6	86.3
consequences	03.2	09.0	00.5
Student could ask parent for help with a personal problem	77.2	77.7	77.6
Missouri Student Survey is conducted bioppially			

Missouri Student Survey is conducted biennially.
Similar affirmative response choices for individual questions are combined.
Blank data cells indicate estimates are not available for item or geographic area. Survey is not conducted in every school district nor reported for every county. Estimates are not available for counties with small numbers of respondents. Percentages are estimates based on weighted data.

Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

NODAWAI COUNTI						
DBH REGION	Western		IMPAIRED DRIVING	2013	2012	2011
DBH SERVICE AREAS			Alcohol Involved CrashesTotal	17	11	12
Substance Use	1		Fatal Crashes	1	1	1
Adult Psychiatric	1		Injury Crashes	7	4	5
POPULATION			Property Damage Crashes	9	6	6
Census 2010	23,370		Crash Fatalities	1	1	3
2014 Estimate	23,081		Crash Injuries	8	5	10
L T L L L L L L L L L L L L L L L L L L			Drug Involved CrashesTotal	2	0	4
			Fatal Crashes	0	0	0
BIRTH RISK 201	.3 2012	2011	Injury Crashes	0	0	0
Resident BirthsTotal 23		206	Property Damage Crashes	2	0	4
	7 39		Crash Fatalities	0	0	0
			Crash Injuries	0	0	0
DISEASE INCIDENCE 1 201			POLICE REPORTS	2013	2012	2011
	0 0	0	DUI Arrests, DWI Tracking System	126	145	160
Hepatitis B Chronic, Acute, Prenatal	2 1	1	Liquor Law Arrests	255	360	358
•	3 7	12	Drug Arrests	103	98	130
Tuberculosis Infection Cases	1 2	0	Violent Offenses	56	28	70
DEATHS and INJURIES 201	.3 2012	2011	Property Offenses	324	383	430
Resident DeathsTotal 19		200	Domestic Violence Reports	57	76	88
Suicides	3 6	0	•	2014	2013	2012
	5 13	6	Methamphetamine Lab Seizures	0	0	0
•	0 0	0				
Assault Injuries 1	6 29	27	SCHOOL REPORTS	2013-14	2012-13	2011-12
Alcohol Induced Deaths	1 0	0	Enrollment Grades 9-12	836	818	820
Drug Induced Deaths	1 2	1	Drop-outs	6	8	3
Smoking Attributable Deaths 3	0 33	40	Drop-out Rate	0.7%	1.0%	0.4%
			School Discipline Involving Alcohol	0	0	0
HOSPITAL EPISODES 2 201	.3 2012	2011	School Discipline Involving Drugs	0	1	1
Hospitalization, no Emergency Room:			School Discipline Involving Tobacco	0	0	0
Mental Illness Principal Diagnosis 12		146	JUVENILE COURT REFERRALS 3	2013	2012	2011
Mental Illness Secondary Diagnosis 24		191	Juvenile Violent Offenses	13	7	6
, ,	6 6	4	Juvenile Alcohol Offenses	6	7	9
, ,	9 6 7 1	16	Juvenile Drug Offenses	3	3	4
3 1 1 3 1 1 1		1	School Truancy Status Offense	2	6	9
Drug Secondary Diagnosis 1 Emergency Room + Hospitalization:	0 10	9	Absent from Home Status Offense	0	0	2
	2 50	30	Beyond Parental Control Status Offense	38	44	25
Mental Illness Secondary Diagnosis 12		190	Injurious Behavior Status Offense	72	35	30
Alcohol Principal Diagnosis	2 4	7	Child Abuse	13	3	0
Alcohol Secondary Diagnosis	5 7	7	Child Neglect	144	94	102
Drug Principal Diagnosis	4 0	1	Child Custody Issues	1	13	0
	8 5	7	JUVENILE COURT PLACEMENTS	2013	2012	2011
Emergency Room, no Hospitalization:		•	Out-of-Home PlacementsTotal	65	31	49
Mental Illness Principal Diagnosis 14	4 126	127	Parental Alcohol Use Related	6	0	2
Mental Illness Secondary Diagnosis 92		392	Parental Drug Use Related	9	4	7
	2 16	24	Parental Alcohol and Drug Use	1	1	0
Alcohol Secondary Diagnosis	7 15	12	· ·			
	6 12	11	CRIMINAL JUSTICE	FY2014	FY2013	FY2012
	5 8	8	Drug Court Participants	13	14	14
- · · · · · · · · · · · · · · · · · · ·			Probation/Parole AdmissionsDrug	34	41	60
ALCOHOL OUTLETS 20:	L4 2013	2012	Probation/Parole AdmissionsDWI	12	12	9
Alcohol On-Premise Drink Licenses	27 27		Prison AdmissionsDrug	15	26	25
Alcohol Package Carry-out Licenses	9 18	19	Prison AdmissionsDWI	4	7	5
EMPLOYMENT 20	14 2013	2012	1 All Kansas City hepatitis and TB case report			County
Labor Force 11,63			totals and all Joplin case reports are include Beginning with 2010 data, diagnosis counts			es are
Employed 10,87	•	•	based on codes developed by the Healthcar			
Unemployed 75			3 Beginning in 2013, juvenile municipal violati- court orders are categorized as status offens			

6.5%

Unemployment Rate

5.5%

court orders are categorized as status offenses instead of law violations.

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TD5.4T4.54T 6.4T5.60DV	FY2014	FY2013	FY2012
TREATMENT CATEGORY			
Detoxification	*	*	7
CSTAR Adolescent	*	0	*
CSTAR Women and Children	*	*	0
CSTAR General Adult	11	9	16
CSTAR Opioid	0	0	0
Primary Recovery Treatment	49	54	64
Clinical SATOP (CIP, YCIP, SROP)	10	11	12
Other Substance Abuse Treatment	0	0	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	123	135	161
- Adolescent Diversion Education Prograr	50	53	76
- Offender Education Program	36	43	46
- Weekend Intervention Program	9	17	26
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	0	0
Compulsive Gambling	0	0	0
Recovery Supports	*	*	*
Early Intervention	*	10	28

NUMBER ADMITTED	FY2014	FY2013	FY2012	PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Total Individuals	68	67	92	Alcohol	29	40	37
4.05				Marijuana / Hashish	23	14	24
AGE Under 18	*	0	*	Cocaine (total)	0	0	0
18 to 24	26	25	35	- Crack	0	0	0
25 to 29	13	11	9	Stimulant (total)	7	9	16
30 to 34	5	9	19	- Methamphetamine	7	9	16
35 to 39	5	6	7	Heroin	*	0	0
40 to 44	5	8	5	Analgesic except Heroin	8	*	10
45 to 54	12	5	12	- Non-Prescription Methadone	0	0	0
55 and Over	12	*	*	PCP, LSD, other Hallucinogen	0	0	*
33 and Over				Tranquilizer	0	0	0
GENDER				Inhalant	0	0	*
Male	44	46	58	Sedative	0	0	0
Female	24	21	34	Other Medication or Illicit Drug	0	*	*
				Average Age at First Use of Drug	17.5	17.7	17.6
RACE / ETHNICITY	67	00	00				
Caucasian	67	66	88	INJECTION DRUG USE			
African American	0	0	0	Any Injection Use at Admission	10	7	7
Native American / Alaskan	0	0	0	- Daily Injection Use	*	0	*
Asian / Pacific Islander	0	0		- Weekly Injection Use	*	*	*
Hispanic		0	*	- Less than Weekly Injection Use	7	*	*
Other Race / Two or More Races	0	*	*	, ,			
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	8	9	19	0	40	31	60
High School Graduate or G.E.D.	41	37	44	1 or 2	21	22	21
Associate Degree or Some College	18	19	26	3 or More	7	14	11
Bachelor or Advanced Degree	*	*	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	15	9	10
Employed	31	28	35	School	0	0	0
Unemployed	20	22	35	Mental Health Provider	0	*	*
Not in Labor Force	17	17	22	Health Care Provider	0	*	*
Not in Eabor 1 0100	17	.,,	22	Court / Criminal Justice	41	48	70
HOUSING / LIVING ARRANGEMENT				Other Referral Source	12	4 0	5
Independent Living	59	64	87	Other Referral Source	12	3	5
Dependent Living	*	0	*	TREATMENT ACCOMMODATION			
Homeless	*	*	*	Pregnant when Admitted to any Episode	0	*	0
AAADITAL / FARAUV STATUS				Military Veteran	*	*	*
MARITAL / FAMILY STATUS Never Married	45	42	56	Special Education Services Needed	0	*	8
	45 13	9	19		26	25	30
Married / Cohabitating		16	19	Co-Occurring Psychological Problem	∠6 6	∠5 *	30 *
Previously Married	10	16	17	Co-Occurring Developmental Problem	б		

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Western
PSYCHIATRIC SERVICE AREA
CENSUS 2010 23,370
2014 POPULATION ESTIMATE 23,081

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.							
DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012				
Adjustment Disorder	5	6	5				
Anxiety Disorder	65	53	44				
Dementia	0	0	*				
Developmental Disorder	*	*	*				
Impulse Control Disorder	34	27	24				
Mood Disorder	102	88	75				
Personality Disorder	10	14	12				
Psychotic Disorder	14	17	17				
Sexual Disorder	0	*	0				
Other Diagnosis	17	14	12				
Diagnosis Unknown	q	12	10				

Individuals who received psychiatric services had the following types of

NUMBER SERVED	FY2014	FY2013	FY2012	EDUCATION	FY2014	FY2013	FY2012
Total Individuals	151	142	121	Less than High School Diploma	56	44	11
Total Marviadalo				High School Grad or G.E.D.	0	5	34
AGE				Associate Degree or Some College	0	*	15
Under 6	*	*	*	Bachelor or Advanced Degree	0	*	8
6 to 9	18	15	12	Education Level Unknown	95	90	53
10 to 13	13	18	13	Eddodion Edver Onknown	56	00	00
14 to 17	9	7	10	EMPLOYMENT			
18 to 24	15	15	7	Employed	10	9	6
25 to 29	10	6	8	Unemployed	16	27	58
30 to 34	12	12	7	Not in Labor Force	92	72	5
35 to 39	8	9	10	Employment Status Unknown	33	34	52
40 to 44	14	10	5				
45 to 49	12	11	14	HOUSING / LIVING ARRANGEMENT			
50 to 54	17	14	13	Independent Living	84	74	65
55 to 59	12	13	11	Dependent Living	37	46	17
60 and Over	7	9	10	Homeless	0	*	*
Age Unknown	0	0	0	Other	0	0	0
CENDED				Housing Unknown	30	21	38
GENDER Male	75	71	F.C.				
Female	75 76	7 1 71	56	TREATMENT REFERRAL SOURCE			
			65	Self / Family / Friend	43	37	40
Gender Unknown	0	0	0	School	*	*	*
RACE / ETHNICITY				Mental Health Provider	30	32	27
Caucasian	146	137	118	Health Care Provider	24	22	20
African American	*	*	*	Court / Criminal Justice	18	11	6
Native American / Alaskan	0	0	*	Other	32	35	25
Asian / Pacific Islander	0	0	0	Referral Source Unknown	*	*	*
Hispanic	*	*	0				
Other Race	*	*	*	TYPE OF COMMITMENT	450	4.40	440
Race/Ethnicity Unknown	0	0	0	Voluntary	150	140	119
•				Civil	0	0	*
TREATMENT ACCOMMODATION	_	40	4.4	Criminal	0	0	0
Hearing Impaired	8	13	11	Sexual Predatory	0	0	0
Past or Current Military Service	*	*	*	Commitment Type Unknown	*	*	*

MISSOURI STUDENT SURVEY

	IVIIOS	OUF	(1510	DENI SURVET			
Percent of students who have ever used:	2014	2012	2010	Percent who believe they risk harm if they use:	2014	2012	2010
Alcohol	42.4	46.8	38.8	Alcohol (1 or 2 drinks daily)	54.1		
Cigarettes	20.7	23.8	19.3	Alcohol (Binge: 5+ drinks once or twice a week)	64.1		
Chewing Tobacco	14.3	16.2	14.7	Alcohol (any use)		63.3	86.8
Marijuana	12.9	10.0	5.5	Cigarettes (1+ packs per day)	86.5		
Inhalants	2.1	3.0	2.1	Cigarettes (any use)		80.2	84.0
Prescription medications not prescribed for student	7.0	7.4	5.3	Marijuana (once or twice a week)	66.6		
Over-the-counter medications for non-medical use	1.8	4.7	3.6	Marijuana (any use)		72.9	75.0
Methamphetamine	0.3	0.9	0.2	Other: Cocaine, LSD, Meth, Club Drug (any use)	92.9	93.6	95.8
Cocaine	2.1	0.6	0.6	Percent of students who, in past 30 days:			
Heroin	0.3	0.4	0.0	Were very sad	17.3	17.0	13.7
Hallucinogens	2.0	2.8	8.0	Were grouchy, irritable, or in a bad mood	26.4	23.2	22.7
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	3.2	1.5	0.6	Felt hopeless about the future	10.9	10.1	12.0
Steroids not prescribed for student	2.1	1.7	0.6	Felt like not eating or eating more than usual	16.0	12.6	12.1
Synthetic drugs (K2, bath salts, Spice, etc)	2.6	3.4		Slept a lot more or a lot less than usual	17.5	18.5	20.6
Average age of students' first use of:				Had difficulty concentrating on school work	22.5	22.4	30.8
Alcohol	13.64	13.68	12.74	, , ,			
Cigarettes	13.34	13.47	12.42	Percent of students who, in past 12 months:	7.0	0.4	44.0
Marijuana	14.77	14.62	13.64	Seriously considered attempting suicide	7.9	6.4	11.0
Inhalants	9.60	14.34	11.21	Made plan about how they would attempt suicide	6.7	4.7	6.9
Descent of students who in next 20 days wood.				Attempted suicide Attempted suicide and resulting injury, poisoning, or overdose	3.8	2.1	3.9
Percent of students who, in past 30 days, used: Alcohol	21.8	20.1	14.2	had to be treated by doctor or nurse	2.1	0.7	2.0
Alcohol (Binge: 5+ drinks on one occassion)	21.0	11.3	10.3	·			
Cigarettes	8.5	10.7	8.3	Percent of students who, in past 12 months:			
Chewing Tobacco	10.0	9.1	7.6	Were threatened/injured with weapon at school	5.8	3.6	9.5
Marijuana	4.7	4.5	1.7	Were in a physical fight	17.5	14.1	16.6
Inhalants	0.6	1.1	1.1	Were in a fight and had to be treated by a doctor or nurse	2.3	1.7	2.1
Prescription medications not prescribed for student	3.2	3.4	3.6	Percent of students who, in past 3 months:			
Over-the-counter medications for non-medical use	0.9	3.0	2.5	Were victims of mean rumors or lies spread at school	44.9	43.8	56.6
Percent of students who, in past 2 weeks, used:				Were made fun of by others	57.6	63.5	74.8
Alcohol (Binge: 5+ drinks on one occassion)	14.7			Were victims of an embarrassing or hurtful text message or something posted on the internet	24.2	20.9	17.7
Percent whose friends used in past 12 months:				Spread mean rumors or lies about other kids at school	26.4	26.7	32.9
Alcohol	51.3	57.3	58.6	Made fun of other people	55.7	63.2	73.3
Cigarettes	31.9	35.5	39.6	Posted something on the internet or sent a text that might	18.7	14.7	16.2
Marijuana	26.8	28.8	17.5	embarrass or hurt another student			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	13.4	10.0	6.6	Percent of students who agree that:			
Percent who would likely use, if offered by a best friend:				Teachers notice and comment on student's good work	74.6	73.2	73.9
Alcohol	35.1	37.5	29.1	School provides feedback to parents on positive student	47.2	45.2	53.1
Cigarettes	12.3		12.1	performance	47.2	43.2	55.1
Marijuana	15.5	9.8	4.6	Rules are enforced fairly	55.1	55.6	72.0
Demand who are the would be unamented				Students of all races/ethnicities are treated equal	87.8	86.4	90.4
Percent who say it would be wrong to use:	E2 1	E1 E	62.6	Percent of students who agree that:			
Alcohol Cigarettes	53.1 79.2	54.5 77.8	63.6 84.1	Parents notice and comment on student's good work	83.9	87.6	87.1
Marijuana	76.4	85.2	91.7	Parents involve student in making family decisions	74.9	72.0	74.8
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	92.9	96.1	97.9	It is important to be honest with parents regardless of	04.5	07.0	07.0
•	02.0	50.1	07.0	consequences	84.5	87.0	87.3
Percent whose parents would disapprove if they use:				Student could ask parent for help with a personal problem	81.2	85.3	82.6
Alcohol	73.2		82.0				
Cigarettes	87.9	88.1	91.5	Missouri Student Survey is conducted biennially. Similar affirmative response choices for individual questions are	e combin	ed	
Marijuana	89.4	95.4	98.3	Blank data cells indicate estimates are not available for item or			
Percent who say it would be easy to obtain:				Survey is not conducted in every school district nor reported for	r every co	ounty.	
Alcohol	62.6	67.1	62.3	Estimates are not available for counties with small numbers of Percentages are estimates based on weighted data.	esponde	::IIS.	
Cigarettes	56.9			Some year-to-year differences in percentages are not statistical	.lly signifi	cant.	
Marijuana	36.1	35.6		Data source: Missouri Institute of Mental Health, 2010-2014 Mi	ssouri St	udent Si	ırvevs
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	13.5	14.4	9.9	CourseCook. Monda of Monda Hould, 2010 2014 Wil			

MAPAIRED DRIVING 2013 2012 2011 10 10 10 10 10	ONECON COCKIT							
Substance Use 18	DBH REGIO	N	Southeast		IMPAIRED DRIVING	2013	2012	2011
Martin Property Damage Crishes 6 9 8 8 9 8 9 8 9 9 9	DBH SERVICE	CE AREAS			Alcohol Involved CrashesTotal	9	19	17
Property Damage Crashes	Substance	e Use	18		Fatal Crashes	0	1	0
Carab Flatilities	Adult Psy	chiatric ·	18		Injury Crashes	3	9	8
Common C	POPULATIO	N			Property Damage Crashes	6	9	9
Dignature Company Co	Census 2	2010	10,881		Crash Fatalities	0	1	0
Pate Crashes 0 0 0 0 0 0 0 0 0	2014 Esti	imate	10,911		Crash Injuries	4	12	9
BIRTH RISK 121 124 130 132 2014 2014 2015	T.				Drug Involved CrashesTotal	4	7	6
Property Damage Crashes					Fatal Crashes	0	0	0
Property Damage Crashes	RIRTH RISK	2013	2012	2011	Injury Crashes	0	4	2
Mother Reported Smoking while Pregnant 41 32 46 Crash Fatallies 0 0 7 2					Property Damage Crashes	4	3	4
Crash Injuries Charles Quis 2011 Poll Arrests Quis 2011 Poll Arrests Quis 2011 Poll Arrests Quis 2011 Poll Arrests Quis Quis Quis Quis Poll Arrests Quis					Crash Fatalities	0	0	0
HIVIAIDS Cases	_				Crash Injuries	0	7	2
Hepatitis C Chronic and Acute	DISEASE INCIDENCE 1	2013	2012	2011	DOLLOS DEDORTS	2012	2012	2011
Hepatilis C Ortronic and Acute 6 5 7 7 7 7 7 7 7 7 7		0	0	0				
Tuberculos infection Cases 3 3 5 5 7 7 7 7 7 7 7 7		2	1	2				
DEATHS and INWRIES 2013 2012 2011 Property Offenses 18 40 11	Hepatitis C Chronic and Acute	6	5		•		_	
DEATHS and INVURIES 2013 2012 2011 Property Offenses 115 117 95 Resident Deaths—Total 151 135 137 Domessic Violence Reports 32 29 7 Suicides 30 23 25 Methamphetamine Lab Seizures 0 0 3 Self-inflicted Injuries 18 31 29 Enrollment Grades 0 0 3 Alcohol Induced Deaths 0 0 0 0 0 0 0 Smoking Attributable Deaths 26 21 24 Drop-out Rate 0.2% 0.3% 0.2% Smoking Attributable Deaths 26 21 24 Drop-out Rate 0.2% 0.3% 0.2% HOSPITAL EPISODES 20 2013 2012 2011 School Discipline Involving Drugs 4 3 8 Mental Illness Principal Diagnosis 124 149 124 149 124 149 124 149 124 149 124	Tuberculosis Infection Cases	3	3	5	•			
Resident DeathsTotal 151 135 137 Domestic Violence Reports 32 29 7	D54710 / 1011110150	2042	2012	2044				
Suicides								
Self-inflicted Injuries					Domestic violence Reports			
Homicides					Mothamphotamina Lah Saizuras			
Assault Injuries	•				Methamphetamine Lab Seizures	U	U	3
Acchol Principal Diagnosis 1					SCHOOL REPORTS	2013-14	2012-13	2011-12
Drug Induced Deaths 1	•				Enrollment Grades 9-12	592	652	632
Smoking Attributable Deaths 26					Drop-outs	1	2	1
HOSPITAL EPISODES 2					Drop-out Rate	0.2%	0.3%	0.2%
Hospitalization, no Emergency Room: Mental Illness Principal Diagnosis 124 149 124 1	Smoking Attributable Deaths	20	21	24	School Discipline Involving Alcohol	0	0	1
Mental Illness Principal Diagnosis 124 149 124 149 124 149 124 149 124 149 124 149 124 149 124 149 124 149 124 149 124 149 124 149 149 140	HOSPITAL EPISODES 2	2013	2012	2011	School Discipline Involving Drugs	4	3	8
Mental Illness Secondary Diagnosis					School Discipline Involving Tobacco	0	0	0
Alcohol Principal Diagnosis 5 13 8 Alcohol Secondary Diagnosis 5 13 8 Alcohol Secondary Diagnosis 22 30 22 Drug Principal Diagnosis 21 19 10 Drug Secondary Diagnosis 23 25 16 Emergency Room + Hospitalization: Mental Illness Principal Diagnosis 2 7 7 1 Mental Illness Principal Diagnosis 2 8 20 21 Alcohol Principal Diagnosis 1 1 1 0 By Principal Diagnosis 1 1 1 1 0 Child Abuse 8 1 3 3 1 3 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Mental Illness Principal Diagnosis	124	149	124	### 5 COURT DESERBAGE 3	2012	2012	2011
Alcohol Secondary Diagnosis 2 30 22 30 22 30 22 30 22 30 22 30 22 30 22 30 30	Mental Illness Secondary Diagnosis	232	293	288				
Alcohol Secondary Diagnosis 22 30 22 22 23 25 16 25 25 25 25 26 27 27 28 27 28 28 20 27 28 28 20 27 28 28 20 28 28 20 29 28 29 29 29 29 20 29 20 20	Alcohol Principal Diagnosis	5	13	8				
Drug Principal Diagnosis Drug Secondary Diagnosis Emergency Room + Hospitalization: Mental Illness Principal Diagnosis Alcohol Principal Diagnosis Drug Secondary Diagnosis Alcohol Principal Diagnosis Drug Secondary Diagno	Alcohol Secondary Diagnosis	22	30	22			_	
Emergency Room + Hospitalization: Mental Illness Principal Diagnosis Alcohol Principal Diagnosis Drug Secondary Diagnosis Alcohol Secondary Diagnosis Drug Secondary Diagnosis Belavior Status Offense Beyond Parental Control Status Offense Child Abuse Beyond Parental Control Status Offense Beyond Parental Control Status Offense Beyond Parental Control Status Offense Child Abuse Child Abuse Child Abuse Child Abuse Child Custody Issues Child Custody Issues Colid Custody Issues Colid Custody Issues Colid Custody Issues Dut-of-Home PlacementsTotal Beyond Parental Alcohol Use Related Dut-of-Home PlacementsTotal Beyond Parental Alcohol Use Related Dut-of-Home PlacementsTotal Beyond Parental Control Status Offense	Drug Principal Diagnosis	21	19	10		_	_	
Mental Illness Principal Diagnosis 2 7 1 Injurious Behavior Status Offense 6 6 6 7 Injurious Behavior Status Offense 16 14 7 Injurious Behavior Status Offense 16 6 6 7 Injurious Behavior Status Offense 16 Injurious Behavior Sta	Drug Secondary Diagnosis	23	25	16	-			
Mental Illness Principal Diagnosis271Injurious Behavior Status Offense16147Mental Illness Secondary Diagnosis282021Child Abuse813Alcohol Principal Diagnosis110Child Abuse813Alcohol Secondary Diagnosis225Child Neglect301231Drug Principal Diagnosis130065Drug Secondary Diagnosis021JUVENILE COURT PLACEMENTS201320122011Emergency Room, no Hospitalization:0ut-of-Home PlacementsTotal18106Mental Illness Principal Diagnosis8892106Parental Alcohol Use Related130Mental Illness Secondary Diagnosis605547203Parental Alcohol Use Related130Alcohol Principal Diagnosis10168Parental Alcohol and Drug Use000Alcohol Secondary Diagnosis14910CRIMINAL JUSTICEFY2014FY2013FY2012Drug Secondary Diagnosis14910CRIMINAL JUSTICEFY2014FY2013FY2012Drug Secondary Diagnosis141918Drug Court Participants000Drug Secondary Diagnosis141918Prison AdmissionsDrug111ALCOHOL OUTLETS201420132012Prison AdmissionsDrug5	Emergency Room + Hospitalization:						•	
Alcohol Principal Diagnosis Alcohol Secondary Diagnosis Alcohol Secondary Diagnosis Drug Principal Diagnosis Drug Principal Diagnosis Drug Secondary Diagnosis Bas 92 Drug Secondary Diagnosis Drug Secondary Diagnosis Drug Secondary Diagnosis Drug Principal Diagnosis Drug Secondary Drug Secon	Mental Illness Principal Diagnosis	2	7	1				
Alcohol Principal Diagnosis Alcohol Secondary Diagnosis Drug Secondary Diagnosis Drug Secondary Diagnosis Drug Secondary Diagnosis Out-of-Home PlacementsTotal Mental Illness Principal Diagnosis Mental Illness Principal Diagnosis Mental Illness Secondary Diagnosis Mental Illness Principal Diagnosis Mental Illness Related Mental Illness Principal Diagnosis Mental Illness Related Ment	Mental Illness Secondary Diagnosis	28	20	21				
Alconol Secondary Diagnosis 1 3 0 Child Custody Issues 0 6 5 Drug Secondary Diagnosis 0 2 1 JUVENILE COURT PLACEMENTS 2013 2012 2011 Emergency Room, no Hospitalization: Mental Illness Principal Diagnosis 88 92 106 Parental Alcohol Use Related 1 3 0 Mental Illness Secondary Diagnosis 605 547 203 Parental Drug Use Related 8 6 0 Alcohol Principal Diagnosis 10 16 8 Parental Alcohol and Drug Use 0 0 0 0 Alcohol Secondary Diagnosis 13 17 14 Drug Principal Diagnosis 14 9 10 Drug Secondary Diagnosis 14 19 18 CRIMINAL JUSTICE FY2014 FY2013 FY2012 Drug Secondary Diagnosis 14 19 18 Probation/Parole AdmissionsDrug 12 19 11 ALCOHOL OUTLETS 2014 2013 2012 Probation/Parole AdmissionsDrug 5 4 6 Alcohol Package Carry-out Licenses 4 5 7 Prison AdmissionsDrug 5 4 6 Alcohol Package Carry-out Licenses 4, 129 4,693 4,488 Employed 3,820 4,383 4,175 Use Secondary Diagnosis on diagnosis of law violations of law violations, infractions, and violations of law violations.	Alcohol Principal Diagnosis	1	1	0				
Drug Principal Diagnosis Drug Secondary Diagnosis Drug Secondary Diagnosis Mental Illness Principal Diagnosis Mental Illness Principal Diagnosis Mental Illness Secondary Diagnosis Drug Principal Diagnosis Mental Illness Secondary Diagnosis Mental Illness Secondary Diagnosis Drug Principal Diagnos	Alcohol Secondary Diagnosis	2	2	5				
Emergency Room, no Hospitalization:Out-of-Home PlacementsTotal18106Mental Illness Principal Diagnosis8892106Parental Alcohol Use Related130Mental Illness Secondary Diagnosis605547203Parental Drug Use Related860Alcohol Principal Diagnosis10168Parental Alcohol and Drug Use000Alcohol Secondary Diagnosis13171414910CRIMINAL JUSTICEFY2014FY2013FY2012Drug Principal Diagnosis141918Drug Court Participants0000Drug Secondary Diagnosis141918Drug Court Participants0000ALCOHOL OUTLETS201420132012Probation/Parole AdmissionsDrug121911ALCOHOL OP-Premise Drink Licenses457Prison AdmissionsDrug546Alcohol Package Carry-out Licenses131010Prison AdmissionsDWI272EMPLOYMENT2014201320121All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and All Joplin case reports are included in Jackson County totals and All Joplin case reports are included	Drug Principal Diagnosis	1	3	0	Offilia Gustody Issues	U	U	3
Mental Illness Principal Diagnosis8892106Parental Alcohol Use Related130Mental Illness Secondary Diagnosis605547203Parental Drug Use Related860Alcohol Principal Diagnosis10168Parental Alcohol and Drug Use000Alcohol Secondary Diagnosis131714000Drug Principal Diagnosis14910CRIMINAL JUSTICEFY2014FY2013FY2012Drug Secondary Diagnosis141918Drug Court Participants000Drug Court Participants0000Probation/Parole AdmissionsDrug121911ALCOHOL OUTLETS201420132012Probation/Parole AdmissionsDWI255Alcohol Package Carry-out Licenses457Prison AdmissionsDWI255Alcohol Package Carry-out Licenses131010Prison AdmissionsDWI272EMPLOYMENT2014201320121All Kansas City hepatitis and TB case reports are included in Jasper County totals.Labor Force4,1294,6934,4882Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.Unemployed309310313Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses ins	Drug Secondary Diagnosis	0	2	1	JUVENILE COURT PLACEMENTS	2013	2012	2011
Mental Illness Secondary Diagnosis605547203Parental Drug Use Related860Alcohol Principal Diagnosis10168Parental Alcohol and Drug Use000Alcohol Secondary Diagnosis131714000Drug Principal Diagnosis14910CRIMINAL JUSTICEFY2014FY2013FY2012Drug Secondary Diagnosis141918Drug Court Participants000Drug Court Participants0000Probation/Parole AdmissionsDrug121911ALCOHOL OUTLETS201420132012Probation/Parole AdmissionsDWI255Alcohol Package Carry-out Licenses457Prison AdmissionsDWI255Alcohol Package Carry-out Licenses131010Prison AdmissionsDWI272EMPLOYMENT2014201320121All Kansas City hepatitis and TB case reports are included in Jasper County totals.Labor Force4,1294,6934,4882Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.Unemployed309310313Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations of court orders are categorized as status offenses instead of law violations.	Emergency Room, no Hospitalization:				Out-of-Home PlacementsTotal	18	10	6
Alcohol Principal Diagnosis 10 16 8 Parental Alcohol and Drug Use 0 0 0 0 0 Alcohol Secondary Diagnosis 13 17 14 Drug Principal Diagnosis 14 9 10 CRIMINAL JUSTICE FY2014 FY2013 FY2012 Drug Secondary Diagnosis 14 19 18 Drug Court Participants 0 0 0 0 Probation/Parole AdmissionsDrug 12 19 11 ALCOHOL OUTLETS Alcohol On-Premise Drink Licenses 4 5 7 Prison AdmissionsDrug 5 4 16 Alcohol Package Carry-out Licenses 13 10 10 Prison AdmissionsDWI 2 7 Prison AdmissionsDWI 2 7 Prison AdmissionsDWI 2 7 Prison AdmissionsDWI 2 8 Prison AdmissionsDWI 2 9 Prison AdmissionsDWI 2 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals. 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals. 2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project. 3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.	Mental Illness Principal Diagnosis	88	92	106	Parental Alcohol Use Related	1	3	0
Alcohol Secondary Diagnosis 13 17 14 Drug Principal Diagnosis 14 9 10 Drug Secondary Diagnosis 14 19 18 Drug Court Participants 0 0 0 0 Probation/Parole AdmissionsDrug 12 19 11 ALCOHOL OUTLETS Alcohol On-Premise Drink Licenses 4 5 7 Prison AdmissionsDrug 5 4 6 Alcohol Package Carry-out Licenses 13 10 10 10 EMPLOYMENT Labor Force 4,129 4,693 4,488 Employed Unemployed 2 3,820 4,383 4,175 Unemployed 2 300 2012 CRIMINAL JUSTICE FY2014 FY2013 FY2012 Probation/Parole AdmissionsDrug 12 19 11 Probation/Parole AdmissionsDWI 2 5 5 Prison AdmissionsDrug 5 4 6 Prison AdmissionsDWI 2 7 2 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included i	Mental Illness Secondary Diagnosis	605	547	203	Parental Drug Use Related	8	6	0
Drug Principal Diagnosis 14 9 10 CRIMINAL JUSTICE FY2014 FY2013 FY2012 Drug Secondary Diagnosis 14 19 18 Drug Court Participants 0 0 0 0 Probation/Parole AdmissionsDrug 12 19 11 ALCOHOL OUTLETS Alcohol On-Premise Drink Licenses 4 5 7 Prison AdmissionsDrug 5 4 6 Alcohol Package Carry-out Licenses 13 10 10 Prison AdmissionsDWI 2 7 2 EMPLOYMENT Labor Force 4,129 4,693 4,488 Employed 3,820 4,383 4,175 Unemployed CRIMINAL JUSTICE FY2014 FY2013 FY2012 Drug Court Participants 0 0 0 0 Probation/Parole AdmissionsDrug 12 19 11 Prison AdmissionsDWI 2 5 5 Prison AdmissionsDWI 2 7 2 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case rep	Alcohol Principal Diagnosis	10	16	8	Parental Alcohol and Drug Use	0	0	0
Drug Secondary Diagnosis 14 19 18 Drug Court Participants Drug Court Participants 0 0 0 Probation/Parole AdmissionsDrug 12 19 11 ALCOHOL OUTLETS Alcohol On-Premise Drink Licenses 4 5 7 Alcohol Package Carry-out Licenses 13 10 10 Prison AdmissionsDrug 5 4 6 Prison AdmissionsDWI 2 7 2 EMPLOYMENT Labor Force 4,129 4,693 4,488 Employed 3,820 4,383 4,175 Unemployed 309 310 313 Drug Court Participants 0 0 0 0 0 Probation/Parole AdmissionsDrug 12 19 11 Probation/Parole AdmissionsDWI 2 5 5 Prison AdmissionsDWI 2 7 2 All Kansas City hepatitis and TB case reports are included in Jasper County totals. 2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project. 3 Beginning in 2013, juvenile municipal violations, and violations of court orders are categorized as status offenses instead of law violations.		13	17		COMMINAL MICTICS	EV204.4	EVOCAC	EV2042
Probation/Parole AdmissionsDrug 12 19 11 ALCOHOL OUTLETS Alcohol On-Premise Drink Licenses 4 5 7 Prison AdmissionsDrug 5 4 6 Alcohol Package Carry-out Licenses 13 10 10 10 Prison AdmissionsDWI 2 7 2 EMPLOYMENT Labor Force 4,129 4,693 4,488 Employed 3,820 4,383 4,175 Unemployed 309 310 313 Probation/Parole AdmissionsDrug 12 19 11 Probation/Parole AdmissionsDWI 2 5 5 5 Prison AdmissionsDWI 2 7 2 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports	Drug Principal Diagnosis	14	9	10				
ALCOHOL OUTLETS Alcohol On-Premise Drink Licenses Alcohol Package Carry-out Licenses A	Drug Secondary Diagnosis	14	19	18				
Alcohol On-Premise Drink Licenses 4 5 7 Prison AdmissionsDrug 5 4 6 Alcohol Package Carry-out Licenses 13 10 10 10 Prison AdmissionsDWI 2 7 2 EMPLOYMENT Labor Force 4,129 4,693 4,488 Employed 3,820 4,383 4,175 Unemployed 309 310 313 Prison AdmissionsDrug 5 4 6 Prison AdmissionsDWI 2 7 2 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Jopli					3			
Alcohol Package Carry-out Licenses 13 10 10 Prison AdmissionsDWI 2 7 2 EMPLOYMENT Labor Force 4,129 4,693 4,488 Employed 3,820 4,383 4,175 Unemployed 309 310 313 Prison AdmissionsDWI 2 7 2 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals and all Joplin case reports are included in Jasper County totals. Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project. Beginning in 2013, juvenile municipal violations, infractions, and violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.								
EMPLOYMENT Labor Force 4,129 4,693 4,488 Employed 3,820 4,383 4,175 Unemployed 4,693 309 310 4,488 313 4,175 4,693 4,488 5,693 4,488 4,175 5,693 4,488 5,693 4,488 4,175 5,693 4,488 5,693 4,175 5,693 4,488 5,693 4,175 5,693 4,488 5,693 4,175 5,693 5,793 6,793					_			
Labor Force 4,129 4,693 4,488 Employed 3,820 4,383 4,175 Unemployed 309 310 313 totals and all Joplin case reports are included in Jasper County totals. Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project. Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.	Alcohol Package Carry-out Licenses	13	10	10	1 113011 AUI1113310113DVVI	۷	′	۷
Labor Force 4,129 4,693 4,488 Employed 3,820 4,383 4,175 Unemployed 309 310 313 Labor Force 4,129 4,693 4,488 Employed 3,820 4,383 4,175 Unemployed 309 310 313 Labor Force 4,129 4,693 4,488 Employed 3,820 4,383 4,175 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project. Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.	EMPLOYMENT	2014	2013	2012				County
Employed 3,820 4,383 4,175 Unemployed 309 310 313 Employed 3,820 4,383 4,175 Unemployed 309 310 313 Employed 309 310 313								os aro
Unemployed 309 310 313 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.		•						
Court orders are categorized as status orienses instead or law violations.	• •				3 Beginning in 2013, juvenile municipal violati	ons, infraction	ns, and violat	ions of
	Unemployment Rate			7.0%	court orders are categorized as status offens	ses instead o	t law violation	ns.

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TOTATAGENT CATECODY	FY2014	FY2013	FY2012
TREATMENT CATEGORY			
Detoxification	12	8	13
CSTAR Adolescent	5	*	*
CSTAR Women and Children	*	6	*
CSTAR General Adult	22	16	13
CSTAR Opioid	0	0	0
Primary Recovery Treatment	*	5	25
Clinical SATOP (CIP, YCIP, SROP)	*	10	6
Other Substance Abuse Treatment	0	0	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	29	28	40
- Adolescent Diversion Education Prograr	0	0	0
- Offender Education Program	13	8	22
- Weekend Intervention Program	7	*	5
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	*	*
Compulsive Gambling	0	0	0
Recovery Supports	0	*	*
Early Intervention	0	0	0

NUMBER ADMITTED	FY2014	FY2013	FY2012	PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Total Individuals	38	42	38	Alcohol	13	17	18
				Marijuana / Hashish	11	*	7
AGE		*	*	Cocaine (total)	0	*	0
Under 18	6			- Crack	0	*	0
18 to 24	7	8	10	Stimulant (total)	11	14	6
25 to 29		7	*	- Methamphetamine	11	14	6
30 to 34	6	9	5	Heroin	0	0	0
35 to 39	*	7	*	Analgesic except Heroin	*	7	6
40 to 44	*	0	*	- Non-Prescription Methadone	0	0	0
45 to 54	5	*	10	PCP, LSD, other Hallucinogen	0	0	0
55 and Over	*	*	*	Tranquilizer	0	*	0
GENDER				Inhalant	0	0	0
Male	27	23	24	Sedative	0	0	0
Female	11	19	14	Other Medication or Illicit Drug	0	0	*
· Small				Average Age at First Use of Drug	17.9	18.5	15.9
RACE / ETHNICITY							
Caucasian	36	40	38	INJECTION DRUG USE			
African American	0	*	0	Any Injection Use at Admission	9	12	5
Native American / Alaskan	*	*	0	- Daily Injection Use	*	0	0
Asian / Pacific Islander	0	0	0	- Weekly Injection Use	*	*	*
Hispanic	0	*	0	- Less than Weekly Injection Use	*	8	*
Other Race / Two or More Races	*	0	0	Less than Weekly Injection Osc		O	
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	14	13	23	0	24	17	19
High School Graduate or G.E.D.	16	24	15	1 or 2	13	16	13
Associate Degree or Some College	8	5	0	3 or More	*	9	6
Bachelor or Advanced Degree	0	0	0	TOTATALENT DEFENDAL COURCE			
EMPLOYMENT				TREATMENT REFERRAL SOURCE Self / Family / Friend	12	17	8
Employed	*	5	*	School	0	0	0
Unemployed	9	18	19	Mental Health Provider	0	*	0
Not in Labor Force	25	19	17	Health Care Provider	*	*	*
Not in Labor Porce	23	19	17	Court / Criminal Justice	9	15	25
HOUSING / LIVING ARRANGEMENT				Other Referral Source	13	8	23 *
Independent Living	29	34	35	Other Referral Source	13	0	
Dependent Living	7	7	*	TREATMENT ACCOUNT OR ATION			
Homeless	*	0	0	TREATMENT ACCOMMODATION	0	*	*
AAADITAL / FARALLY STATUS				Pregnant when Admitted to any Episode	0	*	0
MARITAL / FAMILY STATUS	10	10	16	Military Veteran	*	*	*
Never Married Married / Cohabitating	13	19 12	16 6	Special Education Services Needed	1.1		10
Married / Cohabitating	11			Co-Occurring Psychological Problem	14	14	10 0
Previously Married	14	11	16	Co-Occurring Developmental Problem			Ü

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Southeast
PSYCHIATRIC SERVICE AREA 18
CENSUS 2010 10,881
2014 POPULATION ESTIMATE 10,911

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.							
DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012				
Adjustment Disorder	19	18	*				
Anxiety Disorder	100	108	89				
Dementia	*	*	*				
Developmental Disorder	0	0	0				
Impulse Control Disorder	41	39	23				
Mood Disorder	151	170	124				
Personality Disorder	10	9	6				
Psychotic Disorder	19	20	12				
Sexual Disorder	0	0	0				
Other Diagnosis	9	6	8				
Diagnosis Unknown	19	11	9				

Individuals who received psychiatric services had the following types of

NUMBER SERVED	FY2014	FY2013	FY2012	EDUCATION	FY2014	FY2013	FY2012
Total Individuals	237	239	179	Less than High School Diploma	63	57	38
Total Marviadalo	201	200	110	High School Grad or G.E.D.	0	0	20
AGE				Associate Degree or Some College	0	0	*
Under 6	0	0	*	Bachelor or Advanced Degree	0	0	0
6 to 9	9	*	7	Education Level Unknown	174	182	118
10 to 13	14	11	6	Education Edver Officiowin	174	102	110
14 to 17	12	11	13	EMPLOYMENT			
18 to 24	30	31	25	Employed	20	30	5
25 to 29	24	18	13	Unemployed	37	40	47
30 to 34	23	21	8	Not in Labor Force	106	135	36
35 to 39	21	22	19	Employment Status Unknown	74	34	91
40 to 44	19	24	23				
45 to 49	24	32	25	HOUSING / LIVING ARRANGEMENT			
50 to 54	35	30	21	Independent Living	102	151	72
55 to 59	8	17	10	Dependent Living	34	30	19
60 and Over	18	18	8	Homeless	8	6	0
Age Unknown	0	0	0	Other	0	0	0
				Housing Unknown	93	52	88
GENDER	440	400					
Male	118	103	74	TREATMENT REFERRAL SOURCE			
Female	119	136	105	Self / Family / Friend	119	161	93
Gender Unknown	0	0	0	School	*	*	*
RACE / ETHNICITY				Mental Health Provider	*	*	*
Caucasian	231	230	172	Health Care Provider	89	51	43
African American	*	*	*	Court / Criminal Justice	0	*	*
Native American / Alaskan	0	*	*	Other	26	22	34
Asian / Pacific Islander	0	0	0	Referral Source Unknown	0	0	0
Hispanic	*	*	*				
Other Race	*	*	*	TYPE OF COMMITMENT			
Race/Ethnicity Unknown	0	0	0	Voluntary	237	239	179
•	_	-		Civil	0	0	0
TREATMENT ACCOMMODATION				Criminal	0	0	0
Hearing Impaired	8	8	11	Sexual Predatory	0	0	0
Past or Current Military Service	*	*	*	Commitment Type Unknown	0	0	0

MISSOURI STUDENT SURVEY

		00.					
Percent of students who have ever used:	2014	2012	2010	Percent who believe they risk harm if they use:	2014	2012	2010
Alcohol		37.6	37.2	Alcohol (1 or 2 drinks daily)			
Cigarettes		31.2	33.6	Alcohol (Binge: 5+ drinks once or twice a week)			
Chewing Tobacco		23.1	22.8	Alcohol (any use)		78.0	81.7
Marijuana		12.7		Cigarettes (1+ packs per day)			
Inhalants		5.8	5.7	Cigarettes (any use)		80.3	78.4
Prescription medications not prescribed for student		12.6	8.2	Marijuana (once or twice a week)			
Over-the-counter medications for non-medical use		8.1	6.5	Marijuana (any use)		81.4	80.3
Methamphetamine		1.8	0.4	Other: Cocaine, LSD, Meth, Club Drug (any use)		93.0	94.5
Cocaine		1.8	0.4	Percent of students who, in past 30 days:			
Heroin		1.2	0.0	Were very sad		20.2	12.8
Hallucinogens		3.5	2.2	Were grouchy, irritable, or in a bad mood		24.3	23.1
Club drugs (Ecstasy, GHB, roofie, Special K, etc)		1.7	2.2	Felt hopeless about the future		11.0	11.1
Steroids not prescribed for student		1.7	1.3	Felt like not eating or eating more than usual		16.8	15.5
Synthetic drugs (K2, bath salts, Spice, etc)		10.3		Slept a lot more or a lot less than usual		20.8	21.6
Average age of students' first use of:				Had difficulty concentrating on school work		23.3	27.2
Alcohol		12.60	12.47				
Cigarettes		12.71	11.91	Percent of students who, in past 12 months:			
Marijuana		13.51	13.58	Seriously considered attempting suicide		12.7	8.1
Inhalants		11.79	11.83	Made plan about how they would attempt suicide		9.9	5.1
				Attempted suicide		5.7	2.1
Percent of students who, in past 30 days, used:				Attempted suicide and resulting injury, poisonng, or overdose had to be treated by doctor or nurse		1.7	0.9
Alcohol		12.1	18.5	nad to be treated by doctor of hurse			
Alcohol (Binge: 5+ drinks on one occassion)		8.0		Percent of students who, in past 12 months:			
Cigarettes		14.5		Were threatened/injured with weapon at school		7.5	7.6
Chewing Tobacco		12.1	13.8	Were in a physical fight		17.4	20.8
Marijuana		5.8	6.8	Were in a fight and had to be treated by a doctor or nurse		2.9	4.3
Inhalants		2.3		Parcent of ctudents who in past 2 months			
Prescription medications not prescribed for student		5.7	5.6	Percent of students who, in past 3 months:		E2 6	58.1
Over-the-counter medications for non-medical use		5.2	3.9	Were victims of mean rumors or lies spread at school		52.6 65.5	68.2
Percent of students who, in past 2 weeks, used:				Were made fun of by others Were victims of an embarrassing or hurtful text message or		65.5	00.2
Alcohol (Binge: 5+ drinks on one occassion)				something posted on the internet		22.9	19.8
Descent where friends wood in most 12 months.				Spread mean rumors or lies about other kids at school		23.8	25.1
Percent whose friends used in past 12 months:		45.9	57.0	Made fun of other people		60.1	64.8
Alcohol				Posted something on the internet or sent a text that might		00.1	0 1.0
Cigarettes		44.5		embarrass or hurt another student		11.7	11.2
Marijuana		22.2					
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)		11.6	12.4	Percent of students who agree that:			
Percent who would likely use, if offered by a best friend:				Teachers notice and comment on student's good work		79.1	78.2
Alcohol		23.1	29.4	School provides feedback to parents on positive student		46.8	49.6
Cigarettes		14.5	20.2	performance		10.0	10.0
Marijuana		8.1	9.9	Rules are enforced fairly		66.5	63.5
				Students of all races/ethnicities are treated equal		83.2	82.1
Percent who say it would be wrong to use:		70.0	040	Percent of students who agree that:			
Alcohol		70.2		Parents notice and comment on student's good work		85.5	88.5
Cigarettes		82.1		Parents involve student in making family decisions		74.3	76.1
Marijuana		88.5		It is important to be honest with parents regardless of			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)		95.9	94.4	consequences		88.4	88.6
Percent whose parents would disapprove if they use:				Student could ask parent for help with a personal problem		77.3	82.3
Alcohol		83.1	83.2	The state of the s		•	
Cigarettes		91.3	90.0	Missouri Student Survey is conducted biennially.			
Marijuana		94.7	95.7	Similar affirmative response choices for individual questions are			
				Blank data cells indicate estimates are not available for item or Survey is not conducted in every school district nor reported for			
Percent who say it would be easy to obtain:		E0.0	E0.0	Estimates are not available for counties with small numbers of re			
Alcohol		50.3		Percentages are estimates based on weighted data.	•		
Cigarettes		52.9		Some year-to-year differences in percentages are not statistical	y signific	cant.	
Marijuana		31.6		Data source: Missouri Institute of Mental Health, 2010-2014 Mis	souri St	udent Sı	ırveys
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)		17.5	19.9				

33/13E 333111	•						
	BH REGION	Central		IMPAIRED DRIVING	2013	2012	2011
	BH SERVICE AREAS			Alcohol Involved CrashesTotal	14	16	12
	Substance Use	11		Fatal Crashes	0	1	1
	Adult Psychiatric	11		Injury Crashes	6	4	3
<u> </u>	OPULATION .			Property Damage Crashes	8	11	8
	Census 2010	13,878		Crash Fatalities	0	1	1
	2014 Estimate	13,703		Crash Injuries	10	8	7
	2011 2011111010	10,100		Drug Involved CrashesTotal	1	5	0
213				Fatal Crashes	0	2	0
				Injury Crashes	1	2	0
BIRTH RISK	2013	2012	2011	Property Damage Crashes	0	1	0
Resident BirthsTotal	150	155	144	. ,		2	
Mother Reported Smoking while	Pregnant 27	35	22	Crash Fatalities Crash Injuries	0 3	5	0 0
DISEASE INCIDENCE 1	2013	2012	2011		_	-	-
HIV/AIDS Cases	0	0	0	POLICE REPORTS	2013	2012	2011
Hepatitis B Chronic, Acute, Prer	natal 0	0	0	DUI Arrests, DWI Tracking System	44	74	46
Hepatitis C Chronic and Acute	10	5	5	Liquor Law Arrests	7	38	38
Tuberculosis Infection Cases	2	1	0	Drug Arrests	58	21	21
ruseroulosis imedien cuses	_	•	· ·	Violent Offenses	5	9	41
DEATHS and INJURIES	2013	2012	2011	Property Offenses	99	141	110
Resident DeathsTotal	115	138	131	Domestic Violence Reports	30	36	16
Suicides	3	1	2		2014	2013	2012
Self-inflicted Injuries	10	9	6	Methamphetamine Lab Seizures	6	9	6
Homicides	0	0	0	•			
Assault Injuries	14	21	28	SCHOOL REPORTS	2013-14	2012-13	2011-12
Alcohol Induced Deaths	0	0	1	Enrollment Grades 9-12	664	706	660
Drug Induced Deaths	1	3	0	Drop-outs	2	3	4
Smoking Attributable Deaths	14	28	27	Drop-out Rate	0.3%	0.4%	0.6%
Omoking Attributable Deaths	14	20	21	School Discipline Involving Alcohol	0	0	0
HOSPITAL EPISODES 2	2013	2012	2011	School Discipline Involving Drugs	3	1	0
Hospitalization, no Emergency F	Room:			School Discipline Involving Tobacco	0	0	0
Mental Illness Principal Diagno	osis 37	27	23				
Mental Illness Secondary Diagr	nosis 145	118	111	JUVENILE COURT REFERRALS 3	2013	2012	2011
Alcohol Principal Diagnosis	0	3	3	Juvenile Violent Offenses	6	15	4
Alcohol Secondary Diagnosis	5	8	6	Juvenile Alcohol Offenses	2	0	0
Drug Principal Diagnosis	2	4	1	Juvenile Drug Offenses	4	2	0
Drug Secondary Diagnosis	6	3	2	School Truancy Status Offense	6	5	15
Emergency Room + Hospitalizat			_	Absent from Home Status Offense	3	1	0
Mental Illness Principal Diagno		82	47	Beyond Parental Control Status Offense	1	0	0
Mental Illness Secondary Diag		236	223	Injurious Behavior Status Offense	2	14	11
Alcohol Principal Diagnosis	6	4	9	Child Abuse	0	0	0
Alcohol Secondary Diagnosis	21	9	16	Child Neglect	5	0	5
Drug Principal Diagnosis	7	5	6	Child Custody Issues	0	0	0
	3	3	7	UNIVERSITE COLURT DI ACCAMENTS	2012	2012	2011
Drug Secondary Diagnosis		3	,	JUVENILE COURT PLACEMENTS Out of Home Placements, Total	2013	2012	2011
Emergency Room, no Hospitaliz		0.7	00	Out-of-Home PlacementsTotal	6	0	4
Mental Illness Principal Diagno		87	90	Parental Alcohol Use Related	0	0	0
Mental Illness Secondary Diag		235	191	Parental Drug Use Related	5	0	2
Alcohol Principal Diagnosis	10	3	15	Parental Alcohol and Drug Use	0	0	0
Alcohol Secondary Diagnosis	17	9	19	CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Principal Diagnosis	4	15	10	Drug Court Participants	23	14	16
Drug Secondary Diagnosis	7	14	9	Probation/Parole AdmissionsDrug	22	10	7
	44.1			Probation/Parole AdmissionsDWI	6	6	3
ALCOHOL OUTLETS	2014	2013	2012	Prison AdmissionsDrug	9	3	2
Alcohol On-Premise Drink Licer		23	20	Prison AdmissionsDWI	2	0	1
Alcohol Package Carry-out Lice	enses 12	13	13	I HOUR AUTHOOMISDAAL	۷	U	1
EMPLOYMENT	2014	2013	2012	1 All Kansas City hepatitis and TB case report			
Labor Force	7,252	7,162	7,190	totals and all Joplin case reports are include Beginning with 2010 data, diagnosis counts			
Employed	6,916	6,814	6,819	based on codes developed by the Healthcar			
Unemployed	336	348	371	3 Beginning in 2013, juvenile municipal violation	ons, infraction	ns, and violat	tions of
Unemployment Rate	4.6%		5.2%	court orders are categorized as status offens	ses instead o	i iaw violatior	is.

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	*	*	*
CSTAR Adolescent	*	*	*
CSTAR Women and Children	*	7	*
CSTAR General Adult	24	34	25
CSTAR Opioid	0	0	0
Primary Recovery Treatment	*	*	10
Clinical SATOP (CIP, YCIP, SROP)	10	14	15
Other Substance Abuse Treatment	0	0	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	31	69	62
- Adolescent Diversion Education Prograr	*	*	*
- Offender Education Program	9	28	25
- Weekend Intervention Program	8	19	12
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	*	*
Compulsive Gambling	0	0	*
Recovery Supports	0	0	0
Early Intervention	*	*	*

NUMBER ADMITTED	FY2014	FY2013	FY2012	PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Total Individuals	39	62	59	Alcohol	13	27	27
105				Marijuana / Hashish	9	12	17
AGE Under 18	*	*	*	Cocaine (total)	*	*	*
18 to 24	8	10	16	- Crack	0	0	0
25 to 29	6	17	8	Stimulant (total)	9	12	8
30 to 34	10	17	o 12	- Methamphetamine	9	8	7
35 to 39	*	8	10	Heroin	*	*	*
	*	*	*	Analgesic except Heroin	*	5	*
40 to 44 45 to 54	5	5	8	- Non-Prescription Methadone	0	0	0
	*	3 *	o *	PCP, LSD, other Hallucinogen	0	0	0
55 and Over				Tranquilizer	0	0	0
GENDER				Inhalant	0	0	0
Male	31	39	38	Sedative	0	0	0
Female	8	23	21	Other Medication or Illicit Drug	*	*	0
				Average Age at First Use of Drug	18.5	17.8	16.7
RACE / ETHNICITY	00	0.4	50				
Caucasian	39	61	59	INJECTION DRUG USE			
African American	0	0	0	Any Injection Use at Admission	5	9	7
Native American / Alaskan	0	0	0	- Daily Injection Use	*	*	*
Asian / Pacific Islander	0	0	0	- Weekly Injection Use	*	*	*
Hispanic	0		0	- Less than Weekly Injection Use	*	5	5
Other Race / Two or More Races	0	0	0	• •			
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	11	18	18	0	16	30	30
High School Graduate or G.E.D.	20	30	27	1 or 2	15	25	19
Associate Degree or Some College	8	13	13	3 or More	8	7	10
Bachelor or Advanced Degree	0	*	*	TREATMENT REFERRAL COURCE			
EMPLOYMENT				TREATMENT REFERRAL SOURCE Self / Family / Friend	12	14	15
Employed	15	18	29	School	0	0	0
Unemployed	10	22	15	Mental Health Provider	0	0	0
Not in Labor Force	14	22	15	Health Care Provider	0	*	*
Not in Edsor Force		22	13	Court / Criminal Justice	26	39	38
HOUSING / LIVING ARRANGEMENT				Other Referral Source	*	*	*
Independent Living	36	51	51	Other Referral Source			
Dependent Living	*	7	7	TREATMENT ACCOMMODATION			
Homeless	0	*	*	Pregnant when Admitted to any Episode	0	*	*
MAADITAL / CANALLY STATUS				Military Veteran	*	0	0
MARITAL / FAMILY STATUS Never Married	22	39	30	Special Education Services Needed	0	*	6
	9	39 12	30 17		15	25	
Married / Cohabitating	8	12	17	Co-Occurring Psychological Problem	0	∠5 *	29
Previously Married	8	1.1	12	Co-Occurring Developmental Problem	U		

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Central
PSYCHIATRIC SERVICE AREA 11
CENSUS 2010 13,878
2014 POPULATION ESTIMATE 13,703

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.							
DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012				
Adjustment Disorder	*	*	0				
Anxiety Disorder	23	24	22				
Dementia	*	*	0				
Developmental Disorder	*	*	*				
Impulse Control Disorder	*	*	*				
Mood Disorder	25	31	33				
Personality Disorder	*	8	5				
Psychotic Disorder	13	11	9				
Sexual Disorder	0	0	0				
Other Diagnosis	*	*	*				
Diagnosis Unknown	*	10	12				

Individuals who received psychiatric services had the following types of

NUMBER SERVED	FY2014	FY2013	FY2012	EDUCATION	FY2014	FY2013	FY2012
Total Individuals	48	61	58	Less than High School Diploma	18	16	10
				High School Grad or G.E.D.	0	0	17
AGE	*	*	0	Associate Degree or Some College	0	*	9
Under 6	_	*	0	Bachelor or Advanced Degree	0	0	0
6 to 9	Ŷ	*	*	Education Level Unknown	30	44	22
10 to 13	6	*	*				
14 to 17	_			EMPLOYMENT	*	*	
18 to 24		6	5	Employed			
25 to 29	*		5	Unemployed	0	*	32
30 to 34	7	8	8	Not in Labor Force	28	38	6
35 to 39	*		*	Employment Status Unknown	19	17	17
40 to 44	*	*	*				
45 to 49	6	7	10	HOUSING / LIVING ARRANGEMENT			
50 to 54	6	7	5	Independent Living	12	22	27
55 to 59	6	8	7	Dependent Living	19	24	17
60 and Over	*	5	*	Homeless	0	*	0
Age Unknown	0	0	0	Other	0	0	*
GENDER				Housing Unknown	17	13	13
Male	30	32	30				
Female	18	29	28	TREATMENT REFERRAL SOURCE			
Gender Unknown	0	0	0	Self / Family / Friend	28	33	30
Condor Officiowii	O	U	U	School	*	0	0
RACE / ETHNICITY				Mental Health Provider	8	11	11
Caucasian	43	56	56	Health Care Provider	*	8	9
African American	*	*	*	Court / Criminal Justice	*	*	0
Native American / Alaskan	0	0	0	Other	5	7	8
Asian / Pacific Islander	0	0	0	Referral Source Unknown	0	0	0
Hispanic	*	*	0	TVD5 05 000 40 41 TV 45 45			
Other Race	0	0	0	TYPE OF COMMITMENT	47	00	50
Race/Ethnicity Unknown	0	0	0	Voluntary	47	60	58
TD5.4.T.4.5.WT 4.000.44.40.D.4.T.5.W				Civil	0	0	0
TREATMENT ACCOMMODATION	4	*		Criminal			0
Hearing Impaired	*	*	0	Sexual Predatory	0	0	0
Past or Current Military Service	*	*	*	Commitment Type Unknown	0	0	0

MISSOURI STUDENT SURVEY

Purpose of students who have ever used: Actual of 42.5 47.5 64.1 Actual of 42.5 47.5 Actual (large steels from some of histors as well) 63.9 Actual (large steels from some of histors as well) 63.9 Actual (large steels from some of histors as well) 63.9 Actual (large steels from some of histors as well) 63.9 Actual (large steels from some of histors as well) 63.9 Actual (large steels from some of histors as well) 63.9 Actual (large steels from some of histors as well) 63.9 Actual (large steels from some of histors as well) 63.9 Actual (large steels from some of histors as well) 63.9 Actual (large steels from some of histors as well) 63.9 Actual (large steels from some of histors as well) 63.9 Actual (large steels from some of histors as well) 63.9 Actual (large steel from some of histors as well) 63.9 Actual (large steel from some of histors as well) 63.9 Actual (large steel from some of histors as well) 63.9 Actual (large steel from some of histors as well) 63.9 Actual (large steel from some of histors as well) 63.9 Actual (large steel from some of histors as well) 63.9 Actual (large steel from some of histors as well) 63.9 Actual (large steel from some of histors as well) 63.9 Actual (large steel from some of histors as well) 63.9 Actual (large steel from some of histors as well) 63.9 Actual (large steel from some of histors as well) 63.9 Actual (large steel from some of histors as well) 63.9 Actual (large steel from some of histors as well) 63.9 Actual (large steel from some of histors as well) 63.9 Actual (large steel from some of histors as well) 63.9 Actual (large steel from some of histors as well) 63.9 Actual (large steel from some of histors as well) 63.9 Actual (large steel from some of histors as well) 6		IVIIO		(1510	DENT SORVET			
Actional 42,5 47,5 61,1 Cligareties 42,5 47,5 61,5 Cligareties 42,5 47,5 61,5 Cligareties 43,5 Cligareties 44,5 47,5 7,5 14,5 Cligareties 44,5 47,5 7,5 14,5 Cligareties 44,5 47,5 7,5 Cligareties 44,5 47,5	Percent of students who have ever used	2014	2012	2010	Parcent who hallove they risk harm if they use	2014	2012	2010
Cheesing Totatoco		42.5	47.9	64.1	-	63.9		
Chemistry Totatoco 17.6 17.7 11.5			_	-	The state of the s			
Multiplians 6.8 5.5 2.8 2.	-	_	_	_			62.3	90.4
Personal form medications not prescribed for student 4.4 9.7 7.8 Marigana (entry use) 81.5 83.5 83.5 83.6					The state of the s	86.7		
Presentation medications for non-medical use 4,4 9,7 7,8 Methanipetamine 1,6 5,1 10 Methanipetamine 1,7 0,0 0,2 2,2 1,7 0,0 0,0 1,7 0,0 1,7 0,0 0,0 1,7 0,0 1,7 0,0 1,7 0,0 1,7 0,0 1,7 0,0 1,7 0,0 1,7 0,0 1,7 0,0 1,7 0,0 1,7 0,0 1,7 1,7 0,0 1,7	•	2.8	3.8	3.8			82.8	90.1
Mariginana (sery use) 63.5 53.9 53.9 53.0	Prescription medications not prescribed for student	4.4	9.7	7.8		81.5		
Percent of Students who, in past 30 days. Percent of Students on prescribed for Student on Student on Students who, in past 12 months:	Over-the-counter medications for non-medical use	1.6	5.1	10.1	Marijuana (any use)		83.5	53.9
Helluchingopris 1,7 0,8 0,0	Methamphetamine	1.7	0.0	2.2	Other: Cocaine, LSD, Meth, Club Drug (any use)	92.2	91.9	98.3
Hearth Color Col	Cocaine	1.7	0.8	0.0	Porcent of ctudents who in pact 20 days:			
More grouchy, Intable, or in a bad mond 18.6 2.6 3.21	Heroin	0.0	0.0	0.0		25.1	196	30.7
Chuk drugs (Estasy, GHR, nortin, Special K, etc) 1.7	Hallucinogens	1.7	0.8	0.0	•			
Steriotics not prescribed for students 0.0 0.8 1.1 1.5 1.2 1.2 2.2 2.2 2.2 3.2		1.7	0.0	1.0				-
Symbolic ordigs (KZ, beath salls, Spice, etc) 1.7 5.9	•			1.1	·			
Had difficulty concentrating on school work 26.9 33.4 33.	Synthetic drugs (K2, bath salts, Spice, etc)	1.7	5.9		• •			
Acchol	Average age of students' first use of:				·	26.9	25.6	33.4
Marijuana 13.68 14.18 14.02 Marijuana 13.68 14.18 14.02 Made plan about how they would attempt suicide 4.5 3.8 6.5 Attempted suicide and resulting injury, poisoning, or overdose 4.5 3.8 6.5 Attempted suicide and resulting injury, poisoning, or overdose 4.5 3.8 6.5 Attempted suicide and resulting injury, poisoning, or overdose 4.5 3.8 6.5 Attempted suicide and resulting injury, poisoning, or overdose 4.5 3.8 6.5 Attempted suicide and resulting injury, poisoning, or overdose 4.5 3.8 6.5 Attempted suicide and resulting injury, poisoning, or overdose 4.5 3.8 8.5 Attempted suicide and resulting injury, poisoning, or overdose 4.5 3.8 8.5 Attempted suicide and resulting injury, poisoning, or overdose 4.5 3.8 8.5 Attempted suicide and resulting injury, poisoning, or overdose 4.5 3.8 8.5 Attempted suicide and resulting injury, poisoning, or overdose 4.5 3.8 8.5 Attempted suicide and resulting injury, poisoning, or overdose 4.5 3.8 8.5 Attempted suicide and resulting injury, poisoning, or overdose 4.5 3.8 8.5 Attempted suicide and resulting injury, poisoning, or overdose 4.5 3.8 8.5 Attempted suicide and resulting injury, poisoning, or overdose 4.5 3.8 8.5 Attempted suicide and resulting injury, poisoning, or overdose 4.5 3.8 8.5 Attempted suicide and resulting injury, poisoning, or overdose 4.5 3.8 8.5 Attempted suicide and resulting injury, poisoning, or overdose 4.5 3.8 8.5 Attempted suicide and resulting injury, poisoning, or overdose 4.5 3.8 8.5 Attempted suicide and resulting injury, poisoning, or overdose 4.5 3.8 8.5 4.5		12.53	12.81	11.98	Descent of students who is need 12 months.			
Marijuana	Cigarettes	13.01	13.12	12.25	·	10.1	10.4	10.6
Attempted suicide Atte	Marijuana	13.68	14.18	14.02	, ,			
Percent of students who, in past 30 days, used:	Inhalants	12.89	12.16	10.00	The state of the s			
Alcohol (Binge: 5+ drinks on one occassion)	Parcent of students who in nest 20 days used				· ·	4.5	3.0	0.5
Alcohol (Binge: 5+ drinks on one occassion)	, ,	144	24 9	42 9		0.6	1.7	2.8
Cigarettes		17.7	-					
New In a physical right Section		5.1			·	0.0	2.0	40.4
Marijuana 1.7 3.0 2.4 Where in a fight and had to be treated by a doctor or nurse 1.6 3.8 12.6 Percent of students who, in past 3 moniths: Ver-the-counter medications for non-medical use 1.6 3.4 7.3 Percent of students who, in past 2 weeks, used: Alcohol (Binge: 5+ drinks on one occassion) 4.6 5.7 Percent of students who, in past 2 weeks, used: Alcohol (Binge: 5+ drinks on one occassion) 4.6 6.3 57.0 Cigarettes 34.3 42.6 51.2 Percent whose friends used in past 12 moniths: Alcohol Cigarettes 34.3 42.6 51.2 Percent who would likely use, if offered by a best friend: Alcohol Cigarettes 34.3 42.6 51.2 Percent who would likely use, if offered by a best friend: Alcohol Cigarettes 34.3 42.6 55.5 42.2 Recent who would likely use, if offered by a best friend: Alcohol Cigarettes 34.3 42.6 55.5 42.2 Recent who say it would be wrong to use: Alcohol Cigarettes 35.8 52.3 50.9 Were victims of mean rumors or lies spread at school 55.9 54.9 Were victims of mean rumors or lies about other kids at school 44.8 60.3 57.0 Were victims of mean rumors or lies spread at school 45.9 65.1 59.4 Were victims of mean rumors or lies spread at school 45.9 65.1 59.4 Were victims of mean rumors or lies spread at school 45.9 65.1 59.4 Were victims of mean rumors or lies spread at school 45.9 65.1 59.4 Were victims of mean rumors or lies spread at school 45.9 65.1 59.4 Were victims of mean rumors or lies spread at school 46.0 57.0 Were victims of mean rumors or lies spread at school 46.0 57.0 Were victims of mean rumors or lies spread at school 46.0 57.0 Were victims of mean rumors or lies spread at school 46.0 57.0 Were victims of mean rumors or lies spread at school 46.0 57.0 Were victims of an embarrassing or hurtful text message or something posted on the internet 47.0 50.5 62.9 77.8 Were victims of an embarrassing or hurtful text message or something on the internet 48.0 50.0 50.5 62.9 77.0 50.5 62.9 77.0 50.6 8 Percent who would likely use, if offered by a best friend: 48.0 50.0 50.0 Recent who would likely use, if offered by a best friend:	•	_			· · · · · · · · · · · · · · · · · · ·			-
Prescription medications not prescribed for student					1 * *			
Near-the-counter medications for non-medical use 1.6 3.4 7.3 Vere wichting of mean rumors or lies spread at school 5.9 65.1 5.9.4	-	2.2	2.1	2.8	were in a light and had to be treated by a doctor of hurse	1.0	3.0	12.0
Were made fun of by others	Prescription medications not prescribed for student	4.4	4.6	5.7	Percent of students who, in past 3 months:			
Percent of students who, in past 2 weeks, used: Alcohol (Binge: 5+ drinks on one occassion) 4.6	Over-the-counter medications for non-medical use	1.6	3.4	7.3	·	53.8		
Alcohol (Binge: 5+ drinks on one occassion) 4.6	Parcent of students who in past 2 weeks used				· ·	59.9	65.1	59.4
Alcohol 44.8 60.3 57.0 Cigarettes 34.3 42.6 51.2 Marijuana 11.5 20.7 34.8 Other Illicit (Cocaine, LSD, Meth, Club Drug, etc) 4.4 12.9 6.8 Percent who would likely use, if offered by a best friend: Alcohol 23.6 35.0 48.3 School provides feedback to parents on positive student performance 13.8 School provides feedback to parents on positive student performance 14.2 Students who agree that: Percent who say it would be wrong to use: Alcohol 72.5 54.9 49.8 Marijuana 89.3 92.0 95.9 Parents involve student in making family decisions 68.4 68.4 68.3 It is important to be honest with parents regardless of consequences 14.0 Student Survey is conducted biennially. Percent who say it would be easy to obtain: Alcohol 49.2 63.0 67.9 Marijuana 21.0 30.6 15.1 Data source: Marijuana 21.0 30.6 15.1 Data source: Missouri Institute of Mental Health. 2010-2014 Missouri Student Surveys is sone year-to-year differences in percentages are not statistically significant.	•	4.6				14.8	21.8	18.3
Cigarettes 34.3 42.6 51.2 Marijuana 11.5 20.7 34.8 Other Illicit (Cocaine, LSD, Meth, Club Drug, etc) 4.4 12.9 6.8 Percent who would likely use, if offered by a best friend: Alcohol 23.6 35.0 48.3 Cigarettes 9.3 13.9 7.5 Marijuana 5.6 5.5 4.2 Rules are enforced fairly Students of all races/ethnicities are treated equal 83.6 84.3 84.1 Percent of students who agree that: Teachers notice and comment on student's good work 77.0 73.8 82.9 School provides feedback to parents on positive student performance 83.8 4.2 Rules are enforced fairly 74.7 67.2 71.9 Students of all races/ethnicities are treated equal 83.6 84.3 84.1 Percent of students who agree that: Percent who say it would be wrong to use: Alcohol 72.5 54.9 49.8 Marijuana 89.3 92.0 95.9 Amarijuana 89.3 92.0 95.9 Cigarettes 89.4 81.4 64.8 Parents involve student in making family decisions 68.4 68.4 68.3 It is important to be honest with parents regardless of consequences Student could ask parent for help with a personal problem 77.7 73.5 81.1 Similar affirmative response choices for individual questions are combined. Blank data cells indicate estimates are not available for item or geographic area. Survey is not conducted biennially. Similar affirmative response choices for individual questions are combined. Blank data cells indicate estimates are not available for item or geographic area. Survey is not conducted biennially. Similar affirmative response choices for individual questions are combined. Blank data cells indicate estimates are not available for item or geographic area. Survey is not conducted biennially. Similar affirmative response choices for individual questions are combined. Blank data cells indicate estimates are not available for item or geographic area. Survey is not conducted in every school district nor reported for every county. Estimates are not available for item or geographic area. Survey is not conducted in every school district nor reported for every county. Settimates are not available for item or geographic area. Survey is not co	Percent whose friends used in past 12 months:				Spread mean rumors or lies about other kids at school	24.5	18.7	32.5
Marijuana Other Illicit (Cocaine, LSD, Meth, Club Drug, etc) Alcohol Alcohol Cigarettes Alcohol Alco	Alcohol	44.8	60.3	57.0	· ·	50.5	62.9	77.8
Marijuana Other Illicit (Cocaine, LSD, Meth, Club Drug, etc) Percent who would likely use, if offered by a best friend: Alcohol 23.6 35.0 48.3 Cigarettes 33.1 3.9 7.5 Marijuana 25.6 5.5 4.2 Percent who say it would be wrong to use: Alcohol Cigarettes 89.4 81.4 64.8 Marijuana 89.3 92.0 95.9 Mari	Cigarettes	34.3	42.6	51.2		10.9	9.4	13.0
Percent who would likely use, if offered by a best friend: Alcohol 23.6 35.0 48.3 Cigarettes 9.3 13.9 7.5 Marijuana 5.6 5.5 4.2 Percent who say it would be wrong to use: Alcohol 72.5 54.9 49.8 Marijuana 89.3 92.0 95.9 Marijuana 89.3 92.0 95.9 Marijuana 89.3 97.1 99.0 Cigarettes 89.4 81.4 64.8 Percent whose parents would disapprove if they use: Alcohol Cigarettes 99.7 89.4 92.9 Marijuana 97.1 97.0 100.0 Percent who say it would be easy to obtain: Alcohol Cigarettes 41.8 59.3 53.9 Marijuana Percent who say it would be easy to obtain: Alcohol Cigarettes 41.8 59.3 53.9 Marijuana Parents involve student in making family decisions 15.6 82.9 School provides feedback to parents on positive student performance 82.9 School provides feedback to parents on positive student performance 83.8 39.8 37.2 84.9 Percent of students who agree that: Parents notice and comment on student's good work 89.1 82.3 79.9 Percent of students who agree that: Parents involve student in making family decisions 88.6 91.6 83.6 88.6 91.6 83.6 88.6 91.6 83.6 88.6 91.6 83.6 88.6 91.6	Marijuana	11.5	20.7	34.8	embarrass or nurt another student		0	
Percent who would likely use, if offered by a best friend: Alcohol Cigarettes 9.3 13.9 7.5 Marijuana 5.6 5.5 4.2 Percent who say it would be wrong to use: Alcohol Cigarettes 89.4 81.4 64.8 Marijuana 89.3 92.0 95.9 Marijuana 89.3 92.0 95.9 Cherent whose parents would disapprove if they use: Alcohol Cigarettes Alcohol Alcoho	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	4.4	12.9	6.8	Percent of students who agree that:			
Alcohol Cigarettes Alcohol Percent who say it would be wrong to use: Alcohol Cigarettes Alcohol Cigarettes Alcohol Cigarettes Alcohol Cigarettes Alcohol Other Illicit (Cocaine, LSD, Meth, Club Drug, etc) Cigarettes Alcohol Cigarettes Alcohol Other Illicit (Cocaine, LSD, Meth, Club Drug, etc) Alcohol Cigarettes Alcohol Alcohol Cigarettes Alcohol Alcohol Alcohol Alcohol Cigarettes Alcohol Alcoh	Parcent who would likely use if offered by a hest friend				<u>-</u>	77.0	73.8	82.9
Cigarettes 9.3 13.9 7.5 Marijuana 5.6 5.5 4.2 Percent who say it would be wrong to use: Alcohol 72.5 54.9 49.8 Marijuana 89.3 92.0 95.9 Other Illicit (Cocaine, LSD, Meth, Club Drug, etc) 97.8 97.1 99.0 Cigarettes 92.7 89.4 92.9 Marijuana 97.1 97.0 100.0 Marijuana 97.1 97.0 100.0 Cigarettes 92.7 89.4 92.9 Marijuana 97.1 97.0 100.0 Cigarettes 9	-	23.6	35.0	48.3	School provides feedback to parents on positive student	50.0	20.0	27.0
Marijuana 5.6 5.5 4.2 Rules are enforced fairly Students of all races/ethnicities are treated equal 74.7 67.2 71.9 Students of all races/ethnicities are treated equal 83.6 84.3 84.1 Percent who say it would be wrong to use: Alcohol 72.5 54.9 49.8 Marijuana 89.3 92.0 95.9 Other Illicit (Cocaine, LSD, Meth, Club Drug, etc) Percent whose parents would disapprove if they use: Alcohol Cigarettes 92.7 89.4 92.9 Marijuana Percent who say it would be easy to obtain: Alcohol Alcohol 49.2 63.0 67.9 Cigarettes 41.8 59.3 53.9 Marijuana Parents notice and comment on student's good work 89.1 82.3 79.9 Percent of students who agree that: Parents involve student in making family decisions 68.4 68.4 68.3 Student could ask parent for help with a personal problem 77.7 73.5 81.1 Missouri Student Survey is conducted biennially. Similar affirmative response choices for individual questions are combined. Blank data cells indicate estimates are not available for item or geographic area. Survey is not conducted in every school district nor reported for every county. Estimates are not available for counties with small numbers of respondents. Percentages are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant. Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys					performance	50.8	39.8	37.2
Students of all races/ethnicities are treated equal 83.6 84.3 84.1 Percent who say it would be wrong to use: Alcohol 72.5 54.9 49.8 Cigarettes 89.4 81.4 64.8 Marijuana 89.3 92.0 95.9 Other Illicit (Cocaine, LSD, Meth, Club Drug, etc) 97.8 97.1 99.0 Percent whose parents would disapprove if they use: Alcohol 81.5 69.9 62.9 Cigarettes 92.7 89.4 92.9 Marijuana 97.1 97.0 100.0 Marijuana 97.1 97.0 100.0 Cigarettes 49.2 63.0 67.9 Cigarettes 41.8 59.3 53.9 Marijuana 21.0 30.6 15.1 Marijuana 21.0 30.6 15.1 Students of all races/ethnicities are treated equal 83.6 84.3 84.1 Percent of students who agree that: Parents notice and comment on student's good work 89.1 82.3 79.9 Parents involve student in making family decisions 68.4 68.4 68.3 It is important to be honest with parents regardless of consequences Student could ask parent for help with a personal problem 77.7 73.5 81.1 Missouri Student Survey is conducted biennially. Similar affirmative response choices for individual questions are combined. Blank data cells indicate estimates are not available for item or geographic area. Survey is not conducted in every school district nor reported for every county. Estimates are not available for counties with small numbers of respondents. Percent who say it would be easy to obtain: Alcohol 49.2 63.0 67.9 Cigarettes 41.8 59.3 53.9 Marijuana 21.0 30.6 15.1 Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys	•				Rules are enforced fairly	74.7	67.2	71.9
Alcohol Cigarettes B9.4 81.4 64.8 Marijuana B9.3 92.0 95.9 Other Illicit (Cocaine, LSD, Meth, Club Drug, etc) Percent whose parents would disapprove if they use: Alcohol Cigarettes B9.7 89.7 99.0 Cigarettes B1.5 69.9 62.9 Cigarettes B2.7 89.4 92.9 Marijuana Percent who say it would be easy to obtain: Alcohol	•				Students of all races/ethnicities are treated equal	83.6	84.3	84.1
Cigarettes 89.4 81.4 64.8 Marijuana 89.3 92.0 95.9 Other Illicit (Cocaine, LSD, Meth, Club Drug, etc) 97.8 97.1 99.0 Other Illicit (Cocaine, LSD, Meth, Club Drug, etc) 97.8 97.1 99.0 Fercent whose parents would disapprove if they use: Alcohol 81.5 69.9 62.9 Cigarettes 92.7 89.4 92.9 Marijuana 97.1 97.0 100.0 Marijuana 97.1 97.0 100.0 Percent who say it would be easy to obtain: Alcohol 49.2 63.0 67.9 Cigarettes 41.8 59.3 53.9 Cigarettes 41.8 59.3 53.9 Marijuana 21.0 30.6 15.1 Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys is conducted in every school district nor reported for every county. Bernents notice and comment on student's good work 89.1 82.3 79.9 Parents involve student in making family decisions 68.4 68.4 68.3 it is important to be honest with parents regardless of consequences Student could ask parent for help with a personal problem 77.7 73.5 81.1 Missouri Student Survey is conducted biennially. Similar affirmative response choices for individual questions are combined. Blank data cells indicate estimates are not available for every county. Estimates are not available for counties with small numbers of respondents. Some year-to-year differences in percentages are not statistically significant. Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys					Percent of students who agree that			
Marijuana Marijuana Marijuana Other Illicit (Cocaine, LSD, Meth, Club Drug, etc) Percent whose parents would disapprove if they use: Alcohol Cigarettes Percent who say it would be easy to obtain: Alcohol Alcohol Percent who say it would be easy to obtain: Alcohol Alcoho					-	89.1	82.3	79.9
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc) 97.8 97.1 99.0 It is important to be honest with parents regardless of consequences Student could ask parent for help with a personal problem 77.7 73.5 81.1 Student could ask parent for help with a personal problem 77.7 73.5 81.1 Missouri Student Survey is conducted biennially. Similar affirmative response choices for individual questions are combined. Blank data cells indicate estimates are not available for item or geographic area. Survey is not conducted in every school district nor reported for every county. Estimates are not available for counties with small numbers of respondents. Percent who say it would be easy to obtain: Alcohol 49.2 63.0 67.9 Cligarettes 41.8 59.3 53.9 Marijuana 18.6 91.6 83.6 Missouri Student Survey is conducted biennially. Similar affirmative response choices for individual questions are combined. Blank data cells indicate estimates are not available for item or geographic area. Survey is not conducted in every school district nor reported for every county. Estimates are not available for counties with small numbers of respondents. Percentages are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant. Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys	•				· · · · · · · · · · · · · · · · · · ·			
Alcohol 81.5 69.9 62.9 Cigarettes 92.7 89.4 92.9 Marijuana 97.1 97.0 100.0 Percent who say it would be easy to obtain: Alcohol 49.2 63.0 67.9 Cigarettes 41.8 59.3 53.9 Marijuana 21.0 30.6 15.1 Student could ask parent for help with a personal problem 77.7 73.5 81.1 Missouri Student Survey is conducted biennially. Similar affirmative response choices for individual questions are combined. Blank data cells indicate estimates are not available for item or geographic area. Survey is not conducted in every school district nor reported for every county. Estimates are not available for counties with small numbers of respondents. Percentages are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant. Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys					It is important to be honest with parents regardless of			
Alcohol 81.5 69.9 62.9 Cigarettes 92.7 89.4 92.9 Marijuana 97.1 97.0 100.0 Percent who say it would be easy to obtain: Alcohol 49.2 63.0 67.9 Cigarettes 41.8 59.3 53.9 Marijuana 91.5 69.9 62.9 Missouri Student Survey is conducted biennially. Similar affirmative response choices for individual questions are combined. Blank data cells indicate estimates are not available for item or geographic area. Survey is not conducted in every school district nor reported for every county. Estimates are not available for counties with small numbers of respondents. Percentages are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant. Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys	Percent whose parents would disapprove if they use				· ·	77 7	72 5	01 1
Cigarettes 92.7 89.4 92.9 Marijuana 97.1 97.0 100.0 Percent who say it would be easy to obtain: Alcohol Alcohol Cigarettes Marijuana 98.4 92.9 Missouri Student Survey is conducted biennially. Similar affirmative response choices for individual questions are combined. Blank data cells indicate estimates are not available for item or geographic area. Survey is not conducted in every school district nor reported for every county. Estimates are not available for counties with small numbers of respondents. Percentages are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant. Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys		81.5	69.9	62.9	Student could ask parent for neip with a personal problem	77.7	73.5	01.1
Marijuana 97.1 97.0 100.0 Similar affirmative response choices for individual questions are combined. Blank data cells indicate estimates are not available for item or geographic area. Survey is not conducted in every school district nor reported for every county. Estimates are not available for counties with small numbers of respondents. Percentages are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant. Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys					Missouri Student Survey is conducted hiennially			
Percent who say it would be easy to obtain: Alcohol Cigarettes Marijuana Blank data cells indicate estimates are not available for item or geographic area. Survey is not conducted in every school district nor reported for every county. Estimates are not available for counties with small numbers of respondents. Percentages are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant. Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys	•					e combin	ed.	
Alcohol 49.2 63.0 67.9 Clgarettes 41.8 59.3 53.9 Marijuana 49.2 63.0 67.9 Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys	•		Í	-				
Cigarettes 41.8 59.3 53.9 Marijuana 21.0 30.6 15.1 Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys		40.0	60.0	67.0				
Marijuana 21.0 30.6 15.1 Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys						ally cianifi	icant	
Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys					Johns year-to-year unreferrees in percentages are not statistical	my signifi	caril.	
	•				Data source: Missouri Institute of Mental Health, 2010-2014 Mi	ssouri St	udent Su	urveys

OZ/MAN OCCIVITI							
DBH I	REGION	Southeast		IMPAIRED DRIVING	2013	2012	2011
DBH S	SERVICE AREAS			Alcohol Involved CrashesTotal	18	17	20
Sub	stance Use	18		Fatal Crashes	1	1	1
Adu	It Psychiatric	18		Injury Crashes	5	6	10
POPU	LATION			Property Damage Crashes	12	10	9
Cen	sus 2010	9,723		Crash Fatalities	1	1	1
201	4 Estimate	9,492		Crash Injuries	9	10	10
		-, -		Drug Involved CrashesTotal	1	1	2
213				Fatal Crashes	0	0	0
				Injury Crashes	0	0	2
BIRTH RISK	2013	2012	2011	Property Damage Crashes	1	1	0
Resident BirthsTotal	81	109	82	Crash Fatalities	0	0	0
Mother Reported Smoking while Pre	egnant 17	24	19	Crash Injuries	0	0	3
DISEASE INCIDENCE 1	2013	2012	2011	Crash injunes	Ū	· ·	J
HIV/AIDS Cases	2013	0	2011 0	POLICE REPORTS	2013	2012	2011
			1	DUI Arrests, DWI Tracking System	51	55	55
Hepatitis B Chronic, Acute, Prenata		1 7		Liquor Law Arrests	20	5	4
Hepatitis C Chronic and Acute Tuberculosis Infection Cases	3		5	Drug Arrests	93	74	56
ruberculosis infection Cases	U	0	1	Violent Offenses	40	30	12
DEATHS and INJURIES	2013	2012	2011	Property Offenses	118	140	149
Resident DeathsTotal	126	124	128	Domestic Violence Reports	69	35	21
Suicides	1	2	3		2014	2013	2012
Self-inflicted Injuries	6	11	9	Methamphetamine Lab Seizures	0	3	3
Homicides	0	1	0		-	_	•
Assault Injuries	14	17	9	SCHOOL REPORTS	2013-14	2012-13	2011-12
Alcohol Induced Deaths	0	1	1	Enrollment Grades 9-12	522	527	546
Drug Induced Deaths	1	3	0	Drop-outs	2	0	9
Smoking Attributable Deaths	28	20	26	Drop-out Rate	0.4%	0.0%	1.6%
Smoking Attributable Deaths	20	20	20	School Discipline Involving Alcohol	2	0	0
HOSPITAL EPISODES 2	2013	2012	2011	School Discipline Involving Drugs	1	2	5
Hospitalization, no Emergency Roor	m:			School Discipline Involving Tobacco	0	0	0
Mental Illness Principal Diagnosis	52	67	65				
Mental Illness Secondary Diagnosi	s 146	161	180	JUVENILE COURT REFERRALS 3	2013	2012	2011
Alcohol Principal Diagnosis	10	10	13	Juvenile Violent Offenses	5	3	1
Alcohol Secondary Diagnosis	13	19	18	Juvenile Alcohol Offenses	3	0	1
Drug Principal Diagnosis	10	6	6	Juvenile Drug Offenses	1	0	1
Drug Secondary Diagnosis	12	9	15	School Truancy Status Offense	5	0	0
Emergency Room + Hospitalization:		· ·	.0	Absent from Home Status Offense	4	0	2
Mental Illness Principal Diagnosis	9	14	8	Beyond Parental Control Status Offense	5	5	4
Mental Illness Secondary Diagnosi		43	35	Injurious Behavior Status Offense	0	1	1
Alcohol Principal Diagnosis	0	3	4	Child Abuse	0	0	1
Alcohol Secondary Diagnosis	7	6	6	Child Neglect	9	11	9
Drug Principal Diagnosis	0	3	1	Child Custody Issues	2	0	2
Drug Secondary Diagnosis	2	1	3	JUVENILE COURT PLACEMENTS	2013	2012	2011
Emergency Room, no Hospitalization		•	Ü	Out-of-Home PlacementsTotal	16	10	12
Mental Illness Principal Diagnosis	33	38	48	Parental Alcohol Use Related	0	0	2
Mental Illness Secondary Diagnosi		154	81	Parental Drug Use Related	12	1	3
Alcohol Principal Diagnosis	8	9	6	Parental Alcohol and Drug Use	1	1	3
Alcohol Secondary Diagnosis	9	14	15	1 archial Alcohol and Drug Osc	'	'	3
Drug Principal Diagnosis	5	8	4	CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Secondary Diagnosis	8	11	12	Drug Court Participants	13	15	13
Drug Secondary Diagnosis	0	11	12	Probation/Parole AdmissionsDrug	15	14	16
ALCOHOL OUTLETS	2014	2013	2012	Probation/Parole AdmissionsDWI	0	1	3
Alcohol On-Premise Drink Licenses		11	13	Prison AdmissionsDrug	5	5	2
Alcohol Package Carry-out License		17	20	Prison AdmissionsDWI	0	1	1
				1 All Kansas City hepatitis and TB case repor	ts are include	ad in Jackson	County
EMPLOYMENT	2014	2013	2012	totals and all Joplin case reports are include			
Labor Force	3,632	4,504	4,287	2 Beginning with 2010 data, diagnosis counts	for hospital a	and ER servic	es are
Employed	3,315	4,163	3,940	based on codes developed by the Healthcan Beginning in 2013, juvenile municipal violati			
Unemployed	317	341	347	court orders are categorized as status offen			
Unemployment Rate	8.7%	7.6%	8.1%				

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	5	9	13
	*	*	*
CSTAR Adolescent	*	*	*
CSTAR Women and Children	*	*	
CSTAR General Adult	7	17	*
CSTAR Opioid	0	0	0
Primary Recovery Treatment	9	*	20
Clinical SATOP (CIP, YCIP, SROP)	*	10	8
Other Substance Abuse Treatment	0	0	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	20	37	40
- Adolescent Diversion Education Prograr	0	*	0
- Offender Education Program	8	17	7
- Weekend Intervention Program	*	12	10
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	0	*
Compulsive Gambling	0	0	0
Recovery Supports	*	*	*
Early Intervention	0	0	*

NUMBER ADMITTED	FY2014	FY2013	FY2012	PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Total Individuals	27	31	45	Alcohol	11	19	28
				Marijuana / Hashish	*	5	8
AGE				Cocaine (total)	*	0	0
Under 18	*	*	*	- Crack	*	0	0
18 to 24	*	*	9	Stimulant (total)	8	5	5
25 to 29	*	8	6	- Methamphetamine	8	5	5
30 to 34	5	*	5	Heroin	0	*	0
35 to 39	5	*	*	Analgesic except Heroin	*	*	*
40 to 44	*	*	6	- Non-Prescription Methadone	0	0	0
45 to 54	*	*	8	PCP, LSD, other Hallucinogen	0	0	0
55 and Over	*	*	5	Tranquilizer	0	0	0
GENDER				Inhalant	0	0	0
Male	18	19	35	Sedative	0	0	0
Female	9	12	10	Other Medication or Illicit Drug	0	0	*
remale	9	12	10	Average Age at First Use of Drug	16.7	16.9	16.6
RACE / ETHNICITY				Average Age at First Ose of Drug	10.7	10.9	10.0
Caucasian	26	31	44	INVESTIGATION DRIVE USE			
African American	0	0	*	INJECTION DRUG USE	7	*	*
Native American / Alaskan	0	0	0	Any Injection Use at Admission		*	0
Asian / Pacific Islander	0	0	0	- Daily Injection Use	0	*	0
Hispanic	0	0	0	- Weekly Injection Use			0
Other Race / Two or More Races	*	0	0	- Less than Weekly Injection Use	î	Î	î
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	6	5	15	0	11	10	22
High School Graduate or G.E.D.	17	17	22	1 or 2	11	12	13
Associate Degree or Some College	*	9	8	3 or More	5	9	10
Bachelor or Advanced Degree	0	0	0	TD54T4454T D555DD44 604D65			
5451 6144517				TREATMENT REFERRAL SOURCE	10	10	16
EMPLOYMENT	*	_	0	Self / Family / Friend	12	12 0	16
Employed		5	8	School Mandal Haalth Bravidan	0	_	0
Unemployed	13	11	24	Mental Health Provider	*	0	0
Not in Labor Force	12	15	13	Health Care Provider			0
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	9	12	28
Independent Living	19	28	39	Other Referral Source	*	6	*
Dependent Living	*	*	*				
Homeless	*	*	0	TREATMENT ACCOMMODATION			
				Pregnant when Admitted to any Episode	*	0	*
MARITAL / FAMILY STATUS				Military Veteran	*	*	0
Never Married	13	12	19	Special Education Services Needed	*		0
Married / Cohabitating	5	10	12	Co-Occurring Psychological Problem	13	7	11
Previously Married	9	9	14	Co-Occurring Developmental Problem	0	0	0

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Southeast
PSYCHIATRIC SERVICE AREA 18
CENSUS 2010 9,723
2014 POPULATION ESTIMATE 9,492

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.							
DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012				
Adjustment Disorder	11	*	*				
Anxiety Disorder	51	64	51				
Dementia	0	0	0				
Developmental Disorder	0	0	0				
Impulse Control Disorder	9	14	10				
Mood Disorder	71	92	75				
Personality Disorder	7	*	6				
Psychotic Disorder	11	10	11				
Sexual Disorder	0	0	0				
Other Diagnosis	5	5	*				
Diagnosis Unknown	11	6	5				

Individuals who received psychiatric services had the following types of

NUMBER SERVED	FY2014	FY2013	FY2012	EDUCATION	FY2014	FY2013	FY2012
Total Individuals	110	125	106	Less than High School Diploma	26	28	21
				High School Grad or G.E.D.	0	0	9
AGE	_		_	Associate Degree or Some College	0	0	*
Under 6	0	0	0	Bachelor or Advanced Degree	0	0	*
6 to 9	*	*	*	Education Level Unknown	84	97	70
10 to 13							
14 to 17	7	7	*	EMPLOYMENT			
18 to 24	7	12	11	Employed	13	16	*
25 to 29	16	15	17	Unemployed	9	18	28
30 to 34	11	15	11	Not in Labor Force	55	67	15
35 to 39	11	12	7	Employment Status Unknown	33	24	60
40 to 44	11	17	13				
45 to 49	14	18	13	HOUSING / LIVING ARRANGEMENT			
50 to 54	13	17	11	Independent Living	54	81	42
55 to 59	10	7	12	Dependent Living	15	10	5
60 and Over	5	*	*	Homeless	*	*	0
Age Unknown	0	0	0	Other	0	0	0
GENDER				Housing Unknown	39	32	59
Male	52	57	49				
Female	58	68	49 57	TREATMENT REFERRAL SOURCE			
Gender Unknown	0	00	0	Self / Family / Friend	72	87	54
Gerider Offkriowit	U	U	U	School	0	0	0
RACE / ETHNICITY				Mental Health Provider	*	5	5
Caucasian	108	125	104	Health Care Provider	27	20	21
African American	0	0	0	Court / Criminal Justice	*	*	*
Native American / Alaskan	0	0	0	Other	7	12	22
Asian / Pacific Islander	0	0	0	Referral Source Unknown	0	0	0
Hispanic	0	0	*				
Other Race	*	0	0	TYPE OF COMMITMENT	400	404	400
Race/Ethnicity Unknown	0	0	0	Voluntary	109	124	106
TD5.474.547.4.600.44.400.47.57.				Civil	0		0
TREATMENT ACCOMMODATION	4	*	*	Criminal		0	0
Hearing Impaired	*	*	*	Sexual Predatory	0	0	0
Past or Current Military Service	*	*	*	Commitment Type Unknown	0	0	0

MISSOURI STUDENT SURVEY

			•
Paraent of atudente who have ever used.	2014	2012	2010
Percent of students who have ever used: Alcohol	36.4	33.8	45.4
Cigarettes	27.8	20.3	_
Chewing Tobacco	17.3		
Marijuana	14.3	16.5	
Inhalants	3.1	3.0	6.9
Prescription medications not prescribed for student	5.2	4.5	10.4
Over-the-counter medications for non-medical use	1.1	5.3	8.0
Methamphetamine	0.0	0.0	1.2
Cocaine	1.0	0.0	1.7
Heroin	0.0	0.0	0.0
Hallucinogens	0.0	3.1	3.5
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.0	0.8	3.4
Steroids not prescribed for student	0.0	0.0	0.6
Synthetic drugs (K2, bath salts, Spice, etc)	3.0	6.8	
Average age of students' first use of:			
Alcohol	13.15	12.34	12.12
Cigarettes	13.57	12.16	11.44
Marijuana	14.93	12.61	13.59
Inhalants	10.69		13.38
Percent of students who, in past 30 days, used:			
Alcohol	14.1	8.3	17.7
Alcohol (Binge: 5+ drinks on one occassion)		5.3	8.6
Cigarettes	11.1	6.0	14.9
Chewing Tobacco	8.2	7.6	10.9
Marijuana	4.1	7.5	6.3
Inhalants	1.0	1.5	2.9
Prescription medications not prescribed for student	3.1	3.0	4.6
Over-the-counter medications for non-medical use	0.0	4.5	4.6
Percent of students who, in past 2 weeks, used:			
Alcohol (Binge: 5+ drinks on one occassion)	7.1		
Percent whose friends used in past 12 months: Alcohol	38.4	50.4	55.4
Cigarettes	39.0		45.7
Marijuana	27.6	35.3	_
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	5.0	11.3	
	0.0		
Percent who would likely use, if offered by a best friend:			
Alcohol	25.7	27.3	
Cigarettes	12.1	10.4	
Marijuana	8.1	13.0	10.4
Percent who say it would be wrong to use:			
Alcohol	66.0	55.4	58.0
Cigarettes	82.7	78.9	76.9
Marijuana	79.4		
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.8	94.7	94.8
Percent whose parents would disapprove if they use:			
Alcohol	80.4	87.0	85.0
Cigarettes	87.8	94.7	91.9
Marijuana	88.5	94.5	94.7
Percent who say it would be easy to obtain:			
Alcohol	52.6	61.1	57.5
Cigarettes	50.0	57.1	60.1
Marijuana	28.4		35.3
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	11.0	15.9	
, , , , , , , , , , , , , , , , , , ,	,		-

DENT SURVET			
Description to the state of the same of th	2014	2012	2010
Percent who believe they risk harm if they use:	57.1		
Alcohol (1 or 2 drinks daily)			
Alcohol (Binge: 5+ drinks once or twice a week)	66.0	66.0	74.0
Alcohol (any use)	90 F	66.9	74.9
Cigarettes (1+ packs per day)	89.5	00 E	7F 0
Cigarettes (any use)	71.1	80.5	75.9
Marijuana (once or twice a week)	71.1	CO 4	71.1
Marijuana (any use)	06.0	68.4	91.9
Other: Cocaine, LSD, Meth, Club Drug (any use)	96.8	92.3	91.9
Percent of students who, in past 30 days:			
Were very sad	15.2	20.3	24.1
Were grouchy, irritable, or in a bad mood	21.0	25.8	27.6
Felt hopeless about the future	9.0	9.0	12.1
Felt like not eating or eating more than usual	12.0	12.8	23.4
Slept a lot more or a lot less than usual	12.1	18.8	29.9
Had difficulty concentrating on school work	16.0	20.9	24.9
Percent of students who, in past 12 months:			
Seriously considered attempting suicide	12.0	9.0	10.9
Made plan about how they would attempt suicide	7.0	6.1	7.4
Attempted suicide	4.0	3.1	4.0
Attempted suicide and resulting injury, poisoning, or overdose			
had to be treated by doctor or nurse	1.1	3.1	1.8
Percent of students who, in past 12 months:			
Were threatened/injured with weapon at school	4.0	10.6	8.7
Were in a physical fight	13.0	22.0	25.3
Were in a fight and had to be treated by a doctor or nurse	5.0	3.1	6.3
were in a right and had to be treated by a doctor of hurse	3.0	5.1	0.5
Percent of students who, in past 3 months:			
Were victims of mean rumors or lies spread at school	46.5	52.6	65.3
Were made fun of by others	48.5	60.2	73.7
Were victims of an embarrassing or hurtful text message or	18.4	18.5	17.8
something posted on the internet			
Spread mean rumors or lies about other kids at school	30.3	28.0	36.2
Made fun of other people	59.0	56.4	69.1
Posted something on the internet or sent a text that might embarrass or hurt another student	13.0	13.1	15.7
embarrass of fluit another student			
Percent of students who agree that:			
Teachers notice and comment on student's good work	74.3	76.7	67.0
School provides feedback to parents on positive student	39.8	35.9	39.7
performance	39.0	33.9	39.1
Rules are enforced fairly	61.0	56.4	55.4
Students of all races/ethnicities are treated equal	87.0	85.7	84.5
Percent of students who agree that:			
Parents notice and comment on student's good work	80.8	78.8	78.7
Parents involve student in making family decisions	73.7	64.7	69.7
It is important to be honest with parents regardless of			
consequences	94.9	83.5	83.3
Student could ask parent for help with a personal problem	83.7	71.8	77.0

Missouri Student Survey is conducted biennially.
Similar affirmative response choices for individual questions are combined.
Blank data cells indicate estimates are not available for item or geographic area. Survey is not conducted in every school district nor reported for every county. Estimates are not available for counties with small numbers of respondents. Percentages are estimates based on weighted data.

Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

	••••						
	DBH REGION	Southeast		IMPAIRED DRIVING	2013	2012	2011
	DBH SERVICE AREAS			Alcohol Involved CrashesTotal	25	29	25
The state of the s	Substance Use	20		Fatal Crashes	1	1	1
	Adult Psychiatric	19		Injury Crashes	9	15	12
	POPULATION			Property Damage Crashes	15	13	12
	Census 2010	18,296		Crash Fatalities	1	1	1
	2014 Estimate	17,650		Crash Injuries	12	23	15
				Drug Involved CrashesTotal	9	8	4
				Fatal Crashes	0	0	0
BIRTH RISK	2013	2012	2011	Injury Crashes	2	4	3
Resident BirthsTotal	301	282	288	Property Damage Crashes	7	4	1
Mother Reported Smoking whil		68	64	Crash Fatalities	0	0	0
	•			Crash Injuries	3	4	2
DISEASE INCIDENCE 1	2013	2012	2011	DOLLOS DEDODES	2013	2012	2011
HIV/AIDS Cases	1	1	1	POLICE REPORTS	106	178	190
Hepatitis B Chronic, Acute, Pre	enatal 0	1	1	DUI Arrests, DWI Tracking System Liquor Law Arrests	6	178	47
Hepatitis C Chronic and Acute	17	39	22	Drug Arrests	151	242	365
Tuberculosis Infection Cases	8	22	8	Violent Offenses	161	179	144
DEATING and INVIDES	2012	2012	2011	Property Offenses	769	688	674
DEATHS and INJURIES Resident DeathsTotal	2013 269	2012 226	2011 218	Domestic Violence Reports	237	248	128
Suicides	6	3	3	Domestic violence reports	2014	2013	2012
Self-inflicted Injuries	26	3 21	3 42	Methamphetamine Lab Seizures	0	2013	0
Homicides	20	0	2	Wethamphetamine Lab Colzaros	· ·		· ·
Assault Injuries	114	157	126	SCHOOL REPORTS	2013-14	2012-13	2011-12
Alcohol Induced Deaths	0	4	0	Enrollment Grades 9-12	1,045	1,037	990
Drug Induced Deaths	5	5	4	Drop-outs	17	20	56
Smoking Attributable Deaths	58	55 55	45	Drop-out Rate	1.6%	1.9%	5.7%
Omoking Attributable Deaths	30	33	43	School Discipline Involving Alcohol	0	0	0
HOSPITAL EPISODES 2	2013	2012	2011	School Discipline Involving Drugs	1	1	0
Hospitalization, no Emergency	Room:			School Discipline Involving Tobacco	0	0	0
Mental Illness Principal Diagn	osis 316	342	395	JUVENILE COURT REFERRALS 3	2013	2012	2011
Mental Illness Secondary Diag	gnosis 444	566	761	Juvenile Violent Offenses	2013 5	33	7
Alcohol Principal Diagnosis	9	14	13	Juvenile Alcohol Offenses	0	0	0
Alcohol Secondary Diagnosis	30	39	60	Juvenile Drug Offenses	1	6	1
Drug Principal Diagnosis	12	7	16	School Truancy Status Offense	0	8	0
Drug Secondary Diagnosis	26	38	60	Absent from Home Status Offense	0	9	0
Emergency Room + Hospitaliza				Beyond Parental Control Status Offense	3	22	4
Mental Illness Principal Diagn	osis 48	46	37	Injurious Behavior Status Offense	0	17	0
Mental Illness Secondary Diag	gnosis 345	427	310	Child Abuse	3	21	2
Alcohol Principal Diagnosis	3	7	6	Child Neglect	28	48	12
Alcohol Secondary Diagnosis	26	31	21	Child Custody Issues	6	6	0
Drug Principal Diagnosis	8	9	10				
Drug Secondary Diagnosis	20	24	17	JUVENILE COURT PLACEMENTS	2013	2012	2011
Emergency Room, no Hospital				Out-of-Home PlacementsTotal	57	52	45
Mental Illness Principal Diagn		174	182	Parental Alcohol Use Related	4	8	9
Mental Illness Secondary Diag		92	111	Parental Drug Use Related	29	7	7
Alcohol Principal Diagnosis	52	36	56	Parental Alcohol and Drug Use	0	0	1
Alcohol Secondary Diagnosis	23	29	49	CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Principal Diagnosis	32	30	33	Drug Court Participants	0	0	0
Drug Secondary Diagnosis	40	40	61	Probation/Parole AdmissionsDrug	101	113	146
ALCOHOL OUTLETS	2014	2013	2012	Probation/Parole AdmissionsDWI	14	22	25
ALCOHOL OUTLETS Alcohol On-Premise Drink Lice		17	19	Prison AdmissionsDrug	56	65	67
Alcohol Package Carry-out Lic		28	28	Prison AdmissionsDWI	10	10	20
Alcohor Lackage Carry-out Lic	20	20	20				
EMPLOYMENT	2014	2013	2012	1 All Kansas City hepatitis and TB case report			
Labor Force	7,019	8,247	8,205	totals and all Joplin case reports are include 2 Beginning with 2010 data, diagnosis counts			
Employed	6,377	7,567	7,541	based on codes developed by the Healthcar	re Cost and L	Jtilization Pro	ject.
Unemployed	642	680	664	3 Beginning in 2013, juvenile municipal violati court orders are categorized as status offen.			
Unemployment Rate	9.1%	8.2%	8.1%	Sourt orders are categorized as status offeri	oco molead U	i law violatioi	110.

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	68	60	99
CSTAR Adolescent	20	17	17
CSTAR Women and Children	18	19	12
CSTAR General Adult	116	117	47
CSTAR Opioid	0	0	0
Primary Recovery Treatment	31	135	233
Clinical SATOP (CIP, YCIP, SROP)	18	18	17
Other Substance Abuse Treatment	*	0	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	69	76	81
- Adolescent Diversion Education Prograr	0	0	0
- Offender Education Program	18	20	27
- Weekend Intervention Program	16	15	16
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	5	5	*
Compulsive Gambling	0	0	0
Recovery Supports	13	5	6
Early Intervention	*	*	*

, ,	FY2014	FY2013	FY2012		FY2014	FY2013	FY2012
NUMBER ADMITTED	200	070	240	PRIMARY DRUG PROBLEM	64	0.4	00
Total Individuals	220	279	342	Alcohol	64	84	98
AGE				Marijuana / Hashish	66	106	124
Under 18	19	19	19	Cocaine (total)	11 6	23 10	47
18 to 24	38	63	71	- Crack			28
25 to 29	40	54	59	Stimulant (total)	51	48	43
30 to 34	36	36	45	- Methamphetamine	50 *	44	42
35 to 39	24	29	41	Heroin			
40 to 44	19	16	40	Analgesic except Heroin	16	10	18
45 to 54	33	42	42	- Non-Prescription Methadone	0	0	0
55 and Over	11	20	25	PCP, LSD, other Hallucinogen Tranquilizer	10	5	0 10
GENDER				Inhalant	0	0	0
Male	149	193	255	Sedative	*	*	0
Female	71	86	87	Other Medication or Illicit Drug	0	0	0
Tomale	, ,	00	01	Average Age at First Use of Drug	18.0	18.1	18.4
RACE / ETHNICITY				Average Age at 1 hot ede of Brag	10.0	10.1	10.4
Caucasian	137	160	202	INJECTION DRUG USE			
African American	76	116	133	Any Injection Use at Admission	7	8	7
Native American / Alaskan	*	0	*	- Daily Injection Use	*	*	0
Asian / Pacific Islander	0	0	0	- Weekly Injection Use	*	0	*
Hispanic	*	0	*	- Less than Weekly Injection Use	*	6	5
Other Race / Two or More Races	*	*	*	- Less than weekly injection ose		O	3
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	94	120	167	0	175	216	255
High School Graduate or G.E.D.	104	139	155	1 or 2	38	39	67
Associate Degree or Some College	22	20	18	3 or More	7	24	20
Bachelor or Advanced Degree	0	0	*	TREATMENT REFERRAL COURSE			
CAADLOVAACAIT				TREATMENT REFERRAL SOURCE Self / Family / Friend	42	25	55
EMPLOYMENT Employed	39	63	86	School	0	0	0
Unemployed	47	73	102	Mental Health Provider	*	*	*
Not in Labor Force	134	143	154	Health Care Provider	11	12	16
Not iii Laboi i orce	134	143	134	Court / Criminal Justice	122	193	246
HOUSING / LIVING ARRANGEMENT				Other Referral Source	43	46	240
Independent Living	178	243	305	Other Referral Source	43	40	24
Dependent Living	29	28	25	TREATMENT ACCOMMAND ATION			
Homeless	5	*	*	TREATMENT ACCOMMODATION Pregnant when Admitted to any Episode	8	8	*
MARITAL / FAMILY STATUS				Military Veteran	10	13	8
Never Married	127	161	167	Special Education Services Needed	26	28	19
Married / Cohabitating	51	77	107	Co-Occurring Psychological Problem	40	52	65
Previously Married	42	41	68	Co-Occurring Developmental Problem	*	6	7
. Toviodory Marriod	72	71	00	CO Coodining Dovolopinoniai i Tobletti		0	,

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Southeast
PSYCHIATRIC SERVICE AREA 19
CENSUS 2010 18,296
2014 POPULATION ESTIMATE 17,650

served because some individuals had	•		
DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012
Adjustment Disorder	19	*	*
Anxiety Disorder	25	14	9
Dementia	0	0	0
Developmental Disorder	*	*	0
Impulse Control Disorder	40	24	21
Mood Disorder	129	110	88
Personality Disorder	*	*	*
Psychotic Disorder	44	42	33
Sexual Disorder	*	*	*
Other Diagnosis	16	9	14
Diagnosis Unknown	47	31	26

Individuals who received psychiatric services had the following types of

NUMBER SERVED	FY2014	FY2013	FY2012	EDUCATION	FY2014	FY2013	FY2012
Total Individuals	310	226	181	Less than High School Diploma	116	73	34
. otala.v.aaao	0.0			High School Grad or G.E.D.	0	0	21
AGE				Associate Degree or Some College	0	0	5
Under 6	6	*	0	Bachelor or Advanced Degree	0	0	0
6 to 9	33	18	16	Education Level Unknown	194	153	121
10 to 13	37	26	20	Education Edver Officiowin	104	100	121
14 to 17	36	15	13	EMPLOYMENT			
18 to 24	26	21	10	Employed	*	7	*
25 to 29	23	18	21	Unemployed	23	18	47
30 to 34	27	24	20	Not in Labor Force	159	102	19
35 to 39	31	26	16	Employment Status Unknown	124	99	114
40 to 44	21	18	16				
45 to 49	23	15	14	HOUSING / LIVING ARRANGEMENT			
50 to 54	22	22	15	Independent Living	100	92	51
55 to 59	12	10	12	Dependent Living	77	31	17
60 and Over	13	9	8	Homeless	*	*	*
Age Unknown	0	0	0	Other	0	0	5
				Housing Unknown	131	102	107
GENDER				_			
Male	163	114	96	TREATMENT REFERRAL SOURCE			
Female	147	112	85	Self / Family / Friend	75	47	33
Gender Unknown	0	0	0	School	16	6	9
RACE / ETHNICITY				Mental Health Provider	25	20	20
Caucasian	194	145	103	Health Care Provider	52	52	35
African American	101	75	72	Court / Criminal Justice	69	61	63
Native American / Alaskan	0	0	0	Other	71	38	19
Asian / Pacific Islander	0	0	0	Referral Source Unknown	*	*	*
Hispanic	*	*	*				
Other Race	11	5	5	TYPE OF COMMITMENT			
Race/Ethnicity Unknown	0	0	0	Voluntary	305	219	174
•	Ū	ŭ		Civil	0	0	0
TREATMENT ACCOMMODATION				Criminal	*	*	*
Hearing Impaired	*	*	*	Sexual Predatory	*	*	*
Past or Current Military Service	9	10	*	Commitment Type Unknown	*	*	*

MISSOURI STUDENT SURVEY

	IVIIO	OUI	(1310	DENT SORVET			
Percent of students who have ever used:	2014	2012	2010	Percent who believe they risk harm if they use:	2014	2012	2010
Alcohol	27.6	44.1	49.0	Alcohol (1 or 2 drinks daily)	49.6		
Cigarettes	20.8	30.8	37.9	Alcohol (Binge: 5+ drinks once or twice a week)	62.5		
Chewing Tobacco	10.9	11.7	16.7	Alcohol (any use)	02.0	79.3	76.8
Marijuana	11.5	15.3	20.1	Cigarettes (1+ packs per day)	70.9	70.0	70.0
Inhalants	3.5	5.7	10.2	Cigarettes (any use)	70.0	85.4	77.5
Prescription medications not prescribed for student	9.2	14.6	21.0	Marijuana (once or twice a week)	59.1	00.1	77.0
Over-the-counter medications for non-medical use	3.5	8.0	10.9	Marijuana (any use)		77.1	74.8
Methamphetamine	0.0	1.3	0.7	Other: Cocaine, LSD, Meth, Club Drug (any use)	79.7	92.3	91.9
Cocaine	0.4	1.3	2.2			02.0	00
Heroin	0.4	1.0	1.3	Percent of students who, in past 30 days:			
Hallucinogens	1.3	1.0	1.8	Were very sad	23.1	19.1	15.7
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.4	1.0	2.7	Were grouchy, irritable, or in a bad mood	28.2	32.8	20.8
Steroids not prescribed for student	1.8	1.6	1.6	Felt hopeless about the future	15.5	8.6	10.1
Synthetic drugs (K2, bath salts, Spice, etc)	2.2	8.3		Felt like not eating or eating more than usual	23.3	20.3	16.4
				Slept a lot more or a lot less than usual	22.3	22.4	23.2
Average age of students' first use of:	40.00	40.05	40.77	Had difficulty concentrating on school work	19.7	23.9	19.3
Alcohol			12.77	Percent of students who, in past 12 months:			
Cigarettes			12.42	Seriously considered attempting suicide	12.5	13.0	13.0
Marijuana			14.02	Made plan about how they would attempt suicide	10.8	11.3	10.9
Inhalants	10.77	12.62	12.62	Attempted suicide	7.4	7.3	8.0
Percent of students who, in past 30 days, used:				Attempted suicide and resulting injury, poisonng, or overdose			
Alcohol	11.8	17.8	25.4	had to be treated by doctor or nurse	3.1	2.9	3.8
Alcohol (Binge: 5+ drinks on one occassion)		12.4	16.3	Percent of students who, in past 12 months:			
Cigarettes	10.5	12.4	22.2	· •	9.4	6.7	9.4
Chewing Tobacco	7.4	5.4	10.1	Were threatened/injured with weapon at school	26.2	28.0	29.6
Marijuana	5.3	5.7	9.9	Were in a fight and had to be treated by a dector or purce.	5.6	3.8	5.2
Inhalants	1.3	1.6	4.9	Were in a fight and had to be treated by a doctor or nurse	5.6	3.0	5.2
Prescription medications not prescribed for student	4.8	8.6	14.3	Percent of students who, in past 3 months:			
Over-the-counter medications for non-medical use	1.7	3.5	7.2	Were victims of mean rumors or lies spread at school	57.9	58.3	63.4
				Were made fun of by others	64.8	61.0	72.0
Percent of students who, in past 2 weeks, used:				Were victims of an embarrassing or hurtful text message or	27.0	22.0	24 5
Alcohol (Binge: 5+ drinks on one occassion)	5.4			something posted on the internet	27.9	22.8	21.5
Percent whose friends used in past 12 months:				Spread mean rumors or lies about other kids at school	23.6	27.6	33.5
Alcohol	37.8	57.6	60.1	Made fun of other people	60.5	67.2	77.3
Cigarettes	31.2	52.2	56.6	Posted something on the internet or sent a text that might	19.2	17.3	21.8
Marijuana	21.5	36.5	36.2	embarrass or hurt another student	19.2	17.3	21.0
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	5.2	11.8	13.0	Percent of students who agree that:			
				Teachers notice and comment on student's good work	79.1	68.6	73.1
Percent who would likely use, if offered by a best friend:		00.0		School provides feedback to parents on positive student	70.1	00.0	70.1
Alcohol	26.8	29.3	37.5	performance	48.9	40.7	44.5
Cigarettes	12.6	10.5	21.2	Rules are enforced fairly	60.1	51.8	53.7
Marijuana	10.1	9.2	14.1	Students of all races/ethnicities are treated equal	72.5	61.8	68.0
Percent who say it would be wrong to use:				·	12.0	01.0	00.0
Alcohol	69.3	66.7	60.3	Percent of students who agree that:			
Cigarettes	82.6	80.5	73.9	Parents notice and comment on student's good work	84.6	83.2	82.4
Marijuana	81.7	84.3	81.1	Parents involve student in making family decisions	73.3	67.7	73.7
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	92.6	95.8	95.8	It is important to be honest with parents regardless of	84.1	88.4	84.9
-				consequences	0	00. 1	0 1.0
Percent whose parents would disapprove if they use:	00.4	05.0		Student could ask parent for help with a personal problem	78.8	77.6	76.5
Alcohol	89.4	85.0					
Cigarettes	94.2	90.7	88.7	Missouri Student Survey is conducted biennially. Similar affirmative response choices for individual questions are	e combin	ed	
Marijuana	95.5	95.8	94.5	Blank data cells indicate estimates are not available for item or			
Percent who say it would be easy to obtain:				Survey is not conducted in every school district nor reported for	r every co	ounty.	
Alcohol	45.7	59.6	58.5	Estimates are not available for counties with small numbers of Percentages are estimates based on weighted data.	esponde	nts.	
Cigarettes	46.8	60.3	62.3	Some year-to-year differences in percentages are not statistica	lly signifi	cant.	
Marijuana	34.8	46.9	41.9	Data source: Missouri Institute of Mantal Lington 2010 CO11 N	000:::: 0:	udent C	In (6) (5
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	21.0	25.0	24.1	Data source: Missouri Institute of Mental Health, 2010-2014 Mis	ssouri Sti	udent St	uveys
· ·							

i zikiki occiti	•						
	OBH REGION	Southeast		IMPAIRED DRIVING	2013	2012	2011
	OBH SERVICE AREAS			Alcohol Involved CrashesTotal	20	25	24
	Substance Use	21		Fatal Crashes	1	0	0
	Adult Psychiatric	21		Injury Crashes	8	14	8
$-\frac{1}{2}$	POPULATION			Property Damage Crashes	11	11	16
	Census 2010	18,971		Crash Fatalities	1	0	0
	2014 Estimate	19,202		Crash Injuries	11	15	12
—————————————————————————————————————				Drug Involved CrashesTotal	5	1	8
				Fatal Crashes	0	0	0
BIRTH RISK	2013	2012	2011	Injury Crashes	2	1	4
Resident BirthsTotal	231	223	211	Property Damage Crashes	3	0	4
Mother Reported Smoking while		43	47	Crash Fatalities	0	0	0
1				Crash Injuries	2	1	5
DISEASE INCIDENCE 1	2013	2012	2011	POLICE REPORTS	2013	2012	2011
HIV/AIDS Cases	0	0	0	DUI Arrests, DWI Tracking System	114	115	140
Hepatitis B Chronic, Acute, Pre		0	0	Liquor Law Arrests	25	26	25
Hepatitis C Chronic and Acute	7	4	5	Drug Arrests	124	93	78
Tuberculosis Infection Cases	2	4	0	Violent Offenses	32	28	18
DEATHS and INJURIES	2013	2012	2011	Property Offenses	232	271	313
Resident DeathsTotal	189	193	183	Domestic Violence Reports	96	78	90
Suicides	2	2	103	Democrat Visionee Reports	2014	2013	2012
Self-inflicted Injuries	28	15	28	Methamphetamine Lab Seizures	3	1	1
Homicides	1	0	1				
Assault Injuries	55	61	40	SCHOOL REPORTS	2013-14	2012-13	2011-12
Alcohol Induced Deaths	1	1	1	Enrollment Grades 9-12	731	742	751
Drug Induced Deaths	3	1	2	Drop-outs	22	17	18
Smoking Attributable Deaths	37	34	27	Drop-out Rate	3.0%	2.3%	2.4%
	0.	•		School Discipline Involving Alcohol	1	2	1
HOSPITAL EPISODES 2	2013	2012	2011	School Discipline Involving Drugs	19	7	2
Hospitalization, no Emergency				School Discipline Involving Tobacco	0	0	0
Mental Illness Principal Diagno		140	144	JUVENILE COURT REFERRALS 3	2013	2012	2011
Mental Illness Secondary Diag		543	452	Juvenile Violent Offenses	16	19	15
Alcohol Principal Diagnosis	5	9	16	Juvenile Alcohol Offenses	7	3	10
Alcohol Secondary Diagnosis	17	22	23	Juvenile Drug Offenses	9	8	7
Drug Principal Diagnosis	6	10	13	School Truancy Status Offense	4	3	3
Drug Secondary Diagnosis	10	13	14	Absent from Home Status Offense	7	10	6
Emergency Room + Hospitaliza				Beyond Parental Control Status Offense	23	21	24
Mental Illness Principal Diagno		26	12	Injurious Behavior Status Offense	16	19	5
Mental Illness Secondary Diag		141	197	Child Abuse	15	18	22
Alcohol Principal Diagnosis	8	2	0	Child Neglect	59	59	71
Alcohol Secondary Diagnosis	14	27	14	Child Custody Issues	1	5	2
Drug Principal Diagnosis	1	4	2				
Drug Secondary Diagnosis	5	8	10	JUVENILE COURT PLACEMENTS	2013	2012	2011
Emergency Room, no Hospitali		400	040	Out-of-Home PlacementsTotal	11	6	19
Mental Illness Principal Diagno		192	216	Parental Alcohol Use Related	2	0	1
Mental Illness Secondary Diag		308	375	Parental Drug Use Related	3	2	2
Alcohol Principal Diagnosis	27	25	45	Parental Alcohol and Drug Use	0	0	1
Alcohol Secondary Diagnosis	41	47	51	CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Principal Diagnosis	26	30	32	Drug Court Participants	0	0	6
Drug Secondary Diagnosis	42	72	52	Probation/Parole AdmissionsDrug	50	72	43
ALCOHOL OUTLETS	2014	2013	2012	Probation/Parole AdmissionsDWI	7	8	8
Alcohol On-Premise Drink Lice		34	30	Prison AdmissionsDrug	19	22	19
Alcohol Package Carry-out Lice		22	21	Prison AdmissionsDWI	0	2	6
			2042	1 All Kansas City hepatitis and TB case report	ts are include	ed in Jackson	County
EMPLOYMENT	2014	2013	2012	totals and all Joplin case reports are include	d in Jasper C	County totals.	
Labor Force	10,224	11,349	10,625	2 Beginning with 2010 data, diagnosis counts			
Employed	9,667	10,825	10,124	based on codes developed by the Healthcar 3 Beginning in 2013, juvenile municipal violati			
Unemployed	557	524	501	court orders are categorized as status offen:			
Unemployment Rate	5.4%	4.6%	4.7%				

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TOTATATATAT CATECODY	FY2014	FY2013	FY2012
TREATMENT CATEGORY			
Detoxification	19	21	17
CSTAR Adolescent	12	7	9
CSTAR Women and Children	5	9	11
CSTAR General Adult	75	86	36
CSTAR Opioid	0	0	*
Primary Recovery Treatment	0	7	43
Clinical SATOP (CIP, YCIP, SROP)	17	10	13
Other Substance Abuse Treatment	0	*	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	96	100	112
- Adolescent Diversion Education Prograr	0	0	0
- Offender Education Program	45	47	59
- Weekend Intervention Program	24	28	33
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	*	0
Compulsive Gambling	*	0	0
Recovery Supports	47	29	45
Early Intervention	*	*	*

NUMBER ADMITTED	FY2014	FY2013	FY2012	PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Total Individuals	142	113	129	Alcohol	54	36	58
		_		Marijuana / Hashish	45	41	35
AGE				Cocaine (total)	*	*	*
Under 18	11	8	9	- Crack	0	*	*
18 to 24	41	38	28	Stimulant (total)	9	12	10
25 to 29	31	21	23	- Methamphetamine	8	11	10
30 to 34	16	12	22	Heroin	12	12	5
35 to 39	16	11	14	Analgesic except Heroin	11	6	12
40 to 44	9	8	*	- Non-Prescription Methadone	0	0	0
45 to 54	12	15	25	PCP, LSD, other Hallucinogen	*	0	*
55 and Over	6	0	5	Tranquilizer	*	*	5
GENDER				Inhalant	0	*	0
Male	98	72	89	Sedative	0	0	0
Female	44	41	40	Other Medication or Illicit Drug	*	0	0
D 4 65 / 57 (4 10 17)				Average Age at First Use of Drug	16.8	16.9	17.5
RACE / ETHNICITY Caucasian	134	105	122				
African American	134	105	122	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	16	21	11
	_	-	-	- Daily Injection Use	*	*	*
Asian / Pacific Islander	0	0	0	- Weekly Injection Use	*	*	*
Hispanic Other Race / Two or More Races	*	5	*	- Less than Weekly Injection Use	10	14	5
EDUCATION .				UESTINAS DUU / DUU ADDSSTS			
EDUCATION	53	38	50	LIFETIME DUI / DWI ARRESTS 0	87	59	75
Less than High School Diploma	63	59	53	1 or 2	36	42	34
High School Graduate or G.E.D.							
Associate Degree or Some College	25	16	25 *	3 or More	19	12	20
Bachelor or Advanced Degree		0		TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	18	8	25
Employed	58	46	44	School	0	0	0
Unemployed	47	39	49	Mental Health Provider	*	0	0
Not in Labor Force	37	28	36	Health Care Provider	*	8	9
				Court / Criminal Justice	98	80	90
HOUSING / LIVING ARRANGEMENT				Other Referral Source	15	15	5
Independent Living	122	91	109				
Dependent Living	14	16	18	TREATMENT ACCOMMODATION			
Homeless	*	5	*	Pregnant when Admitted to any Episode	*	*	0
MARITAL / FAMILY STATUS				Military Veteran	5	*	6
Never Married	84	64	70	Special Education Services Needed	19	9	21
Married / Cohabitating	35	23	31	Co-Occurring Psychological Problem	58	51	62
Previously Married	23	26	28	Co-Occurring Developmental Problem	*	5	5
•				•			

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Southeast
PSYCHIATRIC SERVICE AREA 21
CENSUS 2010 18,971
2014 POPULATION ESTIMATE 19,202

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.						
DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012			
Adjustment Disorder	64	56	48			
Anxiety Disorder	96	64	84			
Dementia	*	0	0			
Developmental Disorder	*	*	*			
Impulse Control Disorder	109	100	140			
Mood Disorder	345	260	353			
Personality Disorder	9	9	8			
Psychotic Disorder	21	20	28			
Sexual Disorder	0	0	0			
Other Diagnosis	16	14	23			
Diagnosis Unknown	32	52	108			

Individuals who received psychiatric services had the following types of

NUMBER SERVED	FY2014	FY2013	FY2012	EDUCATION	FY2014	FY2013	FY2012
Total Individuals	595	502	717	Less than High School Diploma	64	78	39
· otal mamadalo	000	002		High School Grad or G.E.D.	0	0	37
AGE				Associate Degree or Some College	0	0	5
Under 6	*	0	*	Bachelor or Advanced Degree	0	0	*
6 to 9	23	28	58	Education Level Unknown	531	424	634
10 to 13	42	48	76	Education Edver Officiowin	001	727	004
14 to 17	69	51	75	EMPLOYMENT			
18 to 24	62	62	82	Employed	5	10	8
25 to 29	60	52	60	Unemployed	*	8	69
30 to 34	55	44	75	Not in Labor Force	119	127	13
35 to 39	55	48	63	Employment Status Unknown	467	357	627
40 to 44	52	38	51				
45 to 49	50	42	55	HOUSING / LIVING ARRANGEMENT			
50 to 54	50	38	52	Independent Living	83	83	80
55 to 59	36	23	28	Dependent Living	47	58	46
60 and Over	40	28	39	Homeless	0	*	*
Age Unknown	0	0	0	Other	0	0	*
				Housing Unknown	465	359	587
GENDER				-			
Male	253	212	302	TREATMENT REFERRAL SOURCE			
Female	342	290	415	Self / Family / Friend	383	342	524
Gender Unknown	0	0	0	School	8	8	9
RACE / ETHNICITY				Mental Health Provider	35	26	32
Caucasian	538	445	627	Health Care Provider	71	54	74
African American	6	5	8	Court / Criminal Justice	21	20	15
Native American / Alaskan	*	*	0	Other	76	52	63
Asian / Pacific Islander	0	0	0	Referral Source Unknown	*	0	0
Hispanic	31	36	63				
Other Race	17	15	19	TYPE OF COMMITMENT			
Race/Ethnicity Unknown	0	0	0	Voluntary	592	501	716
•	· ·	· ·	· ·	Civil	0	0	0
TREATMENT ACCOMMODATION				Criminal	*	*	*
Hearing Impaired	22	23	30	Sexual Predatory	0	0	0
Past or Current Military Service	14	7	9	Commitment Type Unknown	*	0	0

MISSOURI STUDENT SURVEY

				DEITH GOILVET			
Percent of students who have ever used:	2014	2012	2010	Percent who believe they risk harm if they use:	2014	2012	2010
Alcohol	36.4	44.1	42.8	Alcohol (1 or 2 drinks daily)	63.8		
Cigarettes	20.4	27.8	28.4	Alcohol (Binge: 5+ drinks once or twice a week)	69.1		
Chewing Tobacco	13.9	17.7	17.0	Alcohol (any use)		62.4	79.1
Marijuana	9.3	12.7	9.8	Cigarettes (1+ packs per day)	85.2		
Inhalants	2.6	4.0	5.1	Cigarettes (any use)		75.6	76.5
Prescription medications not prescribed for student	7.8	5.4	9.4	Marijuana (once or twice a week)	71.7		
Over-the-counter medications for non-medical use	1.3	5.0	3.6	Marijuana (any use)		76.1	63.7
Methamphetamine	1.3	2.0	0.0	Other: Cocaine, LSD, Meth, Club Drug (any use)	91.4	89.0	89.7
Cocaine	0.0	1.4	1.0				
Heroin	0.0	0.7	0.5	Percent of students who, in past 30 days:	10.7	10.5	177
Hallucinogens	0.0	2.4	1.3	Were grouphy initiable, or in a had mood	19.7	18.5	17.7 26.0
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.3	2.4	0.3	Were grouchy, irritable, or in a bad mood	23.6 7.8	24.7 12.2	13.9
Steroids not prescribed for student	1.3	1.3	0.0	Felt like not eating or eating more than usual	14.6	19.9	16.0
Synthetic drugs (K2, bath salts, Spice, etc)	3.0	5.7		Felt like not eating or eating more than usual	13.5	21.2	27.1
Avorage age of ctudents' first use of:				Slept a lot more or a lot less than usual		20.3	27.1
Average age of students' first use of: Alcohol	12 //	12.51	12 24	Had difficulty concentrating on school work	13.7	20.3	27.0
		12.51		Percent of students who, in past 12 months:			
Cigarettes				Seriously considered attempting suicide	9.4	12.4	10.9
Marijuana		13.78		Made plan about how they would attempt suicide	6.0	7.5	8.0
Inhalants	6.95	12.61	11.05	Attempted suicide	1.3	6.0	5.4
Percent of students who, in past 30 days, used:				Attempted suicide and resulting injury, poisonng, or overdose	0.0	2.7	1.7
Alcohol	18.0	23.1	22.8	had to be treated by doctor or nurse	0.0	2.1	1.7
Alcohol (Binge: 5+ drinks on one occassion)		15.7	14.6	Percent of students who, in past 12 months:			
Cigarettes	4.8	11.7	16.5	Were threatened/injured with weapon at school	1.7	6.0	7.6
Chewing Tobacco	6.1	8.7	8.3	Were in a physical fight	10.7	16.9	18.0
Marijuana	4.4	7.3	3.3	Were in a fight and had to be treated by a doctor or nurse	3.4	3.7	3.2
Inhalants	1.3	2.0	2.0				
Prescription medications not prescribed for student	4.4	3.3	5.0	Percent of students who, in past 3 months:			
Over-the-counter medications for non-medical use	1.3	3.7	2.6	Were victims of mean rumors or lies spread at school	47.6	53.5	55.5
Percent of students who, in past 2 weeks, used:				Were made fun of by others	58.8	58.6	68.6
Alcohol (Binge: 5+ drinks on one occassion)	6.7			Were victims of an embarrassing or hurtful text message or	23.0	20.9	16.5
According (blinge: 5+ drinks on one occassion)	0.7			something posted on the internet			
Percent whose friends used in past 12 months:				Spread mean rumors or lies about other kids at school	30.6	30.4	36.0
Alcohol	39.3		59.2	Made fun of other people	55.8	53.2	70.6
Cigarettes	22.2		44.7	Posted something on the internet or sent a text that might embarrass or hurt another student	16.3	14.6	14.2
Marijuana	21.9	34.2	30.0	embarrass of fluit another student			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	9.0	12.0	15.2	Percent of students who agree that:			
Percent who would likely use, if offered by a best friend:				Teachers notice and comment on student's good work	68.7	63.5	70.7
Alcohol	25.3	36.1	37.0	School provides feedback to parents on positive student	40.4	040	07.0
Cigarettes	6.8	14.3	14.0	performance	46.4	34.2	37.2
Marijuana	7.5	11.0	7.0	Rules are enforced fairly	63.9	50.0	49.5
	7.5			Students of all races/ethnicities are treated equal	82.0	64.1	66.1
Percent who say it would be wrong to use:				Percent of students who earns that			
Alcohol	61.0	54.5	57.3	Percent of students who agree that:	80.9	76.1	84.3
Cigarettes	88.6	79.7	78.1	Parents notice and comment on student's good work Parents involve student in making family decisions	73.4	67.0	68.9
Marijuana	84.3	84.6	87.4		73.4	07.0	00.9
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	92.2	94.9	96.1	It is important to be honest with parents regardless of consequences	86.3	80.9	83.2
Percent whose parents would disapprove if they use:				Student could ask parent for help with a personal problem	75.1	75.3	76.3
Alcohol	75.9	71.6	72.3	Student could ask parent for help with a personal problem	7 3. 1	10.0	10.5
Cigarettes	90.4	88.9	90.5	Missouri Student Survey is conducted biennially.			
Marijuana	95.5	94.5	95.0	Similar affirmative response choices for individual questions are			
•				Blank data cells indicate estimates are not available for item or Survey is not conducted in every school district nor reported for			
Percent who say it would be easy to obtain:	F0.0	F7 ^	F0.0	Estimates are not available for counties with small numbers of			
Alcohol Cigarettes	52.6	57.2	59.0	Percentages are estimates based on weighted data.	lly cia-ir	oort	
Cigarettes	43.3		55.6	Some year-to-year differences in percentages are not statistical	ily signific	Jant.	
Marijuana Othor Illinit (Coccine J.S.D. Moth. Club Drug. etc.)	27.8	34.7	25.7	Data source: Missouri Institute of Mental Health, 2010-2014 Mis	ssouri St	udent Sı	urveys
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	13.2	14.9	16.7				

1 21 110 0001111							
DBH REGIO	ON	Central		IMPAIRED DRIVING	2013	2012	2011
DBH SERV	ICE AREAS			Alcohol Involved CrashesTotal	50	43	52
Substan	ce Use	12		Fatal Crashes	3	1	2
Adult Ps	ychiatric	12		Injury Crashes	22	20	16
POPULATION	•			Property Damage Crashes	25	22	34
Census		42,201		Crash Fatalities	4	1	2
2014 Es	timate	42,225		Crash Injuries	26	25	23
		, -		Drug Involved CrashesTotal	12	5	9
213				Fatal Crashes	1	0	2
				Injury Crashes	4	2	3
BIRTH RISK	2013	2012	2011	Property Damage Crashes	7	3	4
Resident BirthsTotal	559	585	599	Crash Fatalities	1	0	2
Mother Reported Smoking while Pregna	nt 123	130	145	Crash Injuries	5	2	4
DISEASE INCIDENCE 1	2013	2012	2011			_	
HIV/AIDS Cases	2	1	3	POLICE REPORTS	2013	2012	2011
Hepatitis B Chronic, Acute, Prenatal	6	6	6	DUI Arrests, DWI Tracking System	163	161	172
Hepatitis C Chronic and Acute	32	23	20	Liquor Law Arrests	44	44	66
Tuberculosis Infection Cases	6	4	10	Drug Arrests	327	313	266
Tuberoulosis infection Guses	· ·		10	Violent Offenses	141	121	159
DEATHS and INJURIES	2013	2012	2011	Property Offenses	1,789	1,986	1,905
Resident DeathsTotal	425	401	441	Domestic Violence Reports	445	507	500
Suicides	8	8	4		2014	2013	2012
Self-inflicted Injuries	73	61	48	Methamphetamine Lab Seizures	0	3	5
Homicides	3	1	3		2042.44	2042.42	2014 42
Assault Injuries	181	166	174	SCHOOL REPORTS	2013-14	2012-13	2011-12
Alcohol Induced Deaths	1	2	2	Enrollment Grades 9-12	1,865	1,877	1,848
Drug Induced Deaths	4	4	7	Drop-outs	7	10	15
Smoking Attributable Deaths	80	63	72	Drop-out Rate	0.4%	0.5%	0.8%
				School Discipline Involving Alcohol	2	4	0
HOSPITAL EPISODES 2	2013	2012	2011	School Discipline Involving Drugs	7	15	1
Hospitalization, no Emergency Room:				School Discipline Involving Tobacco	0	0	0
Mental Illness Principal Diagnosis	401	438	376	JUVENILE COURT REFERRALS 3	2013	2012	2011
Mental Illness Secondary Diagnosis	1,375	1,304	1,426	Juvenile Violent Offenses	88	98	84
Alcohol Principal Diagnosis	50	43	42	Juvenile Alcohol Offenses	9	5	8
Alcohol Secondary Diagnosis	104	113	164	Juvenile Drug Offenses	34	37	44
Drug Principal Diagnosis	16	23	19	School Truancy Status Offense	14	18	17
Drug Secondary Diagnosis	94	67	81	Absent from Home Status Offense	40	32	30
Emergency Room + Hospitalization:				Beyond Parental Control Status Offense	24	31	43
Mental Illness Principal Diagnosis	89	91	70	Injurious Behavior Status Offense	141	96	37
Mental Illness Secondary Diagnosis	136	185	90	Child Abuse	3	0	7
Alcohol Principal Diagnosis	14	22	20	Child Neglect	2	1	8
Alcohol Secondary Diagnosis	23	16	15	Child Custody Issues	4	22	19
Drug Principal Diagnosis	8	13	16	•			
Drug Secondary Diagnosis	12	9	6	JUVENILE COURT PLACEMENTS	2013	2012	2011
Emergency Room, no Hospitalization:		440	004	Out-of-Home PlacementsTotal	42	56	60
Mental Illness Principal Diagnosis	414	418	364	Parental Alcohol Use Related	0	0	8
Mental Illness Secondary Diagnosis	4,633	3,932	3,907	Parental Drug Use Related	16	23	24
Alcohol Principal Diagnosis	89	74	69	Parental Alcohol and Drug Use	0	1	4
Alcohol Secondary Diagnosis	219	160	143	CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Principal Diagnosis	42	40	43	Drug Court Participants	36	17	18
Drug Secondary Diagnosis	172	149	170	Probation/Parole AdmissionsDrug	134	124	112
ALCOHOL QUITLETS	2014	2013	2012	Probation/Parole AdmissionsDWI	13	14	19
ALCOHOL OUTLETS Alcohol On-Premise Drink Licenses				Prison AdmissionsDrug	100	81	92
Alcohol Package Carry-out Licenses	49 42	53 41	53 41	Prison AdmissionsDWI	8	18	8
Alcohol I ackage Cally-out Licenses	42	41	41				
EMPLOYMENT	2014	2013	2012	All Kansas City hepatitis and TB case report totals and all loopin case reports are include			
Labor Force	20,530	20,844	19,869	totals and all Joplin case reports are include Beginning with 2010 data, diagnosis counts			
Employed	19,266	19,580	18,486	based on codes developed by the Healthcar	re Cost and L	Jtilization Proj	ject.
Unemployed	1,264	1,264	1,383	3 Beginning in 2013, juvenile municipal violati court orders are categorized as status offen:			
Unemployment Rate	6.2%	6.1%	7.0%	Sourt orders are editogenized as status offens	ooo moleau U	. Aut Violation	

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	7	20	18
CSTAR Adolescent	25	16	17
CSTAR Women and Children	9	8	5
CSTAR General Adult	226	153	183
CSTAR Opioid	0	0	0
Primary Recovery Treatment	9	7	17
Clinical SATOP (CIP, YCIP, SROP)	47	35	30
Other Substance Abuse Treatment	0	0	*

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	138	140	149
- Adolescent Diversion Education Prograr	0	0	0
- Offender Education Program	33	40	51
- Weekend Intervention Program	29	34	40
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	8	7	20
Compulsive Gambling	0	0	*
Recovery Supports	88	191	169
Early Intervention	*	*	0

NUMBER ADMITTED	FY2014	FY2013	FY2012	PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Total Individuals	306	253	258	Alcohol	111	89	91
				Marijuana / Hashish	88	75	76
AGE				Cocaine (total)	6	7	11
Under 18	25	18	18	- Crack	*	*	*
18 to 24	52	48	48	Stimulant (total)	79	61	63
25 to 29	55	41	47	- Methamphetamine	68	59	58
30 to 34	49	35	40	Heroin	*	*	0
35 to 39	39	33	35	Analgesic except Heroin	15	14	12
40 to 44	26	20	18	- Non-Prescription Methadone	0	0	0
45 to 54	45	39	41	PCP, LSD, other Hallucinogen	0	0	*
55 and Over	15	19	11	Tranquilizer	*	*	*
GENDER				Inhalant	*	0	*
Male	193	157	161	Sedative	*	*	0
Female	113	96	97	Other Medication or Illicit Drug	*	*	0
				Average Age at First Use of Drug	17.2	17.5	17.0
RACE / ETHNICITY	000	200	004				
Caucasian	263	220	224	INJECTION DRUG USE			
African American	19	24	16	Any Injection Use at Admission	34	26	22
Native American / Alaskan		0		- Daily Injection Use	5	10	8
Asian / Pacific Islander	*	0	0	- Weekly Injection Use	8	5	*
Hispanic	13	5	8	- Less than Weekly Injection Use	21	11	11
Other Race / Two or More Races	10	5	9				
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	102	64	93	0	176	153	151
High School Graduate or G.E.D.	144	129	112	1 or 2	93	69	79
Associate Degree or Some College	57	57	51	3 or More	37	31	28
Bachelor or Advanced Degree	*	*	*	TOTATAGENT DESCRIPTION COLLEGE			
EA ADI OVA AFAIT				TREATMENT REFERRAL SOURCE	84	111	145
EMPLOYMENT	00	44	46	Self / Family / Friend School	04	0	0
Employed	90	41 71	74		*	*	*
Unemployed	115			Mental Health Provider	0		
Not in Labor Force	101	141	138	Health Care Provider	6	6	
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	126	103	83
Independent Living	250	202	198	Other Referral Source	84	28	23
Dependent Living	34	28	25				
Homeless	5	13	7	TREATMENT ACCOMMODATION	_	_	_
				Pregnant when Admitted to any Episode	0	5	5
MARITAL / FAMILY STATUS				Military Veteran	6	19	11
Never Married	166	137	133	Special Education Services Needed	8	9	11
Married / Cohabitating	70	54	68	Co-Occurring Psychological Problem	98	62	36
Previously Married	70	62	57	Co-Occurring Developmental Problem	*	*	0

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



 DBH REGION
 Central

 PSYCHIATRIC SERVICE AREA
 12

 CENSUS 2010
 42,201

 2014 POPULATION ESTIMATE
 42,225

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.							
DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012				
Adjustment Disorder	8	*	6				
Anxiety Disorder	266	288	298				
Dementia	*	0	*				
Developmental Disorder	*	*	*				
Impulse Control Disorder	61	63	68				
Mood Disorder	332	347	363				
Personality Disorder	59	53	52				
Psychotic Disorder	64	73	75				
Sexual Disorder	0	0	*				
Other Diagnosis	28	22	22				
Diagnosis Unknown	30	33	49				

Individuals who received psychiatric services had the following types of

NUMBER SERVED	FY2014	FY2013	FY2012	EDUCATION	FY2014	FY2013	FY2012
Total Individuals	454	478	518	Less than High School Diploma	133	125	105
. otala.r.aaa.o			0.0	High School Grad or G.E.D.	0	12	114
AGE				Associate Degree or Some College	0	*	61
Under 6	0	0	0	Bachelor or Advanced Degree	0	*	9
6 to 9	7	8	11	Education Level Unknown	321	337	229
10 to 13	20	18	17	Education Edver Officiown	021	007	220
14 to 17	36	36	27	EMPLOYMENT			
18 to 24	38	41	52	Employed	35	33	46
25 to 29	41	45	51	Unemployed	23	67	235
30 to 34	44	57	61	Not in Labor Force	316	271	50
35 to 39	43	47	63	Employment Status Unknown	80	107	187
40 to 44	44	59	66				
45 to 49	62	70	69	HOUSING / LIVING ARRANGEMENT			
50 to 54	56	44	48	Independent Living	272	310	280
55 to 59	39	35	40	Dependent Living	104	84	52
60 and Over	24	18	13	Homeless	8	10	6
Age Unknown	0	0	0	Other	0	*	6
oswoso.				Housing Unknown	70	73	174
GENDER Male	400	400	04.0				
Female	183	189	218	TREATMENT REFERRAL SOURCE			
	271	289	300	Self / Family / Friend	199	248	310
Gender Unknown	0	0	0	School	*	*	0
RACE / ETHNICITY				Mental Health Provider	81	75	71
Caucasian	408	432	467	Health Care Provider	81	73	70
African American	29	30	32	Court / Criminal Justice	37	29	30
Native American / Alaskan	0	0	*	Other	53	49	37
Asian / Pacific Islander	0	0	0	Referral Source Unknown	0	0	0
Hispanic	6	6	*				
Other Race	11	10	13	TYPE OF COMMITMENT		400	540
Race/Ethnicity Unknown	0	0	0	Voluntary	444	469 *	513
•				Civil	0		*
TREATMENT ACCOMMODATION	_			Criminal	10	7	*
Hearing Impaired	9	10	12	Sexual Predatory	0	0	*
Past or Current Military Service	13	13	13	Commitment Type Unknown	0	0	0

MISSOURI STUDENT SURVEY

	IVIIOS	OUF	(1510	DENI SURVET			
Percent of students who have ever used:	2014	2012	2010	Percent who believe they risk harm if they use:	2014	2012	2010
Alcohol	36.1	39.6	41.8	Alcohol (1 or 2 drinks daily)	62.7		
Cigarettes	19.1	24.0	29.0	Alcohol (Binge: 5+ drinks once or twice a week)	71.0		
Chewing Tobacco	12.2	11.6	12.1	Alcohol (any use)	71.0	67.9	75.7
Marijuana Marijuana	12.0	16.5	17.5	Cigarettes (1+ packs per day)	83.9	07.0	70.7
Inhalants	5.1	6.5	6.9	Cigarettes (any use)	00.0	78.2	80.2
Prescription medications not prescribed for student	10.4	10.9	13.7	Marijuana (once or twice a week)	65.0		00.2
Over-the-counter medications for non-medical use	4.7	6.9	8.8	Marijuana (any use)		71.3	70.8
Methamphetamine	0.8	1.6	0.7	Other: Cocaine, LSD, Meth, Club Drug (any use)	92.2	93.5	92.9
Cocaine	1.8	2.6	3.7				
Heroin	0.6	0.7	0.7	Percent of students who, in past 30 days:	474	40.4	47.0
Hallucinogens	2.0	2.6	3.0	Were grouphy intelled on in a had mood	17.1	19.4	17.6
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.6	2.8	3.3	Were grouchy, irritable, or in a bad mood	23.6 11.8	24.8 12.6	22.9 11.3
Steroids not prescribed for student	1.9	1.5	2.0	Felt like not eating or eating more than usual	18.0	16.3	16.6
Synthetic drugs (K2, bath salts, Spice, etc)	4.5	7.4		Felt like not eating or eating more than usual Slept a lot more or a lot less than usual	17.6	20.1	23.6
Average age of students' first use of:				Had difficulty concentrating on school work	24.4	21.1	21.0
Alcohol	13 18	12.49	12.87	riad difficulty concentrating on school work	24.4	21.1	21.0
Cigarettes		12.64		Percent of students who, in past 12 months:			
Marijuana		13.80		Seriously considered attempting suicide	11.0	11.4	10.3
Inhalants		11.40		Made plan about how they would attempt suicide	8.3	8.9	6.6
madito	12.02		2	Attempted suicide	5.0	4.9	5.2
Percent of students who, in past 30 days, used:				Attempted suicide and resulting injury, poisonng, or overdose	1.0	1.5	1.5
Alcohol	16.5	18.9	21.4	had to be treated by doctor or nurse			
Alcohol (Binge: 5+ drinks on one occassion)		11.5	13.0	Percent of students who, in past 12 months:			
Cigarettes	9.6	11.7	15.7	Were threatened/injured with weapon at school	6.0	6.2	9.4
Chewing Tobacco	5.8	7.2	7.5	Were in a physical fight	17.5	21.7	23.4
Marijuana	5.4	8.0	9.6	Were in a fight and had to be treated by a doctor or nurse	2.3	3.3	3.9
Inhalants	1.6	3.4	3.2	Percent of students who, in past 3 months:			
Prescription medications not prescribed for student	5.6	5.0	9.1	Were victims of mean rumors or lies spread at school	53.9	49.6	57.2
Over-the-counter medications for non-medical use	3.1	3.0	5.4	Were made fun of by others	60.0	61.1	66.0
Percent of students who, in past 2 weeks, used:				Were victims of an embarrassing or hurtful text message or	00.0	01.1	00.0
Alcohol (Binge: 5+ drinks on one occassion)	6.1			something posted on the internet	26.7	21.8	19.3
Percent whose friends used in past 12 months:				Spread mean rumors or lies about other kids at school	26.0	27.7	29.9
Alcohol	44.2	49.3	56.8	Made fun of other people	53.3	61.2	68.3
Cigarettes	33.3	40.8	46.4	Posted something on the internet or sent a text that might	115	12.0	15.9
Marijuana	25.9	34.4	33.9	embarrass or hurt another student	14.5	12.9	15.9
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	7.2	15.8	18.5	Percent of students who agree that:			
				Teachers notice and comment on student's good work	70.1	69.1	72.7
Percent who would likely use, if offered by a best friend:		00.0	00.0	School provides feedback to parents on positive student	70.1	05.1	12.1
Alcohol	28.2	33.6	32.8	performance	43.2	37.0	44.3
Cigarettes	13.0	13.4	18.4	Rules are enforced fairly	60.0	60.7	66.1
Marijuana	9.5	13.1	12.7	Students of all races/ethnicities are treated equal	78.8	74.6	80.5
Percent who say it would be wrong to use:				' '			
Alcohol	64.5	58.9	59.1	Percent of students who agree that:	04.0	040	00.5
Cigarettes	83.9	81.1	79.3	Parents notice and comment on student's good work	81.6	84.6	82.5
Marijuana	85.0	80.6	82.5	Parents involve student in making family decisions	69.5	66.4	70.6
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.9	95.5	94.6	It is important to be honest with parents regardless of consequences	89.8	87.2	84.3
Percent whose parents would disapprove if they use:				Student could ask parent for help with a personal problem	78.3	76.9	78.0
Alcohol	80.7	80.2	78.4	Classification and participation and personal production			
Cigarettes	94.0	91.9	88.9	Missouri Student Survey is conducted biennially.			
Marijuana	95.9	93.2	94.2	Similar affirmative response choices for individual questions are			
Percent who say it would be easy to obtain:				Blank data cells indicate estimates are not available for item or Survey is not conducted in every school district nor reported for			
Alcohol	48.7	52.7	53.7	Estimates are not available for counties with small numbers of			
Cigarettes	45.0	49.9	54.1	Percentages are estimates based on weighted data. Some year-to-year differences in percentages are not statistica	ally sianifi	cant.	
Marijuana	30.3	35.5	37.5				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	11.5	15.8		Data source: Missouri Institute of Mental Health, 2010-2014 Mi	ssouri St	udent Su	urveys

DBM REGION Southeast DBM SERVICE AREAS DBM SERVICE AREAS TACKNIC Paychiantic TA
Dear
Adul Psychiatric 17A Property Damage Crashes 16 28 Property Damage Crashes 33 32 12 14 Estimate 44,847 Property Damage Crashes 33 32 12 14 Estimate 44,847 Property Damage Crashes 33 32 12 14 Estimate 44,847 Property Damage Crashes 33 32 14 15 14 15 14 15 15 15 15 15 15 15 15 15 15 15 15 15
Property Damage Crashes
Property Damage Crashes
Census 2010
BIRTH RISK 2013 2012 2011 Fratal Crashes 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
Fatal Crashes 0 0 0 0 0 0 0 0 0
Fatal Crashes 0 0 0 0 0 0 0 0 0
BIRTH RISK 2013 2012 2011 Injury Crashes 9 9 9 Property Damage Crashes 8 10 10 10 10 10 10 10
Resident Births—Total Solidary Property Damage Crashes 8 10
Mother Reported Smoking while Pregnant 112 102 118 102 118 102 118 102 118 102 118 102 118 103 103 102 103
DISEASE INCIDENCE 1
HIV/AIDS Cases
Hopatitis Chronic, Acute, Prenatal 6 5 5 5 5 5 5 5 5 5
Hepatitis C Chronic and Acute 38 75 31 Tuberculosis Infection Cases 79 42 81 Drug Arrests 211 198 198 199 190
Truberculosis Infection Cases 79 42 81 Violent Offenses 211 198 198 199 190 199
Violent Offenses 144 119
DEATHS and INJURIES 2013 2012 2011 Property Offenses 1,149 1,417 1,2
Resident Deaths-Total
Sulcides
Self-inflicted Injuries
Homicides
Assault Injuries
Alcohol Induced Deaths 3 0 0 0 Drug Induced Deaths 5 111 16 Smoking Attributable Deaths 70 82 74 Smoking Attributable Deaths 70 82 74 HOSPITAL EPISODES 2 2013 2012 2011 School Discipline Involving Alcohol 2 2 3 HOSPITAL EPISODES 2 2013 2012 2011 School Discipline Involving Drugs 13 10 HOSPITAL EPISODES 2 2013 2012 2011 School Discipline Involving Drugs 13 10 Mental Illness Principal Diagnosis 287 294 304 Mental Illness Secondary Diagnosis 13 8 19 Alcohol Principal Diagnosis 42 24 30 Drug Principal Diagnosis 45 48 32 Drug Secondary Diagnosis 45 48 32 Emergency Room + Hospitalization: Mental Illness Principal Diagnosis 257 247 218 Mental Illness Principal Diagnosis 36 52 33 Alcohol Principal Diagnosis 36 52 33 Alcohol Principal Diagnosis 46 28 27 Drug Principal Diagnosis 46 28 27 Drug Principal Diagnosis 46 28 27 Drug Secondary Diagnosis 46 28 27 Drug Secondary Diagnosis 46 28 27 Drug Principal Diagnosis 46 28 27 Drug Secondary Diagnosis 479 520 454 Mental Illness Principal Diagnosis 5,295 5,565 5,136 Alcohol Principal Diagnosis 73 83 94 Drug Principal Diagnosis 92 91 118 Drug Secondary Diagnosis 92 91 118 Drug Court Participants 22 29
Alcohol Principal Diagnosis Alcohol Secondary Diagnosis Alcohol Secondary Diagnosis Alcohol Secondary Diagnosis Alcohol Principal Diagnosis Alcohol Principal Diagnosis Alcohol Principal Diagnosis Alcohol Secondary Diagnosis Alcohol Secondary Diagnosis Alcohol Secondary Diagnosis Alcohol Secondary Diagnosis Alcohol Principal Diagnosis Alco
Smoking Attributable Deaths 70 82 74 School Discipline Involving Alcohol 2 3 3 4 5 5 5 5 5 5 5 5 5
School Discipline Involving Alcohol 2 3
HOSPITAL EPISODES 2 2013 2012 2011 School Discipline Involving Drugs 13 10
Hospitalization, no Emergency Room: School Discipline Involving Tobacco 1 1 1
Mental Illness Principal Diagnosis 287 294 304 JUVENILE COURT REFERRALS 3 2013 2012 2 Mental Illness Secondary Diagnosis 560 664 628 Juvenile Violent Offenses 33 67 Alcohol Principal Diagnosis 13 8 19 Juvenile Violent Offenses 33 67 Alcohol Secondary Diagnosis 42 24 30 Juvenile Drug Offenses 0 0 Drug Principal Diagnosis 45 48 32 School Truancy Status Offense 48 58 Emergency Room + Hospitalization: Mental Illness Principal Diagnosis 257 247 218 Beyond Parental Control Status Offense 21 25 Mental Illness Secondary Diagnosis 36 52 33 Child Abuse 177 218 Alcohol Principal Diagnosis 46 28 27 71 Child Custody Issues 12 9 Drug Secondary Diagnosis 479 520 454 Parental Alcohol Use Related 2 0 Mental Illness Princ
Mental Illness Secondary Diagnosis 560 664 628 JUVENILE COURT REFERRALS 2013 2012 2 Alcohol Principal Diagnosis 13 8 19 Juvenile Violent Offenses 33 67 Alcohol Secondary Diagnosis 42 24 30 Juvenile Drug Offenses 0 0 Drug Principal Diagnosis 83 84 46 School Truancy Status Offense 48 58 Drug Secondary Diagnosis 257 247 218 Absent from Home Status Offense 21 25 Mental Illness Principal Diagnosis 770 773 839 Child Abuse 177 218 Alcohol Principal Diagnosis 36 52 33 Child Abuse 177 218 Alcohol Secondary Diagnosis 46 28 27 Drug Principal Diagnosis 43 67 57 JUVENILE COURT PLACEMENTS 2013 2012 2 Emergency Room, no Hospitalization: 0ut-of-Home PlacementsTotal 67 45 Mental Illness Principal Diagnosis
Alcohol Principal Diagnosis 13 8 19 Juvenile Violent Offenses 33 67 Alcohol Secondary Diagnosis 42 24 30 Juvenile Alcohol Offenses 0 0 Drug Principal Diagnosis 83 84 46 School Truancy Status Offense 48 58 Drug Secondary Diagnosis 45 48 32 Absent from Home Status Offense 8 7 Emergency Room + Hospitalization: Beyond Parental Control Status Offense 21 25 Mental Illness Principal Diagnosis 770 773 839 Child Abuse 1177 218 Alcohol Principal Diagnosis 36 52 33 Child Abuse 1177 218 Alcohol Secondary Diagnosis 46 28 27 Child Custody Issues 12 9 Drug Principal Diagnosis 43 67 57 JUVENILE COURT PLACEMENTS 2013 2012 2 Emergency Room, no Hospitalization: Out-of-Home PlacementsTotal 67 45 Mental Illness Principal Diagnosis
Alcohol Secondary Diagnosis 42 24 30 Drug Principal Diagnosis 83 84 46 Drug Secondary Diagnosis 45 48 32 Emergency Room + Hospitalization: Mental Illness Principal Diagnosis 770 773 839 Alcohol Principal Diagnosis 36 52 33 Alcohol Secondary Diagnosis 45 67 79 Drug Principal Diagnosis 46 28 27 Drug Secondary Diagnosis 479 520 454 Mental Illness Principal Diagnosis 479 520 454 Mental Illness Secondary Diagnosis 573 83 94 Drug Principal Diagnosis 123 124 131 Drug Principal Diagnosis 123 124 131 Drug Principal Diagnosis 123 124 131 Drug Principal Diagnosis 123 124 131 Drug Principal Diagnosis 123 124 Drug Principal Diagnosis 123 Drug Principal Diagnosis 124 Drug Principal Diagnosis 125 Drug Secondary Diagnosis 126 Drug Secondary Diagnosis 127 Drug Secondary Diagnosis 128 Drug Secondary Diagnosis 129 Drug Secondary Diagnosis 129 Drug Secondary Diagnosis 129 Drug Secondary Diagnosis 120 Drug Secondary Diagnosis 120 Drug Secondary Diagnosis 124 Drug Secondary Diagnosis 125 Drug Secondary Diagnosis 126 Drug Secondary Diagnosis 127 Drug Secondary Diagnosis 128 Drug Secondary Diagnosis 129 Drug Secondary Diagn
Drug Principal Diagnosis 83 84 46 Drug Secondary Diagnosis 45 48 32 Emergency Room + Hospitalization: Mental Illness Principal Diagnosis 770 773 839 Alcohol Principal Diagnosis 56 79 71 Drug Principal Diagnosis 46 28 27 Drug Secondary Diagnosis 479 520 454 Mental Illness Principal Diagnosis 479 520 454 Mental Illness Principal Diagnosis 5,295 5,565 5,136 Mental Illness Principal Diagnosis 40 Parental Alcohol Use Related 35 10 Alcohol Principal Diagnosis 479 520 454 Mental Illness Principal Diagnosis 5,295 5,565 5,136 Mental Illness Principal Diagnosis 479 520 454 Alcohol Principal Diagnosis 479 520
Drug Secondary Diagnosis 45 48 32 School Truancy Status Offense 48 58 Emergency Room + Hospitalization: Mental Illness Principal Diagnosis 257 247 218 Mental Illness Secondary Diagnosis 770 773 839 Alcohol Principal Diagnosis 36 52 33 Alcohol Secondary Diagnosis 56 79 71 Drug Principal Diagnosis 46 28 27 Drug Secondary Diagnosis 479 520 454 Parental Alcohol Use Related 2 0 Mental Illness Secondary Diagnosis 479 520 454 Parental Drug Use Related 35 10 Alcohol Principal Diagnosis 123 124 131 Parental Alcohol and Drug Use FY2014 FY2013 Drug Principal Diagnosis 92 91 118 Drug Secondary Diagnosis 92 91 118 Drug Secondary Diagnosis 99 90 170 180 CRIMINAL JUSTICE Prug Court Participants 22 29
Emergency Room + Hospitalization: Mental Illness Principal Diagnosis Alcohol Principal Diagnosis Alcohol Secondary Diagnosis Drug Principal Diagnosis Emergency Room, no Hospitalization: Mental Illness Principal Diagnosis Alcohol Secondary Diagnosis Alcohol Principal Diagnosis Alcohol Secondary Diagnosis Alcohol Principal Diagnosis Alcohol Secondary Diagnosis Alcohol Secondary Diagnosis Alcohol Principal Diagnosis Alcohol Secondary Diagnosis Alcohol Principal Diagnosis Alcohol Principal Diagnosis Alcohol Secondary Di
Mental Illness Principal Diagnosis 257 247 218 Mental Illness Secondary Diagnosis 770 773 839 Alcohol Principal Diagnosis 36 52 33 Alcohol Secondary Diagnosis 56 79 71 Drug Principal Diagnosis 46 28 27 Drug Secondary Diagnosis 479 520 454 Mental Illness Secondary Diagnosis 5,295 5,565 5,136 Alcohol Principal Diagnosis 73 83 94 Drug Principal Diagnosis 92 91 118 Drug Secondary Diagnosis 92 91 118 Drug Secondary Diagnosis 92 91 118 Drug Secondary Diagnosis 227 Drug Secondary Diagnosis 92 91 118 Drug Secondary Diagnosis 227 Drug Secondary Diagnosis 227 Drug Secondary Diagnosis 92 91 118 Drug Secondary Diagnosis 227 Drug Secondary Diagnosis 227 Drug Secondary Diagnosis 92 91 Drug Court Participants 92 29
Mental Illness Secondary Diagnosis 770 773 839 Alcohol Principal Diagnosis 36 52 33 Alcohol Secondary Diagnosis 56 79 71 Drug Principal Diagnosis 46 28 27 Drug Secondary Diagnosis 43 67 57 Mental Illness Principal Diagnosis 479 520 454 Mental Illness Secondary Diagnosis 5,295 5,565 5,136 Alcohol Principal Diagnosis 73 83 Drug Principal Diagnosis 73 83 Drug Principal Diagnosis 73 83 Drug Principal Diagnosis 92 91 118 Drug Secondary Diagnosis 29 91 118 Drug Secondary Diagnosis 29 91 118 Drug Secondary Diagnosis 29 291 Drug Court Participants 22 29
Alcohol Principal Diagnosis Alcohol Secondary Diagnosis Drug Principal Diagnosis Alcohol Secondary Diagnosis Drug Principal Diagnosis Alcohol Secondary Diagnosis Alcohol Principal Diagnosis Alcohol Principal Diagnosis Alcohol Principal Diagnosis Alcohol Principal Diagnosis Alcohol Secondary Diag
Alcohol Secondary Diagnosis Drug Principal Diagnosis 46 28 27 Drug Secondary Diagnosis 43 67 57 Drug Secondary Diagnosis Emergency Room, no Hospitalization: Mental Illness Principal Diagnosis 479 520 454 Parental Alcohol Use Related Mental Illness Secondary Diagnosis 5,295 5,565 5,136 Parental Drug Use Related Alcohol Principal Diagnosis 12 Alcohol Secondary Diagnosis 73 83 Prug Principal Diagnosis 92 91 118 CRIMINAL JUSTICE Drug Court Participants 5,295 5,295 FY2014 FY2013 FY2 Drug Court Participants
Drug Principal Diagnosis 46 28 27 Drug Secondary Diagnosis 43 67 57 Drug Secondary Diagnosis 43 67 57 Drug Secondary Diagnosis 43 67 57 Drug Secondary Diagnosis 479 520 Mental Illness Principal Diagnosis 5,295 5,565 5,136 Mental Illness Secondary Diagnosis 5,295 5,565 5,136 Alcohol Principal Diagnosis 123 124 131 Alcohol Secondary Diagnosis 73 83 94 Drug Principal Diagnosis 92 91 118 Drug Secondary Diagnosis 89 80 73 Cnild Custody Issues 12 9 Cnild Custody Issues 12 9 Louis Custody Issues 12 120 JUVENILE COURT PLACEMENTS 2013 2012 2 Drug PacementsTotal 67 45 Parental Alcohol Use Related 2 0 Parental Drug Use Related 35 10 Parental Alcohol and Drug Use 4 2 CRIMINAL JUSTICE FY2014 FY2013 FY2 Drug Court Participants 22 29
Drug Secondary Diagnosis 43 67 57 JUVENILE COURT PLACEMENTS Emergency Room, no Hospitalization: Mental Illness Principal Diagnosis 479 520 454 Parental Alcohol Use Related 2 0 Mental Illness Secondary Diagnosis 5,295 5,565 5,136 Parental Drug Use Related 35 10 Alcohol Principal Diagnosis 123 124 131 Parental Alcohol and Drug Use 4 2 Alcohol Secondary Diagnosis 73 83 94 Drug Principal Diagnosis 92 91 118 CRIMINAL JUSTICE FY2014 FY2013 FY2 Drug Secondary Diagnosis 89 80 73 Drug Court Participants 22 29
Emergency Room, no Hospitalization: Mental Illness Principal Diagnosis 479 520 454 Parental Alcohol Use Related 2 0 Mental Illness Secondary Diagnosis 5,295 5,565 5,136 Parental Drug Use Related 35 10 Alcohol Principal Diagnosis 123 124 131 Parental Alcohol and Drug Use 4 2 Alcohol Secondary Diagnosis 73 83 94 Drug Principal Diagnosis 92 91 118 CRIMINAL JUSTICE Drug Court Participants 22 29
Mental Illness Principal Diagnosis479520454Parental Alcohol Use Related20Mental Illness Secondary Diagnosis5,2955,5655,136Parental Drug Use Related3510Alcohol Principal Diagnosis123124131Parental Alcohol and Drug Use42Alcohol Secondary Diagnosis738394Drug Principal Diagnosis9291118CRIMINAL JUSTICEFY2014FY2013FY2Drug Secondary Diagnosis898073Drug Court Participants2229
Mental Illness Secondary Diagnosis 5,295 5,565 5,136 Parental Drug Use Related 35 10 Alcohol Principal Diagnosis 123 124 131 Parental Alcohol and Drug Use 4 2 Alcohol Secondary Diagnosis 73 83 94 Drug Principal Diagnosis 92 91 118 CRIMINAL JUSTICE FY2014 FY2013 FY2 Drug Secondary Diagnosis 89 80 73 Prug Court Participants 22 29
Alcohol Principal Diagnosis 123 124 131 Parental Alcohol and Drug Use 4 2 Alcohol Secondary Diagnosis 73 83 94 Drug Principal Diagnosis 92 91 118 CRIMINAL JUSTICE FY2014 FY2013 FY2 Drug Secondary Diagnosis 89 80 73 Principal Alcohol and Drug Use 4 2 Drug Court Participants 22 29
Alcohol Secondary Diagnosis 73 83 94 Drug Principal Diagnosis 92 91 118 CRIMINAL JUSTICE FY2014 FY2013 FY2 Drug Secondary Diagnosis 89 80 73 Drug Court Participants 22 29
Drug Principal Diagnosis 92 91 118 CRIMINAL JUSTICE FY2014 FY2013 FY2 Drug Secondary Diagnosis 89 80 73 Drug Court Participants 22 29
Drug Secondary Diagnosis 89 80 73 Drug Court Participants 22 29
2 rag occorrain and a ragin constant and a ragin co
Probation/Parole AdmissionsDrug 138 207
ALCOHOL OUTLETS 2014 2013 2012 Probation/Parole AdmissionsDWI 18 24
Alcohol On-Premise Drink Licenses 51 51 51 Prison AdmissionsDrug 89 67
Alcohol Package Carry-out Licenses 40 39 Prison AdmissionsDWI 13 8
EMPLOYMENT 2014 2013 2012 1 All Kansas City hepatitis and TB case reports are included in Jackson Count
Lober Force 20.057 24.407 totals and all Joplin case reports are included in Jasper County totals.
Labor Force 20,052 22,257 21,427 2 Beginning with 2010 data, diagnosis counts for hospital and ER services are
Degining war 2010 data, dagnosis counts for nospital and Envices are
Employed 18,798 20,941 20,058 Unemployed 1,254 1,316 1,369 Unemployed 1,254 1,316 1,369

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	45	34	38
CSTAR Adolescent	10	17	24
CSTAR Women and Children	25	17	14
CSTAR General Adult	214	188	122
CSTAR Opioid	*	*	0
Primary Recovery Treatment	9	86	177
Clinical SATOP (CIP, YCIP, SROP)	45	47	42
Other Substance Abuse Treatment	0	0	*

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	168	175	220
- Adolescent Diversion Education Prograr	*	0	0
- Offender Education Program	60	64	86
- Weekend Intervention Program	35	35	42
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	*	7
Compulsive Gambling	0	0	*
Recovery Supports	*	*	*
Early Intervention	8	*	12

NUMBER ADMITTED	FY2014	FY2013	FY2012	PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Total Individuals	279	319	376	Alcohol	86	121	141
				Marijuana / Hashish	46	60	78
AGE	_			Cocaine (total)	0	*	5
Under 18	9	16	27	- Crack	0	0	*
18 to 24	51	54	69	Stimulant (total)	59	44	37
25 to 29	68	70	72	- Methamphetamine	57	43	37
30 to 34	54	70	65	Heroin	30	21	28
35 to 39	33	26	35	Analgesic except Heroin	52	60	70
40 to 44	19	24	33	- Non-Prescription Methadone	*	0	*
45 to 54	35	49	60	PCP, LSD, other Hallucinogen	0	0	*
55 and Over	10	10	15	Tranquilizer	*	8	12
GENDER				Inhalant	*	0	0
Male	165	198	239	Sedative	*	*	*
Female	114	121	137	Other Medication or Illicit Drug	*	*	*
Terriale		121	107	Average Age at First Use of Drug	19.1	18.4	18.4
RACE / ETHNICITY				Average Age at 1 list 030 of Drug	13.1	10.4	10.4
Caucasian	269	304	353	INVECTION DRUG USE			
African American	*	8	12	INJECTION DRUG USE	57	44	36
Native American / Alaskan	*	*	5	Any Injection Use at Admission	-		
Asian / Pacific Islander	0	0	0	- Daily Injection Use	15	15	10
Hispanic	*	*	7	- Weekly Injection Use	20	12	9
Other Race / Two or More Races	*	5	5	- Less than Weekly Injection Use	22	17	17
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	80	117	106	0	160	164	213
High School Graduate or G.E.D.	114	131	188	1 or 2	85	109	105
Associate Degree or Some College	82	69	79	3 or More	34	46	58
Bachelor or Advanced Degree	*	*	*				
				TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	101	107	96
Employed	76	82	93	School	0	*	0
Unemployed	100	120	170	Mental Health Provider	5	5	*
Not in Labor Force	103	117	113	Health Care Provider	23	12	25
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	88	145	222
Independent Living	247	285	332	Other Referral Source	60	46	30
Dependent Living	20	28	31				
Homeless				TREATMENT ACCOMMODATION			
i ioitieless	10	5	8	Pregnant when Admitted to any Episode	9	*	6
MARITAL / FAMILY STATUS				Military Veteran	17	13	19
Never Married	137	165	168	Special Education Services Needed	19	35	52
Married / Cohabitating	80	81	105	Co-Occurring Psychological Problem	139	129	148
Previously Married	62	73	103	Co-Occurring Developmental Problem	31	17	20
•				•			

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Southeast
PSYCHIATRIC SERVICE AREA 17A
CENSUS 2010 45,156
2014 POPULATION ESTIMATE 44,847

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.						
DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012			
Adjustment Disorder	12	7	6			
Anxiety Disorder	342	315	268			
Dementia	0	0	*			
Developmental Disorder	10	*	6			
Impulse Control Disorder	89	68	66			
Mood Disorder	384	378	335			
Personality Disorder	27	29	36			
Psychotic Disorder	59	65	73			
Sexual Disorder	0	0	0			
Other Diagnosis	41	26	24			
Diagnosis Unknown	34	26	28			

Individuals who received psychiatric services had the following types of

NUMBER SERVED	FY2014	FY2013	FY2012	EDUCATION	FY2014	FY2013	FY2012
Total Individuals	559	534	498	Less than High School Diploma	184	184	110
. G.aaaaa.b	000			High School Grad or G.E.D.	0	51	153
AGE				Associate Degree or Some College	0	14	48
Under 6	*	*	0	Bachelor or Advanced Degree	0	*	8
6 to 9	35	31	26	Education Level Unknown	375	281	179
10 to 13	48	33	29	Education Edvor Children	0.0	201	170
14 to 17	52	41	45	EMPLOYMENT			
18 to 24	57	47	47	Employed	23	23	38
25 to 29	56	63	51	Unemployed	43	124	265
30 to 34	65	51	44	Not in Labor Force	338	263	23
35 to 39	38	36	36	Employment Status Unknown	155	124	172
40 to 44	48	55	53				
45 to 49	40	46	55	HOUSING / LIVING ARRANGEMENT			
50 to 54	62	55	44	Independent Living	221	272	267
55 to 59	26	37	35	Dependent Living	158	132	80
60 and Over	30	37	33	Homeless	15	13	5
Age Unknown	0	0	0	Other	0	0	*
				Housing Unknown	165	117	145
GENDER	222	0.47	040				
Male	236	217	212	TREATMENT REFERRAL SOURCE			
Female	323	317	286	Self / Family / Friend	414	353	289
Gender Unknown	0	0	0	School	*	*	*
RACE / ETHNICITY				Mental Health Provider	5	7	5
Caucasian	535	507	461	Health Care Provider	46	53	63
African American	15	15	24	Court / Criminal Justice	8	17	19
Native American / Alaskan	*	*	*	Other	82	102	120
Asian / Pacific Islander	0	0	0	Referral Source Unknown	*	0	0
Hispanic	*	*	*				
Other Race	5	7	8	TYPE OF COMMITMENT			
Race/Ethnicity Unknown	0	0	0	Voluntary	555	532	493
•				Civil	0	0	0
TREATMENT ACCOMMODATION				Criminal		*	5
Hearing Impaired	11	17	12	Sexual Predatory	0	0	0
Past or Current Military Service	10	9	8	Commitment Type Unknown	0	0	0

MISSOURI STUDENT SURVEY

	IVIIOS	OUR	(1510	DENI SURVET
Percent of students who have ever used:	2014	2012	2010	Percent who believe they ri
Alcohol	41.7	41.0	41.4	Alcohol (1 or 2 drinks dail
Cigarettes	26.6	24.6	22.8	Alcohol (Binge: 5+ drinks
Chewing Tobacco	13.8	16.8	21.2	Alcohol (any use)
Marijuana	19.4	15.7	18.9	Cigarettes (1+ packs per
Inhalants	3.9	4.5	10.4	Cigarettes (any use)
Prescription medications not prescribed for student	14.1	8.7	15.2	Marijuana (once or twice
Over-the-counter medications for non-medical use	4.3	5.9	10.3	Marijuana (any use)
Methamphetamine	0.2	1.0	1.0	Other: Cocaine, LSD, Me
Cocaine	1.5	1.7	2.0	Dancant of atudants who in
Heroin	0.2	0.9	1.4	Percent of students who, in
Hallucinogens	3.4	2.5	3.3	Were grouphy imitable of
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	3.8	1.9	1.6	Were grouchy, irritable, o
Steroids not prescribed for student	0.9	1.9	1.8	Felt hopeless about the fi
Synthetic drugs (K2, bath salts, Spice, etc)	3.4	6.1		Felt like not eating or eat
				Slept a lot more or a lot le
Average age of students' first use of: Alcohol	12.50	12.88	11 76	Had difficulty concentration
			_	Percent of students who, in
Cigarettes		12.55		Seriously considered atte
Marijuana		13.87		Made plan about how the
Inhalants	12.06	12.58	11.17	Attempted suicide
Percent of students who, in past 30 days, used:				Attempted suicide and re
Alcohol	17.5	20.5	21.6	had to be treated by doct
Alcohol (Binge: 5+ drinks on one occassion)		12.3	15.6	Percent of students who, in
Cigarettes	12.1	12.3	13.4	Were threatened/injured
Chewing Tobacco	6.5	9.8	12.5	Were in a physical fight
Marijuana	13.9	8.5	11.0	Were in a fight and had to
Inhalants	2.4	2.1	5.6	_
Prescription medications not prescribed for student	8.0	5.4	7.6	Percent of students who, in
Over-the-counter medications for non-medical use	2.9	4.1	7.9	Were victims of mean rur
Parcent of students who in past 2 weeks used:				Were made fun of by other
Percent of students who, in past 2 weeks, used: Alcohol (Binge: 5+ drinks on one occassion)	7.3			Were victims of an embar
Alcohol (blinge: 5+ drilliks off offe occassion)	1.3			something posted on the
Percent whose friends used in past 12 months:				Spread mean rumors or li
Alcohol	48.2	54.5	58.5	Made fun of other people
Cigarettes	42.7	42.9	43.9	Posted something on the
Marijuana	45.7	34.2	39.4	embarrass or hurt anothe
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	22.2	14.1	21.9	Percent of students who ag
Paraont who would likely use if offered by a best friend				Teachers notice and com
Percent who would likely use, if offered by a best friend: Alcohol	32.5	32.2	34.3	School provides feedback
Cigarettes	15.2	13.8	16.8	performance
Marijuana	20.9	13.0	18.8	Rules are enforced fairly
Walijualia	20.9	13.2	10.0	Students of all races/ethn
Percent who say it would be wrong to use:				
Alcohol	55.7	58.6	62.3	Percent of students who ag
Cigarettes	80.8	80.7	82.1	Parents notice and comm
Marijuana	71.6	80.7	79.6	Parents involve student in
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	93.7	95.7	93.9	It is important to be hones consequences
Percent whose parents would disapprove if they use:				Student could ask parent
Alcohol	73.5	78.4	76.6	
Cigarettes	89.8	91.4	95.1	Missouri Student Survey is
Marijuana	88.5	93.9	97.2	Similar affirmative respons
Percent who say it would be easy to obtain:				Blank data cells indicate es Survey is not conducted in
Alcohol	52.5	56.7	60.1	Estimates are not available
Cigarettes	53.1	51.1	54.1	Percentages are estimates Some year-to-year differen
Marijuana	40.9	32.7	38.8	Some your to your unleren
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	21.8	17.0	25.7	Data source: Missouri Insti
Other mich (Cocame, LSD, Well), Club Drug, etc)	۷۱.0	17.0	20.1	

DENT SURVET			
Descent who hollows they risk howe if they year	2014	2012	2010
Percent who believe they risk harm if they use: Alcohol (1 or 2 drinks daily)	52.9		
and the second s			
Alcohol (Binge: 5+ drinks once or twice a week)	66.5	60.4	740
Alcohol (any use)	00.0	69.4	74.8
Cigarettes (1+ packs per day)	88.8	04.0	77.0
Cigarettes (any use)	60.4	81.9	77.8
Marijuana (once or twice a week)	60.1	75.7	70.7
Marijuana (any use)	00.0	75.7 94.9	72.7
Other: Cocaine, LSD, Meth, Club Drug (any use)	92.3	94.9	93.9
Percent of students who, in past 30 days:			
Were very sad	20.6	17.0	29.6
Were grouchy, irritable, or in a bad mood	23.2	21.8	34.0
Felt hopeless about the future	13.0	10.9	19.4
Felt like not eating or eating more than usual	20.1	17.3	30.0
Slept a lot more or a lot less than usual	20.8	20.8	31.5
Had difficulty concentrating on school work	25.1	23.7	32.8
Percent of students who, in past 12 months:			
Seriously considered attempting suicide	16.1	11.3	14.4
Made plan about how they would attempt suicide	11.5	8.3	9.2
Attempted suicide	5.2	3.9	5.4
Attempted suicide and resulting injury, poisonng, or overdose	5.2	5.5	5.4
had to be treated by doctor or nurse	1.8	2.0	1.4
Percent of students who, in past 12 months:			
Were threatened/injured with weapon at school	5.1	5.8	10.4
Were in a physical fight	11.8	19.4	19.8
Were in a fight and had to be treated by a doctor or nurse	2.2	3.6	1.8
were in a right and had to be treated by a doctor of hurse	2.2	5.0	1.0
Percent of students who, in past 3 months:			
Were victims of mean rumors or lies spread at school	50.7	48.1	58.6
Were made fun of by others	62.4	59.1	68.4
Were victims of an embarrassing or hurtful text message or	24.5	20.8	19.9
something posted on the internet	24.0	20.0	10.0
Spread mean rumors or lies about other kids at school	19.9	28.4	32.7
Made fun of other people	55.6	63.2	73.9
Posted something on the internet or sent a text that might	14.5	13.9	12.9
embarrass or hurt another student			
Percent of students who agree that:			
Teachers notice and comment on student's good work	69.6	71.4	71.5
School provides feedback to parents on positive student			
performance	49.8	48.7	55.8
Rules are enforced fairly	65.5	62.3	61.3
Students of all races/ethnicities are treated equal	79.9	78.7	74.9
·	-		
Percent of students who agree that:	00.4	045	00.0
Parents notice and comment on student's good work	80.4	84.5	88.0
Parents involve student in making family decisions	68.5	71.1	73.2
It is important to be honest with parents regardless of consequences	87.5	88.4	79.2
•	740	75.0	70.0
Student could ask parent for help with a personal problem	74.9	75.2	78.9

is conducted biennially. see choices for individual questions are combined. estimates are not available for item or geographic area. n every school district nor reported for every county. le for counties with small numbers of respondents. es based on weighted data.

nces in percentages are not statistically significant.

stitute of Mental Health, 2010-2014 Missouri Student Surveys

DBH RI		Central		IMPAIRED DRIVING	2013	2012	2011
	RVICE AREAS	4.5		Alcohol Involved CrashesTotal	16	18	10
	tance Use	15 15		Fatal Crashes	0	2	0
	Psychiatric	15		Injury Crashes	7	10	7
POPUL	us 2010	10.516		Property Damage Crashes	9	6	3
	Estimate	18,516		Crash Injuries	0	2	0
	Estimate	18,541		Crash Injuries	9 7	11	9 7
25				Drug Involved CrashesTotal Fatal Crashes	0	6 2	
				Injury Crashes	0	2	0 3
BIRTH RISK	2013	2012	2011	Property Damage Crashes	7	2	4
Resident BirthsTotal	196	236	219	Crash Fatalities	0	2	0
Mother Reported Smoking while Preg	gnant 46	53	59	Crash Injuries	0	2	3
DISEASE INCIDENCE 1	2013	2012	2011	•			
HIV/AIDS Cases	0	0	0	POLICE REPORTS	2013	2012	2011
Hepatitis B Chronic, Acute, Prenatal	0	2	0	DUI Arrests, DWI Tracking System	71	63	79
Hepatitis C Chronic and Acute	16	12	15	Liquor Law Arrests	28	6	17
Tuberculosis Infection Cases	4	2	0	Drug Arrests	45	40	48
				Violent Offenses	20	15	45
DEATHS and INJURIES	2013	2012	2011	Property Offenses	224	314	207
Resident DeathsTotal	202	187	178	Domestic Violence Reports	126	94	138
Suicides	4	3	4	Matha wall at a size Lab Octavina	2014	2013	2012
Self-inflicted Injuries	27	47	51	Methamphetamine Lab Seizures	6	5	1
Homicides	0	0	0	SCHOOL REPORTS	2013-14	2012-13	2011-12
Assault Injuries	45	54	56	Enrollment Grades 9-12	714	794	760
Alcohol Induced Deaths	0	0	1	Drop-outs	4	19	20
Drug Induced Deaths	3	0	0	Drop-out Rate	0.6%	2.4%	2.6%
Smoking Attributable Deaths	41	40	30	School Discipline Involving Alcohol	8	2	0
HOSPITAL EPISODES 2	2013	2012	2011	School Discipline Involving Drugs	4	4	3
Hospitalization, no Emergency Room				School Discipline Involving Tobacco	0	0	1
Mental Illness Principal Diagnosis	95	90	127				
Mental Illness Secondary Diagnosis	314	311	477	JUVENILE COURT REFERRALS 3	2013	2012	2011
Alcohol Principal Diagnosis	9	14	6	Juvenile Violent Offenses	22	27	24
Alcohol Secondary Diagnosis	25	21	37	Juvenile Alcohol Offenses	7	6	3
Drug Principal Diagnosis	3	6	8	Juvenile Drug Offenses School Truancy Status Offense	3 23	5 18	6 31
Drug Secondary Diagnosis	19	12	25	Absent from Home Status Offense	23 1	10	2
Emergency Room + Hospitalization:				Beyond Parental Control Status Offense	4	8	7
Mental Illness Principal Diagnosis	35	54	48	Injurious Behavior Status Offense	11	8	8
Mental Illness Secondary Diagnosis	251	262	129	Child Abuse	2	2	11
Alcohol Principal Diagnosis	2	4	4	Child Neglect	48	33	64
Alcohol Secondary Diagnosis	23	23	11	Child Custody Issues	3	7	2
Drug Principal Diagnosis	2	7	2	Sima Guotody locaco	Ü	•	_
Drug Secondary Diagnosis	11	8	11	JUVENILE COURT PLACEMENTS	2013	2012	2011
Emergency Room, no Hospitalization				Out-of-Home PlacementsTotal	28	27	34
Mental Illness Principal Diagnosis	166	148	132	Parental Alcohol Use Related	0	0	1
Mental Illness Secondary Diagnosis		621	695	Parental Drug Use Related	1	4	11
Alcohol Principal Diagnosis	30	30	20	Parental Alcohol and Drug Use	4	1	6
Alcohol Secondary Diagnosis	51	28	41	CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Principal Diagnosis	20	23	22	Drug Court Participants	4	1	0
Drug Secondary Diagnosis	35	34	38	Probation/Parole AdmissionsDrug	79	53	51
ALCOHOL OUTLETS	2014	2013	2012	Probation/Parole AdmissionsDWI	9	9	5
Alcohol On-Premise Drink Licenses	27	25	30	Prison AdmissionsDrug	26	22	23
Alcohol Package Carry-out Licenses		22	25	Prison AdmissionsDWI	3	3	2
ENADLOVA AFAIT	2014	2012	2012	1 All Kansas City hepatitis and TB case report	ts are include	ed in Jackson	County
EMPLOYMENT Labor Force	2014 8,132	2013 9,172	8,862	totals and all Joplin case reports are include	d in Jasper C	County totals.	-
Employed	7,667	9,172 8,629	8,272	2 Beginning with 2010 data, diagnosis counts based on codes developed by the Healthcar			
Unemployed	7,007 465	5/13	590	3 Beginning in 2013, juvenile municipal violati			

465

5.7%

543

5.9%

590

6.7%

Unemployed

Unemployment Rate

court orders are categorized as status offenses instead of law violations.

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	14	10	19
CSTAR Adolescent	10	7	10
CSTAR Women and Children	8	14	12
CSTAR General Adult	89	7	16
CSTAR Opioid	0	*	0
Primary Recovery Treatment	8	86	120
Clinical SATOP (CIP, YCIP, SROP)	11	14	12
Other Substance Abuse Treatment	*	0	*

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	55	66	70
- Adolescent Diversion Education Prograr	*	*	*
- Offender Education Program	8	13	22
- Weekend Intervention Program	13	17	16
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	7	*
Compulsive Gambling	0	0	0
Recovery Supports	*	0	0
Early Intervention	0	5	11

NUMBER ADMITTED	FY2014	FY2013	FY2012	PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Total Individuals	119	112	164	Alcohol	51	53	77
4.05				Marijuana / Hashish	37	38	53
AGE Under 18	9	7	11	Cocaine (total)	*	*	8
18 to 24	21	, 24	32	- Crack	*	0	*
25 to 29	30	23	36	Stimulant (total)	11	5	*
30 to 34	17	19	30 21	- Methamphetamine	9	5	*
35 to 39	17	19	8	Heroin	6	8	12
40 to 44	7	5	17	Analgesic except Heroin	9	*	7
45 to 54	14	18	30	 Non-Prescription Methadone 	0	0	0
55 and Over	6	6	9	PCP, LSD, other Hallucinogen	0	*	0
55 and Over	О	0	9	Tranquilizer	0	0	0
GENDER				Inhalant	0	*	0
Male	80	79	116	Sedative	0	0	0
Female	39	33	48	Other Medication or Illicit Drug	*	*	*
DAGE / ETHALOUT!				Average Age at First Use of Drug	17.8	16.2	16.7
RACE / ETHNICITY Caucasian	107	97	134				
African American	5	97	24	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	12	9	11
Asian / Pacific Islander	0	0	0	- Daily Injection Use	*	*	*
	*	0	*	- Weekly Injection Use	*	*	*
Hispanic Other Race / Two or More Races	6	6	6	- Less than Weekly Injection Use	8	7	7
Other Nace / Two or More Naces	U	O	U				
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	46	33	48	0	75	74	83
High School Graduate or G.E.D.	58	69	93	1 or 2	31	27	53
Associate Degree or Some College	15	8	22	3 or More	13	11	28
Bachelor or Advanced Degree	0	*	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	8	6	17
Employed	41	37	53	School	0	0	0
Unemployed	50	50	74	Mental Health Provider	*	0	*
Not in Labor Force	28	25	37	Health Care Provider	*	*	*
_				Court / Criminal Justice	68	82	127
HOUSING / LIVING ARRANGEMENT				Other Referral Source	23	11	14
Independent Living	99	95	139				
Dependent Living	19	15	20	TREATMENT ACCOMMODATION			
Homeless	*	0	*	Pregnant when Admitted to any Episode	*	0	*
MARITAL / FAMILY STATUS				Military Veteran	*	*	6
Never Married	59	60	97	Special Education Services Needed	14	*	16
Married / Cohabitating	34	36	43	Co-Occurring Psychological Problem	28	25	42
Previously Married	26	16	24	Co-Occurring Developmental Problem	*	9	11

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



 DBH REGION
 Central

 PSYCHIATRIC SERVICE AREA
 15

 CENSUS 2010
 18,516

 2014 POPULATION ESTIMATE
 18,541

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder. FY2014 FY2013 FY2012 **DIAGNOSIS CATEGORY** Adjustment Disorder 7 7 16 **Anxiety Disorder** 70 61 58 Dementia 0 **Developmental Disorder** 8 10 10 Impulse Control Disorder 62 65 56 Mood Disorder 125 151 139 Personality Disorder 14 11 21 **Psychotic Disorder** 33 32 44 Sexual Disorder 0 Other Diagnosis 22 17 16 Diagnosis Unknown 11 9

Individuals who received psychiatric services had the following types of

NUMBER SERVED	FY2014	FY2013	FY2012	EDUCATION	FY2014	FY2013	FY2012
Total Individuals	218	196	182	Less than High School Diploma	73	66	25
Total Marviadalo	2.0	100	102	High School Grad or G.E.D.	0	*	31
AGE				Associate Degree or Some College	0	*	14
Under 6	*	*	*	Bachelor or Advanced Degree	0	0	*
6 to 9	12	12	11	Education Level Unknown	145	128	111
10 to 13	17	14	14	Eddeation Level Officiown	140	120	
14 to 17	19	14	17	EMPLOYMENT			
18 to 24	27	29	23	Employed	18	22	7
25 to 29	11	16	16	Unemployed	10	14	58
30 to 34	17	12	15	Not in Labor Force	141	119	18
35 to 39	16	12	8	Employment Status Unknown	49	41	99
40 to 44	27	21	16				
45 to 49	18	19	17	HOUSING / LIVING ARRANGEMENT			
50 to 54	25	20	17	Independent Living	91	89	64
55 to 59	15	13	14	Dependent Living	62	54	30
60 and Over	12	13	10	Homeless	0	0	0
Age Unknown	0	0	0	Other	0	0	0
				Housing Unknown	65	53	88
GENDER Male	440	400	00				
	118	106	88	TREATMENT REFERRAL SOURCE			
Female	100	90	94	Self / Family / Friend	112	103	105
Gender Unknown	0	0	0	School	7	7	7
RACE / ETHNICITY				Mental Health Provider	11	14	11
Caucasian	196	181	169	Health Care Provider	22	23	17
African American	14	11	9	Court / Criminal Justice	*	5	*
Native American / Alaskan	0	0	0	Other	62	44	39
Asian / Pacific Islander	0	0	0	Referral Source Unknown	0	0	0
Hispanic	*	*	*				
Other Race	*	*	*	TYPE OF COMMITMENT			
Race/Ethnicity Unknown	0	0	0	Voluntary	216	194	182
•	_	_		Civil	0	0	0
TREATMENT ACCOMMODATION				Criminal	*	*	0
Hearing Impaired	5	5	*	Sexual Predatory	*	*	0
Past or Current Military Service	8	8	9	Commitment Type Unknown	0	0	0

MISSOURI STUDENT SURVEY

	MISS	OUR	ası	JUENI SURV
Percent of students who have ever used:	2014	2012	2010	Percent who believe
Alcohol	45.9	50.0	56.0	Alcohol (1 or 2 drir
Cigarettes	28.4	24.0	31.9	Alcohol (Binge: 5+
Chewing Tobacco	10.5	17.8	19.7	Alcohol (any use)
Marijuana	18.1	14.5	13.8	Cigarettes (1+ pac
Inhalants	2.8	8.4	4.7	Cigarettes (any us
Prescription medications not prescribed for student	7.8	9.1	10.5	Marijuana (once or
Over-the-counter medications for non-medical use	3.8	8.0	8.6	Marijuana (any use
Methamphetamine	1.9	3.0	1.1	Other: Cocaine, LS
Cocaine	1.8	2.6	1.1	Doroont of atudonta
Heroin	0.9	2.2	0.3	Percent of students
Hallucinogens	1.8	3.3	2.8	Were very sad
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.9	3.3	1.7	Were grouchy, irrit
Steroids not prescribed for student	2.3	3.7	1.7	•
Synthetic drugs (K2, bath salts, Spice, etc)	2.8	8.8		Felt like not eating Slept a lot more or
Average age of students' first use of:				Had difficulty cond
Alcohol	12.83	12.12	12.52	nau dilliculty cond
Cigarettes		12.12	-	Percent of students
Marijuana		13.07		Seriously consider
Inhalants		11.09		Made plan about h
IIIIdiditis	12.37	11.09	11.06	Attempted suicide
Percent of students who, in past 30 days, used:				Attempted suicide
Alcohol	16.4	24.8	31.1	had to be treated i
Alcohol (Binge: 5+ drinks on one occassion)		17.5	22.0	Percent of students
Cigarettes	11.9	14.0	15.2	Were threatened/ii
Chewing Tobacco	5.0	9.1	11.4	Were in a physical
Marijuana	6.5	8.0	6.3	Were in a fight and
Inhalants	0.9	2.9	1.7	Word in a right and
Prescription medications not prescribed for student	3.7	7.7	6.4	Percent of students
Over-the-counter medications for non-medical use	1.9	5.1	6.4	Were victims of mo
Descent of students who in past 2 weeks woods				Were made fun of
Percent of students who, in past 2 weeks, used:	7.0			Were victims of an
Alcohol (Binge: 5+ drinks on one occassion)	7.9			something posted
Percent whose friends used in past 12 months:				Spread mean rum
Alcohol	46.8	59.5	66.8	Made fun of other
Cigarettes	45.2	47.3	50.4	Posted something
Marijuana	36.7	27.0	32.5	embarrass or hurt
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	9.7	10.9	14.9	Percent of students
				Teachers notice a
Percent who would likely use, if offered by a best friend:	05.0	20.5	47.5	School provides fe
Alcohol	35.8	36.5	47.5	performance
Cigarettes	12.3	15.3	14.8	Rules are enforced
Marijuana	11.0	9.5	8.3	Students of all rac
Percent who say it would be wrong to use:				Olddonio or dir rao
Alcohol	51.4	52.9	43.4	Percent of students
Cigarettes	77.9	75.2	73.8	Parents notice and
Marijuana	76.6	84.7	85.3	Parents involve str
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	05.0	92.6	94.8	It is important to be
Other mich (Cocame, LSD, Meth, Club Drug, etc)	95.0			consequences
	95.0			
Percent whose parents would disapprove if they use:		70 -	64-	Student could ask
Percent whose parents would disapprove if they use: Alcohol	74.5	73.8	64.2	Student could ask
Percent whose parents would disapprove if they use: Alcohol Cigarettes	74.5 97.2	90.4	87.2	Missouri Student Su
Percent whose parents would disapprove if they use: Alcohol	74.5			Missouri Student Su Similar affirmative re
Percent whose parents would disapprove if they use: Alcohol Cigarettes Marijuana	74.5 97.2	90.4	87.2	Missouri Student Su Similar affirmative re Blank data cells indi Survey is not condu
Percent whose parents would disapprove if they use: Alcohol Cigarettes Marijuana	74.5 97.2	90.4	87.2	Missouri Student Su Similar affirmative re Blank data cells indi Survey is not condu Estimates are not av
Percent whose parents would disapprove if they use: Alcohol Cigarettes Marijuana Percent who say it would be easy to obtain: Alcohol	74.5 97.2 93.1	90.4 94.1	87.2 94.1	Missouri Student Su Similar affirmative re Blank data cells indi Survey is not condu
Percent whose parents would disapprove if they use: Alcohol Cigarettes Marijuana Percent who say it would be easy to obtain:	74.5 97.2 93.1 50.9	90.4 94.1 57.5	87.2 94.1 69.3	Missouri Student Su Similar affirmative re Blank data cells indi Survey is not condu Estimates are not av Percentages are est

DENT SURVEY			
	2014	2012	2010
Percent who believe they risk harm if they use:			
Alcohol (1 or 2 drinks daily)	52.3		
Alcohol (Binge: 5+ drinks once or twice a week)	60.7		
Alcohol (any use)		62.7	75.5
Cigarettes (1+ packs per day)	74.3		
Cigarettes (any use)		71.1	78.8
Marijuana (once or twice a week)	54.6		
Marijuana (any use)		70.4	67.2
Other: Cocaine, LSD, Meth, Club Drug (any use)	89.4	88.6	93.1
Percent of students who, in past 30 days:			
Were very sad	18.7	18.6	9.6
Were grouchy, irritable, or in a bad mood	25.3	23.7	17.9
	6.9	11.0	8.0
Felt hopeless about the future		_	
Felt like not eating or eating more than usual	13.2	15.0	12.4
Slept a lot more or a lot less than usual	21.0	15.3	19.7
Had difficulty concentrating on school work	23.1	22.0	25.6
Percent of students who, in past 12 months:			
Seriously considered attempting suicide	5.1	10.2	11.0
Made plan about how they would attempt suicide	3.8	8.4	6.6
Attempted suicide	2.8	6.2	5.5
Attempted suicide and resulting injury, poisonng, or overdose			
had to be treated by doctor or nurse	0.9	2.2	2.3
Percent of students who, in past 12 months:			
Were threatened/injured with weapon at school	4.6	11.0	10.2
Were in a physical fight	24.8	27.4	24.9
	0.9	5.1	24.9
Were in a fight and had to be treated by a doctor or nurse	0.9	5.1	2.5
Percent of students who, in past 3 months:			
Were victims of mean rumors or lies spread at school	49.1	50.9	53.2
Were made fun of by others	57.1	59.6	67.1
Were victims of an embarrassing or hurtful text message or	040	05.0	40.0
something posted on the internet	24.8	25.3	19.6
Spread mean rumors or lies about other kids at school	18.5	30.9	30.3
Made fun of other people	50.5	64.6	72.3
Posted something on the internet or sent a text that might			
embarrass or hurt another student	19.1	13.9	17.8
Porcent of ctudents who agree that			
Percent of students who agree that:	64.0	62.4	72.4
Teachers notice and comment on student's good work	64.8	62.4	73.4
School provides feedback to parents on positive student performance	29.6	33.6	29.0
Rules are enforced fairly	67.3	55.7	63.3
Students of all races/ethnicities are treated equal	83.0	73.6	78.2
Percent of students who agree that:			
Parents notice and comment on student's good work	75.9	83.6	78.6
Parents involve student in making family decisions	69.4	71.7	67.6
It is important to be honest with parents regardless of	55.1		00
consequences	90.8	84.1	82.6
Student could ask parent for help with a personal problem	79.8	76.4	75.1
· · · · ·			

Survey is conducted biennially.
response choices for individual questions are combined.
dicate estimates are not available for item or geographic area. ucted in every school district nor reported for every county. available for counties with small numbers of respondents. stimates based on weighted data.

differences in percentages are not statistically significant.

ouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

LATTE GOOTH							
DBH REGIO	N	Western		IMPAIRED DRIVING	2013	2012	2011
DBH SERVICE	CE AREAS			Alcohol Involved CrashesTotal	72	91	73
Substanc	e Use	6		Fatal Crashes	2	3	1
Adult Psy	chiatric	6		Injury Crashes	24	28	24
POPULATIO				Property Damage Crashes	46	60	48
Census 2	010	89,322		Crash Fatalities	2	3	1
2014 Esti	mate	94,788		Crash Injuries	36	40	34
		- ,		Drug Involved CrashesTotal	14	11	14
213				Fatal Crashes	2	1	1
				Injury Crashes	4	6	6
BIRTH RISK	2013	2012	2011	Property Damage Crashes	8	4	7
Resident BirthsTotal	1,142	1,136	1,158	Crash Fatalities	2	1	1
Mother Reported Smoking while Pregnan	t 125	130	131	Crash Injuries	6	9	7
DISEASE INCIDENCE 1	2013	2012	2011			•	
HIV/AIDS Cases	4	6	8	POLICE REPORTS	2013	2012	2011
Hepatitis B Chronic, Acute, Prenatal	7	3	2	DUI Arrests, DWI Tracking System	429	484	483
Hepatitis C Chronic and Acute	14	17	18	Liquor Law Arrests	147	146	121
Tuberculosis Infection Cases	12	13	9	Drug Arrests	311	298	287
Taborodioni Intolion Cases	12	10	•	Violent Offenses	73	94	93
DEATHS and INJURIES	2013	2012	2011	Property Offenses	802	886	846
Resident DeathsTotal	617	607	573	Domestic Violence Reports	227	206	218
Suicides	15	6	14		2014	2013	2012
Self-inflicted Injuries	101	128	124	Methamphetamine Lab Seizures	0	0	5
Homicides	5	2	4				
Assault Injuries	188	231	234	SCHOOL REPORTS	2013-14	2012-13	2011-12
Alcohol Induced Deaths	5	10	4	Enrollment Grades 9-12	4,748	4,647	4,748
Drug Induced Deaths	13	14	7	Drop-outs	45	84	94
Smoking Attributable Deaths	106	88	107	Drop-out Rate	0.9%	1.8%	2.0%
				School Discipline Involving Alcohol	1	8	8
HOSPITAL EPISODES 2	2013	2012	2011	School Discipline Involving Drugs	32	44	40
Hospitalization, no Emergency Room:				School Discipline Involving Tobacco	0	0	0
Mental Illness Principal Diagnosis	445	548	590	JUVENILE COURT REFERRALS 3	2013	2012	2011
Mental Illness Secondary Diagnosis	912	773	797	Juvenile Violent Offenses	64	56	48
Alcohol Principal Diagnosis	57	70	54	Juvenile Alcohol Offenses	7	6	15
Alcohol Secondary Diagnosis	60	72	79	Juvenile Drug Offenses	25	38	25
Drug Principal Diagnosis	16	31	29	School Truancy Status Offense	25	31	16
Drug Secondary Diagnosis	65	75	64	Absent from Home Status Offense	3	1	4
Emergency Room + Hospitalization:				Beyond Parental Control Status Offense	9	14	20
Mental Illness Principal Diagnosis	134	135	113	Injurious Behavior Status Offense	4	9	7
Mental Illness Secondary Diagnosis	1,325	1,241	1,305	Child Abuse	6	5	7
Alcohol Principal Diagnosis	44	32	45	Child Neglect	15	14	9
Alcohol Secondary Diagnosis	182	137	152	Child Custody Issues	0	0	1
Drug Principal Diagnosis	20	25	25		-	•	•
Drug Secondary Diagnosis	83	82	85	JUVENILE COURT PLACEMENTS	2013	2012	2011
Emergency Room, no Hospitalization:				Out-of-Home PlacementsTotal	16	17	13
Mental Illness Principal Diagnosis	678	722	680	Parental Alcohol Use Related	0	2	1
Mental Illness Secondary Diagnosis	1,283	1,114	936	Parental Drug Use Related	1	4	3
Alcohol Principal Diagnosis	172	171	186	Parental Alcohol and Drug Use	0	1	1
Alcohol Secondary Diagnosis	133	143	140	CRIMAINAL ILICTICE	FY2014	FY2013	FY2012
Drug Principal Diagnosis	97	112	99	CRIMINAL JUSTICE Drug Court Participants	38	50	38
Drug Secondary Diagnosis	108	153	110	Probation/Parole AdmissionsDrug	132	89	36 81
				Probation/Parole AdmissionsDfug Probation/Parole AdmissionsDWI	43	25	42
ALCOHOL OUTLETS	2014	2013	2012	Prison AdmissionsDrug	43 42	30	23
Alcohol On-Premise Drink Licenses	135	129	129	Prison AdmissionsDWI	19	19	23 19
Alcohol Package Carry-out Licenses	58	57	56	i iisoii AuiiiissioiisDVVI	19	19	19
EMPLOYMENT	2014	2013	2012	1 All Kansas City hepatitis and TB case report			County
Labor Force	54,335	51,142	50,773	totals and all Joplin case reports are include Beginning with 2010 data, diagnosis counts			es are
Employed	51,589	48,145	47,913	based on codes developed by the Healthcar	e Cost and L	Jtilization Proj	ect.
Unemployed	2,746	2,997	2,860	3 Beginning in 2013, juvenile municipal violati			
Unemployment Rate	5.1%		5.6%	court orders are categorized as status offens	oes instead 0	i law violation	15.

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	22	21	19
CSTAR Adolescent	9	*	8
CSTAR Women and Children	8	11	9
CSTAR General Adult	195	188	222
CSTAR Opioid	*	*	*
Primary Recovery Treatment	5	10	6
Clinical SATOP (CIP, YCIP, SROP)	74	71	82
Other Substance Abuse Treatment	0	0	*

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	341	284	367
- Adolescent Diversion Education Prograr	*	5	*
- Offender Education Program	152	105	161
- Weekend Intervention Program	67	73	106
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	5	5	*
Compulsive Gambling	0	0	*
Recovery Supports	8	10	9
Early Intervention	6	6	5

NUMBER ADMITTED	FY2014	FY2013	FY2012	PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Total Individuals	310	302	332	Alcohol	156	138	171
105				Marijuana / Hashish	67	86	79
AGE Under 18	9	10	7	Cocaine (total)	8	8	13
18 to 24	70	87	78	- Crack	*	5	8
25 to 29	70 54	48	65	Stimulant (total)	41	38	38
30 to 34	46	43	51	- Methamphetamine	40	38	38
35 to 39	34	31	30	Heroin	11	7	*
40 to 44	21	30	36	Analgesic except Heroin	23	15	21
45 to 54	50	44	49	- Non-Prescription Methadone	*	0	0
55 and Over	26	9	16	PCP, LSD, other Hallucinogen	0	*	*
33 and Over	20	9	10	Tranquilizer	*	*	*
GENDER				Inhalant	0	0	*
Male	220	211	231	Sedative	0	0	0
Female	90	90	101	Other Medication or Illicit Drug	*	*	*
DACE / ETUNICITY				Average Age at First Use of Drug	18.0	17.1	18.0
RACE / ETHNICITY Caucasian	272	255	288				
African American	15	24	19	INJECTION DRUG USE			
Native American / Alaskan	*	*	*	Any Injection Use at Admission	34	23	20
Asian / Pacific Islander	0	*	*	- Daily Injection Use	6	5	5
Hispanic	14	18	19	- Weekly Injection Use	7	*	5
Other Race / Two or More Races	10	10	7	- Less than Weekly Injection Use	21	14	10
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	44	75	59	0	141	148	144
High School Graduate or G.E.D.	152	133	153	1 or 2	111	92	123
Associate Degree or Some College	107	91	108	3 or More	58	62	65
Bachelor or Advanced Degree	7	*	12				
				TREATMENT REFERRAL SOURCE	74	00	
EMPLOYMENT	455	4.40	404	Self / Family / Friend	71	60	57
Employed	155	143	164	School Mantal Haalth Bravidan	0		0
Unemployed	79	97	108	Mental Health Provider	32	25	38
Not in Labor Force	76	62	60	Health Care Provider	11	13	9
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	123	115	188
Independent Living	268	268	300	Other Referral Source	27	28	27
Dependent Living	14	14	12				
Homeless	8	8	10	TREATMENT ACCOMMODATION	0	*	7
AAADITAL /FAAAUVCTATUS				Pregnant when Admitted to any Episode	8 24	8	7 17
MARITAL / FAMILY STATUS	475	200	400	Military Veteran		_	
Never Married	175	200	192 68	Special Education Services Needed	5	11	7
Married / Cohabitating	54 91	49	68 72	Co-Occurring Psychological Problem	82	93	113 0
Previously Married	81	53	12	Co-Occurring Developmental Problem			U

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Western
PSYCHIATRIC SERVICE AREA 6
CENSUS 2010 89,322
2014 POPULATION ESTIMATE 94,788

served because some individuals had more than one type of disorder.						
DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012			
Adjustment Disorder	9	10	8			
Anxiety Disorder	128	146	156			
Dementia	*	0	0			
Developmental Disorder	0	0	0			
Impulse Control Disorder	93	94	74			
Mood Disorder	438	458	460			
Personality Disorder	8	10	6			
Psychotic Disorder	87	84	90			
Sexual Disorder	*	*	*			
Other Diagnosis	6	10	10			
Diagnosis Unknown	60	77	97			

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number

NUMBER SERVED	FY2014	FY2013	FY2012	EDUCATION	FY2014	FY2013	FY2012
Total Individuals	688	726	740	Less than High School Diploma	90	107	32
				High School Grad or G.E.D.	0	0	25
AGE		_	*	Associate Degree or Some College	0	0	9
Under 6	*	5		Bachelor or Advanced Degree	0	0	5
6 to 9	31	34	20	Education Level Unknown	598	619	669
10 to 13	43	36	35				
14 to 17	69	70	66	EMPLOYMENT			
18 to 24	56	58	73	Employed	47	51	26
25 to 29	61	70	67	Unemployed	42	49	51
30 to 34	67	86	91	Not in Labor Force	209	214	36
35 to 39	73	67	75	Employment Status Unknown	390	412	627
40 to 44	48	63	80				
45 to 49	64	69	72	HOUSING / LIVING ARRANGEMENT			
50 to 54	72	75	70	Independent Living	177	210	63
55 to 59	57	56	53	Dependent Living	111	97	55
60 and Over	43	37	37	Homeless	10	12	*
Age Unknown	0	0	0	Other	0	0	*
CENDED				Housing Unknown	390	407	616
GENDER Male	295	305	304				
Female				TREATMENT REFERRAL SOURCE			
	393	421	436	Self / Family / Friend	634	666	679
Gender Unknown	0	0	0	School	0	*	*
RACE / ETHNICITY				Mental Health Provider	14	17	18
Caucasian	581	609	638	Health Care Provider	20	18	19
African American	48	56	55	Court / Criminal Justice	*	5	*
Native American / Alaskan	*	*	*	Other	12	14	15
Asian / Pacific Islander	7	6	6	Referral Source Unknown	5	5	5
Hispanic	25	25	16				
Other Race	24	28	22	TYPE OF COMMITMENT			
Race/Ethnicity Unknown	0	0	0	Voluntary	680	717	732
•				Civil	0	0	0
TREATMENT ACCOMMODATION				Criminal	*	*	*
Hearing Impaired	18	16	15	Sexual Predatory	*	*	*
Past or Current Military Service	11	9	11	Commitment Type Unknown	5	5	5

MISSOURI STUDENT SURVEY

			• .
Percent of students who have ever used:	2014	2012	2010
Alcohol	29.9	37.1	37.7
Cigarettes	13.2	-	20.2
Chewing Tobacco	5.5		7.5
Marijuana	13.2	17.9	16.2
Inhalants	2.2	4.3	4.1
Prescription medications not prescribed for student	7.0	8.3	9.9
Over-the-counter medications for non-medical use	2.1	6.5	6.3
Methamphetamine	0.6	1.3	0.5
Cocaine	0.9	2.0	1.8
Heroin	0.3	0.9	0.4
Hallucinogens	1.4	3.6	2.6
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.1	2.5	2.4
Steroids not prescribed for student	0.7 2.3	1.6	0.8
Synthetic drugs (K2, bath salts, Spice, etc)	2.3	5.8	
Average age of students' first use of:			
Alcohol		13.13	
Cigarettes		13.16	
Marijuana	_	13.80	
Inhalants	11.24	11.85	12.32
Percent of students who, in past 30 days, used:			
Alcohol	12.0	18.0	18.4
Alcohol (Binge: 5+ drinks on one occassion)		10.3	10.0
Cigarettes	4.8	8.8	9.9
Chewing Tobacco	2.6	4.0	3.3
Marijuana	6.5	10.2	8.3
Inhalants	0.9	2.0	1.3
Prescription medications not prescribed for student	3.7	_	5.6
Over-the-counter medications for non-medical use	1.1	4.0	3.7
Percent of students who, in past 2 weeks, used:			
Alcohol (Binge: 5+ drinks on one occassion)	4.9		
Percent whose friends used in past 12 months:			
Alcohol	41.1	54.5	55.0
Cigarettes	27.2	39.6	41.7
Marijuana	33.2	45.8	39.7
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	12.7	18.9	19.8
Percent who would likely use, if offered by a best friend:			
Alcohol	21.6	30.3	28.9
Cigarettes	8.1	11.6	11.4
Marijuana	13.9	15.7	13.4
Percent who say it would be wrong to use:			
Alcohol	67.7	60.6	62.7
Cigarettes	88.5		80.7
Marijuana	78.3	-	79.7
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	95.9		94.0
•			
Percent whose parents would disapprove if they use:	00.0	70.7	00.7
Alcohol Cigarettes	83.3 94.7	79.7 92.2	80.7 90.5
Marijuana	93.2	92.9	93.2
•	55.2	52.5	50.2
Percent who say it would be easy to obtain:	50 5	0	
Alcohol	53.8	64.1	61.0
Cigarettes	43.1		53.9
Marijuana Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	34.7 12.5		40.8 19.2
outer mich (cocame, Lob, Meth, Club Drug, etc)	12.3	13.5	13.2

DENT SURVET			
Porcent who hollows they risk harm if they use.	2014	2012	2010
Percent who believe they risk harm if they use:	66.5		
Alcohol (1 or 2 drinks daily)			
Alcohol (Binge: 5+ drinks once or twice a week) Alcohol (any use)	76.9	70.6	72.8
Cigarettes (1+ packs per day)	90.6	70.6	12.0
	89.6	83.3	83.7
Cigarettes (any use)	64.0	03.3	03.1
Marijuana (once or twice a week) Marijuana (any use)	64.8	65.8	73.6
Other: Cocaine, LSD, Meth, Club Drug (any use)	93.0	93.1	93.2
Other. Cocame, ESD, Meth, Club Drug (any use)	93.0	93.1	93.2
Percent of students who, in past 30 days:			
Were very sad	19.0	16.9	18.0
Were grouchy, irritable, or in a bad mood	22.9	22.7	25.2
Felt hopeless about the future	11.9	11.2	12.8
Felt like not eating or eating more than usual	17.8	17.8	17.4
Slept a lot more or a lot less than usual	19.2	23.5	25.7
Had difficulty concentrating on school work	23.6	23.9	26.5
Percent of students who, in past 12 months:			
Seriously considered attempting suicide	12.4	11.6	9.5
Made plan about how they would attempt suicide	9.1	9.3	6.4
Attempted suicide	5.6	5.3	3.9
Attempted suicide and resulting injury, poisoning, or overdose	4.0		4.0
had to be treated by doctor or nurse	1.9	2.0	1.6
Percent of students who, in past 12 months:			
Were threatened/injured with weapon at school	4.4	5.3	7.5
Were in a physical fight	10.6	13.5	16.4
Were in a fight and had to be treated by a doctor or nurse	1.3	2.6	2.8
Percent of students who, in past 3 months:			
Were victims of mean rumors or lies spread at school	37.6	42.2	47.9
Were made fun of by others	48.2	56.3	64.3
Were victims of an embarrassing or hurtful text message or			
something posted on the internet	19.7	20.7	19.3
Spread mean rumors or lies about other kids at school	20.7	28.5	30.4
Made fun of other people	46.5	61.7	70.0
Posted something on the internet or sent a text that might	13.4	16.1	17.4
embarrass or hurt another student	10.4	10.1	17.4
Percent of students who agree that:			
Teachers notice and comment on student's good work	75.0	73.0	72.1
School provides feedback to parents on positive student			
performance	44.8	39.4	44.3
Rules are enforced fairly	69.3	63.9	65.3
Students of all races/ethnicities are treated equal	81.4	75.6	76.1
Percent of students who agree that:			
Parents notice and comment on student's good work	85.2	82.6	83.7
Parents involve student in making family decisions	72.6	70.2	72.1
It is important to be honest with parents regardless of			
consequences	86.2	83.4	81.8
Student could ask parent for help with a personal problem	79.8	78.1	78.6
,			
Missouri Student Survey is conducted bioppially			

Missouri Student Survey is conducted biennially.
Similar affirmative response choices for individual questions are combined.
Blank data cells indicate estimates are not available for item or geographic area. Survey is not conducted in every school district nor reported for every county. Estimates are not available for counties with small numbers of respondents. Percentages are estimates based on weighted data.

Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

I OLIK OOOKI I							
DBH REG	ion	Southwest		IMPAIRED DRIVING	2013	2012	2011
DBH SER	VICE AREAS			Alcohol Involved CrashesTotal	17	25	27
Substa	ince Use	10		Fatal Crashes	2	1	4
Adult F	Psychiatric	10		Injury Crashes	4	16	14
POPULA	ΤΙΟΝ			Property Damage Crashes	11	8	9
Census	s 2010	31,137		Crash Fatalities	2	1	4
2014 E	stimate	31,054		Crash Injuries	6	18	23
T T T T T T T T T T T T T T T T T T T				Drug Involved CrashesTotal	4	8	19
213				Fatal Crashes	0	0	0
BIRTH RISK	2013	2012	2011	Injury Crashes	3	3	11
Resident BirthsTotal	407	337	424	Property Damage Crashes	1	5	8
Mother Reported Smoking while Pregr		79	83	Crash Fatalities	0	0	0
Wother Reported Officking while I regi	iant or	75	00	Crash Injuries	5	3	13
DISEASE INCIDENCE 1	2013	2012	2011				
HIV/AIDS Cases	1	1	0	POLICE REPORTS	2013	2012	2011
Hepatitis B Chronic, Acute, Prenatal	3	8	2	DUI Arrests, DWI Tracking System	86	132	124
Hepatitis C Chronic and Acute	25	36	35	Liquor Law Arrests	22	48	39
Tuberculosis Infection Cases	10	5	4	Drug Arrests	117	125	152
				Violent Offenses	115	128	142
DEATHS and INJURIES	2013	2012	2011	Property Offenses	801	771	649
Resident DeathsTotal	349	321	352	Domestic Violence Reports	250	245	243
Suicides	1	8	6		2014	2013	2012
Self-inflicted Injuries	44	46	47	Methamphetamine Lab Seizures	11	11	7
Homicides	1	1	2	SCHOOL REPORTS	2013-14	2012-13	2011-12
Assault Injuries	82	98	93	Enrollment Grades 9-12	1,617	1,583	1,574
Alcohol Induced Deaths	6	0	3	Drop-outs	15	15	37
Drug Induced Deaths	6	5	9	Drop-out Rate	0.9%	0.9%	2.3%
Smoking Attributable Deaths	72	63	53	School Discipline Involving Alcohol	0	7	9
HOSPITAL EPISODES 2	2013	2012	2011	School Discipline Involving Drugs	9	30	13
Hospitalization, no Emergency Room:				School Discipline Involving Tobacco	0	1	0
Mental Illness Principal Diagnosis	283	346	287	_			
Mental Illness Secondary Diagnosis	332	333	344	JUVENILE COURT REFERRALS 3	2013	2012	2011
Alcohol Principal Diagnosis	12	6	7	Juvenile Violent Offenses	42	48	46
Alcohol Secondary Diagnosis	15	15	12	Juvenile Alcohol Offenses	2	17	4
Drug Principal Diagnosis	15	16	9	Juvenile Drug Offenses	17	7	16
Drug Secondary Diagnosis	22	25	20	School Truancy Status Offense	9	17	19
Emergency Room + Hospitalization:				Absent from Home Status Offense	8	7	10
Mental Illness Principal Diagnosis	125	132	127	Beyond Parental Control Status Offense	13	23	29
Mental Illness Secondary Diagnosis	627	583	566	Injurious Behavior Status Offense	9	11	17
Alcohol Principal Diagnosis	23	16	11	Child Abuse	29	28	24
Alcohol Secondary Diagnosis	56	44	46	Child Neglect	142	90	91
Drug Principal Diagnosis	22	22	27	Child Custody Issues	0	0	4
Drug Secondary Diagnosis	40	35	40	JUVENILE COURT PLACEMENTS	2013	2012	2011
Emergency Room, no Hospitalization:				Out-of-Home PlacementsTotal	31	20	22
Mental Illness Principal Diagnosis	307	380	313	Parental Alcohol Use Related	1	1	0
Mental Illness Secondary Diagnosis	2,465	2,751	1,285	Parental Drug Use Related	9	11	7
Alcohol Principal Diagnosis	57	73	72	Parental Alcohol and Drug Use	3	0	0
Alcohol Secondary Diagnosis	70	78	68				
Drug Principal Diagnosis	66	69	61	CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Secondary Diagnosis	145	101	87	Drug Court Participants	9	18	24
				Probation/Parole AdmissionsDrug	97	84	104
ALCOHOL OUTLETS	2014	2013	2012	Prican Admissions - Drug	7 57	15 45	13
Alcohol On-Premise Drink Licenses	12	13	18	Prison AdmissionsDrug Prison AdmissionsDWI	57 9	45 4	43 3
Alcohol Package Carry-out Licenses	23	18	26	FIISUH AUHHSSIUHSDWI	9	4	3
EMPLOYMENT	2014	2013	2012	1 All Kansas City hepatitis and TB case report			
Labor Force	14,206	13,949	14,282	totals and all Joplin case reports are include Beginning with 2010 data, diagnosis counts			
Employed	13,319	13,045	13,224	based on codes developed by the Healthcar			
Unemployed	887	904	1,058	3 Beginning in 2013, juvenile municipal violati	ons, infractio	ns, and violat	tions of
Unemployment Rate	6.2%	6.5%	7.4%	court orders are categorized as status offens	ses instead o	i iaw violatioi	15.

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	19	13	25
CSTAR Adolescent	6	7	9
CSTAR Women and Children	7	12	8
CSTAR General Adult	126	86	101
CSTAR Opioid	0	0	0
Primary Recovery Treatment	15	15	31
Clinical SATOP (CIP, YCIP, SROP)	22	12	14
Other Substance Abuse Treatment	0	0	*

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	88	91	109
- Adolescent Diversion Education Prograr	*	*	*
- Offender Education Program	34	36	46
- Weekend Intervention Program	18	19	23
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	*	*
Compulsive Gambling	0	0	0
Recovery Supports	12	13	5
Early Intervention	0	*	12

NUMBER ADMITTED	FY2014	FY2013	FY2012	PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Total Individuals	171	139	170	Alcohol	55	44	54
				Marijuana / Hashish	49	30	45
AGE		_	_	Cocaine (total)	0	*	*
Under 18	6	7	9	- Crack	0	*	*
18 to 24	30	29	34	Stimulant (total)	47	34	37
25 to 29	34	33	41	- Methamphetamine	47	32	33
30 to 34	30	20	19	Heroin	*	*	*
35 to 39	23	10	20	Analgesic except Heroin	15	19	23
40 to 44	21	13	14	- Non-Prescription Methadone	0	0	0
45 to 54	22	19	24	PCP, LSD, other Hallucinogen	0	0	*
55 and Over	5	8	9	Tranquilizer	*	5	*
GENDER				Inhalant	0	0	0
Male	114	91	120	Sedative	0	0	0
Female	57	48	50	Other Medication or Illicit Drug	*	*	*
D 4 65 / 57 (44) 677 (Average Age at First Use of Drug	16.5	17.9	17.7
RACE / ETHNICITY Caucasian	159	137	166				
African American	159	0	*	INJECTION DRUG USE			
Native American / Alaskan	*	0	0	Any Injection Use at Admission	38	39	42
Asian / Pacific Islander	0	0	0	- Daily Injection Use	*	*	6
		*	*	- Weekly Injection Use	*	9	9
Hispanic Other Race / Two or More Races	5	*	*	- Less than Weekly Injection Use	31	28	27
Other Race / Two or More Races							
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	53	63	74	0	104	83	97
High School Graduate or G.E.D.	90	51	64	1 or 2	50	31	43
Associate Degree or Some College	28	25	32	3 or More	17	25	30
Bachelor or Advanced Degree	0	0	0	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	18	37	36
Employed	67	34	45	School	0	0	*
Unemployed	57	59	71	Mental Health Provider	0	*	0
Not in Labor Force	47	46	54	Health Care Provider	8	*	8
		10	0.	Court / Criminal Justice	135	89	119
HOUSING / LIVING ARRANGEMENT				Other Referral Source	10	7	6
Independent Living	157	120	143	Carlot Motorial Council		•	· ·
Dependent Living	8	11	19	TREATMENT ACCOMMODATION			
Homeless	*	*	*	Pregnant when Admitted to any Episode	*	5	*
MARITAL / FAMILY STATUS				Military Veteran	5	*	7
Never Married	70	65	75	Special Education Services Needed	23	9	28
Married / Cohabitating	64	38	54	Co-Occurring Psychological Problem	74	44	43
Previously Married	37	36	41	Co-Occurring Developmental Problem	8	*	-5 5
. Torrodory Marriod	07	00	71	55 Coodining Dovolopinionian Froblom	0		J

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Southwest
PSYCHIATRIC SERVICE AREA 10
CENSUS 2010 31,137
2014 POPULATION ESTIMATE 31,054

disorders. The total number of dia served because some individuals h	•		
DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012
Adjustment Disorder	11	6	9
Anxiety Disorder	89	81	79
Dementia	*	0	*
Developmental Disorder	8	8	11
Impulse Control Disorder	32	28	28
Mood Disorder	127	125	131
Personality Disorder	32	32	34
Psychotic Disorder	62	69	74
Sexual Disorder	*	*	0
Other Diagnosis	28	17	22
Diagnosis Unknown	19	16	38

Individuals who received psychiatric services had the following types of

NUMBER SERVED	FY2014	FY2013	FY2012	EDUCATION	FY2014	FY2013	FY2012
Total Individuals	220	209	250	Less than High School Diploma	60	42	35
				High School Grad or G.E.D.	0	0	53
AGE	_	_	_	Associate Degree or Some College	0	0	20
Under 6	8	7	5	Bachelor or Advanced Degree	0	0	5
6 to 9	10	11	11	Education Level Unknown	160	167	137
10 to 13	13	8	15				-
14 to 17	21	20	19	EMPLOYMENT			
18 to 24	15	21	24	Employed	7	*	12
25 to 29	21	18	18	Unemployed	7	*	97
30 to 34	18	12	22	Not in Labor Force	122	129	25
35 to 39	17	17	19	Employment Status Unknown	84	76	116
40 to 44	18	23	28				
45 to 49	25	25	25	HOUSING / LIVING ARRANGEMENT			
50 to 54	17	15	23	Independent Living	55	55	71
55 to 59	21	15	22	Dependent Living	78	69	69
60 and Over	16	17	19	Homeless	*	*	*
Age Unknown	0	0	0	Other	0	0	*
CENDED				Housing Unknown	85	81	108
GENDER Male	119	104	132				
Female	101	104	118	TREATMENT REFERRAL SOURCE			
				Self / Family / Friend	102	101	145
Gender Unknown	0	0	0	School	0	*	*
RACE / ETHNICITY				Mental Health Provider	8	9	9
Caucasian	198	189	227	Health Care Provider	40	42	32
African American	*	*	*	Court / Criminal Justice	17	6	9
Native American / Alaskan	0	0	*	Other	46	43	46
Asian / Pacific Islander	*	*	*	Referral Source Unknown	7	7	7
Hispanic	*	*	*				
Other Race	15	14	14	TYPE OF COMMITMENT	040	000	207
Race/Ethnicity Unknown	0	0	0	Voluntary	213	200	237
•				Civil	0	*	*
TREATMENT ACCOMMODATION	_	_	_	Criminal			*
Hearing Impaired	9	5 *	6	Sexual Predatory	0	0	0
Past or Current Military Service	*	*	5	Commitment Type Unknown	6	6	7

MISSOURI STUDENT SURVEY

				DENT CONTE			
Percent of students who have ever used:	2014	2012	2010	Percent who believe they risk harm if they use:	2014	2012	
Alcohol	25.4	36.5	39.0	Alcohol (1 or 2 drinks daily)	57.4		
Cigarettes	17.4	29.0	28.6	Alcohol (Binge: 5+ drinks once or twice a week)	69.2		
Chewing Tobacco	13.0	18.8	21.7	Alcohol (any use)		72.4	-
Marijuana	6.9	10.6	15.4	Cigarettes (1+ packs per day)	84.9		
Inhalants	3.6	8.7	6.5	Cigarettes (any use)		79.3	-
Prescription medications not prescribed for student	4.1	9.5	11.9	Marijuana (once or twice a week)	71.0		
Over-the-counter medications for non-medical use	0.8	5.8	7.2	Marijuana (any use)		74.8	
Methamphetamine	0.5	2.2	1.0	Other: Cocaine, LSD, Meth, Club Drug (any use)	91.2	92.5	
Cocaine	0.5	1.0	1.5				
Heroin	0.0	0.8	0.6	Percent of students who, in past 30 days:			
Hallucinogens	0.5	3.0	2.6	Were very sad	15.5	20.0	
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.8	2.2	1.5	Were grouchy, irritable, or in a bad mood	17.7	25.8	
Steroids not prescribed for student	0.5	1.5	1.0	Felt hopeless about the future	9.8	12.5	
Synthetic drugs (K2, bath salts, Spice, etc)	1.3	4.8		Felt like not eating or eating more than usual	11.8	17.6	
				Slept a lot more or a lot less than usual	14.7	19.5	
Average age of students' first use of:				Had difficulty concentrating on school work	18.6	20.6	
Alcohol		12.35		Percent of students who, in past 12 months:			
Cigarettes	_	12.27	_	Seriously considered attempting suicide	8.4	10.8	
Marijuana		13.30		Made plan about how they would attempt suicide	5.4	9.2	
Inhalants	11.64	11.43	12.45	Attempted suicide	4.6	7.0	
Percent of students who, in past 30 days, used:				Attempted suicide and resulting injury, poisonng, or overdose			
Alcohol	7.5	18.0	16.8	had to be treated by doctor or nurse	1.0	1.7	
Alcohol (Binge: 5+ drinks on one occassion)		11.8	11.3	Demonstrate students who in most 12 months			
Cigarettes	4.1	12.2		Percent of students who, in past 12 months:	0.0	5 0	
Chewing Tobacco	5.9	11.2		Were threatened/injured with weapon at school	6.9	5.8 21.6	
Marijuana	3.3	5.3	7.9	Were in a physical fight	14.6		•
Inhalants	0.8	2.7	3.2	Were in a fight and had to be treated by a doctor or nurse	3.1	4.6	
Prescription medications not prescribed for student	1.0	6.5	7.9	Percent of students who, in past 3 months:			
Over-the-counter medications for non-medical use	0.5	4.3	4.7	Were victims of mean rumors or lies spread at school	45.4	53.1	;
				Were made fun of by others	53.5	64.7	
Percent of students who, in past 2 weeks, used:				Were victims of an embarrassing or hurtful text message or	40.0	00.4	
Alcohol (Binge: 5+ drinks on one occassion)	2.1			something posted on the internet	18.2	22.4	
Percent whose friends used in past 12 months:				Spread mean rumors or lies about other kids at school	22.0	29.3	;
Alcohol	35.5	45.7	58.0	Made fun of other people	49.7	67.2	(
Cigarettes	21.4	38.9	50.1	Posted something on the internet or sent a text that might	11.0	11.7	
Marijuana	18.5	28.0	32.8	embarrass or hurt another student	11.0	11.7	
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	3.9	11.1	16.7	Percent of students who agree that:			
•				Teachers notice and comment on student's good work	74.8	71.0	
Percent who would likely use, if offered by a best friend:				School provides feedback to parents on positive student	74.0	71.0	
Alcohol	16.6	31.2	31.7	performance	50.4	41.8	
Cigarettes	8.2	13.5	16.6	Rules are enforced fairly	65.9	59.9	
Marijuana	6.4	10.4	12.0	Students of all races/ethnicities are treated equal	84.4	77.1	
Percent who say it would be wrong to use:				Students of all faces/ellillicities are treated equal	04.4	77.1	
Alcohol	76.7	67.2	59.9	Percent of students who agree that:			
Clgarettes	86.3	80.5	76.8	Parents notice and comment on student's good work	86.0	80.1	8
Marijuana	90.4	84.1	82.4	Parents involve student in making family decisions	73.7	64.5	(
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	98.7	95.5	94.1	It is important to be honest with parents regardless of	89.7	86.6	,
				consequences	03.7	00.0	•
Percent whose parents would disapprove if they use:				Student could ask parent for help with a personal problem	81.4	69.8	-
Alcohol	87.2	80.8	79.1				
Cigarettes	94.4	87.5	88.6	Missouri Student Survey is conducted biennially.	0.00=1	od	
Marijuana	96.4	92.6	94.3	Similar affirmative response choices for individual questions ar Blank data cells indicate estimates are not available for item or			
Percent who say it would be easy to obtain:				Survey is not conducted in every school district nor reported fo	r every co	ounty.	
Alcohol	43.4	52.6	56.9	Estimates are not available for counties with small numbers of Percentages are estimates based on weighted data.	responde	ents.	
Cigarettes	44.5	57.2		Some year-to-year differences in percentages are not statistical	ally signifi	cant.	
Marijuana	21.4	28.6	36.7				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	10.4	14.0	19.5	Data source: Missouri Institute of Mental Health, 2010-2014 Mi	ssouri St	udent Su	Jr۷
, , , , , , , , , , , , , , , , , , ,		-	-				T

2010

78.4

79.4

71.7 93.5

23.7 22.7 11.2 22.0 24.6 18.8

10.4 6.7 5.4 1.9

10.1 24.5 3.4

57.2 71.6 19.5 32.5 69.6 14.7

75.1 42.5 66.2 79.9

84.669.885.776.8

i oznani ossiti	•						
DBH I	REGION	Central		IMPAIRED DRIVING	2013	2012	2011
DBH S	SERVICE AREAS			Alcohol Involved CrashesTotal	58	48	66
Sub	stance Use	11		Fatal Crashes	5	3	5
Adu	It Psychiatric	11		Injury Crashes	23	23	25
POPU	ILATION			Property Damage Crashes	30	22	36
Cen	sus 2010	52,274		Crash Fatalities	5	3	5
201	4 Estimate	53,436		Crash Injuries	40	38	39
Tar Tar				Drug Involved CrashesTotal	9	8	13
				Fatal Crashes	0	0	1
BIRTH RISK	2013	2012	2011	Injury Crashes	6	2	1
Resident BirthsTotal	834	842	834	Property Damage Crashes	3	6	11
Mother Reported Smoking while Pre		147	150	Crash Fatalities	0	0	1
				Crash Injuries	7	2	1
DISEASE INCIDENCE 1	2013	2012	2011	POLICE REPORTS	2013	2012	2011
HIV/AIDS Cases	7	0	2	DUI Arrests, DWI Tracking System	238	292	396
Hepatitis B Chronic, Acute, Prenata		2	7	Liquor Law Arrests	64	61	55
Hepatitis C Chronic and Acute	31	28	33	Drug Arrests	431	325	306
Tuberculosis Infection Cases	11	22	4	Violent Offenses	151	213	160
DEATHS and INJURIES	2013	2012	2011	Property Offenses	1,078	1,147	1,042
Resident DeathsTotal	302	300	297	Domestic Violence Reports	308	399	303
Suicides	2	10	8		2014	2013	2012
Self-inflicted Injuries	46	30	53	Methamphetamine Lab Seizures	3	12	7
Homicides	7	7	9				
Assault Injuries	101	123	114	SCHOOL REPORTS	2013-14	2012-13	2011-12
Alcohol Induced Deaths	3	3	4	Enrollment Grades 9-12	2,461	2,540	2,598
Drug Induced Deaths	9	10	14	Drop-outs	26	21	49
Smoking Attributable Deaths	62	56	57	Drop-out Rate	1.1%	0.8%	1.9%
				School Discipline Involving Alcohol	5 37	1 20	11 44
HOSPITAL EPISODES 2	2013	2012	2011	School Discipline Involving Drugs School Discipline Involving Tobacco		0	0
Hospitalization, no Emergency Room		000	070	School discipline involving Tobacco	1	U	U
Mental Illness Principal Diagnosis	282	308	270	JUVENILE COURT REFERRALS 3	2013	2012	2011
Mental Illness Secondary Diagnos		384	431	Juvenile Violent Offenses	57	73	61
Alcohol Principal Diagnosis	6	5 20	6 25	Juvenile Alcohol Offenses	4	3	3
Alcohol Secondary Diagnosis Drug Principal Diagnosis	29 48	39	25 19	Juvenile Drug Offenses	18	17	11
Drug Secondary Diagnosis	45	35	29	School Truancy Status Offense	44	48	85
Emergency Room + Hospitalization		33	23	Absent from Home Status Offense	12	20	23
Mental Illness Principal Diagnosis	148	131	102	Beyond Parental Control Status Offense	8	19	13
Mental Illness Secondary Diagnos		511	516	Injurious Behavior Status Offense	95	199	286
Alcohol Principal Diagnosis	15	15	17	Child Abuse	158	314	405
Alcohol Secondary Diagnosis	53	31	61	Child Neglect	251	390	486
Drug Principal Diagnosis	25	30	28	Child Custody Issues	9	8	3
Drug Secondary Diagnosis	44	35	40	JUVENILE COURT PLACEMENTS	2013	2012	2011
Emergency Room, no Hospitalization	on:			Out-of-Home PlacementsTotal	55	54	87
Mental Illness Principal Diagnosis	240	238	255	Parental Alcohol Use Related	2	1	3
Mental Illness Secondary Diagnos	is 1,634	1,304	1,159	Parental Drug Use Related	13	6	30
Alcohol Principal Diagnosis	55	47	66	Parental Alcohol and Drug Use	5	8	0
Alcohol Secondary Diagnosis	51	36	49				
Drug Principal Diagnosis	103	62	82	CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Secondary Diagnosis	56	57	40	Drug Court Participants	48	31 77	15 64
				Probation/Parole Admissions - DWI	123	77 0	64 11
ALCOHOL OUTLETS	2014	2013	2012	Prison AdmissionsDrug	8 60	9 31	11 38
Alcohol On-Premise Drink Licenses		54	52	Prison AdmissionsDrug Prison AdmissionsDWI	60 5	2	38 4
Alcohol Package Carry-out License	s 38	37	38	i iisoti AutilissiotisDWI	ິນ	۷	4
EMPLOYMENT	2014	2013	2012	1 All Kansas City hepatitis and TB case repor			County
Labor Force	15,185	20,414	19,316	totals and all Joplin case reports are include 2 Beginning with 2010 data, diagnosis counts			es are
Employed	14,066	18,885	17,721	based on codes developed by the Healthca	re Cost and U	Itilization Pro	ject.
Unemployed	1,119	1,529	1,595	3 Beginning in 2013, juvenile municipal violati court orders are categorized as status offen			
Unemployment Rate	7.4%	7.5%	8.3%	Court orders are categorized as status offeri	oco molead 0	i iaw violatioi	10.

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	37	23	25
CSTAR Adolescent	8	9	8
CSTAR Women and Children	16	26	17
CSTAR General Adult	106	82	43
CSTAR Opioid	0	0	0
Primary Recovery Treatment	7	15	33
Clinical SATOP (CIP, YCIP, SROP)	38	39	28
Other Substance Abuse Treatment	0	0	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	170	173	219
- Adolescent Diversion Education Prograr	0	0	0
- Offender Education Program	63	73	110
- Weekend Intervention Program	35	38	51
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	9	8	6
Compulsive Gambling	0	0	0
Recovery Supports	*	*	0
Early Intervention	0	0	*

NUMBER ADMITTED	FY2014	FY2013	FY2012	PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Total Individuals	170	160	129	Alcohol	62	58	52
				Marijuana / Hashish	13	24	16
AGE				Cocaine (total)	0	*	*
Under 18	6	9	9	- Crack	0	*	0
18 to 24	36	28	18	Stimulant (total)	16	15	15
25 to 29	30	31	29	- Methamphetamine	15	15	13
30 to 34	27	29	19	Heroin	59	43	33
35 to 39	26	16	17	Analgesic except Heroin	14	14	5
40 to 44	14	11	9	- Non-Prescription Methadone	*	*	0
45 to 54	21	25	19	PCP, LSD, other Hallucinogen	0	0	0
55 and Over	10	11	9	Tranquilizer	*	*	*
GENDER				Inhalant	0	0	0
Male	95	87	80	Sedative	0	0	*
Female	75	73	49	Other Medication or Illicit Drug	*	*	*
D 4 65 / 57 (4 (4 (4 (4 (4 (4 (4 (4 (4 (4 (4 (4 (4				Average Age at First Use of Drug	19.9	20.2	19.3
RACE / ETHNICITY Caucasian	144	134	103				
African American	15	134	103	INJECTION DRUG USE			
Native American / Alaskan	*	0	*	Any Injection Use at Admission	56	33	36
Asian / Pacific Islander	0	-	*	- Daily Injection Use	26	14	15
		5		- Weekly Injection Use	17	11	13
Hispanic	6	5 6	6 5	- Less than Weekly Injection Use	13	8	8
Other Race / Two or More Races		О	5				
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	44	45	31	0	97	84	62
High School Graduate or G.E.D.	82	58	66	1 or 2	55	38	42
Associate Degree or Some College	43	56	29	3 or More	18	38	25
Bachelor or Advanced Degree	*	*	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	68	56	41
Employed	40	42	32	School	0	0	0
Unemployed	74	58	48	Mental Health Provider	*	*	*
Not in Labor Force	56	60	49	Health Care Provider	7	*	6
Not in Eabor 1 ords	30	00	45	Court / Criminal Justice	, 58	71	72
HOUSING / LIVING ARRANGEMENT				Other Referral Source	29	21	7
Independent Living	150	135	106	Other Relenal Source	25	21	,
Dependent Living	13	17	13	TREATMENT ACCOMMODATION			
Homeless	*	*	*	Pregnant when Admitted to any Episode	*	5	*
MADITAL / EARALLY STATUS				Military Veteran	14	12	7
MARITAL / FAMILY STATUS Never Married	84	66	67	Special Education Services Needed	5	8	10
Married / Cohabitating	53	58	32	Co-Occurring Psychological Problem	72	54	45
Previously Married	33	36	30	Co-Occurring Psychological Problem	7	7	45 *
i icviously Marrieu	33	50	30	30 Occurring Developmental Ploblem	,	,	

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



 DBH REGION
 Central

 PSYCHIATRIC SERVICE AREA
 11

 CENSUS 2010
 52,274

 2014 POPULATION ESTIMATE
 53,436

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.							
DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012				
Adjustment Disorder	22	15	11				
Anxiety Disorder	221	165	132				
Dementia	0	0	0				
Developmental Disorder	10	5	*				
Impulse Control Disorder	67	55	46				
Mood Disorder	256	216	197				
Personality Disorder	14	7	11				
Psychotic Disorder	33	31	30				
Sexual Disorder	*	0	*				
Other Diagnosis	48	34	27				
Diagnosis Unknown	17	14	24				

Individuals who received psychiatric services had the following types of

NUMBER SERVED	FY2014	FY2013	FY2012	EDUCATION	FY2014	FY2013	FY2012
Total Individuals	371	301	276	Less than High School Diploma	163	127	67
				High School Grad or G.E.D.	0	*	58
AGE				Associate Degree or Some College	0	*	19
Under 6	10	5	*	Bachelor or Advanced Degree	0	0	*
6 to 9	30	24	18	Education Level Unknown	208	171	129
10 to 13	34	25	29				
14 to 17	47	34	26	EMPLOYMENT			
18 to 24	34	31	35	Employed	17	13	18
25 to 29	27	28	26	Unemployed	24	26	115
30 to 34	33	20	15	Not in Labor Force	252	210	27
35 to 39	28	15	18	Employment Status Unknown	78	52	116
40 to 44	26	30	21				
45 to 49	26	18	28	HOUSING / LIVING ARRANGEMENT			
50 to 54	35	27	23	Independent Living	149	154	135
55 to 59	23	27	23	Dependent Living	135	96	46
60 and Over	18	17	13	Homeless	5	*	*
Age Unknown	0	0	0	Other	0	0	*
GENDER				Housing Unknown	82	49	92
Male	159	124	123				
Female	212	177	153	TREATMENT REFERRAL SOURCE			
Gender Unknown	0	0	0	Self / Family / Friend	298	220	196
Gender Onknown	O	U	O	School	*	*	*
RACE / ETHNICITY				Mental Health Provider	6	10	16
Caucasian	317	254	237	Health Care Provider	32	31	30
African American	31	23	17	Court / Criminal Justice	8	9	7
Native American / Alaskan	*	*	*	Other	26	30	26
Asian / Pacific Islander	*	5	*	Referral Source Unknown	0	0	0
Hispanic	7	5	5	TVD5 05 000 40 41 TV 45 45			
Other Race	12	10	10	TYPE OF COMMITMENT	368	298	272
Race/Ethnicity Unknown	0	0	0	Voluntary	300	296 *	21Z *
				Civil	*	*	
TREATMENT ACCOMMODATION	40	•	0	Criminal	•	*	· .
Hearing Impaired	10	6	8	Sexual Predatory	^		^
Past or Current Military Service	5	6	•	Commitment Type Unknown	0	0	0

MISSOURI STUDENT SURVEY

	2014	2012	2010		2014	2012	2010
Percent of students who have ever used:	2014			Percent who believe they risk harm if they use:	2014	2012	2010
Alcohol		55.2		Alcohol (1 or 2 drinks daily)			
Cigarettes		36.9	-	Alcohol (Binge: 5+ drinks once or twice a week)			
Chewing Tobacco		24.7		Alcohol (any use)		62.0	78.2
Marijuana		22.7	_	Cigarettes (1+ packs per day)			
Inhalants		7.7	9.1	Cigarettes (any use)		76.8	81.9
Prescription medications not prescribed for student		15.2	14.1	Marijuana (once or twice a week)			
Over-the-counter medications for non-medical use		13.3	9.6	Marijuana (any use)		65.6	73.1
Methamphetamine		2.0	1.5	Other: Cocaine, LSD, Meth, Club Drug (any use)		91.6	94.2
Cocaine		4.4	2.4	Percent of students who, in past 30 days:			
Heroin		4.2		Were very sad		23.7	22.5
Hallucinogens		3.5	2.7	Were grouchy, irritable, or in a bad mood		30.5	27.3
Club drugs (Ecstasy, GHB, roofie, Special K, etc)		5.7	3.1	Felt hopeless about the future		12.9	11.5
Steroids not prescribed for student		2.6	2.1	Felt like not eating or eating more than usual		22.4	21.8
Synthetic drugs (K2, bath salts, Spice, etc)		9.4		Slept a lot more or a lot less than usual		24.5	31.5
Average age of students' first use of:				Had difficulty concentrating on school work		30.3	28.5
Alcohol		12.43	12.18				
Cigarettes		12.47	11.99	Percent of students who, in past 12 months:			
Marijuana		13.32	13.35	Seriously considered attempting suicide		13.6	17.1
Inhalants		12.40	12.65	Made plan about how they would attempt suicide		10.0	12.7
				Attempted suicide		7.2	8.3
Percent of students who, in past 30 days, used:				Attempted suicide and resulting injury, poisonng, or overdose		3.6	4.0
Alcohol		25.9		had to be treated by doctor or nurse			
Alcohol (Binge: 5+ drinks on one occassion)		16.9	_	Percent of students who, in past 12 months:			
Cigarettes		18.9	13.0	Were threatened/injured with weapon at school		10.2	10.9
Chewing Tobacco		12.5	6.7	Were in a physical fight		29.2	28.1
Marijuana		12.5		Were in a fight and had to be treated by a doctor or nurse		6.8	5.6
Inhalants		3.9		Parcent of ctudents who in past 2 months			
Prescription medications not prescribed for student		8.5	8.7	Percent of students who, in past 3 months:		E4 0	56.0
Over-the-counter medications for non-medical use		10.5	5.7	Were victims of mean rumors or lies spread at school		54.9	
Percent of students who, in past 2 weeks, used:				Were wisting of an embarraceing or butful text message or		59.0	69.9
Alcohol (Binge: 5+ drinks on one occassion)				Were victims of an embarrassing or hurtful text message or something posted on the internet		24.8	17.0
				Spread mean rumors or lies about other kids at school		26.9	30.0
Percent whose friends used in past 12 months:		04.5	00.0	Made fun of other people		64.6	73.2
Alcohol		64.5	-	Posted something on the internet or sent a text that might		04.0	70.2
Cigarettes		60.6		embarrass or hurt another student		19.8	16.9
Marijuana		44.1					
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)		23.1	23.7	Percent of students who agree that:			
Percent who would likely use, if offered by a best friend:				Teachers notice and comment on student's good work		59.4	66.0
Alcohol		42.4	35.9	School provides feedback to parents on positive student		31.4	34.5
Cigarettes		23.2	15.0	performance		31.4	54.5
Marijuana		17.5	13.3	Rules are enforced fairly		49.3	61.3
				Students of all races/ethnicities are treated equal		72.9	76.0
Percent who say it would be wrong to use:				Percent of students who agree that:			
Alcohol		47.9		Parents notice and comment on student's good work		74.4	83.3
Cigarettes		69.2		Parents involve student in making family decisions		65.4	67.1
Marijuana		72.9		It is important to be honest with parents regardless of		00.1	01
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)		89.7	93.3	consequences		81.2	84.0
Percent whose parents would disapprove if they use:				Student could ask parent for help with a personal problem		70.7	75.4
Alcohol		70.5	77.6	State in Could don paronn for Holp William a porsonial problem			
Cigarettes		84.8	89.6	Missouri Student Survey is conducted biennially.			
Marijuana		87.9		Similar affirmative response choices for individual questions are			
•				Blank data cells indicate estimates are not available for item or Survey is not conducted in every school district nor reported for			
Percent who say it would be easy to obtain:		64.4	60.0	Estimates are not available for counties with small numbers of re			
Alcohol		64.4		Percentages are estimates based on weighted data.	hy olessie	oort	
Cigarettes		65.9 51.0		Some year-to-year differences in percentages are not statistical	y signific	Jaiil.	
Marijuana Other Illicit (Cocaine, LSD, Meth, Club Drug, etc.)		51.0 29.3		Data source: Missouri Institute of Mental Health, 2010-2014 Mis	souri St	udent Sı	ırveys
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)		∠9.3	23.0				

MAPAIRED DRIVING 2013 2012 2011 10	I OTIVAMI OCCIVITI							
Substance Use 13	DBH REG	ION	Western		IMPAIRED DRIVING	2013	2012	2011
Part	DBH SER	VICE AREAS			Alcohol Involved CrashesTotal	3	4	5
Popularion	Substa	nce Use	13		Fatal Crashes	0	0	0
Carab Findings	Adult P	sychiatric	13		Injury Crashes	0	1	4
Crash Injuries	POPULAT	TION			Property Damage Crashes	3	3	1
Drug Process Secondary Diagnosis 1 1 0 0 0 0 0 0 0 0	Census	s 2010	4,979		Crash Fatalities	0	0	0
Pate Cashes 0 0 0 0 0 0 0 0 0	2014 E	stimate	4,829		Crash Injuries	0	2	4
BIRTH RISK 2013 2012 2011 Inliury Crashes 0 0 0 0 0 0 0 0 0					Drug Involved CrashesTotal	1	1	0
Resident Dimini Total Secondary Diagnosis 1 1 1 1 1 1 1 1 1	212				Fatal Crashes	0	0	0
Property Damage Crashes	DIDTH DICV	2013	2012	2011	Injury Crashes	0	0	0
Mother Reported Smoking while Pregnant 17					Property Damage Crashes	1	1	0
DISSASE INCIDENCE 2013 2012 2011 1					Crash Fatalities	0	0	0
HIM/AIDS Cases	wother Reported Smoking while Freght	ant 17	13	,	Crash Injuries	0	0	0
Hepatitis C Chronic and Acute	DISEASE INCIDENCE 1	2013	2012	2011				
Hepatilis C Chronic and Acute 1 0 3 Drug Arrests 15 29 27 7 7 7 7 7 7 7 7 7	HIV/AIDS Cases	0	0	0				
Page Tuberculosis Infection Cases	Hepatitis B Chronic, Acute, Prenatal	1	0	0				
DEATHS and INURIES 2013 2012 2011 Property Offenses 3.9 3.8 3.3 3.3 3.5 3.	Hepatitis C Chronic and Acute	1	0	3	•			
DEATHS and INJURIES	Tuberculosis Infection Cases	4	0	0	_			
Resident Deaths—Total						_		
Suicides								
Self-inflicted Injuries	Resident DeathsTotal	58	72	58	Domestic Violence Reports			
Assault Injuries		2	1					
Assault Injuries	Self-inflicted Injuries	10	4	7	Methamphetamine Lab Seizures	0	0	3
Assaut Injunes Abcohol Induced Deaths 3 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	Homicides	0	0	0	SCHOOL BEDORTS	2012-14	2012-12	2011-12
Drop-outs 10	Assault Injuries	13	4	11				
Drug naucea Deaths 3	Alcohol Induced Deaths	0	0	0				
Mospital Episopes 1	Drug Induced Deaths	3	0	0	•			-
HOSPITAL EPISODES 2 2013 2012 2011 School Discipline Involving Drugs 0 0 0 0 0 0 0 0 0	Smoking Attributable Deaths	13	15	10	•			
Hospitalization, no Emergency Room: Mental Illness Principal Diagnosis 28 20 26 JUVENILE COURT REFERRALS 3 2013 2012 2011			2012	2011				
Mental Illness Principal Diagnosis 28 20 26 Mental Illness Secondary Diagnosis 116 126 139 JUVENILE COURT REFERRALS 3 2013 2012 2011 Alcohol Principal Diagnosis 0 2 1 Juvenile Violent Offenses 1 3 5 Alcohol Secondary Diagnosis 9 10 14 Juvenile Alcohol Offenses 2 2 2 8 Drug Principal Diagnosis 1 1 4 School Truancy Status Offense 1 3 0 0 1 3 0		2013	2012	2011		_		
Mental Illiness Secondary Diagnosis					School discipline involving Tobacco	U	U	U
Mental Illness Sectordary Diagnosis 10					JUVENILE COURT REFERRALS 3	2013	2012	2011
Alcohol Secondary Diagnosis 9 10 14 Drug Principal Diagnosis 1 1 1 1 4 Drug Principal Diagnosis 6 4 1 Drug Secondary Diagnosis 6 4 1 Drug Secondary Diagnosis 6 4 1 Drug Secondary Diagnosis 1 1 1 16 8 Mental Illness Principal Diagnosis 1 1 1 16 8 Mental Illness Secondary Diagnosis 1 1 1 16 8 Alcohol Principal Diagnosis 1 1 1 16 8 Alcohol Principal Diagnosis 1 1 1 16 8 Alcohol Principal Diagnosis 1 1 1 16 8 Drug Secondary Diagnosis 1 1 1 16 8 Alcohol Principal Diagnosis 1 1 1 16 8 Drug Principal Diagnosis 1 1 1 16 8 Drug Principal Diagnosis 1 1 1 16 8 Drug Secondary Diagnosis 1 1 1 16 8 Drug Principal Diagnosis 1 1 1 16 8 Drug Principal Diagnosis 1 1 1 16 8 Drug Principal Diagnosis 1 1 1 16 8 Drug Secondary Diagnosis 1 1 1 16 8 Drug Principal Diagnosis 1 1 1 1 16 8 Drug Principal Diagnosis 1 1 1 1 16 8 Drug Principal Diagnosis 1 1 1 1 16 8 Drug Principal Diagnosis 1 1 1 1 16 8 Drug Principal Diagnosis 1 1 1 1 16 8 Drug Principal Diagnosis 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1						1	3	5
Drug Principal Diagnosis					Juvenile Alcohol Offenses	2	2	8
Drug Principal Diagnosis 6 4 1					Juvenile Drug Offenses	1	0	1
Emergency Room + Hospitalization: Mental Illness Principal Diagnosis Mental Illness Secondary Diagnosis Mental Illness Principal Diagnosis Mental Illness Principal Diagnosis Mental Illness Principal Diagnosis Mental Illness Principal Diagnosis Mental Illness Secondary Diagnosis Mental Illness Secondary Diagnosis Mental Illness Principal Diagnosis Mental Illness Pr						1	3	0
Mental Illness Principal Diagnosis 11 16 8 8 Injurious Behavior Status Offense 0 1 2 2 1 1 2 2 2 3 3 0 2 2 1 3 3 0 2 3 3 0 2 3 3 0 2 3 3 0 3 3 0 3 3 3 0 3 0		6	4	1	•	0	0	0
Mental Illness Principal Diagnosis11168Injurious Behavior Status Offense676Mental Illness Secondary Diagnosis1398Child Abuse20914Alcohol Principal Diagnosis001Child Abuse20914Alcohol Secondary Diagnosis230Child Neglect213121Drug Principal Diagnosis0211Child Custody Issues003Drug Secondary Diagnosis2220JUVENILE COURT PLACEMENTS201320122011Emergency Room, no Hospitalization:Out-of-Home PlacementsTotal12107Mental Illness Principal Diagnosis653827Parental Alcohol Use Related000Mental Illness Secondary Diagnosis14315187Parental Alcohol and Drug Use Related803Alcohol Principal Diagnosis495Parental Alcohol and Drug Use000Alcohol Secondary Diagnosis753CRIMINAL JUSTICEFY2014FY2013FY2012Drug Principal Diagnosis753CRIMINAL JUSTICEFY2014FY2013FY2012Drug Secondary Diagnosis7532Drug Court Participants8128Drug Secondary Diagnosis7532Prioabdion/Parole AdmissionsDrug1122Alcohol					Bevond Parental Control Status Offense	0	1	
Mental Illness Secondary Diagnosis Alcohol Principal Diagnosis Drug Principal Diagnosis Drug Principal Diagnosis Drug Secondary Diagnosis Drug Sec						6		
Alcohol Principal Diagnosis				8			9	
Drug Principal Diagnosis 0 2 1 1				1				
Drug Principal Diagnosis Drug Secondary Diagnosis Drug Secondary Diagnosis Drug Secondary Diagnosis Drug Secondary Diagnosis Emergency Room, no Hospitalization: Mental Illness Principal Diagnosis Mental Illness Secondary Diagnosis Mental Illness Secondary Diagnosis Alcohol Principal Diagnosis Alcohol Principal Diagnosis Alcohol Secondary Diagnosis Drug Principal Diagnosis Trug Court Participants Brug Court Participants		2		0	_			
Emergency Room, no Hospitalization: Mental Illness Principal Diagnosis 65 38 27 Parental Alcohol Use Related 0 0 0 0 Mental Illness Secondary Diagnosis 143 151 87 Parental Drug Use Related 8 0 3 Alcohol Principal Diagnosis 4 9 5 Parental Alcohol and Drug Use 0 0 0 0 Alcohol Secondary Diagnosis 10 6 9 Drug Principal Diagnosis 7 5 3 CRIMINAL JUSTICE Drug Secondary Diagnosis 7 3 2 Drug Court Participants 8 12 8 Probation/Parole AdmissionsDrug 13 23 13 ALCOHOL OUTLETS Alcohol On-Premise Drink Licenses 2 2 2 Prison AdmissionsDrug 1 2 2 Alcohol Package Carry-out Licenses 6 6 6 6 6 Prison AdmissionsDWI 1 3 3 1 EMPLOYMENT 2014 2013 2012 Labor Force 2,504 2,412 2,338 Employed 125 138 134 Cut-of-Home PlacementsTotal 1 2 10 7 Parental Alcohol Use Related 0 0 0 0 0 0 0 0 0 CRIMINAL JUSTICE FY2014 FY2013 FY2012 Probation/Parole AdmissionsDrug 1 3 23 13 Probation/Parole AdmissionsDrug 5 10 6 Prison AdmissionsDWI 1 2 2 Prison AdmissionsDWI 1 3 3 1 EMPLOYMENT 2014 2013 2012 Labor Force 2,504 2,412 2,338 Employed 2,379 2,274 2,204 Unemployed 1 25 138 134						-	-	
Mental Illness Principal Diagnosis653827Parental Alcohol Use Related000Mental Illness Secondary Diagnosis14315187Parental Drug Use Related803Alcohol Principal Diagnosis495Parental Alcohol and Drug Use000Alcohol Secondary Diagnosis10699Drug Principal Diagnosis753CRIMINAL JUSTICEFY2014FY2013FY2012Drug Secondary Diagnosis732Drug Court Participants8128Drug Secondary Diagnosis732Drug Court Participants8128ALCOHOL OUTLETS201420132012Probation/Parole AdmissionsDrug132313ALCOHOL OUTLETS22Prison AdmissionsDrug5106Alcohol Package Carry-out Licenses222Prison AdmissionsDWI131EMPLOYMENT2014201320121All Kansas City hepatitis and TB case reports are included in Jasper County totals.Labor Force2,5042,4122,3382Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.Unemployed125138134Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.		2	2	0	JUVENILE COURT PLACEMENTS			2011
Mental Illness Secondary Diagnosis Alcohol Principal Diagnosis 4 9 5 Parental Drug Use Related 8 0 3 Alcohol Principal Diagnosis 4 9 5 Parental Alcohol and Drug Use 0 0 0 0 0 Alcohol Secondary Diagnosis 10 6 9 Drug Principal Diagnosis 7 5 3 Drug Secondary Diagnosis 7 3 2 Drug Court Participants 8 12 8 Probation/Parole AdmissionsDrug 13 23 13 ALCOHOL OUTLETS Alcohol On-Premise Drink Licenses 2 2 2 Prison AdmissionsDrug 5 10 6 Alcohol Package Carry-out Licenses 6 6 6 6 Prison AdmissionsDWI 1 3 1 EMPLOYMENT Labor Force 2,504 2,412 2,338 Employed 125 138 134 Parental Drug Use Related 8 0 3 Parental Drug Use Related 8 0 2 Pryolation Parloid Parloid Parloid AdmissionsDrug 1 2 2 Prison AdmissionsDWI 1 3 1 2 2 2 Prison AdmissionsDWI 1 3 1 2 3 13 All Kansas City hepatitis and TB case reports are included in Jasper County totals. 2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project. Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.	Emergency Room, no Hospitalization:				Out-of-Home PlacementsTotal	12	10	7
Alcohol Principal Diagnosis 4 9 5 Parental Alcohol and Drug Use 0 0 0 0 0 Alcohol Secondary Diagnosis 10 6 9 Drug Principal Diagnosis 7 5 3 CRIMINAL JUSTICE FY2014 FY2013 FY2012 Drug Secondary Diagnosis 7 3 2 Drug Court Participants 8 12 8 Probation/Parole AdmissionsDrug 13 23 13 ALCOHOL OUTLETS 2014 2013 2012 Probation/Parole AdmissionsDWI 1 2 2 2 Alcohol On-Premise Drink Licenses 2 2 2 Prison AdmissionsDrug 5 10 6 Alcohol Package Carry-out Licenses 6 6 6 6 6 Prison AdmissionsDWI 1 3 1 3 1 1	Mental Illness Principal Diagnosis	65	38	27	Parental Alcohol Use Related	0	0	0
Alcohol Secondary Diagnosis Drug Principal Diagnosis Total Secondary Diagnosis Drug Secondary Diagnosis Total Secondary Probation/Parcic AdmissionsDrug Total Secondary Diagnosis Total Secondary Diagnosis Total Secondary Probation/Parcic AdmissionsDrug Total Secondary Diagnosis Total Secondary Probation/Parcic AdmissionsDrug Total Secondary Diagnosis Total Secondary Probation/Parcic AdmissionsDwil 1 1 2 2 2 Prison AdmissionsDwil 1 1 2 2 2 Prison AdmissionsDwil 1 1 2 3 1 1 1 1 1 3 1 1 1 1 1 1 1 1 1 1	Mental Illness Secondary Diagnosis	143	151	87	Parental Drug Use Related	8	0	3
Drug Principal Diagnosis 7 5 3 2 Drug Court Participants 8 12 8 Probation/Parole AdmissionsDrug 13 23 13 ALCOHOL OUTLETS Alcohol On-Premise Drink Licenses 9 2 2 2 Prison AdmissionsDrug 5 10 6 Alcohol Package Carry-out Licenses 9 6 6 6 6 6 Prison AdmissionsDWI 1 3 1 3 1 EMPLOYMENT Labor Force 1 2,504 2,412 2,338 Employed 1 25 138 134 CRIMINAL JUSTICE FY2014 FY2013 FY2012 Drug Court Participants 8 12 8 Probation/Parole AdmissionsDrug 13 23 13 Probation/Parole AdmissionsDWI 1 2 2 2 Prison AdmissionsDWI 1 3 1 3 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included i	Alcohol Principal Diagnosis	4	9	5	Parental Alcohol and Drug Use	0	0	0
Drug Secondary Diagnosis 7 3 2 Drug Court Participants 8 12 8 Probation/Parole AdmissionsDrug 13 23 13 ALCOHOL OUTLETS Alcohol On-Premise Drink Licenses 2 2 2 Prison AdmissionsDrug 5 10 6 Alcohol Package Carry-out Licenses 6 6 6 6 Prison AdmissionsDWI 1 3 1 3 1 EMPLOYMENT Labor Force 2,504 2,412 2,338 Employed 2,379 2,274 2,204 Unemployed 125 138 134 Drug Court Participants 8 12 8 Probation/Parole AdmissionsDrug 13 23 13 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County tota	Alcohol Secondary Diagnosis	10	6	9	CDINANAL WICTIGE	EV204.4	EV2042	EV2042
ALCOHOL OUTLETS Alcohol On-Premise Drink Licenses Alcohol Package Carry-out Licenses A	Drug Principal Diagnosis	7	5	3				
Alcohol On-Premise Drink Licenses 2 2 2 2 Prison AdmissionsDrug 5 10 6 Alcohol Package Carry-out Licenses 6 6 6 6 Prison AdmissionsDWI 1 2 2 EMPLOYMENT Labor Force 2,504 2,412 2,338 Employed 2,379 2,274 2,204 Unemployed 125 138 134 Probation/Parole AdmissionsDWI 1 2 2 Prison AdmissionsDWI 1 3 10 6 Prison AdmissionsDWI 1 3 1 3 1 All Kansas City hepatitis and TB case reports are included in Jasper County totals. Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project. Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.	Drug Secondary Diagnosis	7	3	2				
Alcohol On-Premise Drink Licenses 2 2 2 Prison AdmissionsDrug 5 10 6 Alcohol Package Carry-out Licenses 6 6 6 6 Prison AdmissionsDWI 1 3 1 EMPLOYMENT Labor Force 2,504 2,412 2,338 Employed 2,379 2,274 2,204 Unemployed 125 138 134 Prison AdmissionsDrug 5 10 6 Prison AdmissionsDWI 1 3 3 1 All Kansas City hepatitis and TB case reports are included in Jasper County totals. 2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project. 3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.					•			
Alcohol Package Carry-out Licenses 6 6 6 6 Prison AdmissionsDWI 1 3 1 EMPLOYMENT Labor Force 2,504 2,412 2,338 Employed 2,379 2,274 2,204 Unemployed 125 138 134 Prison AdmissionsDWI 1 3 1 All Kansas City hepatitis and TB case reports are included in Jasper County totals. 2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project. 3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.								
EMPLOYMENT Labor Force 2,504 2,412 2,338 Employed 2,379 2,274 Unemployed 2014 2013 2012 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals and all Joplin case reports are included in Jasper County totals and all Joplin case reports are included in Jasper County totals and all Joplin case reports are included in Jasper County totals and all Joplin case reports are included in Jasper County totals and all Joplin case reports are included in Jasper County totals and all Joplin case reports are included in Jasper County totals and all Joplin case reports are included in Jasper County totals and all Joplin case reports are included in Jasper County totals and all Joplin case reports are included in Jasper County totals and all Joplin case reports are included in Jasper County totals and all Joplin case reports are included in Jasper County totals and all Joplin case reports are included in Jasper County totals and all Joplin case reports are included in Jasper County totals and all Joplin case reports are included in Jasper County totals and all Joplin case reports are included in Jasper County totals and all Joplin case reports are included in Jasper County totals and all Joplin case reports are included in Jasper County totals and all Joplin case reports are included in Jasper County totals and all Joplin case reports are included in Jasper County totals and all Joplin case reports are included in Jasper County totals and all Joplin case reports are included in Jasper County totals and all Joplin case reports are included in Jasper County totals and all Joplin case reports are included in Jasper County totals and all Joplin case reports are included in Jasper County totals and all Joplin case reports are included in Jasper County totals and all Joplin case reports are included in Jasper County totals and all Joplin case reports are included in Jasper County totals and all Joplin case reports are included in Jasper C					•			
Labor Force 2,504 2,412 2,338 Employed 2,379 2,274 2,204 Unemployed 125 138 134 totals and all Joplin case reports are included in Jasper County totals. 2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project. 3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.	Alcohol Package Carry-out Licenses	6	6	6	PIISON AdmissionsDVVI	1	3	1
Labor Force 2,504 2,412 2,338 Employed 2,379 2,274 2,204 Unemployed 125 138 134 totals and all Joplin case reports are included in Jasper County totals. 2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project. 3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.	FMPI OYMFNT	2014	2013	2012	1 All Kansas City hepatitis and TB case repor	ts are include	ed in Jackson	County
Employed 2,379 2,274 2,204 Unemployed 125 138 134 Unemployed 125 138 134 Zerout Tording Will 2010 data, diagnosis counts to hispital and Encounter Services are based on codes developed by the Healthcare Cost and Utilization Project. Beginning will 2010 data, diagnosis counts to hispital and Encounter Services are based on codes developed by the Healthcare Cost and Utilization Project. Beginning will 2010 data, diagnosis counts to hispital and Encounter Services are based on codes developed by the Healthcare Cost and Utilization Project. Beginning will 2010 data, diagnosis counts to hispital and Encounter Services are based on codes developed by the Healthcare Cost and Utilization Project.					totals and all Joplin case reports are include	d in Jasper C	County totals.	
Unemployed 125 138 134 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.		•	*					
Court orders are categorized as status orienses instead or law violations.					3 Beginning in 2013, juvenile municipal violati	ons, infraction	ns, and violat	tions of
	Unemployment Rate	5.0%		5.7%	court orders are categorized as status offen	ses instead o	of law violation	is.

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	*	0	0
CSTAR Adolescent	*	*	*
CSTAR Women and Children	*	*	*
CSTAR General Adult	29	38	38
CSTAR Opioid	0	0	0
Primary Recovery Treatment	0	*	*
Clinical SATOP (CIP, YCIP, SROP)	5	*	*
Other Substance Abuse Treatment	0	0	0

l			
SUBSTANCE ABUSE TRAFFIC OFFENDER	FY2014	FY2013	FY2012
PROGRAM (SATOP)			
Offender Management Unit	13	16	13
- Adolescent Diversion Education Prograr	0	*	*
- Offender Education Program	*	*	*
- Weekend Intervention Program	*	*	*
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	0	0
Compulsive Gambling	0	0	0
Recovery Supports	0	0	0
Early Intervention	5	*	*

NUMBER ADMITTED	FY2014	FY2013	FY2012	PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Total Individuals	39	52	46	Alcohol	15	23	23
4.05				Marijuana / Hashish	11	17	15
AGE Under 18	*	*	*	Cocaine (total)	0	0	0
18 to 24	10	16	18	- Crack	0	0	0
25 to 29	10	9	5	Stimulant (total)	8	7	*
30 to 34	*	9	3 *	- Methamphetamine	8	7	*
35 to 39	*	6	*	Heroin	0	0	0
		*	*	Analgesic except Heroin	*	*	*
40 to 44	5			- Non-Prescription Methadone	0	0	0
45 to 54	*	8	6	PCP, LSD, other Hallucinogen	0	*	0
55 and Over	_			Tranquilizer	0	0	*
GENDER				Inhalant	0	0	0
Male	27	40	35	Sedative	0	0	0
Female	12	12	11	Other Medication or Illicit Drug	*	0	0
_				Average Age at First Use of Drug	16.2	16.4	16.8
RACE / ETHNICITY							
Caucasian	38	51 *	44	INJECTION DRUG USE			
African American				Any Injection Use at Admission	*	*	5
Native American / Alaskan	0	0	0	- Daily Injection Use	0	0	0
Asian / Pacific Islander	0	0	*	- Weekly Injection Use	*	0	*
Hispanic	0	0	0	- Less than Weekly Injection Use	*	*	*
Other Race / Two or More Races	0	0	0	, ,			
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	19	16	24	0	21	32	22
High School Graduate or G.E.D.	18	32	20	1 or 2	12	15	19
Associate Degree or Some College	*	*	*	3 or More	6	5	5
Bachelor or Advanced Degree	0	*	0	TOTATAATAIT DEEEDDAL COLLDOS			
CAADLOVAACAIT				TREATMENT REFERRAL SOURCE Self / Family / Friend	*	7	*
EMPLOYMENT Employed	13	20	18	School	*	0	0
Unemployed	13	20	13	Mental Health Provider	*	0	0
Not in Labor Force	13	12	15	Health Care Provider	*	*	*
Not in Labor 1 orce	13	12	13	Court / Criminal Justice	11	11	29
HOUSING / LIVING ARRANGEMENT				Other Referral Source	16	26	10
Independent Living	35	44	42	Other Referral Source	10	20	10
Dependent Living	*	6	*	TREATMENT ACCOMMAND ATION			
Homeless	*	*	0	TREATMENT ACCOMMODATION Progrant when Admitted to any Enisode	0	0	0
AAADITAL / FAAAU V CTATUS				Pregnant when Admitted to any Episode Military Veteran	*	· *	*
MARITAL / FAMILY STATUS Never Married	16	21	26	Special Education Services Needed	*	*	*
	16 17	31	26 9		10		4.4
Married / Cohabitating	17	8	9 11	Co-Occurring Psychological Problem	12	15	14
Previously Married	6	13	1.1	Co-Occurring Developmental Problem			

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Western
PSYCHIATRIC SERVICE AREA 13
CENSUS 2010 4,979
2014 POPULATION ESTIMATE 4,829

disorders. The total number of diag served because some individuals ha	,		
DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012
Adjustment Disorder	*	*	0
Anxiety Disorder	19	21	20
Dementia	0	*	*
Developmental Disorder	*	*	*
Impulse Control Disorder	6	6	5
Mood Disorder	23	24	28
Personality Disorder	*	8	12
Psychotic Disorder	7	8	10
Sexual Disorder	0	0	0
Other Diagnosis	*	*	*
Diagnosis Unknown	*	0	0

Individuals who received psychiatric services had the following types of

NUMBER SERVED	FY2014	FY2013	FY2012	EDUCATION	FY2014	FY2013	FY2012
Total Individuals	34	37	41	Less than High School Diploma	10	12	5
				High School Grad or G.E.D.	0	*	14
AGE				Associate Degree or Some College	0	0	*
Under 6	0	0	0	Bachelor or Advanced Degree	0	0	*
6 to 9	*	*	0	Education Level Unknown	24	23	18
10 to 13	*	*	*				
14 to 17	*	*	*	EMPLOYMENT			
18 to 24	5	*	*	Employed	6	*	*
25 to 29	*	*	*	Unemployed	*	*	18
30 to 34	5	7	7	Not in Labor Force	21	26	*
35 to 39	0	*	*	Employment Status Unknown	*	7	17
40 to 44	*	*	5				
45 to 49	*	*	*	HOUSING / LIVING ARRANGEMENT			
50 to 54	*	*	*	Independent Living	23	25	22
55 to 59	*	*	8	Dependent Living	7	8	*
60 and Over	*	6	*	Homeless	0	0	0
Age Unknown	0	0	0	Other	0	0	0
GENDER				Housing Unknown	*	*	17
Male	17	16	19				
Female	17	21	22	TREATMENT REFERRAL SOURCE			
Gender Unknown	0	0	0	Self / Family / Friend	15	15	14
Condor Officiowii	O	O	O	School	0	0	0
RACE / ETHNICITY				Mental Health Provider	*	6	7
Caucasian	34	36	40	Health Care Provider	8	6	8
African American	0	*	0	Court / Criminal Justice	*	6	6
Native American / Alaskan	0	0	*	Other	*	*	6
Asian / Pacific Islander	0	0	0	Referral Source Unknown	0	0	0
Hispanic	0	0	0	TYPE OF COMMANDA AFAIT			
Other Race	0	0	0	TYPE OF COMMITMENT Voluntary	34	37	41
Race/Ethnicity Unknown	0	0	0	Civil	0		
TREATMENT ACCOMMANDATION				Criminal	-	0	0
TREATMENT ACCOMMODATION	0	*	*	Sexual Predatory	0	0	0
Hearing Impaired	*	0	*	•	0	0	0
Past or Current Military Service		U		Commitment Type Unknown	U	U	U

MISSOURI STUDENT SURVEY

Descript of students who have account	2014	2012	2010		2014	2012	2010
Percent of students who have ever used:		64.4	E4 4	Percent who believe they risk harm if they use:			
Alcohol		61.4	51.1	Alcohol (1 or 2 drinks daily)			
Cigarettes		38.6	26.6	Alcohol (Binge: 5+ drinks once or twice a week)		EC E	90.6
Chewing Tobacco		22.9	17.0	Alcohol (any use)		56.5	80.6
Marijuana Inhalants		11.4 10.0	10.6 8.5	Cigarettes (1+ packs per day)		48.6	81.7
		24.6	6.5 14.1	Cigarettes (any use)		40.0	01.7
Prescription medications not prescribed for student Over-the-counter medications for non-medical use		14.5	6.5	Marijuana (once or twice a week) Marijuana (any use)		E0 4	68.5
		14.5	0.5 1.1	Other: Cocaine, LSD, Meth, Club Drug (any use)		59.4 81.2	94.7
Methamphetamine Cocaine		1.4	2.2	Other: Cocalile, LSD, Metil, Club Drug (ally use)		01.2	94.7
Heroin		1.4	1.1	Percent of students who, in past 30 days:			
		5.9	3.2	Were very sad		31.4	31.9
Hallucinogens Club drugs (Ecstasy, CHP, roofig, Special K, etc.)		1.5	2.2	Were grouchy, irritable, or in a bad mood		33.3	46.2
Club drugs (Ecstasy, GHB, roofle, Special K, etc) Steroids not prescribed for student		4.3	4.3	Felt hopeless about the future		15.9	23.4
•		5.8	4.3	Felt like not eating or eating more than usual		28.6	37.6
Synthetic drugs (K2, bath salts, Spice, etc)		5.6		Slept a lot more or a lot less than usual		36.2	47.8
Average age of students' first use of:				Had difficulty concentrating on school work		32.9	39.8
Alcohol		11.77	11.78	Percent of students who, in past 12 months:			
Cigarettes		12.00	11.84			17.1	4.2
Marijuana		13.27	13.35	Seriously considered attempting suicide			4.3
Inhalants		13.05	10.48	Made plan about how they would attempt suicide		15.9	3.2
Description of the standards when the west 20 days were				Attempted suicide		5.8	1.1
Percent of students who, in past 30 days, used:		040	00.0	Attempted suicide and resulting injury, poisonng, or overdose had to be treated by doctor or nurse		0.0	1.1
Alcohol		24.3	22.6	had to be treated by doctor of harse			
Alcohol (Binge: 5+ drinks on one occassion)		14.3	19.1	Percent of students who, in past 12 months:			
Cigarettes		15.9	14.0	Were threatened/injured with weapon at school		8.7	9.6
Chewing Tobacco		22.9	7.5	Were in a physical fight		21.4	16.1
Marijuana		4.3	5.3	Were in a fight and had to be treated by a doctor or nurse		4.3	3.2
Inhalants		2.9	4.3	Percent of ctudents who in past 2 months			
Prescription medications not prescribed for student		14.5	9.9	Percent of students who, in past 3 months:		E 1 2	GE O
Over-the-counter medications for non-medical use		12.9	5.3	Were victims of mean rumors or lies spread at school		54.3	65.2
Percent of students who, in past 2 weeks, used:				Were made fun of by others		60.0	76.6
Alcohol (Binge: 5+ drinks on one occassion)				Were victims of an embarrassing or hurtful text message or something posted on the internet		36.2	23.9
						26.1	25.8
Percent whose friends used in past 12 months:				Spread mean rumors or lies about other kids at school Made fun of other people		58.0	72.3
Alcohol		84.3		Posted something on the internet or sent a text that might		36.0	12.3
Cigarettes		78.6		embarrass or hurt another student		25.7	21.5
Marijuana		50.7	31.2	Simparrass of Hart another stadent			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)		26.1	19.6	Percent of students who agree that:			
Percent who would likely use, if offered by a best friend:				Teachers notice and comment on student's good work		68.6	78.9
Alcohol		48.6	41.9	School provides feedback to parents on positive student		240	46.0
Cigarettes		28.6	14.9	performance		34.8	46.8
Marijuana		15.9	7.4	Rules are enforced fairly		52.9	64.5
manyama .				Students of all races/ethnicities are treated equal		94.1	89.4
Percent who say it would be wrong to use:				Descent of students who came a that			
Alcohol		37.7	52.7	Percent of students who agree that:		70.2	04.7
Cigarettes		62.3	83.9	Parents notice and comment on student's good work		78.3	81.7
Marijuana		78.3	88.0	Parents involve student in making family decisions		51.4	67.0
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)		87.0	96.7	It is important to be honest with parents regardless of		74.3	81.9
Percent whose parents would disapprove if they use:				consequences		60.0	74.0
Alcohol		66.7	73.9	Student could ask parent for help with a personal problem		62.3	74.2
Cigarettes		80.9	89.4	Miggauri Student Survey is conducted biomicilly			
Marijuana		91.4	96.7	Missouri Student Survey is conducted biennially. Similar affirmative response choices for individual questions are	combin	ed.	
mangaana		51.4	50.1	Blank data cells indicate estimates are not available for item or	geograp	hic area	
Percent who say it would be easy to obtain:				Survey is not conducted in every school district nor reported for Estimates are not available for counties with small numbers of re			
Alcohol		77.9	67.7	Percentages are estimates based on weighted data.	saponde	iilo.	
Cigarettes		88.2	67.0	Some year-to-year differences in percentages are not statistical	y signifi	cant.	
Marijuana		63.8	33.0	Data source: Missouri Institute of Mental Health, 2010-2014 Mis	souri St	udent Si	irvevs
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)		39.7	27.7	2010 Source: Missouri Mistrate of Mortal Fleatin, 2010-2014 Mis	Journ Ol	adont Ol	2. VOy3

MALLO GOGITTI							
DBH REGIO	N	Central		IMPAIRED DRIVING	2013	2012	2011
DBH SERVIC	CE AREAS			Alcohol Involved CrashesTotal	13	16	11
Substance	e Use	15		Fatal Crashes	1	0	1
Adult Psy	/chiatric	15		Injury Crashes	9	11	9
POPULATION				Property Damage Crashes	3	5	1
Census 2		10,167		Crash Fatalities	1	0	1
2014 Est		10,255		Crash Injuries	14	14	12
		10,200		Drug Involved CrashesTotal	0	1	2
21.5				Fatal Crashes	0	0	0
				Injury Crashes	0	1	1
BIRTH RISK	2013	2012	2011	Property Damage Crashes	0	0	1
Resident BirthsTotal	102	86	103		_	-	0
Mother Reported Smoking while Pregnar	nt 19	16	26	Crash Fatalities Crash Injuries	0 0	0 1	1
DISEASE INCIDENCE 1	2013	2012	2011	Grash injunes	Ū		
HIV/AIDS Cases	0	0	0	POLICE REPORTS	2013	2012	2011
Hepatitis B Chronic, Acute, Prenatal	0	0	1	DUI Arrests, DWI Tracking System	44	41	50
Hepatitis C Chronic and Acute	6	3	5	Liquor Law Arrests	2	0	3
Tuberculosis Infection Cases	0	0	1	Drug Arrests	12	10	15
Tuberculosis infection cases	U	U	·	Violent Offenses	11	7	9
DEATHS and INJURIES	2013	2012	2011	Property Offenses	88	187	197
Resident DeathsTotal	107	89	85	Domestic Violence Reports	35	50	37
Suicides	0	2	0	•	2014	2013	2012
Self-inflicted Injuries	1	6	9	Methamphetamine Lab Seizures	13	33	29
Homicides	1	0	0	•			
Assault Injuries	5	16	15	SCHOOL REPORTS	2013-14	2012-13	2011-12
Alcohol Induced Deaths	0	0	0	Enrollment Grades 9-12	229	228	223
Drug Induced Deaths	0	2	1	Drop-outs	9	3	7
Smoking Attributable Deaths	24	19	20	Drop-out Rate	3.9%	1.3%	3.1%
Chroking Attributable Deaths	24	19	20	School Discipline Involving Alcohol	0	0	0
HOSPITAL EPISODES 2	2013	2012	2011	School Discipline Involving Drugs	1	2	0
Hospitalization, no Emergency Room:				School Discipline Involving Tobacco	0	0	0
Mental Illness Principal Diagnosis	31	34	38				
Mental Illness Secondary Diagnosis	74	85	168	JUVENILE COURT REFERRALS 3	2013	2012	2011
Alcohol Principal Diagnosis	1	1	2	Juvenile Violent Offenses	5	4	7
Alcohol Secondary Diagnosis	5	1	5	Juvenile Alcohol Offenses	0	0	3
Drug Principal Diagnosis	0	3	5	Juvenile Drug Offenses	1	3	2
Drug Secondary Diagnosis	1	3	3	School Truancy Status Offense	4	5	4
Emergency Room + Hospitalization:				Absent from Home Status Offense	2	0	1
Mental Illness Principal Diagnosis	12	10	3	Beyond Parental Control Status Offense	0	0	0
Mental Illness Secondary Diagnosis	96	111	44	Injurious Behavior Status Offense	8	11	14
Alcohol Principal Diagnosis	2	1	0	Child Abuse	0	2	1
Alcohol Secondary Diagnosis	12	11	2	Child Neglect	13	23	16
Drug Principal Diagnosis	1	2	0	Child Custody Issues	0	0	0
Drug Secondary Diagnosis	2	8	0	JUVENILE COURT PLACEMENTS	2013	2012	2011
Emergency Room, no Hospitalization:	_	· ·	· ·	Out-of-Home PlacementsTotal	2	13	8
Mental Illness Principal Diagnosis	37	46	35	Parental Alcohol Use Related	0	0	0
Mental Illness Secondary Diagnosis	65	68	141	Parental Drug Use Related	2	1	0
Alcohol Principal Diagnosis	6	3	4	Parental Alcohol and Drug Use	0	4	0
Alcohol Secondary Diagnosis	6	6	3	r dromary tooner and Drug Coo	Ü		· ·
Drug Principal Diagnosis	6	7	9	CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Secondary Diagnosis	2	3	4	Drug Court Participants	0	0	0
2.tag Goodilaary Diagnosis	2	3	7	Probation/Parole AdmissionsDrug	28	19	19
ALCOHOL OUTLETS	2014	2013	2012	Probation/Parole AdmissionsDWI	1	0	0
Alcohol On-Premise Drink Licenses	15	15	15	Prison AdmissionsDrug	25	13	17
Alcohol Package Carry-out Licenses	19	19	20	Prison AdmissionsDWI	1	0	1
				1 All Kanaga City handities and TD	to ore includ	od in Jacks	Country
EMPLOYMENT	2014	2013	2012	All Kansas City hepatitis and TB case report totals and all Joplin case reports are include			County
Labor Force	5,576	5,982	5,652	2 Beginning with 2010 data, diagnosis counts	for hospital a	and ER service	
Employed	5,279	5,682	5,294	based on codes developed by the Healthcar			
Unemployed	297	300	358	3 Beginning in 2013, juvenile municipal violati court orders are categorized as status offen:			
Unemployment Rate	5.3%	5.0%	6.3%				

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	6	12	6
CSTAR Adolescent	6	*	0
CSTAR Women and Children	8	9	9
CSTAR General Adult	21	5	*
CSTAR Opioid	0	0	0
Primary Recovery Treatment	*	32	41
Clinical SATOP (CIP, YCIP, SROP)	*	*	5
Other Substance Abuse Treatment	0	0	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	28	36	44
- Adolescent Diversion Education Prograr	*	*	7
- Offender Education Program	8	11	16
- Weekend Intervention Program	8	12	9
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	*	*
Compulsive Gambling	0	0	0
Recovery Supports	0	*	0
Early Intervention	0	5	*

NUMBER ADMITTED	FY2014	FY2013	FY2012	PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Total Individuals	46	47	58	Alcohol	21	17	28
				Marijuana / Hashish	14	13	17
AGE	_	*	*	Cocaine (total)	*	0	*
Under 18	7			- Crack	0	0	0
18 to 24	5	9	14	Stimulant (total)	*	9	7
25 to 29	*	9	14	- Methamphetamine	*	8	7
30 to 34	8	10	12	Heroin	*	6	*
35 to 39	8	6	*	Analgesic except Heroin	*	*	*
40 to 44	6	*	*	- Non-Prescription Methadone	0	0	0
45 to 54	5	5	8	PCP, LSD, other Hallucinogen	0	0	0
55 and Over	*	*	*	Tranquilizer	*	0	0
GENDER				Inhalant	0	0	0
Male	33	36	50	Sedative	0	0	0
Female	13	11	8	Other Medication or Illicit Drug	0	*	0
· Small	.0		· ·	Average Age at First Use of Drug	17.5	18.1	16.9
RACE / ETHNICITY							
Caucasian	44	46	57	INJECTION DRUG USE			
African American	*	*	0	Any Injection Use at Admission	*	*	*
Native American / Alaskan	0	0	0	- Daily Injection Use	0	*	0
Asian / Pacific Islander	0	0	0	- Weekly Injection Use	*	0	*
Hispanic	0	0	0	- Less than Weekly Injection Use	*	*	*
Other Race / Two or More Races	0	0	*	2000 than Weekly Injection Occ			
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	14	14	10	0	26	23	31
High School Graduate or G.E.D.	30	27	40	1 or 2	12	16	15
Associate Degree or Some College	*	5	7	3 or More	8	8	12
Bachelor or Advanced Degree	0	*	*	TD5.474.547 D555DD.44 CQ44DG5			
EA ADI OVA AFAIT				TREATMENT REFERRAL SOURCE	8	8	*
EMPLOYMENT Employed	10	16	23	Self / Family / Friend School	0	0	0
Employed	10 23	16 21	23 26		0	0	0
Unemployed			20 9	Mental Health Provider	*	-	-
Not in Labor Force	13	10	9	Health Care Provider		0	0
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	16 8	23 9	38 14
Independent Living	33	38	46	Other Referral Source	0	9	14
Dependent Living	11	8	6				
Homeless	*	0	*	TREATMENT ACCOMMODATION	0	0	*
				Pregnant when Admitted to any Episode	0	0	*
MARITAL / FAMILY STATUS	00	20	20	Military Veteran	*		
Never Married	26	30	30	Special Education Services Needed		5	9
Married / Cohabitating	9	11	15	Co-Occurring Psychological Problem	12	7	11
Previously Married	11	6	13	Co-Occurring Developmental Problem	0	•	0

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



 DBH REGION
 Central

 PSYCHIATRIC SERVICE AREA
 15

 CENSUS 2010
 10,167

 2014 POPULATION ESTIMATE
 10,255

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.						
DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012			
Adjustment Disorder	*	*	0			
Anxiety Disorder	28	15	18			
Dementia	0	0	0			
Developmental Disorder	*	*	*			
Impulse Control Disorder	26	19	16			
Mood Disorder	65	48	50			
Personality Disorder	*	*	*			
Psychotic Disorder	7	13	10			
Sexual Disorder	0	0	0			
Other Diagnosis	10	10	6			
Diagnosis Unknown	8	8	15			

Individuals who received psychiatric services had the following types of

NUMBER SERVED	FY2014	FY2013	FY2012	EDUCATION	FY2014	FY2013	FY2012
Total Individuals	93	78	84	Less than High School Diploma	37	30	15
Total Marviadalo	00		0.	High School Grad or G.E.D.	0	0	17
AGE				Associate Degree or Some College	0	*	*
Under 6	*	*	*	Bachelor or Advanced Degree	0	0	*
6 to 9	5	*	7	Education Level Unknown	56	47	47
10 to 13	7	7	6	Education Edver Officiowin	00	-77	71
14 to 17	5	5	*	EMPLOYMENT			
18 to 24	7	*	11	Employed	12	7	6
25 to 29	12	6	8	Unemployed	8	7	30
30 to 34	12	5	6	Not in Labor Force	62	54	*
35 to 39	7	8	*	Employment Status Unknown	11	10	44
40 to 44	7	8	11				
45 to 49	8	10	14	HOUSING / LIVING ARRANGEMENT			
50 to 54	12	11	5	Independent Living	43	38	30
55 to 59	6	6	6	Dependent Living	32	25	13
60 and Over	*	*	*	Homeless	0	0	0
Age Unknown	0	0	0	Other	0	0	0
				Housing Unknown	18	15	41
GENDER	4.4	07	44				
Male	44	37	41	TREATMENT REFERRAL SOURCE			
Female	49	41	43	Self / Family / Friend	27	27	28
Gender Unknown	0	0	0	School	*	*	*
RACE / ETHNICITY				Mental Health Provider	11	12	8
Caucasian	88	75	81	Health Care Provider	7	5	5
African American	*	*	*	Court / Criminal Justice	*	*	*
Native American / Alaskan	0	0	0	Other	43	29	37
Asian / Pacific Islander	0	0	0	Referral Source Unknown	0	0	*
Hispanic	*	*	0				
Other Race	*	0	*	TYPE OF COMMITMENT			
Race/Ethnicity Unknown	0	0	0	Voluntary	91	76	82
				Civil	0	0	0
TREATMENT ACCOMMODATION				Criminal	*	*	*
Hearing Impaired	*	*	*	Sexual Predatory	0	0	0
Past or Current Military Service	5	5	*	Commitment Type Unknown	0	0	*

MISSOURI STUDENT SURVEY

	0014	2012	2010		0014	0010	0010
Percent of students who have ever used:	2014	2012	2010	Percent who believe they risk harm if they use:	2014	2012	2010
Alcohol	47.9			Alcohol (1 or 2 drinks daily)	53.1		
Cigarettes	22.4			Alcohol (Binge: 5+ drinks once or twice a week)	62.5		
Chewing Tobacco	17.0			Alcohol (any use)			
Marijuana	8.3			Cigarettes (1+ packs per day)	76.6		
Inhalants	2.0			Cigarettes (any use)			
Prescription medications not prescribed for student	6.3			Marijuana (once or twice a week)	70.8		
Over-the-counter medications for non-medical use	0.0			Marijuana (any use)	. 0.0		
Methamphetamine	0.0			Other: Cocalne, LSD, Meth, Club Drug (any use)	89.6		
Cocaine	0.0			Other. Cocame, ESD, Weth, Club Drug (any use)	00.0		
Heroin	0.0			Percent of students who, in past 30 days:			
	0.0			Were very sad	20.4		
Hallucinogens				Were grouchy, irritable, or in a bad mood	28.6		
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	2.1			Felt hopeless about the future	16.3		
Steroids not prescribed for student	0.0			Felt like not eating or eating more than usual	14.6		
Synthetic drugs (K2, bath salts, Spice, etc)	6.1			Slept a lot more or a lot less than usual	16.3		
Average age of students' first use of:				Had difficulty concentrating on school work	25.0		
Alcohol	12.26						
Cigarettes	14.03			Percent of students who, in past 12 months:			
Marijuana	15.33			Seriously considered attempting suicide	8.2		
Inhalants	12.66			Made plan about how they would attempt suicide	8.2		
duno	12.00			Attempted suicide	6.1		
Percent of students who, in past 30 days, used:				Attempted suicide and resulting injury, poisonng, or overdose	0.0		
Alcohol	22.9			had to be treated by doctor or nurse	0.0		
Alcohol (Binge: 5+ drinks on one occassion)				Percent of students who, in past 12 months:			
Cigarettes	8.3			Were threatened/injured with weapon at school	8.2		
Chewing Tobacco	10.6			Were in a physical fight	24.5		
Marijuana	4.2			Were in a physical light Were in a fight and had to be treated by a doctor or nurse	0.0		
Inhalants	2.0			were in a light and had to be treated by a doctor of hurse	0.0		
Prescription medications not prescribed for student	2.1			Percent of students who, in past 3 months:			
Over-the-counter medications for non-medical use	0.0			Were victims of mean rumors or lies spread at school	45.8		
				Were made fun of by others	53.1		
Percent of students who, in past 2 weeks, used:				Were victims of an embarrassing or hurtful text message or	00.4		
Alcohol (Binge: 5+ drinks on one occassion)	11.1			something posted on the internet	22.4		
Percent whose friends used in past 12 months:				Spread mean rumors or lies about other kids at school	26.5		
Alcohol	53.1			Made fun of other people	67.3		
Cigarettes	37.5			Posted something on the internet or sent a text that might	40.7		
Marijuana	18.4			embarrass or hurt another student	16.7		
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	6.3						
Other mich (Godaine, ESD, Meth, Glub Brug, etc)	0.0			Percent of students who agree that:			
Percent who would likely use, if offered by a best friend:				Teachers notice and comment on student's good work	68.8		
Alcohol	36.7			School provides feedback to parents on positive student	36.7		
Cigarettes	12.2			performance			
Marijuana	6.4			Rules are enforced fairly	52.1		
•				Students of all races/ethnicities are treated equal	77.6		
Percent who say it would be wrong to use:	.			Percent of students who agree that:			
Alcohol	61.2			Parents notice and comment on student's good work	81.3		
Cigarettes	77.1			Parents involve student in making family decisions	70.2		
Marijuana	83.3			It is important to be honest with parents regardless of	10.2		
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	95.9			consequences	81.3		
Percent whose parents would disapprove if they use:				·	70.2		
Alcohol	79.2			Student could ask parent for help with a personal problem	79.2		
	89.8			Missauri Obudant Our			
Cigarettes Martinana	91.7			Missouri Student Survey is conducted biennially. Similar affirmative response choices for individual questions are	e combine	ed.	
Marijuana	91.7			Blank data cells indicate estimates are not available for item or			
Percent who say it would be easy to obtain:				Survey is not conducted in every school district nor reported for			
Alcohol	53.2			Estimates are not available for counties with small numbers of Percentages are estimates based on weighted data.	esponde	nts.	
Cigarettes	49.0			Some year-to-year differences in percentages are not statistical	lly signific	cant.	
Marijuana	26.5						
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	14.6			Data source: Missouri Institute of Mental Health, 2010-2014 Mi	ssouri Stu	ident Su	irveys
The same (and the same stands are							

KANDOLI II OOON	• •						
DBH REG	ION	Central		IMPAIRED DRIVING	2013	2012	2011
DBH SERV	/ICE AREAS			Alcohol Involved CrashesTotal	22	24	15
Substai	nce Use	12		Fatal Crashes	2	1	0
Adult P	sychiatric	12		Injury Crashes	8	14	6
POPULAT	•			Property Damage Crashes	12	9	9
Census	2010	25,414		Crash Fatalities	2	1	0
2014 E	stimate	25,072		Crash Injuries	11	25	9
		-,-		Drug Involved CrashesTotal	6	4	1
213				Fatal Crashes	0	0	0
				Injury Crashes	3	3	0
BIRTH RISK	2013	2012	2011	Property Damage Crashes	3	1	1
Resident BirthsTotal	290	276	267	Crash Fatalities	0	0	0
Mother Reported Smoking while Pregna	ant 81	85	70	Crash Injuries	3	3	0
DISEASE INCIDENCE 1	2013	2012	2011		_	_	
HIV/AIDS Cases	1	0	0	POLICE REPORTS	2013	2012	2011
Hepatitis B Chronic, Acute, Prenatal	3	1	1	DUI Arrests, DWI Tracking System	170	230	171
Hepatitis C Chronic and Acute	8	14	14	Liquor Law Arrests	19	49	21
Tuberculosis Infection Cases	1	5	3	Drug Arrests	200	380	208
Tuberodiesis imedien educes		O	J	Violent Offenses	41	45	40
DEATHS and INJURIES	2013	2012	2011	Property Offenses	678	716	618
Resident DeathsTotal	304	273	252	Domestic Violence Reports	141	116	131
Suicides	5	5	0		2014	2013	2012
Self-inflicted Injuries	51	50	40	Methamphetamine Lab Seizures	1	2	9
Homicides	1	1	0				
Assault Injuries	115	121	137	SCHOOL REPORTS	2013-14	2012-13	2011-12
Alcohol Induced Deaths	1	2	2	Enrollment Grades 9-12	1,178	1,160	1,099
Drug Induced Deaths	5	1	1	Drop-outs	19	34	32
Smoking Attributable Deaths	46	52	47	Drop-out Rate	1.6%	2.9%	2.9%
-				School Discipline Involving Alcohol	0	0	0
HOSPITAL EPISODES 2	2013	2012	2011	School Discipline Involving Drugs	1	2	0
Hospitalization, no Emergency Room:				School Discipline Involving Tobacco	0	0	0
Mental Illness Principal Diagnosis	240	234	245	JUVENILE COURT REFERRALS 3	2013	2012	2011
Mental Illness Secondary Diagnosis	810	987	936	Juvenile Violent Offenses	45	51	56
Alcohol Principal Diagnosis	33	22	18	Juvenile Alcohol Offenses	2	6	9
Alcohol Secondary Diagnosis	55	58	56	Juvenile Drug Offenses	9	14	11
Drug Principal Diagnosis	8	12	5	School Truancy Status Offense	53	104	116
Drug Secondary Diagnosis	34	31	39	Absent from Home Status Offense	26	37	19
Emergency Room + Hospitalization:				Beyond Parental Control Status Offense	20	35	36
Mental Illness Principal Diagnosis	110	119	81	Injurious Behavior Status Offense	83	131	131
Mental Illness Secondary Diagnosis	221	130	81	Child Abuse	40	86	65
Alcohol Principal Diagnosis	16	13	18	Child Neglect	112	152	97
Alcohol Secondary Diagnosis	35	22	13	Child Custody Issues	1	1	0
Drug Principal Diagnosis	14	17	5	,			
Drug Secondary Diagnosis	19	9	3	JUVENILE COURT PLACEMENTS	2013	2012	2011
Emergency Room, no Hospitalization:				Out-of-Home PlacementsTotal	53	80	54
Mental Illness Principal Diagnosis	271	273	228	Parental Alcohol Use Related	0	4	3
Mental Illness Secondary Diagnosis	1,258	1,137	1,153	Parental Drug Use Related	24	37	9
Alcohol Principal Diagnosis	37	43	19	Parental Alcohol and Drug Use	0	1	3
Alcohol Secondary Diagnosis	73	64	47	CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Principal Diagnosis	30	38	41	Drug Court Participants	32	22	37
Drug Secondary Diagnosis	59	66	58	Probation/Parole AdmissionsDrug	155	124	109
	204 *	2042	2042	Probation/Parole AdmissionsDWI	30	32	33
ALCOHOL OUTLETS	2014	2013	2012	Prison AdmissionsDrug	83	86	60
Alcohol On-Premise Drink Licenses	28	27	29	Prison AdmissionsDWI	22	14	11
Alcohol Package Carry-out Licenses	24	25	24			17	
EMPLOYMENT	2014	2013	2012	1 All Kansas City hepatitis and TB case report			County
Labor Force	10,490	12,851	12,424	totals and all Joplin case reports are include Beginning with 2010 data, diagnosis counts			es are
Employed	9,774	12,022	11,500	based on codes developed by the Healthcar	re Cost and L	Jtilization Proj	ject.
Unemployed	716	829	924	3 Beginning in 2013, juvenile municipal violati			
Unemployment Rate	6.8%	6.5%	7.4%	court orders are categorized as status offens	oco insteati o	i iaw violatior	13.

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	12	13	20
CSTAR Adolescent	27	29	33
CSTAR Women and Children	15	17	21
CSTAR General Adult	186	113	112
CSTAR Opioid	0	0	0
Primary Recovery Treatment	41	93	112
Clinical SATOP (CIP, YCIP, SROP)	24	23	27
Other Substance Abuse Treatment	0	0	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	125	117	105
- Adolescent Diversion Education Prograr	*	*	*
- Offender Education Program	39	45	44
- Weekend Intervention Program	31	25	29
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	*	5
Compulsive Gambling	0	0	0
Recovery Supports	*	*	*
Early Intervention	13	7	13

NUMBER ADMITTED	FY2014	FY2013	FY2012	PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Total Individuals	276	256	280	Alcohol	86	95	100
				Marijuana / Hashish	98	81	115
AGE				Cocaine (total)	11	10	13
Under 18	32	28	41	- Crack	8	5	5
18 to 24	55	39	48	Stimulant (total)	62	44	38
25 to 29	51	53	45	- Methamphetamine	62	43	37
30 to 34	41	43	37	Heroin	*	*	*
35 to 39	28	26	33	Analgesic except Heroin	9	14	6
40 to 44	19	21	29	- Non-Prescription Methadone	0	0	0
45 to 54	40	40	41	PCP, LSD, other Hallucinogen	*	0	0
55 and Over	10	6	6	Tranquilizer	*	5	5
GENDER				Inhalant	0	*	0
Male	169	177	183	Sedative	0	0	*
Female	107	79	97	Other Medication or Illicit Drug	*	*	*
_				Average Age at First Use of Drug	17.8	17.1	16.5
RACE / ETHNICITY	20.4	0.4.0	000				
Caucasian	231	210	236	INJECTION DRUG USE			
African American	36	34	28	Any Injection Use at Admission	38	22	19
Native American / Alaskan	0		0	- Daily Injection Use	*	*	*
Asian / Pacific Islander	0	0		- Weekly Injection Use	8	*	5
Hispanic	8	7	10	- Less than Weekly Injection Use	27	18	11
Other Race / Two or More Races	6	7	9				
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	108	98	130	0	145	141	148
High School Graduate or G.E.D.	121	125	115	1 or 2	92	80	89
Associate Degree or Some College	42	30	32	3 or More	39	35	43
Bachelor or Advanced Degree	5	*	*	TREATMENT REFERRAL COURCE			
EMPLOYMENT				TREATMENT REFERRAL SOURCE Self / Family / Friend	88	68	42
Employed	77	68	80	School	0	0	0
Unemployed	104	121	108	Mental Health Provider	*	0	*
Not in Labor Force	95	67	92	Health Care Provider	8	8	5
Not in Labor Force	93	67	92	Court / Criminal Justice	87	83	192
HOUSING / LIVING ARRANGEMENT				Other Referral Source	85	85	34
Independent Living	218	202	211	Other Referral Source	05	03	34
Dependent Living	44	44	58	TDE 4 TA 4 ENT 4 CCO 4 44 4 0 D 4 T 10 N			
Homeless	8	6	5	TREATMENT ACCOMMODATION	*	5	-
AAADITAL / FAAAU V STATUS				Pregnant when Admitted to any Episode Military Veteran	10	5 12	5 10
MARITAL / FAMILY STATUS Never Married	161	142	147	•	23	23	28
			66	Special Education Services Needed			
Married / Cohabitating	54 61	59		Co-Occurring Psychological Problem	116 9	109	95 10
Previously Married	61	55	67	Co-Occurring Developmental Problem	9	10	10

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Central
PSYCHIATRIC SERVICE AREA
CENSUS 2010 25,414
2014 POPULATION ESTIMATE 25,072

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.						
DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012			
Adjustment Disorder	15	11	22			
Anxiety Disorder	200	171	178			
Dementia	*	0	*			
Developmental Disorder	11	8	11			
Impulse Control Disorder	44	36	74			
Mood Disorder	282	249	253			
Personality Disorder	41	49	44			
Psychotic Disorder	53	58	52			
Sexual Disorder	*	*	*			
Other Diagnosis	29	14	8			
Diagnosis Unknown	16	35	47			

Individuals who received psychiatric services had the following types of

NUMBER SERVED	FY2014	FY2013	FY2012	EDUCATION	FY2014	FY2013	FY2012
Total Individuals	367	365	413	Less than High School Diploma	136	122	93
Total Marviadalo	001	000	110	High School Grad or G.E.D.	0	0	105
AGE				Associate Degree or Some College	0	0	36
Under 6	*	0	*	Bachelor or Advanced Degree	0	0	*
6 to 9	7	6	16	Education Level Unknown	231	243	175
10 to 13	22	19	33	Education Edver Officiowin	201	240	170
14 to 17	25	22	41	EMPLOYMENT			
18 to 24	25	36	49	Employed	33	29	35
25 to 29	24	35	44	Unemployed	22	36	186
30 to 34	33	26	37	Not in Labor Force	275	264	68
35 to 39	44	49	33	Employment Status Unknown	37	36	124
40 to 44	37	30	29				
45 to 49	40	34	35	HOUSING / LIVING ARRANGEMENT			
50 to 54	38	42	39	Independent Living	218	211	203
55 to 59	33	29	27	Dependent Living	114	106	83
60 and Over	37	37	29	Homeless	*	*	*
Age Unknown	0	0	0	Other	0	0	*
				Housing Unknown	31	45	122
GENDER	454	455	470				
Male	154	155	178	TREATMENT REFERRAL SOURCE			
Female	213	210	235	Self / Family / Friend	210	192	274
Gender Unknown	0	0	0	School	*	*	*
RACE / ETHNICITY				Mental Health Provider	27	31	29
Caucasian	327	322	372	Health Care Provider	65	78	63
African American	29	26	27	Court / Criminal Justice	34	38	21
Native American / Alaskan	0	*	0	Other	28	25	23
Asian / Pacific Islander	0	0	0	Referral Source Unknown	0	0	*
Hispanic	*	5	*				
Other Race	9	11	11	TYPE OF COMMITMENT	205	000	405
Race/Ethnicity Unknown	0	0	0	Voluntary	365	363	405
				Civil	0	0	*
TREATMENT ACCOMMODATION			_	Criminal	*	*	*
Hearing Impaired	12	14	8	Sexual Predatory			*
Past or Current Military Service	8	10	8	Commitment Type Unknown	0	0	*

MISSOURI STUDENT SURVEY

	WIIOC		(1310	DENI SURVET			
Percent of students who have ever used:	2014	2012	2010	Percent who believe they risk harm if they use:	2014	2012	2010
Alcohol	36.2	37.8	46.6	Alcohol (1 or 2 drinks daily)	46.9		
Cigarettes	25.8	25.2		Alcohol (Binge: 5+ drinks once or twice a week)	60.6		
Chewing Tobacco	16.0	7.8	12.8	Alcohol (any use)		64.9	78.8
Marijuana	7.7	13.4	12.3	Cigarettes (1+ packs per day)	79.8		
Inhalants	3.9	8.3	6.8	Cigarettes (any use)		74.1	75.8
Prescription medications not prescribed for student	4.2	9.4	9.8	Marijuana (once or twice a week)	66.8		
Over-the-counter medications for non-medical use	2.8	8.0	8.8	Marijuana (any use)		71.6	67.6
Methamphetamine	1.4	1.6	0.8	Other: Cocaine, LSD, Meth, Club Drug (any use)	88.6	89.5	91.7
Cocaine	1.1	1.6	1.4	Percent of students who, in past 30 days:			
Heroin	0.4	0.5	0.2	Were very sad	16.3	21.0	28.8
Hallucinogens	2.1	2.7		Were grouchy, irritable, or in a bad mood	26.6	26.8	30.4
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.4	2.4	1.2	Felt hopeless about the future	7.5	12.9	17.4
Steroids not prescribed for student	0.4	1.4	8.0	Felt like not eating or eating more than usual	16.2	16.8	23.9
Synthetic drugs (K2, bath salts, Spice, etc)	5.0	5.9		Slept a lot more or a lot less than usual	11.6	21.2	29.9
Average age of students' first use of:				Had difficulty concentrating on school work	21.0	24.9	27.4
Alcohol	12.22	11.82	12.15	Demonst of attidants who in next 12 months.			
Cigarettes	12.32	11.84	11.83	Percent of students who, in past 12 months: Seriously considered attempting suicide	8.5	13.7	9.7
Marijuana	12.72	13.21	13.52	Made plan about how they would attempt suicide	6.5	10.9	6.8
Inhalants	12.96	11.21	11.88	Attempted suicide	2.7	9.1	5.8
Percent of students who, in past 30 days, used:				Attempted suicide and resulting injury, poisonng, or overdose	2.1	5.1	
Alcohol	18.1	14.0	22.6	had to be treated by doctor or nurse	1.0	1.9	1.6
Alcohol (Binge: 5+ drinks on one occassion)	10.1	9.7	14.1	-			
Cigarettes	13.6	11.5		Percent of students who, in past 12 months:	6.5	7.8	11.1
Chewing Tobacco	8.7	4.3		Were threatened/injured with weapon at school Were in a physical fight	6.5 28.1	7.6 24.2	31.3
Marijuana	4.9	7.2	6.4	Were in a physical light Were in a fight and had to be treated by a doctor or nurse	2.0	4.6	5.2
Inhalants	2.1	3.2	3.1	were in a right and that to be treated by a doctor of hurse	2.0	4.0	0.2
Prescription medications not prescribed for student	2.1	5.1	5.5	Percent of students who, in past 3 months:			
Over-the-counter medications for non-medical use	2.4	4.8	6.6	Were victims of mean rumors or lies spread at school	49.0	55.5	55.1
Percent of students who, in past 2 weeks, used:				Were made fun of by others	59.2	65.3	66.6
Alcohol (Binge: 5+ drinks on one occassion)	8.9			Were victims of an embarrassing or hurtful text message or something posted on the internet	22.0	24.8	16.1
Percent whose friends used in past 12 months:				Spread mean rumors or lies about other kids at school	18.8	28.2	30.0
Alcohol	42.9	51.9	60.9	Made fun of other people	55.8	64.6	70.3
Cigarettes	45.8	48.9	51.2	Posted something on the internet or sent a text that might	14.3	15.7	16.0
Marijuana	21.8	35.5	34.1	embarrass or hurt another student			10.0
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	10.6	15.9	17.9	Percent of students who agree that:			
Percent who would likely use, if offered by a best friend:				Teachers notice and comment on student's good work	79.0	64.1	68.4
Alcohol	27.1	28.8	36.5	School provides feedback to parents on positive student	54.0	40.4	40.0
Cigarettes	15.7	14.5	16.4	performance	51.0	43.4	40.6
Marijuana	10.8	11.9		Rules are enforced fairly	72.5	60.6	62.9
•				Students of all races/ethnicities are treated equal	81.6	73.2	77.0
Percent who say it would be wrong to use:				Percent of students who agree that:			
Alcohol	63.1	61.8		Parents notice and comment on student's good work	83.9	80.4	82.4
Cigarettes	77.9	78.8		Parents involve student in making family decisions	73.9	65.1	69.8
Marijuana Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	84.3 94.7	80.9 92.7	85.2 95.0	It is important to be honest with parents regardless of			
Other filler (Goodanie, ESD, Meth, Glab Brag, etc)	04.7	02.1	50.0	consequences	87.4	84.8	81.0
Percent whose parents would disapprove if they use:				Student could ask parent for help with a personal problem	77.5	75.3	77.4
Alcohol	77.8	78.7					
Cigarettes	88.8	90.5	89.2	Missouri Student Survey is conducted biennially.	o combin	ned	
Marijuana	90.7	94.9	94.7	Similar affirmative response choices for individual questions ar Blank data cells indicate estimates are not available for item or			
Percent who say it would be easy to obtain:				Survey is not conducted in every school district nor reported fo	r every co	ounty.	
Alcohol	50.0	56.9	60.0	Estimates are not available for counties with small numbers of Percentages are estimates based on weighted data.	responde	ะการ.	
Cigarettes	49.3	54.8		Some year-to-year differences in percentages are not statistical	ally signifi	cant.	
Marijuana	26.0	39.0		Data source: Missouri Institute of Mental Health, 2010-2014 Mi	issouri St	udent Si	urveve
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	14.3	20.4	20.0	Data source. Wilsouth institute of Wiental Fleatin, 2010-2014 Wi	JJJUIT JI	autil 30	ar veys

10/11/00/01/11							
DBH F	REGION	Western		IMPAIRED DRIVING	2013	2012	2011
DBH S	ERVICE AREAS			Alcohol Involved CrashesTotal	30	31	27
Sub	stance Use	6		Fatal Crashes	0	1	1
Adu	It Psychiatric	6		Injury Crashes	14	15	12
POPU	LATION			Property Damage Crashes	16	15	14
Cen	sus 2010	23,494		Crash Fatalities	0	1	1
201	4 Estimate	22,949		Crash Injuries	21	27	16
				Drug Involved CrashesTotal	7	17	12
21.7				Fatal Crashes	0	1	1
BIRTH RISK	2013	2012	2011	Injury Crashes	2	12	6
Resident BirthsTotal	248	235	236	Property Damage Crashes	5	4	5
Mother Reported Smoking while Pre		71	54	Crash Fatalities	0	1	1
	3		-	Crash Injuries	2	22	8
DISEASE INCIDENCE 1	2013	2012	2011	POLICE REPORTS	2013	2012	2011
HIV/AIDS Cases	0	0	0	DUI Arrests, DWI Tracking System	110	98	89
Hepatitis B Chronic, Acute, Prenata		2	0	Liquor Law Arrests	45	52	65
Hepatitis C Chronic and Acute	12	6	11	Drug Arrests	68	59	54
Tuberculosis Infection Cases	1	0	0	Violent Offenses	64	57	43
DEATHS and INJURIES	2013	2012	2011	Property Offenses	546	623	537
Resident DeathsTotal	264	251	223	Domestic Violence Reports	230	227	224
Suicides	4	8	4	Domestic Violence Reports	2014	2013	2012
Self-inflicted Injuries	37	40	36	Methamphetamine Lab Seizures	0	0	0
Homicides	0	2	0		ŭ	·	· ·
Assault Injuries	59	69	65	SCHOOL REPORTS	2013-14	2012-13	2011-12
Alcohol Induced Deaths	1	1	0	Enrollment Grades 9-12	1,096	1,083	1,054
Drug Induced Deaths	1	2	5	Drop-outs	21	22	19
Smoking Attributable Deaths	58	43	43	Drop-out Rate	1.9%	2.0%	1.8%
	00			School Discipline Involving Alcohol	4	0	1
HOSPITAL EPISODES 2	2013	2012	2011	School Discipline Involving Drugs	5	6	5
Hospitalization, no Emergency Roor	n:			School Discipline Involving Tobacco	0	0	2
Mental Illness Principal Diagnosis	160	182	153	JUVENILE COURT REFERRALS 3	2013	2012	2011
Mental Illness Secondary Diagnosi		394	391	Juvenile Violent Offenses	57	35	75
Alcohol Principal Diagnosis	7	10	3	Juvenile Alcohol Offenses	2	8	15
Alcohol Secondary Diagnosis	24	14	24	Juvenile Drug Offenses	10	6	9
Drug Principal Diagnosis	5	12	7	School Truancy Status Offense	10	16	18
Drug Secondary Diagnosis	24	22	20	Absent from Home Status Offense	23	13	18
Emergency Room + Hospitalization:				Beyond Parental Control Status Offense	13	24	20
Mental Illness Principal Diagnosis	19	36	28	Injurious Behavior Status Offense	31	32	15
Mental Illness Secondary Diagnosi		568	535	Child Abuse	37	11	21
Alcohol Principal Diagnosis	8	8	8	Child Neglect	2	2	9
Alcohol Secondary Diagnosis	38	44	42	Child Custody Issues	0	3	0
Drug Principal Diagnosis	6	6	6		2012	2042	2011
Drug Secondary Diagnosis	31	28	32	JUVENILE COURT PLACEMENTS	2013	2012	2011
Emergency Room, no Hospitalizatio		200	107	Out-of-Home PlacementsTotal	7	13	11
Mental Illness Principal Diagnosis	203	209	197	Parental Alcohol Use Related	0	0	0
Mental Illness Secondary Diagnosi Alcohol Principal Diagnosis	s 444 18	251 32	201 14	Parental Drug Use Related Parental Alcohol and Drug Use	2 0	3 0	0 0
Alcohol Secondary Diagnosis	48	40	31	Farental Alcohol and Drug Ose	U	U	U
Drug Principal Diagnosis	36	18	21	CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Secondary Diagnosis	116	68	48	Drug Court Participants	37	35	39
Drug Secondary Diagnosis	110	00	40	Probation/Parole AdmissionsDrug	70	67	71
ALCOHOL OUTLETS	2014	2013	2012	Probation/Parole AdmissionsDWI	14	20	12
Alcohol On-Premise Drink Licenses		16	14	Prison AdmissionsDrug	52	40	51
Alcohol Package Carry-out Licenses		19	19	Prison AdmissionsDWI	11	5	15
EMPLOYMENT	2014	2013	2012	1 All Kansas City hepatitis and TB case repor	ts are include	ed in Jackson	County
Labor Force	11,413	10,972	11,299	totals and all Joplin case reports are include	ed in Jasper C	County totals.	
Employed	10,651	10,132	10,285	2 Beginning with 2010 data, diagnosis counts based on codes developed by the Healthcar			
Unemployed	762	840	1,014	3 Beginning in 2013, juvenile municipal violati	ons, infraction	ns, and violat	ions of
Unemployment Rate	6.7%		9.0%	court orders are categorized as status offen	ses instead o	T law violation	is.

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

	FY2014	FY2013	FY2012
TREATMENT CATEGORY			
Detoxification	5	5	7
CSTAR Adolescent	10	8	6
CSTAR Women and Children	*	5	5
CSTAR General Adult	129	151	131
CSTAR Opioid	0	0	0
Primary Recovery Treatment	*	*	*
Clinical SATOP (CIP, YCIP, SROP)	14	16	13
Other Substance Abuse Treatment	0	0	*

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	73	74	76
- Adolescent Diversion Education Prograr	0	0	0
- Offender Education Program	23	21	19
- Weekend Intervention Program	14	17	21
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	*	*
Compulsive Gambling	0	0	0
Recovery Supports	*	6	12
Early Intervention	*	*	7

NUMBER ADMITTED	FY2014	FY2013	FY2012	PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Total Individuals	168	189	160	Alcohol	49	62	58
AGE				Marijuana / Hashish	43	54	44
Under 18	11	10	6	Cocaine (total)	*	*	*
18 to 24	37	56	41	- Crack	0	*	*
25 to 29	28	23	25	Stimulant (total)	60	56	42
30 to 34	38	31	34	- Methamphetamine	60	55	42
35 to 39	17	18	19	Heroin	*	*	0
40 to 44	11	19	8	Analgesic except Heroin	9	11	13
45 to 54	21	25	26	 Non-Prescription Methadone 	0	0	0
55 and Over	5	7	*	PCP, LSD, other Hallucinogen	0	0	0
33 and Over	3	,		Tranquilizer	*	0	*
GENDER				Inhalant	0	0	0
Male	108	118	104	Sedative	0	0	0
Female	60	71	56	Other Medication or Illicit Drug	*	*	0
DACE / ETUNICITY				Average Age at First Use of Drug	17.3	18.0	17.4
RACE / ETHNICITY Caucasian	159	181	150				
African American	0	101	130	INJECTION DRUG USE			
Native American / Alaskan	*	*	0	Any Injection Use at Admission	27	28	19
Asian / Pacific Islander	*	0	0	- Daily Injection Use	*	*	*
Hispanic	*	*	*	- Weekly Injection Use	5	*	*
Other Race / Two or More Races	5	*	6	- Less than Weekly Injection Use	21	24	14
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	49	61	43	0	94	108	99
High School Graduate or G.E.D.	82	87	87	1 or 2	50	55	40
Associate Degree or Some College	37	39	30	3 or More	24	26	21
Bachelor or Advanced Degree	0	*	0				
•				TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	52	44	44
Employed	50	64	51	School	*		0
Unemployed	69	64	72	Mental Health Provider		5 *	0
Not in Labor Force	49	61	37	Health Care Provider	5		6
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	75	96	91
Independent Living	145	175	146	Other Referral Source	25	22	14
Dependent Living	16	9	8				
Homeless	*	0	*	TREATMENT ACCOMMODATION			
		-		Pregnant when Admitted to any Episode	6	*	*
MARITAL / FAMILY STATUS				Military Veteran			*
Never Married	100	103	89	Special Education Services Needed	12	8	15
Married / Cohabitating	33	45	41	Co-Occurring Psychological Problem	88	85 *	70
Previously Married	35	41	30	Co-Occurring Developmental Problem	*	*	*

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Western
PSYCHIATRIC SERVICE AREA
6
CENSUS 2010 23,494
2014 POPULATION ESTIMATE 22,949

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder. FY2014 FY2013 FY2012 **DIAGNOSIS CATEGORY** Adjustment Disorder 0 6 8 **Anxiety Disorder** 70 71 61 Dementia 0 0 0 **Developmental Disorder** Impulse Control Disorder 37 49 36 Mood Disorder 189 179 178 Personality Disorder **Psychotic Disorder** 32 32 27 Sexual Disorder 0 0 0 Other Diagnosis 7 8

19

29

25

Individuals who received psychiatric services had the following types of

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

Diagnosis Unknown

NUMBER SERVED	FY2014	FY2013	FY2012	EDUCATION	FY2014	FY2013	FY2012
Total Individuals	291	299	274	Less than High School Diploma	49	46	19
Total Marviadalo	201	200		High School Grad or G.E.D.	0	0	13
AGE				Associate Degree or Some College	0	0	*
Under 6	*	*	*	Bachelor or Advanced Degree	0	0	*
6 to 9	12	14	8	Education Level Unknown	242	253	238
10 to 13	22	22	17	Education Edver Officiowin	2-72	200	200
14 to 17	20	22	23	EMPLOYMENT			
18 to 24	19	19	29	Employed	8	17	9
25 to 29	25	27	26	Unemployed	22	11	20
30 to 34	32	35	30	Not in Labor Force	84	105	24
35 to 39	31	27	28	Employment Status Unknown	177	166	221
40 to 44	24	28	22				
45 to 49	33	39	32	HOUSING / LIVING ARRANGEMENT			
50 to 54	29	27	25	Independent Living	84	94	34
55 to 59	17	17	16	Dependent Living	31	36	16
60 and Over	24	19	17	Homeless	*	*	*
Age Unknown	0	0	0	Other	0	0	*
CENDED				Housing Unknown	173	168	220
GENDER Male	137	136	113				
Female	154	163	161	TREATMENT REFERRAL SOURCE			
				Self / Family / Friend	276	277	252
Gender Unknown	0	0	0	School	0	0	0
RACE / ETHNICITY				Mental Health Provider	0	*	0
Caucasian	280	284	260	Health Care Provider	8	10	6
African American	*	5	6	Court / Criminal Justice	*	*	*
Native American / Alaskan	*	*	*	Other	*	5	11
Asian / Pacific Islander	0	0	0	Referral Source Unknown	*	*	*
Hispanic	5	*	*				
Other Race	*	5	6	TYPE OF COMMITMENT	000	007	070
Race/Ethnicity Unknown	0	0	0	Voluntary	289	297	272
•				Civil	0	0	0
TREATMENT ACCOMMODATION		40	•	Criminal	0		
Hearing Impaired	11	12	9	Sexual Predatory	*	0	0
Past or Current Military Service	*	*	*	Commitment Type Unknown	*	*	*

MISSOURI STUDENT SURVEY

				DEITH GOILVET			
Percent of students who have ever used:	2014	2012	2010	Percent who believe they risk harm if they use:	2014	2012	2010
Alcohol	34.7	41.3	42.4	Alcohol (1 or 2 drinks daily)	61.2		
Cigarettes	27.8	27.1	27.7	Alcohol (Binge: 5+ drinks once or twice a week)	70.6		
Chewing Tobacco	8.1	17.3	18.9	Alcohol (any use)		72.1	83.7
Marijuana	11.0	15.0	13.2	Cigarettes (1+ packs per day)	87.0		
Inhalants	3.7	7.4	7.7	Cigarettes (any use)		83.8	82.6
Prescription medications not prescribed for student	7.3	12.1	14.2	Marijuana (once or twice a week)	75.1		
Over-the-counter medications for non-medical use	0.7	8.6	8.5	Marijuana (any use)		78.2	75.5
Methamphetamine	0.7	2.4	0.4	Other: Cocaine, LSD, Meth, Club Drug (any use)	92.6	94.7	94.5
Cocaine	0.7	3.6	1.1	Percent of students who, in past 30 days:			
Heroin	0.3	1.7	0.6	Were very sad	16.7	22.3	21.3
Hallucinogens	0.3	4.3	1.8	Were grouchy, irritable, or in a bad mood	28.7	27.1	22.4
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.7	2.9	0.9	Felt hopeless about the future	14.6	14.0	10.8
Steroids not prescribed for student	0.0	1.9	0.9	Felt like not eating or eating more than usual	14.8	20.8	19.4
Synthetic drugs (K2, bath salts, Spice, etc)	5.3	8.1		Slept a lot more or a lot less than usual	17.7	21.3	27.0
Average age of students' first use of:				Had difficulty concentrating on school work	21.3	25.9	18.8
Alcohol	13.39	12.50	12.13	, and the second			
Cigarettes	13.28	12.70	12.25	Percent of students who, in past 12 months:			
Marijuana	14.04	13.37	13.29	Seriously considered attempting suicide	7.7	14.6	10.9
Inhalants			11.93	Made plan about how they would attempt suicide	7.0	11.5	10.4
				Attempted suicide	2.3	4.5	5.1
Percent of students who, in past 30 days, used:				Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	0.3	2.7	1.9
Alcohol	8.6	16.2		had to be freated by doctor of flurse			
Alcohol (Binge: 5+ drinks on one occassion)		11.0		Percent of students who, in past 12 months:			
Cigarettes	12.1	14.3	11.7	Were threatened/injured with weapon at school	6.3	7.2	9.1
Chewing Tobacco	2.3	9.5	10.1	Were in a physical fight	15.1	20.7	24.4
Marijuana	1.7	7.1	6.7	Were in a fight and had to be treated by a doctor or nurse	0.3	1.7	4.7
Inhalants	1.7	2.4	3.7	Percent of students who, in past 3 months:			
Prescription medications not prescribed for student	3.3	6.9	7.7	Were victims of mean rumors or lies spread at school	56.0	51.2	57.0
Over-the-counter medications for non-medical use	0.3	5.7	4.8	Were made fun of by others	70.1	61.2	68.3
Percent of students who, in past 2 weeks, used:				Were victims of an embarrassing or hurtful text message or	70.1	01.2	00.0
Alcohol (Binge: 5+ drinks on one occassion)	2.7			something posted on the internet	28.7	22.7	19.8
Percent whose friends used in past 12 months:				Spread mean rumors or lies about other kids at school	29.2	21.9	30.1
Alcohol	41.9	57.5	56.5	Made fun of other people	58.3	62.4	71.1
Cigarettes	40.2	50.1	45.5	Posted something on the internet or sent a text that might			
Marijuana	20.3	35.8	32.0	embarrass or hurt another student	17.9	13.9	18.6
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	6.0	14.3		Demand of students who serves that			
Carlot mint (Coodino) 2007 month orang brugg otto	0.0			Percent of students who agree that:	76.0	60.0	70.0
Percent who would likely use, if offered by a best friend:				Teachers notice and comment on student's good work	76.3	68.3	72.2
Alcohol	20.7	31.5		School provides feedback to parents on positive student performance	46.3	36.7	46.4
Cigarettes	15.5	16.3			74.9	63.1	65.3
Marijuana	6.7	11.2	10.3	Rules are enforced fairly Students of all races/ethnicities are treated equal	93.0	81.5	84.2
Percent who say it would be wrong to use:				Students of all faces/ellinicilies are freated equal	93.0	01.5	04.2
Alcohol	73.7	60.9	64.1	Percent of students who agree that:			
Cigarettes	83.3	78.2		Parents notice and comment on student's good work	83.7	77.8	87.2
Marijuana	89.6	84.4		Parents involve student in making family decisions	63.6	65.7	69.0
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	98.0	94.0		It is important to be honest with parents regardless of	88.0	83.7	84.6
				consequences	00.0	00.7	01.0
Percent whose parents would disapprove if they use:	00.0	70.4	00.0	Student could ask parent for help with a personal problem	73.0	72.2	75.8
Alcohol	83.2	79.1	80.3				
Cigarettes	84.5	90.4		Missouri Student Survey is conducted biennially. Similar affirmative response choices for individual questions are	e combin	ed	
Marijuana	96.3	94.2	96.7	Blank data cells indicate estimates are not available for item or			
Percent who say it would be easy to obtain:				Survey is not conducted in every school district nor reported for			
Alcohol	44.0	57.9	54.3	Estimates are not available for counties with small numbers of Percentages are estimates based on weighted data.	esponde	1110.	
Cigarettes	51.5	55.0		Some year-to-year differences in percentages are not statistical	lly signific	cant.	
Marijuana	26.3	31.9	32.1	Data source: Missouri Institute of Mental Health, 2010-2014 Mi	ssouri Str	udent Si	ırvevs
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	18.1	14.6	14.5				.,,5

MAPAIRED DRIVING	KETHOLDO GOGINT	•						
Substance Subs	DBH REGION	1	Southeast		IMPAIRED DRIVING	2013	2012	2011
Part	DBH SERVICE	E AREAS				9	21	16
Part	Substance	Use	19				3	
Property Damage Crashes	Adult Psyc	chiatric						
Carab Findings					• •			
Crash Injuries			6.696					
Dear	├ ─ ╀ - ╀ [─] ┩┃┃ ┬ ─ ┣┯┃╭┤		•			-		
Pate Cashes 0 1 0 0 1			0,000		•			
### BIRTH RISK Resident Births—Total 61 64 63 63 64 64	213					•		
Resident Dimini Total Resident Deaths - Total Resident Deaths						_		-
Mother Reported Smoking while Pregnant 20 19 16 Crash Fatalities 0 1 1 0 1 DISSASE INCIDENCE 1 2013 2012 2011 HIV/AIDS Cases 0 0 0 0 0 1 1 1 0 1 Hepatitis C Chronic and Acute 3 3 5 10 10 10 14 rests. DWI Tracking System 23 40 47 14 14 14 14 14 14 14 14 14 14 14 14 14		2013	2012			-		
Crash Injuries	Resident BirthsTotal	61	64	63	. ,	_	-	
DISSES MICIDENCE 1	Mother Reported Smoking while Pregnant	20	19	16		_		
HIVIAIDS Cases	DISEASE INCIDENCE 1	2042	2012	2044	Crasii injunes	ı	U	'
Hepatitis C Chronic and Acute					POLICE REPORTS	2013	2012	2011
Hepatilis C Chronic and Acute 7 3 5 5 10						23	40	47
Tuberculosis Infection Cases 0						44	23	13
DEATHS and INWRIES 2013 2012 2011 Property Offenses 18 25 31					•	46	39	65
DEATHS and INJURIES	Tuberculosis Infection Cases	0	4	2				
Resident Deaths—Total	DEATHS and INITIPIES	2013	2012	2011				
Suicides								
Self-inflicted Injuries					Domostio Violendo Reporto		_	
Assautt Injuries					Methamphetamine Lah Seizures			
Assault Injuries	•				Wethamphetamine Lab Geizures	U	'	'
Alcohol Induced Deaths 0					SCHOOL REPORTS	2013-14	2012-13	2011-12
Drug Induced Deaths 5	•					324	330	337
Smoking Attributable Deaths 19					Drop-outs	0	0	1
NOSPITAL EPISODES 2013 2012 2011 School Discipline Involving Drugs 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0					Drop-out Rate	0.0%	0.0%	0.3%
HOSPITAL EPISODES 2 2013 2012 2011 School Discipline Involving Drugs 0 0 0 0 0 0 0 0 0	Smoking Attributable Deaths	19	15	21	School Discipline Involving Alcohol	0	0	0
Hospitalization, no Emergency Room: Mental Illness Principal Diagnosis 69 49 41 JUVENILE COURT REFERRALS 3 2013 2012 2011 2014 2013 2014 2015	HOSPITAL EDISODES 2	2013	2012	2011		0	0	0
Mental Illness Principal Diagnosis 69 49 41 JUVENILE COURT REFERRALS 3 2013 2012 2011 Mental Illness Secondary Diagnosis 5 2 3 Juvenile Violent Offenses 0 0 3 Alcohol Principal Diagnosis 18 5 8 Buvenile Alcohol Offenses 1 1 0 0 0 3 Alcohol Secondary Diagnosis 8 6 10 School Truancy Status Offense 0 0 0 0 0 Mental Illness Principal Diagnosis 6 12 8 Injurious Behavior Status Offense 0 0 0 0 0 Mental Illness Principal Diagnosis 6 12 8 Injurious Behavior Status Offense 0		2023	2012	2011		0	0	0
Mental Illness Secondary Diagnosis 120 174 153 JUVENILE COURT REFERRALS 2013 2012 2011 20		69	40	41	_	-	-	
Alcohol Principal Diagnosis 5					JUVENILE COURT REFERRALS 3	2013	2012	2011
Alcohol Secondary Diagnosis 18					Juvenile Violent Offenses	0	0	3
Drug Principal Diagnosis 0					Juvenile Alcohol Offenses	1	1	0
Drug Secondary Diagnosis 8					Juvenile Drug Offenses	0	0	0
Mental Illness Principal Diagnosis 6 12 8 8 12 7 57 8 13 14 14 15 15 15 16 15 16 16 15 16 16					School Truancy Status Offense	0	1	0
Mental Illness Principal Diagnosis6128Beyond Parental Control Status Offense242410Mental Illness Secondary Diagnosis847257Child Abuse161220Alcohol Principal Diagnosis102Child Abuse161220Alcohol Secondary Diagnosis565Child Neglect907731Drug Principal Diagnosis752JUVENILE COURT PLACEMENTS201320122011Emergency Room, no Hospitalization:0ut-of-Home PlacementsTotal161510Mental Illness Principal Diagnosis518449Parental Alcohol Use Related020Alcohol Principal Diagnosis163155116Parental Alcohol Use Related720Alcohol Secondary Diagnosis162827Drug Principal Diagnosis162827Drug Secondary Diagnosis151925CRIMINAL JUSTICEFY2014FY2013FY2012Drug Court Participants131913Drug Court Participants131913Alcohol On-Premise Drink Licenses6688Prison AdmissionsDrug734Alcohol Package Carry-out Licenses121211Prison AdmissionsDWI110EMPLOYMENT2014201320121All Kansas City hepatitis and TB case reports are included in Jackson County totals and a		0	O	10	Absent from Home Status Offense	0	0	0
Mental Illness Secondary Diagnosis Alcohol Principal Diagnosis 1 0 2 Child Abuse 16 12 20 Alcohol Secondary Diagnosis 5 6 5 6 5 Drug Principal Diagnosis 7 5 5 6 5 Drug Principal Diagnosis 7 5 5 2 JUVENILE COURT PLACEMENTS Drug Principal Diagnosis 7 5 5 2 JUVENILE COURT PLACEMENTS Drug Principal Diagnosis 5 1 84 49 Parental Alcohol Use Related 0 2 0 Mental Illness Principal Diagnosis 5 1 84 49 Parental Alcohol Use Related 0 2 0 Mental Illness Principal Diagnosis 163 155 116 Parental Drug Use Related 7 2 0 Alcohol Principal Diagnosis 9 7 8 Parental Alcohol and Drug Use 0 2 2 Alcohol Secondary Diagnosis 16 28 27 Drug Principal Diagnosis 6 6 6 5 Torug Principal Diagnosis 16 28 27 Drug Secondary Diagnosis 16 28 27 Drug Secondary Diagnosis 16 8 Parental Alcohol and Drug Use 17 Probation/Parole AdmissionsDrug 18 Probation/Parole AdmissionsDrug 19 Probation/Parole AdmissionsDrug 10 Probation/Parole AdmissionsDWI 1 0 2 EMPLOYMENT 2014 2013 2012 Labor Force 2,629 2,551 2,458 Employed 2,2407 2,322 2,213 Unemployed 222 229 245		6	10	0	Beyond Parental Control Status Offense	24	24	10
Alcohol Principal Diagnosis 1 0 2 Child Neglect 90 77 31 Alcohol Secondary Diagnosis 5 6 5 Drug Principal Diagnosis 2 1 0 0 Drug Secondary Diagnosis 7 5 2 JUVENILE COURT PLACEMENTS 2013 2012 2011 Emergency Room, no Hospitalization: Mental Illness Principal Diagnosis 51 84 49 Parental Alcohol Use Related 0 2 0 Mental Illness Secondary Diagnosis 163 155 116 Parental Drug Use Related 7 2 0 Alcohol Principal Diagnosis 9 7 8 Parental Alcohol and Drug Use 0 2 2 Alcohol Secondary Diagnosis 16 28 27 Drug Principal Diagnosis 16 28 27 Drug Principal Diagnosis 16 28 27 Drug Secondary Diagnosis 16 28 27 Drug Secondary Diagnosis 16 28 27 Alcohol Secondary Diagnosis 16 28 27 Drug Secondary Diagnosis 16 28 27 Drug Principal Diagnosis 16 28 27 Drug Principal Diagnosis 16 28 27 Drug Secondary Diagnosis 16 28 27 Drug Principal Diagnosis 16 28 27 Drug Principal Diagnosis 16 28 27 Drug Principal Diagnosis 16 6 6 5 CRIMINAL JUSTICE FY2014 FY2013 FY2012 Drug Secondary Diagnosis 15 19 25 Probation/Parole AdmissionsDrug 12 16 26 ALCOHOL OUTLETS 2014 2013 2012 Probation/Parole AdmissionsDWI 1 0 2 Alcohol Package Carry-out Licenses 12 12 11 Prison AdmissionsDWI 1 1 0 EMPLOYMENT 2014 2013 2012 Labor Force 2,629 2,551 2,458 Employed 222 229 245 Unemployed 222 229 245					Injurious Behavior Status Offense	5	9	9
Alcohol Secondary Diagnosis Drug Principal Diagnosis Drug Secondary Diagnosis Drug Principal Diagnosis Drug Principal Diagnosis Drug Principal Diagnosis Drug Principal Diagnosis Drug Secondary Drug Ulas Drug Visualis Drug Court Participants Drug Court Participants Drug Court Participants Drug Co					Child Abuse	16	12	20
Drug Principal Diagnosis 2 1 0 Drug Secondary Diagnosis 7 5 2 JUVENILE COURT PLACEMENTS 2013 2012 2011 Emergency Room, no Hospitalization: Mental Illness Principal Diagnosis 51 84 49 Parental Alcohol Use Related 0 2 0 Mental Illness Secondary Diagnosis 163 155 116 Parental Drug Use Related 7 2 0 Alcohol Principal Diagnosis 9 7 8 Parental Alcohol and Drug Use 0 2 0 Alcohol Secondary Diagnosis 16 28 27 Drug Principal Diagnosis 6 6 6 6 5 Drug Secondary Diagnosis 15 19 25 Drug Secondary Diagnosis 15 19 25 Alcohol OUTLETS 2014 2013 2012 Alcohol On-Premise Drink Licenses 6 6 6 8 Prison AdmissionsDrug 7 3 4 Alcohol Package Carry-out Licenses 12 12 11 Prison AdmissionsDWI 1 1 0 EMPLOYMENT 2014 2013 2012 Employed 2,407 2,322 2,213 Unemployed 222 229 245 Drug Principal Diagnosis at 5 2 1 2 12 14 Drug Nemployed 222 229 245 Child Custody Issues 0 0 0 0 0 Unemployed Child Custody Issues Cout-of-Home PlacementsTotal 16 15 10 Dut-of-Home PlacementsTotal 16 15 10 Parental Alcohol Use Related 0 2 2 0 Cult Parental Drug Use Called 5 15 Parental Alcohol Use Related 0 2 2 0 Cult Parental Drug Use Called 6 15 Parental Alcohol Use Related 0 2 2 0 Called Use Related 0 2 2 2 2 10 Alcohol On-Premise Drink Licenses 6 6 6 8 Parental Alcohol Use Related 0 7 2 2 0 Called Use Related 0 2 2 2 2 10 Alcohol On-Premise Drink Licenses 6 6					Child Neglect	90	77	31
Drug Secondary Diagnosis 7 5 2 JUVENILE COURT PLACEMENTS 2013 2012 2011 Emergency Room, no Hospitalization: Mental Illness Principal Diagnosis 51 84 49 Parental Alcohol Use Related 0 2 0 Mental Illness Secondary Diagnosis 163 155 116 Parental Drug Use Related 7 2 0 Alcohol Principal Diagnosis 9 7 8 Parental Alcohol and Drug Use 0 2 2 Alcohol Secondary Diagnosis 16 28 27 Drug Principal Diagnosis 6 6 6 5 CRIMINAL JUSTICE FY2014 FY2013 FY2012 Drug Secondary Diagnosis 15 19 25 Drug Court Participants 13 19 13 Probation/Parole AdmissionsDrug 12 16 26 ALCOHOL OUTLETS 2014 2013 2012 Probation/Parole AdmissionsDWI 1 0 2 Alcohol Package Carry-out Licenses 12 12 11 Prison AdmissionsDWI 1 1 0 EMPLOYMENT 2014 2013 2012 EMPLOYMENT 2014 2013 2012 Labor Force 2,629 2,551 2,458 Employed 222 229 245 Unemployed 222 229 245 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilizations of court orders are cateoorized as status offenses instead of law violations.					Child Custody Issues	0	0	0
Emergency Room, no Hospitalization: Mental Illness Principal Diagnosis 51 84 49 Parental Alcohol Use Related 0 2 0 Mental Illness Secondary Diagnosis 163 155 116 Parental Drug Use Related 7 2 0 Alcohol Principal Diagnosis 9 7 8 Parental Alcohol and Drug Use Alcohol Secondary Diagnosis 16 28 27 Drug Principal Diagnosis 6 6 6 5 Drug Principal Diagnosis 15 19 25 Drug Court Participants 13 19 13 Probation/Parole AdmissionsDrug Alcohol On-Premise Drink Licenses 6 6 6 8 Prison AdmissionsDrug Alcohol Package Carry-out Licenses 12 12 11 Prison AdmissionsDWI Labor Force Employed 224 229 245 Duut-of-Home PlacementsTotal 16 15 10 Cut-of-Home PlacementsTotal 16 15 10 A 49 Parental Alcohol Use Related 7 2 0 CRIMINAL JUSTICE FY2014 FY2013 FY2012 Propation/Parole AdmissionsDrug 1 0 2 Probation/Parole AdmissionsDrug 7 3 4 Prison AdmissionsDrug 7 3 4 Prison AdmissionsDWI 1 0 0 EMPLOYMENT 2014 2013 2012 Labor Force 2,629 2,551 2,458 Employed 2,407 2,322 2,213 Unemployed						2012	2012	2044
Mental Illness Principal Diagnosis518449Parental Alcohol Use Related020Mental Illness Secondary Diagnosis163155116Parental Drug Use Related720Alcohol Principal Diagnosis978Parental Alcohol and Drug Use022Alcohol Secondary Diagnosis162827Drug Principal Diagnosis665CRIMINAL JUSTICEFY2014FY2013FY2012Drug Secondary Diagnosis151925Drug Court Participants131913Probation/Parole AdmissionsDrug121626ALCOHOL OUTLETS201420132012Probation/Parole AdmissionsDWI102Alcohol On-Premise Drink Licenses668Prison AdmissionsDWI102Alcohol Package Carry-out Licenses121211Prison AdmissionsDWI110EMPLOYMENT2014201320121All Kansas City hepatitis and TB case reports are included in Jasper County totals.Labor Force2,6292,5512,4582Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.Unemployed222229245Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.		/	5	2				
Mental Illness Secondary Diagnosis163155116Parental Drug Use Related720Alcohol Principal Diagnosis978Parental Alcohol and Drug Use022Alcohol Secondary Diagnosis162827Drug Principal Diagnosis665CRIMINAL JUSTICEFY2014FY2013FY2012Drug Secondary Diagnosis151925Drug Court Participants131913Probation/Parole AdmissionsDrug121626ALCOHOL OUTLETS201420132012Probation/Parole AdmissionsDWI102Alcohol On-Premise Drink Licenses668Prison AdmissionsDrug734Alcohol Package Carry-out Licenses121211Prison AdmissionsDWI110EMPLOYMENT2014201320121All Kansas City hepatitis and TB case reports are included in Jasper County totals.Labor Force2,6292,5512,458Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.Unemployed222229245Beginning in 2013, juvenile municipal violations, infractions, and violations, of court orders are categorized as status offenses instead of law violations.			0.4	40				
Alcohol Principal Diagnosis 9 7 8 Parental Alcohol and Drug Use 0 2 2 Alcohol Secondary Diagnosis 16 28 27 Drug Principal Diagnosis 6 6 6 5 CRIMINAL JUSTICE FY2014 FY2013 FY2012 Drug Secondary Diagnosis 15 19 25 Drug Court Participants 13 19 13 Probation/Parole AdmissionsDrug 12 16 26 ALCOHOL OUTLETS Alcohol On-Premise Drink Licenses 6 6 6 8 Prison AdmissionsDrug 7 3 4 Alcohol Package Carry-out Licenses 12 12 11 Prison AdmissionsDWI 1 1 0 EMPLOYMENT Labor Force 2,629 2,551 2,458 Employed 222 229 245 Drug Court Participants 13 19 13 Probation/Parole AdmissionsDrug 1 2 16 26 Prison AdmissionsDWI 1 1 0 2 2 2 3 3 3 4 Prison AdmissionsDWI 1 1 1 0 2 3 3 4 Prison AdmissionsDWI 3 4 6 7 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8								
Alcohol Secondary Diagnosis 16 28 27 Drug Principal Diagnosis 6 6 6 5 Drug Court Participants 13 19 13 Probation/Parole AdmissionsDrug 12 16 26 ALCOHOL OUTLETS Alcohol On-Premise Drink Licenses 6 6 6 8 Alcohol Package Carry-out Licenses 12 12 11 Prison AdmissionsDrug 7 3 4 Alcohol Package Carry-out Licenses 12 12 11 Prison AdmissionsDWI 1 0 2 EMPLOYMENT Labor Force 2,629 2,551 2,458 Employed 1,2014 2013 2012 Unemployed 222 229 245 Alcohol Secondary Diagnosis CRIMINAL JUSTICE FY2014 FY2013 FY2012 FY2014 FY2013 FY2012 FY2014 FY2013 FY2012 A FY2014 FY2013 FY2012 A FY2014 FY2013 FY2012 A FY2014 FY2013 FY2012 A Supposition Parole AdmissionsDrug 7 3 4 Prison AdmissionsDWI 1 1 0 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all								
Drug Principal Diagnosis 6 6 6 5 Drug Secondary Diagnosis 15 19 25 Drug Court Participants 13 19 13 Probation/Parole AdmissionsDrug 12 16 26 ALCOHOL OUTLETS Alcohol On-Premise Drink Licenses 6 6 6 8 Alcohol Package Carry-out Licenses 12 12 11 Prison AdmissionsDrug 7 3 4 Prison AdmissionsDWI 1 1 0 EMPLOYMENT Labor Force 2,629 2,551 2,458 Employed 222 229 245 CRIMINAL JUSTICE FY2014 FY2013 FY2012 Drug Court Participants 13 19 13 Probation/Parole AdmissionsDrug 12 16 26 Prison AdmissionsDWI 1 1 0 2 Prison AdmissionsDWI 1 1 1 0 All Kansas City hepatitis and TB case reports are included in Jackson County totals. 2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project. 3 Beginning in 2013, juvenile municipal violations, infractions of court orders are categorized as status offenses instead of law violations.					Parental Alcohol and Drug Use	0	2	2
Drug Secondary Diagnosis 15 19 25 Drug Court Participants 13 19 13 Probation/Parole AdmissionsDrug 12 16 26 ALCOHOL OUTLETS Alcohol On-Premise Drink Licenses 6 6 6 8 Prison AdmissionsDrug 7 3 4 Prison AdmissionsDWI 1 1 0 EMPLOYMENT Labor Force 2,629 2,551 2,458 Employed 222 229 245 Drug Court Participants 13 19 13 Probation/Parole AdmissionsDrug 12 16 26 Probation/Parole AdmissionsDWI 1 0 2 Prison AdmissionsDWI 1 1 1 0 2 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and					CRIMINAL HISTICE	FY2014	FY2013	FV2012
ALCOHOL OUTLETS Alcohol On-Premise Drink Licenses Alcohol Package Carry-out Licenses Alcohol Package Carry-out Licenses 2014 2013 2012 Probation/Parole AdmissionsDrug 12 16 26 Probation/Parole AdmissionsDrug 7 3 4 Prison AdmissionsDrug 7 3 4 Prison AdmissionsDWI 1 1 0 26 Probation/Parole AdmissionsDWI 1 0 2 2 Prison AdmissionsDWI 1 1 0 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2								
Alcohol On-Premise Drink Licenses 6 6 6 8 Alcohol Package Carry-out Licenses 12 12 11 Prison AdmissionsDrug 7 3 4 Prison AdmissionsDWI 1 0 2 Prison AdmissionsDrug 7 3 4 Prison AdmissionsDWI 1 1 0 2 EMPLOYMENT 2014 2013 2012 Labor Force 2,629 2,551 2,458 Employed 2,407 2,322 2,213 Unemployed 222 229 245 Probation/Parole AdmissionsDWI 1 0 2 Prison AdmissionsDWI 1 1 0 2 Prison AdmissionsDWI 1 1 0 2 Prison AdmissionsDWI 1 1 1 0 0 1 All Kansas City hepatitis and TB case reports are included in Jasper County totals. 2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project. 3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.	Drug Secondary Diagnosis	15	19	25				
Alcohol On-Premise Drink Licenses 6 6 6 8 Alcohol Package Carry-out Licenses 12 12 11 Prison AdmissionsDrug 7 3 4 Prison AdmissionsDWI 1 1 1 0 EMPLOYMENT Labor Force 2,629 2,551 2,458 Employed 2,407 2,322 2,213 Unemployed 222 229 245 Prison AdmissionsDWI 1 1 1 0 1 All Kansas City hepatitis and TB case reports are included in Jasper County totals. 2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project. 3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.	44 00 UO 4 0 UT:	0011	0010	0045	•			
Alcohol Package Carry-out Licenses 12 12 11 Prison AdmissionsDWI 1 1 1 0 EMPLOYMENT Labor Force 2,629 2,551 2,458 Employed 2,407 2,322 2,213 Unemployed 222 229 245 Prison AdmissionsDWI 1 1 1 0 1 All Kansas City hepatitis and TB case reports are included in Jasper County totals. 2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project. 3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.								
EMPLOYMENT Labor Force 2,629 2,551 2,458 Employed 2014 2013 2012 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals and all Joplin case reports are included in Jasper County totals and all Joplin case reports are included in Jasper County totals and all Joplin case reports are included in Jasper County totals and all Joplin case reports are included in Jasper County totals and all Joplin case reports are included in Jasper County totals and all Joplin case reports are included in Jasper County totals and all Joplin case reports are included in Jasper County totals and all Joplin case reports are included in Jasper County totals and all Joplin case reports are included in Jasper County totals and all Joplin case reports are included in Jasper County totals and all Joplin case reports are included in Jasper County totals and all Joplin case reports are included in Jasper County totals and all Joplin case reports are included in Jasper County totals and all Joplin case reports are included in Jasper County totals and all Joplin case reports are included in Jasper County totals and all Joplin case reports are included in Jasper County totals and all Joplin case reports are included in Jasper County totals and all Joplin case reports are included in Jasper County totals and all Joplin case reports are included in Jasper County totals and all Joplin case reports are included in Jasper County totals and all Joplin case reports are included in Jasper County totals and all Joplin case reports are included in Jasper County totals and all Joplin case reports are included in Jasper County totals and all Joplin case reports are included in Jasper County totals and all Joplin case reports are included in Jasper County totals and all Joplin case reports are included in Jasper County totals and all Joplin case reports are included in Jasper County totals and all Joplin case reports are included in Jasper County totals and all Jo					•			
Labor Force 2,629 2,551 2,458 Employed 2,407 2,322 2,213 Unemployed 222 229 245 totals and all Joplin case reports are included in Jasper County totals. 2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project. 3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.	Alconol Package Carry-out Licenses	12	12	11	FROM AUTHOSIONS -DWI	'	'	J
Labor Force 2,629 2,551 2,458 Employed 2,407 2,322 2,213 Unemployed 222 229 245 Unomployed 222 229 245 Unomployed 222 229 245 Unomployed 222 229 245 Unomployed 222 229 245	EMPLOYMENT	2014	2013	2012				County
Employed 2,407 2,322 2,213 Unemployed 222 229 245 Unemployed 222 229 245								oo oro
Unemployed 222 229 245 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.								
Court orders are categorized as status orienses instead or law violations.					3 Beginning in 2013, juvenile municipal violati	ons, infractio	ns, and violat	ions of
VIOLINIO 11 1010 VIT /0 J.U /0 IU.U /0	Unemployment Rate	8.4%		10.0%	court orders are categorized as status offen	ses instead o	of law violation	ns.

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

	FY2014	FY2013	FY2012
TREATMENT CATEGORY			
Detoxification	*	5	*
CSTAR Adolescent	*	0	0
CSTAR Women and Children	*	*	*
CSTAR General Adult	21	22	7
CSTAR Opioid	0	0	0
Primary Recovery Treatment	0	12	15
Clinical SATOP (CIP, YCIP, SROP)	*	7	7
Other Substance Abuse Treatment	0	0	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	19	21	21
- Adolescent Diversion Education Prograr	0	0	0
- Offender Education Program	5	*	8
- Weekend Intervention Program	*	5	*
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	0	0
Compulsive Gambling	0	0	0
Recovery Supports	9	5	0
Early Intervention	0	*	*

NUMBER ADMITTED	FY2014	FY2013	FY2012	PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Total Individuals	29	41	28	Alcohol	10	13	11
				Marijuana / Hashish	6	12	9
AGE				Cocaine (total)	0	0	0
Under 18	0	0	*	- Crack	0	0	0
18 to 24	5	7	*	Stimulant (total)	6	9	5
25 to 29	*	8	5	- Methamphetamine	5	9	5
30 to 34	7	7	*	Heroin	*	*	0
35 to 39	8	6	5	Analgesic except Heroin	5	6	*
40 to 44	*	6	5	- Non-Prescription Methadone	0	0	0
45 to 54	5	*	7	PCP, LSD, other Hallucinogen	0	0	*
55 and Over	0	*	*	Tranquilizer	0	0	0
GENDER				Inhalant	0	0	0
Male	19	27	21	Sedative	0	0	0
Female	10	14	7	Other Medication or Illicit Drug	0	0	0
				Average Age at First Use of Drug	20.8	18.9	19.8
RACE / ETHNICITY	20	20	00				
Caucasian	29	39	26	INJECTION DRUG USE			
African American	0		0	Any Injection Use at Admission	*	6	*
Native American / Alaskan	-	0	-	- Daily Injection Use	*	*	0
Asian / Pacific Islander	0	0	0	- Weekly Injection Use	*	*	0
Hispanic	0		0	- Less than Weekly Injection Use	*	*	*
Other Race / Two or More Races	0	0	0				
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	13	16	10	0	15	23	16
High School Graduate or G.E.D.	12	20	9	1 or 2	11	13	10
Associate Degree or Some College	*	*	9	3 or More	*	5	*
Bachelor or Advanced Degree	0	*	0	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	13	12	7
Employed	11	12	12	School	0	0	0
Unemployed	15	19	10	Mental Health Provider	0	0	*
Not in Labor Force	*	10	6	Health Care Provider	*	*	*
				Court / Criminal Justice	13	23	18
HOUSING / LIVING ARRANGEMENT				Other Referral Source	*	*	0
Independent Living	29	38	27	Carlot Motorial Council			·
Dependent Living	0	0	*	TREATMENT ACCOMMODATION			
Homeless	0	*	0	Pregnant when Admitted to any Episode	0	*	0
MARITAL / FAMILY STATUS				Military Veteran	*	0	*
Never Married	11	17	9	Special Education Services Needed	7	*	*
Married / Cohabitating	11	11	9	Co-Occurring Psychological Problem	10	15	7
Previously Married	7	13	10	Co-Occurring Developmental Problem	*	5	*
- · · · · · · · · · · · · · · · · · · ·	•		. •			•	

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Southeast
PSYCHIATRIC SERVICE AREA 19
CENSUS 2010 6,696
2014 POPULATION ESTIMATE 6,565

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.						
DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012			
Adjustment Disorder	0	*	0			
Anxiety Disorder	5	*	*			
Dementia	0	0	0			
Developmental Disorder	0	*	0			
Impulse Control Disorder	*	7	*			
Mood Disorder	27	27	23			
Personality Disorder	0	*	0			
Psychotic Disorder	11	11	*			
Sexual Disorder	*	*	*			
Other Diagnosis	0	0	*			
Diagnosis Unknown	*	*	*			

Individuals who received psychiatric services had the following types of

NUMBER SERVED	FY2014	FY2013	FY2012	EDUCATION	FY2014	FY2013	FY2012
Total Individuals	45	44	29	Less than High School Diploma	12	17	8
. otal mamadalo	.0			High School Grad or G.E.D.	0	*	6
AGE				Associate Degree or Some College	0	0	0
Under 6	0	0	0	Bachelor or Advanced Degree	0	0	0
6 to 9	*	*	0	Education Level Unknown	33	26	15
10 to 13	*	5	*	Education Edver Children	00	20	
14 to 17	0	*	*	EMPLOYMENT			
18 to 24	*	*	*	Employed	*	*	0
25 to 29	5	*	*	Unemployed	*	0	15
30 to 34	*	*	0	Not in Labor Force	31	33	*
35 to 39	*	*	*	Employment Status Unknown	10	10	12
40 to 44	8	5	*				
45 to 49	7	10	10	HOUSING / LIVING ARRANGEMENT			
50 to 54	10	8	*	Independent Living	30	25	17
55 to 59	*	*	*	Dependent Living	5	8	*
60 and Over	*	*	*	Homeless	0	0	0
Age Unknown	0	0	0	Other	0	0	0
				Housing Unknown	10	11	10
GENDER				•			
Male	18	19	14	TREATMENT REFERRAL SOURCE			
Female	27	25	15	Self / Family / Friend	14	12	9
Gender Unknown	0	0	0	School	0	0	0
RACE / ETHNICITY				Mental Health Provider	5	8	5
Caucasian	44	43	29	Health Care Provider	17	16	10
African American	0	0	0	Court / Criminal Justice	*	*	*
Native American / Alaskan	0	0	0	Other	6	5	*
Asian / Pacific Islander	0	0	0	Referral Source Unknown	0	0	0
Hispanic	*	0	0		•	-	-
Other Race	0	*	0	TYPE OF COMMITMENT			
Race/Ethnicity Unknown	0	0	0	Voluntary	42	41	26
•	ŭ	ŭ	•	Civil	0	0	0
TREATMENT ACCOMMODATION				Criminal	*	*	*
Hearing Impaired	*	*	*	Sexual Predatory	*	*	*
Past or Current Military Service	*	*	*	Commitment Type Unknown	0	0	0

MISSOURI STUDENT SURVEY

Descent of students who have ever wood	2014	2012	2010
Percent of students who have ever used: Alcohol	33.3	17.0	53.8
Cigarettes	23.5	17.0	42.6
Chewing Tobacco	17.6	8.0	26.9
Marijuana	10.3		
Inhalants	1.5	1.8	5.4
Prescription medications not prescribed for student	7.4	1.8	14.1
Over-the-counter medications for non-medical use	2.9	1.8	8.5
Methamphetamine	1.5	0.0	1.6
Cocaine	1.5	0.0	2.3
Heroin	0.0	0.0	0.0
Hallucinogens	1.5	0.0	3.8
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.5	0.0	3.8
Steroids not prescribed for student	1.4	0.0	1.6
Synthetic drugs (K2, bath salts, Spice, etc)	2.9	0.0	
Average age of students' first use of: Alcohol	12 21	13.88	11.06
Cigarettes	12.51		12.19
Marijuana	13.58	12.55	14.04
Inhalants	11.63		13.43
inidants	11.05		13.43
Percent of students who, in past 30 days, used:			
Alcohol	11.6	3.6	24.6
Alcohol (Binge: 5+ drinks on one occassion)		1.8	17.7
Cigarettes	10.3	0.0	20.3
Chewing Tobacco	11.8	5.4	15.5
Marijuana	5.8	0.0	8.5
Inhalants	1.4	1.8	2.3
Prescription medications not prescribed for student	2.9	1.8	9.4
Over-the-counter medications for non-medical use	1.5	1.8	6.2
Percent of students who, in past 2 weeks, used:			
Alcohol (Binge: 5+ drinks on one occassion)	7.4		
Darcent whose friends used in past 12 months			
Percent whose friends used in past 12 months: Alcohol	47.1	14.2	72.9
Cigarettes	38.2		_
Marijuana	22.1		-
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	7.5	1.8	
Other mich (Gocame, ESD, Weth, Glab Drug, etc)	7.5	1.0	17.0
Percent who would likely use, if offered by a best friend:			
Alcohol	23.5	14.3	48.5
Cigarettes	13.2	1.8	27.9
Marijuana	8.8	0.0	11.5
Percent who say it would be wrong to use:			
Alcohol	67.2	75.9	45.8
Cigarettes	82.6	88.4	66.9
Marijuana	86.6	95.6	82.3
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.0	100.0	94.6
Dereant whose parents would disempray of they use.			
Percent whose parents would disapprove if they use: Alcohol	79.4	89.7	70.0
Cigarettes	92.8	95.5	89.1
Marijuana	94.1		97.6
•	<i>3</i> 4.1	100.0	97.0
Percent who say it would be easy to obtain:			
Alcohol	38.8	33.9	65.4
Cigarettes	43.3	37.5	67.7
Marijuana	25.4	8.0	41.7
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	10.4	3.7	19.7

DENT SURVEY			
	2014	2012	2010
Percent who believe they risk harm if they use:			
Alcohol (1 or 2 drinks daily)	54.4		
Alcohol (Binge: 5+ drinks once or twice a week)	60.3		
Alcohol (any use)		82.1	78.3
Cigarettes (1+ packs per day)	80.9		
Cigarettes (any use)		71.4	76.2
Marijuana (once or twice a week)	67.2		
Marijuana (any use)		88.4	69.2
Other: Cocaine, LSD, Meth, Club Drug (any use)	91.2	95.5	90.7
Percent of students who, in past 30 days:			
Were very sad	15.9	8.0	22.1
Were grouchy, irritable, or in a bad mood	22.1	8.9	26.7
Felt hopeless about the future	7.5	6.3	11.5
Felt like not eating or eating more than usual	15.9	12.6	20.0
Slept a lot more or a lot less than usual	17.4	17.7	22.3
Had difficulty concentrating on school work	17.6	10.7	30.5
Percent of students who, in past 12 months:			
Seriously considered attempting suicide	8.8	5.4	9.9
Made plan about how they would attempt suicide	5.8	4.4	5.3
Attempted suicide	4.4	6.4	4.6
Attempted suicide and resulting injury, poisoning, or overdose			
had to be treated by doctor or nurse	1.5	5.8	3.1
Percent of students who, in past 12 months:			
Were threatened/injured with weapon at school	2.9	0.0	6.9
Were in a physical fight	2.0	8.0	29.8
Were in a fight and had to be treated by a doctor or nurse	4.4	0.0	4.6
Percent of students who, in past 3 months:	50.0	045	00.4
Were victims of mean rumors or lies spread at school	50.0	34.5	63.1
Were made fun of by others	58.8	39.3	71.8
Were victims of an embarrassing or hurtful text message or something posted on the internet	23.5	9.8	16.9
Spread mean rumors or lies about other kids at school	19.1	10.7	35.4
Made fun of other people	52.9	46.3	72.5
Posted something on the internet or sent a text that might	52.9	40.3	72.5
embarrass or hurt another student	13.2	0.0	14.1
Percent of students who agree that:			
Teachers notice and comment on student's good work	84.1	83.6	73.3
School provides feedback to parents on positive student performance	58.8	71.8	43.1
Rules are enforced fairly	72.5	83.5	54.3
Students of all races/ethnicities are treated equal	89.7	91.9	80.9
Percent of students who agree that:			
Parents notice and comment on student's good work	88.4	89.4	86.3
Parents involve student in making family decisions	75.0	83.9	72.3
It is important to be honest with parents regardless of			
consequences	89.6	95.6	86.2
Student could ask parent for help with a personal problem	83.8	87.2	81.4

Missouri Student Survey is conducted biennially.
Similar affirmative response choices for individual questions are combined.
Blank data cells indicate estimates are not available for item or geographic area. Survey is not conducted in every school district nor reported for every county. Estimates are not available for counties with small numbers of respondents. Percentages are estimates based on weighted data.

Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

DBH REG	ION	Southeast		IMPAIRED DRIVING	2013	2012	2011
DBH SERV	VICE AREAS			Alcohol Involved CrashesTotal	18	18	28
Substai	nce Use	19		Fatal Crashes	1	2	2
Adult P	sychiatric	19		Injury Crashes	7	8	15
POPULAT	TON			Property Damage Crashes	10	8	11
Census	2010	14,100		Crash Fatalities	2	2	2
2014 E	stimate	13,969		Crash Injuries	8	18	22
3				Drug Involved CrashesTotal	4	8	8
				Fatal Crashes	0	0	1
BIRTH RISK	2013	2012	2011	Injury Crashes	3	4	6
Resident BirthsTotal	177	182	174	Property Damage Crashes	1	4	1
Mother Reported Smoking while Pregna	ant 41	58	46	Crash Fatalities	0	0	1
				Crash Injuries	4	5	8
DISEASE INCIDENCE 1	2013	2012	2011	POLICE REPORTS	2013	2012	2011
HIV/AIDS Cases	0	0	0	DUI Arrests, DWI Tracking System	61	100	79
Hepatitis B Chronic, Acute, Prenatal	1	0	0	Liquor Law Arrests	15	23	14
Hepatitis C Chronic and Acute	17	20	10	Drug Arrests	135	117	81
Tuberculosis Infection Cases	1	1	4	Violent Offenses	41	45	32
DEATHS and INJURIES	2013	2012	2011	Property Offenses	499	479	453
Resident DeathsTotal	189	176	195	Domestic Violence Reports	132	98	85
Suicides	3	1	1	Zomocilo molonos repento	2014	2013	2012
Self-inflicted Injuries	38	36	40	Methamphetamine Lab Seizures	0	1	10
Homicides	1	0	0				
Assault Injuries	61	54	55	SCHOOL REPORTS	2013-14	2012-13	2011-12
Alcohol Induced Deaths	0	0	0	Enrollment Grades 9-12	566	560	573
Drug Induced Deaths	1	1	4	Drop-outs	13	18	14
Smoking Attributable Deaths	44	43	43	Drop-out Rate	2.3%	3.2%	2.4%
				School Discipline Involving Alcohol	0	0	0
HOSPITAL EPISODES 2	2013	2012	2011	School Discipline Involving Drugs	3	5	7
Hospitalization, no Emergency Room:				School Discipline Involving Tobacco	0	0	1
Mental Illness Principal Diagnosis	132	152	149	JUVENILE COURT REFERRALS 3	2013	2012	2011
Mental Illness Secondary Diagnosis	315	286	334	Juvenile Violent Offenses	25	27	31
Alcohol Principal Diagnosis	6	11	3	Juvenile Alcohol Offenses	1	0	0
Alcohol Secondary Diagnosis	29	33	30	Juvenile Drug Offenses	10	5	4
Drug Principal Diagnosis	21	14	14	School Truancy Status Offense	19	25	43
Drug Secondary Diagnosis	20	20	12	Absent from Home Status Offense	6	6	5
Emergency Room + Hospitalization:				Beyond Parental Control Status Offense	8	6	13
Mental Illness Principal Diagnosis	28	24	36	Injurious Behavior Status Offense	1	1	0
Mental Illness Secondary Diagnosis	239	283	288	Child Abuse	1	1	3
Alcohol Principal Diagnosis	3	2	1	Child Neglect	53	80	48
Alcohol Secondary Diagnosis	14	10	16	Child Custody Issues	0	0	0
Drug Principal Diagnosis	3	6	4	### 5 A A A A A A A A A A A A A A A A A	2012	2012	2011
Drug Secondary Diagnosis	16	11	7	JUVENILE COURT PLACEMENTS Out-of-Home PlacementsTotal	2013	2012	2011
Emergency Room, no Hospitalization: Mental Illness Principal Diagnosis	216	100	220	Parental Alcohol Use Related	22 0	44	14
	302	199 197	230 309		_	2	0 1
Mental Illness Secondary Diagnosis Alcohol Principal Diagnosis	21	22	18	Parental Drug Use Related Parental Alcohol and Drug Use	13 2	24 1	4
Alcohol Secondary Diagnosis	32	22	14	r aremai Alcohol and Drug Ose	2	'	7
Drug Principal Diagnosis	32 44	38	34	CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Secondary Diagnosis	52	56	44	Drug Court Participants	15	21	20
Drug Occordary Diagnosis	52	30	77	Probation/Parole AdmissionsDrug	34	32	31
ALCOHOL OUTLETS	2014	2013	2012	Probation/Parole AdmissionsDWI	1	4	1
Alcohol On-Premise Drink Licenses	13	14	14	Prison AdmissionsDrug	14	15	10
Alcohol Package Carry-out Licenses	17	17	17	Prison AdmissionsDWI	2	1	0
ENADI OVNAENT	2014	2012	2012	1 All Kansas City hepatitis and TB case repor	ts are include	d in Jackson	County
EMPLOYMENT Labor Force	5,497	2013 6,843	6,773	totals and all Joplin case reports are include	d in Jasper C	County totals.	
Employed	5,497	6,370	6,773 6,218	2 Beginning with 2010 data, diagnosis counts based on codes developed by the Healthca			
Unemployed	444	6,370 473	555	3 Beginning in 2013, juvenile municipal violati	ons, infractio	ns, and violat	tions of
Unemployment Rate	8.1%		8.2%	court orders are categorized as status offen	ses instead o	f law violation	ns.
p.ojo	5.170	3.0 /0	J.2 / J				

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	14	18	17
CSTAR Adolescent	7	8	6
CSTAR Women and Children	12	11	8
CSTAR General Adult	54	61	42
CSTAR Opioid	0	0	0
Primary Recovery Treatment	*	22	57
Clinical SATOP (CIP, YCIP, SROP)	9	16	15
Other Substance Abuse Treatment	0	0	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	43	41	49
- Adolescent Diversion Education Prograr	0	0	0
- Offender Education Program	13	17	11
- Weekend Intervention Program	11	11	7
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	*	*
Compulsive Gambling	0	0	0
Recovery Supports	24	13	*
Early Intervention	0	0	0

NUMBER ADMITTED	FY2014	FY2013	FY2012	PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Total Individuals	96	111	121	Alcohol	25	34	35
				Marijuana / Hashish	19	25	35
AGE				Cocaine (total)	0	*	*
Under 18	7	8	7	- Crack	0	0	*
18 to 24	13	17	27	Stimulant (total)	31	23	22
25 to 29	15	19	26	- Methamphetamine	31	22	21
30 to 34	22	31	22	Heroin	5	*	*
35 to 39	14	11	8	Analgesic except Heroin	16	16	21
40 to 44	11	7	10	- Non-Prescription Methadone	0	0	0
45 to 54	11	11	19	PCP, LSD, other Hallucinogen	0	*	0
55 and Over	*	7	*	Tranquilizer	0	7	*
GENDER				Inhalant	0	0	0
Male	61	67	67	Sedative	0	0	0
Female	35	44	54	Other Medication or Illicit Drug	0	0	*
i emale	33	44	34	Average Age at First Use of Drug	20.1	19.4	18.3
RACE / ETHNICITY				Average Age at First Ose of Drug	20.1	19.4	10.5
Caucasian	93	110	120	INVESTIGATION DRIVE LIST			
African American	*	0	0	INJECTION DRUG USE	10	20	10
Native American / Alaskan	0	0	0	Any Injection Use at Admission	18	20	13
Asian / Pacific Islander	0	0	0	- Daily Injection Use	0	*	*
Hispanic	*	*	*	- Weekly Injection Use	9		
Other Race / Two or More Races	0	0	0	- Less than Weekly Injection Use	7	13	8
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	31	49	52	0	60	68	86
High School Graduate or G.E.D.	52	53	53	1 or 2	23	31	33
Associate Degree or Some College	12	7	16	3 or More	13	12	*
Bachelor or Advanced Degree	*	*	0				
· ·				TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	22	24	24
Employed	22	21	34	School		0	0
Unemployed	44	49	45	Mental Health Provider	0	*	*
Not in Labor Force	30	41	42	Health Care Provider	13	12	9
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	35	49	65
Independent Living	79	88	103	Other Referral Source	17	17	21
Dependent Living	15	21	13				
Homeless	*	*	*	TREATMENT ACCOMMODATION			
. 16.11.61.666				Pregnant when Admitted to any Episode	*	*	*
MARITAL / FAMILY STATUS				Military Veteran	9	6	8
Never Married	37	42	43	Special Education Services Needed	5	13	18
Married / Cohabitating	29	40	45	Co-Occurring Psychological Problem	42	52	53
Previously Married	30	29	33	Co-Occurring Developmental Problem	7	11	10

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Southeast
PSYCHIATRIC SERVICE AREA 19
CENSUS 2010 14,100
2014 POPULATION ESTIMATE 13,969

disorders. The total number of diagnose served because some individuals had more	•		
DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012
Adjustment Disorder	*	*	*
Anxiety Disorder	26	18	17
Dementia	0	0	*
Developmental Disorder	*	0	0
Impulse Control Disorder	10	12	6
Mood Disorder	99	97	79
Personality Disorder	*	*	*
Psychotic Disorder	17	13	15
Sexual Disorder	*	*	0
Other Diagnosis	*	*	*
Diagnosis Unknown	14	8	16

Individuals who received psychiatric services had the following types of

NUMBER SERVED	FY2014	FY2013	FY2012	EDUCATION	FY2014	FY2013	FY2012
Total Individuals	163	148	129	Less than High School Diploma	53	34	18
Total marriadalo	100	0	120	High School Grad or G.E.D.	0	0	35
AGE				Associate Degree or Some College	0	0	6
Under 6	0	*	0	Bachelor or Advanced Degree	0	0	*
6 to 9	9	9	*	Education Level Unknown	110	114	68
10 to 13	13	9	*	Education Level Officiown	110	117	00
14 to 17	10	9	*	EMPLOYMENT			
18 to 24	16	12	19	Employed	7	0	*
25 to 29	14	18	14	Unemployed	10	*	56
30 to 34	17	12	9	Not in Labor Force	97	70	6
35 to 39	13	12	7	Employment Status Unknown	49	76	64
40 to 44	12	11	21				
45 to 49	14	17	14	HOUSING / LIVING ARRANGEMENT			
50 to 54	16	18	14	Independent Living	82	47	56
55 to 59	18	11	9	Dependent Living	26	29	9
60 and Over	11	9	12	Homeless	*	0	*
Age Unknown	0	0	0	Other	0	0	*
CENDED				Housing Unknown	51	72	62
GENDER Male	70	60	45				
Female	_	63	45	TREATMENT REFERRAL SOURCE			
	93	85	84	Self / Family / Friend	53	51	37
Gender Unknown	0	0	0	School	*	*	*
RACE / ETHNICITY				Mental Health Provider	13	11	18
Caucasian	159	145	127	Health Care Provider	41	42	37
African American	*	0	0	Court / Criminal Justice	18	15	17
Native American / Alaskan	0	*	0	Other	36	27	19
Asian / Pacific Islander	0	0	0	Referral Source Unknown	0	0	0
Hispanic	*	*	*				
Other Race	*	*	*	TYPE OF COMMITMENT	101	4.40	400
Race/Ethnicity Unknown	0	0	0	Voluntary	161	148	126
				Civil	*	0	0
TREATMENT ACCOMMODATION			_	Criminal		0	*
Hearing Impaired	10	10	8	Sexual Predatory	0	0	0
Past or Current Military Service	*	*	*	Commitment Type Unknown	0	0	0

MISSOURI STUDENT SURVEY

Percent of students who have ever used:	2014	2012	2010	Percent who believe they risk harm if they use:	2014	2012	2010
Alcohol		41.7	46.5	Alcohol (1 or 2 drinks daily)			
Cigarettes		22.2	36.5	Alcohol (Binge: 5+ drinks once or twice a week)			
Chewing Tobacco		17.5	22.2	Alcohol (any use)		73.0	72.3
Marijuana		15.5	19.6	Cigarettes (1+ packs per day)			
Inhalants		4.0	9.1	Cigarettes (any use)		90.1	80.8
Prescription medications not prescribed for student		11.1	15.1	Marijuana (once or twice a week)			
Over-the-counter medications for non-medical use		10.7	7.4	Marijuana (any use)		80.6	74.1
Methamphetamine		1.6	0.7	Other: Cocaine, LSD, Meth, Club Drug (any use)		98.8	94.0
Cocaine		3.2	2.1	Demonstrate dente who is most 20 days.			
Heroin		0.8	0.7	Percent of students who, in past 30 days:		00.7	40.0
Hallucinogens		2.4	2.1	Were very sad		23.7	12.2
Club drugs (Ecstasy, GHB, roofie, Special K, etc)		2.4	1.4	Were grouchy, irritable, or in a bad mood		21.8	18.6
Steroids not prescribed for student		0.8	0.7	Felt like and acting an acting areas then usual		6.5	10.6
Synthetic drugs (K2, bath salts, Spice, etc)		7.1		Felt like not eating or eating more than usual		15.8	12.9
				Slept a lot more or a lot less than usual		13.0	23.6
Average age of students' first use of:		40.00	40.00	Had difficulty concentrating on school work		18.7	23.6
Alcohol			12.09	Percent of students who, in past 12 months:			
Cigarettes		_	11.81	Seriously considered attempting suicide		6.4	10.8
Marijuana			12.92	Made plan about how they would attempt suicide		4.8	10.5
Inhalants		13.83	12.89	Attempted suicide		1.6	4.9
Percent of students who, in past 30 days, used:				Attempted suicide and resulting injury, poisonng, or overdose			
Alcohol		13.1	21.2	had to be treated by doctor or nurse		0.4	1.8
Alcohol (Binge: 5+ drinks on one occassion)		7.5					
Cigarettes		11.9	_	Percent of students who, in past 12 months:			
Chewing Tobacco		10.7		Were threatened/injured with weapon at school		5.2	7.7
Marijuana		11.5	10.2	Were in a physical fight		25.0	24.0
Inhalants		0.0	3.9	Were in a fight and had to be treated by a doctor or nurse		8.0	4.2
Prescription medications not prescribed for student		4.3		Percent of students who, in past 3 months:			
Over-the-counter medications for non-medical use		5.6		Were victims of mean rumors or lies spread at school		55.2	58.8
Over-the-counter medications for non-medical use		5.0	4.5	Were made fun of by others		62.6	67.6
Percent of students who, in past 2 weeks, used:				Were victims of an embarrassing or hurtful text message or			
Alcohol (Binge: 5+ drinks on one occassion)				something posted on the internet		18.4	15.3
Percent whose friends used in past 12 months:				Spread mean rumors or lies about other kids at school		26.1	31.6
Alcohol		48.4	62.1	Made fun of other people		66.9	75.3
Cigarettes		42.5	-	Posted something on the internet or sent a text that might			
Marijuana		35.5		embarrass or hurt another student		11.7	14.7
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)		7.9					
Other mich (Cocame, ESD, Weth, Club Drug, etc)		1.5	17.5	Percent of students who agree that:			
Percent who would likely use, if offered by a best friend:				Teachers notice and comment on student's good work		60.7	68.1
Alcohol		31.0	33.9	School provides feedback to parents on positive student		41.5	33.3
Cigarettes		11.5	16.9	performance			
Marijuana		12.7	14.0	Rules are enforced fairly		59.3	52.6
Dercent who cay it would be wrong to you				Students of all races/ethnicities are treated equal		83.3	78.9
Percent who say it would be wrong to use:		64.4	EO 1	Percent of students who agree that:			
Alcohol		61.1	59.1	Parents notice and comment on student's good work		76.6	84.5
Cigarettes		86.1	76.7	Parents involve student in making family decisions		68.3	68.3
Marijuana		87.7		It is important to be honest with parents regardless of			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)		96.4	95.4	consequences		88.9	85.2
Percent whose parents would disapprove if they use:				Student could ask parent for help with a personal problem		80.2	75.2
Alcohol		79.8	76.9	The state of the s			
Cigarettes		92.1	90.5	Missouri Student Survey is conducted biennially.			
Marijuana		95.5		Similar affirmative response choices for individual questions are			
				Blank data cells indicate estimates are not available for item or			
•						\unt\/	
Percent who say it would be easy to obtain:		50.0	F.C. 5	Survey is not conducted in every school district nor reported for Estimates are not available for counties with small numbers of r			
Percent who say it would be easy to obtain: Alcohol		50.2		Estimates are not available for counties with small numbers of r Percentages are estimates based on weighted data.	esponde	ents.	
Percent who say it would be easy to obtain: Alcohol Cigarettes		54.8	62.5	Estimates are not available for counties with small numbers of r	esponde	ents.	
Percent who say it would be easy to obtain: Alcohol			62.5 42.8	Estimates are not available for counties with small numbers of r Percentages are estimates based on weighted data.	esponde ly signific	ents. cant.	ırveys

	• • • • • • • • • • • • • • • • • • • •	-					
DBH REGIO	N	Eastern		IMPAIRED DRIVING	2013	2012	2011
DBH SERVI	CE AREAS			Alcohol Involved CrashesTotal	342	290	325
Substance	e Use	16		Fatal Crashes	4	5	7
Adult Psy	/chiatric	16		Injury Crashes	111	106	115
POPULATION				Property Damage Crashes	227	179	203
Census 2		360,485		Crash Fatalities	4	5	7
2014 Est	imate	379,493		Crash Injuries	148	169	164
				Drug Involved CrashesTotal	57	53	56
				Fatal Crashes	1	3	3
BIRTH RISK	2013	2012	2011	Injury Crashes	21	16	17
Resident BirthsTotal	4,548	4,439	4,539	Property Damage Crashes	35	34	36
Mother Reported Smoking while Pregnar	nt 477	496	507	Crash Fatalities	1	3	3
1				Crash Injuries	30	25	22
DISEASE INCIDENCE 1	2013	2012	2011	POLICE REPORTS	2013	2012	2011
HIV/AIDS Cases	13	17	11	DUI Arrests, DWI Tracking System	1,935	2,175	1,973
Hepatitis B Chronic, Acute, Prenatal	19	24	21	Liquor Law Arrests	330	705	616
Hepatitis C Chronic and Acute	156	103	138 73	Drug Arrests	1,493	1,422	1,550
Tuberculosis Infection Cases	102	104	73	Violent Offenses	452	516	577
DEATHS and INJURIES	2013	2012	2011	Property Offenses	6,197	6,772	6,803
Resident DeathsTotal	2,494	2,325	2,286	Domestic Violence Reports	1,369	1,262	1,286
Suicides	52	41	44		2014	2013	2012
Self-inflicted Injuries	311	344	347	Methamphetamine Lab Seizures	106	119	156
Homicides	5	6	3	CCUOOL DEDONTS	2012 14	2012 12	2011 12
Assault Injuries	650	856	757	SCHOOL REPORTS Enrollment Grades 9-12	2013-14	2012-13	2011-12
Alcohol Induced Deaths	17	24	10	Drop-outs	17,894 230	17,688 251	17,364 312
Drug Induced Deaths	62	44	64	Drop-out Rate	1.3%	1.4%	1.8%
Smoking Attributable Deaths	433	389	391	School Discipline Involving Alcohol	28	1.476	51
HOCDITAL EDICODES 2	2012	2012	2011	School Discipline Involving Drugs	117	219	296
HOSPITAL EPISODES 2 Hospitalization, no Emergency Room:	2013	2012	2011	School Discipline Involving Tobacco	4	5	1
Mental Illness Principal Diagnosis	2,336	1,810	1,687	Control Proof	•	Ü	•
Mental Illness Secondary Diagnosis	3,889	3,026	3,022	JUVENILE COURT REFERRALS 3	2013	2012	2011
Alcohol Principal Diagnosis	236	180	163	Juvenile Violent Offenses	292	305	360
Alcohol Secondary Diagnosis	256	221	201	Juvenile Alcohol Offenses	58	116	86
Drug Principal Diagnosis	143	128	212	Juvenile Drug Offenses	191	209	233
Drug Secondary Diagnosis	205	146	147	School Truancy Status Offense	65	75	62
Emergency Room + Hospitalization:				Absent from Home Status Offense	160	223	231
Mental Illness Principal Diagnosis	1,483	2,000	1,998	Beyond Parental Control Status Offense	3	7	4
Mental Illness Secondary Diagnosis	5,485	6,223	6,814	Injurious Behavior Status Offense	38	54	42
Alcohol Principal Diagnosis	147	174	163	Child Abuse	20	10	26
Alcohol Secondary Diagnosis	543	634	588	Child Neglect	170	182	151
Drug Principal Diagnosis	91	94	124	Child Custody Issues	19	20	4
Drug Secondary Diagnosis	233	270	317	JUVENILE COURT PLACEMENTS	2013	2012	2011
Emergency Room, no Hospitalization:				Out-of-Home PlacementsTotal	146	165	160
Mental Illness Principal Diagnosis	2,117	2,148	2,163	Parental Alcohol Use Related	8	5	5
Mental Illness Secondary Diagnosis	8,730	8,924	7,064	Parental Drug Use Related	49	79	76
Alcohol Principal Diagnosis	495	528	440	Parental Alcohol and Drug Use	8	2	1
Alcohol Secondary Diagnosis	468	580	428		EV204.4	5/0040	EV0040
Drug Principal Diagnosis	402	414	551	CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Secondary Diagnosis	632	739	485	Drug Court Participants Probation/Parole AdmissionsDrug	297 488	334 469	315 435
		42.5		Probation/Parole AdmissionsDrug Probation/Parole AdmissionsDWI	466 169	469 159	435 146
ALCOHOL OUTLETS	2014	2013	2012	Prison AdmissionsDrug	263	236	242
Alcohol Packago Carry out Licenses	464	459	465	Prison AdmissionsDWI	203 54	59	70
Alcohol Package Carry-out Licenses	224	222	227				
EMPLOYMENT	2014	2013	2012	1 All Kansas City hepatitis and TB case report totals and all Joplin case reports are include			County
Labor Force	209,352	200,503	199,262	2 Beginning with 2010 data, diagnosis counts	for hospital a	and ER servic	
Employed	199,201	189,201	187,399	based on codes developed by the Healthcar Beginning in 2013, juvenile municipal violation			
Unemployed	10,151	11,302	11,863	3 Beginning in 2013, juvenile municipal violation court orders are categorized as status offens			

4.8%

5.6%

6.0%

Unemployment Rate

court orders are categorized as status offenses instead of law violations.

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	102	103	102
CSTAR Adolescent	133	108	74
CSTAR Women and Children	106	124	128
CSTAR General Adult	233	245	234
CSTAR Opioid	42	61	47
Primary Recovery Treatment	15	60	77
Clinical SATOP (CIP, YCIP, SROP)	528	540	471
Other Substance Abuse Treatment	12	*	6

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	1,917	1,938	1,883
- Adolescent Diversion Education Prograr	142	52	61
- Offender Education Program	706	717	744
- Weekend Intervention Program	363	423	432
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	12	26	30
Compulsive Gambling	14	29	24
Recovery Supports	6	5	5
Early Intervention	8	10	5

AUJAADED ADAAITTED	FY2014	FY2013	FY2012	DDIMARY DDIIC DDODIEM	FY2014	FY2013	FY2012
NUMBER ADMITTED Total Individuals	1,069	1,130	1,024	PRIMARY DRUG PROBLEM Alcohol	561	626	581
Total Individuals	1,009	1,130	1,024	Marijuana / Hashish	213	161	132
AGE				Cocaine (total)	12	13	28
Under 18	134	108	77	- Crack	6	8	23
18 to 24	192	218	196	Stimulant (total)	33	36	24
25 to 29	194	208	207	,	33	31	19
30 to 34	177	187	162	- Methamphetamine	188	-	194
35 to 39	110	115	94	Heroin	41	230 37	47
40 to 44	74	92	106	Analgesic except Heroin	41 *	<i>ا</i> د	4 <i>1</i> *
45 to 54	134	160	132	- Non-Prescription Methadone	*	*	0
55 and Over	54	42	50	PCP, LSD, other Hallucinogen Tranquilizer	11	9	6
GENDER				Inhalant	0	0	*
Male	697	726	664	Sedative	*	*	0
Female	372	404	360	Other Medication or Illicit Drug	8	13	6
				Average Age at First Use of Drug	17.4	17.7	17.5
RACE / ETHNICITY	070	4 0 4 0	0.45				
Caucasian	972	1,040	945	INJECTION DRUG USE			
African American	60	55	44	Any Injection Use at Admission	171	216	183
Native American / Alaskan	*	0		- Daily Injection Use	78	91	84
Asian / Pacific Islander			5	- Weekly Injection Use	40	63	42
Hispanic	16	15	21	- Less than Weekly Injection Use	53	62	57
Other Race / Two or More Races	19	22	12	, ,			
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	274	291	236	0	400	404	372
High School Graduate or G.E.D.	394	451	434	1 or 2	437	457	432
Associate Degree or Some College	370	369	328	3 or More	232	269	220
Bachelor or Advanced Degree	30	17	26	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	242	277	280
Employed	473	463	390	School	24	9	5
Unemployed	251	354	347	Mental Health Provider	15	18	*
Not in Labor Force	345	313	287	Health Care Provider	28	42	31
				Court / Criminal Justice	653	678	625
HOUSING / LIVING ARRANGEMENT				Other Referral Source	88	79	73
Independent Living	838	926	853				
Dependent Living	160	132	109	TREATMENT ACCOMMODATION			
Homeless	35	42	48	Pregnant when Admitted to any Episode	29	24	21
MARITAL / FAMILY STATUS				Military Veteran	65	61	45
Never Married	669	732	610	Special Education Services Needed	66	59	46
Married / Cohabitating	206	179	203	Co-Occurring Psychological Problem	296	368	353
Previously Married	194	219	211	Co-Occurring Developmental Problem	16	42	25
•							

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Eastern
PSYCHIATRIC SERVICE AREA
CENSUS 2010 360,485
2014 POPULATION ESTIMATE 379,493

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.								
DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012					
Adjustment Disorder	33	32	29					
Anxiety Disorder	1,223	1,011	920					
Dementia	*	6	6					
Developmental Disorder	78	75	72					
Impulse Control Disorder	654	616	606					
Mood Disorder	1,887	1,659	1,638					
Personality Disorder	212	186	192					
Psychotic Disorder	347	319	302					
Sexual Disorder	*	*	0					
Other Diagnosis	157	152	143					
Diagnosis Unknown	89	121	161					

Individuals who received psychiatric services had the following types of

NUMBER SERVED	FY2014	FY2013	FY2012	EDUCATION	FY2014	FY2013	FY2012
Total Individuals	2,562	2,345	2,330	Less than High School Diploma	839	805	430
				High School Grad or G.E.D.	*	33	309
AGE	_		_	Associate Degree or Some College	*	7	226
Under 6	8	15	7	Bachelor or Advanced Degree	*	9	64
6 to 9	193	193	183	Education Level Unknown	1,713	1,491	1,301
10 to 13	244	220	228		, -	, -	,
14 to 17	252	255	247	EMPLOYMENT			
18 to 24	246	216	239	Employed	238	175	180
25 to 29	194	188	216	Unemployed	208	184	698
30 to 34	236	200	182	Not in Labor Force	1,370	1,339	337
35 to 39	198	159	146	Employment Status Unknown	746	647	1,115
40 to 44	190	173	189				
45 to 49	234	227	216	HOUSING / LIVING ARRANGEMENT			
50 to 54	260	228	220	Independent Living	1,217	1,097	988
55 to 59	177	164	154	Dependent Living	521	537	291
60 and Over	130	107	103	Homeless	41	37	29
Age Unknown	0	0	0	Other	*	0	24
				Housing Unknown	782	674	998
GENDER				-			
Male	1,214	1,140	1,116	TREATMENT REFERRAL SOURCE			
Female	1,348	1,205	1,214	Self / Family / Friend	892	648	472
Gender Unknown	0	0	0	School	315	324	275
RACE / ETHNICITY				Mental Health Provider	168	196	241
Caucasian	2,154	1,987	1,992	Health Care Provider	361	276	231
African American	218	194	192	Court / Criminal Justice	62	62	68
Native American / Alaskan	*	*	*	Other	749	824	1,027
Asian / Pacific Islander	9	9	8	Referral Source Unknown	15	15	16
Hispanic	56	45	40				
Other Race	123	109	96	TYPE OF COMMITMENT			
Race/Ethnicity Unknown	0	0	0	Voluntary	2,524	2,305	2,285
. 1355, Zumony Granowi	O	U	0	Civil	*	7	6
TREATMENT ACCOMMODATION				Criminal	15	13	19
Hearing Impaired	67	51	40	Sexual Predatory	*	*	0
Past or Current Military Service	43	28	37	Commitment Type Unknown	18	19	20

MISSOURI STUDENT SURVEY

	IVIIOS	OUR	(1510	DENIS
Percent of students who have ever used:	2014	2012	2010	Percent who
Alcohol	33.2	32.1	44.0	Alcohol (1
Cigarettes	15.8	14.6	22.5	Alcohol (B
Chewing Tobacco	5.8	3.9	7.6	Alcohol (a
Marijuana	15.4	11.9	16.2	Cigarettes
Inhalants	3.2	4.5	6.7	Cigarettes
Prescription medications not prescribed for student	8.2	7.0	10.5	Marijuana
Over-the-counter medications for non-medical use	3.1	5.7	7.9	Marijuana
Methamphetamine	0.5	0.9	0.6	Other: Co
Cocaine	1.3	1.2	1.8	Percent of s
Heroin	0.5	0.6	0.7	Were very
Hallucinogens	2.6	2.0	3.6	Were grou
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.9	1.7	2.4	
Steroids not prescribed for student	0.7	0.9	1.0	Felt hopel Felt like n
Synthetic drugs (K2, bath salts, Spice, etc)	3.9	5.2		
Avorago ago of ctudents' first use of				Slept a lo
Average age of students' first use of: Alcohol	12.07	12.84	12.42	Had diffic
		12.86		Percent of s
Cigarettes				Seriously
Marijuana		13.75	-	Made plai
Inhalants	11.63	11.14	11.66	Attempted
Percent of students who, in past 30 days, used:				Attempted
Alcohol	15.1	14.5	21.7	had to be
Alcohol (Binge: 5+ drinks on one occassion)		7.8	12.5	Percent of s
Cigarettes	7.0	7.1	12.1	Were thre
Chewing Tobacco	2.9	2.1	4.0	Were in a
Marijuana	8.4	6.7	9.0	Were in a
Inhalants	1.0	2.0	3.4	Wele iii a
Prescription medications not prescribed for student	4.3	3.8	6.4	Percent of s
Over-the-counter medications for non-medical use	1.4	3.6	5.0	Were victi
Demont of attudents who in most 2 weeks wood				Were mad
Percent of students who, in past 2 weeks, used: Alcohol (Binge: 5+ drinks on one occassion)	6.8			Were victi
Albertor (Billige: 01 drilling off offe decassion)	0.0			something
Percent whose friends used in past 12 months:				Spread m
Alcohol	47.5	47.2	59.0	Made fun
Cigarettes	33.7	36.9	47.3	Posted so
Marijuana	36.5	34.4	39.4	embarras
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	13.8	16.2	20.5	Percent of s
Percent who would likely use if offered by a heat friend.				Teachers
Percent who would likely use, if offered by a best friend:	25.7	24.5	22 5	School pro
Alcohol	_		33.5	performar
Cigarettes	9.4	8.6	13.5 13.5	Rules are
Marijuana	14.7	10.1	13.5	Students
Percent who say it would be wrong to use:				
Alcohol	62.2	66.1	56.5	Percent of s
Cigarettes	86.4	87.4	80.8	Parents n
Marijuana	77.6	84.6	81.1	Parents in
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	95.1	96.5	94.3	It is impor conseque
Percent whose parents would disapprove if they use:				Student o
Alcohol	80.3	82.6	78.1	Student C
Cigarettes	94.3	94.6	91.7	Missouri Stu
Marijuana	91.5	95.5	94.1	Similar affire
•	31.0	55.0	J	Blank data o
Percent who say it would be easy to obtain:				Survey is no Estimates a
Alcohol	59.7	57.5	63.4	Percentages
Cigarettes	47.4	46.3	55.2	Some year-t
Marijuana	37.2	33.6	37.5	Data source
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	14.3	14.2	17.9	

DENT SURVEY			
December 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,	2014	2012	2010
Percent who believe they risk harm if they use:	0.4.7		
Alcohol (1 or 2 drinks daily)	64.7		
Alcohol (Binge: 5+ drinks once or twice a week)	76.1		
Alcohol (any use)		70.2	76.5
Cigarettes (1+ packs per day)	89.5		
Cigarettes (any use)		86.3	83.1
Marijuana (once or twice a week)	64.9		
Marijuana (any use)		76.5	68.7
Other: Cocaine, LSD, Meth, Club Drug (any use)	93.3	95.2	93.6
Percent of students who, in past 30 days:			
Were very sad	20.5	15.8	14.5
Were grouchy, irritable, or in a bad mood	25.6	19.9	21.3
Felt hopeless about the future	12.0	10.6	11.0
Felt like not eating or eating more than usual	17.0	14.5	15.8
Slept a lot more or a lot less than usual	19.3	18.7	23.0
Had difficulty concentrating on school work	27.9	24.3	25.5
Percent of students who, in past 12 months:			
Seriously considered attempting suicide	11.5	9.6	11.1
Made plan about how they would attempt suicide	8.0	7.2	7.7
Attempted suicide	4.4	4.2	5.0
Attempted suicide and resulting injury, poisonng, or overdose			4.0
had to be treated by doctor or nurse	1.7	1.5	1.6
Percent of students who, in past 12 months:			
Were threatened/injured with weapon at school	5.2	5.2	8.9
Were in a physical fight	14.5	15.4	22.7
Were in a fight and had to be treated by a doctor or nurse	2.0	2.9	4.0
Percent of students who, in past 3 months:			
Were victims of mean rumors or lies spread at school	43.8	41.9	52.2
Were made fun of by others	59.1	58.7	70.6
Were victims of an embarrassing or hurtful text message or			
something posted on the internet	26.6	20.6	21.7
Spread mean rumors or lies about other kids at school	28.2	29.1	37.9
Made fun of other people	55.3	58.2	76.0
Posted something on the internet or sent a text that might	19.8	13.6	20.6
embarrass or hurt another student	13.0	10.0	20.0
Percent of students who agree that:			
Teachers notice and comment on student's good work	68.3	65.0	65.7
School provides feedback to parents on positive student		<i>.</i>	
performance	39.1	37.1	38.8
Rules are enforced fairly	67.1	67.7	67.0
Students of all races/ethnicities are treated equal	77.2	75.3	78.2
Percent of students who agree that:			
Parents notice and comment on student's good work	81.5	84.2	83.1
Parents involve student in making family decisions	68.8	69.3	69.5
It is important to be honest with parents regardless of			
consequences	86.2	85.3	79.6
Student could ask parent for help with a personal problem	78.9	78.6	76.6
Missouri Student Survey is conducted biennially.			

tudent Survey is conducted biennially. Irmative response choices for individual questions are combined. cells indicate estimates are not available for item or geographic area. not conducted in every school district nor reported for every county. are not available for counties with small numbers of respondents. es are estimates based on weighted data.

-to-year differences in percentages are not statistically significant.

ce: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

Chart Sehart Soon	• •						
DBH REGION		Southwest		IMPAIRED DRIVING	2013	2012	2011
DBH SERVICE	AREAS			Alcohol Involved CrashesTotal	10	11	8
Substance	Use	8		Fatal Crashes	1	0	0
Adult Psycl	niatric	8B		Injury Crashes	4	7	3
POPULATION				Property Damage Crashes	5	4	5
Census 20	10	9,805		Crash Fatalities	3	0	0
2014 Estim	ate	9,457		Crash Injuries	5	7	4
				Drug Involved CrashesTotal	1	0	2
212				Fatal Crashes	0	0	0
BIRTH RISK	2013	2012	2011	Injury Crashes	0	0	2
Resident BirthsTotal	95	85	86	Property Damage Crashes	1	0	0
Mother Reported Smoking while Pregnant	27	16	22	Crash Fatalities	0	0	0
- Would Reported Smoking Wille Freghant		10		Crash Injuries	0	0	2
DISEASE INCIDENCE 1	2013	2012	2011		2042	2012	0044
HIV/AIDS Cases	0	0	0	POLICE REPORTS	2013	2012	2011
Hepatitis B Chronic, Acute, Prenatal	0	0	0	DUI Arrests, DWI Tracking System	23	30	30
Hepatitis C Chronic and Acute	14	9	13	Liquor Law Arrests	1	1	1
Tuberculosis Infection Cases	0	1	1	Drug Arrests	23	26	17
				Violent Offenses	26	25	11
DEATHS and INJURIES	2013	2012	2011	Property Offenses	128	236	192
Resident DeathsTotal	139	140	138	Domestic Violence Reports	24	12	10
Suicides	1	1	3	Mathamahatanina Lah Cainuna	2014	2013	2012
Self-inflicted Injuries	14	12	20	Methamphetamine Lab Seizures	0	9	1
Homicides	0	1	0	SCHOOL REPORTS	2013-14	2012-13	2011-12
Assault Injuries	18	36	28	Enrollment Grades 9-12	393	396	420
Alcohol Induced Deaths	1	1	0	Drop-outs	12	10	9
Drug Induced Deaths	0	0	0	Drop-out Rate	3.1%	2.5%	2.1%
Smoking Attributable Deaths	29	35	26	School Discipline Involving Alcohol	1	2	1
HOSPITAL EPISODES 2	2013	2012	2011	School Discipline Involving Drugs	0	3	2
Hospitalization, no Emergency Room:				School Discipline Involving Tobacco	1	0	2
Mental Illness Principal Diagnosis	61	69	67	411/51/45 COURT RESERVAGE 3	2012	2012	2011
Mental Illness Secondary Diagnosis	200	214	244	JUVENILE COURT REFERRALS Juvenile Violent Offenses	2013 9	2012 4	2011 2
Alcohol Principal Diagnosis	1	7	4	Juvenile Alcohol Offenses	0	2	2
Alcohol Secondary Diagnosis	10	10	16		1	4	0
Drug Principal Diagnosis	2	3	2	Juvenile Drug Offenses School Truancy Status Offense	7	2	5
Drug Secondary Diagnosis	19	15	10	Absent from Home Status Offense	0	3	0
Emergency Room + Hospitalization:				Beyond Parental Control Status Offense	4	2	5
Mental Illness Principal Diagnosis	8	14	20	Injurious Behavior Status Offense	16	11	13
Mental Illness Secondary Diagnosis	149	159	113	Child Abuse	2	19	11
Alcohol Principal Diagnosis	5	5	4	Child Neglect	28	34	52
Alcohol Secondary Diagnosis	25	12	17	Child Custody Issues	1	0	6
Drug Principal Diagnosis	6	4	0	Sima Guotody locaco	•	Ü	Ü
Drug Secondary Diagnosis	17	8	13	JUVENILE COURT PLACEMENTS	2013	2012	2011
Emergency Room, no Hospitalization:				Out-of-Home PlacementsTotal	7	6	18
Mental Illness Principal Diagnosis	58	87	71	Parental Alcohol Use Related	0	0	0
Mental Illness Secondary Diagnosis	309	235	189	Parental Drug Use Related	4	0	11
Alcohol Principal Diagnosis	4	14	23	Parental Alcohol and Drug Use	0	0	0
Alcohol Secondary Diagnosis	19	32	26	CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Principal Diagnosis	10	10	9	Drug Court Participants	5	9	8
Drug Secondary Diagnosis	12	20	26	Probation/Parole AdmissionsDrug	26	17	11
ALCOHOL OUTLETS	2014	2012	2012	Probation/Parole AdmissionsDWI	2	1	2
ALCOHOL OUTLETS Alcohol On-Premise Drink Licenses	2014 3	2013 4	2012 5	Prison AdmissionsDrug	6	9	4
Alcohol Package Carry-out Licenses	14	17	17	Prison AdmissionsDWI	1	0	1
•				1 All Kansas City hepatitis and TB case report	ts are include	ed in Jackson	County
EMPLOYMENT Labor Force	2014	2013	2012	totals and all Joplin case reports are include	d in Jasper C	County totals.	
Employed	3,981 3,674	3,956 3,660	3,851 3,542	2 Beginning with 2010 data, diagnosis counts based on codes developed by the Healthcar			
Unemployed	3,674	3,660 296	3,542	3 Beginning in 2013, juvenile municipal violati			
Unemployment Rate	7.7%		8.0%	court orders are categorized as status offens			
Chempleyment Nate	1.1 /0	1.3/0	0.0 /0				

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	*	6	*
CSTAR Adolescent	0	*	*
CSTAR Women and Children	*	*	*
CSTAR General Adult	31	37	43
CSTAR Opioid	0	0	0
Primary Recovery Treatment	0	*	*
Clinical SATOP (CIP, YCIP, SROP)	5	7	5
Other Substance Abuse Treatment	0	0	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	25	28	28
- Adolescent Diversion Education Prograr	0	*	0
- Offender Education Program	15	10	13
- Weekend Intervention Program	*	6	7
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	*	*
Compulsive Gambling	0	0	0
Recovery Supports	19	23	*
Early Intervention	0	*	*

NUMBER ADMITTED	FY2014	FY2013	FY2012	PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Total Individuals	54	63	55	Alcohol	14	22	19
				Marijuana / Hashish	18	13	16
AGE		*	*	Cocaine (total)	*	*	*
Under 18	0			- Crack	*	*	*
18 to 24	8	11	12	Stimulant (total)	16	23	15
25 to 29	9	*	11	- Methamphetamine	14	23	14
30 to 34	13	12	10	Heroin	0	0	0
35 to 39	8	14	5	Analgesic except Heroin	*	*	*
40 to 44	7	5	7	- Non-Prescription Methadone	0	0	0
45 to 54	8	12	6	PCP, LSD, other Hallucinogen	0	0	0
55 and Over	*	*	*	Tranquilizer	0	0	*
GENDER				Inhalant	0	0	0
Male	35	43	36	Sedative	0	0	0
Female	19	20	19	Other Medication or Illicit Drug	0	0	*
· Smale	.0			Average Age at First Use of Drug	17.0	17.4	16.6
RACE / ETHNICITY							
Caucasian	52	60	53	INJECTION DRUG USE			
African American	*	*	*	Any Injection Use at Admission	5	10	11
Native American / Alaskan	0	0	0	- Daily Injection Use	0	*	0
Asian / Pacific Islander	*	0	0	- Weekly Injection Use	*	6	*
Hispanic	0	0	0	- Less than Weekly Injection Use	*	*	8
Other Race / Two or More Races	0	0	0	2000 than Weekly Injection Occ			Ü
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	14	16	22	0	33	39	36
High School Graduate or G.E.D.	31	32	22	1 or 2	12	12	11
Associate Degree or Some College	9	14	11	3 or More	9	12	8
Bachelor or Advanced Degree	0	*	0	TD54T454T D555DD44 604D65			
EA ADI OVA AFAIT				TREATMENT REFERRAL SOURCE Self / Family / Friend	13	26	18
EMPLOYMENT Employed	18	23	17	School	0	0	0
Employed	15	12	17	Mental Health Provider	*	0	0
Unemployed					*	*	
Not in Labor Force	21	28	23	Health Care Provider	6		15
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	32	13 22	20
Independent Living	48	50	41	Other Referral Source	32	22	20
Dependent Living	*	*	*				
Homeless	0	*	*	TREATMENT ACCOMMODATION	*	0	0
				Pregnant when Admitted to any Episode		0	0
MARITAL / FAMILY STATUS	00	00	0.7	Military Veteran	0		•
Never Married	29	26	27	Special Education Services Needed	0	0	40
Married / Cohabitating	14	16	18	Co-Occurring Psychological Problem	12	13	10
Previously Married	11	21	10	Co-Occurring Developmental Problem	0	0	0

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Southwest
PSYCHIATRIC SERVICE AREA 8B
CENSUS 2010 9,805
2014 POPULATION ESTIMATE 9,457

disorders. The total number of diag served because some individuals ha			
DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012
Adjustment Disorder	*	*	*
Anxiety Disorder	42	52	56
Dementia	0	0	0
Developmental Disorder	0	*	*
Impulse Control Disorder	9	11	11
Mood Disorder	62	80	72
Personality Disorder	5	8	7
Psychotic Disorder	13	16	18
Sexual Disorder	0	0	0
Other Diagnosis	7	11	11
Diagnosis Unknown	10	13	9

Individuals who received psychiatric services had the following types of

NUMBER SERVED	FY2014	FY2013	FY2012	EDUCATION	FY2014	FY2013	FY2012
Total Individuals	91	114	107	Less than High School Diploma	34	47	23
Total marriadais	01	117	107	High School Grad or G.E.D.	0	0	21
AGE				Associate Degree or Some College	0	0	7
Under 6	0	0	*	Bachelor or Advanced Degree	0	0	*
6 to 9	6	8	8	Education Level Unknown	57	67	55
10 to 13	8	10	8	Education Level Officiown	01	07	33
14 to 17	8	12	9	EMPLOYMENT			
18 to 24	*	5	5	Employed	*	*	*
25 to 29	*	*	10	Unemployed	*	*	40
30 to 34	8	15	12	Not in Labor Force	60	72	16
35 to 39	11	11	6	Employment Status Unknown	24	36	47
40 to 44	11	12	11				
45 to 49	8	11	11	HOUSING / LIVING ARRANGEMENT			
50 to 54	12	17	18	Independent Living	37	44	47
55 to 59	6	8	5	Dependent Living	28	35	13
60 and Over	5	*	*	Homeless	*	*	*
Age Unknown	0	0	0	Other	0	0	*
orwore.				Housing Unknown	23	34	45
GENDER Male	40	50	54				
Female	43	50	51	TREATMENT REFERRAL SOURCE			
	48	64	56	Self / Family / Friend	50	70	77
Gender Unknown	0	0	0	School	0	0	0
RACE / ETHNICITY				Mental Health Provider	*	*	*
Caucasian	89	112	104	Health Care Provider	12	13	12
African American	0	0	*	Court / Criminal Justice	*	*	*
Native American / Alaskan	0	0	0	Other	22	24	12
Asian / Pacific Islander	0	0	0	Referral Source Unknown	*	*	*
Hispanic	0	0	0				
Other Race	*	*	*	TYPE OF COMMITMENT	00	444	404
Race/Ethnicity Unknown	0	0	0	Voluntary	86	111	104
•				Civil		0	0
TREATMENT ACCOMMODATION		*		Criminal	0	0	0
Hearing Impaired	*		*	Sexual Predatory	0	0	0
Past or Current Military Service	*	0	*	Commitment Type Unknown	*	*	*

MISSOURI STUDENT SURVEY

Percent of students who have ever used:	2014	2012	2010	Percent who believe they risk harm if they use:	2014	2012	2010
Alcohol		73.8	72.2	Alcohol (1 or 2 drinks daily)			
Cigarettes		32.9	44.6	Alcohol (Binge: 5+ drinks once or twice a week)			
Chewing Tobacco		12.8	30.1	Alcohol (any use)		50.3	73.7
Marijuana		28.2	32.6	Cigarettes (1+ packs per day)			
Inhalants		6.0	6.3	Cigarettes (any use)		90.6	76.7
Prescription medications not prescribed for student		6.0	10.8	Marijuana (once or twice a week)			
Over-the-counter medications for non-medical use		3.4	12.8	Marijuana (any use)		67.1	63.8
Methamphetamine		2.0	4.5	Other: Cocaine, LSD, Meth, Club Drug (any use)		96.0	91.4
Cocaine		0.7	2.9	Persont of students who in next 20 days.			
Heroin		0.7	2.3	Percent of students who, in past 30 days: Were very sad		15.4	16.5
Hallucinogens		0.7	1.2	Were grouchy, irritable, or in a bad mood		19.5	19.3
Club drugs (Ecstasy, GHB, roofie, Special K, etc)		0.7	4.1	Felt hopeless about the future		1.3	10.3
Steroids not prescribed for student		2.7	0.0	Felt like not eating or eating more than usual		9.4	24.4
Synthetic drugs (K2, bath salts, Spice, etc)		21.5		, , , , , , , , , , , , , , , , , , ,		22.8	25.6
Avorago ago of chidopte' first uso of				Slept a lot more or a lot less than usual		22.6	23.9
Average age of students' first use of: Alcohol		12.60	12.26	Had difficulty concentrating on school work		22.4	23.9
Cigarettes			13.35	Percent of students who, in past 12 months:			
•		_	13.73	Seriously considered attempting suicide		2.7	11.4
Marijuana Inhalants		_		Made plan about how they would attempt suicide		2.7	13.6
IIIIdidiilS		14.06	14.11	Attempted suicide		2.7	5.7
Percent of students who, in past 30 days, used:				Attempted suicide and resulting injury, poisonng, or overdose		0.0	2.0
Alcohol		34.9	37.3	had to be treated by doctor or nurse		8.0	2.9
Alcohol (Binge: 5+ drinks on one occassion)		13.4	23.2	Percent of students who, in past 12 months:			
Cigarettes		20.8	23.9	Were threatened/injured with weapon at school		5.4	10.2
Chewing Tobacco		6.7	11.6	Were in a physical fight		24.8	32.4
Marijuana		6.7	12.6	Were in a fight and had to be treated by a doctor or nurse		1.3	7.3
Inhalants		0.7	4.0	Were in a light and had to be treated by a doctor of harse		1.0	7.0
Prescription medications not prescribed for student		3.4	5.6	Percent of students who, in past 3 months:			
Over-the-counter medications for non-medical use		3.4	5.2	Were victims of mean rumors or lies spread at school		28.2	58.4
Descript of students who do need 2 weeks word				Were made fun of by others		67.3	76.1
Percent of students who, in past 2 weeks, used: Alcohol (Binge: 5+ drinks on one occassion)				Were victims of an embarrassing or hurtful text message or something posted on the Internet		12.9	24.2
Percent whose friends used in past 12 months:				Spread mean rumors or lies about other kids at school		17.4	35.2
Alcohol		78.7	84.1	Made fun of other people		48.3	88.1
Cigarettes		71.8	-	Posted something on the internet or sent a text that might			
Marijuana		53.7		embarrass or hurt another student		12.8	16.6
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)		12.1					
Other mich (Godaine, ESD, Meth, Glub Brug, etc)		12.1	20.0	Percent of students who agree that:			
Percent who would likely use, if offered by a best friend:				Teachers notice and comment on student's good work		84.6	75.0
Alcohol		57.0	55.1	School provides feedback to parents on positive student		53.7	41.5
Cigarettes		13.4	27.8	performance			
Marijuana		6.7	19.9	Rules are enforced fairly		60.8	66.9
Percent who say it would be wrong to use:				Students of all races/ethnicities are treated equal		88.5	80.7
Alcohol		25.5	42.9	Percent of students who agree that:			
		81.9		Parents notice and comment on student's good work		87.9	79.7
Cigarettes Marijuana		82.6		Parents involve student in making family decisions		83.8	58.3
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)		96.0		It is important to be honest with parents regardless of		07.0	04.6
oner mich (Godanie, ESD, Meth, Glab Drug, etc)		90.0	34.9	consequences		87.2	81.8
Percent whose parents would disapprove if they use:				Student could ask parent for help with a personal problem		74.3	72.7
Alcohol		79.2	57.4	, , , , , , , , , , , , , , , , , , , ,			
Cigarettes		93.3	80.5	Missouri Student Survey is conducted biennially.			
Marijuana		96.0	88.7	Similar affirmative response choices for individual questions are			
Parcent who say it would be easy to obtain:				Blank data cells indicate estimates are not available for item or Survey is not conducted in every school district nor reported for			•
Percent who say it would be easy to obtain:		00.0	60.0	Estimates are not available for counties with small numbers of i			
Alcohol Cigarottos		89.9		Percentages are estimates based on weighted data.	البر ونجيانا	oont.	
Cigarettes		63.1		Some year-to-year differences in percentages are not statistica	ny signifi	uaril.	
Marijuana		45.0		Data source: Missouri Institute of Mental Health, 2010-2014 Mis	ssouri St	udent Sı	urveys
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)		18.8	29.4				

OAIITIE OEITE	VILVE OO	01111					
	DBH REGION	Southeast		IMPAIRED DRIVING	2013	2012	2011
	DBH SERVICE AREAS			Alcohol Involved CrashesTotal	21	17	22
	Substance Use	21		Fatal Crashes	1	2	0
	Adult Psychiatric	21		Injury Crashes	8	8	8
	POPULATION			Property Damage Crashes	12	7	14
	Census 2010	18,145		Crash Fatalities	1	2	0
	2014 Estimate	17,914		Crash Injuries	11	14	10
	}	.,,,,,,,		Drug Involved CrashesTotal	5	3	5
213				Fatal Crashes	0	0	0
				Injury Crashes	3	1	2
BIRTH RISK	2013	2012	2011	Property Damage Crashes	2	2	3
Resident BirthsTotal	174	156	175		0	0	
Mother Reported Smoking wh	nile Pregnant 34	37	53	Crash Fatalities Crash Injuries	4	1	0 2
DISEASE INCIDENCE 1	2013	2012	2011	Gradit injuned	•	•	_
HIV/AIDS Cases	0	0	0	POLICE REPORTS	2013	2012	2011
Hepatitis B Chronic, Acute, P		0	0	DUI Arrests, DWI Tracking System	112	112	129
Hepatitis C Chronic and Acut		16	8	Liquor Law Arrests	6	21	18
Tuberculosis Infection Cases		10	1	Drug Arrests	111	81	99
ruberediosis infection dases	U	•	'	Violent Offenses	44	61	66
DEATHS and INJURIES	2013	2012	2011	Property Offenses	198	233	209
Resident DeathsTotal	186	190	196	Domestic Violence Reports	110	99	104
Suicides	4	2	1		2014	2013	2012
Self-inflicted Injuries	21	20	16	Methamphetamine Lab Seizures	6	2	6
Homicides	0	0	0	·			
Assault Injuries	31	42	33	SCHOOL REPORTS	2013-14	2012-13	2011-12
Alcohol Induced Deaths	3	1	1	Enrollment Grades 9-12	632	622	606
Drug Induced Deaths	0	5	8	Drop-outs	6	11	17
Smoking Attributable Deaths	34	40	34	Drop-out Rate	1.0%	1.8%	2.8%
omoking / kindulable Deaths	04	40	04	School Discipline Involving Alcohol	0	3	0
HOSPITAL EPISODES 2	2013	2012	2011	School Discipline Involving Drugs	0	0	6
Hospitalization, no Emergence	y Room:			School Discipline Involving Tobacco	0	0	0
Mental Illness Principal Diag	gnosis 160	140	146				
Mental Illness Secondary Di	agnosis 410	395	458	JUVENILE COURT REFERRALS 3	2013	2012	2011
Alcohol Principal Diagnosis	12	4	5	Juvenile Violent Offenses	25	46	35
Alcohol Secondary Diagnosi	is 32	18	22	Juvenile Alcohol Offenses	4	2	9
Drug Principal Diagnosis	7	9	4	Juvenile Drug Offenses	3	5	9
Drug Secondary Diagnosis	9	8	19	School Truancy Status Offense	33	36	14
Emergency Room + Hospitali	ization:			Absent from Home Status Offense	1	2	0
Mental Illness Principal Diag		27	29	Beyond Parental Control Status Offense	13	4	10
Mental Illness Secondary Di		151	125	Injurious Behavior Status Offense	2	5	6
Alcohol Principal Diagnosis	4	2	2	Child Abuse	3	0	0
Alcohol Secondary Diagnosi		19	13	Child Neglect	3	6	3
Drug Principal Diagnosis	2	3	3	Child Custody Issues	0	0	1
Drug Secondary Diagnosis	7	7	11	JUVENILE COURT PLACEMENTS	2013	2012	2011
Emergency Room, no Hospita		•	• •	Out-of-Home PlacementsTotal	4	6	2
Mental Illness Principal Diag		149	185	Parental Alcohol Use Related	0	0	1
Mental Illness Secondary Di		252	196	Parental Drug Use Related	0	4	0
Alcohol Principal Diagnosis	21	19	21	Parental Alcohol and Drug Use	0	0	0
Alcohol Secondary Diagnosi		18	20	r dromary tooner and Drug Coo	Ü	Ŭ	Ü
Drug Principal Diagnosis	30	28	23	CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Secondary Diagnosis	28	22	23 17	Drug Court Participants	17	15	10
Drug Goodhaary Diagnosis	20	22	17	Probation/Parole AdmissionsDrug	57	55	74
ALCOHOL OUTLETS	2014	2013	2012	Probation/Parole AdmissionsDWI	10	6	15
Alcohol On-Premise Drink Lic		42	41	Prison AdmissionsDrug	21	31	26
Alcohol Package Carry-out Li		19	19	Prison AdmissionsDWI	2	3	7
			2012	All Kansas City hepatitis and TB case report	ts are include	ed in Jackson	County
EMPLOYMENT	2014	2013	2012	totals and all Joplin case reports are include			County
Labor Force	9,025	9,731	9,340	2 Beginning with 2010 data, diagnosis counts	for hospital a	and ER servic	
Employed	8,431	9,111	8,695	based on codes developed by the Healthcar Beginning in 2013, juvenile municipal violati			
Unemployed	594	620	645	court orders are categorized as status offen:			
Unemployment Rate	6.6%	6.4%	6.9%				

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	9	16	7
CSTAR Adolescent	*	9	11
CSTAR Women and Children	*	*	5
CSTAR General Adult	46	53	23
CSTAR Opioid	0	*	*
Primary Recovery Treatment	5	25	55
Clinical SATOP (CIP, YCIP, SROP)	13	21	20
Other Substance Abuse Treatment	0	*	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	62	75	90
- Adolescent Diversion Education Prograr	0	*	0
- Offender Education Program	23	30	36
- Weekend Intervention Program	18	16	19
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	0	*
Compulsive Gambling	0	0	0
Recovery Supports	15	15	5
Early Intervention	*	*	6

AU IMPER A DAMITTED	FY2014	FY2013	FY2012	DDIMARY DDIIC DDORLEM	FY2014	FY2013	FY2012
NUMBER ADMITTED Total Individuals	78	102	113	PRIMARY DRUG PROBLEM Alcohol	25	46	54
Total Malvidadis	70	102	113	Marijuana / Hashish	15	23	26
AGE				Cocaine (total)	*	*	*
Under 18	*	6	13	- Crack	*	*	0
18 to 24	19	26	22	Stimulant (total)	11	9	12
25 to 29	14	17	18	- Methamphetamine	10	8	10
30 to 34	11	17	12	- Methamphetamine Heroin	16	11	9
35 to 39	8	11	8	Analgesic except Heroin	6	12	7
40 to 44	*	9	13		0	0	0
45 to 54	17	9	25	- Non-Prescription Methadone	_		U
55 and Over	*	7	*	PCP, LSD, other Hallucinogen	0	0	*
654050				Tranquilizer Inhalant	0	0	0
GENDER	5 0	66	0.4			_	0
Male	52	66	84	Sedative	0	0	0
Female	26	36	29	Other Medication or Illicit Drug		0	0
RACE / ETHNICITY				Average Age at First Use of Drug	18.7	18.2	16.3
Caucasian	76	98	104				
African American	*	*	*	INJECTION DRUG USE			_
Native American / Alaskan	0	0	0	Any Injection Use at Admission	20	16	7
Asian / Pacific Islander	0	0	0	- Daily Injection Use	5	6	*
Hispanic	0	0	*	- Weekly Injection Use			*
Other Race / Two or More Races	0	*	*	- Less than Weekly Injection Use	12	8	*
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	18	28	38	0	42	50	56
High School Graduate or G.E.D.	47	56	49	1 or 2	24	33	28
Associate Degree or Some College	13	18	24	3 or More	12	19	29
Bachelor or Advanced Degree	0	0	*				
				TREATMENT REFERRAL SOURCE	47	00	00
EMPLOYMENT	0.5	20	47	Self / Family / Friend	17	22	22
Employed	25	39	47	School Martal Haalth Bravidan	0		0
Unemployed	35	46	41	Mental Health Provider	0	0	0
Not in Labor Force	18	17	25	Health Care Provider		0	
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	50	67	84
Independent Living	67	93	91	Other Referral Source	7	10	*
Dependent Living	6	7	15				
Homeless	*	0	*	TREATMENT ACCOMMODATION			
				Pregnant when Admitted to any Episode	*	*	*
MARITAL / FAMILY STATUS		_		Military Veteran	*	*	6
Never Married	48	58	75	Special Education Services Needed	*	6	12
Married / Cohabitating	12	23	22	Co-Occurring Psychological Problem	27	32	39
Previously Married	18	21	16	Co-Occurring Developmental Problem	*	7	7

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Southeast
PSYCHIATRIC SERVICE AREA 21
CENSUS 2010 18,145
2014 POPULATION ESTIMATE 17,914

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.							
DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012				
Adjustment Disorder	54	39	38				
Anxiety Disorder	75	51	72				
Dementia	0	0	*				
Developmental Disorder	0	0	*				
Impulse Control Disorder	75	63	82				
Mood Disorder	274	190	273				
Personality Disorder	6	6	10				
Psychotic Disorder	37	33	41				
Sexual Disorder	0	0	*				
Other Diagnosis	10	13	15				
Diagnosis Unknown	40	44	110				

Individuals who received psychiatric services had the following types of

NUMBER SERVED	FY2014	FY2013	FY2012	EDUCATION	FY2014	FY2013	FY2012
Total Individuals	501	393	586	Less than High School Diploma	47	53	37
Total Marviadalo	001	000	000	High School Grad or G.E.D.	0	0	36
AGE				Associate Degree or Some College	0	0	15
Under 6	*	0	5	Bachelor or Advanced Degree	0	0	*
6 to 9	14	11	24	Education Level Unknown	454	340	497
10 to 13	39	31	36	Education Level Officiown	707	340	457
14 to 17	39	29	32	EMPLOYMENT			
18 to 24	48	36	72	Employed	*	*	9
25 to 29	41	36	51	Unemployed	*	9	75
30 to 34	37	28	49	Not in Labor Force	94	105	23
35 to 39	52	45	60	Employment Status Unknown	400	275	479
40 to 44	38	33	48				
45 to 49	43	32	60	HOUSING / LIVING ARRANGEMENT			
50 to 54	60	42	58	Independent Living	47	55	62
55 to 59	37	33	43	Dependent Living	55	63	47
60 and Over	50	37	48	Homeless	0	*	*
Age Unknown	0	0	0	Other	0	0	0
CENDED				Housing Unknown	399	274	476
GENDER Male	219	170	275				
Female	282	223	311	TREATMENT REFERRAL SOURCE			
	_			Self / Family / Friend	275	216	377
Gender Unknown	0	0	0	School	*	*	*
RACE / ETHNICITY				Mental Health Provider	42	25	27
Caucasian	455	360	528	Health Care Provider	79	61	83
African American	21	14	16	Court / Criminal Justice	15	16	22
Native American / Alaskan	*	*	0	Other	84	71	71
Asian / Pacific Islander	0	0	0	Referral Source Unknown	*	*	*
Hispanic	14	10	31				
Other Race	10	8	11	TYPE OF COMMITMENT	405	200	570
Race/Ethnicity Unknown	0	0	0	Voluntary	495	389	578
•				Civil	0	0	*
TREATMENT ACCOMMODATION	0.5	00	00	Criminal	*	*	*
Hearing Impaired	25	20	32	Sexual Predatory			*
Past or Current Military Service	12	9	14	Commitment Type Unknown	*	*	*

MISSOURI STUDENT SURVEY

	2014	2012	2010		2014	2012	2010
Percent of students who have ever used:	2014	2012	2010	Percent who believe they risk harm if they use:	2014	2012	2010
Alcohol	41.8			Alcohol (1 or 2 drinks daily)	59.0		
Cigarettes	18.6			Alcohol (Binge: 5+ drinks once or twice a week)	75.4		
Chewing Tobacco	8.9			Alcohol (any use)			
Marijuana	15.0			Cigarettes (1+ packs per day)	89.5		
Inhalants	3.7			Cigarettes (any use)			
Prescription medications not prescribed for student	8.5			Marijuana (once or twice a week)	72.0		
Over-the-counter medications for non-medical use	3.3			Marijuana (any use)			
Methamphetamine	0.5			Other: Cocaine, LSD, Meth, Club Drug (any use)	92.9		
Cocaine	0.9						
Heroin	0.5			Percent of students who, in past 30 days:			
Hallucinogens	1.9			Were very sad	18.9		
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	2.4			Were grouchy, irritable, or in a bad mood	23.2		
Steroids not prescribed for student	0.9			Felt hopeless about the future	13.2		
Synthetic drugs (K2, bath salts, Spice, etc)	6.5			Felt like not eating or eating more than usual	13.3		
Symmetic drugs (Kz, bath saits, Spice, etc)	0.5			Slept a lot more or a lot less than usual	15.6		
Average age of students' first use of:				Had difficulty concentrating on school work	23.2		
Alcohol	13.40			Persont of students who in past 12 months			
Cigarettes	12.05			Percent of students who, in past 12 months:	116		
Marijuana	13.78			Seriously considered attempting suicide	14.6		
Inhalants	11.17			Made plan about how they would attempt suicide	9.9		
				Attempted suicide	5.6		
Percent of students who, in past 30 days, used:				Attempted suicide and resulting injury, poisonng, or overdose had to be treated by doctor or nurse	1.9		
Alcohol	16.0			nad to be treated by doctor or nurse			
Alcohol (Binge: 5+ drinks on one occassion)				Percent of students who, in past 12 months:			
Cigarettes	6.6			Were threatened/injured with weapon at school	7.0		
Chewing Tobacco	4.7			Were in a physical fight	15.0		
Marijuana	7.0			Were in a fight and had to be treated by a doctor or nurse	1.9		
Inhalants	0.9						
Prescription medications not prescribed for student	4.2			Percent of students who, in past 3 months:			
Over-the-counter medications for non-medical use	0.9			Were victims of mean rumors or lies spread at school	49.5		
Percent of students who, in past 2 weeks, used:				Were made fun of by others	61.0		
Alcohol (Binge: 5+ drinks on one occassion)	6.6			Were victims of an embarrassing or hurtful text message or	25.2		
Alcohol (blinge: 5+ drilliks off offe occassion)	0.0			something posted on the internet	20.2		
Percent whose friends used in past 12 months:				Spread mean rumors or lies about other kids at school	29.0		
Alcohol	53.1			Made fun of other people	53.5		
Cigarettes	32.7			Posted something on the internet or sent a text that might	9.4		
Marijuana	29.2			embarrass or hurt another student	3.4		
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	12.7			Percent of ctudents who agree that			
•				Percent of students who agree that:	81.2		
Percent who would likely use, if offered by a best friend:				Teachers notice and comment on student's good work	01.2		
Alcohol	30.4			School provides feedback to parents on positive student performance	48.8		
Cigarettes	7.5			'	74 5		
Marijuana	12.3			Rules are enforced fairly	71.5		
Percent who say it would be wrong to use:				Students of all races/ethnicities are treated equal	78.2		
Alcohol	65.1			Percent of students who agree that:			
Cigarettes	91.0			Parents notice and comment on student's good work	84.0		
•	83.1			Parents involve student in making family decisions	72.3		
Marijuana Other Illicit (Cocaine, LSD, Meth, Club Drug, etc.)	96.7			It is important to be honest with parents regardless of	65 -		
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	90.7			consequences	93.0		
Percent whose parents would disapprove if they use:				Student could ask parent for help with a personal problem	78.2		
Alcohol	76.9			and a second processing processin			
Cigarettes	92.5			Missouri Student Survey is conducted biennially.			
Marijuana	92.9			Similar affirmative response choices for individual questions are			
•				Blank data cells indicate estimates are not available for item or			
Percent who say it would be easy to obtain:				Survey is not conducted in every school district nor reported for Estimates are not available for counties with small numbers of			
Alcohol	55.9			Percentages are estimates based on weighted data.	·		
Cigarettes	42.5			Some year-to-year differences in percentages are not statistical	ılly signific	cant.	
Marijuana	32.9			Data source: Missouri Institute of Mental Health, 2010-2014 Mi	ssouri Sti	udent Su	ırvevs
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	13.1			The state of the s			, .

SAIRT TRAITS		• •					
	DBH REGION	Southeast		IMPAIRED DRIVING	2013	2012	2011
	DBH SERVICE AREAS			Alcohol Involved CrashesTotal	54	59	68
The 12 to 12	Substance Use	17		Fatal Crashes	4	2	5
	Adult Psychiatric	17B		Injury Crashes	23	29	25
	POPULATION			Property Damage Crashes	27	28	38
	Census 2010	65,359		Crash Fatalities	4	2	7
	2014 Estimate	65,960		Crash Injuries	33	40	36
				Drug Involved CrashesTotal	29	18	27
				Fatal Crashes	2	0	2
BIRTH RISK	2013	2012	2011	Injury Crashes	10	8	8
Resident BirthsTotal	743	751	762	Property Damage Crashes	17	10	17
Mother Reported Smoking whi	ile Pregnant 232	240	268	Crash Fatalities Crash Injuries	2 15	0 11	2 8
DISEASE INCIDENCE 1	2013	2012	2011	0.40,400		• • •	ū
HIV/AIDS Cases	1	2	1	POLICE REPORTS	2013	2012	2011
Hepatitis B Chronic, Acute, Pr		7	8	DUI Arrests, DWI Tracking System	298	384	411
Hepatitis C Chronic and Acute		115	127	Liquor Law Arrests	39	68	96
Tuberculosis Infection Cases	34	12	35	Drug Arrests	436	398	423
				Violent Offenses	151	177	182
DEATHS and INJURIES	2013	2012	2011	Property Offenses	1,933	1,911	1,744
Resident DeathsTotal	747	796	719	Domestic Violence Reports	240	277	327
Suicides	7	16	12	Mathamahatamina Lah Caizuraa	2014	2013	2012 71
Self-inflicted Injuries Homicides	174	172	162 2	Methamphetamine Lab Seizures	18	45	/ 1
Assault Injuries	4 292	0 332	261	SCHOOL REPORTS	2013-14	2012-13	2011-12
Alcohol Induced Deaths	292	8	3	Enrollment Grades 9-12	3,004	3,068	3,081
Drug Induced Deaths	23	32	18	Drop-outs	52	39	67
Smoking Attributable Deaths	148	169	140	Drop-out Rate	1.7%	1.3%	2.2%
ee.	1.10	100	110	School Discipline Involving Alcohol	1	3	0
HOSPITAL EPISODES 2	2013	2012	2011	School Discipline Involving Drugs	31	20	19
Hospitalization, no Emergency				School Discipline Involving Tobacco	0	1	2
Mental Illness Principal Diagr		851	1,090	JUVENILE COURT REFERRALS 3	2013	2012	2011
Mental Illness Secondary Dia	-	1,665	2,285	Juvenile Violent Offenses	237	234	145
Alcohol Principal Diagnosis	46	33	45	Juvenile Alcohol Offenses	11	6	5
Alcohol Secondary Diagnosis		103	104	Juvenile Drug Offenses	24	38	23
Drug Principal Diagnosis	85	74	84	School Truancy Status Offense	143	132	133
Drug Secondary Diagnosis Emergency Room + Hospitaliz	124	141	133	Absent from Home Status Offense	11	5	9
Mental Illness Principal Diagr		406	288	Beyond Parental Control Status Offense	75	86	50
Mental Illness Secondary Dia		1,749	1,228	Injurious Behavior Status Offense	25	30	23
Alcohol Principal Diagnosis	16	44	21	Child Abuse	13	11	10
Alcohol Secondary Diagnosis		124	74	Child Neglect	60	54	31
Drug Principal Diagnosis	20	46	21	Child Custody Issues	0	1	0
Drug Secondary Diagnosis	84	112	57	JUVENILE COURT PLACEMENTS	2013	2012	2011
Emergency Room, no Hospita	lization:			Out-of-Home PlacementsTotal	78	63	49
Mental Illness Principal Diagr	nosis 952	1,190	1,302	Parental Alcohol Use Related	0	8	1
Mental Illness Secondary Dia	ignosis 5,441	6,157	2,152	Parental Drug Use Related	28	25	16
Alcohol Principal Diagnosis	139	129	160	Parental Alcohol and Drug Use	5	0	2
Alcohol Secondary Diagnosis	163	208	178	CDINAINAL ILICTICE	EV2014	EV2012	EV2012
Drug Principal Diagnosis	228	210	220	CRIMINAL JUSTICE Drug Court Participants	FY2014 18	FY2013 23	FY2012 23
Drug Secondary Diagnosis	316	388	375	Probation/Parole AdmissionsDrug	238	219	23 171
ALCOHOL OUTLET	0011	2012	2012	Probation/Parole AdmissionsDWI	236	37	30
ALCOHOL OUTLETS Alcohol On-Premise Drink Lice	2014 enses 63	2013 66	2012 68	Prison AdmissionsDrug	156	129	128
Alcohol Package Carry-out Lic		55	53	Prison AdmissionsDWI	12	13	19
				1 All Kansas City hepatitis and TB case report	ts are include	nd in Jackson	County
EMPLOYMENT	2014	2013	2012	totals and all Joplin case reports are include	d in Jasper C	County totals.	
Labor Force Employed	26,216	29,730 27,476	28,124 25,733	2 Beginning with 2010 data, diagnosis counts based on codes developed by the Healthcar			
Unemployed	24,221 1,995	27,476 2,254	25,733 2,391	3 Beginning in 2013, juvenile municipal violati			
Unemployed	1,995	2,254	2,391	court orders are categorized as status offen			

7.6%

Unemployment Rate

7.6%

8.5%

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	87	100	76
CSTAR Adolescent	28	14	23
CSTAR Women and Children	21	25	15
CSTAR General Adult	294	320	233
CSTAR Opioid	*	*	*
Primary Recovery Treatment	127	307	391
Clinical SATOP (CIP, YCIP, SROP)	58	41	53
Other Substance Abuse Treatment	*	*	5

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	277	270	308
- Adolescent Diversion Education Prograr	0	0	0
- Offender Education Program	119	132	151
- Weekend Intervention Program	72	70	71
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	*	8
Compulsive Gambling	*	*	*
Recovery Supports	17	11	5
Early Intervention	81	57	36

NUMBER ADMITTED	FY2014	FY2013	FY2012	PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Total Individuals	529	649	686	Alcohol	159	170	188
				Marijuana / Hashish	102	122	166
AGE				Cocaine (total)	11	6	14
Under 18	28	14	27	- Crack	6	*	7
18 to 24	73	131	140	Stimulant (total)	87	119	100
25 to 29	117	121	149	- Methamphetamine	81	116	94
30 to 34	111	131	105	Heroin	76	103	89
35 to 39	62	74	92	Analgesic except Heroin	74	114	116
40 to 44	46	66	56	- Non-Prescription Methadone	*	0	0
45 to 54	61	90	91	PCP, LSD, other Hallucinogen	*	*	*
55 and Over	31	22	26		7	8	8
CENTER				Tranquilizer Inhalant	<i>'</i>	o *	o *
GENDER Male	321	416	476	Sedative	*	*	*
	208				10	*	*
Female	208	233	210	Other Medication or Illicit Drug	10	40.4	40.0
RACE / ETHNICITY				Average Age at First Use of Drug	18.8	19.1	18.6
Caucasian	506	617	643				
African American	15	27	38	INJECTION DRUG USE			
Native American / Alaskan	*	*	0	Any Injection Use at Admission	113	151	121
Asian / Pacific Islander	0	0	0	- Daily Injection Use	39	41	35
Hispanic	6	9	9	- Weekly Injection Use	26	46	32
Other Race / Two or More Races	6	*	*	- Less than Weekly Injection Use	48	64	54
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	189	209	257	0	333	422	444
High School Graduate or G.E.D.	238	336	330	1 or 2	131	140	152
Associate Degree or Some College	96	99	97	3 or More	65	87	90
Bachelor or Advanced Degree	6	5	*				
Ç				TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	157	186	178
Employed	125	166	162	School	0	0	*
Unemployed	253	352	379	Mental Health Provider	*	6	9
Not in Labor Force	151	131	145	Health Care Provider	23	31	24
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	275	365	426
Independent Living	417	543	585	Other Referral Source	62	54	47
Dependent Living	90	77	77				
Homeless	19	21	17	TREATMENT ACCOMMODATION			
Homoloss	13	21	17	Pregnant when Admitted to any Episode	17	14	8
MARITAL / FAMILY STATUS				Military Veteran	21	20	33
Never Married	279	335	369	Special Education Services Needed	44	56	80
Married / Cohabitating	130	173	169	Co-Occurring Psychological Problem	243	253	274
Previously Married	120	141	148	Co-Occurring Developmental Problem	33	85	82

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



PSYCHIATRIC SERVICE AREA 17B
CENSUS 2010 65,359
2014 POPULATION ESTIMATE 65,960

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder. FY2014 FY2013 FY2012 **DIAGNOSIS CATEGORY** Adjustment Disorder 12 14 16 **Anxiety Disorder** 250 208 244 Dementia 9 **Developmental Disorder** 19 18 14 Impulse Control Disorder 138 116 110 Mood Disorder 742 690 789 Personality Disorder 113 110 100 **Psychotic Disorder** 444 429 434 Sexual Disorder 132 118 136 Other Diagnosis 46 49 37 Diagnosis Unknown 172 229 229

Individuals who received psychiatric services had the following types of

NUMBER SERVED	FY2014	FY2013	FY2012	EDUCATION	FY2014	FY2013	FY2012
Total Individuals	1,769	1,740	1,678	Less than High School Diploma	381	411	341
. Star manifestation	.,. 00	.,0	.,0.0	High School Grad or G.E.D.	0	*	308
AGE				Associate Degree or Some College	0	*	69
Under 6	12	12	6	Bachelor or Advanced Degree	0	*	33
6 to 9	57	46	38	Education Level Unknown	1,388	1,324	927
10 to 13	78	75	85	Education Edver Children	1,000	1,021	021
14 to 17	95	83	87	EMPLOYMENT			
18 to 24	113	135	136	Employed	48	63	58
25 to 29	135	138	122	Unemployed	19	48	639
30 to 34	157	163	142	Not in Labor Force	768	784	111
35 to 39	151	153	133	Employment Status Unknown	934	845	870
40 to 44	185	163	159				
45 to 49	168	182	188	HOUSING / LIVING ARRANGEMENT			
50 to 54	221	211	207	Independent Living	239	272	512
55 to 59	168	165	166	Dependent Living	589	607	311
60 and Over	229	214	209	Homeless	10	11	*
Age Unknown	0	0	0	Other	0	0	19
CENTER				Housing Unknown	931	850	832
GENDER Male	4.050	4 005	4.040				
	1,052	1,025	1,010	TREATMENT REFERRAL SOURCE			
Female	717	715	668	Self / Family / Friend	519	522	512
Gender Unknown	0	0	0	School	15	13	12
RACE / ETHNICITY				Mental Health Provider	311	272	272
Caucasian	1,578	1,544	1,489	Health Care Provider	340	299	234
African American	146	153	148	Court / Criminal Justice	282	306	316
Native American / Alaskan	*	*	*	Other	295	319	322
Asian / Pacific Islander	*	*	*	Referral Source Unknown	7	9	10
Hispanic	15	17	18				
Other Race	24	19	18	TYPE OF COMMITMENT			
Race/Ethnicity Unknown	0	0	0	Voluntary	1,487	1,463	1,394
				Civil	*	5	5
TREATMENT ACCOMMODATION				Criminal	138	146	142
Hearing Impaired	88	85	78	Sexual Predatory	140	125	136
Past or Current Military Service	98	102	103	Commitment Type Unknown	*	*	*

MISSOURI STUDENT SURVEY

	MISS	OUF	RISI	JUENI SURVE
Percent of students who have ever used:	2014	2012	2010	Percent who believe the
Alcohol	37.3	44.5	46.4	Alcohol (1 or 2 drinks
Cigarettes	28.4	30.0	31.9	Alcohol (Binge: 5+ dri
Chewing Tobacco	19.7	20.3	16.7	Alcohol (any use)
Marijuana	19.5	19.0	15.9	Cigarettes (1+ packs)
Inhalants	2.2	7.7	7.1	Cigarettes (any use)
Prescription medications not prescribed for student	9.0	11.8	12.7	Marijuana (once or tw
Over-the-counter medications for non-medical use	3.2	8.0	8.0	Marijuana (any use)
Methamphetamine	1.1	1.4	1.0	Other: Cocaine, LSD,
Cocaine	0.8	2.3	1.4	Percent of students who
Heroin	0.6	1.5	8.0	Were very sad
Hallucinogens	1.8	3.8	3.0	Were grouchy, irritable
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	2.0	2.6	1.6	Felt hopeless about the
Steroids not prescribed for student	1.8	2.1	1.3	Felt like not eating or
Synthetic drugs (K2, bath salts, Spice, etc)	3.5	7.4		Slept a lot more or a l
Average age of students' first use of:				Had difficulty concent
Alcohol	13.23	12.37	12.07	riad dimedity concern
Cigarettes		12.23		Percent of students wh
Marijuana		13.49		Seriously considered
Inhalants		12.20		Made plan about how
				Attempted suicide
Percent of students who, in past 30 days, used:				Attempted suicide and
Alcohol	16.5	21.3	_	had to be treated by o
Alcohol (Binge: 5+ drinks on one occassion)		14.4	_	Percent of students who
Cigarettes	13.2	15.8	16.9	Were threatened/injur
Chewing Tobacco	10.3	10.0	9.7	Were in a physical fig
Marijuana	10.0	11.7	9.0	Were in a fight and ha
Inhalants	0.3	3.9	3.1	Percent of students who
Prescription medications not prescribed for student	5.4	7.4	7.3	Were victims of mean
Over-the-counter medications for non-medical use	1.4	5.0	5.5	Were made fun of by
Percent of students who, in past 2 weeks, used: Alcohol (Binge: 5+ drinks on one occassion)	7.2			Were victims of an en
Autorior (Bingo. 61 diffication of occassion)	7.2			something posted on
Percent whose friends used in past 12 months:				Spread mean rumors
Alcohol	46.8	58.9	63.8	Made fun of other peo
Cigarettes	41.5	50.1	50.9	Posted something on embarrass or hurt and
Marijuana	33.1	40.3	36.8	Cilibariass of fluit and
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	9.3	17.1	17.2	Percent of students who
Percent who would likely use, if offered by a best friend:				Teachers notice and
Alcohol	26.4	35.8	34.7	School provides feedl
Cigarettes	14.4	18.4	16.3	performance
Marijuana	14.2	16.6	12.0	Rules are enforced fa Students of all races/e
Percent who say It would be wrong to use:				Percent of students who
Alcohol	64.6	54.0	60.1	Parents notice and co
Cigarettes	81.6	75.0	76.5	Parents involve stude
Marijuana	80.5	77.7	83.9	It is important to be he
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.4	94.9	95.7	consequences
Percent whose parents would disapprove if they use:				Student could ask par
Alcohol	81.4	74.9	77.5	
Cigarettes	90.3	88.0	88.5	Missouri Student Surve
Marijuana	92.8	92.3	93.8	Similar affirmative responsible Blank data cells indicate Survey is not conducted
Percent who say it would be easy to obtain:	157	50 7	57 7	Estimates are not availa
Alcohol	45.7 50.4	58.7	57.7	Percentages are estima
Cigarettes	50.4	57.1	59.0	Some year-to-year diffe
Marijuana Other Illicit (Coccine LSD Meth Club Drug etc)	34.5	38.8	34.7	Data source: Missouri I
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	11.7	18.1	18.0	

DENT SURVET			
Descent who hollows they risk how is fithey year.	2014	2012	2010
Percent who believe they risk harm if they use:	56.3		
Alcohol (1 or 2 drinks daily) Alcohol (Binge: 5+ drinks once or twice a week)	67.2		
Alcohol (any use)	07.2	70.6	76.9
Cigarettes (1+ packs per day)	82.7	70.0	10.5
Cigarettes (any use)	02.7	78.0	78.4
Marijuana (once or twice a week)	62.4	70.0	70.1
Marijuana (any use)		70.5	73.8
Other: Cocaine, LSD, Meth, Club Drug (any use)	93.9	94.2	94.3
Percent of students who, in past 30 days:			
Were very sad	18.6	21.9	18.1
Were grouchy, irritable, or in a bad mood	21.3	30.2	24.5
Felt hopeless about the future	9.1	13.0	12.5
Felt like not eating or eating more than usual	18.2	19.3	18.5
Slept a lot more or a lot less than usual	17.9	22.1	27.8
Had difficulty concentrating on school work	19.6	28.2	28.6
•			
Percent of students who, in past 12 months:	40.4	45.0	44.0
Seriously considered attempting suicide	12.4	15.2 11.9	11.8
Made plan about how they would attempt suicide	8.5		8.9
Attempted suicide	5.4	7.3	5.1
Attempted suicide and resulting injury, poisonng, or overdose had to be treated by doctor or nurse	1.8	2.2	1.3
•			
Percent of students who, in past 12 months:	4.3	5.0	9.5
Were threatened/injured with weapon at school Were in a physical fight	21.6	21.4	27.3
Were in a physical light Were in a fight and had to be treated by a doctor or nurse	2.5	3.7	4.7
word in a right and had to be treated by a doctor or harse	2.0	0.7	7.7
Percent of students who, in past 3 months:			
Were victims of mean rumors or lies spread at school	44.4	48.8	56.6
Were made fun of by others	50.6	58.3	68.8
Were victims of an embarrassing or hurtful text message or something posted on the internet	20.6	21.7	18.8
	40.0	00.4	20.4
Spread mean rumors or lies about other kids at school	18.8	23.4 61.9	30.1 71.2
Made fun of other people Posted something on the internet or sent a text that might	43.3	61.9	/1.2
embarrass or hurt another student	15.7	14.2	14.8
Percent of students who agree that:			
Teachers notice and comment on student's good work	79.0	63.5	64.6
School provides feedback to parents on positive student performance	48.3	31.7	37.3
•	77.0	50.4	07.0
Rules are enforced fairly	77.9	59.4	67.9
Students of all races/ethnicities are treated equal	85.5	72.3	78.7
Percent of students who agree that:			
Parents notice and comment on student's good work	85.0	79.1	82.6
Parents involve student in making family decisions	72.2	65.0	67.7
It is important to be honest with parents regardless of	90.4	85.9	84.6
consequences			
Student could ask parent for help with a personal problem	79.4	74.0	75.9

ey is conducted biennially.
ponse choices for individual questions are combined. te estimates are not available for item or geographic area. ed in every school district nor reported for every county. lable for counties with small numbers of respondents. nates based on weighted data.

ferences in percentages are not statistically significant.

Institute of Mental Health, 2010-2014 Missouri Student Surveys

CAINT LOUIS SO	51411						
DBH R	EGION	Eastern		IMPAIRED DRIVING	2013	2012	2011
DBH S	ERVICE AREAS			Alcohol Involved CrashesTotal	695	773	772
Subs	stance Use	23-25 (SL)		Fatal Crashes	11	9	12
Adul	t Psychiatric	23		Injury Crashes	238	270	261
POPUL	LATION			Property Damage Crashes	446	494	499
	sus 2010	998,954		Crash Fatalities	16	10	13
2014	1 Estimate	1,001,876		Crash Injuries	321	369	379
				Drug Involved CrashesTotal	146	136	126
				Fatal Crashes	3	1	3
BIRTH RISK	2013	2012	2011	Injury Crashes	57	62	58
Resident BirthsTotal	11,510	11,534	11,934	Property Damage Crashes	86	73	65
Mother Reported Smoking while Pre	gnant 978	1,046	1,116	Crash Fatalities Crash Injuries	5 73	1 84	3 56
DISEASE INCIDENCE 1	2013	2012	2011	Gradit injuned	, 0	0.	00
HIV/AIDS Cases	108	136	97	POLICE REPORTS	2013	2012	2011
Hepatitis B Chronic, Acute, Prenatal		109	102	DUI Arrests, DWI Tracking System	4,635	5,247	5,144
Hepatitis C Chronic and Acute	573	506	584	Liquor Law Arrests	1,140	1,493	1,523
Tuberculosis Infection Cases	565	407	494	Drug Arrests	7,832	8,312	8,263
				Violent Offenses	2,972	3,020	3,071
DEATHS and INJURIES	2013	2012	2011	Property Offenses	24,712	26,824	28,609
Resident DeathsTotal	9,452	9,364	9,177	Domestic Violence Reports	3,884	4,336	4,889
Suicides	133	134	131	Mathamahatanina Lah Cainuna	2014	2013	2012
Self-inflicted Injuries	818	929	950	Methamphetamine Lab Seizures	102	74	130
Homicides	77	82	72	SCHOOL REPORTS	2013-14	2012-13	2011-12
Assault Injuries Alcohol Induced Deaths	3,347 53	3,886 65	3,785	Enrollment Grades 9-12	44,895	45,928	46,496
Drug Induced Deaths	172	149	49 161	Drop-outs	979	1,060	1,223
Smoking Attributable Deaths	1,439	1,465	1,401	Drop-out Rate	2.2%	2.3%	2.6%
Smoking Attributable Deaths	1,439	1,405	1,401	School Discipline Involving Alcohol	62	74	77
HOSPITAL EPISODES 2	2013	2012	2011	School Discipline Involving Drugs	322	340	411
Hospitalization, no Emergency Roon	n:			School Discipline Involving Tobacco	8	8	6
Mental Illness Principal Diagnosis	5,138	3,942	4,794	JUVENILE COURT REFERRALS 3	2013	2012	2011
Mental Illness Secondary Diagnosis	s 11,358	8,692	10,470	Juvenile Violent Offenses	1,305	1,395	1,382
Alcohol Principal Diagnosis	421	323	341	Juvenile Alcohol Offenses	124	173	166
Alcohol Secondary Diagnosis	943	479	887	Juvenile Drug Offenses	354	412	450
Drug Principal Diagnosis	472	437	570	School Truancy Status Offense	368	362	310
Drug Secondary Diagnosis	1,002	584	836	Absent from Home Status Offense	961	1,033	930
Emergency Room + Hospitalization:		7.070	0.444	Beyond Parental Control Status Offense	149	143	162
Mental Illness Principal Diagnosis	5,774	7,070	6,114	Injurious Behavior Status Offense	99	107	60
Mental Illness Secondary Diagnosis	s 20,100 589	24,273 737	21,502 632	Child Abuse	477	428	523
Alcohol Principal Diagnosis Alcohol Secondary Diagnosis	2,038	2,436	2,023	Child Neglect	1,013	869	938
Drug Principal Diagnosis	380	429	382	Child Custody Issues	136	152	140
Drug Secondary Diagnosis	1,292	1,687	1,388	JUVENILE COURT PLACEMENTS	2013	2012	2011
Emergency Room, no Hospitalization	•	1,007	1,000	Out-of-Home PlacementsTotal	405	372	415
Mental Illness Principal Diagnosis	7,697	7,678	6,860	Parental Alcohol Use Related	10	5	10
Mental Illness Secondary Diagnosis	•	24,388	19,262	Parental Drug Use Related	89	83	102
Alcohol Principal Diagnosis	1,740	1,767	1,674	Parental Alcohol and Drug Use	6	3	7
Alcohol Secondary Diagnosis	1,595	1,770	1,549	-			
Drug Principal Diagnosis	1,242	1,294	1,304	CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Secondary Diagnosis	1,896	1,892	1,875	Drug Court Participants	349	325	260
-				Probation/Parole AdmissionsDrug	1,002	797	680
ALCOHOL OUTLETS	2014	2013	2012	Probation/Parole AdmissionsDWI	352	274	259
Alcohol On-Premise Drink Licenses	1,243	1,230	1,255	Prison Admissions - DWI	284	294	297 55
Alcohol Package Carry-out Licenses	648	644	662	Prison AdmissionsDWI	72	69	55
EMPLOYMENT	2014	2013	2012	1 All Kansas City hepatitis and TB case report			
Labor Force	530,449	513,847	513,956	totals and all Joplin case reports are include Beginning with 2010 data, diagnosis counts			
Employed	499,383	480,389	479,555	based on codes developed by the Healthcar	re Cost and L	Itilization Proj	ject.
Unemployed	31,066	33,458	34,401	3 Beginning in 2013, juvenile municipal violati court orders are categorized as status offen:			
Unampleyment Date	E 00/	C E0/	6.70/	<u> </u>			

5.9%

6.5%

6.7%

Unemployment Rate

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	444	489	450
CSTAR Adolescent	132	122	114
CSTAR Women and Children	319	285	319
CSTAR General Adult	889	767	696
CSTAR Opioid	192	187	198
Primary Recovery Treatment	267	316	357
Clinical SATOP (CIP, YCIP, SROP)	1,021	1,056	985
Other Substance Abuse Treatment	198	183	189

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	3,773	4,187	4,148
- Adolescent Diversion Education Prograr	213	185	176
- Offender Education Program	1,450	1,667	1,744
- Weekend Intervention Program	776	874	867
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	107	119	131
Compulsive Gambling	33	48	51
Recovery Supports	18	25	16
Early Intervention	293	268	49

NUMBER ADMITTED	FY2014	FY2013	FY2012	PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Total Individuals	2,896	2,865	2,816	Alcohol	1,273	1,305	1.281
	,	,	,	Marijuana / Hashish	476	462	432
AGE				Cocaine (total)	165	151	223
Under 18	136	126	111	- Crack	119	112	151
18 to 24	404	402	456	Stimulant (total)	70	59	42
25 to 29	502	505	533	- Methamphetamine	60	54	36
30 to 34	502	490	456	Heroin	790	759	734
35 to 39	327	310	284	Analgesic except Heroin	87	82	76
40 to 44	277	270	282	- Non-Prescription Methadone	*	0	*
45 to 54	503	541	525	PCP, LSD, other Hallucinogen	15	15	9
55 and Over	245	221	169	_	12	16	11
CENDED				Tranquilizer Inhalant	1Z *	*	*
GENDER Male	2,068	2,079	1.000	Sedative	*	*	*
	,	,	1,990			44	*
Female	828	786	825	Other Medication or Illicit Drug	6	11	40.0
RACE / ETHNICITY				Average Age at First Use of Drug	19.0	18.8	19.0
Caucasian	1,786	1,753	1,722				
African American	1,005	1,007	1,009	INJECTION DRUG USE			
Native American / Alaskan	7	*	*	Any Injection Use at Admission	574	533	491
Asian / Pacific Islander	7	10	8	- Daily Injection Use	327	270	271
Hispanic	33	38	29	- Weekly Injection Use	126	131	101
Other Race / Two or More Races	70	67	55	- Less than Weekly Injection Use	121	132	119
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	735	749	723	0	1,461	1,421	1,473
High School Graduate or G.E.D.	1,187	1,119	1,185	1 or 2	924	935	898
Associate Degree or Some College	923	935	835	3 or More	511	509	445
Bachelor or Advanced Degree	50	62	73				
_				TREATMENT REFERRAL SOURCE	004	004	004
EMPLOYMENT	4 000	207	0.45	Self / Family / Friend	924	884	891
Employed	1,029	907	915	School	10	6	11
Unemployed	900	1,011	1,036	Mental Health Provider	26	15	15
Not in Labor Force	967	947	865	Health Care Provider	120	89	73
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	1,577	1,673	1,631
Independent Living	2,499	2,415	2,347	Other Referral Source	200	167	183
Dependent Living	193	177	180				
Homeless	112	139	166	TREATMENT ACCOMMODATION			
		100	100	Pregnant when Admitted to any Episode	81	54	63
MARITAL / FAMILY STATUS				Military Veteran	129	132	119
Never Married	1,989	1,931	1,906	Special Education Services Needed	177	170	126
Married / Cohabitating	481	488	474	Co-Occurring Psychological Problem	733	713	724
Previously Married	426	446	436	Co-Occurring Developmental Problem	72	142	109

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Eastern
PSYCHIATRIC SERVICE AREA 23
CENSUS 2010 998,954
2014 POPULATION ESTIMATE 1,001,876

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder. FY2014 FY2013 FY2012 **DIAGNOSIS CATEGORY** Adjustment Disorder 37 46 60 **Anxiety Disorder** 598 756 641 Dementia 5 6 **Developmental Disorder** 36 42 46 Impulse Control Disorder 656 559 549 **Mood Disorder** 2,957 2,862 3,152 Personality Disorder 296 236 213 Psychotic Disorder 1,729 1,698 1,659 Sexual Disorder 9 7 6 Other Diagnosis 127 114 113 Diagnosis Unknown 419 482 590

Individuals who received psychiatric services had the following types of

NUMBER SERVED	FY2014	FY2013	FY2012	EDUCATION	FY2014	FY2013	FY2012
Total Individuals	5,674	5,536	5,535	Less than High School Diploma	1,152	1,150	791
				High School Grad or G.E.D.	0	*	846
AGE				Associate Degree or Some College	0	*	404
Under 6	27	29	13	Bachelor or Advanced Degree	0	0	278
6 to 9	180	158	165	Education Level Unknown	4,522	4,379	3,216
10 to 13	315	284	301		,-	,	-, -
14 to 17	429	418	450	EMPLOYMENT			
18 to 24	536	542	561	Employed	341	329	336
25 to 29	433	430	461	Unemployed	465	445	1,885
30 to 34	509	473	462	Not in Labor Force	2,626	2,648	476
35 to 39	431	429	424	Employment Status Unknown	2,242	2,114	2,838
40 to 44	490	495	471				
45 to 49	603	624	650	HOUSING / LIVING ARRANGEMENT			
50 to 54	647	655	611	Independent Living	1,357	1,313	2,102
55 to 59	530	502	448	Dependent Living	1,874	1,945	580
60 and Over	544	497	518	Homeless	115	87	82
Age Unknown	0	0	0	Other	0	0	48
				Housing Unknown	2,328	2,191	2,723
GENDER				•			
Male	2,747	2,691	2,734	TREATMENT REFERRAL SOURCE			
Female	2,927	2,845	2,801	Self / Family / Friend	1,208	1,259	1,352
Gender Unknown	0	0	0	School	121	102	102
RACE / ETHNICITY				Mental Health Provider	749	812	930
Caucasian	2,681	2,610	2,667	Health Care Provider	999	893	737
African American	2,677	2,646	2,597	Court / Criminal Justice	264	286	341
Native American / Alaskan	*	*	5	Other	2,323	2,176	2,057
Asian / Pacific Islander	24	29	21	Referral Source Unknown	10	8	16
Hispanic	77	63	66			ŭ	
Other Race	211	184	179	TYPE OF COMMITMENT			
Race/Ethnicity Unknown	0	0	0	Voluntary	5,579	5,435	5,413
rado, Ethnoly Onknown	0	U	J	Civil	13	15	22
TREATMENT ACCOMMODATION				Criminal	66	71	82
Hearing Impaired	194	202	178	Sexual Predatory	5	7	9
Past or Current Military Service	114	108	119	Commitment Type Unknown	11	8	9

MISSOURI STUDENT SURVEY

Percent of students who have ever used:	2014	2012	2010	Percent who believe they risk harm if they use:	2014	2012	2010
Alcohol	30.0	36.9	41.2	Alcohol (1 or 2 drinks daily)	70.4		
Cigarettes	11.9	19.0	21.6	Alcohol (Binge: 5+ drinks once or twice a week)	80.5		
Chewing Tobacco	3.6	4.4	4.7	Alcohol (any use)		70.8	73.0
Marijuana	15.9	19.7	19.9	Cigarettes (1+ packs per day)	89.4		
Inhalants	2.0	4.4	5.4	Cigarettes (any use)		83.9	83.8
Prescription medications not prescribed for student	6.7	8.1	9.1	Marijuana (once or twice a week)	66.0		
Over-the-counter medications for non-medical use	3.0	5.3	6.7	Marijuana (any use)		68.9	72.5
Methamphetamine	0.4	1.0	0.5	Other: Cocaine, LSD, Meth, Club Drug (any use)	92.4	92.9	93.3
Cocaine	1.0	1.8	1.3	Percent of students who, in past 30 days:			
Heroin	0.3	0.9	0.6	Were very sad	18.5	17.8	20.6
Hallucinogens	1.9	3.2	2.8	Were grouchy, irritable, or in a bad mood	22.9	23.4	25.0
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.4	2.4	2.0	Felt hopeless about the future	11.1	10.8	12.7
Steroids not prescribed for student	0.9	1.2	8.0	Felt like not eating or eating more than usual	15.9	15.4	18.8
Synthetic drugs (K2, bath salts, Spice, etc)	1.9	5.1		Slept a lot more or a lot less than usual	18.6	19.8	26.2
Average age of students' first use of:				Had difficulty concentrating on school work	23.9	24.4	24.0
Alcohol	13.56	13.09	12.77	Develop to of attribute who in most 12 months			
Cigarettes	13.56	13.01	12.68	Percent of students who, in past 12 months: Seriously considered attempting suicide	11 5	12.3	11.6
Marijuana	14.40	13.90	13.67	Made plan about how they would attempt suicide	11.5 8.3	8.4	11.6 8.1
Inhalants	11.24	11.77	11.51	Attempted suicide	4.8	5.6	5.4
Percent of students who, in past 30 days, used:				Attempted suicide and resulting injury, poisoning, or overdose	4.0	5.0	3.4
Alcohol	14.7	18.0	20.0	had to be treated by doctor or nurse	1.6	2.0	2.2
Alcohol (Binge: 5+ drinks on one occassion)	17.7	10.7	10.6	·			
Cigarettes	4.3	8.8	11.2	Percent of students who, in past 12 months:			
Chewing Tobacco	2.0	2.2	2.3	Were threatened/injured with weapon at school	4.4	5.8	9.0
Marijuana	9.1	11.2		Were in a physical fight	14.9	20.3	24.2
Inhalants	1.0	1.9	2.8	Were in a fight and had to be treated by a doctor or nurse	2.3	3.6	3.8
Prescription medications not prescribed for student	3.7	4.6	5.9	Percent of students who, in past 3 months:			
Over-the-counter medications for non-medical use	1.6	3.2	4.3	Were victims of mean rumors or lies spread at school	43.7	43.9	50.2
Description to the second				Were made fun of by others	57.8	59.6	68.1
Percent of students who, in past 2 weeks, used: Alcohol (Binge: 5+ drinks on one occassion)	6.4			Were victims of an embarrassing or hurtful text message or something posted on the internet	25.1	20.2	19.6
Percent whose friends used in past 12 months:				Spread mean rumors or lies about other kids at school	26.1	29.7	34.6
Alcohol	42.1	50.6	55.3	Made fun of other people	55.7	64.8	74.9
Cigarettes	27.2	38.8	42.0	Posted something on the internet or sent a text that might	18.3	16.7	19.9
Marijuana Marijuana	34.6	41.5	42.3	embarrass or hurt another student	10.3	10.7	19.9
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	12.3	15.6	17.0	Percent of students who agree that:			
				Teachers notice and comment on student's good work	75.8	73.6	74.4
Percent who would likely use, if offered by a best friend:	20.7	20 F	24.0	School provides feedback to parents on positive student	70.0	70.0	
Alcohol	22.7	29.5		performance	47.2	43.1	44.9
Cigarettes	6.5 14.3	10.6 16.2		Rules are enforced fairly	71.2	66.7	66.9
Marijuana	14.5	10.2	10.7	Students of all races/ethnicities are treated equal	74.5	69.3	74.0
Percent who say it would be wrong to use:				· ·			
Alcohol	68.4	61.5	59.6	Percent of students who agree that:	04.5	00.7	04.4
Cigarettes	89.7	83.7	81.9	Parents notice and comment on student's good work	84.5	83.7	84.4
Marijuana	78.3	76.8	77.6	Parents involve student in making family decisions	73.6	71.2	72.0
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.2	94.6	94.7	It is important to be honest with parents regardless of consequences	86.0	83.4	81.5
Percent whose parents would disapprove if they use:				Student could ask parent for help with a personal problem	79.8	77.2	76.7
Alcohol	84.1	80.6	80.3	, , , , , , , , , , , , , , , , , , , ,			
Cigarettes	95.4	92.1	91.8	Missouri Student Survey is conducted biennially.			
Marijuana	93.2	92.1	93.0	Similar affirmative response choices for individual questions an Blank data cells indicate estimates are not available for item or			
Percent who say it would be easy to obtain:				Survey is not conducted in every school district nor reported for			
Alcohol	54.0	60.4	60.9	Estimates are not available for counties with small numbers of			
Cigarettes	42.4	50.8	53.7	Percentages are estimates based on weighted data. Some year-to-year differences in percentages are not statistical.	lly signifi	cant.	
Marijuana	37.9	42.9	43.4	<u> </u>			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	13.9	17.8		Data source: Missouri Institute of Mental Health, 2010-2014 Mi	ssouri St	udent Su	ırveys
and the control of th							

OALINE GOOM							
DBH REC	SION	Central		IMPAIRED DRIVING	2013	2012	2011
DBH SER	VICE AREAS			Alcohol Involved CrashesTotal	16	16	22
Substa	ance Use	12		Fatal Crashes	1	1	0
Adult F	Psychiatric	12		Injury Crashes	5	8	7
POPULA	TION			Property Damage Crashes	10	7	15
Censu	s 2010	23,370		Crash Fatalities	2	1	0
2014 E	Estimate	23,347		Crash Injuries	9	8	9
				Drug Involved CrashesTotal	6	5	6
				Fatal Crashes	0	1	0
BIRTH RISK	2013	2012	2011	Injury Crashes	2	2	0
Resident BirthsTotal	293	325	304	Property Damage Crashes	4	2	6
Mother Reported Smoking while Pregr		65	85	Crash Fatalities	0	2	0
Mother Reported Smoking while Fregr	iant 70	00	03	Crash Injuries	3	4	0
DISEASE INCIDENCE 1	2013	2012	2011				
HIV/AIDS Cases	0	1	1	POLICE REPORTS	2013	2012	2011
Hepatitis B Chronic, Acute, Prenatal	4	0	0	DUI Arrests, DWI Tracking System	133	192	157
Hepatitis C Chronic and Acute	9	7	8	Liquor Law Arrests	19	42	48
Tuberculosis Infection Cases	4	8	6	Drug Arrests	257	207	128
				Violent Offenses	31	34	69
DEATHS and INJURIES	2013	2012	2011	Property Offenses	460	471	470
Resident DeathsTotal	291	228	280	Domestic Violence Reports	117	67	99
Suicides	1	4	4	Mathamahatamina Lah Cainuna	2014	2013	2012
Self-inflicted Injuries	34	27	43	Methamphetamine Lab Seizures	0	0	0
Homicides	0	1	0	SCHOOL REPORTS	2013-14	2012-13	2011-12
Assault Injuries	48	41	68	Enrollment Grades 9-12	1,070	1,065	1,037
Alcohol Induced Deaths	1	0	0	Drop-outs	25	23	25
Drug Induced Deaths		4	5 50	Drop-out Rate	2.3%	2.2%	2.4%
Smoking Attributable Deaths	56	38	50	School Discipline Involving Alcohol	0	0	0
HOSPITAL EPISODES 2	2013	2012	2011	School Discipline Involving Drugs	0	1	1
Hospitalization, no Emergency Room:				School Discipline Involving Tobacco	0	0	0
Mental Illness Principal Diagnosis	248	269	219	JUVENILE COURT REFERRALS 3	2013	2012	2011
Mental Illness Secondary Diagnosis	448	499	570	Juvenile Violent Offenses	2013 45	37	50
Alcohol Principal Diagnosis	11	6	8	Juvenile Alcohol Offenses	7	13	4
Alcohol Secondary Diagnosis	25	37	53	Juvenile Drug Offenses	15	9	11
Drug Principal Diagnosis	9	7	3	School Truancy Status Offense	13	13	8
Drug Secondary Diagnosis	17	32	18	Absent from Home Status Offense	1	7	11
Emergency Room + Hospitalization:				Beyond Parental Control Status Offense	27	35	29
Mental Illness Principal Diagnosis	54	76	61	Injurious Behavior Status Offense	13	11	14
Mental Illness Secondary Diagnosis	370	484	437	Child Abuse	0	0	1
Alcohol Principal Diagnosis	34	22	9	Child Neglect	0	0	1
Alcohol Secondary Diagnosis	30	32	17	Child Custody Issues	19	14	25
Drug Principal Diagnosis	7	11	7	oa casteay tesace			0
Drug Secondary Diagnosis	15	20	24	JUVENILE COURT PLACEMENTS	2013	2012	2011
Emergency Room, no Hospitalization:				Out-of-Home PlacementsTotal	18	21	29
Mental Illness Principal Diagnosis	248	199	193	Parental Alcohol Use Related	0	0	0
Mental Illness Secondary Diagnosis	512	469	563	Parental Drug Use Related	4	9	6
Alcohol Principal Diagnosis	53	36	28	Parental Alcohol and Drug Use	0	0	0
Alcohol Secondary Diagnosis	80	51	55	CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Principal Diagnosis	27	18	17	Drug Court Participants	21	19	22
Drug Secondary Diagnosis	50	40	32	Probation/Parole AdmissionsDrug	83	106	71
ALCOHOL OUTLETS	2014	2013	2012	Probation/Parole AdmissionsDWI	13	13	15
Alcohol On-Premise Drink Licenses	25	28	24	Prison AdmissionsDrug	68	61	61
Alcohol Package Carry-out Licenses	30	29	32	Prison AdmissionsDWI	7	8	14
EMPLOYMENT	2014	2013	2012	1 All Kansas City hepatitis and TB case report	ts are include	ed in Jackson	County
Labor Force	11,210	11,755	11,296	totals and all Joplin case reports are include	d in Jasper C	County totals.	-
Employed	10,580	11,733	10,580	2 Beginning with 2010 data, diagnosis counts based on codes developed by the Healthcar			
Unemployed	630	643	716	3 Beginning in 2013, juvenile municipal violati	ons, infraction	ns, and violat	ions of
Unemployment Rate	5.6%		6.3%	court orders are categorized as status offens	ses instead o	t law violation	ns.

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	6	15	15
CSTAR Adolescent	6	*	5
CSTAR Women and Children	7	6	6
CSTAR General Adult	68	74	66
CSTAR Opioid	0	0	0
Primary Recovery Treatment	7	17	23
Clinical SATOP (CIP, YCIP, SROP)	17	22	7
Other Substance Abuse Treatment	*	0	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	86	97	91
- Adolescent Diversion Education Prograr	0	0	0
- Offender Education Program	38	49	42
- Weekend Intervention Program	14	19	27
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	*	7
Compulsive Gambling	0	*	0
Recovery Supports	143	111	90
Early Intervention	0	*	9

NUMBER ADMITTED	FY2014	FY2013	FY2012	PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Total Individuals	106	117	128	Alcohol	48	48	43
				Marijuana / Hashish	23	26	38
AGE				Cocaine (total)	*	*	*
Under 18	6	*	5	- Crack	0	*	*
18 to 24	19	23	25	Stimulant (total)	26	28	29
25 to 29	13	22	22	- Methamphetamine	25	28	27
30 to 34	22	19	28	Heroin	*	*	*
35 to 39	17	11	17	Analgesic except Heroin	6	7	8
40 to 44	14	14	9	- Non-Prescription Methadone	0	0	0
45 to 54	10	18	13	PCP, LSD, other Hallucinogen	0	0	*
55 and Over	5	6	9	Tranquilizer	0	0	0
GENDER				Inhalant	*	0	0
Male	68	74	80	Sedative	0	0	*
Female	38	43	48	Other Medication or Illicit Drug	0	*	*
1 emale	30	45	40	Average Age at First Use of Drug	17.4	17.4	17.9
RACE / ETHNICITY				Average Age at this tose of Drug	17.4	17.4	17.5
Caucasian	88	92	103	INVESTIGATION DRIVE LIST			
African American	10	18	14	INJECTION DRUG USE	17	14	17
Native American / Alaskan	0	*	*	Any Injection Use at Admission	*	14	*
Asian / Pacific Islander	0	*	*	- Daily Injection Use	0		_
Hispanic	5	*	*	- Weekly Injection Use	8	8	5
Other Race / Two or More Races	*	*	5	- Less than Weekly Injection Use	6	^	9
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	27	29	38	0	60	61	76
High School Graduate or G.E.D.	53	61	63	1 or 2	30	38	40
Associate Degree or Some College	25	23	25	3 or More	16	18	12
Bachelor or Advanced Degree	*	*	*				
Ç				TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	29	38	46
Employed	26	38	31	School	0	0	0
Unemployed	43	38	40	Mental Health Provider	*	*	*
Not in Labor Force	37	41	57	Health Care Provider	6	9	6
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	43	54	65
Independent Living	83	101	111	Other Referral Source	23	11	10
Dependent Living	11	7	11				
Homeless	*	6	*	TREATMENT ACCOMMODATION			
Tomologo		0		Pregnant when Admitted to any Episode	*	*	0
MARITAL / FAMILY STATUS				Military Veteran	*	*	*
Never Married	66	66	61	Special Education Services Needed	5	6	6
Married / Cohabitating	22	30	40	Co-Occurring Psychological Problem	34	22	30
Previously Married	18	21	27	Co-Occurring Developmental Problem	*	6	*

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Central
PSYCHIATRIC SERVICE AREA 12
CENSUS 2010 23,370
2014 POPULATION ESTIMATE 23,347

disorders. The total number of dia served because some individuals ha	0		
DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012
Adjustment Disorder	6	*	*
Anxiety Disorder	81	61	69
Dementia	0	0	0
Developmental Disorder	*	*	*
Impulse Control Disorder	27	25	24
Mood Disorder	112	111	126
Personality Disorder	37	36	42
Psychotic Disorder	44	40	42
Sexual Disorder	*	*	*
Other Diagnosis	19	17	17
Diagnosis Unknown	21	31	41

Individuals who received psychiatric services had the following types of

NUMBER SERVED	FY2014	FY2013	FY2012	EDUCATION	FY2014	FY2013	FY2012
Total Individuals	200	193	215	Less than High School Diploma	58	50	38
. G.aaaa				High School Grad or G.E.D.	0	0	48
AGE				Associate Degree or Some College	0	0	15
Under 6	*	0	*	Bachelor or Advanced Degree	0	0	6
6 to 9	12	5	*	Education Level Unknown	142	143	108
10 to 13	11	12	9	Education Edver Officion		0	100
14 to 17	11	12	11	EMPLOYMENT			
18 to 24	18	14	22	Employed	6	7	14
25 to 29	7	8	10	Unemployed	8	8	85
30 to 34	18	18	24	Not in Labor Force	130	110	30
35 to 39	13	15	22	Employment Status Unknown	56	68	86
40 to 44	20	22	21				
45 to 49	25	25	28	HOUSING / LIVING ARRANGEMENT			
50 to 54	27	21	28	Independent Living	85	55	86
55 to 59	15	19	15	Dependent Living	63	63	41
60 and Over	22	22	20	Homeless	*	*	*
Age Unknown	0	0	0	Other	0	0	*
GENDER				Housing Unknown	50	73	84
Male	96	90	108				
Female	104	103	108	TREATMENT REFERRAL SOURCE			
Gender Unknown	0	0	0	Self / Family / Friend	98	93	113
Gender Offkriown	U	U	U	School	*	*	*
RACE / ETHNICITY				Mental Health Provider	35	38	44
Caucasian	167	157	175	Health Care Provider	39	41	33
African American	18	20	21	Court / Criminal Justice	16	9	11
Native American / Alaskan	0	0	0	Other	10	11	12
Asian / Pacific Islander	0	0	*	Referral Source Unknown	0	0	0
Hispanic	6	7	8	T/DE 05 000 40 4/T1 450/T			
Other Race	9	9	10	TYPE OF COMMITMENT	107	170	105
Race/Ethnicity Unknown	0	0	0	Voluntary	187	179	195
TD5.4T4.5NT 4.000444.0D4T:0::				Civil		0	0
TREATMENT ACCOMMODATION	-	-	0	Criminal	12	14	19
Hearing Impaired	7	5	8	Sexual Predatory	0	0	*
Past or Current Military Service	6	7	7	Commitment Type Unknown	0	0	0

MISSOURI STUDENT SURVEY

	IVIIOO	CON	51
Descent of attidants who have ever used.	2014	2012	2010
Percent of students who have ever used: Alcohol	45.6	35.6	56.1
Cigarettes	22.8	18.8	33.6
Chewing Tobacco	13.8	15.5	14.9
Marijuana	16.9	8.7	16.7
Inhalants	3.9	_	8.3
Prescription medications not prescribed for student	8.8	5.7	13.0
Over-the-counter medications for non-medical use	2.9	2.2	9.5
Methamphetamine	0.0	2.2	0.6
Cocaine	1.4	2.2	1.5
Heroin	0.7	0.0	0.2
Hallucinogens	1.1	0.0	1.3
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.7	0.5	1.5
Steroids not prescribed for student	1.4	0.5	1.1
Synthetic drugs (K2, bath salts, Spice, etc)	4.0	0.5	
Average age of students' first use of:			
Alcohol	12.84	11.26	12.67
Cigarettes	12.20	12.13	12.16
Marijuana	13.97	13.44	13.83
Inhalants	11.92	10.00	12.11
Percent of students who, in past 30 days, used:			
Alcohol	13.9	16.4	26.2
Alcohol (Binge: 5+ drinks on one occassion)	10.0	6.8	16.4
Cigarettes	11.7	9.8	17.2
Chewing Tobacco	6.7	11.4	7.6
Marijuana	8.1	1.6	8.8
Inhalants	1.8	0.0	3.1
Prescription medications not prescribed for student	4.9	5.7	7.2
Over-the-counter medications for non-medical use	1.4	2.2	6.5
Percent of students who, in past 2 weeks, used:			
Alcohol (Binge: 5+ drinks on one occassion)	6.4		
	0		
Percent whose friends used in past 12 months:	47.5	40.4	70.4
Alcohol	47.5	48.4	_
Cigarettes	40.8 29.6	39.6 21.8	
Marijuana Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	5.3	4.1	14.3
Other fillett (Cocalite, ESD, Metil, Club Drug, etc)	5.5	4.1	14.3
Percent who would likely use, if offered by a best friend:			
Alcohol	28.2		43.7
Cigarettes	12.7		16.7
Marijuana	14.4	10.1	12.0
Percent who say it would be wrong to use:			
Alcohol	64.3	72.4	51.5
Cigarettes	85.5	85.3	76.9
Marijuana	80.5	90.5	83.1
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	98.9	98.4	97.2
Percent whose parents would disapprove if they use:			
Alcohol	78.7	83.9	72.7
Cigarettes	93.3	95.8	88.5
Marijuana	92.2	95.6	95.9
Percent who say it would be easy to obtain:			
Alcohol	64.1	54.5	66.1
Cigarettes	62.2	49.9	62.6
Marijuana	37.7	27.4	36.2
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	20.0	9.8	13.3
,,,			

DENT SURVEY			
Percent who believe they risk harm if they use:	2014	2012	2010
Alcohol (1 or 2 drinks daily) Alcohol (Binge: 5+ drinks once or twice a week)	51.2 69.5		
Alcohol (any use)	09.5	68.2	74.9
Cigarettes (1+ packs per day) Cigarettes (any use)	80.5	72.6	78.7
Marijuana (once or twice a week)	67.4		
Marijuana (any use) Other: Cocaine, LSD, Meth, Club Drug (any use)	87.8	83.6 91.3	69.1 94.3
Percent of students who, in past 30 days:			
Were very sad	24.3	19.6	17.0
Were grouchy, irritable, or in a bad mood	31.8	29.1	23.8
Felt hopeless about the future	17.0	9.4	14.8
Felt like not eating or eating more than usual	25.2	16.9	16.4
Slept a lot more or a lot less than usual	18.2	18.6	25.0
Had difficulty concentrating on school work	23.1	16.3	27.9
Percent of students who, in past 12 months: Seriously considered attempting suicide	15.0	8.2	11.5
Made plan about how they would attempt suicide	10.9	5.2	6.9
Attempted suicide	7.1	6.3	5.7
Attempted suicide and resulting injury, poisonng, or overdose had to be treated by doctor or nurse	4.2	1.1	1.9
-			
Percent of students who, in past 12 months:	4.2	2.6	9.9
Were threatened/injured with weapon at school	20.4	3.6 34.8	25.0
Were in a physical fight Were in a fight and had to be treated by a doctor or nurse	20.4	34.6 2.7	3.8
	2.0	2.1	5.0
Percent of students who, in past 3 months:			
Were victims of mean rumors or lies spread at school	59.4	47.3	63.2
Were made fun of by others	68.4	64.7	72.1
Were victims of an embarrassing or hurtful text message or something posted on the internet	36.9	34.2	20.4
Spread mean rumors or lies about other kids at school	28.1	42.1	39.6
Made fun of other people	62.6	66.6	76.5
Posted something on the internet or sent a text that might embarrass or hurt another student	22.3	16.3	16.9
Percent of students who agree that:			
Teachers notice and comment on student's good work	69.3	73.6	72.3
School provides feedback to parents on positive student performance	49.3	69.6	41.7
Rules are enforced fairly	60.8	54.6	65.9
Students of all races/ethnicities are treated equal	77.7	86.7	77.0
Percent of students who agree that:			
Parents notice and comment on student's good work	79.6	84.9	83.8
Parents involve student in making family decisions	66.5	71.1	69.1
It is important to be honest with parents regardless of consequences	86.2	89.3	82.5
Student could ask parent for help with a personal problem	79.9	71.6	75.1

Missouri Student Survey is conducted biennially.
Similar affirmative response choices for individual questions are combined.
Blank data cells indicate estimates are not available for item or geographic area. Survey is not conducted in every school district nor reported for every county. Estimates are not available for counties with small numbers of respondents. Percentages are estimates based on weighted data.

Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

SCHOTELN CO							
	DBH REGION	Central		IMPAIRED DRIVING	2013	2012	2011
\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	DBH SERVICE AREAS			Alcohol Involved CrashesTotal	4	5	4
	Substance Use	14		Fatal Crashes	1	0	0
	Adult Psychiatric	14		Injury Crashes	2	4	4
- -	POPULATION			Property Damage Crashes	1	1	0
	Census 2010	4,431		Crash Fatalities	1	0	0
	2014 Estimate	4,370		Crash Injuries	3	6	4
THE STAN				Drug Involved CrashesTotal	1	1	0
213				Fatal Crashes	1	0	0
BIRTH RISK	2013	2012	2011	Injury Crashes	0	1	0
Resident BirthsTotal	65	53	58	Property Damage Crashes	0	0	0
Mother Reported Smoking whi		12	13	Crash Fatalities	1	0	0
	2042	2042	2011	Crash Injuries	1	1	0
DISEASE INCIDENCE 1	2013	2012	2011	POLICE REPORTS	2013	2012	2011
HIV/AIDS Cases	0	0	0	DUI Arrests, DWI Tracking System	30	53	48
Hepatitis B Chronic, Acute, Pr		0	0 1	Liquor Law Arrests	4	3	0
Hepatitis C Chronic and Acute Tuberculosis Infection Cases	0	1 0	0	Drug Arrests	12	12	2
Tuberculosis Infection Cases	Ü	U	U	Violent Offenses	4	4	1
DEATHS and INJURIES	2013	2012	2011	Property Offenses	22	27	44
Resident DeathsTotal	60	51	40	Domestic Violence Reports	13	1	0
Suicides	1	1	3		2014	2013	2012
Self-inflicted Injuries	1	1	0	Methamphetamine Lab Seizures	0	1	10
Homicides	0	0	0		2042.44	2042.42	2014 42
Assault Injuries	7	16	5	SCHOOL REPORTS	2013-14	2012-13	2011-12
Alcohol Induced Deaths	0	0	0	Enrollment Grades 9-12	184	196	216
Drug Induced Deaths	0	0	0	Drop-outs	1 0.5%	3 1.5%	4 1.9%
Smoking Attributable Deaths	11	8	8	Drop-out Rate School Discipline Involving Alcohol	0.5%	1.5%	1.9%
HOSPITAL EDICODES 2	2012	2012	2011	School Discipline Involving According	0	2	0
Hospitalization no Emergana	2013	2012	2011	School Discipline Involving Tobacco	0	0	0
Hospitalization, no Emergency Mental Illness Principal Diagr		18	15	_	O	U	O
Mental Illness Secondary Dia		167	139	JUVENILE COURT REFERRALS 3	2013	2012	2011
Alcohol Principal Diagnosis	3	4	2	Juvenile Violent Offenses	1	5	1
Alcohol Secondary Diagnosis		10	5	Juvenile Alcohol Offenses	0	4	0
Drug Principal Diagnosis	1	1	2	Juvenile Drug Offenses	0	1	0
Drug Secondary Diagnosis	5	1	3	School Truancy Status Offense	0	13	2
Emergency Room + Hospitaliz		•		Absent from Home Status Offense	0	0	0
Mental Illness Principal Diagr		9	6	Beyond Parental Control Status Offense	7	5	9
Mental Illness Secondary Dia		9	8	Injurious Behavior Status Offense	1	15	8
Alcohol Principal Diagnosis	1	0	0	Child Abuse	5	11	15
Alcohol Secondary Diagnosis	3	0	1	Child Custody Issues	28	33	41
Drug Principal Diagnosis	1	1	1	Child Custody Issues	0	0	0
Drug Secondary Diagnosis	1	2	0	JUVENILE COURT PLACEMENTS	2013	2012	2011
Emergency Room, no Hospita	lization:			Out-of-Home PlacementsTotal	13	12	9
Mental Illness Principal Diagr	nosis 20	20	15	Parental Alcohol Use Related	0	0	0
Mental Illness Secondary Dia	ignosis 32	38	32	Parental Drug Use Related	7	5	3
Alcohol Principal Diagnosis	4	3	2	Parental Alcohol and Drug Use	1	0	0
Alcohol Secondary Diagnosis		5	3	CRIMINAL LUCTICE	EV2014	EV2012	EV2012
Drug Principal Diagnosis	3	3	0	CRIMINAL JUSTICE Drug Court Participants	FY2014 0	FY2013 0	FY2012 0
Drug Secondary Diagnosis	1	2	0	Probation/Parole AdmissionsDrug	2	1	0
ALCOHOL CUTUTE	2011	2012	2012	Probation/Parole AdmissionsDWI	0	2	1
Alcohol On Promise Drink Lie	2014		2012	Prison AdmissionsDrug	2	0	0
Alcohol On-Premise Drink Lice Alcohol Package Carry-out Lice		7 10	7 9	Prison AdmissionsDWI	1	1	1
John Facility Out Ele				All Kanasa Cita ha iiii ITD		alta la l	0
EMPLOYMENT	2014		2012	All Kansas City hepatitis and TB case report totals and all Joplin case reports are include			County
Labor Force	1,943	-	1,959	2 Beginning with 2010 data, diagnosis counts	for hospital a	and ER service	
Employed	1,806		1,821	based on codes developed by the Healthcar Beginning in 2013, juvenile municipal violati			
Unemployed	137	138	138	court orders are categorized as status offen:			

7.1%

6.4%

7.0%

Unemployment Rate

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS


Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

FY2014	FY2013	FY2012
*	0	*
*	*	6
*	0	0
24	27	18
0	0	0
0	*	*
*	*	7
0	0	0
	* * * * 24 0 0	* 0 * * * 0 24 27 0 0 0 *

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	10	25	25
- Adolescent Diversion Education Prograr	0	*	*
- Offender Education Program	*	9	5
- Weekend Intervention Program	*	7	6
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	0	0
Compulsive Gambling	0	0	0
Recovery Supports	0	0	0
Early Intervention	*	7	*

NUMBER ADMITTED	FY2014	FY2013	FY2012	PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Total Individuals	27	35	33	Alcohol	7	13	18
				Marijuana / Hashish	10	13	10
AGE	*	*	_	Cocaine (total)	*	0	0
Under 18			7	- Crack	0	0	0
18 to 24	*	11	11	Stimulant (total)	6	5	*
25 to 29	9	5	0	- Methamphetamine	6	5	*
30 to 34	*	7	*	Heroin	0	0	0
35 to 39	*	*	*	Analgesic except Heroin	*	*	*
40 to 44	*	*	*	- Non-Prescription Methadone	0	0	0
45 to 54	*	*	5	PCP, LSD, other Hallucinogen	0	0	0
55 and Over	*	*	*	Tranquilizer	0	*	0
GENDER				Inhalant	0	0	0
Male	16	21	22	Sedative	0	0	0
Female	11	14	11	Other Medication or Illicit Drug	0	*	*
Terriale			• • •	Average Age at First Use of Drug	18.3	17.0	15.3
RACE / ETHNICITY				Average Age at 1 hot ede of Brag	10.0	17.0	10.0
Caucasian	27	35	33	INJECTION DRUG USE			
African American	0	0	0	Any Injection Use at Admission	*	*	*
Native American / Alaskan	0	0	0	- Daily Injection Use	0	0	0
Asian / Pacific Islander	0	0	0	- Weekly Injection Use	0	0	0
Hispanic	0	0	0	- Less than Weekly Injection Use	*	*	*
Other Race / Two or More Races	0	0	0	- Less than Weekly Injection Ose			
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	13	11	12	0	18	20	21
High School Graduate or G.E.D.	11	19	17	1 or 2	9	12	9
Associate Degree or Some College	*	*	*	3 or More	0	*	*
Bachelor or Advanced Degree	0	*	0	TD54T454T D555DD44 604D65			
EA ADI OVA AFAIT				TREATMENT REFERRAL SOURCE	*	5	*
EMPLOYMENT Employed	*	18	12	Self / Family / Friend School	0	0	0
Employed	6	*	1Z *	Mental Health Provider	0	*	*
Unemployed Not in Labor Force			17	Health Care Provider	*	0	*
Not in Labor Force	17	15	17		*	6	10
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	8	8	19 7
Independent Living	23	33	26	Other Referral Source	8	8	1
Dependent Living	*	*	7				
Homeless	*	0	0	TREATMENT ACCOMMODATION	*	*	*
				Pregnant when Admitted to any Episode		*	*
MARITAL / FAMILY STATUS	4.5	40	04	Military Veteran	0	*	*
Never Married	15	16	21	Special Education Services Needed			4.4
Married / Cohabitating	7	12	6	Co-Occurring Psychological Problem	15	21	14
Previously Married	5	7	6	Co-Occurring Developmental Problem		0	-

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Central
PSYCHIATRIC SERVICE AREA
CENSUS 2010 4,431
2014 POPULATION ESTIMATE 4,370

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.							
DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012				
Adjustment Disorder	*	*	*				
Anxiety Disorder	19	22	11				
Dementia	0	0	0				
Developmental Disorder	*	*	0				
Impulse Control Disorder	17	12	6				
Mood Disorder	27	24	19				
Personality Disorder	*	*	*				
Psychotic Disorder	*	*	*				
Sexual Disorder	0	0	0				
Other Diagnosis	9	10	7				
Diagnosis Unknown	*	*	8				

Individuals who received psychiatric services had the following types of

NUMBER SERVED	FY2014	FY2013	FY2012	EDUCATION	FY2014	FY2013	FY2012
Total Individuals	40	45	39	Less than High School Diploma	22	29	10
Total marriadalo	40	40	00	High School Grad or G.E.D.	0	*	7
AGE				Associate Degree or Some College	0	0	*
Under 6	0	0	0	Bachelor or Advanced Degree	0	0	0
6 to 9	*	6	*	Education Level Unknown	18	15	21
10 to 13	6	11	8	Education Level Officiown	10	10	21
14 to 17	9	10	8	EMPLOYMENT			
18 to 24	*	*	*	Employed	*	*	*
25 to 29	*	*	*	Unemployed	*	*	12
30 to 34	*	0	0	Not in Labor Force	32	37	6
35 to 39	*	*	*	Employment Status Unknown	5	5	20
40 to 44	*	*	*				
45 to 49	*	5	5	HOUSING / LIVING ARRANGEMENT			
50 to 54	*	*	*	Independent Living	15	14	14
55 to 59	0	*	*	Dependent Living	18	26	9
60 and Over	*	*	*	Homeless	0	*	0
Age Unknown	0	0	0	Other	0	0	0
CENDED				Housing Unknown	7	*	16
GENDER Male	19	10	10				
Female	21	19 26	19	TREATMENT REFERRAL SOURCE			
Gender Unknown			20	Self / Family / Friend	7	14	12
Gender Unknown	0	0	0	School	0	*	0
RACE / ETHNICITY				Mental Health Provider	0	0	0
Caucasian	40	42	39	Health Care Provider	8	7	5
African American	0	*	0	Court / Criminal Justice	*	*	*
Native American / Alaskan	0	0	0	Other	23	21	20
Asian / Pacific Islander	0	0	0	Referral Source Unknown	*	*	*
Hispanic	0	0	0				
Other Race	0	*	0	TYPE OF COMMITMENT	20	4.4	20
Race/Ethnicity Unknown	0	0	0	Voluntary	39	44	38
				Civil	0	0	0
TREATMENT ACCOMMODATION		_	•	Criminal	0	0	0
Hearing Impaired	*	0	0	Sexual Predatory	0	0	0
Past or Current Military Service	0	0	0	Commitment Type Unknown	*	*	*

MISSOURI STUDENT SURVEY

	2014	2012	2010		2014	2012	2010
Percent of students who have ever used:	2014	2012	2010	Percent who believe they risk harm if they use:	2014	2012	2010
Alcohol	45.6			Alcohol (1 or 2 drinks daily)	47.4		
Cigarettes	35.1			Alcohol (Binge: 5+ drinks once or twice a week)	57.9		
Chewing Tobacco	31.6			Alcohol (any use)			
Marijuana	10.7			Cigarettes (1+ packs per day)	76.4		
Inhalants	5.3			Cigarettes (any use)			
Prescription medications not prescribed for student	10.5			Marijuana (once or twice a week)	71.9		
Over-the-counter medications for non-medical use	1.8			Marijuana (any use)			
Methamphetamine	1.8			Other: Cocalne, LSD, Meth, Club Drug (any use)	91.2		
Cocalne	0.0			Description of a few density or the state of the second of			
Heroin	0.0			Percent of students who, in past 30 days:	40.0		
Hallucinogens	1.8			Were very sad	19.3		
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.0			Were grouchy, irritable, or in a bad mood	29.8		
Steroids not prescribed for student	0.0			Felt hopeless about the future	8.8		
Synthetic drugs (K2, bath salts, Spice, etc)	5.3			Felt like not eating or eating more than usual	16.1		
				Slept a lot more or a lot less than usual	14.0		
Average age of students' first use of:	40.00			Had difficulty concentrating on school work	19.3		
Alcohol	12.48			Percent of students who, in past 12 months:			
Cigarettes	12.33			Seriously considered attempting suicide	8.8		
Marijuana	13.91			Made plan about how they would attempt suicide	8.8		
Inhalants	13.00			Attempted suicide	3.5		
Percent of students who, in past 30 days, used:				Attempted suicide and resulting injury, poisoning, or overdose			
Alcohol	29.8			had to be treated by doctor or nurse	0.0		
Alcohol (Binge: 5+ drinks on one occassion)	25.0			·			
Cigarettes	17.9			Percent of students who, in past 12 months:			
Chewing Tobacco	17.5			Were threatened/injured with weapon at school	3.5		
•	5.3			Were in a physical fight	26.3		
Marijuana Inhalants	0.0			Were in a fight and had to be treated by a doctor or nurse	3.5		
Prescription medications not prescribed for student	3.5			Percent of students who, in past 3 months:			
Over-the-counter medications for non-medical use	1.8			Were victims of mean rumors or lies spread at school	63.2		
Over-the-counter medications for non-medical use	1.0			Were made fun of by others	64.3		
Percent of students who, in past 2 weeks, used:				Were victims of an embarrassing or hurtful text message or			
Alcohol (Binge: 5+ drinks on one occassion)	14.0			something posted on the internet	26.3		
Percent whose friends used in past 12 months:				Spread mean rumors or lies about other kids at school	28.1		
Alcohol	61.4			Made fun of other people	64.3		
Cigarettes	54.4			Posted something on the internet or sent a text that might			
Marijuana	22.8			embarrass or hurt another student	19.3		
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	5.5						
Other filler (Cocaine, LSD, Meth, Club Drug, etc)	5.5			Percent of students who agree that:			
Percent who would likely use, if offered by a best friend:				Teachers notice and comment on student's good work	68.4		
Alcohol	43.1			School provides feedback to parents on positive student	38.6		
Cigarettes	24.6			performance			
Marijuana	5.4			Rules are enforced fairly	52.6		
Dercent who cay it would be wreen to see				Students of all races/ethnicities are treated equal	78.6		
Percent who say it would be wrong to use:	40.4			Percent of students who agree that:			
Alcohol	49.1			Parents notice and comment on student's good work	80.7		
Cigarettes	69.6			Parents involve student in making family decisions	64.9		
Marijuana	89.1			It is important to be honest with parents regardless of			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.5			consequences	85.7		
Percent whose parents would disapprove if they use:				Student could ask parent for help with a personal problem	80.4		
Alcohol	70.2						
Cigarettes	87.7			Missouri Student Survey is conducted biennially.			
Marijuana	96.5			Similar affirmative response choices for individual questions are			
Percent who say it would be easy to obtain:				Blank data cells indicate estimates are not available for item or Survey is not conducted in every school district nor reported for			
Alcohol	68.4			Estimates are not available for counties with small numbers of			
Cigarettes	68.4			Percentages are estimates based on weighted data. Some year-to-year differences in percentages are not statistical.	ılly signifi	cant	
Marijuana	29.8			Some year-to-year unrerences in percentages are not statistica	ny signilio	Jant.	
•	29.6 12.7			Data source: Missouri Institute of Mental Health, 2010-2014 Mi	ssouri Stu	udent Su	ırveys
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	14.7						

MAPAIRED DAILY/INC 2013 2012 2011 1011	OOO I LAND O							
Acoustic Property Damage Crashes 1		DBH REGION	Central		IMPAIRED DRIVING	2013	2012	2011
March Popularities March Popularities March Popularities March Popularities March Popularities March March March Popularities March March March March Popularities March Marc		DBH SERVICE AREAS				5	2	2
March Popularities March Popularities March Popularities March Popularities March Popularities March March March Popularities March March March March Popularities March Marc		Substance Use	14		Fatal Crashes		0	
Property Damage Crashes								
Creath Find Histories		•				4		
Care Injuries			4.843					
Direct D			,			•		
Patrick Patrick Property Damago Crashes 0 0 0 0 1		2011 201111010	1,000		•	•		
BIRTH RISK 2013 2012 2011 Property Damage Crashes 0 0 0 0 0 0 0 0 0	215					•		
Resident Distribution						-	-	-
Mother Reported Smoking while Pregnant 12 13 13 13 13 13 14 14 14		2013				_		
Crash Injuries	Resident BirthsTotal	82	78	80		_		
DESCRIPTION 1	Mother Reported Smoking wh	ile Pregnant 12	13	13		_		
HIM/AIDS Cases	DISCA SE INCIDENCE 1	2042	2042	2011	Crasii injunes	U	U	'
Hepatitis C Chronic and Acute Prenatal 0					POLICE REPORTS	2013	2012	2011
Liquor Law Arrests						10	17	22
Tuberculosis Infection Cases 2						4	1	3
Violent Offenses 2 3 1	· ·				•	19	14	14
DEATHS and INJURIES	Tuberculosis Infection Cases	0	0	0	•			
Resident Deaths - Total	DEATHS and INITIPIES	2013	2012	2011	Property Offenses			
Suicides						-		
Self-inflicted Injuries					Demodic Violence Reports			
Homicides					Methamphetamine Lah Seizures			
Assault Injuries	•				Mothamphotamine Lab Colzaros	Ū	•	•
Alcohol Induced Deaths 0					SCHOOL REPORTS	2013-14	2012-13	2011-12
Drug Induced Deaths 1	•					186	173	176
Drop-out Rate Drop-out Rate School Discipline Involving Alcohol 0					Drop-outs	1	2	3
MOSPITAL EPISODES 2013 2012 2011 School Discipline Involving Drugs 0 0 0 0 0 0 0 0 0			•		Drop-out Rate	0.5%	1.2%	1.7%
HOSPITAL EPISODES 2 2013 2012 2011 School Discipline Involving Drugs 0 0 0 0 0 0 0 0 0	Smoking Attributable Deaths	10	10	10	School Discipline Involving Alcohol	0	0	0
Hospitalization, no Emergency Room:	HOSPITAL EPISODES 2	2013	2012	2011		0	0	0
Mental Illness Principal Diagnosis 11 11 12 JUVENILE COURT REFERRALS 3 2013 2012 2011 Mental Illness Secondary Diagnosis 165 209 139 Juvenile Violent Offenses 1 3 4 8 4 8 1 1 1 1 1 1 1 2 1 1			2012	2011		0	0	0
Mental Illness Secondary Diagnosis 165 209 139 JUVENILE COURT REFERRALS 2013 2012 2013 Alcohol Principal Diagnosis 2 2 2 3 3 3 3 3 3 3			11	12	_			
Alcohol Principal Diagnosis 2					JUVENILE COURT REFERRALS 3	2013	2012	2011
Alcohol Secondary Diagnosis 13 15 5 5 Juvenile Alcohol Offenses 0 0 0 0 0 O Drug Principal Diagnosis 1 0 0 0 Suvenile Drug Offenses 0 0 0 0 0 0 O Drug Principal Diagnosis 6 2 2 School Truancy Status Offense 2 1 5 School Truancy Status Offense 3 4 8 Absent from Home Status Offense 8 13 15 Injurious Behavior Status Offense 9 Injurious Offense 9 Injurious Behavior Status Offense 9 Injurious O					Juvenile Violent Offenses	1	3	3
Drug Principal Diagnosis					Juvenile Alcohol Offenses	0	0	0
Drug Secondary Diagnosis 6 2 2 8 Absent from Home Status Offense 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0					Juvenile Drug Offenses	0	0	0
Mental Illness Principal Diagnosis 1					School Truancy Status Offense	2	1	5
Mental Illness Principal Diagnosis542Beyond Parental Control Status Offense348Mental Illness Secondary Diagnosis1494Injurious Behavior Status Offense81315Alcohol Principal Diagnosis0111Child Abuse5197Alcohol Secondary Diagnosis251Child Neglect294437Drug Principal Diagnosis320JUVENILE COURT PLACEMENTS201320122011Emergency Room, no Hospitalization:0ut-of-Home PlacementsTotal11111111Mental Illness Principal Diagnosis292924Parental Alcohol Use Related100Mental Illness Principal Diagnosis121Parental Alcohol Use Related621Alcohol Principal Diagnosis121Parental Alcohol and Drug Use000Alcohol Secondary Diagnosis321Parental Alcohol and Drug Use000Drug Principal Diagnosis321CRIMINAL JUSTICEFY2014FY2013FY2012Drug Secondary Diagnosis523Drug Court Participants663Drug Secondary Diagnosis523Probation/Parole AdmissionsDrug11186Alcohol On-Premise Drink Licenses778Prison AdmissionsDrug12113Alcohol On-Pre			2	2	Absent from Home Status Offense	0	0	0
Mental Illness Secondary Diagnosis 14 9 4 Child Abuse 5 19 7 Alcohol Principal Diagnosis 0 1 1 1 Alcohol Secondary Diagnosis 2 5 1 Drug Principal Diagnosis 1 0 1 0 1 Drug Principal Diagnosis 3 2 0 1 Emergency Room, no Hospitalization:	• • • • • • • • • • • • • • • • • • • •		4	2	Beyond Parental Control Status Offense	3	4	8
Alcohol Principal Diagnosis 0 1 1 1 Child Abuse 5 19 7 Alcohol Secondary Diagnosis 2 5 1 1 Child Neglect 29 44 37 Child Neglect 29 44 37 Child Custody Issues 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0					Injurious Behavior Status Offense	8	13	15
Alcohol Secondary Diagnosis 2 5 1 Drug Principal Diagnosis 1 0 1 Drug Secondary Diagnosis 3 2 0 JUVENILE COURT PLACEMENTS 2013 2012 2011 Emergency Room, no Hospitalization: Out-of-Home PlacementsTotal 11 11 11 11 Mental Illness Principal Diagnosis 29 29 24 Parental Alcohol Use Related 1 0 0 0 Mental Illness Secondary Diagnosis 79 140 67 Parental Drug Use Related 6 2 1 Alcohol Principal Diagnosis 1 1 2 1 Parental Alcohol and Drug Use 0 0 0 0 Alcohol Secondary Diagnosis 1 11 1 Drug Principal Diagnosis 3 2 1 CRIMINAL JUSTICE FY2014 FY2013 FY2012 Drug Secondary Diagnosis 5 2 3 Drug Court Participants 6 6 6 3 ALCOHOL OUTLETS 2014 2013 2012 Alcohol On-Premise Drink Licenses 7 7 7 8 Prison AdmissionsDrug 11 18 6 ALCOHOL OUTLETS 2014 2013 2012 Alcohol Package Carry-out Licenses 5 5 5 7 Prison AdmissionsDWI 2 3 1 EMPLOYMENT 2014 2013 2012 Employed 2,283 2,360 2,307 Unemployed 116 120 115 Child Custody Issues 0 0 0 0 JUVENILE COURT PLACEMENTS 2013 2012 Child Custody Issues 0 0 0 0 JUVENILE COURT PLACEMENTS 2013 2012 Child Custody Issues 0 0 0 0 JUVENILE COURT PLACEMENTS 2013 2012 Parental Alcohol Use Related 1 1 0 0 0 Parental Alcohol Use Related 1 1 0 0 0 CRIMINAL JUSTICE FY2014 FY2013 FY2012 Drug Court Participants 6 6 6 3 Probation/Parole AdmissionsDrug 11 18 6 Prison AdmissionsDrug 11 18 6 EMPLOYMENT 2014 2013 2012 Labor Force 2,399 2,480 2,422 Employed 2,283 2,360 2,307 Unemployed 116 120 115					Child Abuse	5	19	7
Drug Principal Diagnosis 1 0 1 Drug Secondary Diagnosis 3 2 0 JUVENILE COURT PLACEMENTS 2013 2012 2011 Emergency Room, no Hospitalization: Mental Illness Principal Diagnosis 29 29 24 Parental Alcohol Use Related 1 1 0 0 Mental Illness Secondary Diagnosis 79 140 67 Parental Drug Use Related 6 2 1 Alcohol Principal Diagnosis 1 1 11 1 Drug Principal Diagnosis 1 1 11 1 Drug Principal Diagnosis 3 2 1 Parental Alcohol and Drug Use 0 0 0 0 0 Alcohol Secondary Diagnosis 1 1 11 1 Drug Principal Diagnosis 3 2 1 CRIMINAL JUSTICE FY2014 FY2013 FY2012 Drug Secondary Diagnosis 5 2 3 Drug Court Participants 6 6 6 3 ALCOHOL OUTLETS 2014 2013 2012 Alcohol On-Premise Drink Licenses 7 7 7 8 Prison AdmissionsDrug 1 1 18 6 ALCOHOL OUTLETS 2014 2013 2012 Alcohol Package Carry-out Licenses 5 5 7 Prison AdmissionsDWI 2 3 1 EMPLOYMENT 2014 2013 2012 Labor Force 2,399 2,480 2,422 Employed 2,283 2,360 2,307 Unemployed 116 120 115 CRIMINAL JUSTICE FY2014 FY2013 FY2012 Probation/Parole AdmissionsDWI 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3			•		Child Neglect	29	44	37
Drug Secondary Diagnosis 3 2 0 JUVENILE COURT PLACEMENTS 2013 2012 2011 Emergency Room, no Hospitalization: Mental Illness Principal Diagnosis 29 29 24 Parental Alcohol Use Related 1 0 0 Mental Illness Secondary Diagnosis 79 140 67 Parental Drug Use Related 6 2 1 Alcohol Principal Diagnosis 1 2 1 Parental Alcohol and Drug Use 0 0 0 0 Alcohol Secondary Diagnosis 1 111 1 Drug Principal Diagnosis 3 2 1 CRIMINAL JUSTICE FY2014 FY2013 FY2012 Drug Secondary Diagnosis 5 2 3 Drug Court Participants 6 6 3 Probation/Parole AdmissionsDrug 11 18 6 ALCOHOL OUTLETS 2014 2013 2012 Probation/Parole AdmissionsDWI 3 3 3 3 Alcohol Package Carry-out Licenses 5 5 7 Prison AdmissionsDWI 2 11 3 Alcohol Package Carry-out Licenses 5 2,399 2,480 2,422 Employed 2,283 2,360 2,307 Unemployed 116 120 115 Brug Secondary Diagnosis 3 2 1 Alcohol On-Premise Drink Licenses 2,399 2,480 2,422 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilizations of court orders are cateoorized as status offenses instead of law violations.				•	Child Custody Issues	0	0	0
Emergency Room, no Hospitalization: Mental Illness Principal Diagnosis 29 29 24 Parental Alcohol Use Related 1 0 0 Mental Illness Secondary Diagnosis 79 140 67 Parental Drug Use Related 6 2 1 Alcohol Principal Diagnosis 1 2 1 Parental Alcohol and Drug Use 0 0 0 0 Alcohol Secondary Diagnosis 1 11 1 Drug Principal Diagnosis 3 2 1 CRIMINAL JUSTICE FY2014 FY2013 FY2012 Drug Court Participants 6 6 3 Probation/Parole AdmissionsDrug 11 18 6 ALCOHOL OUTLETS 2014 Alcohol On-Premise Drink Licenses 7 7 8 Prison AdmissionsDrug 12 11 13 11 11 11 11 11 11 11 11 11 11 11						2012	2012	2044
Mental Illness Principal Diagnosis292924Parental Alcohol Use Related100Mental Illness Secondary Diagnosis7914067Parental Drug Use Related621Alcohol Principal Diagnosis121Parental Alcohol and Drug Use000Alcohol Secondary Diagnosis11111Drug Principal Diagnosis321CRIMINAL JUSTICEFY2014FY2013FY2012Drug Secondary Diagnosis523Drug Court Participants663Drug Court Participants6639663Alcohol Outlets201420132012Probation/Parole AdmissionsDrug11186Alcohol Package Carry-out Licenses778Prison AdmissionsDrug12113Alcohol Package Carry-out Licenses557Prison AdmissionsDWI231EMPLOYMENT Labor Force2,3992,4802,4222Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project.Employed2,2832,3602,307Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.			2	0				
Mental Illness Secondary Diagnosis7914067Parental Drug Use Related621Alcohol Principal Diagnosis121Parental Alcohol and Drug Use000Alcohol Secondary Diagnosis11111Drug Principal Diagnosis321CRIMINAL JUSTICEFY2014FY2013FY2012Drug Secondary Diagnosis523Drug Court Participants663Probation/Parole AdmissionsDrug11186ALCOHOL OUTLETS201420132012Probation/Parole AdmissionsDWI333Alcohol On-Premise Drink Licenses778Prison AdmissionsDrug12113Alcohol Package Carry-out Licenses557Prison AdmissionsDWI231EMPLOYMENT2014201320121All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jacks			00	0.4				
Alcohol Principal Diagnosis 1 2 1 Parental Alcohol and Drug Use 0 0 0 0 Alcohol Secondary Diagnosis 1 111 1 Drug Principal Diagnosis 3 2 1 CRIMINAL JUSTICE Drug Secondary Diagnosis 5 2 3 Drug Court Participants 6 6 6 3 Probation/Parole AdmissionsDrug 11 18 6 ALCOHOL OUTLETS Alcohol On-Premise Drink Licenses 7 7 7 8 Prison AdmissionsDrug 11 3 3 Alcohol Package Carry-out Licenses 5 5 7 Prison AdmissionsDWI 2 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals. EMPLOYMENT Labor Force 2,399 2,480 2,422 Employed 116 120 115 Parental Alcohol and Drug Use 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0								
Alcohol Secondary Diagnosis 1 11 1 Drug Principal Diagnosis 3 2 1 Drug Court Participants 6 6 6 3 Probation/Parole AdmissionsDrug 11 18 6 ALCOHOL OUTLETS Alcohol On-Premise Drink Licenses 7 7 7 8 Prison AdmissionsDrug 12 11 3 Alcohol Package Carry-out Licenses 5 5 7 Prison AdmissionsDWI 2014 2013 2012 EMPLOYMENT Labor Force 2,399 2,480 2,422 Employed Unemployed 116 120 115 CRIMINAL JUSTICE FY2014 FY2013 FY2012 CRIMINAL JUSTICE FY2014 FY2013 FY2012 FY2014 FY2013 FY2012 FY2014 FY2013 FY2012 Al CRIMINAL JUSTICE FY2014 FY2013 FY2012 FY2014 FY2013 FY2012 All KansasionsDrug 12 11 3 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included					_			
Drug Principal Diagnosis 3 2 1 CRIMINAL JUSTICE Drug Secondary Diagnosis 5 2 3 Drug Court Participants 6 6 6 3 Probation/Parole AdmissionsDrug 11 18 6 ALCOHOL OUTLETS Alcohol On-Premise Drink Licenses 7 7 8 Prison AdmissionsDrug 12 11 3 Alcohol Package Carry-out Licenses 5 5 7 Prison AdmissionsDWI 2014 2013 2012 EMPLOYMENT Labor Force 2,399 2,480 2,422 Employed 10 2014 2013 2012 Labor Force 2,399 2,480 2,422 Employed 11 All Kansas City hepatitis and TB case reports are included in Jackson County totals. 2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project. 3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.					Parental Alcohol and Drug Use	0	0	0
Drug Secondary Diagnosis 5 2 3 Drug Court Participants 6 6 3 Probation/Parole AdmissionsDrug 11 18 6 ALCOHOL OUTLETS Alcohol On-Premise Drink Licenses 7 7 8 Prison AdmissionsDrug 12 11 3 Alcohol Package Carry-out Licenses 5 7 7 Prison AdmissionsDWI 2 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jacks					CRIMINAL ILISTICE	FY2014	FY2013	FV2012
ALCOHOL OUTLETS Alcohol On-Premise Drink Licenses Alcohol Package Carry-out Licenses Alcohol Package Carry-out Licenses Alcohol Package Carry-out Licenses 2014 2013 2012 Probation/Parole AdmissionsDrug 11 18 6 Probation/Parole AdmissionsDrug 12 11 3 Prison AdmissionsDrug 12 11 3 Prison AdmissionsDrug 12 11 3 Prison AdmissionsDWI 2 3 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports a								
ALCOHOL OUTLETS Alcohol On-Premise Drink Licenses 7 7 7 8 Prison AdmissionsDrug 12 11 3 Alcohol Package Carry-out Licenses 5 5 7 Prison AdmissionsDWI 2 12 11 3 Prison AdmissionsDWI 2 3 1 EMPLOYMENT Labor Force 2,399 2,480 2,422 Employed 2,283 2,360 2,307 Unemployed 116 120 115 Probation/Parole AdmissionsDWI 3 3 3 3 Prison AdmissionsDWI 2 13 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals. 2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project. 3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.	Drug Secondary Diagnosis	5	2	3				
Alcohol On-Premise Drink Licenses 7 7 8 Prison AdmissionsDrug 12 11 3 Alcohol Package Carry-out Licenses 5 5 7 Prison AdmissionsDWI 2 3 1 EMPLOYMENT Labor Force 2,399 2,480 2,422 Employed 2,283 2,360 2,307 Unemployed 116 120 115 Prison AdmissionsDrug 12 11 3 Prison AdmissionsDWI 2 3 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin case reports are included in Jackson County totals and all Joplin		44			3			
Alcohol Package Carry-out Licenses 5 5 7 Prison AdmissionsDWI 2 3 1 EMPLOYMENT Labor Force 2,399 2,480 2,422 Employed 2,283 2,360 2,307 Unemployed 116 120 115 Prison AdmissionsDWI 2 3 1 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals and all Joplin case reports are included in Jasper County totals and all Joplin case reports are included in Jasper County totals and all Joplin case reports are included in Jasper County totals and all Joplin case reports are included in Jasper County totals and all Joplin case reports are included in Jasper County totals and all Joplin case reports are included in Jasper County totals and all Joplin case reports are included in Jasper County totals and all Joplin case reports are included in Jasper County totals and all Joplin case reports are included in Jasper County totals and all Joplin case reports are included in Jasper County totals and all Joplin case reports are included in Jasper County totals and all Joplin case reports are included in Jasper County totals and all Joplin case reports are included in Jasper County totals and all Joplin case reports are included in Jasper County totals and all Joplin case reports are included in Jasper County totals and all Joplin case reports are included in Jasper County totals and all Joplin case reports are included in Jasper County totals and all Joplin case reports are included in Jasper County totals and all Joplin case reports are included in Jasper County totals and all Joplin case reports are included in Jasper County totals and all Joplin case reports are included in Jasper County totals and all Joplin case reports are included in Jasper County totals and all Joplin case reports are included in Jasper County totals and all Joplin case reports are included in Jasper County totals and all Joplin case reports are included in Jasper County totals and all Joplin case reports are included in Jasper County totals and all Joplin								
EMPLOYMENT 2014 2013 2012 Labor Force 2,399 2,480 2,422 Employed 2,283 2,360 2,307 Unemployed 116 120 115 All Kansas City hepatitis and TB case reports are included in Jackson County totals and all Joplin case reports are included in Jasper County totals. 2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project. 3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.					•			
Labor Force 2,399 2,480 2,422 Employed 2,283 2,360 2,307 Unemployed 116 120 115 totals and all Joplin case reports are included in Jasper County totals. 2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project. 3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.	Alcohol Package Carry-out Li	censes 5	5	7	1 113011 AUI1113310113DVVI	۷	ა	ı
Labor Force 2,399 2,480 2,422 Employed 2,283 2,360 2,307 Unemployed 116 120 115 totals and all Joplin case reports are included in Jasper County totals. 2 Beginning with 2010 data, diagnosis counts for hospital and ER services are based on codes developed by the Healthcare Cost and Utilization Project. 3 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.	FMPI OYMENT	2014	2013	2012	1 All Kansas City hepatitis and TB case report	ts are include	ed in Jackson	County
Employed 2,283 2,360 2,307 Unemployed 116 120 115 Beginning in 2013, juvenile municipal violations, and violations of court orders are categorized as status offenses instead of law violations.					totals and all Joplin case reports are include	ed in Jasper C	County totals.	
Unemployed 116 120 115 Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.		•	•					
Court orders are categorized as status orienses instead or law violations.					3 Beginning in 2013, juvenile municipal violati	ons, infractio	ns, and violat	ions of
					court orders are categorized as status offens	ses instead o	of law violation	ns.

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

FY2014	FY2013	FY2012
*	*	*
*	0	*
0	0	0
16	14	20
0	0	0
0	*	6
*	*	*
0	0	0
	* * 0 16 0	* * * 0 0 0 16 14 0 0 0 *

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	15	20	16
- Adolescent Diversion Education Prograr	6	*	*
- Offender Education Program	*	6	*
- Weekend Intervention Program	*	5	5
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	0	0
Compulsive Gambling	0	0	0
Recovery Supports	0	*	0
Early Intervention	*	6	6

NUMBER ADMITTED	FY2014	FY2013	FY2012	PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Total Individuals	22	22	26	Alcohol	5	11	15
				Marijuana / Hashish	11	9	7
AGE	*	_		Cocaine (total)	0	0	0
Under 18		0	*	- Crack	0	0	0
18 to 24	5	6		Stimulant (total)	*	0	*
25 to 29	5	7	5 *	- Methamphetamine	*	0	*
30 to 34	5			Heroin	0	0	0
35 to 39	5	*	5	Analgesic except Heroin	*	*	*
40 to 44	0	*	*	- Non-Prescription Methadone	0	0	0
45 to 54	*	*	5	PCP, LSD, other Hallucinogen	0	0	0
55 and Over	0	*	0	Tranquilizer	0	0	0
GENDER				Inhalant	0	0	0
Male	10	17	21	Sedative	0	0	0
Female	12	5	5	Other Medication or Illicit Drug	0	*	0
				Average Age at First Use of Drug	16.5	16.9	16.6
RACE / ETHNICITY				ů ů			
Caucasian	21	19	24	INJECTION DRUG USE			
African American	0	*	*	Any Injection Use at Admission	*	*	*
Native American / Alaskan	0	0	0	- Daily Injection Use	0	*	0
Asian / Pacific Islander	0	0	0	- Weekly Injection Use	*	0	*
Hispanic	0	0	0	- Less than Weekly Injection Use	0	0	*
Other Race / Two or More Races	*	*	*	2000 110.1. 1700.1., 11,001.0.1. 000	· ·	· ·	
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	7	6	*	0	14	11	13
High School Graduate or G.E.D.	11	14	18	1 or 2	6	7	11
Associate Degree or Some College	*	*	*	3 or More	*	*	*
Bachelor or Advanced Degree	*	0	0				
				TREATMENT REFERRAL SOURCE	*	*	0
EMPLOYMENT	0	-	40	Self / Family / Friend			6
Employed	8	7	12	School Mandal Haalth Bassidan	0	0	0
Unemployed		7	8	Mental Health Provider	0	0	0
Not in Labor Force	10	8	6	Health Care Provider	0	0	0
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	8	13	12
Independent Living	15	20	23	Other Referral Source	9		7
Dependent Living	*	*	*				
Homeless	*	0	0	TREATMENT ACCOMMODATION		_	_
				Pregnant when Admitted to any Episode	0	0	0
MARITAL / FAMILY STATUS			4.0	Military Veteran	*	*	*
Never Married	11	15	10	Special Education Services Needed	*		*
Married / Cohabitating	7	6	9	Co-Occurring Psychological Problem	10	8	10
Previously Married	*	ŕ	7	Co-Occurring Developmental Problem	0	0	0

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Central
PSYCHIATRIC SERVICE AREA
CENSUS 2010 4,843
2014 POPULATION ESTIMATE 4,863

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.							
DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012				
Adjustment Disorder	*	0	*				
Anxiety Disorder	15	9	10				
Dementia	0	0	0				
Developmental Disorder	*	*	*				
Impulse Control Disorder	14	12	10				
Mood Disorder	24	22	20				
Personality Disorder	*	*	*				
Psychotic Disorder	0	0	0				
Sexual Disorder	0	0	0				
Other Diagnosis	8	7	6				
Diagnosis Unknown	*	*	*				

Individuals who received psychiatric services had the following types of

NUMBER SERVED	FY2014	FY2013	FY2012	EDUCATION	FY2014	FY2013	FY2012
Total Individuals	30	30	34	Less than High School Diploma	18	14	8
. otala.r.caa.o			٠.	High School Grad or G.E.D.	0	0	5
AGE				Associate Degree or Some College	0	0	*
Under 6	0	0	*	Bachelor or Advanced Degree	0	0	0
6 to 9	5	6	6	Education Level Unknown	12	16	19
10 to 13	*	*	*	Education Edvor Children			10
14 to 17	6	5	5	EMPLOYMENT			
18 to 24	*	*	5	Employed	*	*	*
25 to 29	*	*	*	Unemployed	*	0	11
30 to 34	*	*	*	Not in Labor Force	25	23	6
35 to 39	0	0	0	Employment Status Unknown	*	*	16
40 to 44	*	*	*				
45 to 49	*	*	5	HOUSING / LIVING ARRANGEMENT			
50 to 54	*	*	*	Independent Living	12	14	14
55 to 59	0	0	*	Dependent Living	15	12	12
60 and Over	*	*	*	Homeless	0	0	0
Age Unknown	0	0	0	Other	0	0	0
				Housing Unknown	*	*	8
GENDER	_	-	-				
Male	5	5	5	TREATMENT REFERRAL SOURCE			
Female	25	25	29	Self / Family / Friend	8	12	12
Gender Unknown	0	0	0	School	0	0	0
RACE / ETHNICITY				Mental Health Provider	0	0	*
Caucasian	29	30	34	Health Care Provider	5	5	*
African American	0	0	0	Court / Criminal Justice	0	0	0
Native American / Alaskan	0	0	0	Other	17	13	17
Asian / Pacific Islander	0	0	0	Referral Source Unknown	0	0	0
Hispanic	*	0	0				
Other Race	0	0	0	TYPE OF COMMITMENT			
Race/Ethnicity Unknown	0	0	0	Voluntary	30	30	34
•				Civil	0	0	0
TREATMENT ACCOMMODATION				Criminal	0	0	0
Hearing Impaired	*	*	*	Sexual Predatory	0	0	0
Past or Current Military Service	0	0	0	Commitment Type Unknown	0	0	0

MISSOURI STUDENT SURVEY

	2014	2012	2010	1	2014	2012	2010
Percent of students who have ever used:		20.5	247	Percent who believe they risk harm if they use:			
Alcohol		36.5	34.7	Alcohol (1 or 2 drinks daily)			
Cigarettes		22.1	22.5	Alcohol (Binge: 5+ drinks once or twice a week)		00.0	00.0
Chewing Tobacco		11.6	12.6	Alcohol (any use)		68.6	83.9
Marijuana		5.8	5.8	Cigarettes (1+ packs per day)		70.0	00.7
Inhalants		3.5	4.1	Cigarettes (any use)		70.6	80.7
Prescription medications not prescribed for student		7.0	9.9	Marijuana (once or twice a week)			
Over-the-counter medications for non-medical use		3.5	4.1	Marijuana (any use)		79.1	64.2
Methamphetamine		1.2	0.0	Other: Cocaine, LSD, Meth, Club Drug (any use)		91.8	95.8
Cocaine		1.2	0.0	Percent of students who, in past 30 days:			
Heroin		2.4	8.0	Were very sad		16.3	31.4
Hallucinogens		2.4	2.5	Were grouchy, irritable, or in a bad mood		22.1	27.7
Club drugs (Ecstasy, GHB, roofie, Special K, etc)		1.2	3.5	Felt hopeless about the future		8.2	16.0
Steroids not prescribed for student		1.2	8.0	Felt like not eating or eating more than usual		12.8	26.7
Synthetic drugs (K2, bath salts, Spice, etc)		7.0		Slept a lot more or a lot less than usual		22.1	24.8
Average age of students' first use of:				Had difficulty concentrating on school work		24.4	24.2
Alcohol		12.25	12.63	· ·			
Cigarettes			12.90	Percent of students who, in past 12 months:			
Marijuana			12.96	Seriously considered attempting suicide		10.5	10.7
Inhalants		10.00	11.91	Made plan about how they would attempt suicide		10.5	7.4
mana			11.01	Attempted suicide		7.0	5.0
Percent of students who, in past 30 days, used:				Attempted suicide and resulting injury, poisonng, or overdose		2.3	2.5
Alcohol		16.5	19.0	had to be treated by doctor or nurse		2.0	2.0
Alcohol (Binge: 5+ drinks on one occassion)		12.9	11.7	Percent of students who, in past 12 months:			
Cigarettes		12.9	12.5	Were threatened/injured with weapon at school		4.7	7.5
Chewing Tobacco		5.8	5.9	Were in a physical fight		15.3	16.7
Marijuana		1.2	3.3	Were in a fight and had to be treated by a doctor or nurse		3.5	3.3
Inhalants		1.2	8.0				
Prescription medications not prescribed for student		3.5	9.1	Percent of students who, in past 3 months:			
Over-the-counter medications for non-medical use		2.3	3.3	Were victims of mean rumors or lies spread at school		47.7	53.3
Persont of students who in past 2 weeks week.				Were made fun of by others		62.4	64.2
Percent of students who, in past 2 weeks, used: Alcohol (Binge: 5+ drinks on one occassion)				Were victims of an embarrassing or hurtful text message or something posted on the internet		22.1	17.5
Percent whose friends used in past 12 months:				Spread mean rumors or lies about other kids at school		21.2	30.0
Alcohol		49.4	61.7	Made fun of other people		57.0	72.7
Cigarettes		44.7	50.4	Posted something on the internet or sent a text that might		7.1	10 E
Marijuana		15.1	15.8	embarrass or hurt another student		7.1	12.5
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)		7.1	10.1	Persont of students who agree that			
				Percent of students who agree that:		62.4	74.2
Percent who would likely use, if offered by a best friend:				Teachers notice and comment on student's good work		02.4	14.2
Alcohol		30.2	36.1	School provides feedback to parents on positive student performance		37.6	31.4
Cigarettes		15.1	14.0	i i		547	70.0
Marijuana		5.8	7.5	Rules are enforced fairly		54.7	70.0
Percent who say it would be wrong to use:				Students of all races/ethnicities are treated equal		85.9	79.7
Alcohol		55.8	57.5	Percent of students who agree that:			
Cigarettes		75.3		Parents notice and comment on student's good work		85.9	87.4
Marijuana		89.4		Parents involve student in making family decisions		64.7	71.4
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)		98.8		It is important to be honest with parents regardless of		00.4	04.0
		55.5	55.7	consequences		88.1	81.0
Percent whose parents would disapprove if they use:				Student could ask parent for help with a personal problem		76.5	75.2
Alcohol		80.0					
Cigarettes Marijuana		91.8 96.4		Missouri Student Survey is conducted biennially. Similar affirmative response choices for individual questions are Blank data cells indicate estimates are not available for item or	geograp	hic area	
Percent who say it would be easy to obtain:				Survey is not conducted in every school district nor reported for Estimates are not available for counties with small numbers of r			
Alcohol		55.8	64.7	Percentages are estimates based on weighted data.	caponide	iilo.	
Cigarettes		54.1	61.7	Some year-to-year differences in percentages are not statistical	ly signifi	cant.	
Marijuana		23.5	21.7	Data source: Missouri Institute of Mental Health, 2010-2014 Mis	SOUri St	udent Si	ILANA
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)		12.0	12.5	Data Source. Milocourt montate of Morital Floatin, 2010-2014 Milo	.coun ot		.

DBH R	REGION	Southeast		IMPAIRED DRIVING	2013	2012	2011
DBH S	ERVICE AREAS			Alcohol Involved CrashesTotal	46	34	46
Sub	stance Use	21		Fatal Crashes	2	3	2
Adul	t Psychiatric	20		Injury Crashes	20	16	16
POPU	LATION			Property Damage Crashes	24	15	28
Cen:	sus 2010	39,191		Crash Fatalities	3	3	2
2014	1 Estimate	38,903		Crash Injuries	31	28	17
				Drug Involved CrashesTotal	17	15	20
217				Fatal Crashes	0	0	1
BIRTH RISK	2013	2012	2011	Injury Crashes	7	3	8
Resident BirthsTotal	524	512	529	Property Damage Crashes	10	12	11
Mother Reported Smoking while Pre		146	155	Crash Fatalities	0	0	1
- Would Reported Officing Wille Fre	grant 142	140	100	Crash Injuries	8	5	7
DISEASE INCIDENCE 1	2013	2012	2011	201105 2520250	2042	2042	2011
HIV/AIDS Cases	0	0	1	POLICE REPORTS	2013	2012	2011
Hepatitis B Chronic, Acute, Prenatal	0	0	3	DUI Arrests, DWI Tracking System	204	253	259
Hepatitis C Chronic and Acute	38	30	19	Liquor Law Arrests	49	75	77
Tuberculosis Infection Cases	1	8	4	Drug Arrests	262	277	313
				Violent Offenses	394	457	335
DEATHS and INJURIES	2013	2012	2011	Property Offenses	1,364	1,288	1,150
Resident DeathsTotal	446	422	421	Domestic Violence Reports	585	659	607
Suicides	7	9	6	Mathamahatamina Lah Caizuraa	2014	2013	2012
Self-inflicted Injuries	73	82	77	Methamphetamine Lab Seizures	6	7	19
Homicides	2	2	2	SCHOOL REPORTS	2013-14	2012-13	2011-12
Assault Injuries	184 2	162	178	Enrollment Grades 9-12	1,950	2,002	1,992
Alcohol Induced Deaths		3	2	Drop-outs	10	9	13
Drug Induced Deaths	11	8	6 78	Drop-out Rate	0.5%	0.4%	0.7%
Smoking Attributable Deaths	108	78	70	School Discipline Involving Alcohol	1	5	5
HOSPITAL EPISODES 2	2013	2012	2011	School Discipline Involving Drugs	16	3	16
Hospitalization, no Emergency Roor	n:			School Discipline Involving Tobacco	3	6	3
Mental Illness Principal Diagnosis	470	428	464	JUVENILE COURT REFERRALS 3	2013	2012	2011
Mental Illness Secondary Diagnosi	s 928	681	963	Juvenile Violent Offenses	78	72	2011 55
Alcohol Principal Diagnosis	17	30	30	Juvenile Alcohol Offenses	15	19	23
Alcohol Secondary Diagnosis	75	88	97	Juvenile Drug Offenses	17	29	25 26
Drug Principal Diagnosis	32	19	30	School Truancy Status Offense	251	161	101
Drug Secondary Diagnosis	69	76	107	Absent from Home Status Offense	16	28	22
Emergency Room + Hospitalization:				Beyond Parental Control Status Offense	13	10	10
Mental Illness Principal Diagnosis	60	58	32	Injurious Behavior Status Offense	38	28	41
Mental Illness Secondary Diagnosi	s 621	733	404	Child Abuse	8	6	2
Alcohol Principal Diagnosis	22	20	13	Child Neglect	77	53	56
Alcohol Secondary Diagnosis	57	77	64	Child Custody Issues	1	0	8
Drug Principal Diagnosis	17	8	4	Orma Cactody Icoacc		Ü	Ü
Drug Secondary Diagnosis	45	61	28	JUVENILE COURT PLACEMENTS	2013	2012	2011
Emergency Room, no Hospitalizatio				Out-of-Home PlacementsTotal	76	40	55
Mental Illness Principal Diagnosis	462	436	369	Parental Alcohol Use Related	1	5	0
Mental Illness Secondary Diagnosi		1,044	495	Parental Drug Use Related	32	8	21
Alcohol Principal Diagnosis	65	72	75	Parental Alcohol and Drug Use	0	0	0
Alcohol Secondary Diagnosis	63	84	91	CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Principal Diagnosis	59	60	53	Drug Court Participants	68	68	60
Drug Secondary Diagnosis	67	68	77	Probation/Parole AdmissionsDrug	157	156	186
ALCOHOL OUTLETS	2014	2013	2012	Probation/Parole AdmissionsDWI	17	20	19
Alcohol On-Premise Drink Licenses	42	42	44	Prison AdmissionsDrug	58	77	86
Alcohol Package Carry-out Licenses		42	44	Prison AdmissionsDWI	4	6	7
				1 All Kanaga City hangitis and TD	to are install	din last	Course
EMPLOYMENT	2014	2013	2012	All Kansas City hepatitis and TB case report totals and all Joplin case reports are include			County
Labor Force	19,797	20,785	20,252	2 Beginning with 2010 data, diagnosis counts	for hospital a	and ER servic	
Employed	18,489	19,445	18,909	based on codes developed by the Healthcar 3 Beginning in 2013, juvenile municipal violati			
Unemployed	1,308	1,340	1,343	court orders are categorized as status offen:			
Unemployment Rate	6.6%	6.4%	6.6%				

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	68	57	55
CSTAR Adolescent	19	30	25
CSTAR Women and Children	20	36	31
CSTAR General Adult	253	228	148
CSTAR Opioid	0	0	*
Primary Recovery Treatment	8	39	137
Clinical SATOP (CIP, YCIP, SROP)	26	34	42
Other Substance Abuse Treatment	*	*	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	131	186	188
- Adolescent Diversion Education Prograr	0	*	0
- Offender Education Program	58	81	86
- Weekend Intervention Program	38	44	54
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	5	*	*
Compulsive Gambling	0	0	0
Recovery Supports	295	195	241
Early Intervention	0	*	5

NUMBER ADMITTED	FY2014	FY2013	FY2012	PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Total Individuals	438	412	441	Alcohol	140	136	149
				Marijuana / Hashish	143	137	163
AGE				Cocaine (total)	22	22	32
Under 18	19	30	29	- Crack	11	10	21
18 to 24	83	92	82	Stimulant (total)	79	62	40
25 to 29	80	70	81	- Methamphetamine	73	59	37
30 to 34	71	70	75	Heroin	5	8	6
35 to 39	46	33	38	Analgesic except Heroin	39	31	34
40 to 44	43	43	45	- Non-Prescription Methadone	*	0	0
45 to 54	65	55	71	PCP, LSD, other Hallucinogen	0	*	*
55 and Over	31	19	20	Tranquilizer	8	10	11
GENDER				Inhalant	0	*	0
Male	330	318	330	Sedative	0	0	0
Female	108	94	111	Other Medication or Illicit Drug	*	*	*
_				Average Age at First Use of Drug	17.9	17.4	17.0
RACE / ETHNICITY							
Caucasian	331	316	318	INJECTION DRUG USE			
African American	99	83	116	Any Injection Use at Admission	43	43	30
Native American / Alaskan	0	*		- Daily Injection Use	7	6	*
Asian / Pacific Islander	*	0	0	- Weekly Injection Use	10	13	7
Hispanic	7	6	6	- Less than Weekly Injection Use	26	24	19
Other Race / Two or More Races	6	8	*				
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	130	132	170	0	256	221	247
High School Graduate or G.E.D.	229	210	213	1 or 2	117	120	120
Associate Degree or Some College	78	69	57	3 or More	65	71	74
Bachelor or Advanced Degree	*	*	*	TREATMENT REFERRAL COURCE			
EA ADI OVA AFAIT				TREATMENT REFERRAL SOURCE Self / Family / Friend	91	91	54
EMPLOYMENT Employed	136	110	122	School	0	0	34 *
Employed					6	0	*
Unemployed	166	166	169	Mental Health Provider	_	-	40
Not in Labor Force	136	136	150	Health Care Provider	20	14	12
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	271	231 67	325
Independent Living	378	316	348	Other Referral Source	43	67	42
Dependent Living	40	69	74				
Homeless	13	11	*	TREATMENT ACCOMMODATION	•	•	_
				Pregnant when Admitted to any Episode	6	6	7
MARITAL / FAMILY STATUS	000	040	004	Military Veteran	22	30	28
Never Married	229	212	224	Special Education Services Needed	23	25	38
Married / Cohabitating	113	107	115	Co-Occurring Psychological Problem	157	140	86
Previously Married	96	93	102	Co-Occurring Developmental Problem	14	8	9

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Southeast
PSYCHIATRIC SERVICE AREA 20
CENSUS 2010 39,191
2014 POPULATION ESTIMATE 38,903

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.							
DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012				
Adjustment Disorder	50	53	81				
Anxiety Disorder	221	234	254				
Dementia	*	*	*				
Developmental Disorder	6	9	11				
Impulse Control Disorder	133	149	170				
Mood Disorder	601	571	570				
Personality Disorder	70	76	91				
Psychotic Disorder	155	149	156				
Sexual Disorder	0	*	0				
Other Diagnosis	57	68	91				
Diagnosis Unknown	61	100	118				

Individuals who received psychiatric services had the following types of

NUMBER SERVED	FY2014	FY2013	FY2012	EDUCATION	FY2014	FY2013	FY2012
Total Individuals	995	1,026	1,035	Less than High School Diploma	414	405	153
. otal mamadalo	000	.,020	.,000	High School Grad or G.E.D.	0	0	99
AGE				Associate Degree or Some College	0	*	17
Under 6	7	8	18	Bachelor or Advanced Degree	0	0	*
6 to 9	49	49	54	Education Level Unknown	581	620	764
10 to 13	70	86	89	Education Edver Officiown	001	020	704
14 to 17	91	107	122	EMPLOYMENT			
18 to 24	90	100	92	Employed	67	54	21
25 to 29	100	92	87	Unemployed	79	86	194
30 to 34	98	93	89	Not in Labor Force	580	553	98
35 to 39	81	94	72	Employment Status Unknown	269	333	722
40 to 44	77	83	81				
45 to 49	79	84	97	HOUSING / LIVING ARRANGEMENT			
50 to 54	108	93	107	Independent Living	541	444	235
55 to 59	72	66	66	Dependent Living	272	334	100
60 and Over	73	71	61	Homeless	18	12	10
Age Unknown	0	0	0	Other	0	0	5
				Housing Unknown	164	236	685
GENDER	400	450	400				
Male	422	459	486	TREATMENT REFERRAL SOURCE			
Female	573	567	549	Self / Family / Friend	445	421	459
Gender Unknown	0	0	0	School	19	31	25
RACE / ETHNICITY				Mental Health Provider	95	111	94
Caucasian	766	798	812	Health Care Provider	161	159	137
African American	188	182	172	Court / Criminal Justice	48	50	54
Native American / Alaskan	*	*	*	Other	224	251	263
Asian / Pacific Islander	*	*	*	Referral Source Unknown	*	*	*
Hispanic	16	25	18				
Other Race	22	19	29	TYPE OF COMMITMENT			
Race/Ethnicity Unknown	0	0	0	Voluntary	987	1,017	1,024
	_	-		Civil	*	*	*
TREATMENT ACCOMMODATION				Criminal	5	6	5
Hearing Impaired	21	29	30	Sexual Predatory	0	0	0
Past or Current Military Service	20	25	22	Commitment Type Unknown	*	*	*

MISSOURI STUDENT SURVEY

	IVIIO	OUI	(1310	DENT SORVET
Percent of students who have ever used:	2014	2012	2010	Percent who believe they risk harm if they use.
Alcohol	32.4	37.8	50.0	Alcohol (1 or 2 drinks daily)
Cigarettes	20.3	29.0	35.4	Alcohol (Binge: 5+ drinks once or twice a we
Chewing Tobacco	9.3	16.8	20.3	Alcohol (any use)
Marijuana	11.3	7.7	22.2	Cigarettes (1+ packs per day)
Inhalants	4.3	9.0	9.4	Cigarettes (any use)
Prescription medications not prescribed for student	9.0	7.2	17.6	Marijuana (once or twice a week)
Over-the-counter medications for non-medical use	4.6	5.3	9.1	Marijuana (any use)
Methamphetamine	0.9	0.7	0.4	Other: Cocaine, LSD, Meth, Club Drug (any
Cocaine	1.5	2.0	1.2	Paraent of students who in past 20 days
Heroin	0.0	0.0	0.2	Percent of students who, In past 30 days: Were very sad
Hallucinogens	0.7	1.9	2.2	Were grouchy, irritable, or in a bad mood
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.7	1.2	2.5	Felt hopeless about the future
Steroids not prescribed for student	0.7	0.9	1.8	Felt like not eating or eating more than usual
Synthetic drugs (K2, bath salts, Spice, etc)	2.2	5.8		Slept a lot more or a lot less than usual
Average age of students' first use of:				Had difficulty concentrating on school work
Alcohol	12.40	12.21	12 53	riad difficulty concentrating off school work
Cigarettes		11.27		Percent of students who, in past 12 months:
Marijuana	_	13.32		Seriously considered attempting suicide
Inhalants		10.75		Made plan about how they would attempt su
milatants	12.23	10.75	13.03	Attempted suicide
Percent of students who, in past 30 days, used:				Attempted suicide and resulting injury, poiso
Alcohol	11.0	13.5	24.9	had to be treated by doctor or nurse
Alcohol (Binge: 5+ drinks on one occassion)		6.0	15.6	Percent of students who, in past 12 months:
Cigarettes	7.4	15.7	19.2	Were threatened/injured with weapon at sch
Chewing Tobacco	5.4	10.6	11.2	Were in a physical fight
Marijuana	6.1	4.8	9.5	Were in a fight and had to be treated by a do
Inhalants	3.0	0.8	4.6	
Prescription medications not prescribed for student	5.3	3.3	11.6	Percent of students who, in past 3 months:
Over-the-counter medications for non-medical use	1.7	3.3	6.5	Were victims of mean rumors or lies spread
Percent of students who, in past 2 weeks, used:				Were made fun of by others
Alcohol (Binge: 5+ drinks on one occassion)	3.5			Were victims of an embarrassing or hurtful to
Alcohol (blinge: 51 diffics off one occassion)	0.0			something posted on the internet
Percent whose friends used in past 12 months:				Spread mean rumors or lies about other kids
Alcohol	40.7	53.7	63.9	Made fun of other people
Cigarettes	33.5	42.4	54.7	Posted something on the internet or sent a to embarrass or hurt another student
Marijuana	26.5	25.9	43.3	embarrass of fluit another student
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	7.8	10.7	20.8	Percent of students who agree that:
Percent who would likely use if offered by a best friend:				Teachers notice and comment on student's g
Percent who would likely use, if offered by a best friend: Alcohol	23.1	26.3	36.9	School provides feedback to parents on posi
Cigarettes	9.9	10.9	19.2	performance
Marijuana	11.0	6.4	15.7	Rules are enforced fairly
Wanjuana	11.0	0.4	13.7	Students of all races/ethnicities are treated e
Percent who say it would be wrong to use:				
Alcohol	70.9	62.1	54.3	Percent of students who agree that:
Cigarettes	84.1	76.5	72.1	Parents notice and comment on student's go
Marijuana	86.6	86.1	76.9	Parents involve student in making family dec
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.7	96.1	91.7	It is important to be honest with parents rega
Percent whose parents would disapprove if they use:				consequences
Alcohol	88.0	77.2	75.7	Student could ask parent for help with a pers
Cigarettes	95.2	87.1	87.3	Miggaryi Student Commission
Marijuana	93.2	89.5	93.5	Missouri Student Survey is conducted biennia Similar affirmative response choices for indivi
iva iyaala	34.3	03.0	33.0	Blank data cells indicate estimates are not av
Percent who say it would be easy to obtain:				Survey is not conducted in every school distri- Estimates are not available for counties with
Alcohol	39.7	58.1	60.1	Percentages are estimates based on weighte
	35.9	51.6	60.2	Some year-to-year differences in percentage:
Cigarettes	55.5	00	00. <u>L</u>	come your to your unreconced in percontage.
Cigarettes Marijuana	26.5	31.2		Data source: Missouri Institute of Mental Hea

DENT CORVET			
Parcent who hallows they rick harm if they use	2014	2012	2010
Percent who believe they risk harm if they use: Alcohol (1 or 2 drinks daily)	53.1		
Alcohol (Binge: 5+ drinks once or twice a week)	69.4		
Alcohol (any use)	00.4	72.4	71.2
Cigarettes (1+ packs per day)	82.4		
Cigarettes (any use)	02	73.9	74.7
Marijuana (once or twice a week)	66.3		
Marijuana (any use)		77.3	71.9
Other: Cocaine, LSD, Meth, Club Drug (any use)	91.0	95.1	90.3
Percent of students who, in past 30 days:			
Were very sad	18.8	22.6	19.6
Were grouchy, irritable, or in a bad mood	23.4	27.1	25.8
Felt hopeless about the future	8.5	9.2	13.0
Felt like not eating or eating more than usual	15.4	22.2	18.3
Slept a lot more or a lot less than usual	17.8	23.4	26.3
Had difficulty concentrating on school work	22.5	25.0	24.7
Percent of students who, in past 12 months:			
Seriously considered attempting suicide	12.1	12.5	12.8
Made plan about how they would attempt suicide	7.6	7.2	9.6
Attempted suicide	2.4	5.3	7.5
Attempted suicide and resulting injury, poisonng, or overdose	0.9	0.9	3.1
had to be treated by doctor or nurse	0.9	0.9	3.1
Percent of students who, in past 12 months:			
Were threatened/injured with weapon at school	6.3	5.5	10.2
Were in a physical fight	22.9	23.0	25.3
Were in a fight and had to be treated by a doctor or nurse	3.9	2.3	5.2
Percent of students who, In past 3 months:			
Were victims of mean rumors or lies spread at school	53.0	53.1	57.7
Were made fun of by others	61.2	63.3	69.5
Were victims of an embarrassing or hurtful text message or something posted on the internet	27.2	19.5	19.2
Spread mean rumors or lies about other kids at school	24.4	35.6	28.1
Made fun of other people	53.0	61.0	71.7
Posted something on the internet or sent a text that might	18.8	13.4	15.1
embarrass or hurt another student	10.0	13.4	13.1
Percent of students who agree that:			
Teachers notice and comment on student's good work	72.5	70.5	65.9
School provides feedback to parents on positive student	37.1	32.0	35.3
performance	37.1	32.0	33.3
Rules are enforced fairly	67.9	62.8	46.2
Students of all races/ethnicities are treated equal	73.4	80.8	60.2
Percent of students who agree that:			
Parents notice and comment on student's good work	85.2	83.0	82.2
Parents involve student in making family decisions	69.9	70.9	69.2
It is important to be honest with parents regardless of consequences	87.9	88.0	83.2
Student could ask parent for help with a personal problem	81.4	75.2	78.0

nially. ividual questions are combined. available for item or geographic area. trict nor reported for every county. h small numbers of respondents. ted data.

ges are not statistically significant.

ealth, 2010-2014 Missouri Student Surveys

DBH REGION		Southeast		IMPAIRED DRIVING	2013	2012	2011
DBH SERVICE	AREAS			Alcohol Involved CrashesTotal	12	12	9
Substance	Use	18		Fatal Crashes	2	0	0
Adult Psyc	hiatric	18		Injury Crashes	5	6	8
POPULATION	,			Property Damage Crashes	5	6	1
Census 20	10	8,441		Crash Fatalities	2	0	0
2014 Estim	nate	8,329		Crash Injuries	9	11	12
TI III TEN				Drug Involved CrashesTotal	1	1	1
21.7				Fatal Crashes	0	0	0
BIRTH RISK	2013	2012	2011	Injury Crashes	1	1	1
Resident BirthsTotal	94	103	80	Property Damage Crashes	0	0	0
Mother Reported Smoking while Pregnant	27	23	24	Crash Fatalities	0	0	0
Wother Reported Chicking White Freghand	21	20	2-7	Crash Injuries	1	1	2
DISEASE INCIDENCE 1	2013	2012	2011				
HIV/AIDS Cases	0	0	0	POLICE REPORTS	2013	2012	2011
Hepatitis B Chronic, Acute, Prenatal	0	0	1	DUI Arrests, DWI Tracking System	27	44	48
Hepatitis C Chronic and Acute	9	9	2	Liquor Law Arrests	11	17	20
Tuberculosis Infection Cases	0	1	3	Drug Arrests	105	134	90
				Violent Offenses	21	32	11
DEATHS and INJURIES	2013	2012	2011	Property Offenses	95	131	144
Resident DeathsTotal	102	91	91	Domestic Violence Reports	11	31	19
Suicides	1	1	0		2014	2013	2012
Self-inflicted Injuries	11	8	12	Methamphetamine Lab Seizures	2	1	1
Homicides	0	0	1	SCHOOL REPORTS	2013-14	2012-13	2011-12
Assault Injuries	21	20	22	Enrollment Grades 9-12	240	222	246
Alcohol Induced Deaths	0	1	0	Drop-outs	0	0	0
Drug Induced Deaths	0	2	0	Drop-out Rate	0.0%	0.0%	0.0%
Smoking Attributable Deaths	23	17	16	School Discipline Involving Alcohol	0	0	0
HOSPITAL EPISODES 2	2013	2012	2011	School Discipline Involving Drugs	0	0	0
Hospitalization, no Emergency Room:				School Discipline Involving Tobacco	0	0	0
Mental Illness Principal Diagnosis	60	59	70	_			
Mental Illness Secondary Diagnosis	144	130	182	JUVENILE COURT REFERRALS 3	2013	2012	2011
Alcohol Principal Diagnosis	3	6	2	Juvenile Violent Offenses	6	7	1
Alcohol Secondary Diagnosis	9	17	9	Juvenile Alcohol Offenses	1	0	1
Drug Principal Diagnosis	24	8	8	Juvenile Drug Offenses	2	2	1
Drug Secondary Diagnosis	10	14	13	School Truancy Status Offense	14	4	12
Emergency Room + Hospitalization:				Absent from Home Status Offense	0	2	1
Mental Illness Principal Diagnosis	12	7	3	Beyond Parental Control Status Offense	2	6	9
Mental Illness Secondary Diagnosis	79	64	25	Injurious Behavior Status Offense	3	10	5
Alcohol Principal Diagnosis	1	1	1	Child Abuse	3	1	0
Alcohol Secondary Diagnosis	6	6	2	Child Neglect	5	3	10
Drug Principal Diagnosis	2	3	0	Child Custody Issues	4	8	0
Drug Secondary Diagnosis	8	4	3	JUVENILE COURT PLACEMENTS	2013	2012	2011
Emergency Room, no Hospitalization:				Out-of-Home PlacementsTotal	4	0	0
Mental Illness Principal Diagnosis	52	49	53	Parental Alcohol Use Related	0	0	0
Mental Illness Secondary Diagnosis	138	138	165	Parental Drug Use Related	2	0	0
Alcohol Principal Diagnosis	11	9	6	Parental Alcohol and Drug Use	0	0	0
Alcohol Secondary Diagnosis	13	7	17				
Drug Principal Diagnosis	7	9	9	CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Secondary Diagnosis	11	10	12	Drug Court Participants	0	0	0
				Probation/Parole AdmissionsDrug	12	12	18
ALCOHOL OUTLETS	2014	2013	2012	Probation/Parole AdmissionsDWI	0	5	4
Alcohol On-Premise Drink Licenses	8	10	7	Prison Admissions Drug	6	7	8
Alcohol Package Carry-out Licenses	15	15	15	Prison AdmissionsDWI	2	3	1
EMPLOYMENT	2014	2013	2012	1 All Kansas City hepatitis and TB case report totals and all Joplin case reports are include			County
Labor Force	3,404	3,485	3,067	 Beginning with 2010 data, diagnosis counts 			es are
Employed	3,082	3,187	2,743	based on codes developed by the Healthcar	e Cost and L	Itilization Proj	ject.
Unemployed	322	298	324	3 Beginning in 2013, juvenile municipal violati court orders are categorized as status offen:			
Unemployment Rate	9.5%	8.6%	10.6%				

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	9	12	*
CSTAR Adolescent	*	*	*
CSTAR Women and Children	*	*	*
CSTAR General Adult	19	16	12
CSTAR Opioid	0	0	0
Primary Recovery Treatment	0	5	7
Clinical SATOP (CIP, YCIP, SROP)	*	*	9
Other Substance Abuse Treatment	0	0	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	24	21	27
- Adolescent Diversion Education Prograr	0	0	0
- Offender Education Program	12	18	12
- Weekend Intervention Program	*	*	*
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	0	*
Compulsive Gambling	0	0	0
Recovery Supports	*	0	*
Early Intervention	0	0	0

NUMBER ADMITTED	FY2014	FY2013	FY2012	PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Total Individuals	31	36	30	Alcohol	9	7	11
105				Marijuana / Hashish	6	6	9
AGE	*	*	*	Cocaine (total)	0	0	*
Under 18 18 to 24	7	11	*	- Crack	0	0	0
25 to 29	6	6	8	Stimulant (total)	7	12	*
	_	_		- Methamphetamine	7	12	*
30 to 34	5	10	8	Heroin	0	0	0
35 to 39	5	*	*	Analgesic except Heroin	8	10	5
40 to 44	*	*	*	- Non-Prescription Methadone	0	0	0
45 to 54	*			PCP, LSD, other Hallucinogen	0	0	0
55 and Over	î	0	Î	Tranquilizer	0	*	*
GENDER				Inhalant	0	0	0
Male	19	18	21	Sedative	0	0	0
Female	12	18	9	Other Medication or Illicit Drug	*	0	0
				Average Age at First Use of Drug	17.5	19.2	17.2
RACE / ETHNICITY							
Caucasian	31	36	30	INJECTION DRUG USE			
African American	0	0	0	Any Injection Use at Admission	9	13	*
Native American / Alaskan	0	0	0	- Daily Injection Use	*	5	*
Asian / Pacific Islander	0	0	0	- Weekly Injection Use	*	5	*
Hispanic	0	0	0	- Less than Weekly Injection Use	*	*	*
Other Race / Two or More Races	0	0	0	Loos than Wooldy Injodion Coo			
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	9	17	13	0	22	26	13
High School Graduate or G.E.D.	14	13	10	1 or 2	5	*	12
Associate Degree or Some College	7	5	7	3 or More	*	6	5
Bachelor or Advanced Degree	*	*	0	TD5.171.451/T D555DD.1/ C0//D65			
				TREATMENT REFERRAL SOURCE	40	45	*
EMPLOYMENT	*	*	*	Self / Family / Friend	12	15	0
Employed				School Martal Haalth Bravidan	0	0	0
Unemployed	15	13	15	Mental Health Provider	0	*	
Not in Labor Force	15	21	11	Health Care Provider			20
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	6	9	20
Independent Living	27	30	26	Other Referral Source	10	6	
Dependent Living	*	*	*				
Homeless	0	*	*	TREATMENT ACCOMMODATION	.ن	-	_
				Pregnant when Admitted to any Episode	*	0	0
MARITAL / FAMILY STATUS				Military Veteran	*	0	*
Never Married	11	17	17	Special Education Services Needed			*
Married / Cohabitating	8	14	9	Co-Occurring Psychological Problem	15	10	11
Previously Married	12	5	*	Co-Occurring Developmental Problem	*	*	*

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Southeast
PSYCHIATRIC SERVICE AREA 18
CENSUS 2010 8,441
2014 POPULATION ESTIMATE 8,329

disorders. The total number of dia served because some individuals h	•		
DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012
Adjustment Disorder	8	5	*
Anxiety Disorder	43	47	26
Dementia	*	*	0
Developmental Disorder	*	*	*
Impulse Control Disorder	15	18	16
Mood Disorder	70	83	65
Personality Disorder	*	*	*
Psychotic Disorder	7	8	7
Sexual Disorder	0	0	0
Other Diagnosis	7	5	5
Diagnosis Unknown	9	*	8

Individuals who received psychiatric services had the following types of

NUMBER SERVED	FY2014	FY2013	FY2012	EDUCATION	FY2014	FY2013	FY2012
Total Individuals	103	112	89	Less than High School Diploma	28	23	19
				High School Grad or G.E.D.	0	0	7
AGE	_		_	Associate Degree or Some College	0	0	*
Under 6	0	0	0	Bachelor or Advanced Degree	0	0	0
6 to 9	*	*	0	Education Level Unknown	75	89	61
10 to 13	*	*	11				
14 to 17	8	8	6	EMPLOYMENT			
18 to 24	9	12	7	Employed	8	20	10
25 to 29	11	10	*	Unemployed	11	18	22
30 to 34	11	17	11	Not in Labor Force	57	54	12
35 to 39	7	9	8	Employment Status Unknown	27	20	45
40 to 44	13	12	7				
45 to 49	15	8	15	HOUSING / LIVING ARRANGEMENT			
50 to 54	9	15	9	Independent Living	51	74	37
55 to 59	8	10	*	Dependent Living	16	13	7
60 and Over	8	7	7	Homeless	*	*	*
Age Unknown	0	0	0	Other	0	0	0
CENDER				Housing Unknown	34	24	43
GENDER Male	50	49	36				
Female	53	63	53	TREATMENT REFERRAL SOURCE			
				Self / Family / Friend	59	72	38
Gender Unknown	0	0	0	School	0	0	0
RACE / ETHNICITY				Mental Health Provider	*	*	*
Caucasian	101	109	87	Health Care Provider	33	30	37
African American	0	0	0	Court / Criminal Justice	*	*	*
Native American / Alaskan	0	0	0	Other	8	5	12
Asian / Pacific Islander	0	0	0	Referral Source Unknown	0	0	0
Hispanic	*	*	*				
Other Race	*	*	0	TYPE OF COMMITMENT			
Race/Ethnicity Unknown	0	0	0	Voluntary	103	110	89
•				Civil	0	*	0
TREATMENT ACCOMMODATION				Criminal	0	0	0
Hearing Impaired	8	12	11	Sexual Predatory	0	0	0
Past or Current Military Service	*	*	*	Commitment Type Unknown	0	0	0

MISSOURI STUDENT SURVEY

	IVIIO		11310	DENI SORVET			
Percent of students who have ever used:	2014	2012	2010	Percent who believe they risk harm if they use:	2014	2012	2010
Alcohol	52.5	61.0	64.9	Alcohol (1 or 2 drinks daily)	42.5		
Cigarettes	52.0	46.1	48.7	Alcohol (Binge: 5+ drinks once or twice a week)	51.9		
Chewing Tobacco	19.8	31.2	34.6	Alcohol (any use)		78.7	82.2
Marijuana	30.4	17.0	15.8	Cigarettes (1+ packs per day)	75.3		
Inhalants	1.2	9.2	5.2	Cigarettes (any use)		75.2	72.8
Prescription medications not prescribed for student	25.0	21.3	14.9	Marijuana (once or twice a week)	50.0		
Over-the-counter medications for non-medical use	0.0	6.4	5.4	Marijuana (any use)		77.0	74.7
Methamphetamine	5.0	0.0	1.1	Other: Cocaine, LSD, Meth, Club Drug (any use)	90.1	98.6	93.6
Cocaine	0.0	0.0	1.1	Percent of students who, in past 30 days:			
Heroin	0.0	0.0	0.0	Were very sad	35.0	31.2	16.7
Hallucinogens	5.0	2.8	1.6	Were grouchy, irritable, or in a bad mood	19.8	33.1	20.9
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	7.4	1.4	1.6	Felt hopeless about the future	2.5	19.1	11.2
Steroids not prescribed for student	0.0	1.4	0.0	Felt like not eating or eating more than usual	5.0	32.6	13.3
Synthetic drugs (K2, bath salts, Spice, etc)	11.3	9.3		Slept a lot more or a lot less than usual	11.3	26.2	16.7
Average age of students' first use of:				Had difficulty concentrating on school work	8.6	24.1	27.9
Alcohol	12.93	12.13	11.80				
Cigarettes	12.09	11.77	11.92	Percent of students who, in past 12 months:	40.0	477	40.4
Marijuana	14.24	13.27	13.91	Seriously considered attempting suicide Made plan about how they would attempt suicide	10.0 10.7	17.7 12.2	13.1 9.4
Inhalants	11.00	13.46	11.51	Attempted suicide	10.7	8.5	9.4
Paraont of students who in past 20 days, used				Attempted suicide and resulting injury, poisoning, or overdose	1.3	6.5	9.9
Percent of students who, in past 30 days, used: Alcohol	16.3	26.2	34.0	had to be treated by doctor or nurse	0.0	0.0	1.6
Alcohol (Binge: 5+ drinks on one occassion)	10.5	18.4	20.8	_			
Cigarettes	32.0	22.7	28.6	Percent of students who, in past 12 months:			
Chewing Tobacco	19.8	14.9	22.9	Were threatened/injured with weapon at school	13.0	4.3	14.3
Marijuana	18.8	8.5	6.9	Were in a physical fight	24.1	20.6	27.2
Inhalants	0.0	4.3	3.6	Were in a fight and had to be treated by a doctor or nurse	0.0	0.0	4.2
Prescription medications not prescribed for student	12.5	17.0	10.6	Percent of students who, in past 3 months:			
Over-the-counter medications for non-medical use	0.0	5.7	5.4	Were victims of mean rumors or lies spread at school	50.0	58.9	55.3
Persont of students who in past 2 weeks woods				Were made fun of by others	55.0	70.9	77.0
Percent of students who, in past 2 weeks, used: Alcohol (Binge: 5+ drinks on one occassion)	1.3			Were victims of an embarrassing or hurtful text message or something posted on the internet	21.3	21.3	25.9
Percent whose friends used in past 12 months:				Spread mean rumors or lies about other kids at school	26.6	24.8	35.3
Alcohol	35.8	74.5	77.1	Made fun of other people	36.7	59.6	80.2
Cigarettes	43.2	70.9	68.1	Posted something on the internet or sent a text that might	11.4	16.4	25.5
Marijuana	32.1	38.6	31.4	embarrass or hurt another student		10.4	20.0
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	7.6	11.3	12.5	Percent of students who agree that:			
Percent who would likely use, if offered by a best friend:				Teachers notice and comment on student's good work	82.5	83.7	83.6
Alcohol	25.9	37.6	50.3	School provides feedback to parents on positive student	75.0	04.7	54.0
Cigarettes	39.2	29.8	28.3	performance	75.3	31.7	51.3
Marijuana	29.6	13.5	9.7	Rules are enforced fairly	81.3	61.7	67.2
•	20.0	10.0	0.1	Students of all races/ethnicities are treated equal	83.8	70.9	80.4
Percent who say it would be wrong to use:				Percent of students who agree that:			
Alcohol	63.3	49.6	44.5	Parents notice and comment on student's good work	87.5	83.0	88.9
Cigarettes	53.1	68.1	69.1	Parents involve student in making family decisions	72.8	73.0	69.1
Marijuana	76.3	83.0	86.2	It is important to be honest with parents regardless of	. 2.0	. 0.0	55.1
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	98.8	100.0	96.8	consequences	92.5	87.2	90.4
Percent whose parents would disapprove if they use:				Student could ask parent for help with a personal problem	80.0	75.9	84.0
Alcohol	91.4	81.6	77.9	, , , , , , , , , , , , , , , , , , , ,			
Cigarettes	83.8	87.9	88.6	Missouri Student Survey is conducted biennially.			
Marijuana	95.0	97.9	96.3	Similar affirmative response choices for individual questions an Blank data cells indicate estimates are not available for item or			
Percent who say it would be easy to obtain:				Survey is not conducted in every school district nor reported for			•
Alcohol	38.8	71.6	66.8	Estimates are not available for counties with small numbers of			
Cigarettes	45.0	70.9	73.9	Percentages are estimates based on weighted data. Some year-to-year differences in percentages are not statistical.	ally signifi	cant.	
Marijuana	29.6	36.9	40.4				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	14.7	20.9	19.0	Data source: Missouri Institute of Mental Health, 2010-2014 Mi	ssouri St	udent Su	ırveys

OHEED! COOK	• • •						
	OBH REGION	Central		IMPAIRED DRIVING	2013	2012	2011
	OBH SERVICE AREAS			Alcohol Involved CrashesTotal	4	5	3
	Substance Use	14		Fatal Crashes	0	0	0
	Adult Psychiatric	14		Injury Crashes	1	3	1
	POPULATION			Property Damage Crashes	3	2	2
	Census 2010	6,373		Crash Fatalities	0	0	0
	2014 Estimate	6,108		Crash Injuries	1	3	1
		-,		Drug Involved CrashesTotal	0	0	0
<u> </u>				Fatal Crashes	0	0	0
				Injury Crashes	0	0	0
BIRTH RISK	2013	2012	2011	Property Damage Crashes	0	0	0
Resident BirthsTotal	64	69	80	Crash Fatalities	0	0	0
Mother Reported Smoking while	e Pregnant 14	13	24	Crash Injuries	0	0	0
DISEASE INCIDENCE 1	2013	2012	2011	,			
HIV/AIDS Cases	0	0	0	POLICE REPORTS	2013	2012	2011
Hepatitis B Chronic, Acute, Pre	enatal 1	1	1	DUI Arrests, DWI Tracking System	17	23	28
Hepatitis C Chronic and Acute	0	2	3	Liquor Law Arrests	1	14	9
Tuberculosis Infection Cases	1	0	0	Drug Arrests	34	55	25
				Violent Offenses	4	10	6
DEATHS and INJURIES	2013	2012	2011	Property Offenses	60	39	58
Resident DeathsTotal	85	78	81	Domestic Violence Reports	20	15	19
Suicides	0	0	2		2014	2013	2012
Self-inflicted Injuries	2	3	5	Methamphetamine Lab Seizures	2	1	0
Homicides	0	0	0		2042.44	2042.42	2044.42
Assault Injuries	8	10	11	SCHOOL REPORTS	2013-14	2012-13	2011-12
Alcohol Induced Deaths	0	2	0	Enrollment Grades 9-12	316	336	332
Drug Induced Deaths	0	1	0	Drop-outs	3	2	5
Smoking Attributable Deaths	10	11	12	Drop-out Rate	0.9%	0.6%	1.5%
				School Discipline Involving Alcohol	0	0	3
HOSPITAL EPISODES 2	2013	2012	2011	School Discipline Involving Drugs	2	0	1
Hospitalization, no Emergency				School Discipline Involving Tobacco	0	0	0
Mental Illness Principal Diagno		37	30	JUVENILE COURT REFERRALS 3	2013	2012	2011
Mental Illness Secondary Diag		104	142	Juvenile Violent Offenses	6	6	7
Alcohol Principal Diagnosis	0	0	2	Juvenile Alcohol Offenses	0	4	4
Alcohol Secondary Diagnosis	8	7	17	Juvenile Drug Offenses	1	2	0
Drug Principal Diagnosis	0	0	2	School Truancy Status Offense	4	8	2
Drug Secondary Diagnosis	1	4	4	Absent from Home Status Offense	3	0	0
Emergency Room + Hospitaliza				Beyond Parental Control Status Offense	6	6	14
Mental Illness Principal Diagno		12	10	Injurious Behavior Status Offense	11	11	16
Mental Illness Secondary Diag		67	27	Child Abuse	6	27	22
Alcohol Principal Diagnosis	0	4	0	Child Neglect	28	58	64
Alcohol Secondary Diagnosis	8	4	5	Child Custody Issues	0	4	5
Drug Principal Diagnosis	1	3	4		-	•	•
Drug Secondary Diagnosis	4	2	1	JUVENILE COURT PLACEMENTS	2013	2012	2011
Emergency Room, no Hospitali				Out-of-Home PlacementsTotal	18	8	16
Mental Illness Principal Diagno		19	30	Parental Alcohol Use Related	1	0	0
Mental Illness Secondary Diag	gnosis 35	40	54	Parental Drug Use Related	10	1	3
Alcohol Principal Diagnosis	3	6	6	Parental Alcohol and Drug Use	0	0	0
Alcohol Secondary Diagnosis	1	2	4	CONTRACTOR	EV204.4	EV2042	EVOCAC
Drug Principal Diagnosis	5	5	6	CRIMINAL JUSTICE	FY2014 0	FY2013 0	FY2012
Drug Secondary Diagnosis	2	0	1	Drug Court Participants			0
				Probation/Parole AdmissionsDrug Probation/Parole AdmissionsDWI	13 4	14 1	7 1
ALCOHOL OUTLETS	2014	2013	2012				7
Alcohol On-Premise Drink Lice		5	6	Prison AdmissionsDrug Prison AdmissionsDWI	6 1	5 3	2
Alcohol Package Carry-out Lice	enses 10	11	8	F 115011 AUTHISSIONSDVVI	Т	3	2
EMPLOYMENT	2014	2013	2012	1 All Kansas City hepatitis and TB case repor			County
Labor Force	3,050	3,106	3,099	totals and all Joplin case reports are include 2 Beginning with 2010 data, diagnosis counts			es are
Employed	2,864	2,940	2,910	based on codes developed by the Healthcar	re Cost and U	Itilization Pro	ject.
Unemployed	186	166	189	3 Beginning in 2013, juvenile municipal violati			
Unemployment Rate	6.1%	5.3%	6.1%	court orders are categorized as status offen	oes instead 0	i iaw violatior	13.

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

	FY2014	FY2013	FY2012
TREATMENT CATEGORY	112021	112020	
Detoxification	*	*	6
CSTAR Adolescent	*	6	*
CSTAR Women and Children	7	5	*
CSTAR General Adult	26	5	*
CSTAR Opioid	0	0	0
Primary Recovery Treatment	5	16	14
Clinical SATOP (CIP, YCIP, SROP)	*	5	5
Other Substance Abuse Treatment	0	0	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	10	21	27
- Adolescent Diversion Education Prograr	0	7	*
- Offender Education Program	*	8	10
- Weekend Intervention Program	*	0	5
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	*	0
Compulsive Gambling	0	0	0
Recovery Supports	0	0	0
Early Intervention	*	0	*

NUMBER ADMITTED	FY2014	FY2013	FY2012	PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Total Individuals	42	34	34	Alcohol	11	11	18
				Marijuana / Hashish	16	15	5
AGE	*	_		Cocaine (total)	0	*	0
Under 18		6	*	- Crack	0	0	0
18 to 24	6	5	8	Stimulant (total)	10	5	*
25 to 29	11		*	- Methamphetamine	10	5	*
30 to 34	5	10	7	Heroin	0	0	*
35 to 39	8	*	*	Analgesic except Heroin	*	*	*
40 to 44	*	*	*	- Non-Prescription Methadone	0	0	0
45 to 54	6	*	5	PCP, LSD, other Hallucinogen	*	0	0
55 and Over	0	*	*	Tranquilizer	0	0	*
GENDER				Inhalant	0	0	0
Male	19	19	22	Sedative	0	0	0
Female	23	15	12	Other Medication or Illicit Drug	*	0	*
				Average Age at First Use of Drug	16.3	16.8	16.6
RACE / ETHNICITY							
Caucasian	40	33	33	INJECTION DRUG USE			
African American	*	0	0	Any Injection Use at Admission	*	*	*
Native American / Alaskan	0	0	0	- Daily Injection Use	0	*	0
Asian / Pacific Islander	0	0	0	- Weekly Injection Use	0	*	*
Hispanic	0	*	0	- Less than Weekly Injection Use	*	*	*
Other Race / Two or More Races	*	0	*				
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	17	11	14	0	24	21	15
High School Graduate or G.E.D.	19	19	16	1 or 2	14	6	11
Associate Degree or Some College	6	*	*	3 or More	*	7	8
Bachelor or Advanced Degree	0	0	0				
51401014515				TREATMENT REFERRAL SOURCE	9	-	6
EMPLOYMENT	16	0	10	Self / Family / Friend	0	5 0	6
Employed	16	9	10	School Martal Haalth Bravidan	0	0	0
Unemployed	14	16		Mental Health Provider	-	*	-
Not in Labor Force	12	9	10	Health Care Provider	0		5
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	16 7	12 11	17
Independent Living	34	24	27	Other Referral Source	,	- 11	
Dependent Living	8	8	6				
Homeless	0	*	0	TREATMENT ACCOMMODATION	*	*	*
AAADITAL / FAAAU V STATUS				Pregnant when Admitted to any Episode	*	*	*
MARITAL / FAMILY STATUS	10	10	04	Military Veteran	*	*	*
Never Married	19	16	21	Special Education Services Needed	-		4.4
Married / Cohabitating	14	6	10 *	Co-Occurring Psychological Problem	7	7 0	11
Previously Married	9	12		Co-Occurring Developmental Problem		U	

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Central
PSYCHIATRIC SERVICE AREA
CENSUS 2010 6,373
2014 POPULATION ESTIMATE 6,108

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.									
DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012						
Adjustment Disorder	*	0	*						
Anxiety Disorder	22	12	7						
Dementia	0	0	0						
Developmental Disorder	*	*	*						
Impulse Control Disorder	17	8	9						
Mood Disorder	32	25	22						
Personality Disorder	*	*	*						
Psychotic Disorder	8	12	9						
Sexual Disorder	0	0	0						
Other Diagnosis	10	8	*						
Diagnosis Unknown	*	*	*						

Individuals who received psychiatric services had the following types of

NUMBER SERVED	FY2014	FY2013	FY2012	EDUCATION	FY2014	FY2013	FY2012
Total Individuals	48	42	35	Less than High School Diploma	22	25	12
. otal manadalo				High School Grad or G.E.D.	0	0	7
AGE				Associate Degree or Some College	0	0	*
Under 6	0	*	0	Bachelor or Advanced Degree	0	0	*
6 to 9	5	*	0	Education Level Unknown	26	17	13
10 to 13	*	*	*	Education Edver officiown	20	.,	10
14 to 17	9	6	7	EMPLOYMENT			
18 to 24	*	*	6	Employed	*	*	*
25 to 29	*	*	*	Unemployed	*	5	18
30 to 34	*	0	*	Not in Labor Force	35	29	*
35 to 39	*	*	*	Employment Status Unknown	8	5	12
40 to 44	*	*	*				
45 to 49	6	5	*	HOUSING / LIVING ARRANGEMENT			
50 to 54	*	*	*	Independent Living	18	23	20
55 to 59	6	7	*	Dependent Living	17	13	5
60 and Over	*	*	*	Homeless	0	0	0
Age Unknown	0	0	0	Other	0	0	0
CENDED				Housing Unknown	13	6	10
GENDER Male	10	17	17				
Female	19 29	17 25	17 18	TREATMENT REFERRAL SOURCE			
Gender Unknown				Self / Family / Friend	12	13	11
Gender Unknown	0	0	0	School	0	0	*
RACE / ETHNICITY				Mental Health Provider	0	*	0
Caucasian	43	39	34	Health Care Provider	*	*	5
African American	*	*	*	Court / Criminal Justice	*	*	0
Native American / Alaskan	0	0	0	Other	28	20	17
Asian / Pacific Islander	0	0	0	Referral Source Unknown	*	*	*
Hispanic	*	*	0				
Other Race	0	0	0	TYPE OF COMMITMENT	40	40	0.4
Race/Ethnicity Unknown	0	0	0	Voluntary	46	40	34
				Civil	0		0
TREATMENT ACCOMMODATION				Criminal	*	0	0
Hearing Impaired	*	*	*	Sexual Predatory	0	0	0
Past or Current Military Service	*	*	*	Commitment Type Unknown	*	*	*

MISSOURI STUDENT SURVEY

Percent of ctudents who have ever used	2014	2012 2010	Persont who hellows they risk harm if they use.	2014	2012	2010
Percent of students who have ever used: Alcohol	26.1	32.4	Percent who believe they risk harm if they use: Alcohol (1 or 2 drinks daily)	52.2		
	8.7	18.3	The state of the s	65.2		
Cigarettes Chewing Tobacco	6.5	16.2	Alcohol (Binge: 5+ drinks once or twice a week) Alcohol (any use)	03.2		90.2
-	0.0	2.8	Cigarettes (1+ packs per day)	95.0		90.2
Marijuana Inhalants	0.0	0.7	Cigarettes (1+ packs per day) Cigarettes (any use)	93.0		84.0
	0.0	5.7	Marijuana (once or twice a week)	73.9		04.0
Prescription medications not prescribed for student Over-the-counter medications for non-medical use	17.0	3.7	Marijuana (any use)	13.9		75.0
	0.0	0.0	Other: Cocaine, LSD, Meth, Club Drug (any use)	82.6		92.4
Methamphetamine Cocaine	2.2	0.0	Other: Cocaline, ESD, Meth, Club Drug (any use)	02.0		92.4
Heroin	0.0	0.0	Percent of students who, in past 30 days:			
		0.0	Were very sad	13.0		12.5
Hallucinogens	13.0		Were grouchy, irritable, or in a bad mood	32.6		21.5
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.0	0.7	Felt hopeless about the future	2.2		11.2
Steroids not prescribed for student	0.0	2.1	Felt like not eating or eating more than usual	19.6		15.5
Synthetic drugs (K2, bath salts, Spice, etc)	0.0		Slept a lot more or a lot less than usual	7.5		16.1
Average age of students' first use of:			Had difficulty concentrating on school work	9.8		28.7
Alcohol	11.92	13.37	Descent of shudowto who is most 12 months.			
Cigarettes	10.50	13.26	Percent of students who, in past 12 months:	00.4		0.0
Marijuana Marijuana			Seriously considered attempting suicide	26.1		8.3
Inhalants			Made plan about how they would attempt suicide	2.2		3.5
			Attempted suicide	13.0		2.1
Percent of students who, in past 30 days, used:			Attempted suicide and resulting injury, poisonng, or overdose	13.6		0.0
Alcohol	11.1	11.3	had to be treated by doctor or nurse			
Alcohol (Binge: 5+ drinks on one occassion)		7.6	Percent of students who, in past 12 months:			
Cigarettes	0.0	9.2	Were threatened/injured with weapon at school	2.2		6.3
Chewing Tobacco	2.2	7.0	Were in a physical fight	34.8		13.9
Marijuana	0.0	0.0	Were in a fight and had to be treated by a doctor or nurse	2.2		0.7
Inhalants	0.0	0.0				
Prescription medications not prescribed for student	0.0	2.8	Percent of students who, in past 3 months:			
Over-the-counter medications for non-medical use	17.0	1.4	Were victims of mean rumors or lies spread at school	54.3		61.3
Percent of students who, in past 2 weeks, used:			Were made fun of by others	71.7		79.0
Alcohol (Binge: 5+ drinks on one occassion)	0.0		Were victims of an embarrassing or hurtful text message or	37.0		22.0
raddid (Singer or annie dir die dedaction)	0.0		something posted on the internet	- 4 0		05.7
Percent whose friends used in past 12 months:			Spread mean rumors or lies about other kids at school	54.3		35.7
Alcohol	23.9	48.3	Made fun of other people	54.3		79.2
Cigarettes	15.2	39.6	Posted something on the internet or sent a text that might embarrass or hurt another student	23.9		16.0
Marijuana	7.5	12.5	embarrass of fluit ariother student			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	0.0	7.0	Percent of students who agree that:			
Percent who would likely use, if offered by a best friend:			Teachers notice and comment on student's good work	69.6		75.4
Alcohol	23.9	27.1	School provides feedback to parents on positive student			
Cigarettes	0.0	8.4	performance	38.3		42.0
Marijuana	0.0	2.1	Rules are enforced fairly	89.1		66.0
Wanjuana	0.0	2.1	Students of all races/ethnicities are treated equal	89.1		78.2
Percent who say it would be wrong to use:			· ·			
Alcohol	74.5	70.4	Percent of students who agree that:			
Cigarettes	95.7	87.5	Parents notice and comment on student's good work	78.3		81.1
Marijuana	97.8	96.5	Parents involve student in making family decisions	65.2		61.7
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	100.0	97.9	It is important to be honest with parents regardless of	82.6		82.5
			consequences			
Percent whose parents would disapprove if they use:	00.0	0.4.5	Student could ask parent for help with a personal problem	73.9		75.2
Alcohol	69.6	84.5				
Cigarettes	84.8	95.7	Missouri Student Survey is conducted biennially.	o oombin	- d	
Marijuana	86.7	96.5	Similar affirmative response choices for individual questions are Blank data cells indicate estimates are not available for item or			
Percent who say it would be easy to obtain:			Survey is not conducted in every school district nor reported for	r every co	unty.	
Alcohol	37.0	50.0	Estimates are not available for counties with small numbers of	responde	nts.	
Cigarettes	6.5	50.3	Percentages are estimates based on weighted data. Some year-to-year differences in percentages are not statistical.	lly signific	cant.	
Marijuana	13.0	12.6		, ,		
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	13.0	7.7	Data source: Missouri Institute of Mental Health, 2010-2014 Mi	ssouri Stu	ıdent Su	ırveys
Sales and Cooding Edd, Moth Old Didg, Old	10.0	• • • •				

OTODD/MED GGG!	• • •						
DBH RE	GION	Southeast		IMPAIRED DRIVING	2013	2012	2011
DBH SEI	RVICE AREAS			Alcohol Involved CrashesTotal	33	39	43
Subst	ance Use	19		Fatal Crashes	1	2	1
Adult	Psychiatric	20		Injury Crashes	15	18	17
POPULA	TION			Property Damage Crashes	17	19	25
Censu	us 2010	29,968		Crash Fatalities	2	2	1
2014	Estimate	29,867		Crash Injuries	23	26	22
Tan Tan				Drug Involved CrashesTotal	10	17	21
				Fatal Crashes	0	0	1
BIRTH RISK	2013	2012	2011	Injury Crashes	4	8	12
Resident BirthsTotal	360	374	361	Property Damage Crashes	6	9	8
Mother Reported Smoking while Preg		97	101	Crash Fatalities	0	0	1
_				Crash Injuries	4	11	14
DISEASE INCIDENCE 1	2013	2012	2011	DOLLCE REDORTS	2013	2012	2011
HIV/AIDS Cases	1	0	1	POLICE REPORTS DUI Arrests, DWI Tracking System	192	234	198
Hepatitis B Chronic, Acute, Prenatal	0	4	1	Liquor Law Arrests	37	42	27
Hepatitis C Chronic and Acute	31	32	17	Drug Arrests	148	114	104
Tuberculosis Infection Cases	2	4	9	Violent Offenses	51	59	54
DEATHS and INJURIES	2013	2012	2011	Property Offenses	595	665	593
Resident DeathsTotal	393	367	409	Domestic Violence Reports	157	159	114
Suicides	7	4	8	Domosilo Violendo Reperto	2014	2013	2012
Self-inflicted Injuries	72	64	60	Methamphetamine Lab Seizures	5	10	7
Homicides	1	1	0				
Assault Injuries	86	120	91	SCHOOL REPORTS	2013-14	2012-13	2011-12
Alcohol Induced Deaths	2	0	1	Enrollment Grades 9-12	1,396	1,407	1,412
Drug Induced Deaths	5	9	1	Drop-outs	20	19	32
Smoking Attributable Deaths	74	74	85	Drop-out Rate	1.4%	1.4%	2.3%
_				School Discipline Involving Alcohol	0	1	1
HOSPITAL EPISODES 2	2013	2012	2011	School Discipline Involving Drugs	11	2	6
Hospitalization, no Emergency Room:				School Discipline Involving Tobacco	0	0	0
Mental Illness Principal Diagnosis	395	398	395	JUVENILE COURT REFERRALS 3	2013	2012	2011
Mental Illness Secondary Diagnosis	616	457	516	Juvenile Violent Offenses	44	40	42
Alcohol Principal Diagnosis	8	17	15	Juvenile Alcohol Offenses	11	23	29
Alcohol Secondary Diagnosis	47	29	40	Juvenile Drug Offenses	14	7	18
Drug Principal Diagnosis	24	22	24	School Truancy Status Offense	33	29	36
Drug Secondary Diagnosis	29	28	17	Absent from Home Status Offense	5	2	4
Emergency Room + Hospitalization: Mental Illness Principal Diagnosis	58	52	57	Beyond Parental Control Status Offense	2	20	32
Mental Illness Secondary Diagnosis	494	558	544	Injurious Behavior Status Offense	24	13	16
Alcohol Principal Diagnosis	12	9	13	Child Abuse	87	89	72
Alcohol Secondary Diagnosis	31	51	33	Child Neglect	161	197	179
Drug Principal Diagnosis	8	13	13	Child Custody Issues	124	182	230
Drug Secondary Diagnosis	19	15	15	JUVENILE COURT PLACEMENTS	2013	2012	2011
Emergency Room, no Hospitalization:			10	Out-of-Home PlacementsTotal	119	171	204
Mental Illness Principal Diagnosis	346	390	373	Parental Alcohol Use Related	6	3	6
Mental Illness Secondary Diagnosis	394	482	275	Parental Drug Use Related	62	82	98
Alcohol Principal Diagnosis	41	38	30	Parental Alcohol and Drug Use	4	4	12
Alcohol Secondary Diagnosis	43	45	37	S			
Drug Principal Diagnosis	44	42	30	CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Secondary Diagnosis	45	38	37	Drug Court Participants	41	40	29
				Probation/Parole AdmissionsDrug	130	103	116
ALCOHOL OUTLETS	2014	2013	2012	Probation/Parole AdmissionsDWI	30	26	17
Alcohol On-Premise Drink Licenses	30	30	33	Prison Admissions Drug	58 46	56	53
Alcohol Package Carry-out Licenses	26	26	29	Prison AdmissionsDWI	16	11	8
EMPLOYMENT	2014	2013	2012	1 All Kansas City hepatitis and TB case repor	ts are include	ed in Jackson	County
Labor Force	13,017	15,155	14,947	totals and all Joplin case reports are include	ed in Jasper C	County totals.	
Employed	12,021	14,073	13,825	2 Beginning with 2010 data, diagnosis counts based on codes developed by the Healthcar			
Unomployed	006	1 092	1 122	3 Beginning in 2013, juvenile municipal violati			

996

7.7%

1,082

7.1%

1,122

7.5%

Unemployed

Unemployment Rate

3 Beginning in 2013, juvenile municipal violations, infractions, and violations of

court orders are categorized as status offenses instead of law violations.

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	27	35	43
CSTAR Adolescent	13	15	23
CSTAR Women and Children	15	17	12
CSTAR General Adult	156	181	100
CSTAR Opioid	0	0	0
Primary Recovery Treatment	*	69	194
Clinical SATOP (CIP, YCIP, SROP)	35	43	33
Other Substance Abuse Treatment	0	0	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	127	150	118
- Adolescent Diversion Education Prograr	0	0	0
- Offender Education Program	39	48	47
- Weekend Intervention Program	20	33	17
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	0	0
Compulsive Gambling	0	0	*
Recovery Supports	137	158	126
Early Intervention	*	5	41

NUMBER ADMITTED	FY2014	FY2013	FY2012	PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Total Individuals	255	327	387	Alcohol	90	106	132
				Marijuana / Hashish	70	97	116
AGE				Cocaine (total)	0	*	5
Under 18	11	15	26	- Crack	0	*	*
18 to 24	53	62	73	Stimulant (total)	49	60	58
25 to 29	39	57	72	- Methamphetamine	45	58	56
30 to 34	45	61	71	Heroin	*	*	5
35 to 39	35	30	54	Analgesic except Heroin	37	40	50
40 to 44	20	35	29	- Non-Prescription Methadone	*	0	0
45 to 54	38	54	52	PCP, LSD, other Hallucinogen	0	0	*
55 and Over	14	13	10	Tranquilizer	*	16	14
GENDER				Inhalant	*	0	*
Male	159	181	254	Sedative	*	*	*
Female	96	146	133	Other Medication or Illicit Drug	*	0	*
				Average Age at First Use of Drug	17.9	18.5	17.7
RACE / ETHNICITY							
Caucasian	250	312	379	INJECTION DRUG USE			
African American	*	6	*	Any Injection Use at Admission	39	37	31
Native American / Alaskan	0	0	*	- Daily Injection Use	*	*	7
Asian / Pacific Islander	0	0	0	- Weekly Injection Use	12	11	9
Hispanic	*	*	*	- Less than Weekly Injection Use	23	22	15
Other Race / Two or More Races	0	9	*				
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	75	129	141	0	134	168	218
High School Graduate or G.E.D.	134	137	201	1 or 2	78	95	115
Associate Degree or Some College	44	60	43	3 or More	43	64	54
Bachelor or Advanced Degree	*	*	*				
				TREATMENT REFERRAL SOURCE	50	50	00
EMPLOYMENT	70	70	400	Self / Family / Friend	58	56	62
Employed	70	79	120	School Martal Haalth Bravidan	0	0	0
Unemployed	111	151	176	Mental Health Provider	0		
Not in Labor Force	74	97	91	Health Care Provider	20	12	6
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	121	170	220
Independent Living	220	294	340	Other Referral Source	48	81	97
Dependent Living	23	28	37				
Homeless	7	5	7	TREATMENT ACCOMMODATION	*	*	
_				Pregnant when Admitted to any Episode			
MARITAL / FAMILY STATUS			,	Military Veteran	12	9	17
Never Married	83	127	154	Special Education Services Needed	21	36	36
Married / Cohabitating	89	92	115	Co-Occurring Psychological Problem	113	112	135
Previously Married	83	108	118	Co-Occurring Developmental Problem	17	22	15

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Southeast
PSYCHIATRIC SERVICE AREA 20
CENSUS 2010 29,968
2014 POPULATION ESTIMATE 29,867

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.						
DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012			
Adjustment Disorder	35	43	44			
Anxiety Disorder	159	158	161			
Dementia	*	*	*			
Developmental Disorder	*	5	8			
Impulse Control Disorder	69	72	70			
Mood Disorder	352	387	363			
Personality Disorder	35	48	65			
Psychotic Disorder	76	78	65			
Sexual Disorder	*	*	*			
Other Diagnosis	43	46	51			
Diagnosis Unknown	31	48	50			

Individuals who received psychiatric services had the following types of

NUMBER SERVED	FY2014	FY2013	FY2012	EDUCATION	FY2014	FY2013	FY2012
Total Individuals	587	627	567	Less than High School Diploma	259	268	84
				High School Grad or G.E.D.	0	0	55
AGE				Associate Degree or Some College	0	0	14
Under 6	8	6	*	Bachelor or Advanced Degree	0	0	5
6 to 9	43	34	41	Education Level Unknown	328	359	409
10 to 13	48	65	45			-	
14 to 17	53	58	62	EMPLOYMENT			
18 to 24	47	51	49	Employed	34	45	20
25 to 29	49	49	49	Unemployed	33	29	116
30 to 34	54	57	49	Not in Labor Force	394	370	55
35 to 39	44	43	36	Employment Status Unknown	126	183	376
40 to 44	44	55	42				
45 to 49	57	64	67	HOUSING / LIVING ARRANGEMENT			
50 to 54	62	62	45	Independent Living	297	252	149
55 to 59	39	37	34	Dependent Living	219	240	57
60 and Over	39	46	46	Homeless	*	*	*
Age Unknown	0	0	0	Other	0	0	0
CENDED				Housing Unknown	69	134	359
GENDER Male	0.40	000	0.47				
Female	249	269 358	247	TREATMENT REFERRAL SOURCE			
	338		320	Self / Family / Friend	267	246	225
Gender Unknown	0	0	0	School	5	6	6
RACE / ETHNICITY				Mental Health Provider	81	100	89
Caucasian	561	607	549	Health Care Provider	94	109	104
African American	11	*	6	Court / Criminal Justice	29	34	45
Native American / Alaskan	*	*	0	Other	111	132	98
Asian / Pacific Islander	0	0	0	Referral Source Unknown	0	0	0
Hispanic	*	5	*				
Other Race	12	10	9	TYPE OF COMMITMENT			
Race/Ethnicity Unknown	0	0	0	Voluntary	582	624	564
•				Civil	0	0	*
TREATMENT ACCOMMODATION				Criminal	*	*	*
Hearing Impaired	8	9	*	Sexual Predatory	*	*	*
Past or Current Military Service	5	8	5	Commitment Type Unknown	0	0	0

MISSOURI STUDENT SURVEY

	IVIIOS	OUF	(1510	DENI SURVET			
Percent of students who have ever used:	2014	2012	2010	Percent who believe they risk harm if they use:	2014	2012	2010
Alcohol	43.3	49.4	42.3	Alcohol (1 or 2 drinks daily)	48.2		
Cigarettes	31.5	37.8	35.3	Alcohol (Binge: 5+ drinks once or twice a week)	56.2		
Chewing Tobacco	25.3	18.7	18.3	Alcohol (any use)		71.2	79.7
Marijuana	16.0	16.0	12.9	Cigarettes (1+ packs per day)	77.5		
Inhalants	4.3	6.1	10.8	Cigarettes (any use)		75.3	80.1
Prescription medications not prescribed for student	12.6	12.2	15.4	Marijuana (once or twice a week)	64.4		
Over-the-counter medications for non-medical use	3.7	9.7	9.3	Marijuana (any use)		69.6	78.1
Methamphetamine	0.6	1.3	1.6	Other: Cocaine, LSD, Meth, Club Drug (any use)	90.0	93.6	94.6
Cocaine	1.9	3.6	2.1	Percent of students who, in past 30 days:			
Heroin	0.6	0.6	1.0	Were very sad	21.5	18.1	19.7
Hallucinogens	3.1	1.3	3.4	Were grouchy, irritable, or in a bad mood	31.9	26.7	26.1
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.5	1.9	2.6	Felt hopeless about the future	13.9	13.4	12.5
Steroids not prescribed for student	2.1	2.4	1.3	Felt like not eating or eating more than usual	19.8	20.4	18.3
Synthetic drugs (K2, bath salts, Spice, etc)	6.2	9.2		Slept a lot more or a lot less than usual	21.5	22.3	25.2
Average age of students' first use of:				Had difficulty concentrating on school work	22.4	24.3	27.2
Alcohol	12.71	12.33	12.51	Percent of students who in past 12 menths			
Cigarettes	12.16	12.10	12.15	Percent of students who, in past 12 months: Seriously considered attempting suicide	8.8	10.4	11.5
Marijuana	13.74	12.98	13.52	Made plan about how they would attempt suicide	7.9	5.5	8.2
Inhalants	11.91	12.26	12.82	Attempted suicide	4.5	5.1	5.5
Percent of students who, in past 30 days, used:				Attempted suicide and resulting injury, poisoning, or overdose	4.5	5.1	5.5
Alcohol	17.3	23.8	17.7	had to be treated by doctor or nurse	3.1	2.6	2.1
Alcohol (Binge: 5+ drinks on one occassion)	17.0	14.5	12.4	-			
Cigarettes	14.1	21.1	17.8	Percent of students who, in past 12 months:	<i>E</i> 4	F 0	7.4
Chewing Tobacco	14.0	10.7	8.9	Were threatened/injured with weapon at school	5.4 23.2	5.9 27.2	7.4 22.9
Marijuana	7.4	3.8	6.5	Were in a physical fight Were in a fight and had to be treated by a doctor or nurse	3.0	6.1	3.2
Inhalants	0.9	2.1	4.2	were in a right and had to be treated by a doctor of hurse	3.0	0.1	3.2
Prescription medications not prescribed for student	5.2	5.7	11.1	Percent of students who, in past 3 months:			
Over-the-counter medications for non-medical use	2.1	4.2	5.6	Were victims of mean rumors or lies spread at school	57.2	58.6	60.0
Percent of students who, in past 2 weeks, used:				Were made fun of by others	64.9	61.6	66.1
Alcohol (Binge: 5+ drinks on one occassion)	8.7			Were victims of an embarrassing or hurtful text message or something posted on the Internet	22.1	20.9	20.2
Percent whose friends used in past 12 months:				Spread mean rumors or lies about other kids at school	29.6	25.4	31.6
Alcohol	56.2	69.4	54.0	Made fun of other people	60.2	58.2	67.3
Cigarettes	53.3	63.8	52.9	Posted something on the internet or sent a text that might embarrass or hurt another student	20.5	10.5	13.1
Marijuana	36.4	37.0	27.9	embarrass of fluit another student			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	14.1	15.0	12.2	Percent of students who agree that:			
Percent who would likely use, if offered by a best friend:				Teachers notice and comment on student's good work	71.7	73.5	75.8
Alcohol	34.1	40.0	30.3	School provides feedback to parents on positive student	39.8	44.8	43.1
Cigarettes	17.6	21.4	19.3	performance	33.0	44.0	45.1
Marijuana	13.8	10.6	9.1	Rules are enforced fairly	58.0	60.7	68.2
Demonstrate and the world be among to use				Students of all races/ethnicities are treated equal	79.5	82.2	79.9
Percent who say it would be wrong to use:	E7 1	E4 0	61 F	Percent of students who agree that:			
Alcohol Cigarettes	57.1	54.8 72.2	61.5 75.3	Parents notice and comment on student's good work	80.1	86.8	85.6
Marijuana	75.5 77.1	83.9	75.5 86.4	Parents involve student in making family decisions	62.6	72.5	73.1
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	95.4	96.4		It is important to be honest with parents regardless of	040	00.0	00.4
Other filler (Godaine, ESD, Metil, Glub Drug, etc)	55.4	50.4	30.1	consequences	84.0	88.2	88.4
Percent whose parents would disapprove if they use:				Student could ask parent for help with a personal problem	73.4	79.0	77.6
Alcohol	77.8	83.0					
Cigarettes	85.9	91.8	88.5	Missouri Student Survey is conducted biennially.		1	
Marijuana	90.9	97.7	95.1	Similar affirmative response choices for individual questions are Blank data cells indicate estimates are not available for item or			
Percent who say it would be easy to obtain:				Survey is not conducted in every school district nor reported for	r every co	ounty.	
Alcohol	63.0	66.3	49.6	Estimates are not available for counties with small numbers of Percentages are estimates based on weighted data.	responde	ents.	
Cigarettes	61.3	69.6	54.4	Some year-to-year differences in percentages are not statistical	lly signifi	cant.	
Marijuana	38.2	37.2	26.5	Data source: Missouri Institute of Montel Health 2040 2044 Mis	ccouri Ct	udont C.	IL/O/O
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	19.0	19.3	12.9	Data source: Missouri Institute of Mental Health, 2010-2014 Mis	SOUII Oll	udent St	ui veys

OTOME GOOM	•						
DB	H REGION	Southwest		IMPAIRED DRIVING	2013	2012	2011
DB	H SERVICE AREAS			Alcohol Involved CrashesTotal	36	49	53
S	Substance Use	10		Fatal Crashes	0	4	3
A A	dult Psychiatric	10		Injury Crashes	16	25	23
PO	PULATION			Property Damage Crashes	20	20	27
	Census 2010	32,202		Crash Fatalities	0	4	4
2	014 Estimate	31,104		Crash Injuries	17	32	34
3				Drug Involved CrashesTotal	9	3	4
				Fatal Crashes	1	0	0
BIRTH RISK	2013	2012	2011	Injury Crashes	6	1	2
Resident BirthsTotal	268	253	246	Property Damage Crashes	2	2	2
Mother Reported Smoking while	Pregnant 67	56	69	Crash Fatalities Crash Injuries	2 7	0 1	0 2
DISEASE INCIDENCE 1	2013	2012	2011		-	-	_
HIV/AIDS Cases	0	0	3	POLICE REPORTS	2013	2012	2011
Hepatitis B Chronic, Acute, Prena	atal 2	0	0	DUI Arrests, DWI Tracking System	222	153	143
Hepatitis C Chronic and Acute	20	14	18	Liquor Law Arrests	12	13	11
Tuberculosis Infection Cases	4	3	3	Drug Arrests	165	195	146
				Violent Offenses	146	133	91
DEATHS and INJURIES	2013	2012	2011	Property Offenses	594	638	693
Resident DeathsTotal	409	355	337	Domestic Violence Reports	398	408	404
Suicides	9	5	7	Mathematical about October	2014	2013	2012
Self-inflicted Injuries	25	28	24	Methamphetamine Lab Seizures	0	8	15
Homicides	1	1	1	SCHOOL REPORTS	2013-14	2012-13	2011-12
Assault Injuries	36	50	55	Enrollment Grades 9-12	1,236	1,258	1,300
Alcohol Induced Deaths	1 2	2 4	1	Drop-outs	16	18	32
Drug Induced Deaths Smoking Attributable Deaths	81	63	6 67	Drop-out Rate	1.3%	1.4%	2.5%
Smoking Attributable Deaths	01	03	07	School Discipline Involving Alcohol	2	3	6
HOSPITAL EPISODES 2	2013	2012	2011	School Discipline Involving Drugs	16	23	21
Hospitalization, no Emergency R	oom:			School Discipline Involving Tobacco	0	0	0
Mental Illness Principal Diagnos	sis 126	120	112	JUVENILE COURT REFERRALS 3	2013	2012	2011
Mental Illness Secondary Diagn	osis 269	294	287	Juvenile Violent Offenses	35	18	26
Alcohol Principal Diagnosis	5	10	2	Juvenile Alcohol Offenses	0	2	1
Alcohol Secondary Diagnosis	24	20	17	Juvenile Drug Offenses	11	9	13
Drug Principal Diagnosis	8	10	8	School Truancy Status Offense	0	1	1
Drug Secondary Diagnosis	17	15	18	Absent from Home Status Offense	16	6	14
Emergency Room + Hospitalizati				Beyond Parental Control Status Offense	8	2	14
Mental Illness Principal Diagnos		110	101	Injurious Behavior Status Offense	16	9	19
Mental Illness Secondary Diagn		547	560	Child Abuse	13	12	20
Alcohol Principal Diagnosis	31	26	33	Child Neglect	30	51	46
Alcohol Secondary Diagnosis Drug Principal Diagnosis	59	70 25	74 27	Child Custody Issues	52	39	38
Drug Secondary Diagnosis	29 49	50	38	UNENUE COURT DI ACEMENTS	2013	2012	2011
Emergency Room, no Hospitaliza		30	30	JUVENILE COURT PLACEMENTS Out-of-Home PlacementsTotal	56	46	39
Mental Illness Principal Diagnos		176	170	Parental Alcohol Use Related	2	0	1
Mental Illness Secondary Diagn		874	471	Parental Drug Use Related	29	20	11
Alcohol Principal Diagnosis	41	50	47	Parental Alcohol and Drug Use	0	6	1
Alcohol Secondary Diagnosis	94	112	123	and and and and and	•	_	•
Drug Principal Diagnosis	55	55	44	CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Secondary Diagnosis	83	104	97	Drug Court Participants	141	140	117
				Probation/Parole AdmissionsDrug	105	80	80
ALCOHOL OUTLETS	2014	2013	2012	Probation/Parole AdmissionsDWI	7	12	14
Alcohol On-Premise Drink Licens	ses 38	41	39	Prison AdmissionsDrug	50	35	42
Alcohol Package Carry-out Licen	ises 45	46	44	Prison AdmissionsDWI	1	3	4
EMPLOYMENT	2014	2013	2012	1 All Kansas City hepatitis and TB case report			County
Labor Force	13,423	15,056	14,955	totals and all Joplin case reports are include Beginning with 2010 data, diagnosis counts			es are
Employed	12,145	13,720	13,459	based on codes developed by the Healthcar	e Cost and U	Itilization Pro	ject.
Unemployed	1,278	1,336	1,496	3 Beginning in 2013, juvenile municipal violati court orders are categorized as status offen:			
Unampleyment Data	0.50/	0.00/	40.00/	Journ States and Salogonized de cialdo circin			

9.5%

8.9%

10.0%

Unemployment Rate

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	51	40	37
CSTAR Adolescent	7	*	*
CSTAR Women and Children	7	13	6
CSTAR General Adult	18	25	13
CSTAR Opioid	0	0	0
Primary Recovery Treatment	57	47	59
Clinical SATOP (CIP, YCIP, SROP)	14	29	11
Other Substance Abuse Treatment	0	0	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	118	97	96
- Adolescent Diversion Education Prograr	*	*	0
- Offender Education Program	48	28	29
- Weekend Intervention Program	32	20	23
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	*	*
Compulsive Gambling	0	0	0
Recovery Supports	12	24	*
Early Intervention	0	*	*

NUMBER ADMITTED	FY2014	FY2013	FY2012	PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Total Individuals	133	142	127	Alcohol	55	66	58
				Marijuana / Hashish	22	14	21
AGE			*	Cocaine (total)	0	0	*
Under 18	9	*		- Crack	0	0	0
18 to 24	15	27	29	Stimulant (total)	31	32	21
25 to 29	19	20	30	- Methamphetamine	31	30	21
30 to 34	25	30	19	Heroin	*	*	*
35 to 39	21	15	6	Analgesic except Heroin	19	23	20
40 to 44	19	9	12	- Non-Prescription Methadone	*	*	*
45 to 54	20	23	15	PCP, LSD, other Hallucinogen	*	0	*
55 and Over	5	15	13	Tranquilizer	*	*	*
GENDER				Inhalant	0	*	0
Male	88	97	79	Sedative	0	0	0
Female	45	45	48	Other Medication or Illicit Drug	*	0	0
				Average Age at First Use of Drug	17.5	17.9	16.1
RACE / ETHNICITY							
Caucasian	133	139	123	INJECTION DRUG USE			
African American	0	0	*	Any Injection Use at Admission	26	28	31
Native American / Alaskan	0		*	- Daily Injection Use	8	6	5
Asian / Pacific Islander	0	0	0	- Weekly Injection Use	8	8	10
Hispanic	*	*	*	- Less than Weekly Injection Use	10	14	16
Other Race / Two or More Races	0	*	*				
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	59	44	41	0	67	60	60
High School Graduate or G.E.D.	47	71	58	1 or 2	44	55	47
Associate Degree or Some College	25	26	26	3 or More	22	27	20
Bachelor or Advanced Degree	*	*	*	TD5.474.547 D555DD.44 CQ44DG5			
51401014515				TREATMENT REFERRAL SOURCE	73	61	63
EMPLOYMENT	20	52	20	Self / Family / Friend	/ S *	0	0
Employed	28	52 58	30 77	School Mantal Haalth Bravidar	*	*	0
Unemployed	69			Mental Health Provider	*	*	5
Not in Labor Force	36	32	20	Health Care Provider			_
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	43	67	51 6
Independent Living	106	124	107	Other Referral Source	12	11	ь
Dependent Living	14	12	11				
Homeless	8	6	8	TREATMENT ACCOMMODATION		*	
				Pregnant when Admitted to any Episode	0		0
MARITAL / FAMILY STATUS	<i></i>		0.5	Military Veteran	8	9	8
Never Married	54	57	65	Special Education Services Needed	8		*
Married / Cohabitating	41	43	35	Co-Occurring Psychological Problem	36	29	29
Previously Married	38	42	27	Co-Occurring Developmental Problem	5	*	0

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Southwest
PSYCHIATRIC SERVICE AREA 10
CENSUS 2010 32,202
2014 POPULATION ESTIMATE 31,104

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.						
DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012			
Adjustment Disorder	8	8	13			
Anxiety Disorder	52	42	42			
Dementia	0	0	0			
Developmental Disorder	6	*	*			
Impulse Control Disorder	17	21	23			
Mood Disorder	94	83	87			
Personality Disorder	20	16	22			
Psychotic Disorder	27	24	30			
Sexual Disorder	0	0	0			
Other Diagnosis	20	17	11			
Diagnosis Unknown	18	16	26			

Individuals who received psychiatric services had the following types of

NUMBER SERVED	FY2014	FY2013	FY2012	EDUCATION	FY2014	FY2013	FY2012
Total Individuals	151	139	161	Less than High School Diploma	49	29	34
. otala.r.aaa.o				High School Grad or G.E.D.	0	0	25
AGE				Associate Degree or Some College	0	0	7
Under 6	*	*	*	Bachelor or Advanced Degree	0	0	6
6 to 9	8	*	7	Education Level Unknown	102	110	89
10 to 13	13	22	18	Eddodion Edver Onknown	102	110	00
14 to 17	16	12	16	EMPLOYMENT			
18 to 24	10	5	7	Employed	*	*	15
25 to 29	9	7	10	Unemployed	6	*	46
30 to 34	15	18	11	Not in Labor Force	78	71	19
35 to 39	10	5	11	Employment Status Unknown	64	63	81
40 to 44	12	11	19				
45 to 49	25	26	25	HOUSING / LIVING ARRANGEMENT			
50 to 54	21	16	15	Independent Living	38	27	50
55 to 59	6	8	12	Dependent Living	46	47	38
60 and Over	*	*	8	Homeless	*	*	0
Age Unknown	0	0	0	Other	0	0	*
oswo-s				Housing Unknown	66	64	72
GENDER	70	70	0.4				
Male	72	70	81	TREATMENT REFERRAL SOURCE			
Female	79	69	80	Self / Family / Friend	86	83	91
Gender Unknown	0	0	0	School	*	*	*
RACE / ETHNICITY				Mental Health Provider	*	*	7
Caucasian	142	131	150	Health Care Provider	25	18	23
African American	*	*	*	Court / Criminal Justice	5	11	10
Native American / Alaskan	0	0	*	Other	28	20	24
Asian / Pacific Islander	0	0	*	Referral Source Unknown	*	*	*
Hispanic	*	*	*				
Other Race	*	5	*	TYPE OF COMMITMENT			
Race/Ethnicity Unknown	0	0	0	Voluntary	148	133	152
·	-	-	•	Civil	*	*	*
TREATMENT ACCOMMODATION				Criminal	*	*	*
Hearing Impaired	11	*	5	Sexual Predatory	0	0	0
Past or Current Military Service	*	5	5	Commitment Type Unknown	*	*	*

MISSOURI STUDENT SURVEY

	IVIIOO	OUI		
Percent of students who have ever used:	2014	2012	2010	Pei
Alcohol	39.0	40.2	43.6	A
Cigarettes	28.2	23.2	29.8	A
Chewing Tobacco	17.7	22.7	18.9	A
Marijuana	16.0	14.2	15.5	C
Inhalants	7.5	6.1	7.8	C
Prescription medications not prescribed for student	11.9	9.5	10.8	N
Over-the-counter medications for non-medical use	5.2	6.9	7.7	N
Methamphetamine	2.0	2.9	0.9	0
Cocaine	2.6	3.3	1.4	0.0
Heroin	0.0	2.1	0.2	Pei V
Hallucinogens	4.6	3.1	2.7	v
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	3.6	4.1	2.4	Y
Steroids not prescribed for student	0.3	2.3	1.5	F
Synthetic drugs (K2, bath salts, Spice, etc)	4.3	7.8		S
Average age of students' first use of:				H
Alcohol	12.86	12.48	12.41	"
Cigarettes		12.60		Pei
Marijuana		13.39		S
Inhalants		13.18		N
maans	10.01	10.10	12.00	A
Percent of students who, in past 30 days, used:				A
Alcohol	14.9	16.6	17.4	h
Alcohol (Binge: 5+ drinks on one occassion)		11.0	11.5	Pei
Cigarettes	11.5	10.5	17.0	V
Chewing Tobacco	10.3	12.7		V
Marijuana	7.5	8.1	8.4	V
Inhalants	1.6	3.9		0.0
Prescription medications not prescribed for student	4.6	4.2		Pei
Over-the-counter medications for non-medical use	2.6	3.2	4.1	\ \ \
Percent of students who, in past 2 weeks, used:				\ \ \ \
Alcohol (Binge: 5+ drinks on one occassion)	4.6			S
Descent where friends wood in most 12 months.				S
Percent whose friends used in past 12 months:	4E E	51.1	E7 7	N
Alcohol	45.5 38.8			P
Cigarettes		41.8		e
Marijuana Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	28.8 12.5	26.7 11.8	35.4 17.5	
Other mich (Cocame, ESD, Meth, Club Drug, etc)	12.5	11.0	17.5	Pei
Percent who would likely use, if offered by a best friend:				T
Alcohol	25.4	27.1	28.8	S
Cigarettes	12.0	12.5	17.4	P
Marijuana	10.2	9.3	12.2	R
Percent who say it would be wrong to use:				S
Alcohol	65.7	67.0	64.8	Pei
Cigarettes	84.9	80.4	76.4	P
Marijuana	82.9	85.7	83.0	P
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	95.7	95.8	94.2	lt
	00.1	00.0	01.2	C
Percent whose parents would disapprove if they use:				S
Alcohol	76.5	83.2	79.2	
Cigarettes	88.4	91.2	88.3	Miss
Marijuana	88.4	95.3	93.0	Sim Blar
Percent who say it would be easy to obtain:				Sur
Alcohol	49.5	54.0	53.4	Esti
Cigarettes	51.5	55.0	56.3	Son
Marijuana	32.6	33.0	34.7	
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	16.7	16.6	16.7	Data

DENT SURVET			
Described by the state of the same to the	2014	2012	2010
Percent who believe they risk harm if they use:	55.0		
Alcohol (1 or 2 drinks daily)	55.2		
Alcohol (Binge: 5+ drinks once or twice a week)	65.1	740	740
Alcohol (any use)	05.0	74.8	74.2
Cigarettes (1+ packs per day)	85.3	04.0	70.4
Cigarettes (any use)	04.0	84.6	78.1
Marijuana (once or twice a week)	64.6	70.0	77.3
Marijuana (any use)	90 F	79.2	
Other: Cocaine, LSD, Meth, Club Drug (any use)	89.5	95.1	93.6
Percent of students who, in past 30 days:			
Were very sad	24.4	20.3	29.0
Were grouchy, irritable, or in a bad mood	26.7	26.7	32.7
Felt hopeless about the future	16.6	11.3	16.9
Felt like not eating or eating more than usual	23.6	15.2	26.3
Slept a lot more or a lot less than usual	19.5	19.8	33.7
Had difficulty concentrating on school work	28.6	24.6	29.9
Percent of students who, in past 12 months:			
Seriously considered attempting suicide	11.4	9.4	10.4
Made plan about how they would attempt suicide	10.2	7.6	7.2
Attempted suicide	7.9	4.7	4.5
Attempted suicide and resulting injury, poisoning, or overdose			
had to be treated by doctor or nurse	1.0	2.3	1.5
Percent of students who, in past 12 months:			
Were threatened/injured with weapon at school	7.5	7.1	8.7
Were in a physical fight	23.7	19.4	25.3
Were in a fight and had to be treated by a doctor or nurse	5.5	3.9	4.2
Percent of students who, in past 3 months:			
Were victims of mean rumors or lies spread at school	48.0	53.1	54.7
Were made fun of by others	56.0	61.7	66.5
Were victims of an embarrassing or hurtful text message or	00.0	•	00.0
something posted on the internet	30.6	20.2	17.0
Spread mean rumors or lies about other kids at school	19.9	25.5	29.0
Made fun of other people	45.9	60.6	68.7
Posted something on the internet or sent a text that might	19.4	0.0	12.6
embarrass or hurt another student	19.4	8.9	12.0
Percent of students who agree that:			
Teachers notice and comment on student's good work	69.8	54.8	73.2
School provides feedback to parents on positive student	00.0	0 1.0	10.2
performance	33.8	31.6	45.1
Rules are enforced fairly	59.0	48.2	61.5
Students of all races/ethnicities are treated equal	78.2	77.0	79.5
Percent of students who agree that:	70.0	02.4	0 <i>E E</i>
Parents notice and comment on student's good work	78.2	83.1	85.5
Parents involve student in making family decisions	68.0	70.8	72.8
It is important to be honest with parents regardless of consequences	88.3	91.1	86.9
Student could ask parent for help with a personal problem	76.3	81.3	80.6
Student could ask parent for help with a personal problem	10.5	01.0	00.0
Missouri Student Survey is conducted biennially.			

ssouri Student Survey is conducted biennially. nilar affirmative response choices for individual questions are combined. ank data cells indicate estimates are not available for item or geographic area. rvey is not conducted in every school district nor reported for every county. timates are not available for counties with small numbers of respondents. rcentages are estimates based on weighted data.

me year-to-year differences in percentages are not statistically significant.

ta source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

SOLLIVAN COONTT							
DBH REGION	,	Western		IMPAIRED DRIVING	2013	2012	2011
DBH SERVICE	AREAS			Alcohol Involved CrashesTotal	7	4	11
Substance	Use	13		Fatal Crashes	0	0	1
Adult Psyc	hiatric	13		Injury Crashes	4	2	4
POPULATION	,			Property Damage Crashes	3	2	6
Census 20		6,714		Crash Fatalities	0	0	1
2014 Estin	nate	6,411		Crash Injuries	5	2	6
		-,		Drug Involved CrashesTotal	3	0	0
213				Fatal Crashes	0	0	0
				Injury Crashes	2	0	0
BIRTH RISK	2013	2012	2011	Property Damage Crashes	1	0	0
Resident BirthsTotal	92	87	88	Crash Fatalities	0	0	0
Mother Reported Smoking while Pregnant	15	22	15	Crash Injuries	2	0	0
DISEASE INCIDENCE 1	2013	2012	2011	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			
HIV/AIDS Cases	1	0	0	POLICE REPORTS	2013	2012	2011
Hepatitis B Chronic, Acute, Prenatal	0	0	0	DUI Arrests, DWI Tracking System	34	32	31
Hepatitis C Chronic and Acute	5	3	3	Liquor Law Arrests	6	2	8
Tuberculosis Infection Cases	0	0	3	Drug Arrests	18	25	15
Tuborouloilo IIII odiloii Odeoo	Ü	ŭ	Ū	Violent Offenses	19	8	13
DEATHS and INJURIES	2013	2012	2011	Property Offenses	80	83	81
Resident DeathsTotal	81	86	69	Domestic Violence Reports	37	43	36
Suicides	0	1	0		2014	2013	2012
Self-inflicted Injuries	11	9	12	Methamphetamine Lab Seizures	1	0	3
Homicides	0	0	0				
Assault Injuries	19	18	23	SCHOOL REPORTS	2013-14	2012-13	2011-12
Alcohol Induced Deaths	0	0	1	Enrollment Grades 9-12	304	314	306
Drug Induced Deaths	1	1	0	Drop-outs	0	5	3
Smoking Attributable Deaths	12	14	13	Drop-out Rate	0.0%	1.6%	1.0%
_				School Discipline Involving Alcohol	0	0	0
HOSPITAL EPISODES 2	2013	2012	2011	School Discipline Involving Drugs	0	2	1
Hospitalization, no Emergency Room:				School Discipline Involving Tobacco	0	0	0
Mental Illness Principal Diagnosis	80	46	42	JUVENILE COURT REFERRALS 3	2013	2012	2011
Mental Illness Secondary Diagnosis	120	177	187	Juvenile Violent Offenses	10	6	4
Alcohol Principal Diagnosis	4	5	4	Juvenile Alcohol Offenses	1	2	8
Alcohol Secondary Diagnosis	21	11	21	Juvenile Drug Offenses	2	3	4
Drug Principal Diagnosis	7	0	7	School Truancy Status Offense	44	42	95
Drug Secondary Diagnosis	5	8	3	Absent from Home Status Offense	0	0	1
Emergency Room + Hospitalization:				Beyond Parental Control Status Offense	9	14	15
Mental Illness Principal Diagnosis	8	6	12	Injurious Behavior Status Offense	24	22	30
Mental Illness Secondary Diagnosis	48	27	27	Child Abuse	7	5	3
Alcohol Principal Diagnosis	1	2	5	Child Neglect	12	11	18
Alcohol Secondary Diagnosis	9	6	2	Child Custody Issues	0	0	0
Drug Principal Diagnosis	3	1	0	•			
Drug Secondary Diagnosis	1	4	2	JUVENILE COURT PLACEMENTS	2013	2012	2011
Emergency Room, no Hospitalization:				Out-of-Home PlacementsTotal	10	15	9
Mental Illness Principal Diagnosis	48	63	50	Parental Alcohol Use Related	0	0	4
Mental Illness Secondary Diagnosis	147	163	117	Parental Drug Use Related	2	5	1
Alcohol Principal Diagnosis	8	8	12	Parental Alcohol and Drug Use	0	0	0
Alcohol Secondary Diagnosis	13	15	9	CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Principal Diagnosis	7	9	7	Drug Court Participants	26	17	13
Drug Secondary Diagnosis	20	15	11	Probation/Parole AdmissionsDrug	20	15	8
				Probation/Parole AdmissionsDWI	3	13	3
ALCOHOL OUTLETS	2014	2013	2012	Prison AdmissionsDrug	13	6	9
Alcohol On-Premise Drink Licenses	7	10	9	Prison AdmissionsDWI	2	1	2
Alcohol Package Carry-out Licenses	7	9	8	. Hoor Admicolons -DVVI		'	_
EMPLOYMENT	2014	2013	2012	1 All Kansas City hepatitis and TB case report			County
Labor Force	2,738	3,413	3,370	totals and all Joplin case reports are include Beginning with 2010 data, diagnosis counts			es are
Employed	2,557	3,244	3,185	based on codes developed by the Healthcar	e Cost and U	Itilization Pro	ect.
Unemployed	181	169	185	3 Beginning in 2013, juvenile municipal violati- court orders are categorized as status offens			

6.6%

5.0%

5.5%

Unemployment Rate

court orders are categorized as status offenses instead of law violations.

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	0	5	*
CSTAR Adolescent	7	5	10
CSTAR Women and Children	0	*	*
CSTAR General Adult	47	56	40
CSTAR Opioid	0	0	0
Primary Recovery Treatment	*	*	6
Clinical SATOP (CIP, YCIP, SROP)	6	7	7
Other Substance Abuse Treatment	0	0	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	19	30	25
- Adolescent Diversion Education Prograr	0	*	*
- Offender Education Program	*	6	6
- Weekend Intervention Program	*	11	8
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	0	0
Compulsive Gambling	0	0	0
Recovery Supports	*	*	0
Early Intervention	*	6	*

NUMBER ADMITTED	FY2014	FY2013	FY2012	PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Total Individuals	67	61	73	Alcohol	21	20	32
				Marijuana / Hashish	27	18	19
AGE	_	_		Cocaine (total)	0	0	*
Under 18	7	5	10	- Crack	0	0	0
18 to 24	9	9	11	Stimulant (total)	14	11	13
25 to 29	14	11	13	- Methamphetamine	14	11	12
30 to 34	8	12	10	Heroin	*	0	*
35 to 39	5	11	11	Analgesic except Heroin	*	11	*
40 to 44	9	6	6	- Non-Prescription Methadone	0	0	0
45 to 54	9	5	11	PCP, LSD, other Hallucinogen	*	0	0
55 and Over	6	*	*	Tranquilizer	0	0	*
GENDER				Inhalant	0	0	0
Male	46	45	51	Sedative	0	0	0
Female	21	16	22	Other Medication or Illicit Drug	0	*	*
				Average Age at First Use of Drug	17.2	18.2	17.0
RACE / ETHNICITY							
Caucasian	59 *	55 *	61	INJECTION DRUG USE			
African American				Any Injection Use at Admission	5	8	6
Native American / Alaskan	0	0	0	- Daily Injection Use	0	*	0
Asian / Pacific Islander	0	0	0	- Weekly Injection Use	0	0	*
Hispanic	5	6	10	- Less than Weekly Injection Use	5	6	*
Other Race / Two or More Races	*	0	*				
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	34	29	37	0	38	30	42
High School Graduate or G.E.D.	28	29	29	1 or 2	21	20	18
Associate Degree or Some College	5	*	7	3 or More	8	11	13
Bachelor or Advanced Degree	0	0	0	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	7	7	11
Employed	23	22	25	School	0	*	0
Unemployed	25	26	26	Mental Health Provider	*	0	0
Not in Labor Force	19	13	22	Health Care Provider	*	*	*
Not in Eabor Force	13	13	22	Court / Criminal Justice	17	14	49
HOUSING / LIVING ARRANGEMENT				Other Referral Source	32	34	6
Independent Living	60	56	57	Other Referral Source	52	34	U
Dependent Living	7	5	12	TREATMENT ACCOMMAND ATION			
Homeless	0	0	*	TREATMENT ACCOMMODATION Pregnant when Admitted to any Episode	*	*	0
MADITAL / EARALLY STATUS				Military Veteran	*	*	*
MARITAL / FAMILY STATUS Never Married	41	33	45	Special Education Services Needed	6	7	8
Married / Cohabitating	12	20	14	Co-Occurring Psychological Problem	24	20	30
Previously Married	14	8	14	Co-Occurring Developmental Problem	24 *	0	5
1 Toviously Martieu	14	O	14	55-566uming Developmental Floblem		U	3

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Western
PSYCHIATRIC SERVICE AREA 13
CENSUS 2010 6,714
2014 POPULATION ESTIMATE 6,411

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.						
DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012			
Adjustment Disorder	*	*	*			
Anxiety Disorder	21	16	29			
Dementia	0	0	0			
Developmental Disorder	*	*	*			
Impulse Control Disorder	6	8	10			
Mood Disorder	35	32	37			
Personality Disorder	*	5	*			
Psychotic Disorder	8	8	6			
Sexual Disorder	0	0	0			
Other Diagnosis	11	8	*			
Diagnosis Unknown	*	*	6			

Individuals who received psychiatric services had the following types of

NUMBER SERVED	FY2014	FY2013	FY2012	EDUCATION	FY2014	FY2013	FY2012
Total Individuals	48	47	61	Less than High School Diploma	19	17	8
. otala.riada.o		•	٠.	High School Grad or G.E.D.	*	*	12
AGE				Associate Degree or Some College	0	0	5
Under 6	0	0	0	Bachelor or Advanced Degree	0	0	0
6 to 9	*	5	5	Education Level Unknown	26	26	36
10 to 13	6	*	5	Education Edver Officiown	20	20	00
14 to 17	*	*	*	EMPLOYMENT			
18 to 24	*	*	*	Employed	*	6	6
25 to 29	*	5	10	Unemployed	10	5	19
30 to 34	*	*	*	Not in Labor Force	32	29	*
35 to 39	5	*	*	Employment Status Unknown	5	7	32
40 to 44	7	6	9				
45 to 49	*	*	6	HOUSING / LIVING ARRANGEMENT			
50 to 54	7	5	5	Independent Living	22	24	26
55 to 59	*	5	5	Dependent Living	20	16	5
60 and Over	*	*	*	Homeless	0	0	0
Age Unknown	0	0	0	Other	0	0	*
CENDED				Housing Unknown	6	7	29
GENDER Male	00	20	27				
Female	23	20 27	27 34	TREATMENT REFERRAL SOURCE			
	25			Self / Family / Friend	19	25	26
Gender Unknown	0	0	0	School	*	0	*
RACE / ETHNICITY				Mental Health Provider	*	*	7
Caucasian	44	43	57	Health Care Provider	14	11	16
African American	0	0	*	Court / Criminal Justice	7	*	*
Native American / Alaskan	*	*	0	Other	*	*	7
Asian / Pacific Islander	0	0	0	Referral Source Unknown	*	*	*
Hispanic	*	*	*				
Other Race	0	0	0	TYPE OF COMMITMENT	4-	4.5	
Race/Ethnicity Unknown	0	0	0	Voluntary	47	45	59
•				Civil	0	0	0
TREATMENT ACCOMMODATION	_	_		Criminal	0	*	*
Hearing Impaired	0	0	*	Sexual Predatory	0	0	0
Past or Current Military Service	*	*	*	Commitment Type Unknown	*	*	*

MISSOURI STUDENT SURVEY

	IVIIOO	OUR	(151	JUEN
Percent of students who have ever used:	2014	2012	2010	Percent
Alcohol	38.2	55.5	47.5	Alcoh
Cigarettes	26.5	38.5	39.7	Alcoh
Chewing Tobacco	22.1	20.9	30.7	Alcoh
Marijuana	8.8	17.4	13.1	Cigar
Inhalants	1.5	5.5	2.9	Cigar
Prescription medications not prescribed for student	10.4	8.3	12.8	Mariju
Over-the-counter medications for non-medical use	1.5	5.5	5.8	Mariju
Methamphetamine	0.0	0.0	0.7	Other
Cocaine	0.0	1.9	1.4	Percent
Heroin	0.0	0.0	0.0	Were
Hallucinogens	0.0	2.8	2.9	Were
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.0	2.8	0.7	Felt h
Steroids not prescribed for student	0.0	0.9	1.4	Felt li
Synthetic drugs (K2, bath salts, Spice, etc)	2.9	6.4		Slept
Average age of students' first use of:				Had o
Alcohol	12 67	12.58	12 40	Tidu c
Cigarettes		13.33		Percen
Marijuana		13.69		Serio
Inhalants		12.84	14.22	Made
inidiants	12.01	12.04		Attem
Percent of students who, in past 30 days, used:				Attem
Alcohol	10.3	20.0	24.1	had to
Alcohol (Binge: 5+ drinks on one occassion)		11.9	17.0	Percent
Cigarettes	14.7	19.1	21.3	Were
Chewing Tobacco	14.7	12.7	20.7	Were
Marijuana	2.9	8.3	5.8	Were
Inhalants	1.5	1.8	1.4	
Prescription medications not prescribed for student	2.9	4.6	5.7	Percent
Over-the-counter medications for non-medical use	0.0	3.7	4.3	Were
Percent of students who, in past 2 weeks, used:				Were
Alcohol (Binge: 5+ drinks on one occassion)	2.9			Were
	2.0			some
Percent whose friends used in past 12 months:				Sprea
Alcohol	42.6	58.7	67.4	Made
Cigarettes	44.1	56.0	65.2	Poste emba
Marijuana	22.1	32.1	24.8	Ciliba
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	4.5	9.1	17.3	Percent
Percent who would likely use, if offered by a best friend:				Teach
Alcohol	32.4	42.2	41.3	School
Cigarettes	16.2	27.5	24.8	perfor
Marijuana	13.2	13.8	6.5	Rules
Manjuana	13.2	13.0	0.5	Stude
Percent who say it would be wrong to use:				
Alcohol	60.6	49.1	46.8	Percent
Cigarettes	70.6	66.4	66.9	Parer
Marijuana	87.7	77.8	85.8	Parer
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	98.4	96.3	94.3	It is in
Percent whose parents would disapprove if they use:				
Alcohol	73.5	70.8	69.8	Stude
Cigarettes	85.3	83.3	83.6	Misse
Marijuana	95.5	90.8	95.0	Missour Similar a
•	33.3	50.0	55.0	Blank da
Percent who say it would be easy to obtain:				Survey i Estimate
Alcohol	63.2	60.6	57.4	Percent
Cigarettes	58.8	59.6	65.2	Some ye
Marijuana	26.9	36.4	29.3	Data so
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	10.6	14.7	15.8	Data 50

DENT SURVET			
Description of the second of t	2014	2012	2010
Percent who believe they risk harm if they use:	F7 4		
Alcohol (1 or 2 drinks daily) Alcohol (Binge: 5+ drinks once or twice a week)	57.4 61.5		
Alcohol (any use)	61.5	64.5	77.9
Cigarettes (1+ packs per day)	77.9	04.5	11.5
Cigarettes (14 packs per day)	77.5	69.7	70.7
Marijuana (once or twice a week)	71.6	00.7	
Marijuana (any use)		65.1	58.6
Other: Cocaine, LSD, Meth, Club Drug (any use)	91.0	90.9	86.5
Percent of students who, in past 30 days:			
Were very sad	13.4	18.3	10.8
Were grouchy, irritable, or in a bad mood	17.6	27.5	17.4
Felt hopeless about the future	10.3	9.2	7.2
Felt like not eating or eating more than usual	9.0	13.0	15.8
Slept a lot more or a lot less than usual	14.9	16.7	25.4
Had difficulty concentrating on school work	16.2	17.4	29.6
Percent of students who, in past 12 months:			
Seriously considered attempting suicide	6.0	8.3	10.7
Made plan about how they would attempt suicide	1.5	8.3	8.5
Attempted suicide	1.5	3.7	6.4
Attempted suicide and resulting injury, poisonng, or overdose had to be treated by doctor or nurse	1.5	1.9	3.5
Percent of students who, in past 12 months:			
Were threatened/injured with weapon at school	4.4	7.3	10.6
Were in a physical fight	11.9	26.4	30.3
Were in a fight and had to be treated by a doctor or nurse	1.5	4.6	7.9
Percent of students who, in past 3 months:			
Were victims of mean rumors or lies spread at school	50.0	50.5	64.7
Were made fun of by others	59.7	56.9	70.2
Were victims of an embarrassing or hurtful text message or something posted on the internet	17.6	16.8	22.1
Spread mean rumors or lies about other kids at school	25.0	23.9	33.3
Made fun of other people	48.5	58.3	77.3
Posted something on the internet or sent a text that might embarrass or hurt another student	17.6	12.1	22.0
Percent of students who agree that:			
Teachers notice and comment on student's good work	79.4	70.4	74.8
School provides feedback to parents on positive student performance	58.2	45.9	61.0
Rules are enforced fairly	65.7	55.5	60.7
Students of all races/ethnicities are treated equal	72.1	70.4	57.6
Percent of students who agree that:			
Parents notice and comment on student's good work	88.2	82.6	80.9
Parents involve student in making family decisions	81.8	70.6	67.4
It is important to be honest with parents regardless of	90 G	QC 1	78.0
consequences	80.6	86.4	10.0
Student could ask parent for help with a personal problem	89.6	82.6	70.3
Missouri Student Survey is conducted bioppially			

uri Student Survey is conducted biennially.
r affirmative response choices for individual questions are combined.
data cells indicate estimates are not available for item or geographic area. is not conducted in every school district nor reported for every county. ates are not available for counties with small numbers of respondents. ntages are estimates based on weighted data.

year-to-year differences in percentages are not statistically significant.

ource: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

TANET GOOM T							
DBH REGIO	ON .	Southwest		IMPAIRED DRIVING	2013	2012	2011
DBH SERVI	CE AREAS			Alcohol Involved CrashesTotal	75	68	61
Substance	ce Use	10		Fatal Crashes	2	3	0
Adult Psy	ychiatric	10		Injury Crashes	30	36	28
POPULATION				Property Damage Crashes	43	29	33
Census 2	2010	51,675		Crash Fatalities	2	4	0
2014 Est	imate	54,230		Crash Injuries	41	50	33
		,		Drug Involved CrashesTotal	17	8	10
213				Fatal Crashes	0	0	0
				Injury Crashes	13	3	5
BIRTH RISK	2013	2012	2011	Property Damage Crashes	4	5	5
Resident BirthsTotal	595	620	639	Crash Fatalities	0	0	0
Mother Reported Smoking while Pregnar	nt 147	166	170	Crash Injuries	22	7	5
DISEASE INCIDENCE 1	2013	2012	2011	Gradin injunios			· ·
HIV/AIDS Cases	3	2	2	POLICE REPORTS	2013	2012	2011
Hepatitis B Chronic, Acute, Prenatal	3	2	5	DUI Arrests, DWI Tracking System	297	314	231
Hepatitis C Chronic and Acute	64	57	57	Liquor Law Arrests	70	73	43
Tuberculosis Infection Cases	18	8	14	Drug Arrests	288	260	211
Tuberoulous Infection Cuses	10	Ü		Violent Offenses	266	279	279
DEATHS and INJURIES	2013	2012	2011	Property Offenses	1,985	2,029	2,066
Resident DeathsTotal	545	533	499	Domestic Violence Reports	549	495	467
Suicides	6	5	9		2014	2013	2012
Self-inflicted Injuries	90	76	109	Methamphetamine Lab Seizures	4	1	8
Homicides	2	1	0				
Assault Injuries	125	145	122	SCHOOL REPORTS	2013-14	2012-13	2011-12
Alcohol Induced Deaths	9	3	6	Enrollment Grades 9-12	2,388	2,398	2,394
Drug Induced Deaths	7	8	2	Drop-outs	23	36	27
Smoking Attributable Deaths	94	113	82	Drop-out Rate	1.0%	1.5%	1.1%
				School Discipline Involving Alcohol	4	1	7
HOSPITAL EPISODES 2	2013	2012	2011	School Discipline Involving Drugs	32	56	28
Hospitalization, no Emergency Room:				School Discipline Involving Tobacco	1	0	1
Mental Illness Principal Diagnosis	284	276	317	JUVENILE COURT REFERRALS 3	2013	2012	2011
Mental Illness Secondary Diagnosis	497	499	445	Juvenile Violent Offenses	58	57	60
Alcohol Principal Diagnosis	28	36	21	Juvenile Alcohol Offenses	16	9	3
Alcohol Secondary Diagnosis	32	44	34	Juvenile Drug Offenses	36	28	32
Drug Principal Diagnosis	31	23	13	School Truancy Status Offense	7	3	7
Drug Secondary Diagnosis	62	40	38	Absent from Home Status Offense	24	28	26
Emergency Room + Hospitalization:				Beyond Parental Control Status Offense	19	30	42
Mental Illness Principal Diagnosis	219	204	165	Injurious Behavior Status Offense	36	25	40
Mental Illness Secondary Diagnosis	1,209	1,186	1,217	Child Abuse	12	11	21
Alcohol Principal Diagnosis	102	117	119	Child Neglect	121	104	68
Alcohol Secondary Diagnosis	148	153	146	Child Custody Issues	28	18	24
Drug Principal Diagnosis	50	53	56				
Drug Secondary Diagnosis	131	107	111	JUVENILE COURT PLACEMENTS	2013	2012	2011
Emergency Room, no Hospitalization:				Out-of-Home PlacementsTotal	115	100	88
Mental Illness Principal Diagnosis	468	456	498	Parental Alcohol Use Related	5	5	2
Mental Illness Secondary Diagnosis	3,319	2,746	1,488	Parental Drug Use Related	57	45	28
Alcohol Principal Diagnosis	207	233	253	Parental Alcohol and Drug Use	3	0	6
Alcohol Secondary Diagnosis	295	516	523	CRIMANAL WISTIGE	EV2014	EV2012	EV2012
Drug Principal Diagnosis	140	141	166	CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Secondary Diagnosis	363	424	445	Drug Court Participants	42 125	48 124	47 123
	_			Probation/Parole AdmissionsDrug Probation/Parole AdmissionsDWI	25	124 14	123
ALCOHOL OUTLETS	2014	2013	2012				72
Alcohol On-Premise Drink Licenses	130	124	129	Prison AdmissionsDrug Prison AdmissionsDWI	61 g	61 8	
Alcohol Package Carry-out Licenses	67	69	67	F 115011 AUTHISSIONSDVVI	8	ŏ	8
EMPLOYMENT	2014	2013	2012	1 All Kansas City hepatitis and TB case report			County
Labor Force	25,476	29,041	28,066	totals and all Joplin case reports are include Beginning with 2010 data, diagnosis counts			es are
Employed	23,020	26,455	25,289	based on codes developed by the Healthcar	re Cost and L	Jtilization Proj	ject.
Unemployed	2,456	2,586	2,777	3 Beginning in 2013, juvenile municipal violati			
Unemployment Rate	9.6%	8.9%	9.9%	court orders are categorized as status offens	ocs instead 0	i iaw violatior	13.

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	202	203	229
CSTAR Adolescent	21	11	20
CSTAR Women and Children	31	24	31
CSTAR General Adult	139	138	110
CSTAR Opioid	*	0	0
Primary Recovery Treatment	140	147	160
Clinical SATOP (CIP, YCIP, SROP)	35	46	42
Other Substance Abuse Treatment	*	*	*

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	204	207	218
- Adolescent Diversion Education Prograr	0	*	*
- Offender Education Program	77	69	59
- Weekend Intervention Program	49	46	35
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	7	12	*
Compulsive Gambling	0	0	0
Recovery Supports	171	207	163
Early Intervention	*	*	*

NUMBER ADMITTED	FY2014	FY2013	FY2012	PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Total Individuals	447	435	453	Alcohol	164	189	208
465				Marijuana / Hashish	57	42	38
AGE Under 18	21	11	20	Cocaine (total)	*	5	9
18 to 24	85	77	20 81	- Crack	*	*	5
25 to 29	89	84	70	Stimulant (total)	134	108	108
30 to 34	75	79	66	- Methamphetamine	132	105	106
35 to 39	75 55	43	46	Heroin	26	24	15
40 to 44	39	49	52	Analgesic except Heroin	56	60	57
45 to 54	67	68	93	 Non-Prescription Methadone 	*	0	*
55 and Over	16	24	25	PCP, LSD, other Hallucinogen	*	*	*
33 and Over	10	24	23	Tranquilizer	*	*	10
GENDER				Inhalant	0	0	0
Male	287	268	295	Sedative	*	*	*
Female	160	167	158	Other Medication or Illicit Drug	*	*	*
DACE / ETUNICITY				Average Age at First Use of Drug	18.0	17.6	16.6
RACE / ETHNICITY Caucasian	419	411	432				
African American	10	7	432 5	INJECTION DRUG USE			
Native American / Alaskan	*	/ *	*	Any Injection Use at Admission	129	121	124
Asian / Pacific Islander	*	0	*	- Daily Injection Use	38	33	38
Hispanic	14	13	9	- Weekly Injection Use	34	42	46
Other Race / Two or More Races	8	9	9	- Less than Weekly Injection Use	57	46	40
Other Race / Two or More Races	0	9	9				
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	135	117	125	0	246	244	226
High School Graduate or G.E.D.	213	211	210	1 or 2	127	136	149
Associate Degree or Some College	91	101	111	3 or More	74	55	78
Bachelor or Advanced Degree	8	6	7	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	249	270	266
Employed	128	117	135	School	*	0	*
Unemployed	229	226	229	Mental Health Provider	*	*	*
Not in Labor Force	90	92	89	Health Care Provider	10	13	6
	00	02	00	Court / Criminal Justice	155	120	158
HOUSING / LIVING ARRANGEMENT				Other Referral Source	22	29	19
Independent Living	315	321	319	Other Holonal Goulds		20	
Dependent Living	82	46	73	TREATMENT ACCOMMODATION			
Homeless	45	63	55	Pregnant when Admitted to any Episode	12	6	7
MARITAL / FAMILY STATUS				Military Veteran	17	24	27
Never Married	228	199	207	Special Education Services Needed	11	15	18
Married / Cohabitating	104	110	100	Co-Occurring Psychological Problem	122	90	106
		110	100		1 44		

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Southwest
PSYCHIATRIC SERVICE AREA 10
CENSUS 2010 51,675
2014 POPULATION ESTIMATE 54,230

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.					
DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012		
Adjustment Disorder	16	15	19		
Anxiety Disorder	173	135	144		
Dementia	*	0	0		
Developmental Disorder	7	10	10		
Impulse Control Disorder	44	44	55		
Mood Disorder	272	247	252		
Personality Disorder	43	34	38		
Psychotic Disorder	60	52	63		
Sexual Disorder	*	0	0		
Other Diagnosis	38	25	37		
Diagnosis Unknown	34	37	45		

Individuals who received psychiatric services had the following types of

NUMBER SERVED	FY2014	FY2013	FY2012	EDUCATION	FY2014	FY2013	FY2012
Total Individuals	404	367	398	Less than High School Diploma	109	65	63
Total Marviadalo	101	001	000	High School Grad or G.E.D.	0	0	78
AGE				Associate Degree or Some College	0	0	23
Under 6	10	*	6	Bachelor or Advanced Degree	0	0	8
6 to 9	18	19	24	Education Level Unknown	295	302	226
10 to 13	29	26	30	Education Edver Officiowin	200	002	220
14 to 17	18	22	34	EMPLOYMENT			
18 to 24	31	37	21	Employed	24	8	25
25 to 29	34	40	38	Unemployed	26	24	133
30 to 34	52	39	39	Not in Labor Force	209	166	36
35 to 39	43	40	36	Employment Status Unknown	145	169	204
40 to 44	35	38	43				
45 to 49	51	38	48	HOUSING / LIVING ARRANGEMENT			
50 to 54	38	27	35	Independent Living	140	67	131
55 to 59	27	23	26	Dependent Living	97	116	61
60 and Over	18	14	18	Homeless	6	6	*
Age Unknown	0	0	0	Other	0	0	8
				Housing Unknown	161	178	195
GENDER	470	404	400				
Male	172	164	188	TREATMENT REFERRAL SOURCE			
Female	232	203	210	Self / Family / Friend	234	196	248
Gender Unknown	0	0	0	School	0	*	*
RACE / ETHNICITY				Mental Health Provider	11	19	18
Caucasian	370	330	358	Health Care Provider	52	47	40
African American	8	8	7	Court / Criminal Justice	43	41	24
Native American / Alaskan	*	*	*	Other	62	60	62
Asian / Pacific Islander	0	0	*	Referral Source Unknown	*	*	*
Hispanic	6	6	6				
Other Race	17	22	23	TYPE OF COMMITMENT			
Race/Ethnicity Unknown	0	0	0	Voluntary	396	354	378
	_	-		Civil	*	8	10
TREATMENT ACCOMMODATION				Criminal	5	*	6
Hearing Impaired	13	14	13	Sexual Predatory	0	0	0
Past or Current Military Service	9	9	7	Commitment Type Unknown	*	*	*

MISSOURI STUDENT SURVEY

			• .
Percent of students who have ever used:	2014	2012	2010
Alcohol	33.3	30.5	38.3
Cigarettes	21.3		
Chewing Tobacco	11.5		13.7
Marijuana	17.3	12.2	14.9
Inhalants	4.8	6.1	7.2
Prescription medications not prescribed for student	8.8	7.9	11.9
Over-the-counter medications for non-medical use	4.7	5.7	7.4
Methamphetamine	1.0	1.3	1.3
Cocaine	1.3	2.0	2.0
Heroin	0.7	1.3	1.1
Hallucinogens	2.4	2.9	3.8
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	2.3	1.7	2.5
Steroids not prescribed for student	1.0	0.8	1.4
Synthetic drugs (K2, bath salts, Spice, etc)	4.6	6.1	
Average age of students' first use of:			
Alcohol	13.31	11.62	11.99
Cigarettes	12.44	11.37	11.50
Marijuana	13.60	12.55	12.63
Inhalants	11.99	11.25	12.09
Percent of students who, in past 30 days, used:			
Alcohol	13.2	11.7	14.7
Alcohol (Binge: 5+ drinks on one occassion)		5.1	7.8
Cigarettes	9.1	8.9	15.7
Chewing Tobacco	5.9	4.3	6.7
Marijuana	8.1	5.3	6.5
Inhalants	1.0	2.2	2.9
Prescription medications not prescribed for student	3.4	3.8	5.7
Over-the-counter medications for non-medical use	1.8	4.2	3.8
Percent of students who, in past 2 weeks, used:			
Alcohol (Binge: 5+ drinks on one occassion)	5.0		
Percent whose friends used in past 12 months:			
Alcohol	45.1	42.2	52.1
Cigarettes	38.6	39.9	50.8
Marijuana	36.6	30.0	34.9
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	15.1	16.6	19.6
Percent who would likely use, if offered by a best friend:			
Alcohol	19.9	22.2	26.1
Cigarettes	11.6	12.3	15.2
Marijuana	13.2	12.5	12.6
Percent who say it would be wrong to use:			
Alcohol	69.5	71.2	68.9
Cigarettes	85.2	83.3	78.7
Marijuana	78.9	82.8	83.3
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	98.1	94.9	94.4
Percent whose parents would disapprove if they use:			
Alcohol	84.5	86.0	81.7
Cigarettes	92.9		
Marijuana	89.8	93.5	93.3
Percent who say it would be easy to obtain:			
Alcohol	48.2	47.3	53.8
Cigarettes	49.0		
Marijuana	35.6		37.9
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	16.6		18.7

DENT SURVEY			
Percent who hollows they rick harm if they use	2014	2012	2010
Percent who believe they risk harm if they use: Alcohol (1 or 2 drinks daily)	59.8		
Alcohol (Binge: 5+ drinks once or twice a week)	72.8		
Alcohol (any use)	12.0	79.4	77.6
Cigarettes (1+ packs per day)	88.2	19.4	11.0
Cigarettes (1+ packs per day) Cigarettes (any use)	00.2	88.3	81.2
Marijuana (once or twice a week)	62.7	00.5	01.2
Marijuana (any use)	02.7	77.8	80.3
Other: Cocalne, LSD, Meth, Club Drug (any use)	94.1	97.0	93.9
Other. Cocame, ESD, Weth, Club Drug (any use)	54.1	57.0	55.5
Percent of students who, in past 30 days:			
Were very sad	23.1	21.2	9.9
Were grouchy, irritable, or in a bad mood	25.6	22.7	17.8
Felt hopeless about the future	12.4	10.6	7.9
Felt like not eating or eating more than usual	19.3	17.5	8.8
Slept a lot more or a lot less than usual	20.8	19.7	21.0
Had difficulty concentrating on school work	25.9	19.0	28.0
Percent of students who, in past 12 months:			
Seriously considered attempting suicide	14.3	13.1	14.7
Made plan about how they would attempt suicide	10.5	11.0	10.7
Attempted suicide	6.1	6.1	6.5
Attempted suicide and resulting injury, poisonng, or overdose	4.0		0.0
had to be treated by doctor or nurse	1.8	1.4	3.6
Percent of students who, in past 12 months:			
Were threatened/injured with weapon at school	7.5	7.5	13.3
Were in a physical fight	17.8	20.5	24.4
Were in a fight and had to be treated by a doctor or nurse	2.9	3.3	4.8
Percent of students who, in past 3 months:	50.0	50.0	04.0
Were victims of mean rumors or lies spread at school	52.6	50.6	61.3
Were made fun of by others	65.4	59.8	71.4
Were victims of an embarrassing or hurtful text message or something posted on the internet	27.7	21.0	23.3
Spread mean rumors or lies about other kids at school	23.2	25.8	31.1
Made fun of other people	52.6	57.9	70.9
Posted something on the internet or sent a text that might	32.0	37.9	70.9
embarrass or hurt another student	17.4	13.5	18.0
Percent of students who agree that:			
Teachers notice and comment on student's good work	72.6	71.2	68.5
School provides feedback to parents on positive student	47.8	45.4	43.2
performance			
Rules are enforced fairly	70.5	67.9	69.3
Students of all races/ethnicities are treated equal	84.1	78.7	80.8
Percent of students who agree that:			
Parents notice and comment on student's good work	83.8	86.2	82.6
Parents involve student in making family decisions	71.5	72.1	72.7
It is important to be honest with parents regardless of	90.5	07.0	00.0
consequences	89.5	87.9	83.6
Student could ask parent for help with a personal problem	78.7	77.5	75.7
Missouri Student Survey is conducted bioppielly			

Missouri Student Survey is conducted biennially.
Similar affirmative response choices for individual questions are combined.
Blank data cells indicate estimates are not available for item or geographic area. Survey is not conducted in every school district nor reported for every county. Estimates are not available for counties with small numbers of respondents. Percentages are estimates based on weighted data.

Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

I EXAC COCITI							
DBH REGIO	ON	Southeast		IMPAIRED DRIVING	2013	2012	2011
DBH SERV	CE AREAS			Alcohol Involved CrashesTotal	25	30	31
Substan	ce Use	18		Fatal Crashes	0	1	0
Adult Ps	ychiatric	18		Injury Crashes	17	12	18
POPULATION	•			Property Damage Crashes	8	17	13
Census		26,008		Crash Fatalities	0	1	0
2014 Es	timate	25,642		Crash Injuries	26	17	25
		-,-		Drug Involved CrashesTotal	5	5	1
213				Fatal Crashes	0	0	0
				Injury Crashes	3	5	0
BIRTH RISK	2013	2012	2011	Property Damage Crashes	2	0	1
Resident BirthsTotal	301	280	305	Crash Fatalities	0	0	0
Mother Reported Smoking while Pregna	nt 82	79	81	Crash Injuries	5	8	0
DISEASE INCIDENCE 1	2013	2012	2011		-		
HIV/AIDS Cases	0	1	0	POLICE REPORTS	2013	2012	2011
Hepatitis B Chronic, Acute, Prenatal	5	3	4	DUI Arrests, DWI Tracking System	126	140	216
Hepatitis C Chronic and Acute	35	35	23	Liquor Law Arrests	47	61	68
Tuberculosis Infection Cases	2	0	4	Drug Arrests	112	72	96
Tuberculosis infection dases	2	O	7	Violent Offenses	33	25	20
DEATHS and INJURIES	2013	2012	2011	Property Offenses	520	589	516
Resident DeathsTotal	289	304	254	Domestic Violence Reports	197	136	54
Suicides	5	3	6		2014	2013	2012
Self-inflicted Injuries	29	20	31	Methamphetamine Lab Seizures	9	17	5
Homicides	3	1	3				
Assault Injuries	28	27	17	SCHOOL REPORTS	2013-14	2012-13	2011-12
Alcohol Induced Deaths	4	4	1	Enrollment Grades 9-12	1,181	1,150	1,208
Drug Induced Deaths	5	2	2	Drop-outs	11	19	18
Smoking Attributable Deaths	52	59	46	Drop-out Rate	0.9%	1.7%	1.5%
				School Discipline Involving Alcohol	1	3	4
HOSPITAL EPISODES 2	2013	2012	2011	School Discipline Involving Drugs	4	2	17
Hospitalization, no Emergency Room:				School Discipline Involving Tobacco	2	1	0
Mental Illness Principal Diagnosis	136	151	172	JUVENILE COURT REFERRALS 3	2013	2012	2011
Mental Illness Secondary Diagnosis	330	360	316	Juvenile Violent Offenses	26	33	45
Alcohol Principal Diagnosis	5	5	5	Juvenile Alcohol Offenses	8	11	11
Alcohol Secondary Diagnosis	33	22	15	Juvenile Drug Offenses	10	16	7
Drug Principal Diagnosis	23	26	4	School Truancy Status Offense	62	98	189
Drug Secondary Diagnosis	11	13	10	Absent from Home Status Offense	9	10	9
Emergency Room + Hospitalization:				Beyond Parental Control Status Offense	15	19	35
Mental Illness Principal Diagnosis	40	42	41	Injurious Behavior Status Offense	64	134	142
Mental Illness Secondary Diagnosis	377	385	375	Child Abuse	112	195	137
Alcohol Principal Diagnosis	8	5	11	Child Neglect	311	564	322
Alcohol Secondary Diagnosis	38	40	38	Child Custody Issues	4	11	20
Drug Principal Diagnosis	8	7	11	orma ductody rocudo	•	• • •	20
Drug Secondary Diagnosis	22	20	15	JUVENILE COURT PLACEMENTS	2013	2012	2011
Emergency Room, no Hospitalization:				Out-of-Home PlacementsTotal	25	16	20
Mental Illness Principal Diagnosis	136	167	192	Parental Alcohol Use Related	1	0	1
Mental Illness Secondary Diagnosis	518	470	438	Parental Drug Use Related	10	5	10
Alcohol Principal Diagnosis	29	18	28	Parental Alcohol and Drug Use	3	3	0
Alcohol Secondary Diagnosis	37	56	40	CONTRACTOR	EV204.4	EV2042	EV2042
Drug Principal Diagnosis	29	24	28	CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Secondary Diagnosis	30	25	38	Drug Court Participants	10	16	18
				Probation/Parole Admissions - Drug	61 16	51	49 17
ALCOHOL OUTLETS	2014	2013	2012	Probation/Parole AdmissionsDWI	16	13	17 25
Alcohol On-Premise Drink Licenses	15	17	16	Prison AdmissionsDrug	29	35	25
Alcohol Package Carry-out Licenses	20	21	22	Prison AdmissionsDWI	7	8	6
EMPLOYMENT	2014	2013	2012	1 All Kansas City hepatitis and TB case report			County
Labor Force	9,364	11,370	10,873	totals and all Joplin case reports are include 2 Beginning with 2010 data, diagnosis counts			es are
Employed	8,626	10,602	10,082	based on codes developed by the Healthcar			
Unemployed	738	768	791	3 Beginning in 2013, juvenile municipal violation	ons, infraction	ns, and violat	ions of
Unemployment Rate	7.9%		7.3%	court orders are categorized as status offens	ses instead o	i iaw violatior	is.

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

	FY2014	FY2013	FY2012
TREATMENT CATEGORY			
Detoxification	25	21	28
CSTAR Adolescent	7	8	9
CSTAR Women and Children	5	7	*
CSTAR General Adult	75	63	41
CSTAR Opioid	0	0	0
Primary Recovery Treatment	*	27	66
Clinical SATOP (CIP, YCIP, SROP)	32	32	30
Other Substance Abuse Treatment	0	0	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	77	102	124
- Adolescent Diversion Education Prograr	0	0	*
- Offender Education Program	20	35	49
- Weekend Intervention Program	11	20	22
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	*	*
Compulsive Gambling	0	0	0
Recovery Supports	*	5	*
Early Intervention	*	*	*

NUMBER ADMITTED	FY2014	FY2013	FY2012	PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Total Individuals	116	133	145	Alcohol	55	51	61
465				Marijuana / Hashish	15	27	26
AGE Under 18	8	0	8	Cocaine (total)	0	0	0
		9 28	32	- Crack	0	0	0
18 to 24	19			Stimulant (total)	25	21	23
25 to 29	23	22	25	- Methamphetamine	25	20	23
30 to 34	19	25	28	Heroin	*	*	*
35 to 39	8	13	18	Analgesic except Heroin	16	27	24
40 to 44	13	17	13	- Non-Prescription Methadone	0	0	0
45 to 54	22	14	13	PCP, LSD, other Hallucinogen	0	*	*
55 and Over	*	5	8	Tranquilizer	*	*	*
GENDER				Inhalant	0	*	*
Male	76	80	89	Sedative	0	0	0
Female	40	53	56	Other Medication or Illicit Drug	*	*	*
		00		Average Age at First Use of Drug	18.7	19.2	17.6
RACE / ETHNICITY				, wordge rigo at the cool of 2 rag			
Caucasian	110	130	141	INJECTION DRUG USE			
African American	*	*	0	Any Injection Use at Admission	16	27	30
Native American / Alaskan	0	*	0	- Daily Injection Use	*	*	7
Asian / Pacific Islander	0	0	0	- Weekly Injection Use	6	7	10
Hispanic	*	*	*	- Less than Weekly Injection Use	7	, 17	13
Other Race / Two or More Races	*	*	*	- Less than weekly injection ose	,	17	13
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	42	50	58	0	61	65	75
High School Graduate or G.E.D.	51	59	60	1 or 2	32	48	45
Associate Degree or Some College	23	23	26	3 or More	23	20	25
Bachelor or Advanced Degree	0	*	*				
				TREATMENT REFERRAL SOURCE	00	00	44
EMPLOYMENT	0.4	0.4	0.4	Self / Family / Friend	39	36	41
Employed	31	31	31	School Mandal Haalth Bassidan	0	0	0
Unemployed	36	52	55	Mental Health Provider			0
Not in Labor Force	49	50	59	Health Care Provider	12	6	6
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	50	73	87
Independent Living	102	116	134	Other Referral Source	11	15	11
Dependent Living	11	14	8				
Homeless	*	*	*	TREATMENT ACCOMMODATION			
				Pregnant when Admitted to any Episode	*	5	*
MARITAL / FAMILY STATUS				Military Veteran	9	10	7
Never Married	45	43	58	Special Education Services Needed	12	26	31
Married / Cohabitating	33	43	41	Co-Occurring Psychological Problem	42	66	48
Previously Married	38	47	46	Co-Occurring Developmental Problem	11	25	6

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Southeast 18
CENSUS 2010 26,008
2014 POPULATION ESTIMATE 25,642

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.							
DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012				
Adjustment Disorder	9	13	*				
Anxiety Disorder	160	151	92				
Dementia	*	0	0				
Developmental Disorder	*	*	*				
Impulse Control Disorder	40	45	34				
Mood Disorder	207	225	161				
Personality Disorder	16	16	6				
Psychotic Disorder	26	25	19				
Sexual Disorder	0	0	0				
Other Diagnosis	19	22	11				
Diagnosis Unknown	20	16	26				

Individuals who received psychiatric services had the following types of

NUMBER SERVED	FY2014	FY2013	FY2012	EDUCATION	FY2014	FY2013	FY2012
Total Individuals	301	321	220	Less than High School Diploma	82	99	31
. G.aaaaa.b		02.		High School Grad or G.E.D.	0	*	28
AGE				Associate Degree or Some College	0	0	7
Under 6	0	0	0	Bachelor or Advanced Degree	0	0	*
6 to 9	9	14	12	Education Level Unknown	219	221	153
10 to 13	17	14	15	Education Edver Children	2.0		100
14 to 17	20	26	18	EMPLOYMENT			
18 to 24	25	50	22	Employed	29	30	5
25 to 29	37	36	25	Unemployed	30	47	55
30 to 34	36	27	23	Not in Labor Force	158	187	38
35 to 39	26	24	18	Employment Status Unknown	84	57	122
40 to 44	31	32	19				
45 to 49	32	26	22	HOUSING / LIVING ARRANGEMENT			
50 to 54	34	37	22	Independent Living	139	175	77
55 to 59	19	17	18	Dependent Living	55	57	26
60 and Over	15	18	6	Homeless	5	5	*
Age Unknown	0	0	0	Other	0	0	0
				Housing Unknown	102	84	115
GENDER			407				
Male	141	144	107	TREATMENT REFERRAL SOURCE			
Female	160	177	113	Self / Family / Friend	160	152	85
Gender Unknown	0	0	0	School	0	0	0
RACE / ETHNICITY				Mental Health Provider	8	17	17
Caucasian	290	308	213	Health Care Provider	100	126	98
African American	*	*	*	Court / Criminal Justice	15	8	8
Native American / Alaskan	0	0	0	Other	18	18	12
Asian / Pacific Islander	0	*	0	Referral Source Unknown	0	0	0
Hispanic	7	7	*				
Other Race	*	*	*	TYPE OF COMMITMENT			
Race/Ethnicity Unknown	0	0	0	Voluntary	298	319	217
•	_		•	Civil	*	*	*
TREATMENT ACCOMMODATION				Criminal	*	*	*
Hearing Impaired	7	7	*	Sexual Predatory	0	0	0
Past or Current Military Service	14	5	8	Commitment Type Unknown	0	0	0

MISSOURI STUDENT SURVEY

		00.	•
Descent of atudente who have even used.	2014	2012	2010
Percent of students who have ever used: Alcohol	30.3	36.9	46.7
Cigarettes	27.5		33.1
Chewing Tobacco	20.0	_	28.6
Marijuana	4.9		11.0
Inhalants	3.4		8.1
Prescription medications not prescribed for student	10.2		10.2
Over-the-counter medications for non-medical use	0.8	5.2	7.7
Methamphetamine	0.0	1.1	0.6
Cocaine	0.0	0.5	0.2
Heroin	0.0	0.3	0.6
Hallucinogens	2.7	3.1	1.7
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.0	2.1	1.7
Steroids not prescribed for student	0.0		2.3
Synthetic drugs (K2, bath salts, Spice, etc)	4.2	6.5	
Average age of students' first use of:	40.05	44.40	44.00
Alcohol	_	11.43	
Cigarettes	_	11.12	
Marijuana		13.46	_
Inhalants	13.52	11.04	11.51
Percent of students who, in past 30 days, used:			
Alcohol	12.2	13.4	21.7
Alcohol (Binge: 5+ drinks on one occassion)		7.8	12.5
Cigarettes	14.7	12.2	17.3
Chewing Tobacco	15.0	12.1	18.0
Marijuana	0.8		4.2
Inhalants	2.7	3.1	4.1
Prescription medications not prescribed for student	2.7	3.9	6.4
Over-the-counter medications for non-medical use	8.0	2.1	5.4
Percent of childrate who in pact 2 weeks used			
Percent of students who, in past 2 weeks, used: Alcohol (Binge: 5+ drinks on one occassion)	3.4		
Alcohol (blinge: 5+ drilliks off offe occassion)	3.4		
Percent whose friends used in past 12 months:			
Alcohol	40.2	44.4	55.8
Cigarettes	38.1	44.7	48.8
Marijuana	11.3	18.8	29.6
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	5.0	8.8	14.0
Percent who would likely use, if offered by a best friend:			
Alcohol	27.1	23.6	35.6
Cigarettes	14.4	15.5	19.3
Marijuana	7.9	8.0	8.2
•	7.0	0.0	0.2
Percent who say it would be wrong to use:			
Alcohol	66.0	66.9	58.0
Cigarettes	78.2	76.4	74.7
Marijuana	90.5		88.1
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	98.5	95.5	96.3
Percent whose parents would disapprove if they use:			
Alcohol	83.4	77.5	79.1
Cigarettes	86.7	90.3	86.9
Marijuana	98.1	94.7	95.6
•			
Percent who say it would be easy to obtain:	·		- 44
Alcohol	55.8	44.7	54.1
Cigarettes	61.1	43.9	59.4
Marijuana Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	32.3 15.6	19.3 11.3	28.7 14.0

DENT SURVEY			
Percent who believe they risk harm if they use:	2014	2012	2010
Alcohol (1 or 2 drinks daily)	47.5		
Alcohol (Binge: 5+ drinks once or twice a week)	54.4		
Alcohol (any use)		67.6	74.6
Cigarettes (1+ packs per day)	79.1		
Cigarettes (any use)		75.6	73.0
Marijuana (once or twice a week)	73.2		
Marijuana (any use)		79.9	72.4
Other: Cocaine, LSD, Meth, Club Drug (any use)	91.3	90.8	90.1
Percent of students who, in past 30 days:			
Were very sad	17.7	15.2	14.0
Were grouchy, irritable, or in a bad mood	18.5	24.0	19.1
Felt hopeless about the future	8.3	7.3	12.2
Felt like not eating or eating more than usual	8.3 8.7	17.3 22.5	14.9 19.8
Slept a lot more or a lot less than usual Had difficulty concentrating on school work	23.0	17.2	21.6
	23.0	17.2	21.0
Percent of students who, in past 12 months:			
Seriously considered attempting suicide	6.0	10.8	11.6
Made plan about how they would attempt suicide	1.1	7.3	10.4
Attempted suicide	8.0	6.7	4.9
Attempted suicide and resulting injury, poisonng, or overdose had to be treated by doctor or nurse	1.1	1.6	1.0
Percent of students who, in past 12 months:			
Were threatened/injured with weapon at school	2.7	3.9	12.0
Were in a physical fight	15.8	21.2	32.4
Were in a fight and had to be treated by a doctor or nurse	8.0	3.6	4.5
Percent of students who, in past 3 months:			
Were victims of mean rumors or lies spread at school	52.8	49.1	57.3
Were made fun of by others	62.8	56.2	71.0
Were victims of an embarrassing or hurtful text message or	23.4	16.5	19.7
something posted on the internet	23.4	10.5	19.7
Spread mean rumors or lies about other kids at school	23.0	26.9	34.6
Made fun of other people	51.0	59.1	70.2
Posted something on the internet or sent a text that might embarrass or hurt another student	9.8	11.4	15.4
Percent of students who agree that:			
Teachers notice and comment on student's good work	74.0	71.8	72.2
School provides feedback to parents on positive student performance	46.4	47.3	42.3
•	G1 E	67.4	60.2
Rules are enforced fairly Students of all races/ethnicities are treated equal	61.5 76.5	67.4 84.5	60.3 80.0
·	70.5	04.5	00.0
Percent of students who agree that:	00.5	70.	00.5
Parents notice and comment on student's good work	82.0	79.8	86.2
Parents involve student in making family decisions	65.7	63.9	71.2
It is important to be honest with parents regardless of consequences	87.2	89.8	85.5
Student could ask parent for help with a personal problem	81.7	75.5	78.9
2.2.2 Sould don paront for Holp Hill a poroonal problem		. 5.0	. 5.5

Missouri Student Survey is conducted biennially. Similar affirmative response choices for individual questions are combined.

Blank data cells indicate estimates are not available for item or geographic area. Survey is not conducted in every school district nor reported for every county. Estimates are not available for counties with small numbers of respondents. Percentages are estimates based on weighted data.

Some year-to-year differences in percentages are not statistically significant.

Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

VEIXIVOIN COC	/14 1 1						
	DBH REGION	Southwest		IMPAIRED DRIVING	2013	2012	2011
	DBH SERVICE AREAS			Alcohol Involved CrashesTotal	15	25	23
	Substance Use	8		Fatal Crashes	1	0	3
	Adult Psychiatric	8B		Injury Crashes	4	9	10
	POPULATION			Property Damage Crashes	10	16	10
	Census 2010	21,159		Crash Fatalities	1	0	4
	2014 Estimate	21,001		Crash Injuries	7	10	17
				Drug Involved CrashesTotal	4	6	1
				Fatal Crashes	0	0	0
BIRTH RISK	2013	2012	2011	Injury Crashes	1	3	1
Resident BirthsTotal	275	263	253	Property Damage Crashes	3	3	0
Mother Reported Smoking w		72	53	Crash Fatalities	0	0	0
				Crash Injuries	1	4	0
DISEASE INCIDENCE 1	2013	2012	2011	DOLLEE DEDONTS	2012	2012	2011
HIV/AIDS Cases	0	2	0	POLICE REPORTS DILL Arrests DWI Tracking System	2013 91	2012 144	2011 253
Hepatitis B Chronic, Acute, F	Prenatal 0	0	0	DUI Arrests, DWI Tracking System	12	34	253 37
Hepatitis C Chronic and Acu	te 17	22	16	Liquor Law Arrests Drug Arrests	63	72	56
Tuberculosis Infection Cases	4	6	0	Violent Offenses	86	72 86	94
DEATHS 4 INTUDIES	2012	2012	2011	Property Offenses	1,062	1,192	847
DEATHS and INJURIES Posident Deaths, Total	2013 256	2012 234	2011 265	Domestic Violence Reports	152	155	176
Resident DeathsTotal Suicides	250	234	205 3	Domestic Violence Reports	2014	2013	2012
Self-inflicted Injuries	34	27	53	Methamphetamine Lab Seizures	0	2013	0
Homicides	0	0	1	Mothamphotamino Lab Colzuros	O	Ü	O
Assault Injuries	58	81	70	SCHOOL REPORTS	2013-14	2012-13	2011-12
Alcohol Induced Deaths	1	3	3	Enrollment Grades 9-12	965	977	958
Drug Induced Deaths	5	2	2	Drop-outs	31	24	41
Smoking Attributable Deaths		43	48	Drop-out Rate	3.2%	2.5%	4.3%
		10	10	School Discipline Involving Alcohol	1	1	1
HOSPITAL EPISODES ²	2013	2012	2011	School Discipline Involving Drugs	12	6	17
Hospitalization, no Emergen	cy Room:			School Discipline Involving Tobacco	0	0	0
Mental Illness Principal Dia	gnosis 180	183	230	JUVENILE COURT REFERRALS 3	2013	2012	2011
Mental Illness Secondary D		357	378	Juvenile Violent Offenses	33	78	63
Alcohol Principal Diagnosis		11	9	Juvenile Alcohol Offenses	3	9	19
Alcohol Secondary Diagnos		28	33	Juvenile Drug Offenses	2	15	10
Drug Principal Diagnosis	4	7	7	School Truancy Status Offense	36	41	79
Drug Secondary Diagnosis	14	22	28	Absent from Home Status Offense	5	29	27
Emergency Room + Hospital		000	400	Beyond Parental Control Status Offense	15	52	41
Mental Illness Principal Dia		233	128	Injurious Behavior Status Offense	7	3	4
Mental Illness Secondary D		227	171	Child Abuse	42	27	20
Alcohol Principal Diagnosis		16	8	Child Neglect	91	85	100
Alcohol Secondary Diagnos Drug Principal Diagnosis	sis 12 5	16 14	19 10	Child Custody Issues	8	5	2
Drug Secondary Diagnosis	12	9	14	UNIVERSITE COLUBE DI ACCAMENTS	2013	2012	2011
Emergency Room, no Hospit		9	14	JUVENILE COURT PLACEMENTS Out-of-Home PlacementsTotal	13	17	14
Mental Illness Principal Dia		217	237	Parental Alcohol Use Related	0	4	0
Mental Illness Secondary D	-	551	742	Parental Drug Use Related	7	5	4
Alcohol Principal Diagnosis	•	42	32	Parental Alcohol and Drug Use	2	1	0
Alcohol Secondary Diagnos		52	41	r drontar / trooner and Brug coo	_	•	Ŭ
Drug Principal Diagnosis	33	32	25	CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Secondary Diagnosis	54	52	31	Drug Court Participants	20	31	29
1.3 1.1.1 mm, 1.1.3.10010	.			Probation/Parole AdmissionsDrug	62	45	45
ALCOHOL OUTLETS	2014	2013	2012	Probation/Parole AdmissionsDWI	19	16	17
Alcohol On-Premise Drink Li	censes 18	16	18	Prison AdmissionsDrug	33	18	20
Alcohol Package Carry-out L	Licenses 24	22	21	Prison AdmissionsDWI	1	3	3
EMPLOYMENT	2014	2013	2012	1 All Kansas City hepatitis and TB case report			County
Labor Force	9,750	10,074	9,514	totals and all Joplin case reports are include Beginning with 2010 data, diagnosis counts			es are
Employed	9,196	9,524	8,956	based on codes developed by the Healthcar	e Cost and L	Itilization Pro	ject.
Unemployed	554	550	558	3 Beginning in 2013, juvenile municipal violati court orders are categorized as status offen:			

5.7%

5.5%

5.9%

Unemployment Rate

court orders are categorized as status offenses instead of law violations.

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	7	13	7
CSTAR Adolescent	6	9	7
CSTAR Women and Children	8	9	6
CSTAR General Adult	156	177	170
CSTAR Opioid	0	0	0
Primary Recovery Treatment	*	*	8
Clinical SATOP (CIP, YCIP, SROP)	20	22	21
Other Substance Abuse Treatment	0	0	*

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	82	94	105
- Adolescent Diversion Education Prograr	0	0	0
- Offender Education Program	29	45	43
- Weekend Intervention Program	18	23	19
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	9	9
Compulsive Gambling	0	0	0
Recovery Supports	*	*	*
Early Intervention	*	*	*

NUMBER ADMITTED	FY2014	FY2013	FY2012	PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Total Individuals	194	217	209	Alcohol	69	86	87
				Marijuana / Hashish	43	51	45
AGE				Cocaine (total)	*	0	*
Under 18	6	10	8	- Crack	0	0	0
18 to 24	22	40	41	Stimulant (total)	67	58	53
25 to 29	34	32	43	- Methamphetamine	64	56	50
30 to 34	41	40	31	Heroin	*	*	5
35 to 39	28	29	17	Analgesic except Heroin	9	14	17
40 to 44	18	13	17	- Non-Prescription Methadone	0	0	0
45 to 54	32	42	45	PCP, LSD, other Hallucinogen	0	*	0
55 and Over	13	11	7	Tranquilizer	*	0	*
GENDER				Inhalant	0	*	0
Male	108	140	130	Sedative	*	*	0
Female	86	77	79	Other Medication or Illicit Drug	0	*	0
				Average Age at First Use of Drug	17.1	16.5	16.6
RACE / ETHNICITY							
Caucasian	181	208	204	INJECTION DRUG USE			
African American	*	*	*	Any Injection Use at Admission	35	27	29
Native American / Alaskan	*	0	0	- Daily Injection Use	*	*	*
Asian / Pacific Islander	*	0	0	- Weekly Injection Use	7	5	7
Hispanic	*	*	*	- Less than Weekly Injection Use	24	19	19
Other Race / Two or More Races	7	*	*	- Leas than Weekly Injection eac	24	13	13
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	69	71	66	0	112	124	127
High School Graduate or G.E.D.	90	106	107	1 or 2	53	54	55
Associate Degree or Some College	34	40	34	3 or More	29	39	27
Bachelor or Advanced Degree	*	0	*				
				TREATMENT REFERRAL SOURCE	45	04	0.4
EMPLOYMENT	40			Self / Family / Friend	45	91	64
Employed	49	51	57	School		0	0
Unemployed	68	63	52	Mental Health Provider	5		6
Not in Labor Force	77	103	100	Health Care Provider	17	16	10
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	83	89	108
Independent Living	157	189	178	Other Referral Source	41	18	21
Dependent Living	17	16	12				
Homeless	6	6	6	TREATMENT ACCOMMODATION			
				Pregnant when Admitted to any Episode	6	*	*
MARITAL / FAMILY STATUS	_		, = -	Military Veteran	5	10	7
Never Married	84	94	104	Special Education Services Needed	16	18	23
Married / Cohabitating	65	69	55	Co-Occurring Psychological Problem	103	93	49
Previously Married	45	54	50	Co-Occurring Developmental Problem	10	16	7

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Southwest
PSYCHIATRIC SERVICE AREA 8B
CENSUS 2010 21,159
2014 POPULATION ESTIMATE 21,001

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.						
DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012			
Adjustment Disorder	5	*	*			
Anxiety Disorder	140	103	90			
Dementia	*	*	*			
Developmental Disorder	*	*	5			
Impulse Control Disorder	29	26	39			
Mood Disorder	204	167	162			
Personality Disorder	20	22	17			
Psychotic Disorder	72	57	61			
Sexual Disorder	*	*	*			
Other Diagnosis	12	6	9			
Diagnosis Unknown	27	25	18			

Individuals who received psychiatric services had the following types of

NUMBER SERVED	FY2014	FY2013	FY2012	EDUCATION	FY2014	FY2013	FY2012
Total Individuals	326	267	268	Less than High School Diploma	107	84	52
Total Marviadalo	020	201	200	High School Grad or G.E.D.	0	0	60
AGE				Associate Degree or Some College	0	0	14
Under 6	*	0	*	Bachelor or Advanced Degree	0	0	*
6 to 9	11	9	14	Education Level Unknown	219	183	138
10 to 13	13	8	14	Education Level Officiown	210	100	130
14 to 17	18	12	16	EMPLOYMENT			
18 to 24	29	28	22	Employed	18	6	11
25 to 29	38	32	37	Unemployed	16	24	106
30 to 34	38	33	27	Not in Labor Force	216	160	34
35 to 39	33	27	29	Employment Status Unknown	76	77	117
40 to 44	32	23	29				
45 to 49	33	30	20	HOUSING / LIVING ARRANGEMENT			
50 to 54	42	38	34	Independent Living	148	115	115
55 to 59	25	13	12	Dependent Living	84	62	28
60 and Over	13	14	12	Homeless	10	*	*
Age Unknown	0	0	0	Other	0	0	*
				Housing Unknown	84	86	117
GENDER	400	4.47	400				
Male	138	117	128	TREATMENT REFERRAL SOURCE			
Female	188	150	140	Self / Family / Friend	223	167	159
Gender Unknown	0	0	0	School	*	*	*
RACE / ETHNICITY				Mental Health Provider	19	21	35
Caucasian	309	256	257	Health Care Provider	56	49	38
African American	5	*	*	Court / Criminal Justice	9	10	13
Native American / Alaskan	0	0	*	Other	18	19	22
Asian / Pacific Islander	0	0	0	Referral Source Unknown	0	0	0
Hispanic	*	*	*				
Other Race	9	6	*	TYPE OF COMMITMENT			
Race/Ethnicity Unknown	0	0	0	Voluntary	316	257	254
		-		Civil	*	5	10
TREATMENT ACCOMMODATION				Criminal	*	*	*
Hearing Impaired	9	9	9	Sexual Predatory	*	*	*
Past or Current Military Service	8	8	10	Commitment Type Unknown	0	0	0

MISSOURI STUDENT SURVEY

	IVIIOO	OUI	(1310	DENT SORVET			
Percent of students who have ever used:	2014	2012	2010	Percent who believe they risk harm if they use:	2014	2012	2010
Alcohol	35.4	45.9	46.1	Alcohol (1 or 2 drinks daily)	49.1		
Cigarettes	22.0	31.4	28.8	Alcohol (Binge: 5+ drinks once or twice a week)	68.0		
Chewing Tobacco	10.3	19.3		Alcohol (any use)		61.5	80.8
Marijuana	5.6	15.7	9.9	Cigarettes (1+ packs per day)	80.6		
Inhalants	2.6	4.5	5.3	Cigarettes (any use)		75.8	83.9
Prescription medications not prescribed for student	3.7	10.6	8.9	Marijuana (once or twice a week)	78.0		
Over-the-counter medications for non-medical use	5.6	6.2	6.1	Marijuana (any use)		71.1	69.9
Methamphetamine	0.0	1.1	0.6	Other: Cocaine, LSD, Meth, Club Drug (any use)	91.8	91.8	93.5
Cocaine	0.0	0.9	1.5	Percent of students who, in past 30 days:			
Heroin	0.0	0.6	0.6	Were very sad	12.0	20.2	22.7
Hallucinogens	0.0	2.2	1.1	Were grouchy, irritable, or in a bad mood	25.1	31.7	28.5
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.0	1.1	1.5	Felt hopeless about the future	7.7	10.6	14.3
Steroids not prescribed for student	0.8	1.4	1.5	Felt like not eating or eating more than usual	17.8	21.4	19.0
Synthetic drugs (K2, bath salts, Spice, etc)	3.4	11.2		Slept a lot more or a lot less than usual	8.8	22.1	25.7
Average age of students' first use of:				Had difficulty concentrating on school work	20.4	26.7	33.9
Alcohol	12.31	12.52	12.18	, , , , , , , , , , , , , , , , , , ,			
Cigarettes	13.00	13.01	11.93	Percent of students who, in past 12 months:	<i></i>	10 E	11.0
Marijuana	13.50	13.29	13.64	Seriously considered attempting suicide	5.5	12.5	11.2
Inhalants	13.15	13.77	11.63	Made plan about how they would attempt suicide	4.0 2.2	10.5	8.7
Demont of students who in next 20 days wood				Attempted suicide Attempted suicide and resulting injury, poisonng, or overdose	2.2	3.9	5.4
Percent of students who, in past 30 days, used: Alcohol	17.2	24.6	22.6	had to be treated by doctor or nurse	0.4	1.2	1.5
Alcohol (Binge: 5+ drinks on one occassion)	17.2	19.8	15.5	·			
Cigarettes	11.6	18.2		Percent of students who, in past 12 months:			
Chewing Tobacco	6.6	11.2		Were threatened/injured with weapon at school	4.0	7.6	12.1
Marijuana	3.0	7.0	2.7	Were in a physical fight	16.6	21.3	23.4
Inhalants	0.4	1.1	2.3	Were in a fight and had to be treated by a doctor or nurse	1.5	2.5	5.0
Prescription medications not prescribed for student	2.2	8.7	4.9	Percent of students who, in past 3 months:			
Over-the-counter medications for non-medical use	3.0	4.2	3.6	Were victims of mean rumors or lies spread at school	44.4	54.9	59.3
				Were made fun of by others	60.8	64.3	71.4
Percent of students who, in past 2 weeks, used:				Were victims of an embarrassing or hurtful text message or	13.3	27.1	20.1
Alcohol (Binge: 5+ drinks on one occassion)	8.2			something posted on the internet	13.3	21.1	20.1
Percent whose friends used in past 12 months:				Spread mean rumors or lies about other kids at school	15.7	40.3	31.5
Alcohol	33.5	58.3	59.5	Made fun of other people	56.7	68.5	71.4
Cigarettes	33.0	49.9	45.2	Posted something on the internet or sent a text that might	6.2	22.0	15.7
Marijuana	12.0	29.3	25.6	embarrass or hurt another student	0.2		
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	6.2	15.2	13.3	Percent of students who agree that:			
Percent who would likely use, if offered by a best friend:				Teachers notice and comment on student's good work	75.6	64.4	69.6
Alcohol	25.9	43.0	36.5	School provides feedback to parents on positive student			
Cigarettes	10.6	20.7		performance	47.8	31.7	42.7
Marijuana	6.3	11.2	6.1	Rules are enforced fairly	78.5	52.8	57.3
manjaana	0.0		0.1	Students of all races/ethnicities are treated equal	88.7	72.5	76.0
Percent who say it would be wrong to use:				Parcent of students who agree that			
Alcohol	61.0	52.2		Percent of students who agree that: Parents notice and comment on student's good work	86.0	78.4	84.7
Cigarettes	85.9	68.3		Parents involve student in making family decisions	70.8	64.4	71.9
Marijuana	91.8	79.2		It is important to be honest with parents regardless of	70.0	04.4	71.5
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	98.9	94.7	95.6	consequences	88.4	85.1	83.1
Percent whose parents would disapprove if they use:				Student could ask parent for help with a personal problem	82.8	74.9	80.7
Alcohol	80.3	73.3	79.2	Stadont Sould ask paront for holp that a personal problem	02.0		
Cigarettes	90.6	86.6	90.9	Missouri Student Survey is conducted biennially.			
Marijuana	97.3	94.6	96.4	Similar affirmative response choices for individual questions are			
Percent who say it would be easy to obtain:				Blank data cells indicate estimates are not available for item or Survey is not conducted in every school district nor reported for			
Alcohol	45.5	60.8	59.2	Estimates are not available for counties with small numbers of I			
Cigarettes	50.5	57.7		Percentages are estimates based on weighted data. Some year-to-year differences in percentages are not statistica	lly signific	cant	
Marijuana	15.7	36.9	31.0				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	5.6	20.7		Data source: Missouri Institute of Mental Health, 2010-2014 Mis	souri Stu	udent Su	ırveys
The same of the sa	0.0	_5					

WAREL SOOK	• •						
DBH	I REGION	Eastern		IMPAIRED DRIVING	2013	2012	2011
DBI	I SERVICE AREAS			Alcohol Involved CrashesTotal	33	39	34
Sı	ubstance Use	16		Fatal Crashes	2	3	3
Ac Ac	dult Psychiatric	16		Injury Crashes	17	19	12
POF	PULATION			Property Damage Crashes	14	17	19
Ce	ensus 2010	32,513		Crash Fatalities	2	3	3
20	14 Estimate	33,253		Crash Injuries	20	21	26
7.3				Drug Involved CrashesTotal	4	6	5
				Fatal Crashes	0	2	1
BIRTH RISK	2013	2012	2011	Injury Crashes	1	1	1
Resident BirthsTotal	399	415	389	Property Damage Crashes	3	3	3
Mother Reported Smoking while F	Pregnant 104	104	87	Crash Fatalities	0	2	1
DISEASE INCIDENCE 1	2012	2012	2011	Crash Injuries	1	2	1
HIV/AIDS Cases	2013 1	0	2011 0	POLICE REPORTS	2013	2012	2011
Hepatitis B Chronic, Acute, Prena		1	0	DUI Arrests, DWI Tracking System	170	184	236
Hepatitis C Chronic and Acute	29	21	22	Liquor Law Arrests	49	73	54
Tuberculosis Infection Cases	3	3	1	Drug Arrests	311	305	242
ruberoulosis infection outes	Ü	· ·		Violent Offenses	141	96	99
DEATHS and INJURIES	2013	2012	2011	Property Offenses	710	843	761
Resident DeathsTotal	273	270	243	Domestic Violence Reports	349	313	340
Suicides	5	8	0		2014	2013	2012
Self-inflicted Injuries	45	51	62	Methamphetamine Lab Seizures	24	30	27
Homicides	1	1	2	COULOU DEPONTS	2012 14	2012 12	2011 12
Assault Injuries	93	113	99	SCHOOL REPORTS Enrollment Grades 9-12	2013-14 1,354	2012-13 1,368	2011-12 1,354
Alcohol Induced Deaths	2	1	1		1,354	1,300	1,354
Drug Induced Deaths	13	4	5	Drop-outs Drop-out Rate	1.0%	1.3%	0.8%
Smoking Attributable Deaths	54	51	47	School Discipline Involving Alcohol	1.0%	1.5%	0.6%
UOCDITAL EDICODES 2	2012	2012	2011	School Discipline Involving Arconol School Discipline Involving Drugs	18	14	14
HOSPITAL EPISODES 2 Hospitalization, no Emergency Ro	2013	2012	2011	School Discipline Involving Tobacco	1	0	0
Mental Illness Principal Diagnosi		205	149	Control Biodipline involving robacco	'	O	O
Mental Illness Secondary Diagno		366	415	JUVENILE COURT REFERRALS 3	2013	2012	2011
Alcohol Principal Diagnosis	22	16	11	Juvenile Violent Offenses	15	10	11
Alcohol Secondary Diagnosis	45	29	37	Juvenile Alcohol Offenses	2	3	8
Drug Principal Diagnosis	26	29	35	Juvenile Drug Offenses	9	14	13
Drug Secondary Diagnosis	30	28	30	School Truancy Status Offense	7	10	16
Emergency Room + Hospitalizatio		20	30	Absent from Home Status Offense	15	17	18
Mental Illness Principal Diagnosi		256	252	Beyond Parental Control Status Offense	12	16	28
Mental Illness Secondary Diagno		616	769	Injurious Behavior Status Offense	47	59	57
Alcohol Principal Diagnosis	13	19	14	Child Abuse	39	30	41
Alcohol Secondary Diagnosis	54	66	65	Child Neglect	59	50	54
Drug Principal Diagnosis	19	9	17	Child Custody Issues	1	3	1
Drug Secondary Diagnosis	29	39	42	JUVENILE COURT PLACEMENTS	2013	2012	2011
Emergency Room, no Hospitalizat	tion:			Out-of-Home PlacementsTotal	35	36	44
Mental Illness Principal Diagnosi		285	274	Parental Alcohol Use Related	1	2	6
Mental Illness Secondary Diagno		1,777	1,164	Parental Drug Use Related	13	9	5
Alcohol Principal Diagnosis	44	44	35	Parental Alcohol and Drug Use	3	1	11
Alcohol Secondary Diagnosis	49	53	50				
Drug Principal Diagnosis	42	51	88	CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Secondary Diagnosis	158	195	92	Drug Court Participants	24	43	46
				Probation/Parole AdmissionsDrug	136	153	127
ALCOHOL OUTLETS	2014	2013	2012	Probation/Parole AdmissionsDWI	19	19	27
Alcohol On-Premise Drink License		37	40	Prison Admissions - DWI	64 15	75 21	60 17
Alcohol Package Carry-out Licens	ses 23	26	26	Prison AdmissionsDWI	15	21	17
EMPLOYMENT	2014	2013	2012	1 All Kansas City hepatitis and TB case repor			County
Labor Force	17,034	16,854	16,883	totals and all Joplin case reports are include 2 Beginning with 2010 data, diagnosis counts			es are
Employed	15,974	15,699	15,585	based on codes developed by the Healthcar	re Cost and U	Itilization Pro	ject.
Unemployed	1,060	1,155	1,298	3 Beginning in 2013, juvenile municipal violati court orders are categorized as status offen			
Unemployment Rate	6.2%	6.9%	7.7%	Court orders are categorized as status offer	มีเลยเปลี่น 0	n iaw violatiol	10.

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	18	28	29
CSTAR Adolescent	14	11	20
CSTAR Women and Children	23	37	25
CSTAR General Adult	121	81	88
CSTAR Opioid	*	*	*
Primary Recovery Treatment	*	13	23
Clinical SATOP (CIP, YCIP, SROP)	43	56	73
Other Substance Abuse Treatment	0	*	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	130	156	172
- Adolescent Diversion Education Prograr	*	*	*
- Offender Education Program	45	42	48
- Weekend Intervention Program	23	32	29
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	*	*
Compulsive Gambling	*	*	*
Recovery Supports	*	0	0
Early Intervention	*	0	*

NUMBER ADMITTED	FY2014	FY2013	FY2012	PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Total Individuals	182	196	218	Alcohol	74	88	103
	-			Marijuana / Hashish	40	42	49
AGE				Cocaine (total)	*	*	*
Under 18	16	12	20	- Crack	*	*	*
18 to 24	34	33	41	Stimulant (total)	29	23	18
25 to 29	38	37	33	- Methamphetamine	28	23	17
30 to 34	18	25	43	Heroin	30	28	35
35 to 39	22	18	21	Analgesic except Heroin	*	11	5
40 to 44	16	26	23	- Non-Prescription Methadone	0	0	0
45 to 54	28	36	28	PCP, LSD, other Hallucinogen	*	*	*
55 and Over	10	9	9	Tranquilizer	0	*	*
GENDER				Inhalant	0	0	0
Male	105	125	149	Sedative	0	0	*
Female	76	71	69	Other Medication or Illicit Drug	*	0	*
				Average Age at First Use of Drug	17.5	17.3	17.1
RACE / ETHNICITY	400	405	400				
Caucasian	163	185	199	INJECTION DRUG USE			
African American	9	7	13	Any Injection Use at Admission	43	40	40
Native American / Alaskan	0	0	*	- Daily Injection Use	7	10	12
Asian / Pacific Islander		0	*	- Weekly Injection Use	11	10	11
Hispanic	*	*	*	- Less than Weekly Injection Use	25	20	17
Other Race / Two or More Races	7	*	*	, ,			
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	78	70	82	0	105	86	98
High School Graduate or G.E.D.	74	91	96	1 or 2	42	67	78
Associate Degree or Some College	28	34	39	3 or More	35	43	42
Bachelor or Advanced Degree	*	*	*	TD54T454T D555DD44 604D65			
51401014515				TREATMENT REFERRAL SOURCE	40	40	25
EMPLOYMENT	FC	C.F.	74	Self / Family / Friend	49	43	35 0
Employed	56 84	65	71 92	School Mantal Haalth Bravidan	*	0	
Unemployed	_	89		Mental Health Provider	*	*	_
Not in Labor Force	42	42	55	Health Care Provider			5 162
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	96	115 31	-
Independent Living	151	163	179	Other Referral Source	25	31	13
Dependent Living	23	26	31				
Homeless	*	*	*	TREATMENT ACCOMMODATION	*	_	
				Pregnant when Admitted to any Episode		7	
MARITAL / FAMILY STATUS	405	444	400	Military Veteran	10	9	11
Never Married	105	111	123	Special Education Services Needed	22	14	16
Married / Cohabitating	43	37	49	Co-Occurring Psychological Problem	55	57	72
Previously Married	34	48	46	Co-Occurring Developmental Problem	8	9	*

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Eastern
PSYCHIATRIC SERVICE AREA 16
CENSUS 2010 32,513
2014 POPULATION ESTIMATE 33,253

disorders. The total number of diagr served because some individuals had	noses is larger	than the	number
DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012
Adjustment Disorder	*	5	8
Anxiety Disorder	379	295	261
Dementia	0	0	0
Developmental Disorder	23	21	20
Impulse Control Disorder	177	139	132
Mood Disorder	508	426	391
Personality Disorder	66	53	46
Psychotic Disorder	56	52	52
Sexual Disorder	*	*	*
Other Diagnosis	30	27	29
Diagnosis Unknown	11	14	27

Individuals who received psychiatric services had the following types of

NUMBER SERVED	FY2014	FY2013	FY2012	EDUCATION	FY2014	FY2013	FY2012
Total Individuals	632	548	521	Less than High School Diploma	225	206	111
Total marriadalo	002	0.10	021	High School Grad or G.E.D.	0	*	70
AGE				Associate Degree or Some College	0	0	36
Under 6	5	*	7	Bachelor or Advanced Degree	0	0	11
6 to 9	48	43	36	Education Level Unknown	407	338	293
10 to 13	66	54	57	Education Level Officiown	407	330	200
14 to 17	69	59	57	EMPLOYMENT			
18 to 24	48	50	38	Employed	44	37	30
25 to 29	46	35	38	Unemployed	48	37	169
30 to 34	63	59	55	Not in Labor Force	356	301	72
35 to 39	54	45	43	Employment Status Unknown	184	173	250
40 to 44	49	42	37				
45 to 49	52	52	51	HOUSING / LIVING ARRANGEMENT			
50 to 54	65	54	51	Independent Living	318	273	248
55 to 59	40	30	25	Dependent Living	111	109	55
60 and Over	27	24	26	Homeless	6	*	0
Age Unknown	0	0	0	Other	0	0	*
CENDED				Housing Unknown	197	165	216
GENDER Male	259	227	226				
Female	373	321	226 295	TREATMENT REFERRAL SOURCE			
				Self / Family / Friend	283	185	125
Gender Unknown	0	0	0	School	87	74	59
RACE / ETHNICITY				Mental Health Provider	27	30	33
Caucasian	572	512	482	Health Care Provider	57	53	51
African American	28	11	17	Court / Criminal Justice	10	8	9
Native American / Alaskan	0	*	*	Other	166	197	242
Asian / Pacific Islander	*	*	*	Referral Source Unknown	*	*	*
Hispanic	11	9	8				
Other Race	18	13	11	TYPE OF COMMITMENT	007	E 4 E	547
Race/Ethnicity Unknown	0	0	0	Voluntary	627	545	517
•				Civil	0	0	0
TREATMENT ACCOMMODATION	6.4	40		Criminal	*	*	*
Hearing Impaired	24	18	14	Sexual Predatory			*
Past or Current Military Service	13	8	8	Commitment Type Unknown	*	*	*

MISSOURI STUDENT SURVEY

	2014	2012	2010	I	2014	2012	2010
Percent of students who have ever used:				Percent who believe they risk harm if they use:	2014	2012	2010
Alcohol		50.9	43.3	Alcohol (1 or 2 drinks daily)			
Cigarettes		32.5	26.7	Alcohol (Binge: 5+ drinks once or twice a week)			
Chewing Tobacco		10.9	10.8	Alcohol (any use)		61.5	72.5
Marijuana	2	24.3	16.5	Cigarettes (1+ packs per day)			
Inhalants		5.5	5.2	Cigarettes (any use)		78.5	78.4
Prescription medications not prescribed for student		9.8	9.7	Marijuana (once or twice a week)			
Over-the-counter medications for non-medical use	1	10.9	5.8	Marijuana (any use)		61.5	70.2
Methamphetamine		1.6	0.9	Other: Cocaine, LSD, Meth, Club Drug (any use)		95.4	92.9
Cocaine		3.3	0.9	Percent of students who, in past 30 days:			
Heroin		3.0	0.4	Were very sad		25.8	18.7
Hallucinogens		4.6	3.0	Were grouchy, irritable, or in a bad mood		29.4	24.5
Club drugs (Ecstasy, GHB, roofie, Special K, etc)		4.2	0.9	Felt hopeless about the future		16.5	11.7
Steroids not prescribed for student		3.2	0.6	Felt like not eating or eating more than usual		30.2	21.3
Synthetic drugs (K2, bath salts, Spice, etc)		5.3		Slept a lot more or a lot less than usual		29.4	30.4
Average age of students' first use of:				Had difficulty concentrating on school work		29.0	31.7
Alcohol	11	1.85	12.49			20.0	01.7
Cigarettes			12.24	Percent of students who, in past 12 months:			
Marijuana			13.76	Seriously considered attempting suicide		17.0	9.8
Inhalants		-	13.70	Made plan about how they would attempt suicide		17.4	8.0
iiiididiiiS	1 1	1.55	13.00	Attempted suicide		12.2	3.8
Percent of students who, in past 30 days, used:				Attempted suicide and resulting injury, poisonng, or overdose		5.4	17
Alcohol	2	22.7	19.0	had to be treated by doctor or nurse		5.4	1.7
Alcohol (Binge: 5+ drinks on one occassion)	1	13.4	10.4	Percent of students who, in past 12 months:			
Cigarettes	1	12.9	13.6	Were threatened/injured with weapon at school		11.2	8.6
Chewing Tobacco		6.2	5.9	Were in a physical fight		22.3	21.4
Marijuana	1	12.6	7.5	Were in a physical light Were in a fight and had to be treated by a doctor or nurse		3.8	4.2
Inhalants		3.2	1.8	were in a light and had to be treated by a doctor of hurse		3.0	4.2
Prescription medications not prescribed for student		5.8	4.6	Percent of students who, in past 3 months:			
Over-the-counter medications for non-medical use		6.0	3.0	Were victims of mean rumors or lies spread at school		44.8	46.8
				Were made fun of by others		59.0	68.5
Percent of students who, in past 2 weeks, used: Alcohol (Binge: 5+ drinks on one occassion)				Were victims of an embarrassing or hurtful text message or something posted on the internet		21.2	13.6
Percent whose friends used in past 12 months:				Spread mean rumors or lies about other kids at school		24.2	30.1
Alcohol	F	52.8	63.2	Made fun of other people		63.5	74.1
Cigarettes		52.4		Posted something on the internet or sent a text that might			
Marijuana		52.4		embarrass or hurt another student		17.7	15.9
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)		19.9	18.3				
Other fillott (Cocaline, LSD, Meth, Club Drug, etc)		19.9	10.3	Percent of students who agree that:			
Percent who would likely use, if offered by a best friend:				Teachers notice and comment on student's good work		54.2	67.3
Alcohol	4	11.4	32.6	School provides feedback to parents on positive student		28.3	37.2
Cigarettes	1	15.4	15.3	performance		20.0	01.2
Marijuana	1	19.7	11.0	Rules are enforced fairly		58.1	66.7
•				Students of all races/ethnicities are treated equal		79.4	71.7
Percent who say It would be wrong to use:				Percent of students who agree that:			
Alcohol		18.3	55.5	Parents notice and comment on student's good work		72.5	84.4
Cigarettes		76.4		Parents involve student in making family decisions		57.1	68.1
Marijuana		73.4		The state of the s		57.1	00.1
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	ξ	94.6	94.3	It is important to be honest with parents regardless of consequences		77.7	83.8
Percent whose parents would disapprove if they use:				Student could ask parent for help with a personal problem		64.2	78.3
Alcohol	7	70.4	71.9	Student could ask parent for fielp with a personal problem		04.2	10.5
Cigarettes		37.9	91.5	Missouri Student Survey is conducted biennially.			
Marijuana		93.4	95.0	Similar affirmative response choices for individual questions are	combin	ed.	
•		, o. -	55.0	Blank data cells indicate estimates are not available for item or g	geograp	hic area.	
Percent who say it would be easy to obtain:				Survey is not conducted in every school district nor reported for Estimates are not available for counties with small numbers of re			
Alcohol	6	67.4	64.8	Percentages are estimates based on weighted data.	Japonue	iilo.	
Cigarettes	6	32.1	61.5	Some year-to-year differences in percentages are not statisticall	y signifi	cant.	
Marijuana	4	46.4	34.7	Data source: Missouri Institute of Mental Health, 2010-2014 Mis	couri C+	Ident C.	IL/O/O

WASHING FOR COU	/IN I I						
DBH REGIO)N	Southeast		IMPAIRED DRIVING	2013	2012	2011
DBH SERVI	CE AREAS			Alcohol Involved CrashesTotal	35	43	33
Substance	e Use	17		Fatal Crashes	6	6	2
Adult Psy	ychiatric	17B		Injury Crashes	11	13	20
POPULATION	ON			Property Damage Crashes	18	24	11
Census 2	2010	25,195		Crash Fatalities	7	6	3
2014 Est	imate	25,077		Crash Injuries	17	15	32
				Drug Involved CrashesTotal	10	11	10
				Fatal Crashes	1	0	2
BIRTH RISK	2013	2012	2011	Injury Crashes	0	5	7
Resident BirthsTotal	300	286	310	Property Damage Crashes	9	6	1
Mother Reported Smoking while Pregnar	nt 104	91	93	Crash Fatalities	1	0	2
DISCASE INCIDENCE 1	2012	2012	2011	Crash Injuries	1	6	10
DISEASE INCIDENCE 1 HIV/AIDS Cases	2013 0	2012 0	2011 0	POLICE REPORTS	2013	2012	2011
Hepatitis B Chronic, Acute, Prenatal	3	1	2	DUI Arrests, DWI Tracking System	66	80	81
Hepatitis C Chronic and Acute	32	31	29	Liquor Law Arrests	7	11	12
Tuberculosis Infection Cases	1	6	5	Drug Arrests	41	49	100
Tuberediosis infection dases	'	U	3	Violent Offenses	48	47	46
DEATHS and INJURIES	2013	2012	2011	Property Offenses	490	601	564
Resident DeathsTotal	295	222	255	Domestic Violence Reports	90	131	103
Suicides	8	4	3		2014	2013	2012
Self-inflicted Injuries	50	35	29	Methamphetamine Lab Seizures	12	29	44
Homicides	0	1	1	CCUCOL REPORTS	2012 14	2012 12	2011 12
Assault Injuries	90	134	115	SCHOOL REPORTS Enrollment Grades 9-12	2013-14	2012-13	2011-12
Alcohol Induced Deaths	1	1	2		1,006 23	971 33	984 50
Drug Induced Deaths	7	2	6	Drop-outs Drop-out Rate	2.3%	3.4%	5.1%
Smoking Attributable Deaths	68	46	53	School Discipline Involving Alcohol	2.3 %	3.476	3.1%
HOSPITAL EDICODES 2	2012	2012	2011	School Discipline Involving According	1	4	16
HOSPITAL EPISODES 2	2013	2012	2011	School Discipline Involving Tobacco	0	1	1
Hospitalization, no Emergency Room: Mental Illness Principal Diagnosis	263	240	253		O		
Mental Illness Secondary Diagnosis	552	532	535 535	JUVENILE COURT REFERRALS 3	2013	2012	2011
Alcohol Principal Diagnosis	9	5	6	Juvenile Violent Offenses	61	58	62
Alcohol Secondary Diagnosis	31	26	42	Juvenile Alcohol Offenses	5	4	4
Drug Principal Diagnosis	26	20	15	Juvenile Drug Offenses	1	11	7
Drug Secondary Diagnosis	33	22	32	School Truancy Status Offense	56	20	24
Emergency Room + Hospitalization:	00		02	Absent from Home Status Offense	5	7	2
Mental Illness Principal Diagnosis	39	64	74	Beyond Parental Control Status Offense	9	18	27
Mental Illness Secondary Diagnosis	523	446	439	Injurious Behavior Status Offense	27	18	17
Alcohol Principal Diagnosis	7	8	4	Child Abuse	4	5	9
Alcohol Secondary Diagnosis	42	47	42	Child Neglect	34	41	49
Drug Principal Diagnosis	10	6	8	Child Custody Issues	0	0	2
Drug Secondary Diagnosis	35	26	24	JUVENILE COURT PLACEMENTS	2013	2012	2011
Emergency Room, no Hospitalization:				Out-of-Home PlacementsTotal	26	32	39
Mental Illness Principal Diagnosis	262	308	315	Parental Alcohol Use Related	0	2	3
Mental Illness Secondary Diagnosis	1,836	1,621	1,340	Parental Drug Use Related	17	22	22
Alcohol Principal Diagnosis	39	25	30	Parental Alcohol and Drug Use	0	0	1
Alcohol Secondary Diagnosis	51	71	43				
Drug Principal Diagnosis	56	45	44	CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Secondary Diagnosis	58	97	89	Drug Court Participants	13	22	11
	_			Probation/Parole AdmissionsDrug Probation/Parole AdmissionsDWI	64 11	73 8	83 2
ALCOHOL OUTLETS	2014	2013	2012	Prison AdmissionsDrug	32	8 44	31
Alcohol On-Premise Drink Licenses	17	16	15	Prison AdmissionsDrug Prison AdmissionsDWI	32 5	44 2	ا 1
Alcohol Package Carry-out Licenses	25	23	26	i noon AumiosionoDVVI	J	۷	'
EMPLOYMENT	2014	2013	2012	1 All Kansas City hepatitis and TB case report			County
Labor Force	10,450	10,000	10,107	totals and all Joplin case reports are include Beginning with 2010 data, diagnosis counts			es are
Employed	9,554	9,055	9,048	based on codes developed by the Healthcar	e Cost and L	Itilization Pro	ject.
Unemployed	896	945	1,059	3 Beginning in 2013, juvenile municipal violati court orders are categorized as status offen:			
Unemployment Rate	8.6%	9.5%	10.5%	Court orders are categorized as status offers	oco moreau 0	a law violation	13.

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	23	19	11
CSTAR Adolescent	*	*	*
CSTAR Women and Children	*	8	7
CSTAR General Adult	101	113	74
CSTAR Opioid	*	0	*
Primary Recovery Treatment	*	52	103
Clinical SATOP (CIP, YCIP, SROP)	9	12	12
Other Substance Abuse Treatment	*	0	*

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	55	63	78
- Adolescent Diversion Education Prograr	0	0	0
- Offender Education Program	28	28	32
- Weekend Intervention Program	11	12	21
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	0	0
Compulsive Gambling	0	0	0
Recovery Supports	*	*	*
Early Intervention	*	0	*

NUMBER ADMITTED	FY2014	FY2013	FY2012	PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Total Individuals	134	161	187	Alcohol	28	37	45
				Marijuana / Hashish	29	43	65
AGE				Cocaine (total)	*	*	*
Under 18	*	*	*	- Crack	0	*	0
18 to 24	23	25	40	Stimulant (total)	28	33	32
25 to 29	25	44	42	- Methamphetamine	26	32	30
30 to 34	36	22	30	Heroin	12	10	11
35 to 39	13	24	25	Analgesic except Heroin	30	35	29
40 to 44	15	14	17	- Non-Prescription Methadone	0	0	0
45 to 54	14	21	22	PCP, LSD, other Hallucinogen	0	0	0
55 and Over	*	7	8	Tranquilizer	*	*	*
GENDER				Inhalant	0	0	*
Male	75	98	118	Sedative	0	0	0
Female	59	63	69	Other Medication or Illicit Drug	*	0	0
_				Average Age at First Use of Drug	18.6	18.7	17.7
RACE / ETHNICITY							
Caucasian	130	160	182	INJECTION DRUG USE			
African American	*	0		Any Injection Use at Admission	26	26	19
Native American / Alaskan	*	0	0	- Daily Injection Use	11	8	*
Asian / Pacific Islander	0	0	0	- Weekly Injection Use	8	7	5
Hispanic	*	0	*	- Less than Weekly Injection Use	7	11	11
Other Race / Two or More Races	0	*	*				
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	52	63	84	0	81	98	118
High School Graduate or G.E.D.	64	80	87	1 or 2	38	43	52
Associate Degree or Some College	18	18	16	3 or More	15	20	17
Bachelor or Advanced Degree	0	0	0	TOTATAKAT DEFENDAL COURCE			
EA ADI OVA AEAIT				TREATMENT REFERRAL SOURCE	46	43	35
EMPLOYMENT	20	26	45	Self / Family / Friend School	0	43	0
Employed	28 57	26 91			0	0	*
Unemployed	_	_	96	Mental Health Provider	_	_	0
Not in Labor Force	49	44	46	Health Care Provider	14	7	9
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	60	88	123
Independent Living	125	153	178	Other Referral Source	13	23	19
Dependent Living	6	5	5				
Homeless	*	*	*	TREATMENT ACCOMMODATION	_	*	
				Pregnant when Admitted to any Episode	5		*
MARITAL / FAMILY STATUS			<u> </u>	Military Veteran	7	9	11
Never Married	75	81	84	Special Education Services Needed	16	24	31
Married / Cohabitating	46	39	61	Co-Occurring Psychological Problem	68	81	72
Previously Married	13	41	42	Co-Occurring Developmental Problem	*	13	15

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Southeast 17B 25,195 2014 POPULATION ESTIMATE 25,077

served because some individuals ha			
DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012
Adjustment Disorder	*	*	*
Anxiety Disorder	54	47	35
Dementia	*	0	0
Developmental Disorder	6	6	5
Impulse Control Disorder	31	31	25
Mood Disorder	130	96	99
Personality Disorder	10	8	5
Psychotic Disorder	50	47	47
Sexual Disorder	0	0	0
Other Diagnosis	5	7	10
Diagnosis Unknown	21	23	23

Individuals who received psychiatric services had the following types of

NUMBER SERVED	FY2014	FY2013	FY2012	EDUCATION	FY2014	FY2013	FY2012
Total Individuals	257	219	209	Less than High School Diploma	73	69	45
Total Marviadalo	201	210	200	High School Grad or G.E.D.	0	0	35
AGE				Associate Degree or Some College	0	*	7
Under 6	*	*	*	Bachelor or Advanced Degree	0	0	*
6 to 9	17	15	15	Education Level Unknown	184	149	121
10 to 13	13	20	18	Education Level Officiowin	104	143	121
14 to 17	21	18	19	EMPLOYMENT			
18 to 24	30	17	12	Employed	7	8	7
25 to 29	18	17	15	Unemployed	*	5	73
30 to 34	30	27	19	Not in Labor Force	130	106	16
35 to 39	16	16	20	Employment Status Unknown	118	100	113
40 to 44	22	14	13				
45 to 49	20	20	18	HOUSING / LIVING ARRANGEMENT			
50 to 54	20	12	21	Independent Living	43	43	75
55 to 59	28	21	13	Dependent Living	91	74	27
60 and Over	21	21	24	Homeless	*	*	*
Age Unknown	0	0	0	Other	0	0	*
CENDED				Housing Unknown	121	100	104
GENDER Male	134	108	105				
Female	123	111	105	TREATMENT REFERRAL SOURCE			
				Self / Family / Friend	76	69	66
Gender Unknown	0	0	0	School	7	5	*
RACE / ETHNICITY				Mental Health Provider	33	21	17
Caucasian	245	210	199	Health Care Provider	68	45	28
African American	7	6	6	Court / Criminal Justice	24	22	25
Native American / Alaskan	0	0	*	Other	48	56	66
Asian / Pacific Islander	0	0	0	Referral Source Unknown	*	*	*
Hispanic	0	0	*				
Other Race	5	*	*	TYPE OF COMMITMENT	0.40	044	200
Race/Ethnicity Unknown	0	0	0	Voluntary	249	211	200
•				Civil			*
TREATMENT ACCOMMODATION		_	•	Criminal	5	6	6
Hearing Impaired	14	5	6	Sexual Predatory	0	0	0
Past or Current Military Service	15	11	10	Commitment Type Unknown	*	*	*

MISSOURI STUDENT SURVEY

	2014 20°	2 2010	I	2014	2012	2010
Percent of students who have ever used:			Percent who believe they risk harm if they use:	2011	2012	2010
Alcohol	36.		Alcohol (1 or 2 drinks daily)			
Cigarettes	22.		Alcohol (Binge: 5+ drinks once or twice a week)			4
Chewing Tobacco	17.		Alcohol (any use)		74.4	77.4
Marijuana	11.		Cigarettes (1+ packs per day)			
Inhalants	5.		Cigarettes (any use)		79.7	78.6
Prescription medications not prescribed for student	8.		Marijuana (once or twice a week)			
Over-the-counter medications for non-medical use	6.		Marijuana (any use)		77.3	68.0
Methamphetamine	1.		Other: Cocaine, LSD, Meth, Club Drug (any use)		93.0	92.2
Cocaine	0.		Percent of students who, in past 30 days:			
Heroin	0.		Were very sad		20.8	25.8
Hallucinogens	1.		Were grouchy, irritable, or in a bad mood		27.5	27.3
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.		Felt hopeless about the future		10.9	13.9
Steroids not prescribed for student	1.	-	Felt like not eating or eating more than usual		17.7	21.6
Synthetic drugs (K2, bath salts, Spice, etc)	5.	2	Slept a lot more or a lot less than usual		23.0	32.5
Average age of students' first use of:			Had difficulty concentrating on school work		24.2	29.2
Alcohol	11.9	2 12.13				
Cigarettes	11.6	0 11.53	Percent of students who, in past 12 months:			
Marijuana		6 13.17	Seriously considered attempting suicide		11.5	15.7
Inhalants	_	8 12.51	Made plan about how they would attempt suicide		7.6	11.6
		-	Attempted suicide		5.2	7.6
Percent of students who, in past 30 days, used:			Attempted suicide and resulting injury, poisonng, or overdose		1.6	3.0
Alcohol	15.		had to be treated by doctor or nurse			
Alcohol (Binge: 5+ drinks on one occassion)	7.	-	Percent of students who, in past 12 months:			
Cigarettes	8.		Were threatened/injured with weapon at school		6.7	9.2
Chewing Tobacco	9.		Were in a physical fight		19.2	29.3
Marijuana	4.	-	Were in a fight and had to be treated by a doctor or nurse		2.1	6.2
Inhalants	2.		Descent of attribute who is next 2 months.			
Prescription medications not prescribed for student	4.		Percent of students who, in past 3 months:		54.4	04.4
Over-the-counter medications for non-medical use	3.	9 6.1	Were victims of mean rumors or lies spread at school		51.4	61.4
Percent of students who, in past 2 weeks, used:			Were made fun of by others		61.6	71.5
Alcohol (Binge: 5+ drinks on one occassion)			Were victims of an embarrassing or hurtful text message or something posted on the internet		19.8	20.3
-			Spread mean rumors or lies about other kids at school		21.3	32.3
Percent whose friends used in past 12 months:	46.	1 63.4	Made fun of other people		55.9	72.3
Alcohol	_		Posted something on the internet or sent a text that might		00.0	
Cigarettes	37.		embarrass or hurt another student		10.4	21.4
Marijuana	25.					
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	11.	0 12.4	Percent of students who agree that:			
Percent who would likely use, if offered by a best friend:			Teachers notice and comment on student's good work		71.9	63.0
Alcohol	26.	1 42.4	School provides feedback to parents on positive student		36.0	34.9
Cigarettes	10.	9 17.4	performance		30.0	34.3
Marijuana	7.	0 14.8	Rules are enforced fairly		63.3	58.5
•		-	Students of all races/ethnicities are treated equal		77.8	79.8
Percent who say it would be wrong to use:			Percent of students who agree that:			
Alcohol	65.		Parents notice and comment on student's good work		82.4	84.5
Cigarettes	85.		Parents involve student in making family decisions		66.2	67.1
Marijuana	88.		It is important to be honest with parents regardless of		00.2	01.1
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.	4 94.4	consequences		86.8	80.1
Percent whose parents would disapprove if they use:			Student could ask parent for help with a personal problem		76.7	76.1
Alcohol	80.	2 73.4	The state of the s		***	
Cigarettes	94.	0 87.0	Missouri Student Survey is conducted biennially.			
Marijuana	95.	5 91.6	Similar affirmative response choices for individual questions are			
•			Blank data cells indicate estimates are not available for item or g Survey is not conducted in every school district nor reported for			
Percent who say it would be easy to obtain:	4-	0 504	Estimates are not available for counties with small numbers of re			
Alcohol	45.		Percentages are estimates based on weighted data.	•		
Cigarettes	44.		Some year-to-year differences in percentages are not statisticall	y signifi	cant.	
Marijuana	23.		Data source: Missouri Institute of Mental Health, 2010-2014 Miss	souri St	udent Si	urveys
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	11.	9 18.7				

WATINE COOK							
THHA	DBH REGION	Southeast		IMPAIRED DRIVING	2013	2012	2011
	DBH SERVICE AREAS			Alcohol Involved CrashesTotal	25	18	33
	Substance Use	19		Fatal Crashes	1	0	1
	Adult Psychiatric	19		Injury Crashes	14	10	17
- 	POPULATION			Property Damage Crashes	10	8	15
	Census 2010	13,521		Crash Fatalities	1	0	1
	2014 Estimate	13,452		Crash Injuries	23	17	24
The state of the s				Drug Involved CrashesTotal	9	4	3
217				Fatal Crashes	0	0	0
BIRTH RISK	2013	2012	2011	Injury Crashes	6	2	2
Resident BirthsTotal	157	152	137	Property Damage Crashes	3	2	1
Mother Reported Smoking wh		55	45	Crash Fatalities	0	0	0
				Crash Injuries	9	3	3
DISEASE INCIDENCE 1	2013	2012	2011	POLICE REPORTS	2013	2012	2011
HIV/AIDS Cases	0	0	0	DUI Arrests, DWI Tracking System	94	106	112
Hepatitis B Chronic, Acute, Pr		2	1	Liquor Law Arrests	12	32	23
Hepatitis C Chronic and Acute		11	6	Drug Arrests	297	177	98
Tuberculosis Infection Cases	6	4	8	Violent Offenses	28	14	14
DEATHS and INJURIES	2013	2012	2011	Property Offenses	288	150	189
Resident DeathsTotal	217	184	186	Domestic Violence Reports	32	10	18
Suicides	3	3	3		2014	2013	2012
Self-inflicted Injuries	15	31	36	Methamphetamine Lab Seizures	3	9	13
Homicides	1	1	1				
Assault Injuries	21	37	45	SCHOOL REPORTS	2013-14	2012-13	2011-12
Alcohol Induced Deaths	3	2	1	Enrollment Grades 9-12	500	498	490
Drug Induced Deaths	3	4	0	Drop-outs	8	11	16
Smoking Attributable Deaths	46	32	44	Drop-out Rate	1.6%	2.2%	3.3%
				School Discipline Involving Alcohol	0	0	1
HOSPITAL EPISODES 2	2013	2012	2011	School Discipline Involving Drugs	9	2	2
Hospitalization, no Emergency				School Discipline Involving Tobacco	0	0	0
Mental Illness Principal Diag		109	145	JUVENILE COURT REFERRALS 3	2013	2012	2011
Mental Illness Secondary Dia		276	247	Juvenile Violent Offenses	11	11	2
Alcohol Principal Diagnosis	10	11	6	Juvenile Alcohol Offenses	4	2	1
Alcohol Secondary Diagnosis		34	36	Juvenile Drug Offenses	3	3	0
Drug Principal Diagnosis	7	8	7	School Truancy Status Offense	0	1	0
Drug Secondary Diagnosis	13	21	17	Absent from Home Status Offense	0	0	0
Emergency Room + Hospitaliz		20	25	Beyond Parental Control Status Offense	10	17	22
Mental Illness Principal Diag		29	25 266	Injurious Behavior Status Offense	1	6	1
Mental Illness Secondary Diagnosis	agnosis 346	328 4	266 6	Child Abuse	1	0	3
Alcohol Principal Diagnosis Alcohol Secondary Diagnosis		25	18	Child Neglect	10	17	18
Drug Principal Diagnosis	6	25 1	5	Child Custody Issues	0	0	0
Drug Secondary Diagnosis	5	8	9	JUVENILE COURT PLACEMENTS	2013	2012	2011
Emergency Room, no Hospita		0	9	Out-of-Home PlacementsTotal	2013	16	18
Mental Illness Principal Diag		133	130	Parental Alcohol Use Related	0	0	0
Mental Illness Secondary Dia		182	79	Parental Drug Use Related	12	7	7
Alcohol Principal Diagnosis	13	13	14	Parental Alcohol and Drug Use	0	1	0
Alcohol Secondary Diagnosis		21	19	r dromary tooner and Drug Coo	Ü		Ü
Drug Principal Diagnosis	11	16	11	CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Secondary Diagnosis	13	14	11	Drug Court Participants	33	42	27
2230aa.j Diagnoolo	10			Probation/Parole AdmissionsDrug	48	58	36
ALCOHOL OUTLETS	2014	2013	2012	Probation/Parole AdmissionsDWI	3	2	4
Alcohol On-Premise Drink Lic		18	19	Prison AdmissionsDrug	23	21	18
Alcohol Package Carry-out Lie		22	23	Prison AdmissionsDWI	2	0	1
EMPLOYMENT	2014	2013	2012	1 All Kansas City hepatitis and TB case report	s are include	d in Jackson	County
Labor Force	5,550	5,946	5,772	totals and all Joplin case reports are include	d in Jasper C	County totals.	-
Employed	5,135	5,502	5,297	2 Beginning with 2010 data, diagnosis counts based on codes developed by the Healthcar			
Unemployed	415	444	475	3 Beginning in 2013, juvenile municipal violation	ons, infractio	ns, and violat	ions of
Unemployment Rate	7.5%		8.2%	court orders are categorized as status offens	ses instead o	t law violation	ns.

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TOTATATATAT CATECODY	FY2014	FY2013	FY2012
TREATMENT CATEGORY			
Detoxification	12	6	10
CSTAR Adolescent	*	*	6
CSTAR Women and Children	*	*	*
CSTAR General Adult	72	84	36
CSTAR Opioid	0	0	*
Primary Recovery Treatment	9	38	77
Clinical SATOP (CIP, YCIP, SROP)	16	14	16
Other Substance Abuse Treatment	0	0	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	49	49	65
- Adolescent Diversion Education Prograr	0	0	0
- Offender Education Program	13	16	22
- Weekend Intervention Program	9	9	12
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	0	0
Compulsive Gambling	0	0	0
Recovery Supports	29	23	18
Early Intervention	0	0	0

NUMBER ADMITTED	FY2014	FY2013	FY2012	PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Total Individuals	110	129	137	Alcohol	34	40	48
		-		Marijuana / Hashish	37	36	43
AGE				Cocaine (total)	*	0	*
Under 18	*	*	7	- Crack	*	0	*
18 to 24	12	14	28	Stimulant (total)	21	36	19
25 to 29	16	25	24	- Methamphetamine	21	35	19
30 to 34	31	27	25	Heroin	6	5	*
35 to 39	11	14	13	Analgesic except Heroin	9	7	16
40 to 44	13	13	16	- Non-Prescription Methadone	0	0	0
45 to 54	15	20	18	PCP, LSD, other Hallucinogen	0	0	0
55 and Over	9	12	6	Tranquilizer	*	5	*
GENDER				Inhalant	0	0	0
Male	74	89	93	Sedative	0	0	*
Female	36	40	44	Other Medication or Illicit Drug	0	0	*
				Average Age at First Use of Drug	18.3	18.1	16.9
RACE / ETHNICITY							
Caucasian	105	126	136	INJECTION DRUG USE			
African American	*		0	Any Injection Use at Admission	12	15	14
Native American / Alaskan	0	*	0	- Daily Injection Use	*	*	*
Asian / Pacific Islander	0	0	0	- Weekly Injection Use	*	*	*
Hispanic	0	*	*	- Less than Weekly Injection Use	6	10	9
Other Race / Two or More Races	*	*	*				-
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	44	47	70	0	62	63	70
High School Graduate or G.E.D.	56	64	47	1 or 2	34	46	47
Associate Degree or Some College	10	18	20	3 or More	14	20	20
Bachelor or Advanced Degree	0	0	0	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	27	22	17
Employed	27	28	40	School	0	0	0
Unemployed	53	66	58	Mental Health Provider	0	*	*
Not in Labor Force	30	35	39	Health Care Provider	*	7	8
Not in Labor Force	30	33	39	Court / Criminal Justice	65	83	94
HOUSING / LIVING ARRANGEMENT				Other Referral Source	12	15	16
Independent Living	97	117	124	Other Referral Source	12	13	10
Dependent Living	11	8	12	TREATMENT ACCOMMAND ATION			
Homeless	0	*	*	TREATMENT ACCOMMODATION	0	0	6
AAADITAL /FAAAUVCTATUS				Pregnant when Admitted to any Episode	0 7	0	6 7
MARITAL / FAMILY STATUS	4.4	E 4	F.C.	Military Veteran			
Never Married	44	54	56	Special Education Services Needed	11	25	25
Married / Cohabitating	36	44	47	Co-Occurring Psychological Problem	51	62	68
Previously Married	30	31	34	Co-Occurring Developmental Problem	7	21	11

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Southeast
PSYCHIATRIC SERVICE AREA 19
CENSUS 2010 13,521
2014 POPULATION ESTIMATE 13,452

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.								
DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012					
Adjustment Disorder	8	6	*					
Anxiety Disorder	32	31	29					
Dementia	0	0	0					
Developmental Disorder	0	0	0					
Impulse Control Disorder	*	8	10					
Mood Disorder	148	131	103					
Personality Disorder	*	*	*					
Psychotic Disorder	31	28	34					
Sexual Disorder	0	0	0					
Other Diagnosis	0	0	0					
Diagnosis Unknown	12	15	17					

Individuals who received psychiatric services had the following types of

NUMBER SERVED	FY2014	FY2013	FY2012	EDUCATION	FY2014	FY2013	FY2012
Total Individuals	215	203	181	Less than High School Diploma	72	60	48
. otala.r.aaa.o				High School Grad or G.E.D.	0	0	35
AGE				Associate Degree or Some College	0	0	9
Under 6	0	0	0	Bachelor or Advanced Degree	0	0	0
6 to 9	*	7	*	Education Level Unknown	143	143	89
10 to 13	7	*	*	Education Edver Children	0	1 10	00
14 to 17	*	8	9	EMPLOYMENT			
18 to 24	5	7	12	Employed	10	*	*
25 to 29	16	8	*	Unemployed	9	*	74
30 to 34	19	20	19	Not in Labor Force	147	119	31
35 to 39	16	17	9	Employment Status Unknown	49	81	75
40 to 44	18	15	18				
45 to 49	33	32	30	HOUSING / LIVING ARRANGEMENT			
50 to 54	33	29	25	Independent Living	138	105	93
55 to 59	24	28	27	Dependent Living	25	18	14
60 and Over	37	28	23	Homeless	0	0	0
Age Unknown	0	0	0	Other	0	0	*
				Housing Unknown	52	80	73
GENDER	0.4	00	07				
Male	81	86	87	TREATMENT REFERRAL SOURCE			
Female	134	117	94	Self / Family / Friend	77	73	69
Gender Unknown	0	0	0	School	*	*	*
RACE / ETHNICITY				Mental Health Provider	34	29	27
Caucasian	209	195	175	Health Care Provider	46	42	29
African American	*	*	*	Court / Criminal Justice	26	23	26
Native American / Alaskan	0	0	0	Other	30	32	26
Asian / Pacific Islander	0	0	0	Referral Source Unknown	0	0	*
Hispanic	*	*	*				
Other Race	*	*	*	TYPE OF COMMITMENT			
Race/Ethnicity Unknown	0	0	0	Voluntary	211	200	176
	-	-	•	Civil	0	0	*
TREATMENT ACCOMMODATION				Criminal	*	*	*
Hearing Impaired	12	12	11	Sexual Predatory	0	0	0
Past or Current Military Service	5	6	8	Commitment Type Unknown	0	0	0

MISSOURI STUDENT SURVEY

Descent of atudents who have average	2014	2012	2010	Description to the state of the same 16 th according	2014	2012	2010
Percent of students who have ever used:		40.7	49.1	Percent who believe they risk harm if they use:			
Alcohol		49.7	33.6	Alcohol (1 or 2 drinks daily)			
Cigarettes		39.4 28.9	23.3	Alcohol (Binge: 5+ drinks once or twice a week)		70.6	74.1
Chewing Tobacco		23.9	23.3 14.4	Alcohol (any use)		70.0	74.1
Marijuana Inhalants		7.8	7.4	Cigarettes (1+ packs per day)		72.6	74.9
				Cigarettes (any use)		72.0	74.9
Prescription medications not prescribed for student		13.9	12.1	Marijuana (once or twice a week)		00.0	74.4
Over-the-counter medications for non-medical use		7.2	7.0	Marijuana (any use)		62.6	71.4
Methamphetamine Casalina		3.4	1.3	Other: Cocaine, LSD, Meth, Club Drug (any use)		92.1	92.7
Cocaine		4.5	0.9	Percent of students who, in past 30 days:			
Heroin		2.3	0.4	Were very sad		19.4	16.7
Hallucinogens		7.2	3.0	Were grouchy, irritable, or in a bad mood		31.3	25.3
Club drugs (Ecstasy, GHB, roofie, Special K, etc)		4.5	1.3	Felt hopeless about the future		10.7	7.3
Steroids not prescribed for student		4.5	2.2	Felt like not eating or eating more than usual		21.5	21.9
Synthetic drugs (K2, bath salts, Spice, etc)		9.4		Slept a lot more or a lot less than usual		21.8	33.8
Average age of students' first use of:				Had difficulty concentrating on school work		29.5	35.3
Alcohol	,	11.99	12.48				
Cigarettes		11.88	11.60	Percent of students who, in past 12 months:			
Marijuana		12.18	13.42	Seriously considered attempting suicide		15.6	9.4
Inhalants			11.95	Made plan about how they would attempt suicide		9.8	7.7
				Attempted suicide		6.1	5.1
Percent of students who, in past 30 days, used:				Attempted suicide and resulting injury, poisonng, or overdose		2.2	2.6
Alcohol		18.3	21.5	had to be treated by doctor or nurse		2.2	2.0
Alcohol (Binge: 5+ drinks on one occassion)		11.1	15.3	Percent of students who, in past 12 months:			
Cigarettes		22.5	16.5	Were threatened/injured with weapon at school		10.6	12.0
Chewing Tobacco		14.4	12.5	Were in a physical fight		31.3	29.9
Marijuana		11.7	7.4	Were in a fight and had to be treated by a doctor or nurse		3.9	3.9
Inhalants		2.2	1.3	Word in a right and rida to be treated by a dector of ridise		0.0	0.0
Prescription medications not prescribed for student		8.3	8.6	Percent of students who, in past 3 months:			
Over-the-counter medications for non-medical use		4.4	3.0	Were victims of mean rumors or lies spread at school		56.7	62.2
				Were made fun of by others		58.1	65.0
Percent of students who, in past 2 weeks, used:				Were victims of an embarrassing or hurtful text message or		24.5	17.0
Alcohol (Binge: 5+ drinks on one occassion)				something posted on the internet		21.5	17.0
Percent whose friends used in past 12 months:				Spread mean rumors or lies about other kids at school		31.1	27.5
Alcohol		58.7	63.6	Made fun of other people		59.4	63.7
Cigarettes		58.1	56.4	Posted something on the internet or sent a text that might		40.4	47.0
Marijuana		46.6	32.8	embarrass or hurt another student		19.1	17.3
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)		19.0					
Other filler (Cocalife, ESD, Metil, Club Drug, etc)		13.0	17.5	Percent of students who agree that:			
Percent who would likely use, if offered by a best friend:				Teachers notice and comment on student's good work		62.0	73.8
Alcohol		44.4	33.3	School provides feedback to parents on positive student		41.7	46.8
Cigarettes		27.9	18.1	performance			10.0
Marijuana		18.5	8.7	Rules are enforced fairly		58.9	65.9
•				Students of all races/ethnicities are treated equal		75.4	75.8
Percent who say it would be wrong to use:				Percent of students who agree that:			
Alcohol		49.7	54.5	Parents notice and comment on student's good work		77.1	86.6
Cigarettes		65.6	67.7	· ·			
Marijuana		72.9	80.3	Parents involve student in making family decisions		65.4	74.8
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)		92.1	94.4	It is important to be honest with parents regardless of		81.9	87.6
Percent where parents would disapprove if they use				consequences			
Percent whose parents would disapprove if they use:		71 5	76.4	Student could ask parent for help with a personal problem		66.1	82.4
Alcohol		71.5	76.4				
Cigarettes		85.5	87.5	Missouri Student Survey is conducted biennially. Similar affirmative response choices for individual questions are	combin	ed	
Marijuana		86.0	92.2	Blank data cells indicate estimates are not available for item or g			
Percent who say it would be easy to obtain:				Survey is not conducted in every school district nor reported for	every co	ounty.	
Alcohol		60.0	55.0	Estimates are not available for counties with small numbers of re Percentages are estimates based on weighted data.	esponde	ents.	
Cigarettes		58.3	59.1	Some year-to-year differences in percentages are not statisticall	y signifi	cant.	
Marijuana		44.9	31.9			,	
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)		23.0	16.2	Data source: Missouri Institute of Mental Health, 2010-2014 Mis-	souri St	udent Su	ırveys
(0					

WEDSTER COUNTY							
DBH REGION		Southwest		IMPAIRED DRIVING	2013	2012	2011
DBH SERVICE	AREAS			Alcohol Involved CrashesTotal	30	34	38
Substance	Use	10		Fatal Crashes	1	2	3
Adult Psych	iatric	10		Injury Crashes	15	10	15
POPULATION				Property Damage Crashes	14	22	20
Census 20	0	36,202		Crash Fatalities	1	2	3
2014 Estim	ate	36,888		Crash Injuries	24	12	28
Fer				Drug Involved CrashesTotal	12	8	7
				Fatal Crashes	0	0	0
BIRTH RISK	2013	2012	2011	Injury Crashes	4	2	1
Resident BirthsTotal	539	527	463	Property Damage Crashes	8	6	6
Mother Reported Smoking while Pregnant	76	77	57	Crash Fatalities	0	0	0
· ·				Crash Injuries	5	2	3
DISEASE INCIDENCE 1	2013	2012	2011	POLICE REPORTS	2013	2012	2011
HIV/AIDS Cases	0	0	2	DUI Arrests, DWI Tracking System	131	154	105
Hepatitis B Chronic, Acute, Prenatal	3	3	2	Liquor Law Arrests	23	69	52
Hepatitis C Chronic and Acute	29	18	26	Drug Arrests	301	231	175
Tuberculosis Infection Cases	8	3	6	Violent Offenses	66	64	38
DEATHS and INJURIES	2013	2012	2011	Property Offenses	750	766	665
Resident DeathsTotal	309	302	263	Domestic Violence Reports	127	159	134
Suicides	5	7	9	·	2014	2013	2012
Self-inflicted Injuries	43	59	28	Methamphetamine Lab Seizures	14	16	15
Homicides	0	3	0				
Assault Injuries	60	89	84	SCHOOL REPORTS	2013-14	2012-13	2011-12
Alcohol Induced Deaths	3	0	3	Enrollment Grades 9-12	1,358	1,373	1,388
Drug Induced Deaths	4	4	4	Drop-outs	16	26	12
Smoking Attributable Deaths	55	57	48	Drop-out Rate	1.2%	1.9%	0.9%
_				School Discipline Involving Alcohol	5	1	7
HOSPITAL EPISODES 2	2013	2012	2011	School Discipline Involving Drugs	11	13	13
Hospitalization, no Emergency Room:				School Discipline Involving Tobacco	0	0	0
Mental Illness Principal Diagnosis	146	124	132	JUVENILE COURT REFERRALS 3	2013	2012	2011
Mental Illness Secondary Diagnosis	269	281	252	Juvenile Violent Offenses	75	60	40
Alcohol Principal Diagnosis	2	12	5	Juvenile Alcohol Offenses	11	13	5
Alcohol Secondary Diagnosis	11	10	6	Juvenile Drug Offenses	9	12	13
Drug Principal Diagnosis	17	18	9	School Truancy Status Offense	12	19	15
Drug Secondary Diagnosis Emergency Room + Hospitalization:	15	13	16	Absent from Home Status Offense	10	16	23
Mental Illness Principal Diagnosis	148	167	121	Beyond Parental Control Status Offense	44	97	89
Mental Illness Secondary Diagnosis	658	605	485	Injurious Behavior Status Offense	10	5	11
Alcohol Principal Diagnosis	42	36	31	Child Abuse	30	47	48
Alcohol Findipal Diagnosis Alcohol Secondary Diagnosis	31	52	48	Child Neglect	83	86	91
Drug Principal Diagnosis	49	37	31	Child Custody Issues	0	0	1
Drug Secondary Diagnosis	53	46	37	JUVENILE COURT PLACEMENTS	2013	2012	2011
Emergency Room, no Hospitalization:	00	40	01	Out-of-Home PlacementsTotal	29	35	18
Mental Illness Principal Diagnosis	201	243	214	Parental Alcohol Use Related	1	3	0
Mental Illness Secondary Diagnosis	1,131	1,043	396	Parental Drug Use Related	14	14	0
Alcohol Principal Diagnosis	61	44	40	Parental Alcohol and Drug Use	3	3	1
Alcohol Secondary Diagnosis	35	34	38	3			
Drug Principal Diagnosis	74	74	49	CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Secondary Diagnosis	90	79	47	Drug Court Participants	15	16	21
, J		-		Probation/Parole AdmissionsDrug	82	54	60
ALCOHOL OUTLETS	2014	2013	2012	Probation/Parole AdmissionsDWI	14	9	9
Alcohol On-Premise Drink Licenses	7	8	8	Prison AdmissionsDrug	28	33	28
Alcohol Package Carry-out Licenses	27	28	30	Prison AdmissionsDWI	1	3	3
EMPLOYMENT	2014	2013	2012	1 All Kansas City hepatitis and TB case report	s are include	ed in Jackson	County
Labor Force	16,273	16,283	16,548	totals and all Joplin case reports are include	d in Jasper C	County totals.	
Employed	15,301	15,237	15,408	2 Beginning with 2010 data, diagnosis counts based on codes developed by the Healthcar			
Unemployed	972	1,046	1,140	3 Beginning in 2013, juvenile municipal violation	ons, infraction	ns, and violat	ions of
Unemployment Rate	6.0%		6.9%	court orders are categorized as status offens	es instead o	of law violation	ns.

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TOTATALENT CATECODY	FY2014	FY2013	FY2012
TREATMENT CATEGORY			
Detoxification	22	22	21
CSTAR Adolescent	8	*	10
CSTAR Women and Children	16	18	7
CSTAR General Adult	66	59	48
CSTAR Opioid	0	0	0
Primary Recovery Treatment	21	21	39
Clinical SATOP (CIP, YCIP, SROP)	19	22	12
Other Substance Abuse Treatment	0	0	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	97	90	108
- Adolescent Diversion Education Prograr	0	*	5
- Offender Education Program	30	32	33
- Weekend Intervention Program	21	19	25
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	*	8
Compulsive Gambling	0	0	0
Recovery Supports	18	12	15
Early Intervention	0	*	*

NUMBER ADMITTED	FY2014	FY2013	FY2012	PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Total Individuals	122	133	117	Alcohol	46	55	49
465				Marijuana / Hashish	21	13	26
AGE Under 18	8	*	10	Cocaine (total)	0	*	0
18 to 24	23	29	24	- Crack	0	*	0
25 to 29	21	20	18	Stimulant (total)	34	37	26
30 to 34	24	21	17	- Methamphetamine	32	36	26
35 to 39	15	12	15	Heroin	6	*	5
40 to 44	13	22	10	Analgesic except Heroin	12	17	6
45 to 54	12	15	17	- Non-Prescription Methadone	0	0	*
55 and Over	6	10	6	PCP, LSD, other Hallucinogen	0	0	0
oo una over	O	10	O	Tranquilizer	*	*	*
GENDER				Inhalant	0	0	*
Male	83	86	84	Sedative	0	0	*
Female	39	47	33	Other Medication or Illicit Drug	*	*	*
DACE / ETHALCITY				Average Age at First Use of Drug	16.9	19.3	17.2
RACE / ETHNICITY Caucasian	117	128	111				
African American	*	120	*	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	26	33	28
Asian / Pacific Islander	0	0	*	- Daily Injection Use	7	10	9
Hispanic	0	0	*	- Weekly Injection Use	7	*	7
Other Race / Two or More Races	*	*	*	- Less than Weekly Injection Use	12	19	12
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	42	55	49	0	63	65	59
High School Graduate or G.E.D.	62	55	48	1 or 2	38	42	37
Associate Degree or Some College	18	21	20	3 or More	21	26	21
Bachelor or Advanced Degree	0	*	0				
51.50.004.554.7				TREATMENT REFERRAL SOURCE	26	F 0	27
EMPLOYMENT Employed	25	27	26	Self / Family / Friend	36	50 0	37
Employed	35	37	26 53	School Mantal Health Provider	0	*	0
Unemployed Not in Labor Force	39 48	46 50	38	Mental Health Provider Health Care Provider	-	*	*
Not in Labor Force	46	50	30	Court / Criminal Justice	6 66	62	60
HOUSING / LIVING ARRANGEMENT				Other Referral Source	13	13	68 8
Independent Living	98	110	97	Other Referral Source	13	13	0
Dependent Living	15	14	17	TREATMENT ACCOUNT OR ATION			
Homeless	5	8	*	TREATMENT ACCOMMODATION	*	*	*
AAADITAL / FAAAU V CTATUS				Pregnant when Admitted to any Episode Military Veteran	6	5	5
MARITAL / FAMILY STATUS Never Married	55	52	51	Special Education Services Needed	8	9	13
	55 44	32 39	51 41		6 45	9 44	36
Married / Cohabitating		39 42		Co-Occurring Psychological Problem	45 6	44 7	30 *
Previously Married	23	42	25	Co-Occurring Developmental Problem	ь	/	

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Southwest PSYCHIATRIC SERVICE AREA 10 36,202 2014 POPULATION ESTIMATE 36,888

served because some individuals had more than one type of disorder.						
DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012			
Adjustment Disorder	10	10	10			
Anxiety Disorder	105	91	88			
Dementia	*	*	*			
Developmental Disorder	11	15	15			
Impulse Control Disorder	32	32	38			
Mood Disorder	143	128	140			
Personality Disorder	22	23	25			
Psychotic Disorder	37	43	44			
Sexual Disorder	0	0	0			
Other Diagnosis	48	42	50			
Diagnosis Unknown	12	9	38			

Individuals who received psychiatric services had the following types of

NUMBER SERVED	FY2014	FY2013	FY2012	EDUCATION	FY2014	FY2013	FY2012
Total Individuals	219	201	251	Less than High School Diploma	50	33	51
				High School Grad or G.E.D.	0	0	46
AGE				Associate Degree or Some College	0	0	15
Under 6	15	14	10	Bachelor or Advanced Degree	0	0	*
6 to 9	17	14	21	Education Level Unknown	169	168	138
10 to 13	24	21	23	Education Edver Children	100	100	100
14 to 17	16	20	41	EMPLOYMENT			
18 to 24	22	16	19	Employed	*	*	8
25 to 29	8	6	9	Unemployed	*	*	79
30 to 34	19	16	16	Not in Labor Force	75	48	35
35 to 39	13	15	15	Employment Status Unknown	139	149	129
40 to 44	13	16	20				
45 to 49	18	17	27	HOUSING / LIVING ARRANGEMENT			
50 to 54	16	18	25	Independent Living	31	25	102
55 to 59	23	16	15	Dependent Living	46	25	30
60 and Over	15	12	10	Homeless	*	0	0
Age Unknown	0	0	0	Other	0	0	0
				Housing Unknown	139	151	119
GENDER	20	00	400				
Male	98	92	122	TREATMENT REFERRAL SOURCE			
Female	121	109	129	Self / Family / Friend	111	109	164
Gender Unknown	0	0	0	School	*	*	*
RACE / ETHNICITY				Mental Health Provider	6	9	7
Caucasian	207	192	230	Health Care Provider	30	20	22
African American	0	*	*	Court / Criminal Justice	11	15	14
Native American / Alaskan	0	0	0	Other	58	46	41
Asian / Pacific Islander	0	0	0	Referral Source Unknown	*	*	*
Hispanic	*	0	*				
Other Race	10	8	17	TYPE OF COMMITMENT			
Race/Ethnicity Unknown	0	0	0	Voluntary	214	198	245
•				Civil		*	0
TREATMENT ACCOMMODATION				Criminal	*	*	5
Hearing Impaired	8	6	13	Sexual Predatory	0	0	0
Past or Current Military Service	10	5	6	Commitment Type Unknown	*	*	*

MISSOURI STUDENT SURVEY

	IVIIOS	OUF	(1510	DENI SURVET			
Percent of students who have ever used:	2014	2012	2010	Percent who believe they risk harm if they use:	2014	2012	2010
Alcohol	34.3	38.2	45.6	Alcohol (1 or 2 drinks daily)	64.1		
Cigarettes	24.6	24.4	30.0	Alcohol (Binge: 5+ drinks once or twice a week)	78.5		
Chewing Tobacco	18.5	20.9	22.8	Alcohol (any use)	70.0	70.1	80.1
Marijuana	21.1	15.8	13.9	Cigarettes (1+ packs per day)	85.6	, 0. 1	00.1
Inhalants	4.8	9.1	7.9	Cigarettes (any use)	00.0	84.4	77.8
Prescription medications not prescribed for student	9.5	11.2	14.5	Marijuana (once or twice a week)	71.7		
Over-the-counter medications for non-medical use	3.7	4.8	10.5	Marijuana (any use)		68.4	76.9
Methamphetamine	1.1	0.0	0.7	Other: Cocaine, LSD, Meth, Club Drug (any use)	93.0	93.2	94.0
Cocaine	1.1	0.0	1.3				
Heroin	1.1	0.0	0.3	Percent of students who, in past 30 days:	00.0	20.0	04.0
Hallucinogens	3.9	1.5	3.7	Were very sad	23.0	20.9	21.0
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	2.8	0.9	2.1	Were grouchy, irritable, or in a bad mood	29.9	25.9	28.5
Steroids not prescribed for student	0.0	0.9	1.1	Felt hopeless about the future	13.3	11.2	14.8
Synthetic drugs (K2, bath salts, Spice, etc)	6.4	8.0		Felt like not eating or eating more than usual	19.1 19.6	18.6 21.8	19.1 28.2
Average age of ctudents' first use of:				Slept a lot more or a lot less than usual Had difficulty concentrating on school work	22.8	26.2	29.3
Average age of students' first use of: Alcohol	13 21	12.53	12 48	Had difficulty concentrating on school work	22.0	20.2	29.3
Cigarettes		11.54		Percent of students who, in past 12 months:			
Marijuana		12.13		Seriously considered attempting suicide	12.0	14.5	14.8
Inhalants		12.74		Made plan about how they would attempt suicide	8.5	9.9	10.4
middito	10.00		11.01	Attempted suicide	5.2	7.3	6.0
Percent of students who, in past 30 days, used:				Attempted suicide and resulting injury, poisonng, or overdose	3.7	1.7	2.7
Alcohol	15.2	14.7		had to be treated by doctor or nurse	0		
Alcohol (Binge: 5+ drinks on one occassion)		7.5	11.4	Percent of students who, In past 12 months:			
Cigarettes	8.5	10.1	14.7	Were threatened/injured with weapon at school	4.4	8.5	9.2
Chewing Tobacco	7.2	9.1	13.2	Were in a physical fight	23.9	23.8	22.4
Marijuana	9.1	6.9	7.0	Were in a fight and had to be treated by a doctor or nurse	2.0	4.4	2.9
Inhalants	2.6	4.2	3.1	Percent of students who, in past 3 months:			
Prescription medications not prescribed for student	2.9	3.7	8.7	Were victims of mean rumors or lies spread at school	52.4	56.5	54.9
Over-the-counter medications for non-medical use	1.7	1.5	6.4	Were made fun of by others	56.7	68.7	68.5
Percent of students who, in past 2 weeks, used: Alcohol (Binge: 5+ drinks on one occassion)	9.6			Were victims of an embarrassing or hurtful text message or something posted on the internet	17.8	21.4	18.9
				Spread mean rumors or lies about other kids at school	29.1	35.7	31.6
Percent whose friends used in past 12 months:		-0-	04.0	Made fun of other people	60.9	69.3	71.9
Alcohol	44.1	56.5		Posted something on the internet or sent a text that might	00.5	00.0	71.5
Cigarettes	35.7	51.0		embarrass or hurt another student	14.8	13.6	13.9
Marijuana	29.2	32.4					
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	9.3	14.5	19.8	Percent of students who agree that:			
Percent who would likely use, if offered by a best friend:				Teachers notice and comment on student's good work	70.6	78.2	68.3
Alcohol	24.6	28.8	33.3	School provides feedback to parents on positive student	36.7	34.9	34.0
Cigarettes	12.1	11.0	16.5	performance			
Marijuana	16.7	12.3	10.9	Rules are enforced fairly	65.2	64.9	61.8
Percent who say it would be wrong to use:				Students of all races/ethnicities are treated equal	70.7	83.6	74.1
Alcohol	60.8	63.0	59.3	Percent of students who agree that:			
Cigarettes	77.2	81.4	76.6	Parents notice and comment on student's good work	75.2	82.9	82.1
Marijuana	77.1	84.6	85.5	Parents involve student in making family decisions	66.5	63.7	69.8
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	93.7	99.2		It is important to be honest with parents regardless of consequences	87.4	80.7	82.4
Percent whose parents would disapprove if they use:				Student could ask parent for help with a personal problem	82.3	65.3	75.7
Alcohol	83.3	84.5	78.6	The state and th			
Cigarettes	92.2	94.7	88.7	Missouri Student Survey is conducted biennially.			
Marijuana	93.9	92.6	93.9	Similar affirmative response choices for individual questions are			
Percent who say it would be easy to obtain:				Blank data cells indicate estimates are not available for item or Survey is not conducted in every school district nor reported for			•
Alcohol	48.5	49.5	60.6	Estimates are not available for counties with small numbers of			
Cigarettes	50.0	47.1	62.6	Percentages are estimates based on weighted data. Some year-to-year differences in percentages are not statistica	ılly signifi	cant.	
Marijuana	36.8	25.1	40.1				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	17.8	10.7		Data source: Missouri Institute of Mental Health, 2010-2014 Mi	ssouri St	udent Su	ırveys

Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)

	-						
DBI	I REGION	Western		IMPAIRED DRIVING	2013	2012	2011
DBI	I SERVICE AREAS			Alcohol Involved CrashesTotal	0	1	2
SI	ubstance Use	1		Fatal Crashes	0	0	0
AC AC	dult Psychiatric	1		Injury Crashes	0	1	2
POF	PULATION			Property Damage Crashes	0	0	0
[ensus 2010	2,171		Crash Fatalities	0	0	0
20	14 Estimate	2,073		Crash Injuries	0	2	4
THE STATE OF THE S				Drug Involved CrashesTotal	0	0	2
21.7				Fatal Crashes	0	0	0
BIRTH RISK	2013	2012	2011	Injury Crashes	0	0	1
Resident BirthsTotal	22	30	22	Property Damage Crashes	0	0	1
Mother Reported Smoking while F		9	5	Crash Fatalities	0	0	0
mound reported emoking while r	Togridit 0	Ü	Ü	Crash Injuries	0	0	1
DISEASE INCIDENCE 1	2013	2012	2011				
HIV/AIDS Cases	0	0	0	POLICE REPORTS	2013	2012	2011
Hepatitis B Chronic, Acute, Prena	tal 0	0	0	DUI Arrests, DWI Tracking System	4	7	10
Hepatitis C Chronic and Acute	2	1	0	Liquor Law Arrests	0	0	1
Tuberculosis Infection Cases	0	0	0	Drug Arrests	8	4	0
				Violent Offenses	0	2	2
DEATHS and INJURIES	2013	2012	2011	Property Offenses	38	40	38
Resident DeathsTotal	32	24	32	Domestic Violence Reports	12	11	8
Suicides	0	1	2		2014	2013	2012
Self-inflicted Injuries	2	3	0	Methamphetamine Lab Seizures	0	1	0
Homicides	0	0	0	SCHOOL REPORTS	2013-14	2012-13	2011-12
Assault Injuries	5	2	1	Enrollment Grades 9-12	96	96	100
Alcohol Induced Deaths	0	0	0	Drop-outs	3	0	0
Drug Induced Deaths	1	0	0	Drop-out Rate	3.1%	0.0%	0.0%
Smoking Attributable Deaths	4	2	8	School Discipline Involving Alcohol	0	0	0
HOSPITAL EPISODES 2	2013	2012	2011	School Discipline Involving Drugs	0	0	0
Hospitalization, no Emergency Ro		2012	2011	School Discipline Involving Tobacco	0	0	0
Mental Illness Principal Diagnosi		19	21	_	-	-	-
Mental Illness Secondary Diagno		33	31	JUVENILE COURT REFERRALS 3	2013	2012	2011
Alcohol Principal Diagnosis	0	0	1	Juvenile Violent Offenses	0	0	0
Alcohol Secondary Diagnosis	3	1	1	Juvenile Alcohol Offenses	1	0	0
Drug Principal Diagnosis	0	1	0	Juvenile Drug Offenses	0	0	1
Drug Secondary Diagnosis	2	0	0	School Truancy Status Offense	0	2	0
Emergency Room + Hospitalization		Ü	Ŭ	Absent from Home Status Offense	0	0	0
Mental Illness Principal Diagnosi		4	0	Beyond Parental Control Status Offense	1	2	5
Mental Illness Secondary Diagno		21	23	Injurious Behavior Status Offense	8	3	3
Alcohol Principal Diagnosis	0	1	1	Child Abuse	0	0	0
Alcohol Secondary Diagnosis	3	8	2	Child Neglect	7	4	14
Drug Principal Diagnosis	1	2	0	Child Custody Issues	0	0	0
Drug Secondary Diagnosis	3	2	1	JUVENILE COURT PLACEMENTS	2013	2012	2011
Emergency Room, no Hospitalizat		_	-	Out-of-Home PlacementsTotal	1	1	6
Mental Illness Principal Diagnosi		15	21	Parental Alcohol Use Related	0	0	0
Mental Illness Secondary Diagno		35	32	Parental Drug Use Related	0	0	0
Alcohol Principal Diagnosis	1	1	1	Parental Alcohol and Drug Use	0	0	0
Alcohol Secondary Diagnosis	2	2	2	G			
Drug Principal Diagnosis	0	3	0	CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Secondary Diagnosis	5	4	5	Drug Court Participants	1	1	1
				Probation/Parole AdmissionsDrug	2	0	1
ALCOHOL OUTLETS	2014	2013	2012	Probation/Parole AdmissionsDWI	3	0	0
Alcohol On-Premise Drink License	es 2	2	2	Prison AdmissionsDrug	0	0	0
Alcohol Package Carry-out Licens	ses 4	4	4	Prison AdmissionsDWI	0	0	1
51 401 034 451/7	2011	2012	2040	1 All Kansas City hepatitis and TB case repor	ts are include	d in Jackson	County
EMPLOYMENT	2014		2012	totals and all Joplin case reports are include	d in Jasper C	County totals.	
Labor Force	1,323	1,229	1,128	2 Beginning with 2010 data, diagnosis counts			
Employed	1,270	1,178	1,075	based on codes developed by the Healthcan Beginning in 2013, juvenile municipal violati			
Unemployed	53		53	court orders are categorized as status offen			
Unemployment Rate	4.0%	4.1%	4.7%				

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	*	0	0
CSTAR Adolescent	0	0	0
CSTAR Women and Children	0	0	0
CSTAR General Adult	*	*	*
CSTAR Opioid	0	0	0
Primary Recovery Treatment	6	*	*
Clinical SATOP (CIP, YCIP, SROP)	*	*	0
Other Substance Abuse Treatment	0	*	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	6	6	8
- Adolescent Diversion Education Prograr	0	0	*
- Offender Education Program	*	*	*
- Weekend Intervention Program	*	*	*
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	0	0
Compulsive Gambling	0	0	0
Recovery Supports	0	0	0
Early Intervention	0	*	5

NUMBER ADMITTED	FY2014	FY2013	FY2012	PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Total Individuals	6	*	*	Alcohol	*	*	*
				Marijuana / Hashish	*	*	*
AGE	_		_	Cocaine (total)	0	0	0
Under 18	0	0	0	- Crack	0	0	0
18 to 24	0		0	Stimulant (total)	*	0	0
25 to 29	0	0	0	- Methamphetamine	*	0	0
30 to 34	*	0		Heroin	0	0	0
35 to 39	*	*	0	Analgesic except Heroin	0	0	0
40 to 44	0		0	- Non-Prescription Methadone	0	0	0
45 to 54	*	0		PCP, LSD, other Hallucinogen	0	0	0
55 and Over	*	0	0	Tranquilizer	0	0	0
GENDER				Inhalant	0	0	0
Male	*	*	*	Sedative	0	0	0
Female	*	0	*	Other Medication or Illicit Drug	0	0	0
				Average Age at First Use of Drug	17.0	15.7	14.8
RACE / ETHNICITY	0	*	*				
Caucasian	6			INJECTION DRUG USE			
African American	0		0	Any Injection Use at Admission	*	0	0
Native American / Alaskan	0	0	0	- Daily Injection Use	0	0	0
Asian / Pacific Islander	0	0	0	- Weekly Injection Use	*	0	0
Hispanic	0	0	0	- Less than Weekly Injection Use	0	0	0
Other Race / Two or More Races	U	0	0				
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	*	0	0	0	*	*	*
High School Graduate or G.E.D.	*	*	*	1 or 2	*	0	*
Associate Degree or Some College	*	0	*	3 or More	*	*	*
Bachelor or Advanced Degree	0	0	0	TREATMENT REFERRAL COURCE			
FARDLOVA AFAIT				TREATMENT REFERRAL SOURCE Self / Family / Friend	0	0	*
EMPLOYMENT Employed	*	*	*	School	0	0	0
Unemployed	*	*	0	Mental Health Provider	0	0	0
Not in Labor Force	0	0	*	Health Care Provider	0	0	0
Not in Labor Force	U	U		Court / Criminal Justice	5	*	*
HOUSING / LIVING ARRANGEMENT				Other Referral Source	*	0	*
Independent Living	*	*	*	Other Referral Source		U	
Dependent Living	0	0	0	TREATMENT ACCOMMAND ATION			
Homeless	0	0	0	TREATMENT ACCOMMODATION Pregnant when Admitted to any Episode	0	0	0
MARITAL / FARALLY STATUS				Military Veteran	0	0	0
MARITAL / FAMILY STATUS Never Married	0	*	0	Special Education Services Needed	0	0	0
Married / Cohabitating	*	0	*	Co-Occurring Psychological Problem	*	0	*
Previously Married	*	*	*	Co-Occurring Developmental Problem	0	0	0
1 Toviousty Warried				Oo Occurring Developmental i-Toblem	U	U	U

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Western
PSYCHIATRIC SERVICE AREA 1
CENSUS 2010 2,171
2014 POPULATION ESTIMATE 2,073

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.							
DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012				
Adjustment Disorder	0	0	*				
•	Ŭ	7	7				
Anxiety Disorder	11	/	-				
Dementia	0	0	0				
Developmental Disorder	0	0	0				
Impulse Control Disorder	9	7	10				
Mood Disorder	13	10	10				
Personality Disorder	*	*	*				
Psychotic Disorder	0	0	0				
Sexual Disorder	0	0	0				
Other Diagnosis	*	5	5				
Diagnosis Unknown	0	*	0				

Individuals who received psychiatric services had the following types of

NUMBER SERVED	FY2014	FY2013	FY2012	EDUCATION	FY2014	FY2013	FY2012
Total Individuals	18	17	19	Less than High School Diploma	7	8	*
. otala.riada.o				High School Grad or G.E.D.	0	0	*
AGE				Associate Degree or Some College	0	0	*
Under 6	0	0	*	Bachelor or Advanced Degree	0	0	0
6 to 9	*	*	5	Education Level Unknown	11	9	13
10 to 13	*	*	*	Education Edver Children		Ŭ	10
14 to 17	*	*	*	EMPLOYMENT			
18 to 24	*	*	*	Employed	0	*	0
25 to 29	0	*	*	Unemployed	*	0	6
30 to 34	*	0	0	Not in Labor Force	14	12	0
35 to 39	0	0	0	Employment Status Unknown	*	*	13
40 to 44	*	*	*				
45 to 49	*	*	*	HOUSING / LIVING ARRANGEMENT			
50 to 54	*	*	*	Independent Living	9	6	6
55 to 59	*	*	*	Dependent Living	6	8	5
60 and Over	*	*	0	Homeless	0	0	0
Age Unknown	0	0	0	Other	0	0	*
_				Housing Unknown	*	*	7
GENDER	*		_	•			
Male		*	6	TREATMENT REFERRAL SOURCE			
Female	15	14	13	Self / Family / Friend	*	*	*
Gender Unknown	0	0	0	School	*	*	*
RACE / ETHNICITY				Mental Health Provider	*	5	*
Caucasian	18	17	19	Health Care Provider	*	*	*
African American	0	0	0	Court / Criminal Justice	0	*	*
Native American / Alaskan	0	0	0	Other	6	*	6
Asian / Pacific Islander	0	0	0	Referral Source Unknown	0	0	0
Hispanic	0	0	0				
Other Race	0	0	0	TYPE OF COMMITMENT			
Race/Ethnicity Unknown	0	0	0	Voluntary	18	17	19
•	_			Civil	0	0	0
TREATMENT ACCOMMODATION				Criminal	0	0	0
Hearing Impaired	*	*	*	Sexual Predatory	0	0	0
Past or Current Military Service	0	0	0	Commitment Type Unknown	0	0	0

MISSOURI STUDENT SURVEY

Percent of students who have ever used: 2014 2012 2010

Alcohol

Cigarettes

Chewing Tobacco

Marijuana

Inhalants

Prescription medications not prescribed for student

Over-the-counter medications for non-medical use

Methamphetamine

Cocaine

Heroin

Hallucinogens

Club drugs (Ecstasy, GHB, roofie, Special K, etc)

Steroids not prescribed for student

Synthetic drugs (K2, bath salts, Spice, etc)

Average age of students' first use of:

Alcohol

Cigarettes

Marijuana

Inhalants

Percent of students who, in past 30 days, used:

Alcohol

Alcohol (Binge: 5+ drinks on one occassion)

Cigarettes

Chewing Tobacco

Marijuana

Inhalants

Prescription medications not prescribed for student

Over-the-counter medications for non-medical use

Percent of students who, in past 2 weeks, used:

Alcohol (Binge: 5+ drinks on one occassion)

Percent whose friends used in past 12 months:

Alcohol

Cigarettes

Marijuana

Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)

Percent who would likely use, if offered by a best friend:

Alcohol

Cigarettes

Marijuana

Percent who say it would be wrong to use:

Alcohol

Cigarettes

Marijuana

Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)

Percent whose parents would disapprove if they use:

Alcohol

Cigarettes

Marijuana

Percent who say it would be easy to obtain:

Alcohol

Cigarettes

Marijuana

Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)

Percent who believe they risk harm if they use:

Alcohol (1 or 2 drinks daily)

Alcohol (Binge: 5+ drinks once or twice a week)

Alcohol (any use)

Cigarettes (1+ packs per day)

Cigarettes (any use)

Marijuana (once or twice a week)

Marijuana (any use)

Other: Cocaine, LSD, Meth, Club Drug (any use)

Percent of students who, in past 30 days:

Were very sad

Were grouchy, irritable, or in a bad mood

Felt hopeless about the future

Felt like not eating or eating more than usual

Slept a lot more or a lot less than usual

Had difficulty concentrating on school work

Percent of students who, in past 12 months:

Seriously considered attempting suicide

Made plan about how they would attempt suicide

Attempted suicide

Attempted suicide and resulting injury, poisonng, or overdose

had to be treated by doctor or nurse

Percent of students who, in past 12 months:

Were threatened/injured with weapon at school

Were in a physical fight

Were in a fight and had to be treated by a doctor or nurse

Percent of students who, in past 3 months:

Were victims of mean rumors or lies spread at school

Were made fun of by others

Were victims of an embarrassing or hurtful text message or

something posted on the internet

Spread mean rumors or lies about other kids at school

Made fun of other people

Posted something on the internet or sent a text that might

embarrass or hurt another student

Percent of students who agree that:

Teachers notice and comment on student's good work

School provides feedback to parents on positive student performance

Rules are enforced fairly

Students of all races/ethnicities are treated equal

Percent of students who agree that:

Parents notice and comment on student's good work

Parents involve student in making family decisions

It is important to be honest with parents regardless of consequences

Student could ask parent for help with a personal problem

Missouri Student Survey is conducted biennially.

Similar affirmative response choices for individual questions are combined. Blank data cells indicate estimates are not available for item or geographic area. Survey is not conducted in every school district nor reported for every county.

Estimates are not available for counties with small numbers of respondents. Percentages are estimates based on weighted data.

Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

2012

2010

William Cool	14 1 1						
	DBH REGION	Southeast		IMPAIRED DRIVING	2013	2012	2011
	DBH SERVICE AREAS			Alcohol Involved CrashesTotal	17	19	15
	Substance Use	18		Fatal Crashes	1	2	0
	Adult Psychiatric	18		Injury Crashes	8	2	11
	POPULATION			Property Damage Crashes	8	15	4
	Census 2010	18,815		Crash Fatalities	1	2	0
	2014 Estimate	18,291		Crash Injuries	13	4	15
	Ş			Drug Involved CrashesTotal	5	4	3
213				Fatal Crashes	0	0	0
D.D.T.I. D.G.V.	2042	2042	2011	Injury Crashes	0	3	1
BIRTH RISK Resident BirthsTotal	2013	2012	2011	Property Damage Crashes	5	1	2
	245	228	240	Crash Fatalities	0	0	0
Mother Reported Smoking wh	nile Pregnant 70	71	68	Crash Injuries	0	3	1
DISEASE INCIDENCE 1	2013	2012	2011				
HIV/AIDS Cases	0	0	0	POLICE REPORTS	2013	2012	2011
Hepatitis B Chronic, Acute, P	renatal 2	2	1	DUI Arrests, DWI Tracking System	67	100	76
Hepatitis C Chronic and Acute		25	14	Liquor Law Arrests	11	25	23
Tuberculosis Infection Cases		0	1	Drug Arrests	163	188	162
				Violent Offenses	36	53	40
DEATHS and INJURIES	2013	2012	2011	Property Offenses	408	397	381
Resident DeathsTotal	208	225	229	Domestic Violence Reports	4	4	4
Suicides	6	4	3		2014	2013	2012
Self-inflicted Injuries	34	33	36	Methamphetamine Lab Seizures	7	14	7
Homicides	0	2	2	CCUOOL REPORTS	2012 14	2012-13	2011 12
Assault Injuries	30	36	46	SCHOOL REPORTS Enrollment Grades 9-12	2013-14		2011-12
Alcohol Induced Deaths	1	3	2		988 1	960 11	962
Drug Induced Deaths	0	2	3	Drop-outs		1.1%	12 1.2%
Smoking Attributable Deaths	39	48	45	Drop-out Rate	0.1%		
				School Discipline Involving Alcohol	0	11	0
HOSPITAL EPISODES 2	2013	2012	2011	School Discipline Involving Drugs	1	5	4
Hospitalization, no Emergenc		404	470	School Discipline Involving Tobacco	0	0	0
Mental Illness Principal Diag		191	176	JUVENILE COURT REFERRALS 3	2013	2012	2011
Mental Illness Secondary Di	-	182	186	Juvenile Violent Offenses	16	20	22
Alcohol Principal Diagnosis	23	23	10	Juvenile Alcohol Offenses	0	4	2
Alcohol Secondary Diagnosi		13	7	Juvenile Drug Offenses	2	10	10
Drug Principal Diagnosis	24	21	12	School Truancy Status Offense	9	8	2
Drug Secondary Diagnosis	13	14	14	Absent from Home Status Offense	1	2	3
Emergency Room + Hospitali		4-		Beyond Parental Control Status Offense	20	16	33
Mental Illness Principal Diag		45	52	Injurious Behavior Status Offense	4	1	2
Mental Illness Secondary Di	-	405	323	Child Abuse	0	0	4
Alcohol Principal Diagnosis	10	15	13	Child Neglect	59	32	31
Alcohol Secondary Diagnosi		47	30	Child Custody Issues	6	31	11
Drug Principal Diagnosis	18	14	5		2042	2042	0044
Drug Secondary Diagnosis	34	30	16	JUVENILE COURT PLACEMENTS	2013	2012	2011
Emergency Room, no Hospita		4.47	400	Out-of-Home PlacementsTotal	56	37	42
Mental Illness Principal Diag		147	136	Parental Alcohol Use Related	3	3	0
Mental Illness Secondary Di	•	528	248	Parental Drug Use Related	13	6	12
Alcohol Principal Diagnosis	28	35	13	Parental Alcohol and Drug Use	3	8	0
Alcohol Secondary Diagnosi		40	26	CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Principal Diagnosis	14	41	29	Drug Court Participants	53	59	59
Drug Secondary Diagnosis	40	40	23	Probation/Parole AdmissionsDrug	88	64	66
ALCOHOL OUTLETS	2014	2013	2012	Probation/Parole AdmissionsDWI	10	12	7
Alcohol On-Premise Drink Lic		2013 8	10	Prison AdmissionsDrug	50	27	24
Alcohol Package Carry-out Li		15	14	Prison AdmissionsDWI	4	1	3
			2012	1 All Kansas City hepatitis and TB case report	ts are include	d in Jackson	County
EMPLOYMENT	2014	2013	2012	totals and all Joplin case reports are include	d in Jasper C	County totals.	
Labor Force	7,619	8,237	8,534	2 Beginning with 2010 data, diagnosis counts			
Employed	7,072	7,651	7,924	based on codes developed by the Healthcar 3 Beginning in 2013, juvenile municipal violati			
Unemployed	547	586 7.40/	610	court orders are categorized as status offen:			
Unemployment Rate	7.2%	7.1%	7.1%				

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	23	21	24
CSTAR Adolescent	*	*	8
CSTAR Women and Children	7	7	5
CSTAR General Adult	52	45	19
CSTAR Opioid	0	*	*
Primary Recovery Treatment	9	24	63
Clinical SATOP (CIP, YCIP, SROP)	17	21	17
Other Substance Abuse Treatment	0	0	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	63	75	79
- Adolescent Diversion Education Prograr	*	0	*
- Offender Education Program	19	19	29
- Weekend Intervention Program	14	14	16
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	0	0
Compulsive Gambling	0	0	0
Recovery Supports	*	*	0
Early Intervention	0	0	*

NUMBER ADMITTED	FY2014	FY2013	FY2012	PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Total Individuals	95	111	115	Alcohol	36	36	38
				Marijuana / Hashish	11	17	22
AGE	_		_	Cocaine (total)	0	*	0
Under 18	5	*	7	- Crack	0	*	0
18 to 24	16	16	25	Stimulant (total)	31	33	32
25 to 29	16	19	26	- Methamphetamine	30	32	31
30 to 34	20	28	22	Heroin	*	5	*
35 to 39	8	12	8	Analgesic except Heroin	11	17	17
40 to 44	8	6	10	- Non-Prescription Methadone	0	0	0
45 to 54	20	17	12	PCP, LSD, other Hallucinogen	0	0	*
55 and Over	*	9	5	Tranquilizer	*	*	*
GENDER				Inhalant	0	0	*
Male	58	70	71	Sedative	0	0	0
Female	37	41	44	Other Medication or Illicit Drug	*	*	*
_				Average Age at First Use of Drug	17.9	17.7	17.3
RACE / ETHNICITY							
Caucasian	94	109	110	INJECTION DRUG USE			
African American	0		*	Any Injection Use at Admission	28	38	31
Native American / Alaskan		0	*	- Daily Injection Use	6	11	9
Asian / Pacific Islander	0	0	0	- Weekly Injection Use	8	13	11
Hispanic	*	*	*	- Less than Weekly Injection Use	14	14	11
Other Race / Two or More Races	0	0	*				
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	34	47	49	0	50	60	59
High School Graduate or G.E.D.	46	50	54	1 or 2	31	32	36
Associate Degree or Some College	15	13	12	3 or More	14	19	20
Bachelor or Advanced Degree	0	*	0	TD5.4T4.51/T D555DD.44 604/D65			
514010144515				TREATMENT REFERRAL SOURCE	33	51	34
EMPLOYMENT	15	0	15	Self / Family / Friend School	0	0	0
Employed	15	9 44			0	0	*
Unemployed	28		60	Mental Health Provider	_	-	*
Not in Labor Force	52	58	40	Health Care Provider	5	5	64
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	39	33	-
Independent Living	83	96	100	Other Referral Source	17	21	13
Dependent Living	9	9	9				
Homeless	*	*	*	TREATMENT ACCOMMODATION		*	
				Pregnant when Admitted to any Episode	*		
MARITAL / FAMILY STATUS		0.5	40	Military Veteran		9	· ·
Never Married	29	35	49	Special Education Services Needed	6	6	9
Married / Cohabitating	36	46	42	Co-Occurring Psychological Problem	28	41	31
Previously Married	30	30	24	Co-Occurring Developmental Problem	5	*	*

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Southeast
PSYCHIATRIC SERVICE AREA 18
CENSUS 2010 18,815
2014 POPULATION ESTIMATE 18,291

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.							
DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012				
Adjustment Disorder	16	12	5				
Anxiety Disorder	161	156	104				
Dementia	0	0	0				
Developmental Disorder	0	*	*				
Impulse Control Disorder	34	35	25				
Mood Disorder	235	247	180				
Personality Disorder	22	18	11				
Psychotic Disorder	29	28	24				
Sexual Disorder	*	0	0				
Other Diagnosis	*	9	6				
Diagnosis Unknown	24	20	35				

Individuals who received psychiatric services had the following types of

NUMBER SERVED	FY2014	FY2013	FY2012	EDUCATION	FY2014	FY2013	FY2012
Total Individuals	337	340	251	Less than High School Diploma	84	96	35
Total Marviadalo	001	0.0	201	High School Grad or G.E.D.	0	0	41
AGE				Associate Degree or Some College	0	0	11
Under 6	0	0	0	Bachelor or Advanced Degree	0	0	*
6 to 9	12	16	6	Education Level Unknown	253	244	162
10 to 13	12	9	11	Education Level Officiowin	200	277	102
14 to 17	7	15	14	EMPLOYMENT			
18 to 24	37	41	22	Employed	26	36	11
25 to 29	32	34	27	Unemployed	36	45	77
30 to 34	32	39	26	Not in Labor Force	197	201	25
35 to 39	34	26	29	Employment Status Unknown	78	58	138
40 to 44	33	39	29				
45 to 49	41	35	32	HOUSING / LIVING ARRANGEMENT			
50 to 54	45	43	32	Independent Living	169	179	90
55 to 59	35	27	16	Dependent Living	36	46	23
60 and Over	17	16	7	Homeless	13	10	*
Age Unknown	0	0	0	Other	0	0	*
				Housing Unknown	119	105	135
GENDER	405		407				
Male	135	141	107	TREATMENT REFERRAL SOURCE			
Female	202	199	144	Self / Family / Friend	164	155	108
Gender Unknown	0	0	0	School	0	0	0
RACE / ETHNICITY				Mental Health Provider	11	13	12
Caucasian	324	326	244	Health Care Provider	131	127	108
African American	*	*	*	Court / Criminal Justice	16	24	13
Native American / Alaskan	*	*	*	Other	15	21	10
Asian / Pacific Islander	0	*	0	Referral Source Unknown	0	0	0
Hispanic	*	6	*				
Other Race	6	*	*	TYPE OF COMMITMENT			
Race/Ethnicity Unknown	0	0	0	Voluntary	337	337	250
				Civil	0	*	*
TREATMENT ACCOMMODATION				Criminal	0	*	0
Hearing Impaired	6	6	6	Sexual Predatory	0	0	0
Past or Current Military Service	7	7	5	Commitment Type Unknown	0	0	0

MISSOURI STUDENT SURVEY

				DENT GORVET			
Percent of students who have ever used:	2014	2012	2010	Percent who believe they risk harm if they use:	2014	2012	2010
Alcohol	32.1	30.4	47.7	Alcohol (1 or 2 drinks daily)	52.9		
Cigarettes	23.6	22.3	34.4	Alcohol (Binge: 5+ drinks once or twice a week)	72.2		
Chewing Tobacco	21.2		30.0	Alcohol (any use)		75.1	77.9
Marijuana	10.6	8.0	10.4	Cigarettes (1+ packs per day)	85.0		
Inhalants	3.1	5.4	8.4	Cigarettes (any use)		78.3	80.5
Prescription medications not prescribed for student	8.8	8.0	15.0	Marijuana (once or twice a week)	73.7		
Over-the-counter medications for non-medical use	4.8	4.8	9.7	Marijuana (any use)		81.0	75.3
Methamphetamine	0.0	0.6	1.0	Other: Cocaine, LSD, Meth, Club Drug (any use)	92.4	93.3	93.9
Cocaine	0.0	0.6	1.5				
Heroin	0.9	0.6	1.3	Percent of students who, in past 30 days:	10.0	21.7	19.9
Hallucinogens	0.9	1.0	2.5	Were grouphy instable, or in a had mood	19.2 25.2	24.6	25.9
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.0	1.3	1.8	Were grouchy, irritable, or in a bad mood Felt hopeless about the future	9.3	14.4	11.7
Steroids not prescribed for student	0.0	0.6	1.0	Felt like not eating or eating more than usual	14.1	15.7	18.7
Synthetic drugs (K2, bath salts, Spice, etc)	5.4	5.4		Slept a lot more or a lot less than usual	15.0	17.3	26.2
Average age of students' first use of:				Had difficulty concentrating on school work	21.1	24.0	26.2
Alcohol	13 14	12.71	11 90	riad difficulty concentrating on school work	21.1	24.0	20.2
Cigarettes		12.36		Percent of students who, in past 12 months:			
Marijuana		13.63		Seriously considered attempting suicide	8.8	12.2	12.3
Inhalants		11.91		Made plan about how they would attempt suicide	5.8	10.6	10.6
middito	10.10		12.00	Attempted suicide	3.9	5.5	6.8
Percent of students who, in past 30 days, used:				Attempted suicide and resulting injury, poisonng, or overdose	0.4	1.3	3.6
Alcohol	11.2	8.6		had to be treated by doctor or nurse	0		0.0
Alcohol (Binge: 5+ drinks on one occassion)		4.2		Percent of students who, in past 12 months:			
Cigarettes	8.9	9.3		Were threatened/injured with weapon at school	6.6	5.7	11.9
Chewing Tobacco	9.3	10.9		Were in a physical fight	21.6	20.2	28.6
Marijuana	3.1	2.6	3.8	Were in a fight and had to be treated by a doctor or nurse	2.2	1.9	4.5
Inhalants	0.4	1.3	4.1	Percent of students who, in past 3 months:			
Prescription medications not prescribed for student	4.4	3.2		Were victims of mean rumors or lies spread at school	53.1	50.0	65.1
Over-the-counter medications for non-medical use	2.2	3.2	5.1	Were made fun of by others	58.8	58.8	71.1
Percent of students who, in past 2 weeks, used:				Were victims of an embarrassing or hurtful text message or	30.0	50.0	7 1.1
Alcohol (Binge: 5+ drinks on one occassion)	3.6			something posted on the internet	22.0	20.3	19.6
Percent whose friends used in past 12 months:				Spread mean rumors or lies about other kids at school	25.0	23.0	36.0
Alcohol	42.0	43.3	65.6	Made fun of other people	55.7	57.2	74.9
Cigarettes	36.0	37.8		Posted something on the internet or sent a text that might			
Marijuana	18.0	19.4		embarrass or hurt another student	13.2	14.1	14.9
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	4.4	8.0					
Other mich (occurre, ESD, Meth, Oldb Brug, Cle)		0.0	17.2	Percent of students who agree that:	70.5	74.0	70.4
Percent who would likely use, if offered by a best friend:				Teachers notice and comment on student's good work	78.5	71.6	70.4
Alcohol	23.2			School provides feedback to parents on positive student performance	44.7	44.1	38.0
Cigarettes	8.8	11.8	18.5	i i	67.1	CE E	640
Marijuana	8.0	5.4	7.4	Rules are enforced fairly Students of all recoglethnicities are treated equal	67.1 80.7	65.5 82.3	64.0 82.0
Percent who say it would be wrong to use:				Students of all races/ethnicities are treated equal	00.7	02.3	0Z.U
Alcohol	69.0	71.2	55.9	Percent of students who agree that:			
Cigarettes	86.3	85.5		Parents notice and comment on student's good work	86.3	83.7	80.8
Marijuana	88.2	89.0		Parents involve student in making family decisions	69.2	71.1	67.0
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.7	97.4		It is important to be honest with parents regardless of	90.8	88.1	86.4
				consequences	50.0	00.1	00.⊣
Percent whose parents would disapprove if they use:	00.0	o	70 1	Student could ask parent for help with a personal problem	79.6	78.2	75.5
Alcohol	82.8	84.7					
Cigarettes	89.0	92.6	91.3	Missouri Student Survey is conducted biennially. Similar affirmative response choices for individual questions ar	e combin	ed	
Marijuana	94.7	96.1	96.7	Blank data cells indicate estimates are not available for item or	geograp	hic area	
Percent who say it would be easy to obtain:				Survey is not conducted in every school district nor reported fo			
Alcohol	39.6	42.1	58.3	Estimates are not available for counties with small numbers of Percentages are estimates based on weighted data.	responde	::IIS.	
Cigarettes	46.7	47.1	62.0	Some year-to-year differences in percentages are not statistical	ılly signifi	cant.	
Marijuana	22.9	20.8	28.9	Data source: Missouri Institute of Mental Health, 2010-2014 Mi	ssouri St	udent Si	ırvevs
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	8.9	10.0	15.1	- I I I I I I I I I I I I I I I I I I I			

CAINTI EGGIG GITT							
DBH REGIO	ON	Eastern		IMPAIRED DRIVING	2013	2012	2011
DBH SERVI	CE AREAS			Alcohol Involved CrashesTotal	135	152	124
Substance	ce Use	23-25 (SL)		Fatal Crashes	2	2	5
Adult Psy	ychiatric	24, 25		Injury Crashes	58	55	55
POPULATION	ON			Property Damage Crashes	75	95	64
Census 2	2010	319,294		Crash Fatalities	2	2	5
2014 Est	imate	317,419		Crash Injuries	98	85	112
				Drug Involved CrashesTotal	21	21	14
				Fatal Crashes	0	0	1
BIRTH RISK	2013	2012	2011	Injury Crashes	8	10	10
Resident BirthsTotal	4,694	4,696	4,957	Property Damage Crashes	13	11	3
Mother Reported Smoking while Pregnan	nt 657	707	749	Crash Fatalities	0	0	1
DISEASE INCIDENCE 1	2012	2012	2011	Crash Injuries	20	14	8
DISEASE INCIDENCE 1 HIV/AIDS Cases	2013	2012	2011 122	POLICE REPORTS	2013	2012	2011
Hepatitis B Chronic, Acute, Prenatal	113 73	127 68	53	DUI Arrests, DWI Tracking System	287	343	263
Hepatitis C Chronic and Acute	73 774	780	823	Liquor Law Arrests	576	715	537
Tuberculosis Infection Cases	626	581	616	Drug Arrests	3,414	3,940	4,167
Tuberediosis infection dases	020	301	010	Violent Offenses	5,083	5,664	5,950
DEATHS and INJURIES	2013	2012	2011	Property Offenses	21,349	22,231	25,861
Resident DeathsTotal	2,960	2,911	2,991	Domestic Violence Reports	2,488	2,628	2,329
Suicides	38	31	43		2014	2013	2012
Self-inflicted Injuries	370	458	483	Methamphetamine Lab Seizures	23	41	41
Homicides	89	93	93	SCHOOL REPORTS	2013-14	2012-13	2011-12
Assault Injuries	2,800	2,965	3,046	Enrollment Grades 9-12	8,066	8,353	9,053
Alcohol Induced Deaths	57	44	33	Drop-outs	1,225	1,050	1,646
Drug Induced Deaths	102	68	96	Drop-out Rate	15.2%	12.6%	18.2%
Smoking Attributable Deaths	467	461	468	School Discipline Involving Alcohol	5	0	4
HOSPITAL EPISODES 2	2013	2012	2011	School Discipline Involving Drugs	123	131	179
Hospitalization, no Emergency Room:				School Discipline Involving Tobacco	1	0	1
Mental Illness Principal Diagnosis	3,748	2,449	3,098				
Mental Illness Secondary Diagnosis	5,749	2,928	3,783	JUVENILE COURT REFERRALS 3	2013	2012	2011
Alcohol Principal Diagnosis	293	143	252	Juvenile Violent Offenses	398	546	583
Alcohol Secondary Diagnosis	930	255	525	Juvenile Alcohol Offenses	0	6	4
Drug Principal Diagnosis	543	422	509	Juvenile Drug Offenses School Truancy Status Offense	89 198	102 169	83 216
Drug Secondary Diagnosis	1,339	588	748	Absent from Home Status Offense	46	42	51
Emergency Room + Hospitalization:				Beyond Parental Control Status Offense	63	78	83
Mental Illness Principal Diagnosis	2,080	3,047	2,517	Injurious Behavior Status Offense	5	10	6
Mental Illness Secondary Diagnosis	4,472	7,506	6,759	Child Abuse	33	50	63
Alcohol Principal Diagnosis	276	404	284	Child Neglect	610	436	517
Alcohol Secondary Diagnosis	850	1,420	1,101	Child Custody Issues	72	53	94
Drug Principal Diagnosis	219	294	245		2042	2042	2044
Drug Secondary Diagnosis	824	1,621	1,313	JUVENILE COURT PLACEMENTS	2013 291	2012 214	2011 213
Emergency Room, no Hospitalization: Mental Illness Principal Diagnosis	4,156	4,594	4,377	Out-of-Home PlacementsTotal Parental Alcohol Use Related	291 5	3	213
Mental Illness Secondary Diagnosis	11,798	9,932	9,182	Parental Drug Use Related	68	76	49
Alcohol Principal Diagnosis	1,811	1,845	1,573	Parental Alcohol and Drug Use	1	3	0
Alcohol Secondary Diagnosis	1,410	1,361	1,190	r dremar/mooner and Brag Ose		J	Ū
Drug Principal Diagnosis	1,061	1,052	1,252	CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Secondary Diagnosis	1,899	1,993	2,535	Drug Court Participants	446	527	564
	,,,,,	,	1-2-	Probation/Parole AdmissionsDrug	1,494	1,485	1,324
ALCOHOL OUTLETS	2014	2013	2012	Probation/Parole AdmissionsDWI	11	8	16
Alcohol On-Premise Drink Licenses	790	783	772	Prison AdmissionsDrug	617	609	594
Alcohol Package Carry-out Licenses	164	168	176	Prison AdmissionsDWI	3	4	4
EMPLOYMENT	2014	2013	2012	1 All Kansas City hepatitis and TB case report			
Labor Force	161,200	139,644	139,939	totals and all Joplin case reports are include Beginning with 2010 data, diagnosis counts			
Employed	148,789	126,965	126,924	based on codes developed by the Healthcar	re Cost and L	Jtilization Proj	ject.
Unemployed	12,411	12,679	13,015	3 Beginning in 2013, juvenile municipal violati			
Unemployment Rate	7 7%	9.1%	9.3%	court orders are categorized as status offens	ses instead 0	n law violation	15.

²⁰¹⁵ Status Report on Missouri's Substance Use and Mental Health

7.7%

9.1%

9.3%

Unemployment Rate

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	644	776	843
CSTAR Adolescent	139	152	137
CSTAR Women and Children	790	694	799
CSTAR General Adult	1,364	1,055	1,095
CSTAR Opioid	196	237	258
Primary Recovery Treatment	306	436	537
Clinical SATOP (CIP, YCIP, SROP)	163	181	153
Other Substance Abuse Treatment	494	452	517

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	525	528	534
- Adolescent Diversion Education Prograr	*	*	*
- Offender Education Program	163	152	192
- Weekend Intervention Program	75	80	89
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	278	297	378
Compulsive Gambling	5	5	7
Recovery Supports	20	17	11
Early Intervention	520	497	103

NUMBER ADMITTED	FY2014	FY2013	FY2012	PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Total Individuals	3,370	3,166	3,387	Alcohol	672	684	688
	-,	-,	-,	Marijuana / Hashish	727	695	755
AGE				Cocaine (total)	403	376	582
Under 18	143	149	137	- Crack	349	304	422
18 to 24	363	364	411	Stimulant (total)	62	46	49
25 to 29	496	480	514	- Methamphetamine	50	38	39
30 to 34	560	532	565	Heroin	1,338	1,220	1,174
35 to 39	457	407	401	Analgesic except Heroin	114	111	88
40 to 44	340	337	342	- Non-Prescription Methadone	*	*	*
45 to 54	670	641	759	PCP, LSD, other Hallucinogen	32	17	33
55 and Over	341	256	258	Tranquilizer	10	6	6
GENDER				Inhalant	*	0	0
Male	2,093	2,032	2,145	Sedative	*	*	*
Female	1,276	1,134	1,241	Other Medication or Illicit Drug	10	8	10
Tomalo	1,270	1,101	.,	Average Age at First Use of Drug	21.1	20.5	20.6
RACE / ETHNICITY				/ Wordings / Ngo di / Not 200 of 21 dg	2	20.0	20.0
Caucasian	986	916	942	INJECTION DRUG USE			
African American	2,270	2,146	2,337	Any Injection Use at Admission	822	693	656
Native American / Alaskan	*	*	*	- Daily Injection Use	512	439	388
Asian / Pacific Islander	5	5	11	- Weekly Injection Use	136	106	115
Hispanic	33	32	34	- Less than Weekly Injection Use	174	148	153
Other Race / Two or More Races	87	81	82	- Less than Weekly Injection Ose	174	140	155
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	1,433	1,331	1,468	0	2,835	2,630	2,868
High School Graduate or G.E.D.	1,362	1,283	1,379	1 or 2	393	383	375
Associate Degree or Some College	555	531	522	3 or More	142	153	144
Bachelor or Advanced Degree	20	21	18	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	1,586	1,460	1,482
Employed	490	382	397	School	19	16	6
Unemployed	1,194	1,106	1,349	Mental Health Provider	18	23	29
Not in Labor Force	1,686	1,678	1,641	Health Care Provider	151	108	122
Not in Eabor 1 0100	1,000	1,070	1,041	Court / Criminal Justice	1,264	1,290	1,448
HOUSING / LIVING ARRANGEMENT				Other Referral Source	317	249	281
Independent Living	2,398	2,237	2,201	Other Referral Source	317	249	201
Dependent Living	465	453	462	TDE 4 TA 4 ENT 4 CCOA 44 4 OD 4 T 1 ON			
Homeless	347	322	477	TREATMENT ACCOMMODATION Pregnant when Admitted to any Episode	125	91	118
MARITAL / FAMILY STATUS				Military Veteran	137	134	145
Never Married	2,489	2,358	2,476	Special Education Services Needed	384	294	330
Married / Cohabitating	477	451	477	Co-Occurring Psychological Problem	880	800	869
Previously Married	404	357	434	Co-Occurring Developmental Problem	144	192	181
	101	001		2.2 2003g 2010/09/10/10/10/10/10/10/10		.02	.01

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Eastern PSYCHIATRIC SERVICE AREA 24, 25 CENSUS 2010 319,294 **2014 POPULATION ESTIMATE** 317,419

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

Individuals who received psychiatric services had the following types of

DIACNOSIS CATECORY	FY2014	FY2013	FY2012
DIAGNOSIS CATEGORY			
Adjustment Disorder	54	79	84
Anxiety Disorder	675	567	531
Dementia	10	6	11
Developmental Disorder	27	23	28
Impulse Control Disorder	699	701	629
Mood Disorder	3,440	3,156	3,039
Personality Disorder	322	274	275
Psychotic Disorder	2,521	2,429	2,466
Sexual Disorder	14	11	7
Other Diagnosis	186	142	117
Diagnosis Unknown	548	632	843

NUMBER SERVED	FY2014	FY2013	FY2012	EDUCATION	FY2014	FY2013	FY2012
Total Individuals	6,797	6,686	6,716	Less than High School Diploma	1,803	1,912	1,170
	•	*	,	High School Grad or G.E.D.	*	*	735
AGE				Associate Degree or Some College	0	*	362
Under 6	17	19	17	Bachelor or Advanced Degree	0	0	191
6 to 9	287	274	218	Education Level Unknown	4,993	4,772	4,258
10 to 13	309	308	300	244541611 25751 511111151111	.,000	.,	.,_00
14 to 17	357	379	336	EMPLOYMENT			
18 to 24	440	470	499	Employed	308	295	279
25 to 29	441	444	470	Unemployed	341	325	1,922
30 to 34	540	519	544	Not in Labor Force	3,538	3,605	725
35 to 39	490	474	496	Employment Status Unknown	2,610	2,461	3,790
40 to 44	622	604	609				
45 to 49	777	797	893	HOUSING / LIVING ARRANGEMENT			
50 to 54	938	961	948	Independent Living	2,266	2,192	2,089
55 to 59	866	786	758	Dependent Living	1,509	1,699	672
60 and Over	713	651	628	Homeless	324	260	186
Age Unknown	0	0	0	Other	0	0	61
				Housing Unknown	2,698	2,535	3,708
GENDER				•			
Male	3,478	3,434	3,443	TREATMENT REFERRAL SOURCE			
Female	3,319	3,252	3,273	Self / Family / Friend	2,383	2,460	2,584
Gender Unknown	0	0	0	School	44	47	40
RACE / ETHNICITY				Mental Health Provider	739	805	877
Caucasian	1,675	1,675	1,705	Health Care Provider	1,049	910	725
African American	4,833	4,744	4,741	Court / Criminal Justice	399	433	511
Native American / Alaskan	5	, 5	*	Other	2,137	1,977	1,920
Asian / Pacific Islander	28	24	24	Referral Source Unknown	46	54	59
Hispanic	58	53	50				
Other Race	198	184	192	TYPE OF COMMITMENT			
Race/Ethnicity Unknown	0	*	*	Voluntary	6,539	6,398	6,417
	· ·			Civil	27	30	28
TREATMENT ACCOMMODATION				Criminal	181	201	207
Hearing Impaired	201	178	171	Sexual Predatory	*	*	7
Past or Current Military Service	197	188	208	Commitment Type Unknown	46	53	57

MISSOURI STUDENT SURVEY

2012 2010

Percent of students who have ever used:

Alcohol

Cigarettes

Chewing Tobacco

Marijuana

Inhalants

Prescription medications not prescribed for student

Over-the-counter medications for non-medical use

Methamphetamine

Cocaine

Heroin

Hallucinogens

Club drugs (Ecstasy, GHB, roofie, Special K, etc)

Steroids not prescribed for student

Synthetic drugs (K2, bath salts, Spice, etc)

Average age of students' first use of:

Alcohol

Cigarettes

Marijuana

Inhalants

Percent of students who, in past 30 days, used:

Alcohol

Alcohol (Binge: 5+ drinks on one occassion)

Cigarettes

Chewing Tobacco

Marijuana

Inhalants

Prescription medications not prescribed for student

Over-the-counter medications for non-medical use

Percent of students who, in past 2 weeks, used:

Alcohol (Binge: 5+ drinks on one occassion)

Percent whose friends used in past 12 months:

Alcohol

Cigarettes

Marijuana

Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)

Percent who would likely use, if offered by a best friend:

Alcohol

Cigarettes

Marijuana

Percent who say it would be wrong to use:

Alcohol

Cigarettes

Marijuana

Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)

Percent whose parents would disapprove if they use:

Alcohol

Cigarettes

Marijuana

Percent who say it would be easy to obtain:

Alcohol

Cigarettes

Marijuana

Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)

Percent who believe they risk harm if they use:

Alcohol (1 or 2 drinks daily)

Alcohol (Binge: 5+ drinks once or twice a week)

Alcohol (any use)

Cigarettes (1+ packs per day)

Cigarettes (any use)

Marijuana (once or twice a week)

Marijuana (any use)

Other: Cocaine, LSD, Meth, Club Drug (any use)

Percent of students who, in past 30 days:

Were very sad

Were grouchy, irritable, or in a bad mood

Felt hopeless about the future

Felt like not eating or eating more than usual

Slept a lot more or a lot less than usual

. Had difficulty concentrating on school work

Percent of students who, in past 12 months:

Seriously considered attempting suicide

Made plan about how they would attempt suicide

Attempted suicide

Attempted suicide and resulting injury, poisonng, or overdose

had to be treated by doctor or nurse

Percent of students who, in past 12 months:

Were threatened/injured with weapon at school

Were in a physical fight

Were in a fight and had to be treated by a doctor or nurse

Percent of students who, in past 3 months:

Were victims of mean rumors or lies spread at school

Were made fun of by others

Were victims of an embarrassing or hurtful text message or

something posted on the internet

Spread mean rumors or lies about other kids at school

Made fun of other people

Posted something on the internet or sent a text that might

embarrass or hurt another student

Percent of students who agree that:

Teachers notice and comment on student's good work

School provides feedback to parents on positive student performance

Rules are enforced fairly

Students of all races/ethnicities are treated equal

Percent of students who agree that:

Parents notice and comment on student's good work

Parents involve student in making family decisions

It is important to be honest with parents regardless of consequences

Student could ask parent for help with a personal problem

Missouri Student Survey is conducted biennially.

Similar affirmative response choices for individual questions are combined. Blank data cells indicate estimates are not available for item or geographic area.

Survey is not conducted in every school district nor reported for every county. Estimates are not available for counties with small numbers of respondents.

Percentages are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

2012

2010

DBH REGIO	N	Western		IMPAIRED DRIVING	2013	2012	2011
DBH SERVICE	CE AREAS			Alcohol Involved CrashesTotal	1,381	1,360	1,314
Substance		1, 2-5 (JC)		Fatal Crashes	34	37	32
Adult Psy	rchiatric	1, 2, 3, 4, 5	5, 6, 7, 13	Injury Crashes	572	541	571
POPULATION				Property Damage Crashes	775	782	711
Census 2		1,457,879		Crash Fatalities	43	40	38
2014 Esti	mate	1,482,773		Crash Injuries	835	768	886
1				Drug Involved CrashesTotal	312	302	277
				Fatal Crashes	8	7	8
BIRTH RISK	2013	2012	2011	Injury Crashes	150	154	128
Resident BirthsTotal	19,300	19,504	19,325	Property Damage Crashes	154	141	141
Mother Reported Smoking while Pregnar	nt 3,112	3,350	3,322	Crash Fatalities	9	9	7
				Crash Injuries	228	235	141
DISEASE INCIDENCE 1	2013	2012	2011	POLICE REPORTS	2013	2012	2011
HIV/AIDS Cases	145	157	184	DUI Arrests, DWI Tracking System	6,785	7,353	7,297
Hepatitis B Chronic, Acute, Prenatal	168	128	111	Liquor Law Arrests	2,260	2,494	2,770
Hepatitis C Chronic and Acute	826	879	1,033	Drug Arrests	7,517	7,139	6,898
Tuberculosis Infection Cases	743	599	543	Violent Offenses	8,121	8,286	7,968
DEATHS and INJURIES	2013	2012	2011	Property Offenses	53,259	57,326	55,007
Resident DeathsTotal	13,239	13,023	12,802	Domestic Violence Reports	10,718	11,201	10,691
Suicides	250	219	232		2014	2013	2012
Self-inflicted Injuries	2,311	2,307	2,256	Methamphetamine Lab Seizures	21	45	84
Homicides	124	143	146	•			
Assault Injuries	6,408	6,876	6,973	SCHOOL REPORTS	2013-14	2012-13	2011-12
Alcohol Induced Deaths	136	133	122	Enrollment Grades 9-12	66,267	66,776	66,469
Drug Induced Deaths	215	197	190	Drop-outs	2,002	1,685	2,269
Smoking Attributable Deaths	2,298	2,262	2,196	Drop-out Rate	3.0%	2.5%	3.4%
_	,	, -	,	School Discipline Involving Alcohol	93	79	85
HOSPITAL EPISODES 2	2013	2012	2011	School Discipline Involving Drugs	522	559	739
Hospitalization, no Emergency Room:				School Discipline Involving Tobacco	11	9	19
Mental Illness Principal Diagnosis	11,825	11,873	13,057	JUVENILE COURT REFERRALS 3	2013	2012	2011
Mental Illness Secondary Diagnosis	15,913	15,809	16,139	Juvenile Violent Offenses	1,045	1,167	1,176
Alcohol Principal Diagnosis	1,166	1,158	1,176	Juvenile Alcohol Offenses	106	137	173
Alcohol Secondary Diagnosis	2,285	1,977	2,062	Juvenile Drug Offenses	304	331	321
Drug Principal Diagnosis	638	685	677	School Truancy Status Offense	789	673	558
Drug Secondary Diagnosis	1,923	1,995	1,957	Absent from Home Status Offense	320	351	341
Emergency Room + Hospitalization:				Beyond Parental Control Status Offense	404	563	423
Mental Illness Principal Diagnosis	3,708	4,193	3,164	Injurious Behavior Status Offense	576	658	422
Mental Illness Secondary Diagnosis	25,208	24,781	25,150	Child Abuse	519	498	317
Alcohol Principal Diagnosis	987	1,147	998	Child Neglect	2,101	2,146	1,609
Alcohol Secondary Diagnosis	3,301	3,479	3,364	Child Custody Issues	205	354	514
Drug Principal Diagnosis	576	657	564				
Drug Secondary Diagnosis	2,467	3,045	2,794	JUVENILE COURT PLACEMENTS	2013	2012	2011
Emergency Room, no Hospitalization:	40.400	40.040	40.070	Out-of-Home PlacementsTotal	1,577	1,678	1,459
Mental Illness Principal Diagnosis	12,188	12,846	12,378	Parental Alcohol Use Related	37	47	74
Mental Illness Secondary Diagnosis	31,431	26,060	25,152	Parental Alaskal and Drug Llas	492	532	378
Alcohol Principal Diagnosis	5,546	5,736	5,551	Parental Alcohol and Drug Use	68	70	34
Alcohol Secondary Diagnosis	4,620	5,089	4,130	CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Principal Diagnosis	2,804	2,627	2,407	Drug Court Participants	1,433	1,534	1,469
Drug Secondary Diagnosis	4,831	5,192	4,837	Probation/Parole AdmissionsDrug	2,395	2,287	2,471
ALCOHOL OUTLETS	2014	2013	2012	Probation/Parole AdmissionsDWI	517	549	587
Alcohol On-Premise Drink Licenses	1,614	1,621	1,599	Prison AdmissionsDrug	1,125	1,095	1,081
Alcohol Package Carry-out Licenses	1,140	1,142	1,142	Prison AdmissionsDWI	258	292	312
	•		•	1 All Kaneae City henotitic and TR ages report	te are include	d in Jackson	County
EMPLOYMENT	2014	2013	2012	All Kansas City hepatitis and TB case report totals and all Joplin case reports are include			Courity
Labor Force	787,002	744,559	745,615	2 Beginning with 2010 data, diagnosis counts	for hospital a	and ER servic	
Employed	737,991	694,682	693,740	based on codes developed by the Healthcar Beginning in 2013, juvenile municipal violation			

49,011

6.2%

49,877

6.7%

51,875

7.0%

Unemployed

Unemployment Rate

3 Beginning in 2013, juvenile municipal violations, infractions, and violations of

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	1,209	1,173	1,521
CSTAR Adolescent	540	554	574
CSTAR Women and Children	891	820	800
CSTAR General Adult	4,593	4,133	3,780
CSTAR Opioid	143	91	80
Primary Recovery Treatment	698	1,130	1,405
Clinical SATOP (CIP, YCIP, SROP)	1,269	1,298	1,148
Other Substance Abuse Treatment	8	379	481

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	5,273	5,513	5,912
- Adolescent Diversion Education Prograr	84	98	174
- Offender Education Program	1,921	2,098	2,280
- Weekend Intervention Program	1,112	1,240	1,421
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	210	243	291
Compulsive Gambling	16	16	31
Recovery Supports	1,883	2,227	2,364
Early Intervention	132	159	376

NUMBER ADMITTED	FY2014	FY2013	FY2012	PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Total Individuals	8,671	8.769	8,956	Alcohol	3,336	3,564	3.803
	-,	-,	-,	Marijuana / Hashish	2,130	2,229	2,243
AGE				Cocaine (total)	503	500	738
Under 18	544	575	593	- Crack	295	360	554
18 to 24	1,394	1,479	1,508	Stimulant (total)	1,641	1,513	1,277
25 to 29	1,397	1,389	1,372	- Methamphetamine	1,578	1,467	1,244
30 to 34	1,418	1,398	1,339	Heroin	228	156	112
35 to 39	998	924	978	Analgesic except Heroin	535	513	440
40 to 44	858	871	975	- Non-Prescription Methadone	*	*	11
45 to 54	1,512	1,603	1,714	PCP, LSD, other Hallucinogen	183	188	219
55 and Over	550	530	477	Tranquilizer	54	59	78
CENTER				Inhalant	6	59	10
GENDER Male	5,882	5,989	6,164	Sedative	*	*	*
	•		,		E4	38	25
Female	2,788	2,779	2,792	Other Medication or Illicit Drug	51		35 17.6
RACE / ETHNICITY				Average Age at First Use of Drug	18.0	17.7	17.6
Caucasian	6,264	6,356	6,323				
African American	1,886	1,891	2,073	INJECTION DRUG USE			
Native American / Alaskan	27	28	36	Any Injection Use at Admission	946	792	641
Asian / Pacific Islander	15	30	34	- Daily Injection Use	223	170	143
Hispanic	322	318	330	- Weekly Injection Use	247	199	174
Other Race / Two or More Races	265	251	266	- Less than Weekly Injection Use	476	423	324
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	2,729	2,802	2,854	0	5,013	4,920	5,040
High School Graduate or G.E.D.	3,895	3,941	4,005	1 or 2	2,368	2,382	2,404
Associate Degree or Some College	1,948	1,954	1,976	3 or More	1,290	1,467	1,512
Bachelor or Advanced Degree	99	72	121				
_				TREATMENT REFERRAL SOURCE	0.057	0.000	0.004
EMPLOYMENT	0.470	0.407	0.007	Self / Family / Friend	2,957	3,000	2,964
Employed	2,473	2,407	2,367	School	35	37	45
Unemployed	3,295	3,580	3,704	Mental Health Provider	213	232	285
Not in Labor Force	2,903	2,780	2,885	Health Care Provider	355	321	386
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	3,429	3,522	4,302
Independent Living	6,488	6,603	6,724	Other Referral Source	1,223	1,084	842
Dependent Living	1,057	1,177	1,191				
Homeless	768	727	808	TREATMENT ACCOMMODATION			
	, 00		300	Pregnant when Admitted to any Episode	124	112	131
MARITAL / FAMILY STATUS				Military Veteran	313	365	472
Never Married	5,239	5,316	5,190	Special Education Services Needed	500	569	563
Married / Cohabitating	1,696	1,718	1,778	Co-Occurring Psychological Problem	3,196	3,225	3,101
Previously Married	1,736	1,735	1,988	Co-Occurring Developmental Problem	180	229	258

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Western **PSYCHIATRIC SERVICE AREA** 1, 2, 3, 4, 5, 6, 7, 13 CENSUS 2010 1,457,879

2014 POPULATION ESTIMATE 1,482,773

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012
Adjustment Disorder	946	1,045	1,076
Anxiety Disorder	6,941	7,119	6,853
Dementia	37	38	36
Developmental Disorder	255	256	230
Impulse Control Disorder	3,415	3,756	3,637
Mood Disorder	12,540	13,626	13,192
Personality Disorder	995	987	945
Psychotic Disorder	4,100	4,395	4,382
Sexual Disorder	33	44	11
Other Diagnosis	1,483	1,650	1,597
Diagnosis Unknown	2,413	3,086	3,700

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2014	FY2013	FY2012	EDUCATION	FY2014	FY2013	FY2012
Total Individuals	20,944	23,784	23,839	Less than High School Diploma	4,421	4,979	2,452
-				High School Grad or G.E.D.	22	119	2,489
AGE	405	074	044	Associate Degree or Some College	*	29	904
Under 6	195	271	314	Bachelor or Advanced Degree	0	*	259
6 to 9	1,254	1,412	1,460	Education Level Unknown	16,499	18,654	17,735
10 to 13	1,552	1,739	1,835		•	•	•
14 to 17	1,590	1,786	1,919	EMPLOYMENT			
18 to 24	1,722	2,095	2,121	Employed	934	1,172	791
25 to 29	1,665	1,940	1,862	Unemployed	1,295	1,647	4,654
30 to 34	1,899	2,210	2,104	Not in Labor Force	8,081	8,865	1,791
35 to 39	1,790	1,982	1,937	Employment Status Unknown	10,634	12,100	16,603
40 to 44	1,837	2,081	2,104				
45 to 49	1,948	2,346	2,478	HOUSING / LIVING ARRANGEMENT			
50 to 54	2,301	2,564	2,523	Independent Living	5,609	6,196	5,079
55 to 59	1,699	1,809	1,695	Dependent Living	4,165	4,930	2,332
60 and Over	1,492	1,549	1,487	Homeless	454	526	307
Age Unknown	0	0	0	Other	0	*	164
CENDED				Housing Unknown	10,716	12,130	15,957
GENDER Male	40.004	44.070	44.004				
Female	10,021	11,376	11,394	TREATMENT REFERRAL SOURCE			
	10,923	12,408	12,445	Self / Family / Friend	11,776	13,444	13,161
Gender Unknown	0	0	0	School	282	337	361
RACE / ETHNICITY				Mental Health Provider	1,914	1,970	2,132
Caucasian	13,820	14,935	14,923	Health Care Provider	2,679	3,030	2,977
African American	5,391	6,693	6,998	Court / Criminal Justice	895	1,074	1,202
Native American / Alaskan	80	93	98	Other	3,249	3,773	3,832
Asian / Pacific Islander	75	89	83	Referral Source Unknown	149	156	174
Hispanic	628	681	648				
Other Race	950	1,293	1,088	TYPE OF COMMITMENT			
Race/Ethnicity Unknown	0	0	*	Voluntary	20,486	23,321	23,329
•	_			Civil	63	72	107
TREATMENT ACCOMMODATION				Criminal	243	233	235
Hearing Impaired	504	527	510	Sexual Predatory	16	15	11
Past or Current Military Service	466	493	515	Commitment Type Unknown	136	143	157

MISSOURI STUDENT SURVEY

	IVIIO	OUI	510	DENT SORVET
Percent of students who have ever used:	2014	2012	2010	Percent who believe they risk harm if the
Alcohol	31.4	36.9	39.4	Alcohol (1 or 2 drinks daily)
Cigarettes	17.9	21.2	24.6	Alcohol (Binge: 5+ drinks once or twice
Chewing Tobacco	8.8	10.1	9.5	Alcohol (any use)
Marijuana	14.5	16.1	16.5	Cigarettes (1+ packs per day)
Inhalants	3.1	5.1	6.1	Cigarettes (any use)
Prescription medications not prescribed for student	7.8	8.0	10.5	Marijuana (once or twice a week)
Over-the-counter medications for non-medical use	3.2	5.9	7.4	Marijuana (any use)
Methamphetamine	0.6	1.3	0.9	Other: Cocaine, LSD, Meth, Club Drug
Cocaine	1.3	1.8	1.7	Percent of students who, in past 30 days
Heroin	0.4	0.9	0.6	Were very sad
Hallucinogens	2.0	2.8	2.5	Were grouchy, irritable, or in a bad mo
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.8	2.1	2.1	Felt hopeless about the future
Steroids not prescribed for student	1.0	1.3	1.1	Felt like not eating or eating more than
Synthetic drugs (K2, bath salts, Spice, etc)	3.5	6.1		Slept a lot more or a lot less than usua
Average age of students' first use of:				Had difficulty concentrating on school v
Alcohol	13.09	12.83	12.57	
Cigarettes		12.70		Percent of students who, in past 12 mon
Marijuana		13.65		Seriously considered attempting suicid
Inhalants		11.69		Made plan about how they would atten
				Attempted suicide
Percent of students who, in past 30 days, used:				Attempted suicide and resulting injury,
Alcohol	12.4	15.5	17.3	had to be treated by doctor or nurse
Alcohol (Binge: 5+ drinks on one occassion)		8.7	10.4	Percent of students who, in past 12 mon
Cigarettes	7.3	9.5	12.7	Were threatened/injured with weapon a
Chewing Tobacco	4.3	5.3	5.0	Were in a physical fight
Marijuana	7.1	8.2	8.6	Were in a fight and had to be treated b
Inhalants	1.2	2.0	2.9	Percent of students who, in past 3 month
Prescription medications not prescribed for student	3.6	4.4	6.3	Were victims of mean rumors or lies sp
Over-the-counter medications for non-medical use	1.9	3.4	4.7	Were made fun of by others
Percent of students who, in past 2 weeks, used:				Were victims of an embarrassing or hu
Alcohol (Binge: 5+ drinks on one occassion)	5.5			something posted on the internet
Parcent whose friends used in past 12 months:				Spread mean rumors or lies about other
Percent whose friends used in past 12 months: Alcohol	41.5	51.4	54.1	Made fun of other people
Cigarettes	31.9	40.8	-	Posted something on the internet or se
Marijuana	32.3	37.5		embarrass or hurt another student
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	12.2	14.5	17.3	
Other filler (Gocalite, Lob, Weth, Glub Brug, etc)	12.2	14.5	17.5	Percent of students who agree that:
Percent who would likely use, if offered by a best friend:				Teachers notice and comment on stud
Alcohol	24.1	29.1	30.4	School provides feedback to parents o performance
Cigarettes	10.2	12.4	14.0	'
Marijuana	13.5	13.8	13.1	Rules are enforced fairly
Percent who say it would be wrong to use:				Students of all races/ethnicities are treater
Alcohol	66.6	62.1	62.1	Percent of students who agree that:
Cigarettes	85.7	81.6	79.5	Parents notice and comment on studer
Marijuana	79.2	81.0	81.2	Parents involve student in making fami
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	95.6	94.9	94.3	It is important to be honest with parents
Cutor mon (Goodine, 200, Meth, Clab Brag, Clay	00.0	01.0	0 1.0	consequences
Percent whose parents would disapprove if they use:				Student could ask parent for help with
Alcohol	82.6	80.0	80.0	
Cigarettes	93.0	91.8	90.5	Missouri Student Survey is conducted b
Marijuana	92.3	93.4	93.5	Similar affirmative response choices for Blank data cells indicate estimates are
Percent who say it would be easy to obtain:				Survey is not conducted in every schoo
Alcohol	50.1	56.7	56.2	Estimates are not available for counties
Cigarettes	45.1	51.9	53.6	Percentages are estimates based on we Some year-to-year differences in percer
Cigarettes				
Marijuana	34.1	37.7	36.5	Data source: Missouri Institute of Menta

DENT SURVET			
Persont who hallows they risk harm if they use.	2014	2012	2010
Percent who believe they risk harm if they use:	60.5		
Alcohol (1 or 2 drinks daily) Alcohol (Binge: 5+ drinks once or twice a week)	72.6		
Alcohol (any use)	72.0	70.4	75.0
	05.4	70.4	75.0
Cigarettes (1+ packs per day)	85.4	04.4	00.0
Cigarettes (any use)	60 F	81.4	80.0
Marijuana (once or twice a week)	62.5	74.0	70.5
Marijuana (any use)	90.5	71.3 92.7	72.5 91.8
Other: Cocalne, LSD, Meth, Club Drug (any use)	90.5	92.1	91.0
Percent of students who, in past 30 days:			
Were very sad	20.6	18.6	18.8
Were grouchy, irritable, or in a bad mood	25.9	24.3	25.1
Felt hopeless about the future	12.2	11.0	11.7
Felt like not eating or eating more than usual	17.3	16.8	18.3
Slept a lot more or a lot less than usual	18.6	20.9	25.7
Had difficulty concentrating on school work	24.3	22.6	23.7
Percent of students who, in past 12 months:			
Seriously considered attempting suicide	12.3	11.8	11.4
Made plan about how they would attempt suicide	9.2	8.7	8.3
Attempted suicide	5.3	5.0	5.6
Attempted suicide and resulting injury, poisonng, or overdose			
had to be treated by doctor or nurse	1.8	1.7	2.1
Percent of students who, in past 12 months:			
Were threatened/injured with weapon at school	6.2	6.2	9.4
Were in a physical fight	17.3	19.0	23.5
Were in a fight and had to be treated by a doctor or nurse	2.7	2.6	4.2
	2.7	2.0	
Percent of students who, in past 3 months:			
Were victims of mean rumors or lies spread at school	48.1	46.8	51.4
Were made fun of by others	58.4	59.9	65.8
Were victims of an embarrassing or hurtful text message or	24.8	20.1	19.0
something posted on the internet		-	
Spread mean rumors or lies about other kids at school	24.0	26.3	32.8
Made fun of other people	52.9	61.2	70.2
Posted something on the internet or sent a text that might embarrass or hurt another student	16.8	14.2	18.1
embanass of fluit another student			
Percent of students who agree that:			
Teachers notice and comment on student's good work	71.3	68.1	70.8
School provides feedback to parents on positive student	40.0	27.6	42.0
performance	40.2	37.6	42.0
Rules are enforced fairly	65.5	64.4	65.8
Students of all races/ethnicities are treated equal	79.2	77.2	78.2
Percent of students who agree that:			
Parents notice and comment on student's good work	82.0	82.0	82.9
Parents involve student in making family decisions	69.7	68.4	69.8
It is important to be honest with parents regardless of			
consequences	86.4	84.8	82.4
Student could ask parent for help with a personal problem	77.2	75.9	76.1

biennially. or individual questions are combined. not available for item or geographic area. ol district nor reported for every county. s with small numbers of respondents. veighted data.

entages are not statistically significant.

tal Health, 2010-2014 Missouri Student Surveys

DBH REG	ION	Central		IMPAIRED DRIVING	2013	2012	2011
	VICE AREAS			Alcohol Involved CrashesTotal	824	850	799
Land Tour Manager	nce Use	11, 12, 14,		Fatal Crashes	40	37	35
	sychiatric	11, 12, 14,	15	Injury Crashes	363	398	351
POPULAT		007.005		Property Damage Crashes	421	415	413
Census		807,835		Crash Fatalities	45	37	36
2014 E	stimate	818,613		Crash Injuries	499	567	511
				Drug Involved CrashesTotal	147	134	143
				Fatal Crashes	7	9	10
BIRTH RISK	2013	2012	2011	Injury Crashes	58	59	53
Resident BirthsTotal	10,043	9,981	10,041	Property Damage Crashes Crash Fatalities	82 7	66 12	80 9
Mother Reported Smoking while Pregn	ant 2,103	2,144	2,193	Crash Injuries	7 79	99	9 65
DISEASE INCIDENCE 1	2013	2012	2011	ordon injunes			
HIV/AIDS Cases	21	21	26	POLICE REPORTS	2013	2012	2011
Hepatitis B Chronic, Acute, Prenatal	70	69	54	DUI Arrests, DWI Tracking System	4,078	4,822	5,068
Hepatitis C Chronic and Acute	552	534	555	Liquor Law Arrests	1,608	1,981	2,189
Tuberculosis Infection Cases	579	398	423	Drug Arrests	4,910	4,757	4,450
				Violent Offenses	2,088	2,288	2,507
DEATHS and INJURIES	2013	2012	2011	Property Offenses	20,436	21,491	21,075
Resident DeathsTotal	7,546	7,272	7,337	Domestic Violence Reports	6,079	6,524	6,492
Suicides	136	123	114		2014	2013	2012
Self-inflicted Injuries	967	972	958	Methamphetamine Lab Seizures	162	245	264
Homicides	32	25	27	SCHOOL REPORTS	2013-14	2012-13	2011-12
Assault Injuries	2,245	2,460	2,447	Enrollment Grades 9-12	34,500	34,939	34,950
Alcohol Induced Deaths	39	45	42	Drop-outs	632	712	848
Drug Induced Deaths	105	103	99	Drop-out Rate	1.8%	2.0%	2.4%
Smoking Attributable Deaths	1,349	1,321	1,295	School Discipline Involving Alcohol	45	36	78
HOSPITAL EPISODES 2	2013	2012	2011	School Discipline Involving Drugs	179	233	256
Hospitalization, no Emergency Room:	2013	2012	2011	School Discipline Involving Tobacco	5	9	15
Mental Illness Principal Diagnosis	4,065	3,826	3,856	_		-	
Mental Illness Secondary Diagnosis	11,354	12,714	13,532	JUVENILE COURT REFERRALS 3	2013	2012	2011
Alcohol Principal Diagnosis	322	289	299	Juvenile Violent Offenses	945	1,064	1,094
Alcohol Secondary Diagnosis	861	851	970	Juvenile Alcohol Offenses	156	196	185
Drug Principal Diagnosis	218	245	194	Juvenile Drug Offenses	328	343	365
Drug Secondary Diagnosis	665	637	627	School Truancy Status Offense	725	935	883
Emergency Room + Hospitalization:				Absent from Home Status Offense	404	399	336
Mental Illness Principal Diagnosis	3,244	3,269	2,664	Beyond Parental Control Status Offense	625	779	725
Mental Illness Secondary Diagnosis	10,697	10,044	8,246	Injurious Behavior Status Offense	1,312	1,564	1,730
Alcohol Principal Diagnosis	794	769	684	Child Abuse	631	889	957
Alcohol Secondary Diagnosis	1,239	1,112	933	Child Neglect	1,641	1,994	1,887
Drug Principal Diagnosis	433	411	418	Child Custody Issues	99	133	110
Drug Secondary Diagnosis	666	620	523	JUVENILE COURT PLACEMENTS	2013	2012	2011
Emergency Room, no Hospitalization:				Out-of-Home PlacementsTotal	1,054	987	907
Mental Illness Principal Diagnosis	6,446	6,082	5,881	Parental Alcohol Use Related	28	18	38
Mental Illness Secondary Diagnosis	22,947	17,476	17,040	Parental Drug Use Related	345	342	252
Alcohol Principal Diagnosis	1,441	1,322	1,266	Parental Alcohol and Drug Use	48	34	25
Alcohol Secondary Diagnosis	1,783	1,393	1,280				
Drug Principal Diagnosis	931	994	948	CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Secondary Diagnosis	1,471	1,255	1,078	Drug Court Participants	698	772	751
				Probation/Parole AdmissionsDrug Probation/Parole AdmissionsDWI	2,172 305	2,100 455	1,823
ALCOHOL OUTLETS	2014	2013	2012	Prison AdmissionsDwi	395 1,227	455 1,082	506 1,025
Alcohol On-Premise Drink Licenses	1,154	1,163	1,153	Prison AdmissionsDVI	1,227	219	269
Alcohol Package Carry-out Licenses	866	880	903	i noon AdmioolonoDWI	130	213	203
EMPLOYMENT	2014	2013	2012	1 All Kansas City hepatitis and TB case report			County
Labor Force	392,897	409,146	397,890	totals and all Joplin case reports are include Beginning with 2010 data, diagnosis counts			es are
Employed	370,481	385,074	372,518	based on codes developed by the Healthcar	e Cost and L	Itilization Pro	ject.
Unamplayed	22.446	24.072	25 272	3 Beginning in 2013, juvenile municipal violati	ons, infractio	ns, and violat	ions of

5.7%

22,416 24,072 25,372

5.9%

6.4%

Unemployed

Unemployment Rate

3 Beginning in 2013, juvenile municipal violations, infractions, and violations of

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	397	532	559
CSTAR Adolescent	346	379	360
CSTAR Women and Children	560	526	542
CSTAR General Adult	3,234	2,513	2,069
CSTAR Opioid	*	5	0
Primary Recovery Treatment	581	1,284	1,837
Clinical SATOP (CIP, YCIP, SROP)	725	752	730
Other Substance Abuse Treatment	12	6	12

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	3,209	3,485	3,827
- Adolescent Diversion Education Prograr	144	165	229
- Offender Education Program	1,109	1,273	1,427
- Weekend Intervention Program	623	726	828
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	123	159	206
Compulsive Gambling	*	7	12
Recovery Supports	275	347	301
Early Intervention	168	177	212

NUMBER ADMITTED	FY2014	FY2013	FY2012	PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Total Individuals	5,024	5,211	5,243	Alcohol	1,913	2,153	2,249
	,	,	•	Marijuana / Hashish	1,355	1,437	1,489
AGE				Cocaine (total)	184	176	278
Under 18	360	386	371	- Crack	89	90	128
18 to 24	918	997	1,032	Stimulant (total)	924	742	667
25 to 29	888	971	937	- Methamphetamine	891	688	624
30 to 34	832	789	820	Heroin	250	248	217
35 to 39	595	558	572	Analgesic except Heroin	255	315	242
40 to 44	422	454	460	- Non-Prescription Methadone	*	7	0
45 to 54	738	758	811	PCP, LSD, other Hallucinogen	25	21	21
55 and Over	271	298	240	Tranquilizer	24	43	25
GENDER				Inhalant	9	5	*
Male	3,304	3,419	3,568	Sedative	5	5	9
Female	1,720	1,792	1,675	Other Medication or Illicit Drug	79	66	43
	, -	, -	,	Average Age at First Use of Drug	17.9	17.6	17.2
RACE / ETHNICITY							
Caucasian	4,122	4,326	4,364	INJECTION DRUG USE			
African American	662	659	659	Any Injection Use at Admission	651	583	564
Native American / Alaskan	17	15	5	- Daily Injection Use	131	123	115
Asian / Pacific Islander	13	18	18	- Weekly Injection Use	187	151	144
Hispanic	91	79	88	- Less than Weekly Injection Use	333	309	305
Other Race / Two or More Races	142	144	141	2000 (1.0.1. 1700)(1) 1.1,000(0.1. 0.00	000	000	
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	1,569	1,645	1,749	0	2,806	2,781	2,711
High School Graduate or G.E.D.	2,376	2,374	2,388	1 or 2	1,525	1,615	1,659
Associate Degree or Some College	1,005	1,091	1,043	3 or More	693	815	873
Bachelor or Advanced Degree	74	98	62	TD54T454T D555DD44 604D65			
514010144515				TREATMENT REFERRAL SOURCE	1 204	1 171	4 060
EMPLOYMENT	4 555	4.040	4.004	Self / Family / Friend	1,394	1,471	1,263
Employed	1,555	1,619	1,694	School Mantal Haalth Bravidan	8	11	7
Unemployed	1,840	1,814	1,824	Mental Health Provider	50	66	63
Not in Labor Force	1,629	1,778	1,725	Health Care Provider	174	173	138
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	2,157	2,542	3,263
Independent Living	3,984	4,198	4,262	Other Referral Source	904	663	456
Dependent Living	644	664	637				
Homeless	188	200	171	TREATMENT ACCOMMODATION	40		
				Pregnant when Admitted to any Episode	48	80	77
MARITAL / FAMILY STATUS	0.044	0.000	0.000	Military Veteran	207	238	236
Never Married	2,841	2,920	2,906	Special Education Services Needed	306	424	507
Married / Cohabitating	1,130	1,196	1,175	Co-Occurring Psychological Problem	1,965	1,912	1,706
Previously Married	1,053	1,095	1,162	Co-Occurring Developmental Problem	100	182	178

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Central
PSYCHIATRIC SERVICE AREA 11, 12, 14, 15
CENSUS 2010 807,835
2014 POPULATION ESTIMATE 818,613

served because some individuals had more than one type of disorder. FY2014 FY2013 FY2012 **DIAGNOSIS CATEGORY** Adjustment Disorder 461 359 348 3,636 **Anxiety Disorder** 4,214 3,729 Dementia 21 16 21 **Developmental Disorder** 256 203 194 Impulse Control Disorder 1,925 1,714 1,723 **Mood Disorder** 6,323 6,026 5,970

790

36

872

645

1,607

742

32

730

595

1,579

732

14

662

961

1,539

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

Personality Disorder

Psychotic Disorder

Diagnosis Unknown

Sexual Disorder

Other Diagnosis

NUMBER SERVED	FY2014	FY2013	FY2012	EDUCATION	FY2014	FY2013	FY2012
Total Individuals	9,550	9,159	9,439	Less than High School Diploma	3,401	3,205	1,924
				High School Grad or G.E.D.	*	61	1,937
AGE	0.5	7.	70	Associate Degree or Some College	0	16	742
Under 6	95	71	78	Bachelor or Advanced Degree	0	*	160
6 to 9	523	444	446	Education Level Unknown	6,148	5,873	4,676
10 to 13	752	679	721		•	•	
14 to 17	843	836	816	EMPLOYMENT			
18 to 24	816	817	975	Employed	702	705	755
25 to 29	726	755	817	Unemployed	732	933	3,581
30 to 34	884	838	872	Not in Labor Force	6,197	5,766	1,156
35 to 39	853	768	775	Employment Status Unknown	1,919	1,755	3,947
40 to 44	815	854	836				
45 to 49	943	943	1,013	HOUSING / LIVING ARRANGEMENT			
50 to 54	965	902	875	Independent Living	4,283	4,338	4,207
55 to 59	693	646	632	Dependent Living	2,869	2,707	1,540
60 and Over	642	606	583	Homeless	151	167	75
Age Unknown	0	0	0	Other	0	*	85
				Housing Unknown	2,247	1,945	3,532
GENDER	4.470	4.000	4.040				
Male	4,473	4,269	4,349	TREATMENT REFERRAL SOURCE			
Female	5,077	4,888	5,090	Self / Family / Friend	4,620	4,304	4,671
Gender Unknown	0	*	0	School	62	57	53
RACE / ETHNICITY				Mental Health Provider	705	755	805
Caucasian	8,075	7,735	8,044	Health Care Provider	1,415	1,576	1,460
African American	1,005	967	938	Court / Criminal Justice	555	564	516
Native American / Alaskan	17	23	23	Other	2,157	1,864	1,891
Asian / Pacific Islander	18	19	17	Referral Source Unknown	36	39	43
Hispanic	149	141	120			-	
Other Race	286	274	297	TYPE OF COMMITMENT			
Race/Ethnicity Unknown	0	0	0	Voluntary	9,364	8,971	9,252
race, Enmony Charlette	O	O	J	Civil	24	24	25
TREATMENT ACCOMMODATION				Criminal	108	106	104
Hearing Impaired	278	266	253	Sexual Predatory	18	19	14
Past or Current Military Service	234	235	242	Commitment Type Unknown	36	39	44

MISSOURI STUDENT SURVEY

	IVIIOO	CON		ر
Percent of students who have ever used:	2014	2012	2010	
Alcohol	39.3	43.9	47.2	
Cigarettes	24.8	26.3		
Chewing Tobacco	16.2	14.9	15.2	
Marijuana	13.1	15.7	15.7	
Inhalants	2.8	5.3	6.7	
Prescription medications not prescribed for student	6.6	9.1	11.4	
Over-the-counter medications for non-medical use	2.0	6.2	7.9	
Methamphetamine	0.4	1.4	1.0	
Cocaine	1.1	2.1	1.9	
Heroin	0.2	1.1	0.6	
Hallucinogens	1.3	2.6		
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.1	2.3		
Steroids not prescribed for student	0.6	1.7	1.2	
Synthetic drugs (K2, bath salts, Spice, etc)	3.4	6.6		
Average age of students' first use of:				
Alcohol		12.51		
Cigarettes		12.43		
Marijuana		13.63		
Inhalants	12.56	12.12	12.20	
Percent of students who, in past 30 days, used:				
Alcohol	14.8	20.4	22.0	
Alcohol (Binge: 5+ drinks on one occassion)		12.1	12.6	
Cigarettes	11.3	12.5	14.9	
Chewing Tobacco	7.1	8.1	8.2	
Marijuana	4.8	7.2	7.5	
Inhalants	0.7	2.3		
Prescription medications not prescribed for student	3.4	4.5		
Over-the-counter medications for non-medical use	1.3	3.9	4.8	
Percent of students who, in past 2 weeks, used:				
Alcohol (Binge: 5+ drinks on one occassion)	6.3			
Percent whose friends used in past 12 months:				
Alcohol	50.7	56.9	62.6	
Cigarettes	40.4	46.8	49.3	
Marijuana	23.9	34.6	35.1	
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	7.5	14.2	17.7	
Descent who would likely use if offered by a best friend				
Percent who would likely use, if offered by a best friend: Alcohol	29.4	35.4	36.7	
Cigarettes	12.8	16.5		
Marijuana	9.1	12.6		
•				
Percent who say it would be wrong to use:	50.0	50.0	50 4	
Alcohol	58.8	56.8	56.1	
Cigarettes Marijuana	81.5 83.9	77.6 82.3		
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.2	95.0		
Other mich (Cocame, ESD, Meth, Club Drug, etc)	31.2	33.0	34.3	
Percent whose parents would disapprove if they use:				
Alcohol	77.6	76.4	76.4	
Cigarettes	92.3	90.4	89.5	
Marijuana	95.1	93.9	94.6	
Percent who say it would be easy to obtain:				
Alcohol	54.4	57.6	60.4	
Cigarettes	50.4	53.8	56.9	
Marijuana	28.2	34.2		
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	11.0	16.3	17.7	

DENT SURVEY			
Percent who believe they risk harm if they use:	2014	2012	2010
Alcohol (1 or 2 drinks daily)	51.1		
Alcohol (Binge: 5+ drinks once or twice a week)	63.9		
Alcohol (any use)	03.3	67.6	77.5
Cigarettes (1+ packs per day)	83.5	07.0	11.5
	63.5	78.3	00.0
Cigarettes (any use)	65.5	10.3	80.8
Marijuana (once or twice a week)	65.5	70 E	70.4
Marijuana (any use)	00.0	73.5	70.1
Other: Cocaine, LSD, Meth, Club Drug (any use)	90.6	92.8	93.6
Percent of students who, in past 30 days:			
Were very sad	19.2	18.2	23.2
Were grouchy, irritable, or in a bad mood	27.1	24.7	29.3
Felt hopeless about the future	11.2	11.0	14.7
Felt like not eating or eating more than usual	16.6	16.9	20.9
Slept a lot more or a lot less than usual	17.3	19.3	27.5
Had difficulty concentrating on school work	23.9	22.8	25.0
Percent of students who, in past 12 months:			
Seriously considered attempting suicide	9.6	12.2	12.1
Made plan about how they would attempt suicide	7.1	8.9	8.0
Attempted suicide	3.6	5.7	5.1
Attempted suicide and resulting injury, poisonng, or overdose	3.0	5.7	5.1
had to be treated by doctor or nurse	1.3	2.0	1.9
Percent of students who, in past 12 months:			
Were threatened/injured with weapon at school	5.7	6.8	9.9
Were in a physical fight	19.1	21.8	23.0
Were in a fight and had to be treated by a doctor or nurse	2.2	3.7	3.9
		0.7	0.0
Percent of students who, in past 3 months:			
Were victims of mean rumors or lies spread at school	52.9	48.0	56.2
Were made fun of by others	60.7	61.3	68.3
Were victims of an embarrassing or hurtful text message or something posted on the internet	22.9	21.0	19.5
Spread mean rumors or lies about other kids at school	23.9	27.5	32.7
Made fun of other people	56.3	62.6	74.4
Posted something on the internet or sent a text that might			
embarrass or hurt another student	17.0	14.6	16.9
Percent of students who agree that:			
Teachers notice and comment on student's good work	73.5	67.8	72.2
School provides feedback to parents on positive student	75.5	07.0	12.2
performance	46.0	40.0	42.1
Rules are enforced fairly	64.6	61.0	65.1
Students of all races/ethnicities are treated equal	81.1	77.2	74.8
Percent of students who agree that:			
Parents notice and comment on student's good work	84.0	81.6	84.3
Parents involve student in making family decisions	66.8	67.8	70.3
It is important to be honest with parents regardless of			
consequences	89.0	84.6	82.7
Student could ask parent for help with a personal problem	81.5	75.4	77.8
Micsouri Student Survey is conducted bioppielly			

Missouri Student Survey is conducted biennially.
Similar affirmative response choices for individual questions are combined.
Blank data cells indicate estimates are not available for item or geographic area. Survey is not conducted in every school district nor reported for every county. Estimates are not available for counties with small numbers of respondents. Percentages are estimates based on weighted data.

Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

DBH REGIO	NC	Eastern		IMPAIRED DRIVING	2013	2012	2011
DBH SERVI	CE AREAS			Alcohol Involved CrashesTotal	1,577	1,667	1,674
Substan	ce Use	16, 22, 23	-25 (SL)	Fatal Crashes	33	35	42
Adult Ps	ychiatric	16, 22, 23	, 24, 25	Injury Crashes	592	626	615
POPULATION				Property Damage Crashes	952	1,006	1,017
Census		2,084,037		Crash Fatalities	42	37	45
2014 Es	timate	2,111,090		Crash Injuries	851	906	919
				Drug Involved CrashesTotal	328	322	272
				Fatal Crashes	7	13	10
BIRTH RISK	2013	2012	2011	Injury Crashes	125	138	119
Resident BirthsTotal	25,755	25,740	26,480	Property Damage Crashes	196	171	143
Mother Reported Smoking while Pregna	nt 3,256	3,429	3,511	Crash Fatalities	9	15	10
1				Crash Injuries	178	209	121
DISEASE INCIDENCE 1	2013	2012	2011	POLICE REPORTS	2013	2012	2011
HIV/AIDS Cases	241	286	234	DUI Arrests, DWI Tracking System	9,327	10,792	10,211
Hepatitis B Chronic, Acute, Prenatal	218	211	190	Liquor Law Arrests	2,894	3,816	3,747
Hepatitis C Chronic and Acute	1,774	1,629	1,805	Drug Arrests	15,621	16,477	16,646
Tuberculosis Infection Cases	1,364	1,149	1,258	Violent Offenses	9,377	10,013	10,584
DEATHS and INJURIES	2013	2012	2011	Property Offenses	60,021	64,018	69,215
Resident DeathsTotal	18,339	18,081	17,974	Domestic Violence Reports	10,311	10,721	11,143
Suicides	290	293	296	•	2014	2013	2012
Self-inflicted Injuries	1,951	2,286	2,352	Methamphetamine Lab Seizures	485	559	805
Homicides	178	194	184				
Assault Injuries	7,841	8,879	8,797	SCHOOL REPORTS	2013-14	2012-13	2011-12
Alcohol Induced Deaths	150	150	108	Enrollment Grades 9-12	90,558	91,488	92,530
Drug Induced Deaths	442	356	414	Drop-outs	2,717	2,715	3,632
Smoking Attributable Deaths	2,979	2,985	2,939	Drop-out Rate	3.0%	3.0%	3.9%
-				School Discipline Involving Alcohol	133	113	167
HOSPITAL EPISODES 2	2013	2012	2011	School Discipline Involving Drugs	734	905	1,104
Hospitalization, no Emergency Room:				School Discipline Involving Tobacco	14	17	14
Mental Illness Principal Diagnosis	14,293	11,162	12,395	JUVENILE COURT REFERRALS 3	2013	2012	2011
Mental Illness Secondary Diagnosis	26,078	19,019	21,938	Juvenile Violent Offenses	2,494	2,788	2,845
Alcohol Principal Diagnosis	1,095	793	867	Juvenile Alcohol Offenses	307	428	359
Alcohol Secondary Diagnosis	2,453	1,213	1,886	Juvenile Drug Offenses	818	919	954
Drug Principal Diagnosis	1,410	1,249	1,591	School Truancy Status Offense	1,193	951	1,031
Drug Secondary Diagnosis Emergency Room + Hospitalization:	2,853	1,565	1,987	Absent from Home Status Offense	1,294	1,463	1,356
Mental Illness Principal Diagnosis	11,498	14,674	12,822	Beyond Parental Control Status Offense	307	301	356
Mental Illness Secondary Diagnosis	38,264	47,047	44,008	Injurious Behavior Status Offense	357	379	374
Alcohol Principal Diagnosis	1,212	1,532	1,259	Child Abuse	812	785	716
Alcohol Secondary Diagnosis	4,206	5,274	4,473	Child Neglect	2,681	2,262	2,009
Drug Principal Diagnosis	878	1,016	986	Child Custody Issues	404	453	622
Drug Secondary Diagnosis	2,814	4,102	3,506	JUVENILE COURT PLACEMENTS	2013	2012	2011
Emergency Room, no Hospitalization:	2,011	1,102	0,000	Out-of-Home PlacementsTotal	1,395	1,359	1,285
Mental Illness Principal Diagnosis	17,126	17,699	16,582	Parental Alcohol Use Related	46	35	42
Mental Illness Secondary Diagnosis	63,637	60,733	46,594	Parental Drug Use Related	452	561	452
Alcohol Principal Diagnosis	4,611	4,809	4,227	Parental Alcohol and Drug Use	29	23	36
Alcohol Secondary Diagnosis	4,129	4,397	3,824	The second of th			
Drug Principal Diagnosis	3,417	3,544	3,990	CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Secondary Diagnosis	5,491	5,829	5,903	Drug Court Participants	1,369	1,529	1,483
, ,	,	•	•	Probation/Parole AdmissionsDrug	3,902	3,606	3,211
ALCOHOL OUTLETS	2014	2013	2012	Probation/Parole AdmissionsDWI	764	709	659
Alcohol On-Premise Drink Licenses	2,881	2,858	2,890	Prison AdmissionsDrug	1,634	1,497	1,470
Alcohol Package Carry-out Licenses	1,341	1,340	1,371	Prison AdmissionsDWI	219	236	233
EMPLOYMENT	2014	2013	2012	1 All Kansas City hepatitis and TB case report	ts are include	ed in Jackson	County
Labor Force		1,064,232		totals and all Joplin case reports are include	ed in Jasper C	County totals.	
Employed	1,045,496	992,122	989,098	2 Beginning with 2010 data, diagnosis counts based on codes developed by the Healthcar			
Unamplayed	67.024	72,122	305,030 75,496	3 Beginning in 2013, juvenile municipal violation			

²⁰¹⁵ Status Report on Missouri's Substance Use and Mental Health

67,021

6.0%

72,110

6.8%

75,486

7.1%

Unemployed

Unemployment Rate

3 Beginning in 2013, juvenile municipal violations, infractions, and violations of

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	1,397	1,606	1,618
CSTAR Adolescent	647	644	612
CSTAR Women and Children	1,386	1,280	1,413
CSTAR General Adult	3,773	3,243	3,029
CSTAR Opioid	457	511	534
Primary Recovery Treatment	631	971	1,229
Clinical SATOP (CIP, YCIP, SROP)	2,252	2,426	2,221
Other Substance Abuse Treatment	719	655	723

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	8,002	8,713	8,815
- Adolescent Diversion Education Prograr	385	262	258
- Offender Education Program	2,922	3,287	3,495
- Weekend Intervention Program	1,615	1,821	1,865
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	422	468	572
Compulsive Gambling	57	89	94
Recovery Supports	90	69	37
Early Intervention	867	834	224

, 6	FY2014	FY2013	FY2012		FY2014	FY2013	FY2012
NUMBER ADMITTED	0.000	0.500	0.400	PRIMARY DRUG PROBLEM	0.077	0.575	2.502
Total Individuals	9,608	9,583	9,490	Alcohol	3,377	3,575	3,503
AGE				Marijuana / Hashish	1,885	1,826	1,831
Under 18	661	654	626	Cocaine (total)	607	568	872
18 to 24	1,360	1,448	1,514	- Crack	491	437	621
25 to 29	1,600	1,638	1,618	Stimulant (total)	492	423	331
30 to 34	1,609	1,579	1,543	- Methamphetamine	445	391	299
35 to 39	1,152	1,068	997	Heroin	2,750	2,669	2,491
40 to 44	877	911	944	Analgesic except Heroin	338	351	311
45 to 54	1,627	1,670	1,698	- Non-Prescription Methadone	7	6	12
55 and Over	722	615	550	PCP, LSD, other Hallucinogen	54	43	58
				Tranquilizer	53 *	57	39
GENDER	0.040	0.450	0.000	Inhalant		6	7
Male	6,349	6,453	6,289	Sedative	11	11	7
Female	3,257	3,130	3,199	Other Medication or Illicit Drug	44	54	40
RACE / ETHNICITY				Average Age at First Use of Drug	19.4	19.1	19.1
Caucasian	5,911	6,019	5,764				
African American	3,385	3,259	3,444	INJECTION DRUG USE	0.405	0.000	4
Native American / Alaskan	17	7	7	Any Injection Use at Admission	2,135	2,020	1,777
Asian / Pacific Islander	19	21	26	- Daily Injection Use	1,070	958	868
Hispanic	105	103	108	- Weekly Injection Use	445	434	380
Other Race / Two or More Races	211	217	182	- Less than Weekly Injection Use	620	628	529
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	3,274	3,210	3,270	0	5,884	5,669	5,873
High School Graduate or G.E.D.	3,879	3,901	3,974	1 or 2	2,452	2,543	2,411
Associate Degree or Some College	2,337	2,353	2,117	3 or More	1,272	1,371	1,206
Bachelor or Advanced Degree	115	117	129	TOTATACNT DESERBAL COURCE			
ENADLOVA AFAIT				TREATMENT REFERRAL SOURCE Self / Family / Friend	3,358	3,225	3,186
EMPLOYMENT Employed	2,676	2,438	2,384	School	3,336 81	56	3,100
Unemployed	3,270	3,520	3,616	Mental Health Provider	76	68	57
Not in Labor Force	3,662	3,625	3,490	Health Care Provider	365	296	266
Not in Labor Force	3,002	3,023	3,490	Court / Criminal Justice	4,736	5,044	5,096
HOUSING / LIVING ARRANGEMENT				Other Referral Source	861	773	802
Independent Living	7,549	7,535	7,152	Other Referral Source	001	113	002
Dependent Living	1,116	1,088	1,101	TREATMENT ACCOMMODATION			
Homeless	555	555	741	Pregnant when Admitted to any Episode	276	216	245
MADITAL / CAMBUV STATUS				Military Veteran	425	425	390
MARITAL / FAMILY STATUS Never Married	6,518	6,500	6,378	Special Education Services Needed	778	698	646
Married / Cohabitating	1,628	1,634	1,626	Co-Occurring Psychological Problem	2,808	2,778	2,784
Previously Married	1,462	1,449	1,486	Co-Occurring Developmental Problem	284	460	393
1 10 110 doly Marriod	1,-02	1,440	1,400	Co Coddining Dovolopmontal Flobicin	204	400	000

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Eastern **PSYCHIATRIC SERVICE AREA** 16, 22, 23, 24, 25 CENSUS 2010 2,084,037 **2014 POPULATION ESTIMATE** 2,111,090

served because some individuals had more than one type of disorder.						
DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012			
Adjustment Disorder	213	228	252			
Anxiety Disorder	5,108	4,355	4,084			
Dementia	37	32	37			
Developmental Disorder	300	287	296			
Impulse Control Disorder	2,999	2,774	2,713			
Mood Disorder	12,014	11,023	10,757			
Personality Disorder	1,433	1,298	1,287			
Psychotic Disorder	5,276	5,083	5,051			
Sexual Disorder	34	32	18			

793

1,268

696

1,482

666

1,989

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

Other Diagnosis

Diagnosis Unknown

NUMBER SERVED	FY2014	FY2013	FY2012	EDUCATION	FY2014	FY2013	FY2012
Total Individuals	19,786	19,016	19,131	Less than High School Diploma	5,306	5,365	3,288
465				High School Grad or G.E.D.	9	77	2,597
AGE Under 6	84	88	63	Associate Degree or Some College	5	26	1,339
6 to 9	943	882	804	Bachelor or Advanced Degree	*	11	595
10 to 13				Education Level Unknown	14,463	13,537	11,312
14 to 17	1,218	1,150	1,188	54404 01/4 454/5			
	1,453	1,436	1,436	EMPLOYMENT	1 070	1 107	1 120
18 to 24	1,625	1,615	1,720	Employed	1,270	1,137	1,139
25 to 29	1,477	1,443	1,566	Unemployed	1,319	1,220	5,931
30 to 34	1,779	1,631	1,652	Not in Labor Force	10,055	9,973	2,054
35 to 39	1,531	1,427	1,447	Employment Status Unknown	7,142	6,686	10,007
40 to 44	1,706	1,683	1,695				
45 to 49	2,054	2,106	2,223	HOUSING / LIVING ARRANGEMENT			
50 to 54	2,342	2,312	2,216	Independent Living	6,931	6,521	7,092
55 to 59	1,899	1,739	1,615	Dependent Living	4,993	5,253	2,074
60 and Over	1,675	1,504	1,506	Homeless	529	412	324
Age Unknown	0	0	0	Other	*	0	153
GENDER				Housing Unknown	7,332	6,830	9,488
Male	9,617	9,292	9,421				
Female	10,169	9,724	9,710	TREATMENT REFERRAL SOURCE			
Gender Unknown	0,109	0,724	9,710	Self / Family / Friend	6,091	5,753	5,725
Gerider Offkriowif	U	U	U	School	893	823	693
RACE / ETHNICITY				Mental Health Provider	1,941	2,147	2,412
Caucasian	10,964	10,456	10,638	Health Care Provider	3,238	2,764	2,246
African American	7,858	7,692	7,658	Court / Criminal Justice	914	980	1,112
Native American / Alaskan	18	18	23	Other	6,605	6,432	6,803
Asian / Pacific Islander	76	76	64	Referral Source Unknown	104	117	140
Hispanic	244	212	200				
Other Race	626	561	547	TYPE OF COMMITMENT	10.004	40.500	40.570
Race/Ethnicity Unknown	0	*	*	Voluntary	19,331	18,508	18,579
•				Civil	50	61	69
TREATMENT ACCOMMODATION	_			Criminal	283	308	327
Hearing Impaired	578	516	460	Sexual Predatory	13	15	18
Past or Current Military Service	440	397	443	Commitment Type Unknown	109	124	138

MISSOURI STUDENT SURVEY

Percent of students who have ever used:	2014	2012	2010
Alcohol	32.0	38.0	43.9
Cigarettes	14.8		24.2
Chewing Tobacco	4.8	5.6	6.7
Marijuana	18.0	18.9	20.7
Inhalants	2.5	4.9	5.9
Prescription medications not prescribed for student	7.1	8.4	10.1
Over-the-counter medications for non-medical use	3.0	5.8	7.4
Methamphetamine	0.4	1.0	0.6
Cocaine	1.0	1.5	1.5
Heroin	0.3		0.6
Hallucinogens	1.9	2.9	3.2
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.5	2.2	2.2
Steroids not prescribed for student	0.9	1.2	0.9
Synthetic drugs (K2, bath salts, Spice, etc)	2.8	5.8	
Average age of students' first use of:			
Alcohol	13.21	12.95	12.71
Cigarettes	13.20	12.69	12.53
Marijuana	13.95	13.82	13.64
Inhalants	11.96	11.53	11.70
Percent of students who, in past 30 days, used:			
Alcohol	14.8	17.8	21.4
Alcohol (Binge: 5+ drinks on one occassion)	14.0	10.1	11.1
Cigarettes	6.0	9.6	12.4
Chewing Tobacco	2.3		3.5
Marijuana Marijuana	10.2		
Inhalants	1.1		_
Prescription medications not prescribed for student	3.8		6.4
Over-the-counter medications for non-medical use	1.5	_	4.6
Descent of aturdants who in most 2 weeks wood.			
Percent of students who, in past 2 weeks, used: Alcohol (Binge: 5+ drinks on one occassion)	6.2		
Alcohol (blinge: 5+ drinks off one occassion)	0.2		
Percent whose friends used in past 12 months:			
Alcohol	44.8	51.0	58.2
Cigarettes		40.1	45.5
Marijuana	37.3		_
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	12.4	15.3	18.0
Percent who would likely use, if offered by a best friend:			
Alcohol	24.1	30.1	34.2
Cigarettes	8.2	11.0	12.8
Marijuana	15.9	15.1	16.8
Percent who say it would be wrong to use:			
Alcohol	66.9	62.1	57.3
Cigarettes	88.6	83.6	80.5
Marijuana	76.2	78.2	77.3
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	95.5	95.3	
	00.0	00.0	0
Percent whose parents would disapprove if they use:			
Alcohol	82.2	80.1	78.1
Cigarettes	94.7		90.8
Marijuana	91.5	92.8	92.3
Percent who say it would be easy to obtain:			
Alcohol	52.7	58.1	61.6
Cigarettes	44.6	51.1	56.2
Marijuana	38.7		43.6
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	14.9	17.6	19.8

DENI SURVEY			
December 1. It is a state of the second state	2014	2012	2010
Percent who believe they risk harm if they use:	64.0		
Alcohol (1 or 2 drinks daily) Alcohol (Binge: 5+ drinks once or twice a week)	64.9 76.0		
Alcohol (any use)	70.0	70.2	72.2
Cigarettes (1+ packs per day)	87.4	10.2	12.2
Cigarettes (any use)	07.4	83.2	82.5
Marijuana (once or twice a week)	62.5	00.2	02.0
Marijuana (any use)		69.7	71.3
Other: Cocaine, LSD, Meth, Club Drug (any use)	92.0	93.1	93.0
Percent of students who, in past 30 days:			
Were very sad	19.8	17.6	19.3
Were grouchy, irritable, or in a bad mood	24.6	23.7	24.6
Felt hopeless about the future	11.8	10.9	11.9
Felt like not eating or eating more than usual	17.8	16.6	18.4
Slept a lot more or a lot less than usual	19.3	19.8	25.8
Had difficulty concentrating on school work	24.9	23.8	24.6
Percent of students who, in past 12 months:			
Seriously considered attempting suicide	12.0	11.8	11.5
Made plan about how they would attempt suicide	8.6	8.6	8.3
Attempted suicide	5.2	5.9	5.5
Attempted suicide and resulting injury, poisonng, or overdose had to be treated by doctor or nurse	1.9	2.0	2.0
Percent of students who, in past 12 months:			
Were threatened/injured with weapon at school	6.6	6.2	9.3
Were in a physical fight	20.7	21.2	23.8
Were in a fight and had to be treated by a doctor or nurse	4.0	3.8	4.1
Percent of students who, In past 3 months:			
Were victims of mean rumors or lies spread at school	44.4	45.1	50.0
Were made fun of by others	57.3	60.1	67.7
Were victims of an embarrassing or hurtful text message or something posted on the internet	25.1	20.1	19.1
Spread mean rumors or lies about other kids at school	25.1	28.5	33.3
Made fun of other people	54.7	63.8	74.1
Posted something on the internet or sent a text that might embarrass or hurt another student	17.5	15.6	19.4
Percent of students who agree that:			
Teachers notice and comment on student's good work	73.3	70.1	71.9
School provides feedback to parents on positive student	44.2	40 E	40.0
performance	44.3	40.5	42.2
Rules are enforced fairly	67.8	64.1	65.6
Students of all races/ethnicities are treated equal	76.1	72.3	76.0
Percent of students who agree that:			
Parents notice and comment on student's good work	82.8	83.1	83.5
Parents involve student in making family decisions	70.3	70.2	70.2
It is important to be honest with parents regardless of consequences	87.0	84.3	81.4
Student could ask parent for help with a personal problem	78.4	76.8	76.2

Missouri Student Survey is conducted biennially.
Similar affirmative response choices for individual questions are combined.
Blank data cells indicate estimates are not available for item or geographic area. Survey is not conducted in every school district nor reported for every county. Estimates are not available for counties with small numbers of respondents. Percentages are estimates based on weighted data.

Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

DIVIDION OF BEIN		/\ <u>_</u>	-/ \	1000111WEST RESI	5 14		
DBH RE	GION	Southwest		IMPAIRED DRIVING	2013	2012	2011
DBH SEI	RVICE AREAS			Alcohol Involved CrashesTotal	993	1,027	1,056
Subst	ance Use	8, 9, 10		Fatal Crashes	29	34	38
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Psychiatric	8A, 8B, 9,	10	Injury Crashes	414	443	459
POPULA				Property Damage Crashes	550	550	559
	us 2010	926,656		Crash Fatalities	32	36	41
2014	Estimate	940,989		Crash Injuries	562	612	661
73				Drug Involved CrashesTotal	240	249	256
				Fatal Crashes	9	4	7
BIRTH RISK	2013	2012	2011	Injury Crashes	110	104	114
Resident BirthsTotal	11,493	11,597	11,603	Property Damage Crashes	121	141	135
Mother Reported Smoking while Preg		2,264	2,397	Crash Fatalities	10	5	7
		•		Crash Injuries	164	148	129
DISEASE INCIDENCE 1	2013	2012	2011	DOLLOS DEPORTS	2013	2012	2011
HIV/AIDS Cases	28	40	38	POLICE REPORTS DUI Arrests, DWI Tracking System	5,432	5,995	6,173
Hepatitis B Chronic, Acute, Prenatal	92	73	72	Liquor Law Arrests	3,432 877	1,115	1,170
Hepatitis C Chronic and Acute	925	869	952	Drug Arrests	4,698	4,492	4,020
Tuberculosis Infection Cases	296	279	349	Violent Offenses	4,090 4,172	4,492	3,528
DEATHS and INVIDES	2012	2012	2011	Property Offenses	37,176	37,963	35,769
DEATHS and INJURIES Resident DeathsTotal	2013	2012	2011	Domestic Violence Reports	8,530	8,780	8,409
	9,675	9,269	9,185	Domestic violence Reports		•	
Suicides Solf inflicted Injuries	148	139	157	Methamphetamine Lab Seizures	2014 203	2013 313	2012 398
Self-inflicted Injuries	1,298	1,293	1,399	Methamphetamine Lab Seizures	203	313	330
Homicides	27 2,630	42 2,953	28	SCHOOL REPORTS	2013-14	2012-13	2011-12
Assault Injuries Alcohol Induced Deaths	2,630 75	2,955	2,909 64	Enrollment Grades 9-12	41,522	41,638	41,181
Drug Induced Deaths	146	142	167	Drop-outs	677	797	972
Smoking Attributable Deaths	1,797	1,696	1,595	Drop-out Rate	1.6%	1.9%	2.4%
Smoking Attributable Deaths	1,797	1,090	1,595	School Discipline Involving Alcohol	90	129	85
HOSPITAL EPISODES 2	2013	2012	2011	School Discipline Involving Drugs	421	421	445
Hospitalization, no Emergency Room:				School Discipline Involving Tobacco	20	12	57
Mental Illness Principal Diagnosis	5,697	5,369	5,841	3	2042	2042	2011
Mental Illness Secondary Diagnosis	11,495	12,160	13,407	JUVENILE COURT REFERRALS 3	2013	2012	2011
Alcohol Principal Diagnosis	422	473	445	Juvenile Violent Offenses Juvenile Alcohol Offenses	1,035	1,271	1,319
Alcohol Secondary Diagnosis	696	805	1,020		149	207	215
Drug Principal Diagnosis	430	485	368	Juvenile Drug Offenses	318	398	413
Drug Secondary Diagnosis	735	738	846	School Truancy Status Offense Absent from Home Status Offense	297 229	295 300	406 361
Emergency Room + Hospitalization:				Beyond Parental Control Status Offense	229 268	300 417	486
Mental Illness Principal Diagnosis	4,865	4,638	3,579	Injurious Behavior Status Offense	753	828	954
Mental Illness Secondary Diagnosis	16,578	14,704	12,109		755 514	483	603
Alcohol Principal Diagnosis	1,494	1,477	1,251	Child Abuse Child Neglect	2,284		
Alcohol Secondary Diagnosis	1,805	1,704	1,482	Child Custody Issues	583	2,401 544	2,314 308
Drug Principal Diagnosis	1,042	1,071	795	Crilla Custody Issues	303	344	300
Drug Secondary Diagnosis	1,321	1,131	1,009	JUVENILE COURT PLACEMENTS	2013	2012	2011
Emergency Room, no Hospitalization:				Out-of-Home PlacementsTotal	1,481	1,369	1,480
Mental Illness Principal Diagnosis	7,955	8,697	8,699	Parental Alcohol Use Related	33	62	64
Mental Illness Secondary Diagnosis	46,145	44,436	26,874	Parental Drug Use Related	584	536	501
Alcohol Principal Diagnosis	2,839	2,839	2,633	Parental Alcohol and Drug Use	28	36	51
Alcohol Secondary Diagnosis	2,482	2,637	2,417	COUNTY AND ALL MICTIOS	EV204.4	EV2042	EV2012
Drug Principal Diagnosis	2,049	2,132	1,966	CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Secondary Diagnosis	3,145	3,021	2,603	Drug Court Participants	1,807	1,557	1,344
				Probation/Parole AdmissionsDrug Probation/Parole AdmissionsDWI	2,074	1,831 527	1,851 524
ALCOHOL OUTLETS	2014	2013	2012		488 978	527 993	524 913
Alcohol On-Premise Drink Licenses	938	933	950	Prison AdmissionsDrug			
Alcohol Package Carry-out Licenses	960	849	955	Prison AdmissionsDWI	185	204	191
EMPLOYMENT	2014	2013	2012	1 All Kansas City hepatitis and TB case repor			County
Labor Force	453,322	456,912	453,338	totals and all Joplin case reports are include Beginning with 2010 data, diagnosis counts			es are
Employed	426,990	429,001	423,094	based on codes developed by the Healthcar			
Unample ved	26,222	07.044	20 244	3 Beginning in 2013, juvenile municipal violati	ons, infractio	ns, and violat	ions of

based on codes developed by the Healthcare Cost and Utilization Project.

5.8%

26,332 27,911 30,244

6.1%

6.7%

Unemployed

Unemployment Rate

³ Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	1,144	1,227	1,142
CSTAR Adolescent	334	354	414
CSTAR Women and Children	702	687	578
CSTAR General Adult	2,607	2,740	2,618
CSTAR Opioid	6	*	0
Primary Recovery Treatment	991	863	1,108
Clinical SATOP (CIP, YCIP, SROP)	820	772	703
Other Substance Abuse Treatment	5	9	8

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	3,705	3,840	4,116
- Adolescent Diversion Education Prograr	67	94	103
- Offender Education Program	1,353	1,489	1,593
- Weekend Intervention Program	728	813	792
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	204	249	267
Compulsive Gambling	*	5	7
Recovery Supports	1,618	1,953	1,615
Early Intervention	263	243	398

NUMBER ADMITTED	FY2014	FY2013	FY2012	PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Total Individuals	6,083	6,329	6,236	Alcohol	2,327	2,528	2,547
				Marijuana / Hashish	1,277	1,211	1,333
AGE	20.4	074	400	Cocaine (total)	50	73	124
Under 18	334	371	422	- Crack	27	30	76
18 to 24	963	1,034	1,131	Stimulant (total)	1,648	1,640	1,422
25 to 29	1,034	1,127	1,104	- Methamphetamine	1,588	1,582	1,378
30 to 34	1,036	1,073	981	Heroin	136	119	114
35 to 39	785	754	664	Analgesic except Heroin	521	586	515
40 to 44	631	640	639	- Non-Prescription Methadone	7	18	11
45 to 54	973	982	1,001	PCP, LSD, other Hallucinogen	11	26	28
55 and Over	327	348	294	Tranquilizer	60	78	93
GENDER				Inhalant	8	11	9
Male	3,934	4,162	4,200	Sedative	10	10	8
Female	2,149	2,167	2,035	Other Medication or Illicit Drug	30	47	43
	, -	, -	,	Average Age at First Use of Drug	17.6	17.7	17.2
RACE / ETHNICITY							
Caucasian	5,571	5,808	5,707	INJECTION DRUG USE			
African American	217	245	261	Any Injection Use at Admission	1,139	1,174	1,064
Native American / Alaskan	30	22	20	- Daily Injection Use	231	232	191
Asian / Pacific Islander	19	17	20	- Weekly Injection Use	311	329	275
Hispanic	152	154	146	- Less than Weekly Injection Use	597	613	598
Other Race / Two or More Races	159	141	131	Loos than Workly Injection Coo	001	0.10	000
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	1,974	2,206	2,162	0	3,202	3,240	3,135
High School Graduate or G.E.D.	2,675	2,687	2,686	1 or 2	1,806	1,941	1,939
Associate Degree or Some College	1,379	1,389	1,335	3 or More	1,075	1,148	1,162
Bachelor or Advanced Degree	55	47	53	T054T454T 0555D044 604965			
514010144515				TREATMENT REFERRAL SOURCE	1.071	2.020	0.476
EMPLOYMENT	4.704	4 700	4 704	Self / Family / Friend	1,971	2,928	2,176
Employed	1,761	1,783	1,784	School	16	18	11
Unemployed	2,152	2,260	2,277	Mental Health Provider	80	82	59
Not in Labor Force	2,170	2,286	2,175	Health Care Provider	398	372	252
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	2,700	2,133	2,959
Independent Living	4,818	5,014	4,928	Other Referral Source	874	759	765
Dependent Living	706	704	774				
Homeless	381	429	353	TREATMENT ACCOMMODATION			
				Pregnant when Admitted to any Episode	111	89	92
MARITAL / FAMILY STATUS	0.001	0.05-	0.044	Military Veteran	261	294	286
Never Married	2,921	3,055	3,044	Special Education Services Needed	497	605	557
Married / Cohabitating	1,606	1,595	1,593	Co-Occurring Psychological Problem	2,493	2,566	2,228
Previously Married	1,556	1,679	1,599	Co-Occurring Developmental Problem	205	255	161

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



 DBH REGION
 Southwest

 PSYCHIATRIC SERVICE AREA
 8A, 8B, 9, 10

 CENSUS 2010
 926,656

 2014 POPULATION ESTIMATE
 940,989

served because some individuals had more than one type of disorder. FY2014 FY2013 FY2012 **DIAGNOSIS CATEGORY** Adjustment Disorder 473 464 605 **Anxiety Disorder** 3,654 3,932 3,913 Dementia 26 21 24 **Developmental Disorder** 171 191 198 Impulse Control Disorder 1,408 1,452 1,626 **Mood Disorder** 5,709 5,986 5,943

1,238

1,614

31

960

1,469

1,109

1,599

33

830

1,543

990

787

1,450

6

1,697

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

Personality Disorder

Psychotic Disorder

Diagnosis Unknown

Sexual Disorder

Other Diagnosis

NUMBER SERVED	FY2014	FY2013	FY2012	EDUCATION	FY2014	FY2013	FY2012
Total Individuals	10,033	10,801	11,127	Less than High School Diploma	2,833	2,663	1,605
AGE				High School Grad or G.E.D.	*	15	1,492
Under 6	224	228	236	Associate Degree or Some College	0	6	613
6 to 9	592	665	756	Bachelor or Advanced Degree	0	0	148
10 to 13	734	776	854	Education Level Unknown	7,199	8,117	7,269
14 to 17	682	746	890	EMPLOYMENT			
18 to 24	801	899	903	Employed	494	393	451
25 to 29	813	936	884	Unemployed	471	482	2,914
30 to 34	922	1,015	1,030	Not in Labor Force	5,217	5,085	1,198
35 to 39	918	947	945	Employment Status Unknown	3,851	4,841	6,564
40 to 44	932	1,043	1,056	Employment Status Officiowin	3,001	4,041	0,504
45 to 49	1,023	1,130	1,170	HOUSING / LIVING ARRANGEMENT			
50 to 54	1,023	1,134	1,106	Independent Living	3,299	3,068	3,293
55 to 59	748	738	716	Dependent Living	2,592	2,519	1,319
60 and Over	563	544	581	Homeless	168	208	113
Age Unknown	0	0	0	Other	0	*	81
Ago officioni	Ü	Ū	O	Housing Unknown	3,974	5,004	6,321
GENDER				riodoling Officiown	0,014	0,004	0,021
Male	4,684	4,989	5,174	TREATMENT REFERRAL SOURCE			
Female	5,349	5,812	5,953	Self / Family / Friend	6,604	7,312	7,569
Gender Unknown	0	0	0	School	57	60	7,505 59
RACE / ETHNICITY				Mental Health Provider	328	388	470
Caucasian	9,193	9,956	10,274	Health Care Provider	1,105	987	880
African American	262	262	229	Court / Criminal Justice	536	539	540
Native American / Alaskan	35	27	44	Other	1,295	1,401	1,480
Asian / Pacific Islander	16	16	21	Referral Source Unknown	108	114	129
Hispanic	249	227	228	Referral Godice Officiowii	100	117	125
Other Race	278	313	331	TYPE OF COMMITMENT			
Race/Ethnicity Unknown	0	0	0	Voluntary	9,662	10,380	10,561
rade/Eurnolty Offichewit	O	O	O	Civil	199	249	371
TREATMENT ACCOMMODATION				Criminal	53	45	56
Hearing Impaired	259	261	270	Sexual Predatory	11	11	6
Past or Current Military Service	208	214	245	Commitment Type Unknown	108	116	133

MISSOURI STUDENT SURVEY

	IVIIOO	OUI	510	DENI SCRVET
Percent of students who have ever used:	2014	2012	2010	Percent who believe they risk harm
Alcohol	31.9	34.0	39.8	Alcohol (1 or 2 drinks daily)
Cigarettes	21.2	23.4	27.8	Alcohol (Binge: 5+ drinks once or t
Chewing Tobacco	12.4	12.6	14.8	Alcohol (any use)
Marijuana	13.3	14.1	16.0	Cigarettes (1+ packs per day)
Inhalants	3.3	5.8	7.1	Cigarettes (any use)
Prescription medications not prescribed for student	7.5	8.4	11.8	Marijuana (once or twice a week)
Over-the-counter medications for non-medical use	2.9	6.2	8.4	Marijuana (any use)
Methamphetamine	0.8	1.4	1.1	Other: Cocaine, LSD, Meth, Club I
Cocaine	1.0	1.8	1.7	Percent of students who, in past 30
Heroin Hallucinogens	0.4 2.3	0.9 3.1	0.7 3.3	Were very sad
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.9	2.2	2.3	Were grouchy, irritable, or in a bad
Steroids not prescribed for student	0.7	1.4	1.1	Felt hopeless about the future
Synthetic drugs (K2, bath salts, Spice, etc)	3.6	7.4	1	Felt like not eating or eating more
	0.0	,		Slept a lot more or a lot less than
Average age of students' first use of:	40.00	40.44	40.40	Had difficulty concentrating on sch
Alcohol		12.44		Percent of students who, in past 12
Cigarettes		12.17		Seriously considered attempting s
Marijuana		13.11		Made plan about how they would a
Inhalants	12.01	12.05	12.23	Attempted suicide
Percent of students who, in past 30 days, used:				Attempted suicide and resulting in
Alcohol	12.8	13.9	17.0	had to be treated by doctor or nurs
Alcohol (Binge: 5+ drinks on one occassion)		8.0	11.1	Percent of students who, in past 12
Cigarettes	8.9	10.7	14.3	Were threatened/injured with wear
Chewing Tobacco	6.4	6.6	7.9	Were in a physical fight
Marijuana	6.0	6.7	8.0	Were in a fight and had to be treat
Inhalants	1.2	2.4	3.1	Percent of students who, in past 3 n
Prescription medications not prescribed for student	3.2	4.4	6.7	Were victims of mean rumors or lie
Over-the-counter medications for non-medical use	1.6	3.7	5.0	Were made fun of by others
Percent of students who, in past 2 weeks, used:				Were victims of an embarrassing of
Alcohol (Binge: 5+ drinks on one occassion)	5.9			something posted on the internet
Percent whose friends used in past 12 months:				Spread mean rumors or lies about
Alcohol	40.9	47.0	54.8	Made fun of other people
Cigarettes	33.9	40.3	46.8	Posted something on the internet of
Marijuana	27.3	30.9	35.4	embarrass or hurt another student
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	11.1	14.8	18.8	Percent of students who agree that:
Demont who would likely you if offered by a boot friend.				Teachers notice and comment on
Percent who would likely use, if offered by a best friend: Alcohol	22.1	25.3	29.6	School provides feedback to parer
Cigarettes	11.6	12.9	15.7	performance
Marijuana	11.2	11.8	13.1	Rules are enforced fairly
Manjaana	11.2	11.0	10.1	Students of all races/ethnicities are
Percent who say it would be wrong to use:				Percent of students who agree that:
Alcohol	68.8	66.9	63.1	Parents notice and comment on st
Cigarettes	84.4	81.8	77.0	Parents involve student in making
Marijuana Other Illieit (Cooping J.S.D. Meth. Club Paus, etc.)	82.8	83.1	81.9	It is important to be honest with pa
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.6	95.1	94.2	consequences
Percent whose parents would disapprove if they use:				Student could ask parent for help
Alcohol	83.5	82.6	80.6	,
Cigarettes	93.1	91.9	89.7	Missouri Student Survey is conduct
		93.9	93.2	Similar affirmative response choice
Marijuana	93.4	50.5		Blank data celle indicate estimatos
	93.4	00.0		Blank data cells indicate estimates Survey is not conducted in every so
Marijuana Percent who say it would be easy to obtain: Alcohol	93.4 47.6	50.9	54.7	Survey is not conducted in every so Estimates are not available for cour
Percent who say it would be easy to obtain:			54.7 56.4	Survey is not conducted in every so
Percent who say it would be easy to obtain: Alcohol	47.6	50.9		Survey is not conducted in every so Estimates are not available for cour Percentages are estimates based of

DENT SURVET			
	2014	2012	2010
Percent who believe they risk harm if they use:			
Alcohol (1 or 2 drinks daily)	60.8		
Alcohol (Binge: 5+ drinks once or twice a week)	72.6		
Alcohol (any use)		73.3	75.9
Cigarettes (1+ packs per day)	86.0	00.4	00.0
Cigarettes (any use)		82.1	80.0
Marijuana (once or twice a week)	69.1		
Marijuana (any use)		74.5	74.9
Other: Cocaine, LSD, Meth, Club Drug (any use)	92.8	93.7	93.0
Percent of students who, in past 30 days:			
Were very sad	21.8	19.2	19.5
Were grouchy, irritable, or in a bad mood	24.1	23.1	24.0
Felt hopeless about the future	12.5	10.7	11.7
Felt like not eating or eating more than usual	17.7	17.5	18.1
Slept a lot more or a lot less than usual	17.3	19.7	25.6
Had difficulty concentrating on school work	22.6	22.0	24.9
Percent of students who, in past 12 months:			
Seriously considered attempting suicide	12.3	11.9	11.7
Made plan about how they would attempt suicide	9.2	8.6	8.7
Attempted suicide	5.4	5.4	5.5
Attempted suicide and resulting injury, poisoning, or overdose		-	
had to be treated by doctor or nurse	1.9	1.8	2.3
Percent of students who, in past 12 months:			
Were threatened/injured with weapon at school	6.7	6.8	9.9
Were in a physical fight	17.8	20.0	22.7
Were in a fight and had to be treated by a doctor or nurse	3.0	3.5	3.9
Percent of students who, in past 3 months:	500	40.4	- 4 -
Were victims of mean rumors or lies spread at school	50.6	49.1	54.7
Were made fun of by others	59.8	60.4	67.7
Were victims of an embarrassing or hurtful text message or something posted on the internet	24.1	20.9	19.0
	22.7	26.2	20.0
Spread mean rumors or lies about other kids at school	23.7	26.3	32.2
Made fun of other people	52.0	58.9	69.0
Posted something on the internet or sent a text that might embarrass or hurt another student	15.5	13.3	16.6
ombarrado di Hart direttor etadent			
Percent of students who agree that:			
Teachers notice and comment on student's good work	72.9	69.2	69.4
School provides feedback to parents on positive student	43.4	39.2	39.6
performance			
Rules are enforced fairly	64.9	63.8	64.7
Students of all races/ethnicities are treated equal	81.4	78.3	79.7
Percent of students who agree that:			
Parents notice and comment on student's good work	83.0	83.0	83.6
Parents involve student in making family decisions	69.9	69.9	70.7
It is important to be honest with parents regardless of	88.2	96.6	926
consequences	00.2	86.6	83.6
Student could ask parent for help with a personal problem	79.2	76.7	77.7

cted biennially. ees for individual questions are combined. s are not available for item or geographic area. school district nor reported for every county. unties with small numbers of respondents. on weighted data.

percentages are not statistically significant.

Mental Health, 2010-2014 Missouri Student Surveys

					,		
DBH REGIO	ON	Southeast		IMPAIRED DRIVING	2013	2012	2011
	ICE AREAS			Alcohol Involved CrashesTotal	777	867	864
Substan		17, 18, 19,		Fatal Crashes	38	53	32
	sychiatric	17A, 17B,	18, 19, 20, 21		317	399	397
POPULATI				Property Damage Crashes	422	415	435
Census		712,520		Crash Fatalities	43	55	37
2014 Es	timate	710,124		Crash Injuries	462	581	555
				Drug Involved CrashesTotal	239	206	228
				Fatal Crashes	7	4	10
BIRTH RISK	2013	2012	2011	Injury Crashes	90	102	115
Resident BirthsTotal	8,653	8,578	8,620	Property Damage Crashes	142	100	103
Mother Reported Smoking while Pregna	nt 2,388	2,319	2,380	Crash Fatalities	7	4	12
1				Crash Injuries	125	142	133
DISEASE INCIDENCE 1	2013	2012	2011	POLICE REPORTS	2013	2012	2011
HIV/AIDS Cases	14	18	17	DUI Arrests, DWI Tracking System	3,719	4,548	4,900
Hepatitis B Chronic, Acute, Prenatal	49	56	54	Liquor Law Arrests	733	1,110	1,218
Hepatitis C Chronic and Acute	804	815	703	Drug Arrests	4,763	4,495	4,634
Tuberculosis Infection Cases	211	220	260	Violent Offenses	2,359	2,550	2,283
DEATHS and INJURIES	2013	2012	2011	Property Offenses	18,904	20,252	19,172
Resident DeathsTotal	8,455	8,138	8,299	Domestic Violence Reports	4,222	4,278	3,913
Suicides	134	127	122	•	2014	2013	2012
Self-inflicted Injuries	1,164	1,264	1,333	Methamphetamine Lab Seizures	174	333	434
Homicides	29	25	31				
Assault Injuries	2,538	2,787	2,602	SCHOOL REPORTS	2013-14	2012-13	2011-12
Alcohol Induced Deaths	44	54	30	Enrollment Grades 9-12	33,230	31,768	31,753
Drug Induced Deaths	134	154	124	Drop-outs	446	516	753
Smoking Attributable Deaths	1,686	1,605	1,643	Drop-out Rate	1.3%	1.6%	2.4%
<u>.</u>				School Discipline Involving Alcohol	36	76	54
HOSPITAL EPISODES 2	2013	2012	2011	School Discipline Involving Drugs	240	177	239
Hospitalization, no Emergency Room:				School Discipline Involving Tobacco	8	14	15
Mental Illness Principal Diagnosis	7,584	7,522	7,983	JUVENILE COURT REFERRALS 3	2013	2012	2011
Mental Illness Secondary Diagnosis	14,542	13,943	15,789	Juvenile Violent Offenses	989	1,146	1,070
Alcohol Principal Diagnosis	400	457	446	Juvenile Alcohol Offenses	146	152	190
Alcohol Secondary Diagnosis	1,118	1,096	1,190	Juvenile Drug Offenses	208	275	268
Drug Principal Diagnosis	764	697	572	School Truancy Status Offense	1,102	1,104	1,090
Drug Secondary Diagnosis	882	923	1,008	Absent from Home Status Offense	233	247	268
Emergency Room + Hospitalization: Mental Illness Principal Diagnosis	1 600	2.007	1 606	Beyond Parental Control Status Offense	545	570	591
Mental Illness Secondary Diagnosis	1,690 10,664	2,007	1,696 10,282	Injurious Behavior Status Offense	676	715	632
Alcohol Principal Diagnosis	272	11,825 335	244	Child Abuse	862	955	920
Alcohol Secondary Diagnosis	814	1,070	865	Child Neglect	2,387	2,779	2,089
Drug Principal Diagnosis	270	288	207	Child Custody Issues	298	337	399
Drug Secondary Diagnosis	577	668	495	JUVENILE COURT PLACEMENTS	2013	2012	2011
Emergency Room, no Hospitalization:	377	000	433	Out-of-Home PlacementsTotal	1,180	1,029	1,014
Mental Illness Principal Diagnosis	7,853	8,160	8,406	Parental Alcohol Use Related	31	48	37
Mental Illness Secondary Diagnosis	29,395	29,210	18,143	Parental Drug Use Related	550	402	389
Alcohol Principal Diagnosis	1,225	1,192	1,259	Parental Alcohol and Drug Use	39	34	52
Alcohol Secondary Diagnosis	1,222	1,405	1,396	The second secon	-		
Drug Principal Diagnosis	1,227	1,270	1,249	CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Secondary Diagnosis	1,635	1,731	1,618	Drug Court Participants	718	797	716
J 10 11 1	,	, -	, -	Probation/Parole AdmissionsDrug	2,273	2,266	2,237
ALCOHOL OUTLETS	2014	2013	2012	Probation/Parole AdmissionsDWI	332	410	369
Alcohol On-Premise Drink Licenses	779	795	808	Prison AdmissionsDrug	1,201	1,112	1,068
Alcohol Package Carry-out Licenses	774	755	763	Prison AdmissionsDWI	170	176	196
EMPLOYMENT	2014	2013	2012	1 All Kansas City hepatitis and TB case report			County
Labor Force	312,393	343,223	331,681	totals and all Joplin case reports are include			oes are
Employed	290,267	319,874	307,260	2 Beginning with 2010 data, diagnosis counts based on codes developed by the Healthcar			
Unampleyed	20,207	22.240	24.424	3 Beginning in 2013, juvenile municipal violati			

²⁰¹⁵ Status Report on Missouri's Substance Use and Mental Health

22,126 23,349

6.8%

7.1%

24,421

7.4%

Unemployed

Unemployment Rate

3 Beginning in 2013, juvenile municipal violations, infractions, and violations of

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	993	951	979
CSTAR Adolescent	279	314	386
CSTAR Women and Children	336	401	360
CSTAR General Adult	3,070	2,944	1,873
CSTAR Opioid	*	12	12
Primary Recovery Treatment	479	1,627	3,307
Clinical SATOP (CIP, YCIP, SROP)	600	660	647
Other Substance Abuse Treatment	13	11	13

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	2,540	2,872	3,201
- Adolescent Diversion Education Prograr	*	5	5
- Offender Education Program	963	1,133	1,337
- Weekend Intervention Program	588	640	702
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	45	56	64
Compulsive Gambling	5	*	7
Recovery Supports	1,119	968	878
Early Intervention	118	95	161

NUMBER ADMITTED	FY2014	FY2013	FY2012	PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Total Individuals	5,222	5,792	6,640	Alcohol	1,685	1,942	2,259
4.05				Marijuana / Hashish	1,310	1,515	1,927
AGE	200	206	400	Cocaine (total)	131	164	262
Under 18	289	326	423	- Crack	67	92	160
18 to 24	919	1,125	1,300	Stimulant (total)	1,070	986	956
25 to 29	944	1,075	1,264	- Methamphetamine	1,030	958	915
30 to 34	959	1,027	1,053	Heroin	292	299	261
35 to 39	625	633	761	Analgesic except Heroin	589	721	761
40 to 44	492	530	609	- Non-Prescription Methadone	7	*	*
45 to 54	728	814	942	PCP, LSD, other Hallucinogen	8	9	18
55 and Over	266	262	288	Tranquilizer	86	112	136
GENDER				Inhalant	7	10	18
Male	3,430	3,799	4,527	Sedative	10	10	8
Female	1,791	1,993	2,113	Other Medication or Illicit Drug	39	24	34
	.,	,,,,,,	_,	Average Age at First Use of Drug	18.2	18.2	17.7
RACE / ETHNICITY							
Caucasian	4,550	5,088	5,790	INJECTION DRUG USE			
African American	527	577	694	Any Injection Use at Admission	865	872	710
Native American / Alaskan	16	13	15	- Daily Injection Use	216	197	143
Asian / Pacific Islander	*	*	*	- Weekly Injection Use	249	251	171
Hispanic	79	66	97	- Less than Weekly Injection Use	400	424	396
Other Race / Two or More Races	83	80	81	- Less than weekly injection esc	400	727	330
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	1,871	2,170	2,622	0	3,099	3,313	3,950
High School Graduate or G.E.D.	2,444	2,717	3,056	1 or 2	1,404	1,638	1,807
Associate Degree or Some College	875	880	926	3 or More	719	841	883
Bachelor or Advanced Degree	32	25	36	TD5.4T4.454/T D555DD.44.604/D65			
				TREATMENT REFERRAL SOURCE	4 450	4 505	4 205
EMPLOYMENT	1 20 1	1 202	1 677	Self / Family / Friend	1,453	1,535	1,395
Employed	1,294	1,393	1,677	School Mandal Haalth Bravidan	6	6	10
Unemployed	2,055	2,463	2,850	Mental Health Provider	36	44	59
Not in Labor Force	1,873	1,936	2,113	Health Care Provider	304	295	285
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	2,547	3,045	4,237
Independent Living	4,332	4,831	5,564	Other Referral Source	742	763	627
Dependent Living	624	726	828				
Homeless	175	145	152	TREATMENT ACCOMMODATION			
				Pregnant when Admitted to any Episode	94	114	88
MARITAL / FAMILY STATUS				Military Veteran	240	230	317
Never Married	2,524	2,822	3,163	Special Education Services Needed	458	599	714
Married / Cohabitating	1,456	1,635	1,918	Co-Occurring Psychological Problem	2,093	2,138	2,237
Previously Married	1,242	1,335	1,559	Co-Occurring Developmental Problem	274	407	342

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Southeast **PSYCHIATRIC SERVICE AREA** 17A, 17B, 18, 19, 20, 21 CENSUS 2010 712,520

2014 POPULATION ESTIMATE 710,124

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012
Adjustment Disorder	874	770	732
Anxiety Disorder	3,877	3,638	3,148
Dementia	30	25	19
Developmental Disorder	86	92	81
Impulse Control Disorder	1,934	1,791	1,786
Mood Disorder	9,008	8,343	7,808
Personality Disorder	543	544	543
Psychotic Disorder	1,976	1,877	1,824
Sexual Disorder	144	132	146
Other Diagnosis	617	544	570
Diagnosis Unknown	1,144	1,238	1,936

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2014	FY2013	FY2012	EDUCATION	FY2014	FY2013	FY2012
Total Individuals	15,362	14,445	14,392	Less than High School Diploma	3,835	3,895	2,063
				High School Grad or G.E.D.	*	94	1,687
AGE	00	70	75	Associate Degree or Some College	0	36	407
Under 6	80	72	75	Bachelor or Advanced Degree	0	5	112
6 to 9	760	651	681	Education Level Unknown	11,526	10,415	10,123
10 to 13	1,059	935	1,019				
14 to 17	1,153	1,054	1,111	EMPLOYMENT			
18 to 24	1,415	1,402	1,426	Employed	623	667	430
25 to 29	1,413	1,365	1,293	Unemployed	705	988	3,423
30 to 34	1,478	1,425	1,392	Not in Labor Force	6,779	6,389	1,052
35 to 39	1,359	1,266	1,207	Employment Status Unknown	7,255	6,401	9,487
40 to 44	1,403	1,339	1,300				
45 to 49	1,382	1,390	1,452	HOUSING / LIVING ARRANGEMENT			
50 to 54	1,608	1,466	1,387	Independent Living	4,747	4,806	3,623
55 to 59	1,093	1,011	985	Dependent Living	3,206	3,166	1,568
60 and Over	1,159	1,069	1,064	Homeless	184	151	80
Age Unknown	0	0	0	Other	0	*	68
CENDER				Housing Unknown	7,225	6,320	9,053
GENDER Male	7.070	6 627	6 660				
Female	7,072 8,290	6,637	6,662	TREATMENT REFERRAL SOURCE			
	*	7,808	7,730	Self / Family / Friend	7,664	7,131	7,300
Gender Unknown	0	0	0	School	191	160	151
RACE / ETHNICITY				Mental Health Provider	1,268	1,209	1,216
Caucasian	13,614	12,846	12,646	Health Care Provider	2,750	2,539	2,224
African American	1,082	980	949	Court / Criminal Justice	992	1,023	1,057
Native American / Alaskan	23	25	20	Other	2,455	2,337	2,384
Asian / Pacific Islander	9	10	9	Referral Source Unknown	42	46	60
Hispanic	335	338	502				
Other Race	299	246	266	TYPE OF COMMITMENT			
Race/Ethnicity Unknown	0	0	0	Voluntary	14,947	14,030	13,941
•				Civil	16	22	33
TREATMENT ACCOMMODATION				Criminal	218	225	230
Hearing Impaired	526	522	555	Sexual Predatory	152	136	146
Past or Current Military Service	396	376	382	Commitment Type Unknown	29	32	42

MISSOURI STUDENT SURVEY

		00.	• .
Dercent of students who have ever used	2014	2012	2010
Percent of students who have ever used: Alcohol	37.2	41.0	46.2
Cigarettes	-	28.5	33.0
Chewing Tobacco	17.8		19.7
Marijuana	12.8		16.6
Inhalants	3.5	6.1	8.1
Prescription medications not prescribed for student	8.8	9.9	13.9
Over-the-counter medications for non-medical use	3.2	6.2	8.4
Methamphetamine	0.6	1.3	1.1
Cocaine	0.9	1.8	1.5
Heroin	0.3	0.9	0.7
Hallucinogens	1.3	2.6	3.0
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.3	2.0	2.0
Steroids not prescribed for student	1.0	1.8	1.4
Synthetic drugs (K2, bath salts, Spice, etc)	3.3	6.9	
Average age of students' first use of: Alcohol	12.76	12.45	12 33
Cigarettes		12.43	
Marijuana		13.44	
Inhalants		12.04	
iiiidaliis	11.93	12.04	12.33
Percent of students who, in past 30 days, used:			
Alcohol	14.5	17.3	21.8
Alcohol (Binge: 5+ drinks on one occassion)		10.5	12.5
Cigarettes	11.6	14.1	17.3
Chewing Tobacco	10.9	9.9	11.1
Marijuana	5.8	7.0	-
Inhalants	1.3	2.3	3.5
Prescription medications not prescribed for student	4.8	5.2	-
Over-the-counter medications for non-medical use	1.6	3.6	5.4
Percent of students who, in past 2 weeks, used:			
Alcohol (Binge: 5+ drinks on one occassion)	6.9		
Percent whose friends used in past 12 months:			
Alcohol	46.5	53.6	61.1
Cigarettes		46.1	
Marijuana	27.7	-	
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	9.4		
Percent who would likely use, if offered by a best friend:	00.0	00.0	05.0
Alcohol	28.0	30.9	35.6
Cigarettes	14.2		18.0
Marijuana	11.1	10.9	12.8
Percent who say it would be wrong to use:			
Alcohol	63.7	60.2	58.0
Cigarettes	80.6	78.0	75.4
Marijuana	82.8	83.8	82.4
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.4	95.9	94.7
Percent whose parents would disapprove if they use:			
Alcohol	79.0	78.5	77.4
Cigarettes	89.9	89.6	88.9
Marijuana	93.1	94.2	94.3
·		- ··-	
Percent who say it would be easy to obtain:	40.0	F4.0	F0.0
Alcohol	48.9	54.9	58.6
Cigarettes	49.4		59.1
Marijuana Other Illiet (Cooping LSD, Moth, Club Drug, etc)	31.2	33.6	36.5
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	14.0	17.2	19.8

DENT SURVEY			
Described to the state of the same of the same of	2014	2012	2010
Percent who believe they risk harm if they use:	540		
Alcohol (1 or 2 drinks daily)	54.9		
Alcohol (Binge: 5+ drinks once or twice a week)	64.9		
Alcohol (any use)		71.2	76.2
Cigarettes (1+ packs per day)	82.8		
Cigarettes (any use)		79.2	77.8
Marijuana (once or twice a week)	67.3		
Marijuana (any use)		75.8	73.0
Other: Cocaine, LSD, Meth, Club Drug (any use)	91.2	93.5	92.8
Percent of students who, in past 30 days:			
Were very sad	19.5	19.9	18.9
Were grouchy, irritable, or in a bad mood	25.2	25.7	24.3
Felt hopeless about the future	10.8	11.3	12.8
Felt like not eating or eating more than usual	17.4	17.8	18.7
Slept a lot more or a lot less than usual	17.8	20.5	26.1
Had difficulty concentrating on school work	23.0	23.2	25.5
	20.0	20.2	20.0
Percent of students who, in past 12 months:			
Seriously considered attempting suicide	11.0	11.9	12.6
Made plan about how they would attempt suicide	7.8	8.9	9.3
Attempted suicide	4.5	5.5	5.9
Attempted suicide and resulting injury, poisonng, or overdose had to be treated by doctor or nurse	1.5	1.9	2.2
Percent of students who, in past 12 months:			
Were threatened/injured with weapon at school	6.1	6.2	9.6
Were in a physical fight	20.0	22.1	24.4
Were in a fight and had to be treated by a doctor or nurse	2.9	3.1	4.2
	2.0	0.1	
Percent of students who, in past 3 months:			
Were victims of mean rumors or lies spread at school	52.4	51.5	57.9
Were made fun of by others	59.5	61.0	69.1
Were victims of an embarrassing or hurtful text message or something posted on the internet	23.9	20.4	19.9
Spread mean rumors or lies about other kids at school	24.0	26.6	32.8
Made fun of other people	54.7	60.8	72.0
Posted something on the internet or sent a text that might			
embarrass or hurt another student	15.9	13.3	16.4
Percent of students who agree that:			
Teachers notice and comment on student's good work	74.5	70.0	70.6
School provides feedback to parents on positive student	440	00.0	40.4
performance	44.2	39.2	40.4
Rules are enforced fairly	65.7	62.7	61.5
Students of all races/ethnicities are treated equal	81.4	76.1	75.5
Percent of students who agree that:			
Parents notice and comment on student's good work	83.1	82.7	83.5
Parents involve student in making family decisions	70.9	68.7	69.2
It is important to be honest with parents regardless of consequences	89.1	86.6	84.2
Student could ask parent for help with a personal problem	78.6	76.3	77.1

Missouri Student Survey is conducted biennially.
Similar affirmative response choices for individual questions are combined.
Blank data cells indicate estimates are not available for item or geographic area. Survey is not conducted in every school district nor reported for every county. Estimates are not available for counties with small numbers of respondents. Percentages are estimates based on weighted data.

Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

00001741102 002 0			\ _ /\	•			
DBH REGION	1	Western		IMPAIRED DRIVING	2013	2012	2011
DBH SERVICE	E AREAS			Alcohol Involved CrashesTotal	188	186	172
Substance	Use	1		Fatal Crashes	4	8	8
Adult Psyc		Not Applica	able	Injury Crashes	85	89	81
POPULATION				Property Damage Crashes	99	89	83
Census 20		183,003		Crash Fatalities	5	10	11
2014 Estir	nate	181,734		Crash Injuries	108	124	123
				Drug Involved CrashesTotal	45	32	34
				Fatal Crashes	1	2	2
BIRTH RISK	2013	2012	2011	Injury Crashes	15	14 16	15 17
Resident BirthsTotal	2,113	2,166	2,163	Property Damage Crashes Crash Fatalities	29 2	16 3	2
Mother Reported Smoking while Pregnant	493	568	505	Crash Injuries	22	23	16
DISEASE INCIDENCE 1	2013	2012	2011	Grader injuries			.0
HIV/AIDS Cases	7	3	6	POLICE REPORTS	2013	2012	2011
Hepatitis B Chronic, Acute, Prenatal	23	21	17	DUI Arrests, DWI Tracking System	911	877	1,111
Hepatitis C Chronic and Acute	154	126	207	Liquor Law Arrests	579	636	736
Tuberculosis Infection Cases	25	61	76	Drug Arrests	1,233	1,074	1,128
				Violent Offenses	568	488	503
DEATHS and INJURIES	2013	2012	2011	Property Offenses	5,796	6,389	5,625
Resident DeathsTotal	1,975	1,968	1,967	Domestic Violence Reports	1,361	1,280	1,363
Suicides	30	26	22		2014	2013	2012
Self-inflicted Injuries	267	265	242	Methamphetamine Lab Seizures	5	5	3
Homicides	2	5	7	SCHOOL REPORTS	2013-14	2012-13	2011-12
Assault Injuries	620	627	713	Enrollment Grades 9-12	7,607	7,623	7,562
Alcohol Induced Deaths	18	11	15	Drop-outs	78	117	164
Drug Induced Deaths	25	18	17	Drop-out Rate	1.0%	1.5%	2.2%
Smoking Attributable Deaths	349	354	349	School Discipline Involving Alcohol	12	4	2
HOSPITAL EPISODES 2	2013	2012	2011	School Discipline Involving Drugs	26	35	51
Hospitalization, no Emergency Room:				School Discipline Involving Tobacco	1	0	1
Mental Illness Principal Diagnosis	1,114	1,252	1,523	JUVENILE COURT REFERRALS 3	2013	2012	2011
Mental Illness Secondary Diagnosis	1,552	1,662	1,660	Juvenile Violent Offenses	172	210	2011
Alcohol Principal Diagnosis	60	97	93	Juvenile Alcohol Offenses	30	43	40
Alcohol Secondary Diagnosis	108	90	96	Juvenile Drug Offenses	37	41	54
Drug Principal Diagnosis	60	85	73	School Truancy Status Offense	441	351	221
Drug Secondary Diagnosis	95	97	79	Absent from Home Status Offense	150	142	152
Emergency Room + Hospitalization:				Beyond Parental Control Status Offense	196	251	170
Mental Illness Principal Diagnosis	1,153	1,095	795	Injurious Behavior Status Offense	157	145	96
Mental Illness Secondary Diagnosis	2,699	2,897	3,214	Child Abuse	32	27	28
Alcohol Principal Diagnosis	174	172	211	Child Neglect	364	277	230
Alcohol Secondary Diagnosis	325	382	345	Child Custody Issues	1	21	0
Drug Principal Diagnosis	165	137	116	### F 00 / PT D/ 4 054 454 TO	2012	2042	2011
Drug Secondary Diagnosis	226	234	226	JUVENILE COURT PLACEMENTS	2013	2012	2011
Emergency Room, no Hospitalization:	1 605	1 061	1 012	Out-of-Home PlacementsTotal Parental Alcohol Use Related	159	144 2	138
Mental Illness Principal Diagnosis Mental Illness Secondary Diagnosis	1,685 2,931	1,861 2,919	1,912 2,876	Parental Drug Use Related	6 36	35	6 20
Alcohol Principal Diagnosis	353	423	362	Parental Alcohol and Drug Use	2	7	1
Alcohol Secondary Diagnosis	395	345	316	1 archial Alcohol and Drug Cac	2	,	
Drug Principal Diagnosis	214	198	203	CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Secondary Diagnosis	307	316	253	Drug Court Participants	239	290	265
-g	501	0.0	_55	Probation/Parole AdmissionsDrug	569	526	560
ALCOHOL OUTLETS	2014	2013	2012	Probation/Parole AdmissionsDWI	98	117	138
Alcohol On-Premise Drink Licenses	210	212	207	Prison AdmissionsDrug	323	349	324
Alcohol Package Carry-out Licenses	187	188	184	Prison AdmissionsDWI	58	59	68
EMPLOYMENT	2014	2013	2012	1 All Kansas City hepatitis and TB case report	ts are include	ed in Jackson	County
Labor Force	95,961	100,419	100,132	totals and all Joplin case reports are include			oo ore
Employed	90,603	94,806	94,363	2 Beginning with 2010 data, diagnosis counts based on codes developed by the Healthcar			
Unomployed	5 259	5 612	5 760	3 Beginning in 2013, juvenile municipal violati			

5,769

5.8%

5,613

5.6%

5,358

5.6%

Unemployed

Unemployment Rate

3 Beginning in 2013, juvenile municipal violations, infractions, and violations of

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	183	194	231
CSTAR Adolescent	103	107	112
CSTAR Women and Children	22	20	7
CSTAR General Adult	618	694	424
CSTAR Opioid	*	*	0
Primary Recovery Treatment	141	156	463
Clinical SATOP (CIP, YCIP, SROP)	102	135	134
Other Substance Abuse Treatment	0	*	*

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	661	738	842
- Adolescent Diversion Education Prograr	63	69	123
- Offender Education Program	264	313	303
- Weekend Intervention Program	125	150	171
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	8	10	12
Compulsive Gambling	5	*	7
Recovery Supports	10	14	10
Early Intervention	22	86	239

NUMBER ADMITTED	FY2014	FY2013	FY2012	PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Total Individuals	1,016	1,145	1,122	Alcohol	329	416	445
	,	,	,	Marijuana / Hashish	263	346	330
AGE				Cocaine (total)	30	23	62
Under 18	101	107	112	- Crack	21	19	48
18 to 24	177	243	206	Stimulant (total)	244	225	164
25 to 29	177	188	186	- Methamphetamine	237	223	163
30 to 34	153	172	147	Heroin	10	10	*
35 to 39	103	93	109	Analgesic except Heroin	116	109	99
40 to 44	90	103	106	- Non-Prescription Methadone	0	*	*
45 to 54	157	173	202	PCP, LSD, other Hallucinogen	8	6	*
55 and Over	58	66	54	Tranquilizer	7	*	5
GENDER				Inhalant	*	0	*
Male	665	799	805	Sedative	*	*	0
Female	351	346	317	Other Medication or Illicit Drug	6	5	7
				Average Age at First Use of Drug	18.4	17.7	17.4
RACE / ETHNICITY							
Caucasian	899	995	993	INJECTION DRUG USE			
African American	73	107	86	Any Injection Use at Admission	171	142	113
Native American / Alaskan		0		- Daily Injection Use	41	33	29
Asian / Pacific Islander	*		6	- Weekly Injection Use	44	40	27
Hispanic	23	31	29	- Less than Weekly Injection Use	86	69	57
Other Race / Two or More Races	26	25	20				
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	347	375	355	0	653	679	652
High School Graduate or G.E.D.	500	553	546	1 or 2	228	297	295
Associate Degree or Some College	157	211	204	3 or More	135	169	175
Bachelor or Advanced Degree	12	6	17	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	445	340	240
Employed	263	331	340	School	*	0	*
Unemployed	306	547	493	Mental Health Provider	5	15	27
Not in Labor Force	447	267	289	Health Care Provider	45	45	74
		_0.		Court / Criminal Justice	443	643	696
HOUSING / LIVING ARRANGEMENT				Other Referral Source	62	76	74
Independent Living	718	835	854	Carlot Motorial Course	02		
Dependent Living	167	210	193	TREATMENT ACCOMMODATION			
Homeless	84	79	66	Pregnant when Admitted to any Episode	7	8	7
MARITAL / FAMILY STATUS				Military Veteran	32	63	54
Never Married	606	688	653	Special Education Services Needed	79	93	26
Married / Cohabitating	189	214	214	Co-Occurring Psychological Problem	309	371	196
Previously Married	221	243	255	Co-Occurring Developmental Problem	33	34	14
1 Toviously Marriou	221	240	200	Co Coodining Developmental i Toblem	55	54	1-7

MISSOURI STUDENT SURVEY

	IVIIOO	OUR	(1310	"
Percent of students who have ever used:	2014	2012	2010	ĺ
Alcohol	27.6	35.7	38.8	l
Cigarettes	19.2		24.6	l
Chewing Tobacco	8.5		13.7	l
Marijuana	10.6			l
Inhalants	3.1	4.8	6.1	l
Prescription medications not prescribed for student	5.6	6.2	9.1	l
Over-the-counter medications for non-medical use	3.0	4.1	6.2	l
Methamphetamine	0.7	1.4	0.6	l
Cocaine	1.0	0.9	1.1	l
Heroin	0.3	0.5	0.4	l
Hallucinogens	1.5	1.8	1.7	l
Club drugs (Ecstasy, GHB, roofle, Special K, etc)	1.3	1.1	1.3	l
Steroids not prescribed for student	0.8	0.8	1.0	l
Synthetic drugs (K2, bath salts, Spice, etc)	2.7		1.0	l
	2.7	0.0		l
Average age of students' first use of:				l
Alcohol		12.56		l
Cigarettes		12.45		l
Marijuana	13.65	13.63	13.46	l
Inhalants	10.99	11.51	12.29	l
Percent of students who, in past 30 days, used:				l
Alcohol	10.4	14.9	16.0	l
Alcohol (Binge: 5+ drinks on one occassion)	10.1	9.0	10.1	l
Cigarettes	7.5	9.2	13.2	l
Chewing Tobacco	4.5		-	l
Marijuana	4.3	5.3		l
Inhalants	1.1	1.7	3.0	l
Prescription medications not prescribed for student	2.5	3.4	5.6	l
Over-the-counter medications for non-medical use	2.1	2.1	4.1	l
				l
Percent of students who, in past 2 weeks, used:				l
Alcohol (Binge: 5+ drinks on one occassion)	5.0			l
Percent whose friends used in past 12 months:				l
Alcohol	35.4	50.6	54.3	l
Cigarettes	29.8	39.7	44.7	l
Marijuana	22.9			l
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	8.1	12.4	15.4	l
•				l
Percent who would likely use, if offered by a best friend:				l
Alcohol	19.8	27.3		l
Cigarettes	9.8		14.0	l
Marijuana	9.3	9.9	8.4	l
Percent who say it would be wrong to use:				l
Alcohol	70.9	65.0	65.2	l
Cigarettes	86.2	82.7	81.2	l
Marijuana	84.0		87.8	l
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.3	97.0	95.7	l
				l
Percent whose parents would disapprove if they use:				l
Alcohol	85.2	83.5	82.4	ļ
Cigarettes	92.7		92.1	
Marijuana	93.5	96.0	96.0	ĺ
Percent who say it would be easy to obtain:				I
Alcohol	45.7	53.3	54.4	
Cigarettes	43.0	47.1	53.2	
Marijuana	25.1	28.6	29.0	ŀ
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	9.5	12.8	15.7	I
,,		3		1

DENT SURVET			
Percent who heliove they rick harm if they use	2014	2012	2010
Percent who believe they risk harm if they use: Alcohol (1 or 2 drinks daily)	60.6		
Alcohol (Binge: 5+ drinks once or twice a week)	71.8		
Alcohol (any use)	71.0	69.2	82.2
Cigarettes (1+ packs per day)	86.7	00.2	02.2
Cigarettes (any use)	00.7	79.6	82.5
Marijuana (once or twice a week)	70.2		
Marijuana (any use)		76.5	76.2
Other: Cocalne, LSD, Meth, Club Drug (any use)	91.9	92.3	94.2
Percent of students who, in past 30 days:			
Were very sad	19.9	16.1	20.8
Were grouchy, irritable, or in a bad mood	25.5	24.8	30.2
Felt hopeless about the future	10.4	9.9	11.4
Felt like not eating or eating more than usual	15.9	15.6	20.2
Slept a lot more or a lot less than usual	16.4	19.7	29.2
Had difficulty concentrating on school work	23.0	78.8	25.7
Percent of students who, in past 12 months:			
Seriously considered attempting suicide	9.5	10.0	11.1
Made plan about how they would attempt suicide	7.4	8.0	7.4
Attempted suicide	4.2	4.0	4.8
Attempted suicide and resulting injury, poisonng, or overdose had to be treated by doctor or nurse	1.4	1.6	1.8
Percent of students who, in past 12 months:			
Were threatened/injured with weapon at school	5.7	6.4	9.7
Were in a physical fight	17.7	19.6	22.1
Were in a fight and had to be treated by a doctor or nurse	3.7	1.8	3.9
Percent of students who, in past 3 months:			
Were victims of mean rumors or lies spread at school	46.2	48.4	54.6
Were made fun of by others	56.3	62.2	67.6
Were victims of an embarrassing or hurtful text message or something posted on the internet	23.3	20.0	20.0
Spread mean rumors or lies about other kids at school	21.1	26.9	34.0
Made fun of other people	49.2	58.8	69.8
Posted something on the internet or sent a text that might embarrass or hurt another student	15.3	13.2	18.0
Percent of students who agree that:			
Teachers notice and comment on student's good work	76.1	71.6	73.9
School provides feedback to parents on positive student			
performance	45.3	39.9	46.5
Rules are enforced fairly	68.1	67.4	69.8
Students of all races/ethnicities are treated equal	84.9	84.2	83.8
Percent of students who agree that:			
Parents notice and comment on student's good work	85.0	84.1	83.9
Parents involve student in making family decisions	72.0	70.3	71.5
It is important to be honest with parents regardless of	86.0	86.1	84.1
consequences			
Student could ask parent for help with a personal problem	80.0	80.4	77.9

Missouri Student Survey is conducted biennially.
Similar affirmative response choices for individual questions are combined.
Blank data cells indicate estimates are not available for item or geographic area. Survey is not conducted in every school district nor reported for every county. Estimates are not available for counties with small numbers of respondents. Percentages are estimates based on weighted data.

Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

SUBSTANCE USE SERVICE AREAS 2-5 (JC)

				()			
DBH REGIO	N	Western		IMPAIRED DRIVING	2013	2012	2011
DBH SERVICE	CE AREAS			Alcohol Involved CrashesTotal	698	650	648
Substance		2-5 (JC)		Fatal Crashes	13	11	13
Adult Psy		Not Applica	able	Injury Crashes	297	251	307
POPULATION				Property Damage Crashes	388	388	328
Census 2		674,158		Crash Fatalities	14	12	14
2014 Est	imate	683,191		Crash Injuries	448	362	500
				Drug Involved CrashesTotal	166	149	148
				Fatal Crashes	5	1	3
BIRTH RISK	2013	2012	2011	Injury Crashes	90	75	77
Resident BirthsTotal	9,478	9,630	9,583	Property Damage Crashes	71	73	68
Mother Reported Smoking while Pregnar	nt 1,357	1,503	1,485	Crash Fatalities	5	1	3
				Crash Injuries	150	115	85
DISEASE INCIDENCE 1	2013	2012	2011	POLICE REPORTS	2013	2012	2011
HIV/AIDS Cases		125	149	DUI Arrests, DWI Tracking System	3,014	3,435	3,096
Hepatitis B Chronic, Acute, Prenatal	116	83	73	Liquor Law Arrests	673	809	824
Hepatitis C Chronic and Acute	519	589	644	Drug Arrests	3,643	3,507	3,446
Tuberculosis Infection Cases	618	462	390	Violent Offenses	6,780	6,979	6,672
DEATHS and INJURIES	2013	2012	2011	Property Offenses	38,691	40,982	39,947
Resident DeathsTotal	6,091	6,022	5,981	Domestic Violence Reports	6,699	6,986	6,469
Suicides	116	108	127		2014	2013	2012
Self-inflicted Injuries	1,122	1,150	1,120	Methamphetamine Lab Seizures	11	29	56
Homicides	109	112	112	·			
Assault Injuries	4,242	4,567	4,490	SCHOOL REPORTS	2013-14	2012-13	2011-12
Alcohol Induced Deaths	77	82	65	Enrollment Grades 9-12	28,224	28,682	28,672
Drug Induced Deaths	118	113	105	Drop-outs	1,541	1,113	1,515
Smoking Attributable Deaths	1,005	1,013	974	Drop-out Rate	5.5%	3.9%	5.3%
_	,	•		School Discipline Involving Alcohol	44	41	38
HOSPITAL EPISODES 2	2013	2012	2011	School Discipline Involving Drugs	288	286	418
Hospitalization, no Emergency Room:				School Discipline Involving Tobacco	6	8	10
Mental Illness Principal Diagnosis	6,521	6,293	7,059	JUVENILE COURT REFERRALS 3	2013	2012	2011
Mental Illness Secondary Diagnosis	6,771	6,511	6,521	Juvenile Violent Offenses	362	408	475
Alcohol Principal Diagnosis	815	726	732	Juvenile Alcohol Offenses	8	0	4
Alcohol Secondary Diagnosis	1,622	1,377	1,363	Juvenile Drug Offenses	52	47	70
Drug Principal Diagnosis	392	379	385	School Truancy Status Offense	2	7	3
Drug Secondary Diagnosis	1,301	1,364	1,388	Absent from Home Status Offense	18	6	18
Emergency Room + Hospitalization: Mental Illness Principal Diagnosis	1 615	0.440	1 5 4 0	Beyond Parental Control Status Offense	14	32	10
· · · · · · · · · · · · · · · · · · ·	1,615	2,112	1,549	Injurious Behavior Status Offense	18	22	10
Mental Illness Secondary Diagnosis	12,373 544	11,745	11,971 492	Child Abuse	315	323	142
Alcohol Principal Diagnosis Alcohol Secondary Diagnosis	1,923	660 2,022	1,972	Child Neglect	893	1,035	839
Drug Principal Diagnosis	263	330	265	Child Custody Issues	119	239	331
Drug Secondary Diagnosis	1,557	2,052	1,896	JUVENILE COURT PLACEMENTS	2013	2012	2011
Emergency Room, no Hospitalization:	1,557	2,002	1,000	Out-of-Home PlacementsTotal	1,022	1,176	994
Mental Illness Principal Diagnosis	5,482	5,886	5,955	Parental Alcohol Use Related	27	36	51
Mental Illness Secondary Diagnosis	17,292	13,602	13,369	Parental Drug Use Related	319	413	294
Alcohol Principal Diagnosis	4,099	4,113	3,963	Parental Alcohol and Drug Use	56	48	20
Alcohol Secondary Diagnosis	3,119	3,617	2,731	r arcmar, nooner and Drag coo			
Drug Principal Diagnosis	1,854	1,643	1,539	CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Secondary Diagnosis	2,978	3,491	3,481	Drug Court Participants	857	848	871
5 , · · - · · · · · · · · · · · · · · · · 	,	-,	-,	Probation/Parole AdmissionsDrug	735	822	940
ALCOHOL OUTLETS	2014	2013	2012	Probation/Parole AdmissionsDWI	157	177	187
Alcohol On-Premise Drink Licenses	825	821	804	Prison AdmissionsDrug	182	224	249
Alcohol Package Carry-out Licenses	461	463	463	Prison AdmissionsDWI	48	76	95
EMPLOYMENT	2014	2013	2012	1 All Kansas City hepatitis and TB case report	s are include	d in Jackson	County
Labor Force	363,483	330,287	333,027	totals and all Joplin case reports are include	d in Jasper C	County totals.	
Employed	338,018	305,538	307,454	2 Beginning with 2010 data, diagnosis counts based on codes developed by the Healthcar			
Linempleyed	350,010	24.740	25,737	3 Beginning in 2013, juvenile municipal violati			

²⁰¹⁵ Status Report on Missouri's Substance Use and Mental Health

7.0%

Unemployed

Unemployment Rate

25,465 24,749 25,573

7.5%

7.7%

3 Beginning in 2013, juvenile municipal violations, infractions, and violations of

SUBSTANCE USE SERVICE AREAS 2-5 (JC)

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	860	822	1,134
CSTAR Adolescent	243	267	260
CSTAR Women and Children	775	698	713
CSTAR General Adult	2,031	1,430	1,287
CSTAR Opioid	124	82	69
Primary Recovery Treatment	491	863	838
Clinical SATOP (CIP, YCIP, SROP)	622	620	460
Other Substance Abuse Treatment	8	359	469

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	2,449	2,570	2,643
- Adolescent Diversion Education Prograr	5	11	20
- Offender Education Program	859	1,000	1,044
- Weekend Intervention Program	502	538	611
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	171	177	216
Compulsive Gambling	8	10	17
Recovery Supports	1,669	1,873	2,043
Early Intervention	32	32	42

NUMBER ADMITTED	FY2014	FY2013	FY2012	PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Total Individuals	4,709	4,558	4,727	Alcohol	1,805	1,878	1,906
	,	,	•	Marijuana / Hashish	1,161	1,081	1,140
AGE				Cocaine (total)	420	422	602
Under 18	245	265	270	- Crack	251	313	462
18 to 24	637	585	641	Stimulant (total)	745	674	576
25 to 29	689	689	635	- Methamphetamine	706	647	556
30 to 34	772	714	701	Heroin	156	103	77
35 to 39	558	532	539	Analgesic except Heroin	208	189	158
40 to 44	510	481	553	- Non-Prescription Methadone	*	0	7
45 to 54	955	959	1,085	PCP, LSD, other Hallucinogen	168	166	203
55 and Over	343	333	303	Tranquilizer	25	32	46
GENDER				Inhalant	0	*	*
Male	3,254	3,099	3,264	Sedative	*	*	*
Female	1,454	1,459	1,463	Other Medication or Illicit Drug	19	10	14
				Average Age at First Use of Drug	18.0	17.8	17.9
RACE / ETHNICITY	0.000	0.500	0.500				
Caucasian	2,669	2,563	2,522	INJECTION DRUG USE			
African American	1,701	1,671	1,858	Any Injection Use at Admission	408	328	283
Native American / Alaskan	16	16	26	- Daily Injection Use	125	95	65
Asian / Pacific Islander	11	15	17	- Weekly Injection Use	112	90	85
Hispanic	208	191	190	- Less than Weekly Injection Use	171	143	133
Other Race / Two or More Races	170	155	171	, ,			
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	1,568	1,522	1,587	0	2,806	2,662	2,816
High School Graduate or G.E.D.	1,972	1,937	2,019	1 or 2	1,224	1,161	1,161
Associate Degree or Some College	1,114	1,054	1,069	3 or More	679	735	750
Bachelor or Advanced Degree	55	45	52	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	1,707	1,750	1,821
Employed	1,129	1,006	886	School	25	29	40
Unemployed	1,948	1,893	2,163	Mental Health Provider	87	85	102
Not in Labor Force	1,632	1,658	1,678	Health Care Provider	233	197	230
	1,002	1,000	1,070	Court / Criminal Justice	1,885	1,777	2,057
HOUSING / LIVING ARRANGEMENT				Other Referral Source	562	435	426
Independent Living	3,274	3,123	3,178	other resental ocures	002	100	120
Dependent Living	637	710	743	TREATMENT ACCOMMODATION			
Homeless	612	576	662	Pregnant when Admitted to any Episode	75	66	86
MARITAL / FAMILY STATUS				Military Veteran	180	192	239
Never Married	2,986	2,904	2,828	Special Education Services Needed	293	323	353
Married / Cohabitating	844	785	848	Co-Occurring Psychological Problem	1,794	1,767	1,894
Previously Married	879	869	1,051	Co-Occurring Developmental Problem	104	135	168
1 Totadary Marriad	0.0	000	1,001	Co Coodining Developmental Flobicin	104	100	100

SUBSTANCE USE SERVICE AREAS 2-5 (JC)

MISSOURI STUDENT SURVEY

		00.	• .
Descent of children who have aver used	2014	2012	2010
Percent of students who have ever used: Alcohol	30.5	36.7	37.7
Cigarettes		21.1	-
Chewing Tobacco	7.1		6.3
Marijuana	16.6	19.6	19.7
Inhalants	3.4	5.0	5.8
Prescription medications not prescribed for student	8.5	8.0	9.9
Over-the-counter medications for non-medical use	3.7	5.9	7.3
Methamphetamine	0.6	1.3	0.9
Cocaine	1.5	2.1	1.8
Heroin	0.5	1.0	0.6
Hallucinogens	1.8	3.0	2.5
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.9	2.4	2.1
Steroids not prescribed for student	1.1	1.6	1.0
Synthetic drugs (K2, bath salts, Spice, etc)	3.3	6.4	
Average age of students' first use of:			
Alcohol	12 99	12.94	12 46
Cigarettes		12.65	
Marijuana		13.61	
Inhalants		11.55	
middio	11.00	11.00	
Percent of students who, in past 30 days, used:			
Alcohol	11.5		16.3
Alcohol (Binge: 5+ drinks on one occassion)		7.8	10.5
Cigarettes	6.7	-	12.4
Chewing Tobacco	3.5	3.8	3.1
Marijuana	8.1	_	
Inhalants	1.4	2.0	
Prescription medications not prescribed for student	3.9	_	_
Over-the-counter medications for non-medical use	2.2	3.5	4.6
Percent of students who, in past 2 weeks, used:			
Alcohol (Binge: 5+ drinks on one occassion)	5.1		
Percent whose friends used in past 12 months:			
Alcohol	40.8	51.5	50.9
Cigarettes	30.9	41.0	42.7
Marijuana	35.2	42.9	39.6
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	13.0	15.1	17.0
Descent who would likely use if offered by a heat friend.			
Percent who would likely use, if offered by a best friend: Alcohol	23.7	29.3	29.3
Cigarettes	9.7		13.5
Marijuana	16.0	17.0	15.4
•	10.0	17.0	10.4
Percent who say it would be wrong to use:			
Alcohol	66.5	61.1	62.8
Cigarettes	86.1		79.3
Marijuana	76.0		
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	95.0	93.9	93.6
Percent whose parents would disapprove if they use:			
Alcohol	83.3	79.3	80.4
Cigarettes	93.5	90.6	90.0
Marijuana	90.7	91.5	92.0
Percent who say it would be easy to obtain:			
Alcohol	48.3	56.9	52.7
Cigarettes	44.3		
Marijuana	37.4		39.4
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	15.7		19.8
,,,,,,,			

DENT SURVEY			
Percent who believe they risk harm if they use:	2014	2012	2010
Alcohol (1 or 2 drinks daily)	60.3		
Alcohol (Binge: 5+ drinks once or twice a week)	73.1		
Alcohol (any use)		71.4	71.5
Cigarettes (1+ packs per day)	83.2		
Cigarettes (any use)	00.2	81.9	78.3
Marijuana (once or twice a week)	56.4	01.5	70.5
Marijuana (once of twice a week)	30.4	67.2	71.9
	00.0		89.7
Other: Cocaine, LSD, Meth, Club Drug (any use)	88.2	91.8	69.7
Percent of students who, in past 30 days:			
Were very sad	20.8	19.9	17.1
Were grouchy, irritable, or in a bad mood	27.6	25.5	23.4
Felt hopeless about the future	12.2	11.8	11.1
Felt like not eating or eating more than usual	17.8	17.4	17.2
Slept a lot more or a lot less than usual	20.1	21.6	24.5
Had difficulty concentrating on school work	24.7	23.3	22.8
Descent of attidants who in next 12 months.			
Percent of students who, in past 12 months:	12.2	10 E	11.6
Seriously considered attempting suicide	13.3	12.5	11.6
Made plan about how they would attempt suicide	9.6	8.8	8.7
Attempted suicide	5.9	5.6	6.2
Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	2.4	1.8	2.5
Percent of students who, in past 12 months:			
Were threatened/injured with weapon at school	6.6	6.5	9.9
Were in a physical fight	18.6	19.9	26.1
Were in a fight and had to be treated by a doctor or nurse	2.9	3.0	4.9
were in a right and had to be treated by a doctor or hurse	2.5	5.0	4.5
Percent of students who, in past 3 months:			
Were victims of mean rumors or lies spread at school	48.7	44.7	48.6
Were made fun of by others	57.9	58.0	63.5
Were victims of an embarrassing or hurtful text message or something posted on the internet	24.2	18.3	17.2
Spread mean rumors or lies about other kids at school	23.8	25.4	30.6
Made fun of other people	52.7	62.0	68.4
Posted something on the internet or sent a text that might	16.7	13.8	19.7
embarrass or hurt another student			
Percent of students who agree that:			
Teachers notice and comment on student's good work	70.6	65.8	70.7
School provides feedback to parents on positive student			
performance	39.3	36.7	42.0
Rules are enforced fairly	63.6	62.3	64.4
Students of all races/ethnicities are treated equal	74.1	71.7	76.3
Percent of students who agree that:			
Parents notice and comment on student's good work	80.8	80.9	82.2
Parents involve student in making family decisions	68.8	67.0	69.1
It is important to be honest with parents regardless of			
consequences	85.6	84.6	82.2
Student could ask parent for help with a personal problem	75.8	73.8	75.7

Missouri Student Survey is conducted biennially.
Similar affirmative response choices for individual questions are combined.
Blank data cells indicate estimates are not available for item or geographic area. Survey is not conducted in every school district nor reported for every county. Estimates are not available for counties with small numbers of respondents. Percentages are estimates based on weighted data.

Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

COBOTAILOR COL C	/LIX V I						
DBH REGIO	V	Western		IMPAIRED DRIVING	2013	2012	2011
DBH SERVIC	E AREAS			Alcohol Involved CrashesTotal	267	298	254
Substance		6		Fatal Crashes	3	5	5
Adult Psy		Not Applica	able	Injury Crashes	109	114	91
POPULATIO		224 755		Property Damage Crashes	155	179	158
Census 2		334,755		Crash Injuries	3 457	5	5
2014 Esti	mate	351,419		Crash Injuries Drug Involved CrashesTotal	157 54	163 70	137 55
25				Fatal Crashes	2	3	2
				Injury Crashes	27	36	24
BIRTH RISK	2013	2012	2011	Property Damage Crashes	25	31	29
Resident BirthsTotal	4,433	4,492	4,399	Crash Fatalities	2	3	1
Mother Reported Smoking while Pregnan	t 605	647	625	Crash Injuries	35	56	28
DISEASE INCIDENCE 1	2013	2012	2011				
HIV/AIDS Cases	13	25	25	POLICE REPORTS	2013	2012	2011
Hepatitis B Chronic, Acute, Prenatal	13	10	9	DUI Arrests, DWI Tracking System	1,568 371	1,571	1,621
Hepatitis C Chronic and Acute	64	61	74	Liquor Law Arrests Drug Arrests	37 i 1,157	427 1,133	506 1,128
Tuberculosis Infection Cases	35	38	41	Violent Offenses	339	395	371
DEATHS and INJURIES	2013	2012	2011	Property Offenses	3,783	4,337	4,065
Resident DeathsTotal	2,505	2,438	2,331	Domestic Violence Reports	997	1,073	1,014
Suicides	58	50	46		2014	2013	2012
Self-inflicted Injuries	561	511	511	Methamphetamine Lab Seizures	2	4	13
Homicides	10	15	14				
Assault Injuries	939	1,050	1,039	SCHOOL REPORTS	2013-14	2012-13	2011-12
Alcohol Induced Deaths	27	30	26	Enrollment Grades 9-12	17,564 204	17,518	17,226
Drug Induced Deaths	44	46	33	Drop-outs Drop-out Rate	204 1.2%	260 1.5%	358 2.1%
Smoking Attributable Deaths	461	414	418	School Discipline Involving Alcohol	1.2 /0	8	2.176
HOSPITAL EPISODES 2	2013	2012	2011	School Discipline Involving Drugs	109	178	146
Hospitalization, no Emergency Room:	2013	2012	2011	School Discipline Involving Tobacco	3	0	8
Mental Illness Principal Diagnosis	2,173	2,273	2,330				
Mental Illness Secondary Diagnosis	3,796	3,702	3,641	JUVENILE COURT REFERRALS 3	2013	2012	2011
Alcohol Principal Diagnosis	183	212	201	Juvenile Violent Offenses	267	242	256
Alcohol Secondary Diagnosis	263	264	276	Juvenile Alcohol Offenses	35 436	47	65 125
Drug Principal Diagnosis	91	129	131	Juvenile Drug Offenses School Truancy Status Offense	136 48	133 60	125 44
Drug Secondary Diagnosis	287	271	265	Absent from Home Status Offense	52	39	46
Emergency Room + Hospitalization:				Beyond Parental Control Status Offense	39	61	51
Mental Illness Principal Diagnosis	465	539	485	Injurious Behavior Status Offense	38	46	26
Mental Illness Secondary Diagnosis	6,703	6,795	7,094	Child Abuse	67	33	46
Alcohol Principal Diagnosis	164	196	207	Child Neglect	282	246	206
Alcohol Secondary Diagnosis	699	714	735	Child Custody Issues	9	20	14
Drug Principal Diagnosis	97 450	108 487	121 448	UNIVERSITE COLUBE DI ACCAMENTO	2012	2012	2011
Drug Secondary Diagnosis Emergency Room, no Hospitalization:	459	407	440	JUVENILE COURT PLACEMENTS Out-of-Home PlacementsTotal	2013 108	2012 74	2011 58
Mental Illness Principal Diagnosis	2,918	2,906	2,629	Parental Alcohol Use Related	1	4	4
Mental Illness Secondary Diagnosis	7,642	5,765	4,554	Parental Drug Use Related	42	18	10
Alcohol Principal Diagnosis	726	797	829	Parental Alcohol and Drug Use	0	1	2
Alcohol Secondary Diagnosis	696	737	679	9			
Drug Principal Diagnosis	433	473	408	CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Secondary Diagnosis	1,071	863	669	Drug Court Participants	115	135	134
				Probation/Parole AdmissionsDrug	475 120	375	383
ALCOHOL OUTLETS	2014	2013	2012	Prison AdmissionsDrug	139 234	117 180	124 182
Alcohol On-Premise Drink Licenses	342	330	332	Prison AdmissionsDrug Prison AdmissionsDWI	234 69	189 66	69
Alcohol Package Carry-out Licenses	226	222	226	. Hoor Admissions -DWI	09	00	09
EMPLOYMENT	2014	2013	2012	1 All Kansas City hepatitis and TB case report			County
Labor Force	196,227	183,184	182,982	totals and all Joplin case reports are include Beginning with 2010 data, diagnosis counts			es are
Employed	185,724	171,753	171,342	based on codes developed by the Healthcar	e Cost and L	Itilization Proj	ect.
Unemployed	10,503	11,431	11,640	3 Beginning in 2013, juvenile municipal violati court orders are categorized as status offen.			
Unemployment Rate	5.4%	6.2%	6.4%	Source Crasic and Salogorized as status offeri		Holadol	

5.4%

6.2%

6.4%

Unemployment Rate

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	89	85	86
CSTAR Adolescent	84	64	51
CSTAR Women and Children	52	49	42
CSTAR General Adult	997	970	984
CSTAR Opioid	15	*	10
Primary Recovery Treatment	19	48	43
Clinical SATOP (CIP, YCIP, SROP)	315	287	300
Other Substance Abuse Treatment	0	*	6

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	1,225	1,214	1,347
- Adolescent Diversion Education Prograr	8	11	21
- Offender Education Program	463	429	509
- Weekend Intervention Program	301	323	388
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	16	25	16
Compulsive Gambling	*	*	7
Recovery Supports	42	59	41
Early Intervention	39	12	24

NUMBER ADMITTED	FY2014	FY2013	FY2012	PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Total Individuals	1,534	1,479	1,461	Alcohol	653	624	701
	,	, -	, -	Marijuana / Hashish	344	383	342
AGE				Cocaine (total)	36	39	46
Under 18	86	77	57	- Crack	18	21	33
18 to 24	322	338	330	Stimulant (total)	338	281	239
25 to 29	275	242	253	- Methamphetamine	333	277	238
30 to 34	255	235	226	Heroin	40	28	17
35 to 39	168	139	174	Analgesic except Heroin	99	90	94
40 to 44	124	152	141	- Non-Prescription Methadone	*	*	0
45 to 54	217	232	222	PCP, LSD, other Hallucinogen	*	5	10
55 and Over	87	64	58	Tranquilizer	10	16	7
GENDER				Inhalant	*	0	*
Male	1,046	1,021	985	Sedative	0	0	0
Female	488	457	476	Other Medication or Illicit Drug	8	13	*
· Smale	.00			Average Age at First Use of Drug	17.7	17.7	17.9
RACE / ETHNICITY							
Caucasian	1,375	1,309	1,300	INJECTION DRUG USE			
African American	64	80	73	Any Injection Use at Admission	183	145	107
Native American / Alaskan	9	5	*	- Daily Injection Use	29	18	32
Asian / Pacific Islander	*	10	6	- Weekly Injection Use	40	29	16
Hispanic	61	58	62	- Less than Weekly Injection Use	114	98	59
Other Race / Two or More Races	46	39	35	- Less than Weekly Injection Ose	114	90	39
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	349	396	353	0	765	732	710
High School Graduate or G.E.D.	756	676	696	1 or 2	491	465	449
Associate Degree or Some College	409	395	383	3 or More	278	282	302
Bachelor or Advanced Degree	20	12	29				
· ·				TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	382	294	270
Employed	619	554	572	School	6	5	*
Unemployed	481	541	522	Mental Health Provider	109	120	131
Not in Labor Force	434	383	367	Health Care Provider	45	45	40
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	626	665	843
Independent Living	1,338	1,312	1,320	Other Referral Source	173	163	130
Dependent Living	107	91	74				
Homeless	34	40	44	TREATMENT ACCOMMODATION			
	•	.5	• • •	Pregnant when Admitted to any Episode	26	22	25
MARITAL / FAMILY STATUS				Military Veteran	60	45	79
Never Married	893	865	818	Special Education Services Needed	66	65	65
Married / Cohabitating	308	316	302	Co-Occurring Psychological Problem	514	497	496
Previously Married	333	298	341	Co-Occurring Developmental Problem	18	26	18

MISSOURI STUDENT SURVEY

		00.	•
Persont of atudanta who have ever used	2014	2012	2010
Percent of students who have ever used: Alcohol	29.0	36.4	38.2
Cigarettes	14.2		21.2
Chewing Tobacco	6.7		10.0
Marijuana	12.3	16.6	14.8
Inhalants	2.5	5.3	6.2
Prescription medications not prescribed for student	7.0	8.8	11.3
Over-the-counter medications for non-medical use	2.2	6.7	7.9
Methamphetamine	0.6	1.3	8.0
Cocaine	0.8	1.9	1.7
Heroin	0.3	0.9	0.6
Hallucinogens	1.6	3.4	2.9
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.1		2.3
Steroids not prescribed for student	0.7	1.2 6.4	1.1
Synthetic drugs (K2, bath salts, Spice, etc)	2.6	0.4	
Average age of students' first use of:			
Alcohol		12.99	
Cigarettes		13.05	
Marijuana		13.79	
Inhalants	11.50	11.93	11.89
Percent of students who, in past 30 days, used:			
Alcohol	11.6	16.5	17.5
Alcohol (Binge: 5+ drinks on one occassion)		9.3	10.1
Cigarettes	5.7	8.9	11.0
Chewing Tobacco	2.8	5.2	5.1
Marijuana	5.9		7.8
Inhalants	1.0	2.0	2.8
Prescription medications not prescribed for student	3.5	4.8	6.6
Over-the-counter medications for non-medical use	1.4	4.0	5.1
Percent of students who, in past 2 weeks, used:			
Alcohol (Binge: 5+ drinks on one occassion)	4.9		
Percent whose friends used in past 12 months:			
Alcohol	41.1	52.5	55.1
Cigarettes	29.8	40.5	42.9
Marijuana	32.3	40.4	37.5
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	12.2	17.6	19.8
Percent who would likely use, if offered by a best friend:			
Alcohol	21.6	28.4	29.0
Cigarettes	8.7		12.9
Marijuana	11.8	13.9	12.5
•			
Percent who say it would be wrong to use:	CO O	CO F	00.4
Alcohol	68.9 87.7	63.5	63.1 81.0
Cigarettes Marijuana	81.4	82.6 80.4	
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.4	94.8	94.3
	50.4	54.0	04.0
Percent whose parents would disapprove if they use:			
Alcohol	83.6	80.4	80.6
Cigarettes	93.9	92.6	91.3
Marijuana	94.2	93.7	94.3
Percent who say it would be easy to obtain:			
Alcohol	52.4	60.4	59.7
Cigarettes	44.2		53.0
Marijuana	33.3		37.0
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	13.2	18.0	18.3

DENT SURVET			
	2014	2012	2010
Percent who believe they risk harm if they use:			
Alcohol (1 or 2 drinks daily)	64.3		
Alcohol (Binge: 5+ drinks once or twice a week)	75.6		
Alcohol (any use)		71.1	76.6
Cigarettes (1+ packs per day)	88.8		
Cigarettes (any use)		83.7	82.5
Marijuana (once or twice a week)	66.8		
Marijuana (any use)		71.5	73.2
Other: Cocaine, LSD, Meth, Club Drug (any use)	93.1	93.8	93.7
Percent of students who, in past 30 days:			
Were very sad	18.8	18.3	19.6
Were grouchy, irritable, or in a bad mood	23.3	23.3	25.0
Felt hopeless about the future	12.0	11.5	12.3
Felt like not eating or eating more than usual	16.9	16.9	18.6
Slept a lot more or a lot less than usual	17.7	21.1	25.5
Had difficulty concentrating on school work	23.7	23.1	23.8
Percent of students who, in past 12 months:			
Seriously considered attempting suicide	11.2	12.1	11.3
Made plan about how they would attempt suicide	8.2	8.9	7.8
Attempted suicide	4.8	4.7	4.9
Attempted suicide and resulting injury, poisonng, or overdose			
had to be treated by doctor or nurse	1.5	1.8	1.9
Percent of students who, in past 12 months:			
Were threatened/injured with weapon at school	5.1	5.4	8.4
Were in a physical fight	13.1	15.9	20.1
Were in a fight and had to be treated by a doctor or nurse	1.6	2.7	3.4
Percent of students who, in past 3 months:			
Were victims of mean rumors or lies spread at school	44.3	46.1	52.2
Were made fun of by others	56.7	59.9	67.4
Were victims of an embarrassing or hurtful text message or	00.7	00.0	07.4
something posted on the internet	24.3	22.0	20.7
Spread mean rumors or lies about other kids at school	24.4	28.3	34.3
Made fun of other people	51.4	61.3	71.2
Posted something on the internet or sent a text that might	16.6	15.8	19.1
embarrass or hurt another student		. 0.0	
Percent of students who agree that:			
Teachers notice and comment on student's good work	71.3	68.9	69.6
School provides feedback to parents on positive student	39.4	35.7	40.3
performance			
Rules are enforced fairly	69.0	67.2	68.3
Students of all races/ethnicities are treated equal	83.5	78.3	78.1
Percent of students who agree that:			
Parents notice and comment on student's good work	83.8	82.3	83.9
Parents involve student in making family decisions	71.8	69.1	70.8
It is important to be honest with parents regardless of	87.2	83.1	81.4
consequences			
Student could ask parent for help with a personal problem	79.1	76.3	76.4
N			

Missouri Student Survey is conducted biennially. Similar affirmative response choices for individual questions are combined. Blank data cells indicate estimates are not available for item or geographic area. Survey is not conducted in every school district nor reported for every county. Estimates are not available for counties with small numbers of respondents. Percentages are estimates based on weighted data.

Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

00B017410E 00E 0			\ _ /\ <i>i</i>				
DBH REGION		Western		IMPAIRED DRIVING	2013	2012	2011
DBH SERVICE	AREAS			Alcohol Involved CrashesTotal	149	161	164
Substance	Use	7		Fatal Crashes	11	10	2
Adult Psyc	hiatric	Not Applica	ıble	Injury Crashes	49	54	58
POPULATION	'			Property Damage Crashes	89	97	104
Census 20	10	185,454		Crash Fatalities	17	10	2
2014 Estim	nate	187,939		Crash Injuries	79	75	83
Tan and the second seco				Drug Involved CrashesTotal	26	34	29
				Fatal Crashes	0	1	0
BIRTH RISK	2013	2012	2011	Injury Crashes	8	19	7
Resident BirthsTotal	2,306	2,262	2,287	Property Damage Crashes	18	14	22
Mother Reported Smoking while Pregnant	421	386	481	Crash Fatalities	0	2	0
_				Crash Injuries	9	28	7
DISEASE INCIDENCE 1	2013	2012	2011	POLICE REPORTS	2013	2012	2011
HIV/AIDS Cases	7	4	4	DUI Arrests, DWI Tracking System	896	1,080	1,055
Hepatitis B Chronic, Acute, Prenatal	9	6	10	Liquor Law Arrests	565	531	536
Hepatitis C Chronic and Acute	57	66	65	Drug Arrests	1,093	1,044	822
Tuberculosis Infection Cases	57	31	23	Violent Offenses	255	296	264
DEATHS and INJURIES	2013	2012	2011	Property Offenses	3,714	4,215	4,142
Resident DeathsTotal	1,693	1,616	1,546	Domestic Violence Reports	1,201	1,364	1,363
Suicides	34	21	23	Zomosko Wolenes Repent	2014	2013	2012
Self-inflicted Injuries	242	269	278	Methamphetamine Lab Seizures	2	3	2
Homicides	3	7	7				
Assault Injuries	427	460	552	SCHOOL REPORTS	2013-14	2012-13	2011-12
Alcohol Induced Deaths	13	7	12	Enrollment Grades 9-12	9,200	9,218	9,284
Drug Induced Deaths	16	11	29	Drop-outs	148	146	179
Smoking Attributable Deaths	299	289	268	Drop-out Rate	1.6%	1.6%	1.9%
_				School Discipline Involving Alcohol	17	11	13
HOSPITAL EPISODES 2	2013	2012	2011	School Discipline Involving Drugs	91	47	106
Hospitalization, no Emergency Room:				School Discipline Involving Tobacco	1	1	0
Mental Illness Principal Diagnosis	1,442	1,500	1,618	JUVENILE COURT REFERRALS 3	2013	2012	2011
Mental Illness Secondary Diagnosis	2,255	2,160	2,303	Juvenile Violent Offenses	169	239	165
Alcohol Principal Diagnosis	87	98	105	Juvenile Alcohol Offenses	27	32	38
Alcohol Secondary Diagnosis	155	139	196	Juvenile Drug Offenses	65	94	55
Drug Principal Diagnosis	62	69	57	School Truancy Status Offense	94	67	49
Drug Secondary Diagnosis	149	143	160	Absent from Home Status Offense	85	144	114
Emergency Room + Hospitalization: Mental Illness Principal Diagnosis	309	287	191	Beyond Parental Control Status Offense	101	148	122
Mental Illness Secondary Diagnosis	2,556	2,428	2,116	Injurious Behavior Status Offense	247	349	191
Alcohol Principal Diagnosis	2,330	93	63	Child Abuse	16	47	10
Alcohol Secondary Diagnosis	270	249	239	Child Neglect	347	404	163
Drug Principal Diagnosis	36	52	39	Child Custody Issues	73	74	157
Drug Secondary Diagnosis	174	210	177	JUVENILE COURT PLACEMENTS	2013	2012	2011
Emergency Room, no Hospitalization:		2.0		Out-of-Home PlacementsTotal	175	154	173
Mental Illness Principal Diagnosis	1,354	1,426	1,243	Parental Alcohol Use Related	3	0	7
Mental Illness Secondary Diagnosis	1,527	1,570	2,505	Parental Drug Use Related	63	27	37
Alcohol Principal Diagnosis	308	289	296	Parental Alcohol and Drug Use	6	11	8
Alcohol Secondary Diagnosis	267	251	262	Ğ			
Drug Principal Diagnosis	213	219	187	CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Secondary Diagnosis	324	380	314	Drug Court Participants	127	163	105
, <u>, , , , , , , , , , , , , , , , , , </u>				Probation/Parole AdmissionsDrug	350	318	378
ALCOHOL OUTLETS	2014	2013	2012	Probation/Parole AdmissionsDWI	77	98	97
Alcohol On-Premise Drink Licenses	158	167	167	Prison AdmissionsDrug	201	182	186
Alcohol Package Carry-out Licenses	163	166	162	Prison AdmissionsDWI	52	58	53
EMPLOYMENT	2014	2013	2012	1 All Kansas City hepatitis and TB case repor	ts are include	ed in Jackson	County
Labor Force	94,355	91,834	91,833	totals and all Joplin case reports are include			ees are
Employed	88,855	86,072	85,462	2 Beginning with 2010 data, diagnosis counts based on codes developed by the Healthcar			
Unomployed	5 500	5 762	6 271	3 Beginning in 2013, juvenile municipal violati			

5,500

5.8%

5,762

6.3%

6,371

6.9%

Unemployed

Unemployment Rate

3 Beginning in 2013, juvenile municipal violations, infractions, and violations of

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	34	40	45
CSTAR Adolescent	85	75	105
CSTAR Women and Children	28	36	26
CSTAR General Adult	480	564	587
CSTAR Opioid	*	*	0
Primary Recovery Treatment	11	18	19
Clinical SATOP (CIP, YCIP, SROP)	165	199	184
Other Substance Abuse Treatment	0	*	*

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	689	739	816
- Adolescent Diversion Education Prograr	*	*	*
- Offender Education Program	272	278	328
- Weekend Intervention Program	147	159	188
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	12	27	46
Compulsive Gambling	0	0	0
Recovery Supports	155	274	262
Early Intervention	17	7	42

NUMBER ADMITTED	FY2014	FY2013	FY2012	PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Total Individuals	807	954	989	Alcohol	333	423	459
				Marijuana / Hashish	205	225	262
AGE				Cocaine (total)	14	9	16
Under 18	84	81	108	- Crack	*	6	6
18 to 24	145	178	199	Stimulant (total)	182	212	189
25 to 29	148	156	175	- Methamphetamine	172	199	180
30 to 34	128	165	154	Heroin	15	10	8
35 to 39	86	95	87	Analgesic except Heroin	41	56	38
40 to 44	74	78	104	- Non-Prescription Methadone	0	*	*
45 to 54	111	160	125	PCP, LSD, other Hallucinogen	*	8	*
55 and Over	31	41	37	Tranquilizer	5	*	9
GENDER				Inhalant	*	*	*
Male	546	647	662	Sedative	*	*	0
Female	261	307	327	Other Medication or Illicit Drug	10	5	*
Temale	201	307	321	Average Age at First Use of Drug	17.5	17.1	16.6
RACE / ETHNICITY				Average Age at 1 list 030 of Drug	17.5	17.1	10.0
Caucasian	745	886	904	INJECTION DRUG USE			
African American	36	24	38	INJECTION DRUG USE Any Injection Use at Admission	87	96	65
Native American / Alaskan	0	7	*	- Daily Injection Use	17	10	13
Asian / Pacific Islander	*	*	*	- Weekly Injection Use	30	32	27
Hispanic	19	25	29			52 54	27 25
Other Race / Two or More Races	14	20	23	- Less than Weekly Injection Use	40	54	25
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	241	275	304	0	440	471	496
High School Graduate or G.E.D.	360	445	413	1 or 2	246	284	301
Associate Degree or Some College	197	229	254	3 or More	121	199	192
Bachelor or Advanced Degree	9	5	18				
				TREATMENT REFERRAL SOURCE	000	540	500
EMPLOYMENT	00.4	004	004	Self / Family / Friend	309	510	528
Employed	284	331	331	School		0	
Unemployed	272	288	230	Mental Health Provider	5	10	21
Not in Labor Force	251	335	428	Health Care Provider	20	20	26
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	271	261	298
Independent Living	634	798	800	Other Referral Source	189	107	114
Dependent Living	100	95	119				
Homeless	18	18	24	TREATMENT ACCOMMODATION			
	. 2			Pregnant when Admitted to any Episode	9	14	8
MARITAL / FAMILY STATUS				Military Veteran	22	41	52
Never Married	457	505	545	Special Education Services Needed	19	34	48
Married / Cohabitating	188	252	247	Co-Occurring Psychological Problem	309	293	229
Previously Married	162	197	197	Co-Occurring Developmental Problem	18	17	23

MISSOURI STUDENT SURVEY

	IVIIO		11310	DENT SORVET			
Percent of students who have ever used:	2014	2012	2010	Percent who believe they risk harm if they use:	2014	2012	2010
Alcohol	38.2	36.8	44.5	Alcohol (1 or 2 drinks daily)	58.6		
Cigarettes	21.8	21.5	27.4	Alcohol (Binge: 5+ drinks once or twice a week)	69.5		
Chewing Tobacco	14.2	16.0	12.7	Alcohol (any use)		69.0	76.0
Marijuana	16.4	11.1	15.3	Cigarettes (1+ packs per day)	86.4		
Inhalants	3.2	5.4	7.6	Cigarettes (any use)		80.8	80.7
Prescription medications not prescribed for student	9.0	7.9	12.0	Marijuana (once or twice a week)	63.6		
Over-the-counter medications for non-medical use	3.1	6.2	8.3	Marijuana (any use)		76.5	71.2
Methamphetamine	0.7	1.3	1.2	Other: Cocaine, LSD, Meth, Club Drug (any use)	91.5	94.2	93.0
Cocaine	1.9	1.6	1.9	Percent of students who, in past 30 days:			
Heroin	0.5	0.7	0.5	Were very sad	23.7	17.4	21.8
Hallucinogens	4.2	2.4		Were grouchy, irritable, or in a bad mood	26.6	21.0	27.6
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	3.2	2.0	2.3	Felt hopeless about the future	14.7	8.8	13.5
Steroids not prescribed for student	1.7	1.1	1.1	Felt like not eating or eating more than usual	18.2	16.2	20.6
Synthetic drugs (K2, bath salts, Spice, etc)	6.0	5.3		Slept a lot more or a lot less than usual	17.1	19.5	27.8
Average age of students' first use of:				Had difficulty concentrating on school work	26.7	21.1	25.7
Alcohol	13.36	12.65	12.72	Descent of attidants who in next 12 months.			
Cigarettes	13.29	12.54	12.66	Percent of students who, in past 12 months: Seriously considered attempting suicide	13.5	10.9	11.6
Marijuana	14.20	13.53	13.70	Made plan about how they would attempt suicide	10.9	8.8	8.1
Inhalants	12.10	11.76	12.16	Attempted suicide	5.4	5.0	5.2
Percent of students who, in past 30 days, used:				Attempted suicide and resulting injury, poisonng, or overdose	5.4	5.0	
Alcohol	17.5	14.2	20.2	had to be treated by doctor or nurse	1.0	1.0	1.8
Alcohol (Binge: 5+ drinks on one occassion)	17.0	8.4		· ·			
Cigarettes	10.0	9.4	_	Percent of students who, in past 12 months:	7.0	5.8	9.4
Chewing Tobacco	6.9	6.4	7.3	Were threatened/injured with weapon at school Were in a physical fight	7.0 19.4	20.1	21.6
Marijuana	9.2	4.8	7.5	Were in a physical light Were in a fight and had to be treated by a doctor or nurse	3.1	20.1	3.1
Inhalants	1.0	2.2	3.3	were in a right and had to be treated by a doctor of hurse	5.1	2.1	0.1
Prescription medications not prescribed for student	4.3	4.4	7.0	Percent of students who, in past 3 months:			
Over-the-counter medications for non-medical use	1.8	3.3	5.1	Were victims of mean rumors or lies spread at school	53.0	49.5	54.8
Percent of students who, in past 2 weeks, used:				Were made fun of by others	63.3	61.2	67.8
Alcohol (Binge: 5+ drinks on one occassion)	7.8			Were victims of an embarrassing or hurtful text message or something posted on the internet	28.3	20.4	20.7
Percent whose friends used in past 12 months:				Spread mean rumors or lies about other kids at school	25.5	23.6	35.2
Alcohol	48.3	47.9	60.4	Made fun of other people	57.0	59.6	73.1
Cigarettes	37.9	37.7	49.9	Posted something on the internet or sent a text that might	18.7	13.2	17.8
Marijuana	35.8	26.4	36.1	embarrass or hurt another student			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	14.9	11.0	17.3	Percent of students who agree that:			
Percent who would likely use, if offered by a best friend:				Teachers notice and comment on student's good work	68.1	69.0	69.2
Alcohol	30.2	29.5	35.3	School provides feedback to parents on positive student	26.2	20 E	20 F
Cigarettes	12.9	12.3	16.0	performance	36.2	38.5	39.5
Marijuana	13.8	9.4		Rules are enforced fairly	63.2	63.2	64.0
•				Students of all races/ethnicities are treated equal	81.4	82.7	78.6
Percent who say it would be wrong to use:	0.4.5	04.0		Percent of students who agree that:			
Alcohol	61.5	61.9	57.3	Parents notice and comment on student's good work	80.6	83.0	83.1
Cigarettes	82.6		77.9	Parents involve student in making family decisions	67.2	69.5	69.7
Marijuana Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	78.3 95.1	85.9 95.8	83.0 94.6	It is important to be honest with parents regardless of			
Other mich (Cocame, ESD, Meth, Clab Drug, etc)	33.1	33.0	34.0	consequences	87.2	86.3	82.9
Percent whose parents would disapprove if they use:				Student could ask parent for help with a personal problem	75.8	77.2	75.6
Alcohol	78.4	78.0	76.9				
Cigarettes	90.9	92.3	90.1	Missouri Student Survey is conducted biennially.			
Marijuana	92.7	95.2	94.3	Similar affirmative response choices for individual questions ar Blank data cells indicate estimates are not available for item or			
Percent who say it would be easy to obtain:				Survey is not conducted in every school district nor reported fo	r every co	ounty.	
Alcohol	55.2	53.2	61.6	Estimates are not available for counties with small numbers of Percentages are estimates based on weighted data.	responde	nts.	
Cigarettes	49.6	47.9	58.6	Some year-to-year differences in percentages are not statistical	ılly signifi	cant.	
Marijuana	36.5	29.2	34.9	Data course: Microuri Institute of Montal Health, 2040, 2044 Mil	ecouri Ca	udont C	urvovo
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	17.0	13.0	18.1	Data source: Missouri Institute of Mental Health, 2010-2014 Mi	SSOURI St	udent St	ııveys

DBH REGION	Southwest		IMPAIRED DRIVING	2013	2012	2011
DBH SERVICE AREAS			Alcohol Involved CrashesTotal	88	136	119
Substance Use	8		Fatal Crashes	3	4	8
Adult Psychiatric	Not Applica	ble	Injury Crashes	43	51	55
POPULATION			Property Damage Crashes	42	81	56
Census 2010	112,950		Crash Fatalities	5	4	10
2014 Estimate	111,047		Crash Injuries	58	73	75
3			Drug Involved CrashesTotal	28	25	23
<u> </u>			Fatal Crashes	0	1	1
BIRTH RISK 2013	2012	2011	Injury Crashes	13	9	10
Resident BirthsTotal 1,177	1,188	1,206	Property Damage Crashes	15	15	12
Mother Reported Smoking while Pregnant 291	319	325	Crash Fatalities Crash Injuries	0 15	1 10	1 11
DISEASE INCIDENCE 1 2013	2012	2011	Orașii injunes	10	10	
HIV/AIDS Cases 2	2	1	POLICE REPORTS	2013	2012	2011
Hepatitis B Chronic, Acute, Prenatal 1	2	2	DUI Arrests, DWI Tracking System	509	590	721
Hepatitis C Chronic and Acute 96	89	83	Liquor Law Arrests	96	137	153
Tuberculosis Infection Cases 16	14	11	Drug Arrests	668	651	552
			Violent Offenses	396	393	338
DEATHS and INJURIES 2013	2012	2011	Property Offenses	3,322	3,739	3,173
Resident DeathsTotal 1,487	1,539	1,512	Domestic Violence Reports	535	650	722
Suicides 18	22	24	Mathematical lab Ostana	2014	2013	2012
Self-inflicted Injuries 157	144	213	Methamphetamine Lab Seizures	1	16	15
Homicides 2	5	5	SCHOOL REPORTS	2013-14	2012-13	2011-12
Assault Injuries 321	361	342	Enrollment Grades 9-12	4,998	5,062	4,943
Alcohol Induced Deaths 11 Drug Induced Deaths 18	11 30	9 20	Drop-outs	95	85	155
Smoking Attributable Deaths 305	305	20 297	Drop-out Rate	1.9%	1.7%	3.1%
Smoking Attributable Deaths 303	303	291	School Discipline Involving Alcohol	4	15	9
HOSPITAL EPISODES 2 2013	2012	2011	School Discipline Involving Drugs	41	45	60
Hospitalization, no Emergency Room:			School Discipline Involving Tobacco	5	2	2
Mental Illness Principal Diagnosis 1,068	984	1,002	JUVENILE COURT REFERRALS 3	2013	2012	2011
Mental Illness Secondary Diagnosis 2,593	2,453	2,611	Juvenile Violent Offenses	142	197	164
Alcohol Principal Diagnosis 41	58	56	Juvenile Alcohol Offenses	21	44	51
Alcohol Secondary Diagnosis 171	179	216	Juvenile Drug Offenses	21	50	33
Drug Principal Diagnosis 47	64	49	School Truancy Status Offense	136	136	196
Drug Secondary Diagnosis 159	144	142	Absent from Home Status Offense	22	52	57
Emergency Room + Hospitalization:			Beyond Parental Control Status Offense	67	102	134
Mental Illness Principal Diagnosis 362	458	289	Injurious Behavior Status Offense	168	139	188
Mental Illness Secondary Diagnosis 1,591	1,635	1,402	Child Abuse	136	164	189
Alcohol Principal Diagnosis 62 Alcohol Secondary Diagnosis 156	54 156	72	Child Neglect	467	445	436
Alcohol Secondary Diagnosis 156 Drug Principal Diagnosis 41	156 59	175 43	Child Custody Issues	33	18	19
Drug Secondary Diagnosis 114	104	114	JUVENILE COURT PLACEMENTS	2013	2012	2011
Emergency Room, no Hospitalization:	104	114	Out-of-Home PlacementsTotal	109	88	125
Mental Illness Principal Diagnosis 1,017	1,102	1,018	Parental Alcohol Use Related	3	7	3
Mental Illness Secondary Diagnosis 5,044	4,307	3,846	Parental Drug Use Related	42	35	41
Alcohol Principal Diagnosis 173	174	173	Parental Alcohol and Drug Use	2	1	4
Alcohol Secondary Diagnosis 284	284	237	Ŭ			
Drug Principal Diagnosis 176	179	166	CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Secondary Diagnosis 335	318	257	Drug Court Participants	61	87	80
			Probation/Parole AdmissionsDrug	294	258	199
ALCOHOL OUTLETS 2014		2012	Prices Admissions - Drug	66 135	61 115	72 107
Alcohol On-Premise Drink Licenses 126	128	136	Prison AdmissionsDrug Prison AdmissionsDWI	135 26	23	107
Alcohol Package Carry-out Licenses 147	148	156	THOUT AUTHOSIONS-DAM	20	20	21
EMPLOYMENT 2014	2013	2012	1 All Kansas City hepatitis and TB case report			County
Labor Force 48,746	50,585	48,862	totals and all Joplin case reports are include Beginning with 2010 data, diagnosis counts			es are
	47,189	45,108	based on codes developed by the Healthcar	e Cost and L	Itilization Proj	iect.
Employed 45,435 Unemployed 3,311	3,396	3,754	3 Beginning in 2013, juvenile municipal violation			

6.8%

6.7%

7.7%

Unemployment Rate

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	48	66	69
CSTAR Adolescent	67	66	59
CSTAR Women and Children	53	56	40
CSTAR General Adult	937	885	998
CSTAR Opioid	*	0	0
Primary Recovery Treatment	22	24	99
Clinical SATOP (CIP, YCIP, SROP)	134	140	140
Other Substance Abuse Treatment	0	0	5

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	520	588	637
- Adolescent Diversion Education Prograr	*	*	*
- Offender Education Program	174	216	233
- Weekend Intervention Program	97	126	129
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	25	32	60
Compulsive Gambling	0	0	*
Recovery Supports	244	369	211
Early Intervention	16	13	29

NUMBER ADMITTED	FY2014	FY2013	FY2012	PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Total Individuals	1,319	1,314	1,320	Alcohol	459	463	520
	,	,-	,	Marijuana / Hashish	333	344	326
AGE				Cocaine (total)	12	16	19
Under 18	71	71	62	- Crack	*	6	8
18 to 24	208	259	265	Stimulant (total)	388	367	334
25 to 29	207	204	222	- Methamphetamine	364	355	314
30 to 34	218	213	220	Heroin	8	5	12
35 to 39	176	161	145	Analgesic except Heroin	92	90	92
40 to 44	123	117	117	- Non-Prescription Methadone	*	0	*
45 to 54	236	207	224	PCP, LSD, other Hallucinogen	*	*	*
55 and Over	80	82	65	Tranquilizer	8	12	8
GENDER				Inhalant	*	*	*
Male	813	835	851	Sedative	*	*	*
Female	506	479	469	Other Medication or Illicit Drug	11	9	5
				Average Age at First Use of Drug	17.6	17.4	17.2
RACE / ETHNICITY	4 004	4 0 4 0	4 000				
Caucasian	1,231	1,246	1,260	INJECTION DRUG USE			
African American	33	36	26	Any Injection Use at Admission	165	191	174
Native American / Alaskan	6		*	- Daily Injection Use	20	39	27
Asian / Pacific Islander		0		- Weekly Injection Use	39	47	39
Hispanic	24	18	16	- Less than Weekly Injection Use	106	105	108
Other Race / Two or More Races	29	19	20	, ,			
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	422	411	445	0	793	736	721
High School Graduate or G.E.D.	662	658	638	1 or 2	344	341	370
Associate Degree or Some College	225	237	229	3 or More	182	237	229
Bachelor or Advanced Degree	10	8	8	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	361	574	546
Employed	338	306	333	School	*	0	*
Unemployed	444	394	389	Mental Health Provider	23	18	21
Not in Labor Force	537	614	598	Health Care Provider	58	57	43
Not in Eabor Force	331	014	330	Court / Criminal Justice	407	403	467
HOUSING / LIVING ARRANGEMENT				Other Referral Source	454	254	241
Independent Living	1,063	1,077	1,073	Other Reierral Gource	707	204	271
Dependent Living	129	109	99	TREATMENT ACCOMMODATION			
Homeless	24	44	34	Pregnant when Admitted to any Episode	19	16	19
MADITAL / EAMILY STATUS				Military Veteran	35	53	51
MARITAL / FAMILY STATUS Never Married	637	660	631	Special Education Services Needed	44	67	80
Married / Cohabitating	374	329	365	Co-Occurring Psychological Problem	501	374	242
Previously Married	308	325	324	Co-Occurring Psychological Problem Co-Occurring Developmental Problem	17	374 47	242
i reviously ivialitieu	300	323	324	00-000uming Developmental Problem	17	47	20

MISSOURI STUDENT SURVEY

		.	•
Percent of students who have ever used:	2014	2012	2010
Alcohol	38.2	45.5	49.8
Cigarettes	23.6		
Chewing Tobacco		12.7	-
Marijuana		15.6	15.8
Inhalants	3.1		6.5
Prescription medications not prescribed for student	7.2	_	11.3
Over-the-counter medications for non-medical use	3.7		8.0
Methamphetamine	0.7	1.8	1.1
Cocaine	1.2	2.0	1.6
Heroin	0.4	1.4	0.7
Hallucinogens	1.4	2.8	2.6
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.4	2.4	2.5
Steroids not prescribed for student	0.6	2.2	1.0
Synthetic drugs (K2, bath salts, Spice, etc)	4.0	8.5	
Average age of students' first use of: Alcohol	12.52	12.53	12 20
Cigarettes		12.19	
Marijuana	_	13.06	_
Inhalants		12.07	
IIIIdditis	12.29	12.07	12.49
Percent of students who, in past 30 days, used:			
Alcohol	17.4	21.0	23.3
Alcohol (Binge: 5+ drinks on one occassion)		13.1	12.1
Cigarettes	10.3	14.4	15.7
Chewing Tobacco	9.7	8.2	10.2
Marijuana	4.5	6.3	7.0
Inhalants	1.1	2.1	2.8
Prescription medications not prescribed for student	3.0	5.6	6.4
Over-the-counter medications for non-medical use	1.7	3.6	5.0
Percent of students who, in past 2 weeks, used:			
Alcohol (Binge: 5+ drinks on one occassion)	8.0		
Percent whose friends used in past 12 months:	40.0	500	00.0
Alcohol	42.6	56.9	
Cigarettes		47.6	
Marijuana	21.3		
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	7.4	13.4	16.0
Percent who would likely use, if offered by a best friend:			
Alcohol	28.3	37.4	39.7
Cigarettes	11.3	16.4	16.9
Marijuana	8.1	9.6	12.1
Percent who say it would be wrong to use:			
Alcohol	63.2	54.5	56.2
Cigarettes	84.5		
Marijuana	87.2		
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.7		94.7
Other fillett (Cocalife, ESD, Metil, Club Drug, etc)	91.1	95.0	34.7
Percent whose parents would disapprove if they use:			
Alcohol	79.8	74.9	74.3
Cigarettes	91.1	89.0	88.4
Marijuana	95.2	95.1	93.6
Percent who say it would be easy to obtain:			
Alcohol	47.7	61.3	61.2
Cigarettes	47.8	55.5	60.6
Marijuana	20.4		35.6
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	8.5	16.7	21.9
(,,, 5, 5	2.9		

DENT SURVEY			
Percent who believe they risk harm if they use:	2014	2012	2010
Alcohol (1 or 2 drinks daily)	53.7		
Alcohol (Binge: 5+ drinks once or twice a week)	67.5		
Alcohol (any use)		65.1	78.0
Cigarettes (1+ packs per day)	82.9		
Cigarettes (any use)		78.3	80.0
Marijuana (once or twice a week)	72.9		
Marijuana (any use)		74.2	71.1
Other: Cocaine, LSD, Meth, Club Drug (any use)	93.1	92.7	93.5
Percent of students who, in past 30 days:			
Were very sad	18.7	21.4	21.8
Were grouchy, irritable, or in a bad mood	25.7	25.9	25.7
Felt hopeless about the future	12.1	9.7	13.4
Felt like not eating or eating more than usual	18.4	19.2	20.2
Slept a lot more or a lot less than usual	16.4	21.5	27.0
Had difficulty concentrating on school work	21.8	24.7	26.8
Percent of students who, in past 12 months:			
Seriously considered attempting suicide	12.6	12.6	11.7
Made plan about how they would attempt suicide	8.6	8.7	8.7
Attempted suicide	5.2	4.5	5.7
Attempted suicide and resulting injury, poisonng, or overdose had to be treated by doctor or nurse	1.4	2.4	2.2
Percent of students who, in past 12 months:			
Were threatened/injured with weapon at school	6.6	6.4	11.3
Were in a physical fight	19.2	22.1	24.2
Were in a fight and had to be treated by a doctor or nurse	2.8	3.1	3.8
Percent of students who, in past 3 months:			
Were victims of mean rumors or lies spread at school	50.8	50.6	58.7
Were made fun of by others	61.2	64.1	71.8
Were victims of an embarrassing or hurtful text message or			
something posted on the internet	21.5	21.9	21.1
Spread mean rumors or lies about other kids at school	20.5	28.9	32.8
Made fun of other people	55.0	64.2	74.4
Posted something on the internet or sent a text that might embarrass or hurt another student	13.8	17.0	16.8
embarrass of fluit another student			
Percent of students who agree that:			
Teachers notice and comment on student's good work	75.3	72.9	71.5
School provides feedback to parents on positive student performance	46.0	39.2	40.9
Rules are enforced fairly	68.9	61.3	61.1
Students of all races/ethnicities are treated equal	85.4	80.8	79.3
Percent of students who agree that:			
Parents notice and comment on student's good work	83.4	81.6	81.1
Parents involve student in making family decisions	69.8	66.7	66.8
It is important to be honest with parents regardless of	00.7	06.0	00.5
consequences	89.7	86.0	82.5
Student could ask parent for help with a personal problem	79.4	75.4	75.8
Miccouri Student Survey is conducted biomially			

Missouri Student Survey is conducted biennially.
Similar affirmative response choices for individual questions are combined.
Blank data cells indicate estimates are not available for item or geographic area. Survey is not conducted in every school district nor reported for every county. Estimates are not available for counties with small numbers of respondents. Percentages are estimates based on weighted data.

Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

DBH REGION	1	Southwest		IMPAIRED DRIVING	2013	2012	2011
DBH SERVICE				Alcohol Involved CrashesTotal	335	338	347
Substance		9		Fatal Crashes	16	10	13
Adult Psyc		Not Applica	able	Injury Crashes	144	148	152
POPULATION				Property Damage Crashes	175	180	182
Census 20		285,234		Crash Fatalities	17	11	13
2014 Estir	nate	284,683		Crash Injuries	200	205	212
				Drug Involved CrashesTotal	81	84	92
				Fatal Crashes	7	0	3
BIRTH RISK	2013	2012	2011	Injury Crashes	32	30	38
Resident BirthsTotal	3,750	3,884	3,797	Property Damage Crashes	42	54	51
Mother Reported Smoking while Pregnant	771	765	832	Crash Fatalities Crash Injuries	7 42	0 41	3 46
DISEASE INCIDENCE 1	2013	2012	2011	Crash injunes	42	41	40
HIV/AIDS Cases	2013	7	2011 8	POLICE REPORTS	2013	2012	2011
Hepatitis B Chronic, Acute, Prenatal	28	23	24	DUI Arrests, DWI Tracking System	2,170	2,172	2,460
Hepatitis C Chronic and Acute	236	210	2 4 277	Liquor Law Arrests	350	427	415
Tuberculosis Infection Cases	105	125	134	Drug Arrests	1,121	1,039	1,032
Tabelediosis illicotion Gases	100	120	104	Violent Offenses	940	1,092	936
DEATHS and INJURIES	2013	2012	2011	Property Offenses	10,832	10,982	9,525
Resident DeathsTotal	3,079	2,884	2,929	Domestic Violence Reports	2,637	2,806	2,601
Suicides	48	41	43		2014	2013	2012
Self-inflicted Injuries	331	340	380	Methamphetamine Lab Seizures	125	164	206
Homicides	8	14	6	SCHOOL DEPORTS	2013-14	2012-13	2011-12
Assault Injuries	702	838	803	SCHOOL REPORTS Enrollment Grades 9-12	13,591	13,720	13,434
Alcohol Induced Deaths	16	15	13	Drop-outs	262	310	361
Drug Induced Deaths	36	25	46	Drop-out Rate	1.9%	2.3%	2.7%
Smoking Attributable Deaths	601	543	516	School Discipline Involving Alcohol	42	74	20
HOSPITAL EPISODES 2	2013	2012	2011	School Discipline Involving Drugs	110	84	140
Hospitalization, no Emergency Room:	2013	2012	2011	School Discipline Involving Tobacco	3	3	4
Mental Illness Principal Diagnosis	1,804	1,813	2,270				
Mental Illness Secondary Diagnosis	4,358	5,172	6,441	JUVENILE COURT REFERRALS 3	2013	2012	2011
Alcohol Principal Diagnosis	160	232	269	Juvenile Violent Offenses	178	358	347
Alcohol Secondary Diagnosis	305	401	597	Juvenile Alcohol Offenses	33	57	74
Drug Principal Diagnosis	147	167	177	Juvenile Drug Offenses	65	114	111
Drug Secondary Diagnosis	237	299	384	School Truancy Status Offense	94	84	140
Emergency Room + Hospitalization:				Absent from Home Status Offense	70	101	98
Mental Illness Principal Diagnosis	1,356	1,197	558	Beyond Parental Control Status Offense	79	130	124
Mental Illness Secondary Diagnosis	4,266	3,218	1,848	Injurious Behavior Status Offense	137	141	148
Alcohol Principal Diagnosis	326	351	223	Child Noglect	156	100	137
Alcohol Secondary Diagnosis	468	413	258	Child Neglect Child Custody Issues	899 421	1,123 397	1,048 127
Drug Principal Diagnosis	279	227	126	Crilla Custody Issaes	421	391	121
Drug Secondary Diagnosis	233	212	142	JUVENILE COURT PLACEMENTS	2013	2012	2011
Emergency Room, no Hospitalization:				Out-of-Home PlacementsTotal	672	691	642
Mental Illness Principal Diagnosis	2,254	2,708	2,736	Parental Alcohol Use Related	9	36	25
Mental Illness Secondary Diagnosis	17,185	16,866	13,408	Parental Drug Use Related	228	249	243
Alcohol Principal Diagnosis	627	638	526	Parental Alcohol and Drug Use	9	14	21
Alcohol Secondary Diagnosis	842	732	669	CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Principal Diagnosis	498	491	415	Drug Court Participants	307	302	236
Drug Secondary Diagnosis	902	773	759	Probation/Parole AdmissionsDrug	507	482	528
ALCOUGH OUTLETS	2014	2012	2012	Probation/Parole AdmissionsDWI	201	228	216
ALCOHOL OUTLETS Alcohol On-Premise Drink Licenses	2014 232	2013 235	2012 223	Prison AdmissionsDrug	228	256	213
Alcohol Package Carry-out Licenses	349	235 291	322	Prison AdmissionsDWI	72	88	77
				1 All Kanaga City bandities and TD	to are instal	din lastra	Country
EMPLOYMENT	2014	2013	2012	All Kansas City hepatitis and TB case report totals and all Joplin case reports are include			County
Labor Force	134,710	138,255	136,775	2 Beginning with 2010 data, diagnosis counts	for hospital a	and ER servic	
Employed	127,240	130,203	128,336	based on codes developed by the Healthcar Beginning in 2013, juvenile municipal violati			

²⁰¹⁵ Status Report on Missouri's Substance Use and Mental Health

7,470

5.5%

8,052

5.8%

8,439

6.2%

Unemployed

Unemployment Rate

3 Beginning in 2013, juvenile municipal violations, infractions, and violations of

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	270	395	252
CSTAR Adolescent	115	107	154
CSTAR Women and Children	299	285	281
CSTAR General Adult	966	978	886
CSTAR Opioid	*	0	0
Primary Recovery Treatment	85	80	117
Clinical SATOP (CIP, YCIP, SROP)	284	266	237
Other Substance Abuse Treatment	0	*	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	1,191	1,237	1,376
- Adolescent Diversion Education Prograr	49	58	50
- Offender Education Program	404	466	506
- Weekend Intervention Program	207	238	264
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	69	108	93
Compulsive Gambling	*	5	5
Recovery Supports	349	505	532
Early Intervention	117	86	102

NUMBER ADMITTED	FY2014	FY2013	FY2012	PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Total Individuals	1,903	2,011	1,977	Alcohol	776	867	850
	.,	_,•••	.,	Marijuana / Hashish	410	368	417
AGE				Cocaine (total)	18	22	34
Under 18	116	113	157	- Crack	10	11	20
18 to 24	276	288	325	Stimulant (total)	500	512	472
25 to 29	297	357	349	- Methamphetamine	482	500	460
30 to 34	322	342	330	Heroin	12	10	5
35 to 39	258	268	229	Analgesic except Heroin	153	180	138
40 to 44	198	202	187	- Non-Prescription Methadone	*	5	*
45 to 54	317	331	304	PCP, LSD, other Hallucinogen	*	8	9
55 and Over	119	110	96	Tranquilizer	18	24	32
CENDED				Inhalant	5	24 5	3Z *
GENDER Male	1,212	1,299	1,283	Sedative	*	*	*
Female	691	712	694		7	13	14
remale	091	/ 12	094	Other Medication or Illicit Drug	7 17.7	18.0	17.2
RACE / ETHNICITY				Average Age at First Use of Drug	17.7	16.0	17.2
Caucasian	1,736	1,832	1,791				
African American	64	73	67	INJECTION DRUG USE	040	000	000
Native American / Alaskan	9	5	5	Any Injection Use at Admission	318	308	268
Asian / Pacific Islander	9	9	6	- Daily Injection Use	62	57	38
Hispanic	71	60	71	- Weekly Injection Use	90	84	65
Other Race / Two or More Races	44	47	47	- Less than Weekly Injection Use	166	167	165
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	674	745	741	0	933	956	935
High School Graduate or G.E.D.	779	797	813	1 or 2	581	659	646
Associate Degree or Some College	434	452	407	3 or More	389	396	396
Bachelor or Advanced Degree	16	17	16				
_				TREATMENT REFERRAL SOURCE		200	000
EMPLOYMENT				Self / Family / Friend	555 *	999	692
Employed	575	615	611	School			5
Unemployed	721	782	734	Mental Health Provider	10	6	14
Not in Labor Force	607	614	632	Health Care Provider	190	184	76
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	929	532	836
Independent Living	1,555	1,621	1,590	Other Referral Source	207	275	351
Dependent Living	208	205	249				
Homeless	95	126	78	TREATMENT ACCOMMODATION			
	00	120		Pregnant when Admitted to any Episode	33	23	29
MARITAL / FAMILY STATUS				Military Veteran	98	116	76
Never Married	857	876	901	Special Education Services Needed	266	293	234
Married / Cohabitating	520	577	562	Co-Occurring Psychological Problem	939	1,125	965
Previously Married	526	558	514	Co-Occurring Developmental Problem	70	64	58

MISSOURI STUDENT SURVEY

		COL	51
Description of a trade of the description of the description of	2014	2012	2010
Percent of students who have ever used:	32.4	32.0	39.1
Alcohol Cigarettes	22.0		28.5
Chewing Tobacco	15.5	_	15.7
Marijuana	11.0		14.4
Inhalants	2.7	5.1	7.4
Prescription medications not prescribed for student	6.5	7.1	10.7
Over-the-counter medications for non-medical use	2.5	5.7	8.0
Methamphetamine	0.7	1.2	1.1
Cocaine	0.5	1.2	1.4
Heroin	0.4	0.8	0.5
Hallucinogens	1.4	2.7	2.4
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.2	1.6	1.8
Steroids not prescribed for student	0.8	1.2	1.1
Synthetic drugs (K2, bath salts, Spice, etc)	2.6	7.1	
Average age of students' first use of:			
Alcohol	12.91	12.31	12.43
Cigarettes	12.53	12.10	12.04
Marijuana	14.02	13.23	13.45
Inhalants	11.10	12.13	12.17
Percent of students who, in past 30 days, used:			
Alcohol	12.5	12.3	16.4
Alcohol (Binge: 5+ drinks on one occassion)		6.7	8.5
Cigarettes	8.9	10.0	14.5
Chewing Tobacco	8.0	6.8	8.5
Marijuana	4.0	5.1	6.3
Inhalants	1.2	2.0	3.4
Prescription medications not prescribed for student	2.8	3.7	6.2
Over-the-counter medications for non-medical use	1.3	3.4	4.7
Percent of students who, in past 2 weeks, used:			
Alcohol (Binge: 5+ drinks on one occassion)	5.8		
-	0.0		
Percent whose friends used in past 12 months:	40.4	440	500
Alcohol	40.4	_	52.2
Cigarettes	32.0		
Marijuana Othor Illigit (Coccine LSD, Math. Club Drug. etc)	21.5	26.1 12.0	
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	7.1	12.0	15.5
Percent who would likely use, if offered by a best friend:			
Alcohol	23.3	22.6	27.6
Cigarettes	12.2	11.9	-
Marijuana	8.2	9.3	11.3
Percent who say it would be wrong to use:			
Alcohol	68.9	69.6	65.1
Cigarettes	84.8	83.4	77.6
Marijuana	86.1	86.1	83.7
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.1	95.5	94.8
Percent whose parents would disapprove if they use:			
Alcohol	82.6	83.8	80.9
Cigarettes	93.1	92.4	89.7
Marijuana	94.1	95.3	93.9
•			
Percent who say it would be easy to obtain:	40.0	40.0	E0.0
Alcohol	48.2	46.3	50.9
Cigarettes Marijuana	46.8 25.3		53.8 33.7
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	25.3 12.2		33. <i>1</i> 17.2
Carlot fillott (Coccario, EDD, Michi, Oldb Drug, 616)	12.2	17.5	11.2

DENT SURVEY			
	2014	2012	2010
Percent who believe they risk harm if they use:			
Alcohol (1 or 2 drinks daily)	58.5		
Alcohol (Binge: 5+ drinks once or twice a week)	71.3		
Alcohol (any use)		75.1	77.5
Cigarettes (1+ packs per day)	85.1		
Cigarettes (any use)		81.2	79.8
Marijuana (once or twice a week)	71.4		
Marijuana (any use)		76.9	75.8
Other: Cocaine, LSD, Meth, Club Drug (any use)	93.2	94.1	93.2
Percent of students who, in past 30 days:			
Were very sad	21.7	18.2	20.7
Were grouchy, irritable, or in a bad mood	22.6	20.8	23.7
Felt hopeless about the future	12.7	10.6	11.2
Felt like not eating or eating more than usual	17.0	16.8	17.6
Slept a lot more or a lot less than usual	16.8	18.5	25.2
Had difficulty concentrating on school work	21.2	21.1	23.3
Percent of students who, in past 12 months:			
Seriously considered attempting suicide	12.3	10.5	11.2
Made plan about how they would attempt suicide	9.2	7.6	8.3
Attempted suicide	4.9	4.9	5.6
Attempted suicide and resulting injury, poisoning, or overdose			
had to be treated by doctor or nurse	1.4	1.7	2.1
Percent of students who, in past 12 months:			
Were threatened/injured with weapon at school	6.7	6.5	8.8
Were in a physical fight	17.9	19.5	23.1
Were in a fight and had to be treated by a doctor or nurse	3.0	3.2	4.0
Percent of students who, in past 3 months:			
Were victims of mean rumors or lies spread at school	49.6	48.6	53.8
Were made fun of by others	58.3	59.8	66.5
Were victims of an embarrassing or hurtful text message or			
something posted on the internet	22.9	19.7	17.8
Spread mean rumors or lies about other kids at school	22.2	24.8	30.9
Made fun of other people	49.9	56.2	66.5
Posted something on the internet or sent a text that might	14.2	11.4	15.6
embarrass or hurt another student	14.2	11.4	15.0
Percent of students who agree that:			
Teachers notice and comment on student's good work	72.4	69.0	68.4
School provides feedback to parents on positive student			
performance	45.3	40.9	41.4
Rules are enforced fairly	60.2	64.3	64.1
Students of all races/ethnicities are treated equal	80.4	77.3	79.5
Percent of students who agree that:			
Parents notice and comment on student's good work	83.5	83.8	84.3
Parents involve student in making family decisions	70.4	71.4	71.3
It is important to be honest with parents regardless of			
consequences	89.6	89.0	85.5
Student could ask parent for help with a personal problem	78.8	78.0	78.4
Missouri Student Survey is conducted biennially.			

Missouri Student Survey is conducted biennially. Similar affirmative response choices for individual questions are combined. Blank data cells indicate estimates are not available for item or geographic area. Survey is not conducted in every school district nor reported for every county. Estimates are not available for counties with small numbers of respondents. Percentages are estimates based on weighted data.

Some year-to-year differences in percentages are not statistically significant.

				. •			
DBH REGIO	V	Southwest		IMPAIRED DRIVING	2013	2012	2011
DBH SERVIC	E AREAS			Alcohol Involved CrashesTotal	570	553	590
Substance	e Use	10		Fatal Crashes	10	20	17
Adult Psy	chiatric	Not Applica	able	Injury Crashes	227	244	252
POPULATIO				Property Damage Crashes	333	289	321
Census 2		528,472		Crash Fatalities	10	21	18
2014 Esti	mate	545,259		Crash Injuries	304	334	374
3				Drug Involved CrashesTotal	131	140	141
<u> </u>				Fatal Crashes	2	3	3
BIRTH RISK	2013	2012	2011	Injury Crashes	65	65	66
Resident BirthsTotal	6,566	6,525	6,600	Property Damage Crashes	64	72	72
Mother Reported Smoking while Pregnan	t 1,234	1,180	1,240	Crash Laiseine	3	4	3
DISEASE MISIDENIES 1	2012	2042	2011	Crash Injuries	107	97	72
DISEASE INCIDENCE 1	2013	2012	2011	POLICE REPORTS	2013	2012	2011
HIV/AIDS Cases	18	31	29 46	DUI Arrests, DWI Tracking System	2,753	3,233	2,992
Hepatitis B Chronic, Acute, Prenatal Hepatitis C Chronic and Acute	63 593	48 570	592	Liquor Law Arrests	431	551	602
Tuberculosis Infection Cases	175	140	204	Drug Arrests	2,909	2,802	2,436
Tuberculosis injection cases	175	140	204	Violent Offenses	2,836	2,549	2,254
DEATHS and INJURIES	2013	2012	2011	Property Offenses	23,022	23,242	23,071
Resident DeathsTotal	5,109	4,846	4,744	Domestic Violence Reports	5,358	5,324	5,086
Suicides	82	76	90		2014	2013	2012
Self-inflicted Injuries	810	809	806	Methamphetamine Lab Seizures	77	133	177
Homicides	17	23	17		2042.44	2042.42	2014 42
Assault Injuries	1,607	1,754	1,764	SCHOOL REPORTS	2013-14	2012-13	2011-12
Alcohol Induced Deaths	48	41	42	Enrollment Grades 9-12	22,933	22,856	22,804
Drug Induced Deaths	92	87	101	Drop-out Pate	320	402	456
Smoking Attributable Deaths	890	848	782	Drop-out Rate	1.4% 44	1.8% 40	2.0% 56
				School Discipline Involving Alcohol School Discipline Involving Drugs	270	292	245
HOSPITAL EPISODES 2	2013	2012	2011	School Discipline Involving Drugs School Discipline Involving Tobacco	12	7	243 51
Hospitalization, no Emergency Room: Mental Illness Principal Diagnosis	2,825	2,572	2.500	Corroor Discipline Involving Tobacco	12	,	31
Mental Illness Secondary Diagnosis	4,544	4,535	2,569 4,355	JUVENILE COURT REFERRALS 3	2013	2012	2011
Alcohol Principal Diagnosis	221	4,555	4,333	Juvenile Violent Offenses	715	716	808
Alcohol Secondary Diagnosis	220	225	207	Juvenile Alcohol Offenses	95	106	90
Drug Principal Diagnosis	236	254	142	Juvenile Drug Offenses	232	234	269
Drug Secondary Diagnosis	339	295	320	School Truancy Status Offense	67	75	70
Emergency Room + Hospitalization:	333	255	320	Absent from Home Status Offense	137	147	206
Mental Illness Principal Diagnosis	3,147	2,983	2.732	Beyond Parental Control Status Offense	122	185	228
Mental Illness Secondary Diagnosis	10,721	9,851	8,859	Injurious Behavior Status Offense	448	548	618
Alcohol Principal Diagnosis	1,106	1,072	956	Child Abuse	222	219	277
Alcohol Secondary Diagnosis	1,181	1,135	1,049	Child Neglect	918	833	830
Drug Principal Diagnosis	722	785	626	Child Custody Issues	129	129	162
Drug Secondary Diagnosis	974	815	753	JUVENILE COURT PLACEMENTS	2013	2012	2011
Emergency Room, no Hospitalization:				Out-of-Home PlacementsTotal	700	590	713
Mental Illness Principal Diagnosis	4,684	4,887	4,945	Parental Alcohol Use Related	21	19	36
Mental Illness Secondary Diagnosis	23,916	23,263	9,620	Parental Drug Use Related	314	252	217
Alcohol Principal Diagnosis	2,039	2,027	1,934	Parental Alcohol and Drug Use	17	21	26
Alcohol Secondary Diagnosis	1,356	1,621	1,511				
Drug Principal Diagnosis	1,375	1,462	1,385	CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Secondary Diagnosis	1,908	1,930	1,587	Drug Court Participants	1,439	1,168	1,028
				Probation/Parole AdmissionsDrug	1,273	1,091	1,124
ALCOHOL OUTLETS	2014	2013	2012	Prices Admissions - Drug	221 615	238	236
Alcohol On-Premise Drink Licenses	580	570	591	Prison Admissions Drug	615 87	622	593 87
Alcohol Package Carry-out Licenses	464	410	477	Prison AdmissionsDWI	01	93	07
EMPLOYMENT	2014	2013	2012	1 All Kansas City hepatitis and TB case report			
Labor Force	269,866	268,072	267,701	totals and all Joplin case reports are include Beginning with 2010 data, diagnosis counts			
Employed	254,315	251,609	249,650	based on codes developed by the Healthcar	re Cost and L	Utilization Proj	ject.
Unampleyed	4E EE4	16 460	10 OF1	3 Beginning in 2013, juvenile municipal violation	ons, infraction	ns, and violat	tions of

²⁰¹⁵ Status Report on Missouri's Substance Use and Mental Health

15,551

5.8%

16,463

6.1%

18,051

6.7%

Unemployed

Unemployment Rate

3 Beginning in 2013, juvenile municipal violations, infractions, and violations of

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	837	789	846
CSTAR Adolescent	180	199	219
CSTAR Women and Children	369	357	273
CSTAR General Adult	972	1,088	966
CSTAR Opioid	*	*	0
Primary Recovery Treatment	896	769	942
Clinical SATOP (CIP, YCIP, SROP)	464	422	370
Other Substance Abuse Treatment	5	7	6

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	2,213	2,229	2,313
- Adolescent Diversion Education Prograr	18	35	52
- Offender Education Program	841	877	920
- Weekend Intervention Program	465	497	452
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	119	116	138
Compulsive Gambling	0	0	*
Recovery Supports	1,114	1,276	1,044
Early Intervention	131	147	267

NUMBER ADMITTED	FY2014	FY2013	FY2012	PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Total Individuals	3,238	3,346	3,296	Alcohol	1,236	1,329	1,313
	-,	-,-	-,	Marijuana / Hashish	631	589	679
AGE				Cocaine (total)	27	43	82
Under 18	176	207	222	- Crack	15	16	52
18 to 24	540	549	607	Stimulant (total)	859	846	707
25 to 29	593	623	598	- Methamphetamine	830	808	690
30 to 34	559	563	490	Heroin	119	106	100
35 to 39	398	369	341	Analgesic except Heroin	295	335	306
40 to 44	339	350	359	- Non-Prescription Methadone	*	13	6
45 to 54	482	500	531	PCP, LSD, other Hallucinogen	9	16	19
55 and Over	151	185	148	_	35	47	56
GENDER				Tranquilizer Inhalant	33 *	4 <i>1</i> *	5
Male	2,143	2,242	2,285	Sedative	5	5	*
Female	1,095	1,104	1,010	Other Medication or Illicit Drug	18	26	25
remale	1,095	1,104	1,010	3	17.5	17.6	17.2
RACE / ETHNICITY				Average Age at First Use of Drug	17.5	17.0	17.2
Caucasian	2,935	3,037	2,977				
African American	140	160	185	INJECTION DRUG USE	000	740	0.57
Native American / Alaskan	18	16	14	Any Injection Use at Admission	699	713	657
Asian / Pacific Islander	7	8	13	- Daily Injection Use	155	150	135
Hispanic	71	82	67	- Weekly Injection Use	192	206	177
Other Race / Two or More Races	96	81	74	- Less than Weekly Injection Use	352	357	345
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	1,006	1,144	1,109	0	1,683	1,735	1,675
High School Graduate or G.E.D.	1,409	1,397	1,389	1 or 2	1,000	1,040	1,040
Associate Degree or Some College	790	779	767	3 or More	555	571	581
Bachelor or Advanced Degree	33	26	31				
· ·				TREATMENT REFERRAL SOURCE		. =	
EMPLOYMENT				Self / Family / Friend	1,161	1,501	1,112
Employed	962	931	912	School	11	15	6
Unemployed	1,122	1,176	1,270	Mental Health Provider	51	61	31
Not in Labor Force	1,154	1,239	1,114	Health Care Provider	156	141	138
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	1,521	1,339	1,795
Independent Living	2,505	2,595	2,545	Other Referral Source	315	268	204
Dependent Living	409	420	459				
Homeless	270	276	251	TREATMENT ACCOMMODATION			
11011101000	210	210	201	Pregnant when Admitted to any Episode	59	55	51
MARITAL / FAMILY STATUS				Military Veteran	138	147	171
Never Married	1,624	1,693	1,683	Special Education Services Needed	196	256	264
Married / Cohabitating	796	772	769	Co-Occurring Psychological Problem	1,186	1,151	1,085
Previously Married	818	881	844	Co-Occurring Developmental Problem	119	150	81

MISSOURI STUDENT SURVEY

	IVIIOO	CON	51
Demonst of attidants who have average	2014	2012	2010
Percent of students who have ever used: Alcohol	30.4	32.8	38.3
Cigarettes	20.3		
Chewing Tobacco	10.0		13.5
Marijuana	15.2		
Inhalants	3.6	6.2	7.0
Prescription medications not prescribed for student	8.1	8.9	12.5
Over-the-counter medications for non-medical use	3.0	6.6	8.8
Methamphetamine	0.9	1.5	1.1
Cocaine	1.3	2.0	2.0
Heroin	0.4	0.9	0.7
Hallucinogens	3.0	3.4	
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	2.5	2.5	2.6
Steroids not prescribed for student	0.7		1.1
Synthetic drugs (K2, bath salts, Spice, etc)	4.1	7.3	
Average age of students' first use of:			
Alcohol	13.09	12.48	12.44
Cigarettes		12.20	
Marijuana		13.06	
Inhalants	12.39	12.01	12.22
Percent of students who, in past 30 days, used:			
Alcohol	12.0	13.4	16.1
Alcohol (Binge: 5+ drinks on one occassion)		7.8	12.4
Cigarettes	8.6	10.4	14.0
Chewing Tobacco	4.8	6.2	7.1
Marijuana	7.4	7.7	9.1
Inhalants	1.3	2.7	3.0
Prescription medications not prescribed for student	3.4	4.6	7.0
Over-the-counter medications for non-medical use	1.7	3.9	5.2
Percent of students who, in past 2 weeks, used:			
Alcohol (Binge: 5+ drinks on one occassion)	5.5		
Percent whose friends used in past 12 months:			
Alcohol	40.9	46.5	54.8
Cigarettes	34.6		
Marijuana	31.8	-	
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	14.2	16.6	21.3
Percent who would likely use, if offered by a best friend: Alcohol	20.2	24.5	28.8
Cigarettes	11.3		15.4
Marijuana	13.6		14.4
·	13.0	10.0	17.7
Percent who say it would be wrong to use:			
Alcohol	69.8	67.7	63.3
Cigarettes	84.1		76.9
Marijuana	80.1		80.5
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.1	95.0	93.7
Percent whose parents would disapprove if they use:			
Alcohol	84.8	83.3	81.7
Cigarettes	93.5	92.1	90.0
Marijuana	92.6	92.9	92.8
Percent who say it would be easy to obtain:			
Alcohol	47.3	51.5	55.6
Cigarettes	46.4	49.4	57.1
Marijuana	34.2	35.2	38.2
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	16.0	18.1	21.1

DENT SURVET			
Percent who believe they risk harm if they use:	2014	2012	2010
Alcohol (1 or 2 drinks daily)	63.4		
Alcohol (Binge: 5+ drinks once or twice a week)	74.4		
Alcohol (any use)	74.4	73.9	74.4
Cigarettes (1+ packs per day)	87.1	13.3	74.4
Cigarettes (any use)	07.1	83.4	80.2
Marijuana (once or twice a week)	67.1	00.4	00.2
Marijuana (any use)	01.1	73.1	75.2
Other: Cocaine, LSD, Meth, Club Drug (any use)	92.5	93.7	92.8
	02.0	00.7	02.0
Percent of students who, in past 30 days:			
Were very sad	22.5	19.3	18.4
Were grouchy, irritable, or in a bad mood	24.6	23.8	23.9
Felt hopeless about the future	12.5	11.0	11.7
Felt like not eating or eating more than usual	18.0	17.6	17.9
Slept a lot more or a lot less than usual	17.7	20.0	25.5
Had difficulty concentrating on school work	23.5	22.0	25.5
Percent of students who, in past 12 months:			
Seriously considered attempting suicide	12.2	12.5	12.1
Made plan about how they would attempt suicide	9.3	9.2	8.9
Attempted suicide	5.7	5.9	5.3
Attempted suicide and resulting injury, poisonng, or overdose	2.3	1.8	2.4
had to be treated by doctor or nurse	2.5	1.0	2.4
Percent of students who, in past 12 months:			
Were threatened/injured with weapon at school	6.8	7.0	10.3
Were in a physical fight	17.4	19.9	22.2
Were in a fight and had to be treated by a doctor or nurse	3.0	3.8	3.8
Percent of students who, In past 3 months:			
Were victims of mean rumors or lies spread at school	51.2	49.2	54.5
Were made fun of by others	60.3	60.1	67.7
Were victims of an embarrassing or hurtful text message or something posted on the internet	25.4	21.4	19.3
Spread mean rumors or lies about other kids at school	25.3	26.7	32.9
Made fun of other people	52.7	59.3	69.4
Posted something on the internet or sent a text that might	16.6	13.6	17.1
embarrass or hurt another student	10.0	13.0	17.1
Percent of students who agree that:			
Teachers notice and comment on student's good work	72.8	68.6	69.6
School provides feedback to parents on positive student			
performance	41.8	38.3	38.2
Rules are enforced fairly	66.8	63.9	65.8
Students of all races/ethnicities are treated equal	81.1	78.4	80.0
Percent of students who agree that:			
Parents notice and comment on student's good work	82.7	82.7	83.7
Parents involve student in making family decisions	69.6	69.6	71.1
It is important to be honest with parents regardless of			
consequences	87.1	85.4	82.8
Student could ask parent for help with a personal problem	79.5	76.1	77.6
, , , , , , , , , , , , , , , , , , , ,			
Missouri Student Survey is conducted bioppially			

Missouri Student Survey is conducted biennially.
Similar affirmative response choices for individual questions are combined.
Blank data cells indicate estimates are not available for item or geographic area. Survey is not conducted in every school district nor reported for every county. Estimates are not available for counties with small numbers of respondents. Percentages are estimates based on weighted data.

Some year-to-year differences in percentages are not statistically significant.

SOBSTANCE USE C				· •			
DBH REGIO	N	Central		IMPAIRED DRIVING	2013	2012	2011
DBH SERVICE				Alcohol Involved CrashesTotal	335	326	349
Substance		11		Fatal Crashes	23	16	17
Adult Psy	chiatric	Not Applica	able	Injury Crashes	150	138	157
POPULATIO	N			Property Damage Crashes	162	172	175
Census 2	010	306,402		Crash Fatalities	25	16	17
2014 Esti	mate	308,903		Crash Injuries	219	204	219
				Drug Involved CrashesTotal	61	49	58
				Fatal Crashes	2	3	4
DIDTH DICK	2013	2012	2011	Injury Crashes	31	17	21
BIRTH RISK Resident BirthsTotal	3,803	3,814	3,755	Property Damage Crashes	28	29	33
Mother Reported Smoking while Pregnan		848	832	Crash Fatalities	2	3	2
- Would reported Officially While I regular	020	040	002	Crash Injuries	43	29	22
DISEASE INCIDENCE 1	2013	2012	2011				
HIV/AIDS Cases	10	8	10	POLICE REPORTS	2013	2012	2011
Hepatitis B Chronic, Acute, Prenatal	27	24	25	DUI Arrests, DWI Tracking System	1,538	1,834	2,071
Hepatitis C Chronic and Acute	235	192	205	Liquor Law Arrests	506	561	575
Tuberculosis Infection Cases	97	87	75	Drug Arrests	1,917	1,635	1,526
				Violent Offenses	819	969	1,004
DEATHS and INJURIES	2013	2012	2011	Property Offenses	6,748	7,415	7,351
Resident DeathsTotal	2,696	2,682	2,596	Domestic Violence Reports	2,257	2,445	2,336
Suicides	48	47	45	Mathamahatamina Lah Caimuna	2014	2013	2012
Self-inflicted Injuries	386	357	385	Methamphetamine Lab Seizures	37	43	57
Homicides	14	13	16	SCHOOL REPORTS	2013-14	2012-13	2011-12
Assault Injuries	941	1,074	1,066	Enrollment Grades 9-12	13,606	13,734	13,776
Alcohol Induced Deaths	17	22	21	Drop-outs	260	277	339
Drug Induced Deaths	39	43	37	Drop-out Rate	1.9%	2.0%	2.5%
Smoking Attributable Deaths	497	519	497	School Discipline Involving Alcohol	29	21	56
HOSPITAL EPISODES 2	2013	2012	2011	School Discipline Involving Drugs	107	117	167
Hospitalization, no Emergency Room:				School Discipline Involving Tobacco	5	8	10
Mental Illness Principal Diagnosis	1,553	1,305	1,238				
Mental Illness Secondary Diagnosis	3,403	3,277	3,211	JUVENILE COURT REFERRALS 3	2013	2012	2011
Alcohol Principal Diagnosis	102	68	50	Juvenile Violent Offenses	247	326	380
Alcohol Secondary Diagnosis	249	204	190	Juvenile Alcohol Offenses	58	92	80
Drug Principal Diagnosis	114	114	63	Juvenile Drug Offenses	103	114	142
Drug Secondary Diagnosis	221	211	189	School Truancy Status Offense Absent from Home Status Offense	236 106	358 127	406 139
Emergency Room + Hospitalization:				Beyond Parental Control Status Offense	173	159	125
Mental Illness Principal Diagnosis	1,264	1,382	1,120	Injurious Behavior Status Offense	347	465	550
Mental Illness Secondary Diagnosis	4,366	4,740	4,766	Child Abuse	373	584	659
Alcohol Principal Diagnosis	285	312	314	Child Neglect	694	948	963
Alcohol Secondary Diagnosis	514	488	498	Child Custody Issues	22	24	11
Drug Principal Diagnosis	170	166	194	Crima Guotody 100000			
Drug Secondary Diagnosis	264	277	266	JUVENILE COURT PLACEMENTS	2013	2012	2011
Emergency Room, no Hospitalization:				Out-of-Home PlacementsTotal	403	333	351
Mental Illness Principal Diagnosis	2,555	2,449	2,440	Parental Alcohol Use Related	14	5	7
Mental Illness Secondary Diagnosis	10,307	6,653	5,445	Parental Drug Use Related	101	93	124
Alcohol Principal Diagnosis	495	482	525	Parental Alcohol and Drug Use	22	13	4
Alcohol Secondary Diagnosis	614	512	484	CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Principal Diagnosis	432	464	467	Drug Court Participants	192	189	168
Drug Secondary Diagnosis	534	566	388	Probation/Parole AdmissionsDrug	841	788	643
ALCOHOL OUTLETS	2014	2012	2012	Probation/Parole AdmissionsDWI	147	170	187
ALCOHOL OUTLETS Alcohol On-Premise Drink Licenses	2014 460	2013 469	2012 454	Prison AdmissionsDrug	452	376	333
Alcohol Package Carry-out Licenses	327	343	348	Prison AdmissionsDWI	62	73	96
Alcohol I dokage Cally-Out Licenses	321	343	340				
EMPLOYMENT	2014	2013	2012	All Kansas City hepatitis and TB case report totals and all Joplin case reports are include			County
Labor Force	137,620	145,766	142,497	2 Beginning with 2010 data, diagnosis counts			es are
Employed	128,824	136,059	132,377	based on codes developed by the Healthcar	re Cost and L	Jtilization Proj	ject.
Unomployed	9 706	0.707	10 120	3 Beginning in 2013, juvenile municipal violati	ons, intraction	ris, and violat	IUNS OF

8,796

6.4%

9,707

6.7%

10,120

7.1%

Unemployed

Unemployment Rate

3 Beginning in 2013, juvenile municipal violations, infractions, and violations of

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	147	139	157
CSTAR Adolescent	90	115	125
CSTAR Women and Children	177	144	142
CSTAR General Adult	1,013	1,065	843
CSTAR Opioid	0	*	0
Primary Recovery Treatment	174	276	438
Clinical SATOP (CIP, YCIP, SROP)	282	283	285
Other Substance Abuse Treatment	*	*	*

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	1,145	1,224	1,423
- Adolescent Diversion Education Prograr	35	34	27
- Offender Education Program	396	445	545
- Weekend Intervention Program	235	262	324
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	28	33	48
Compulsive Gambling	0	5	6
Recovery Supports	16	18	14
Early Intervention	40	57	71

NUMBER ADMITTED	FY2014	FY2013	FY2012	PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Total Individuals	1,590	1,810	1,727	Alcohol	630	776	748
4.05				Marijuana / Hashish	323	411	424
AGE	00	116	100	Cocaine (total)	32	49	63
Under 18 18 to 24	92 287	116 340	126 298	- Crack	12	23	30
25 to 29	286	335	325	Stimulant (total)	312	252	254
				- Methamphetamine	301	221	238
30 to 34	276	291	266	Heroin	142	128	109
35 to 39	197	197	202	Analgesic except Heroin	97	139	99
40 to 44	143	163	162	- Non-Prescription Methadone	*	*	0
45 to 54	221	273	265	PCP, LSD, other Hallucinogen	*	6	5
55 and Over	88	95	83	Tranquilizer	9	12	6
GENDER				Inhalant	0	*	0
Male	1,047	1,200	1,186	Sedative	*	*	5
Female	543	610	541	Other Medication or Illicit Drug	40	34	14
				Average Age at First Use of Drug	18.3	18.0	17.5
RACE / ETHNICITY				3 3			
Caucasian	1,355	1,548	1,489	INJECTION DRUG USE			
African American	165	186	179	Any Injection Use at Admission	276	245	252
Native American / Alaskan	6	6	*	- Daily Injection Use	69	55	59
Asian / Pacific Islander	*	7	6	- Weekly Injection Use	90	59	57
Hispanic	28	32	25	- Less than Weekly Injection Use	117	131	136
Other Race / Two or More Races	35	41	36	2000 than Wooldy Injodion Coo		101	100
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	477	559	583	0	877	903	838
High School Graduate or G.E.D.	734	793	732	1 or 2	478	555	529
Associate Degree or Some College	357	427	395	3 or More	235	352	360
Bachelor or Advanced Degree	22	29	17	TD5.4T4.454/T D555DD.44.604/D65			
51404044545				TREATMENT REFERRAL SOURCE	E17	E 4.4	200
EMPLOYMENT	465	F76	E04	Self / Family / Friend	517 *	544	398
Employed	465	576	591	School Mandal Haalth Bravidan			47
Unemployed	646	655	568	Mental Health Provider	20	34	17
Not in Labor Force	479	579	568	Health Care Provider	53	61	55
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	697	966	1,117
Independent Living	1,296	1,502	1,427	Other Referral Source	276	187	131
Dependent Living	165	185	198				
Homeless	45	47	44	TREATMENT ACCOMMODATION			
				Pregnant when Admitted to any Episode	20	30	27
MARITAL / FAMILY STATUS				Military Veteran	70	84	85
Never Married	853	980	950	Special Education Services Needed	52	122	163
Married / Cohabitating	406	438	387	Co-Occurring Psychological Problem	667	623	573
Previously Married	331	392	390	Co-Occurring Developmental Problem	28	62	53

MISSOURI STUDENT SURVEY

			•
Parcent of ctudents who have ever used	2014	2012	2010
Percent of students who have ever used: Alcohol	39.2	42.8	46.5
Cigarettes	25.1	_	
Chewing Tobacco	-	15.6	-
Marijuana	14.6		15.8
Inhalants	1.9	5.1	7.2
Prescription medications not prescribed for student	6.7	9.4	12.3
Over-the-counter medications for non-medical use	2.1	7.1	8.5
Methamphetamine	0.4	1.2	1.3
Cocaine	1.1	2.0	2.0
Heroin	0.2	1.3	0.9
Hallucinogens	1.7	2.8	3.4
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.0	2.6	2.7
Steroids not prescribed for student	0.4	1.6	1.6
Synthetic drugs (K2, bath salts, Spice, etc)	3.0	6.7	
Average age of students' first use of:			
Alcohol	12.85	12.50	12.29
Cigarettes	12.63	12.42	12.13
Marijuana	13.92	13.49	13.37
Inhalants	11.77	12.17	12.20
Percent of students who, in past 30 days, used:			
Alcohol	15.5	20.0	22.0
Alcohol (Binge: 5+ drinks on one occassion)	10.0	12.5	11.1
Cigarettes	10.3	11.9	14.0
Chewing Tobacco	6.3	_	8.5
Marijuana	5.9	_	
Inhalants	0.6		
Prescription medications not prescribed for student	3.2		7.7
Over-the-counter medications for non-medical use	1.3	5.0	5.2
Percent of students who, in past 2 weeks, used:			
Alcohol (Binge: 5+ drinks on one occassion)	6.2		
Alcohol (blings, 51 drinks on one occassion)	0.2		
Percent whose friends used in past 12 months:			
Alcohol	44.8		61.1
Cigarettes		45.7	
Marijuana	27.1		
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	9.3	15.0	20.1
Percent who would likely use, if offered by a best friend:			
Alcohol	27.2	34.6	36.7
Cigarettes	11.5	16.3	15.8
Marijuana	10.9	14.2	12.6
Percent who say it would be wrong to use:			
Alcohol	63.4	56.3	57.7
Cigarettes	85.1	78.2	
Marijuana	82.4		
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.4	94.4	94.5
Dercent whose perents would disconnecte if they use.			
Percent whose parents would disapprove if they use: Alcohol	78.3	75.6	77.8
Cigarettes	93.0	90.1	90.9
Marijuana	93.7	92.9	95.0
•	50.7	02.0	55.0
Percent who say it would be easy to obtain:		-	
Alcohol	50.6	58.2	60.3
Cigarettes	49.4		56.9
Marijuana Other Illigit (Coccine LSD, Moth, Club Drug, etc)	29.5	35.7	33.7
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	13.2	18.4	19.2

DENT SURVEY			
Percent who believe they risk harm if they use:	2014	2012	2010
Alcohol (1 or 2 drinks daily)	56.0		
Alcohol (Binge: 5+ drinks once or twice a week)	69.3		
Alcohol (any use)		68.3	78.7
Cigarettes (1+ packs per day)	87.1		
Cigarettes (any use)		80.1	81.9
Marijuana (once or twice a week)	66.9		
Marijuana (any use)		72.9	71.5
Other: Cocaine, LSD, Meth, Club Drug (any use)	91.7	93.1	94.2
Percent of students who, In past 30 days:			
Were very sad	20.2	18.5	22.6
Were grouchy, irritable, or in a bad mood	23.3	24.9	26.3
Felt hopeless about the future	12.4	10.4	13.2
Felt like not eating or eating more than usual	19.9	17.5	19.9
Slept a lot more or a lot less than usual	19.8	19.2	27.5
Had difficulty concentrating on school work	22.8	23.8	25.0
Percent of students who, in past 12 months:			
Seriously considered attempting suicide	12.0	13.6	13.2
Made plan about how they would attempt suicide	8.0	9.0	9.4
Attempted suicide	5.2	5.5	5.8
Attempted suicide and resulting injury, poisonng, or overdose had to be treated by doctor or nurse	1.4	2.3	2.4
Percent of students who, in past 12 months:			
Were threatened/injured with weapon at school	6.4	6.7	10.9
Were in a physical fight	17.9	22.6	26.1
Were in a fight and had to be treated by a doctor or nurse	2.5	3.8	4.7
Percent of students who, in past 3 months:			
Were victims of mean rumors or lies spread at school	49.8	47.9	54.7
Were made fun of by others	57.9	57.2	68.9
Were victims of an embarrassing or hurtful text message or		-	
something posted on the internet	23.1	19.2	18.5
Spread mean rumors or lies about other kids at school	22.1	26.8	33.6
Made fun of other people	52.3	60.3	74.0
Posted something on the internet or sent a text that might	13.5	13.6	16.5
embarrass or hurt another student	13.3	13.0	10.5
Percent of students who agree that:			
Teachers notice and comment on student's good work	73.0	66.8	71.0
School provides feedback to parents on positive student	40.0	07.0	40.7
performance	48.9	37.8	40.7
Rules are enforced fairly	63.5	62.2	63.7
Students of all races/ethnicities are treated equal	82.0	75.9	76.4
Percent of students who agree that:			
Parents notice and comment on student's good work	82.7	80.3	84.5
Parents involve student in making family decisions	69.7	67.4	70.0
It is important to be honest with parents regardless of	86.9	84.1	83.5
consequences	00.9	04.1	03.5
Student could ask parent for help with a personal problem	78.8	74.0	76.7

Missouri Student Survey is conducted biennially.
Similar affirmative response choices for individual questions are combined.
Blank data cells indicate estimates are not available for item or geographic area. Survey is not conducted in every school district nor reported for every county. Estimates are not available for counties with small numbers of respondents. Percentages are estimates based on weighted data.

Some year-to-year differences in percentages are not statistically significant.

				_			
DBH REGIO	V	Central		IMPAIRED DRIVING	2013	2012	2011
DBH SERVIC				Alcohol Involved CrashesTotal	347	329	306
Substanc		12		Fatal Crashes	11	13	13
Adult Psy		Not Applica	able	Injury Crashes	145	152	114
POPULATIO		0.4.0.000		Property Damage Crashes	191	164	179
Census 2		319,063		Crash Fatalities	14	13	15
2014 Esti	mate	328,082		Crash Injuries	188	214	176
25				Drug Involved CrashesTotal Fatal Crashes	54 3	52 2	46 6
				Injury Crashes	ა 18	30	o 17
BIRTH RISK	2013	2012	2011	Property Damage Crashes	33	20	23
Resident BirthsTotal	4,100	4,075	4,060	Crash Fatalities	3	3	7
Mother Reported Smoking while Pregnan	t 759	763	779	Crash Injuries	22	50	20
DISEASE INCIDENCE 1	2013	2012	2011	•			
HIV/AIDS Cases	8	8	11	POLICE REPORTS	2013	2012	2011
Hepatitis B Chronic, Acute, Prenatal	40	35	23	DUI Arrests, DWI Tracking System	1,765	2,045	1,984
Hepatitis C Chronic and Acute	221	244	240	Liquor Law Arrests	815	1,017	1,136
Tuberculosis Infection Cases	449	285	315	Drug Arrests	2,096	2,308	2,115
				Violent Offenses	941	1,020	1,107
DEATHS and INJURIES	2013	2012	2011	Property Offenses	9,774	9,949	9,646
Resident DeathsTotal	2,844	2,643	2,801	Domestic Violence Reports	2,609	2,855	2,796
Suicides	54	46	43	Mathamahatamina Lah Cainuna	2014	2013	2012
Self-inflicted Injuries	381	364	319	Methamphetamine Lab Seizures	23	22	46
Homicides	12	10	10	SCHOOL REPORTS	2013-14	2012-13	2011-12
Assault Injuries Alcohol Induced Deaths	953 14	957 19	981 18	Enrollment Grades 9-12	13,318	13,418	13,344
Drug Induced Deaths	42	37	43	Drop-outs	252	271	345
Smoking Attributable Deaths	477	443	43 463	Drop-out Rate	1.9%	2.0%	2.6%
Smoking Attributable Deaths	411	443	403	School Discipline Involving Alcohol	3	10	12
HOSPITAL EPISODES 2	2013	2012	2011	School Discipline Involving Drugs	53	77	62
Hospitalization, no Emergency Room:				School Discipline Involving Tobacco	0	1	2
Mental Illness Principal Diagnosis	1,601	1,605	1,590	JUVENILE COURT REFERRALS 3	2013	2012	2011
Mental Illness Secondary Diagnosis	5,038	6,136	6,490	Juvenile Violent Offenses	502	535	550
Alcohol Principal Diagnosis	151	153	159	Juvenile Alcohol Offenses	57	50	47
Alcohol Secondary Diagnosis	393	444	511	Juvenile Drug Offenses	173	178	173
Drug Principal Diagnosis	66	86	72	School Truancy Status Offense	213	334	279
Drug Secondary Diagnosis	296	306	296	Absent from Home Status Offense	263	233	172
Emergency Room + Hospitalization:				Beyond Parental Control Status Offense	317	467	450
Mental Illness Principal Diagnosis	1,572	1,455	1,176	Injurious Behavior Status Offense	572	652	673
Mental Illness Secondary Diagnosis	4,111	3,237	2,315	Child Abuse	135	158	136
Alcohol Principal Diagnosis	437	389	330	Child Neglect	428	510	344
Alcohol Secondary Diagnosis	518	403	322	Child Custody Issues	71	96	90
Drug Principal Diagnosis	204	188	187	WW.ENW.E.COURT BY A CENTENTS	2012	2012	2011
Drug Secondary Diagnosis	289	222	202	JUVENILE COURT PLACEMENTS Out of Home Placements, Total	2013	2012	2011
Emergency Room, no Hospitalization:	2 626	2 205	2 276	Out-of-Home PlacementsTotal Parental Alcohol Use Related	343 9	383 10	316
Mental Illness Principal Diagnosis Mental Illness Secondary Diagnosis	2,626 10,434	2,385 8,495	2,276 8,463	Parental Drug Use Related	120	155	24 62
Alcohol Principal Diagnosis	659	541	482	Parental Alcohol and Drug Use	9	7	11
Alcohol Secondary Diagnosis	930	666	596	. Gromar Albonor and Drug 030	5	,	
Drug Principal Diagnosis	336	370	304	CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Secondary Diagnosis	758	540	519	Drug Court Participants	344	398	404
5 , - 				Probation/Parole AdmissionsDrug	786	796	720
ALCOHOL OUTLETS	2014	2013	2012	Probation/Parole AdmissionsDWI	145	167	203
Alcohol On-Premise Drink Licenses	445	443	439	Prison AdmissionsDrug	493	440	421
Alcohol Package Carry-out Licenses	307	310	314	Prison AdmissionsDWI	90	99	111
EMPLOYMENT	2014	2013	2012	1 All Kansas City hepatitis and TB case report	s are include	d in Jackson	County
Labor Force	169,629	170,898	167,089	totals and all Joplin case reports are include	d in Jasper C	County totals.	
Employed	160,992	161,901	157,513	2 Beginning with 2010 data, diagnosis counts based on codes developed by the Healthcar			
Linempleyed	0.627	0.007	0.576	3 Beginning in 2013, juvenile municipal violati			

²⁰¹⁵ Status Report on Missouri's Substance Use and Mental Health

8,637

5.1%

8,997

5.3%

9,576

5.7%

Unemployed

Unemployment Rate

3 Beginning in 2013, juvenile municipal violations, infractions, and violations of

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	102	194	197
CSTAR Adolescent	108	123	104
CSTAR Women and Children	206	203	242
CSTAR General Adult	889	779	559
CSTAR Opioid	0	*	0
Primary Recovery Treatment	260	360	560
Clinical SATOP (CIP, YCIP, SROP)	243	273	253
Other Substance Abuse Treatment	6	*	*

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	1,173	1,299	1,317
- Adolescent Diversion Education Prograr	41	43	68
- Offender Education Program	472	552	558
- Weekend Intervention Program	231	271	270
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	49	56	80
Compulsive Gambling	*	*	*
Recovery Supports	158	124	111
Early Intervention	38	26	27

NUMBER ADMITTED	FY2014	FY2013	FY2012	PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Total Individuals	1,518	1,579	1,606	Alcohol	599	682	708
	.,	.,	.,	Marijuana / Hashish	432	435	458
AGE				Cocaine (total)	112	87	138
Under 18	116	125	112	- Crack	62	51	74
18 to 24	245	257	294	Stimulant (total)	220	184	163
25 to 29	248	300	281	- Methamphetamine	218	172	148
30 to 34	251	230	264	Heroin	53	57	43
35 to 39	186	177	181	Analgesic except Heroin	69	92	62
40 to 44	134	153	138	- Non-Prescription Methadone	*	*	02
45 to 54	252	242	250	PCP, LSD, other Hallucinogen	15	10	9
55 and Over	86	95	86	_	15	12	
				Tranquilizer	5	15 *	8
GENDER	005	4.040	4.004	Inhalant	*	*	*
Male	995	1,013	1,034	Sedative	40		40
Female	523	566	572	Other Medication or Illicit Drug	10	11	12
RACE / ETHNICITY				Average Age at First Use of Drug	17.8	17.5	17.2
Caucasian	1,074	1,179	1,193				
African American	356	328	321	INJECTION DRUG USE			
Native American / Alaskan	*	5	*	Any Injection Use at Admission	172	151	134
Asian / Pacific Islander	8	8	10	- Daily Injection Use	35	27	31
Hispanic	35	24	39	- Weekly Injection Use	57	51	47
Other Race / Two or More Races	53	47	55	- Less than Weekly Injection Use	80	73	56
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	447	460	521	0	799	804	834
High School Graduate or G.E.D.	653	660	672	1 or 2	499	567	549
Associate Degree or Some College	378	404	382	3 or More	220	208	223
Bachelor or Advanced Degree	40	54	30				
Ç				TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	513 *	561	505
Employed	464	485	486	School		*	
Unemployed	552	576	583	Mental Health Provider	14	21	28
Not in Labor Force	502	518	537	Health Care Provider	62	62	43
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	649	725	896
Independent Living	1,159	1,241	1,306	Other Referral Source	260	182	127
Dependent Living	195	204	180				
Homeless	100	100	84	TREATMENT ACCOMMODATION			
11011101000	100	100	0-1	Pregnant when Admitted to any Episode	9	25	23
MARITAL / FAMILY STATUS				Military Veteran	61	88	69
Never Married	930	915	908	Special Education Services Needed	109	150	159
Married / Cohabitating	288	331	356	Co-Occurring Psychological Problem	612	677	556
Previously Married	300	333	342	Co-Occurring Developmental Problem	33	80	79

MISSOURI STUDENT SURVEY

	IVIIOS	OUR	(151)	JDEN I
Percent of students who have ever used:	2014	2012	2010	Percent
Alcohol	38.4	45.1	47.8	Alcoho
Cigarettes	26.1	26.3	29.9	Alcoho
Chewing Tobacco	18.6	18.2	13.4	Alcoho
Marijuana	13.7	17.3	19.6	Cigare
Inhalants	3.6	5.5	7.1	Cigare
Prescription medications not prescribed for student	6.9	9.8	12.2	Mariju
Over-the-counter medications for non-medical use	1.6	6.2	8.4	Mariju
Methamphetamine	0.4	1.1	0.7	Other:
Cocaine	1.3	2.0	2.4	Percent
Heroin	0.2	0.5	0.6	Were
Hallucinogens	1.0	2.1	3.2	Were
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.3	1.9	2.7	Felt he
Steroids not prescribed for student	0.6	1.6	0.9	Felt lil
Synthetic drugs (K2, bath salts, Spice, etc)	3.3	6.5		Slept
Average age of students' first use of:				Had d
Alcohol	13.83	12.55	12.72	1100 0
Cigarettes		12.48		Percent
Marijuana	_	13.73		Seriou
Inhalants		12.07		Made
inidians	12.00	12.01	12.02	Attem
Percent of students who, in past 30 days, used:				Attem
Alcohol	13.9	20.6	22.7	had to
Alcohol (Binge: 5+ drinks on one occassion)		11.8	10.2	Percent
Cigarettes	12.3	11.7	14.3	Were
Chewing Tobacco	7.6	9.0	7.5	Were
Marijuana	5.0	7.4	10.0	Were
Inhalants	0.7	1.9	2.7	
Prescription medications not prescribed for student	4.2	4.5	7.0	Percent
Over-the-counter medications for non-medical use	1.1	3.3	5.2	Were
Percent of students who, in past 2 weeks, used:				Were
Alcohol (Binge: 5+ drinks on one occassion)	6.0			Were
-	0.0			somet
Percent whose friends used in past 12 months:				Sprea
Alcohol	54.3	57.7	65.5	Made
Cigarettes	43.6	47.8	51.1	Poste
Marijuana	22.4	37.3	41.3	embar
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	5.1	14.1	19.8	Percent
Parcent who would likely use if afford by a best friend				Teach
Percent who would likely use, if offered by a best friend: Alcohol	30.3	36.3	37.4	Schoo
	13.8			perfor
Cigarettes	8.0	15.6 11.9	15.8 14.8	Rules
Marijuana	0.0	11.9	14.0	Stude
Percent who say it would be wrong to use:				
Alcohol	57.3	57.2	54.1	Percent
Cigarettes	78.5	78.7	77.5	Paren
Marijuana	84.6	83.0	79.4	Paren
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.7	95.9	94.6	It is in
Percent whose parents would disapprove if they use:				conse
Alcohol	77 7	77 4	7F 2	Stude
	77.7 91.4	77.1 90.6	75.2 89.4	
Cigarettes Marijuana	91.4	90.6		Missouri Similar a
Marijuana	95.8	54.4	93.2	Blank da
Percent who say it would be easy to obtain:				Survey is
Alcohol	55.2	58.3	63.1	Estimate Percenta
Cigarettes	50.2	54.6	59.6	Some ye
Marijuana	27.3	35.6	39.7	Data ac
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	8.7	15.0	19.9	Data sou
•				

DENI SURVEY			
Persont who hollows they sight harm if they use.	2014	2012	2010
Percent who believe they risk harm if they use:	47.0		
Alcohol (1 or 2 drinks daily)	47.2		
Alcohol (Binge: 5+ drinks once or twice a week)	59.1		
Alcohol (any use)		67.3	73.1
Cigarettes (1+ packs per day)	81.2		
Cigarettes (any use)		77.9	80.1
Marijuana (once or twice a week)	62.9		
Marijuana (any use)		73.6	70.4
Other: Cocaine, LSD, Meth, Club Drug (any use)	88.9	92.3	93.2
Paraent of students who in next 20 days.			
Percent of students who, in past 30 days:	18.7	17.1	24.0
Were very sad		17.4	21.8
Were grouchy, irritable, or in a bad mood	29.4	24.1	29.7
Felt hopeless about the future	11.3		14.4
Felt like not eating or eating more than usual	15.5	16.5	21.3
Slept a lot more or a lot less than usual	16.4	20.0	29.5
Had difficulty concentrating on school work	25.4	22.0	27.2
Percent of students who, in past 12 months:			
Seriously considered attempting suicide	7.7	10.4	12.1
Made plan about how they would attempt suicide	6.9	8.4	8.1
Attempted suicide	2.1	5.1	5.1
·	2.1	5.1	5.1
Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	1.3	1.4	1.7
nad to be treated by doctor of harse			
Percent of students who, in past 12 months:			
Were threatened/injured with weapon at school	4.6	6.2	9.1
Were in a physical fight	19.6	21.2	21.2
Were in a fight and had to be treated by a doctor or nurse	1.9	3.3	3.0
Percent of students who, in past 3 months:			
Were victims of mean rumors or lies spread at school	55.9	46.6	55.3
Were made fun of by others	62.8	63.5	68.9
•	02.0	03.3	00.5
Were victims of an embarrassing or hurtful text message or something posted on the internet	22.2	21.7	19.1
Spread mean rumors or lies about other kids at school	21.8	26.2	32.3
Made fun of other people	57.1	65.6	74.1
Posted something on the internet or sent a text that might	37.1	05.0	74.1
embarrass or hurt another student	19.0	15.2	17.1
Percent of students who agree that:			
Teachers notice and comment on student's good work	75.7	69.3	70.5
School provides feedback to parents on positive student	47.0	43.4	43.0
performance	47.0	43.4	43.0
Rules are enforced fairly	69.1	63.5	65.1
Students of all races/ethnicities are treated equal	78.5	78.1	74.2
Percent of students who agree that			
Percent of students who agree that:	87.5	83.0	83.4
Parents notice and comment on student's good work			
Parents involve student in making family decisions	65.6	68.9	70.0
It is important to be honest with parents regardless of	91.8	86.5	82.7
consequences			
Student could ask parent for help with a personal problem	85.9	77.1	76.8
Missouri Student Survey is conducted biennially			
MISSUUL STUDELLI SULVEY IS CONDUCTED DIEDNIANV			

uri Student Survey is conducted biennially.

r affirmative response choices for individual questions are combined.

data cells indicate estimates are not available for item or geographic area. is not conducted in every school district nor reported for every county. tes are not available for counties with small numbers of respondents. tages are estimates based on weighted data.

year-to-year differences in percentages are not statistically significant.

COBOTAILOR COL CI	_ 1 \ V		\ _ /\				
DBH REGION		Western		IMPAIRED DRIVING	2013	2012	2011
DBH SERVICE	AREAS			Alcohol Involved CrashesTotal	79	65	76
Substance	Use	13		Fatal Crashes	3	3	4
Adult Psycl	niatric	Not Applicat	ole	Injury Crashes	32	33	34
POPULATION				Property Damage Crashes	44	29	38
Census 20	10	80,509		Crash Fatalities	4	3	6
2014 Estim	ate	78,490		Crash Injuries	43	44	43
				Drug Involved CrashesTotal	21	17	11
				Fatal Crashes	0	0	1
DIDTH DICK	2013	2012	2011	Injury Crashes	10	10	5
BIRTH RISK Resident BirthsTotal	970	954	893	Property Damage Crashes	11	7	5
	236	954 246	226	Crash Fatalities	0	0	1
Mother Reported Smoking while Pregnant	230	240	220	Crash Injuries	12	13	5
DISEASE INCIDENCE 1	2013	2012	2011				
HIV/AIDS Cases	3	0	0	POLICE REPORTS	2013	2012	2011
Hepatitis B Chronic, Acute, Prenatal	7	8	2	DUI Arrests, DWI Tracking System	396	390	414
Hepatitis C Chronic and Acute	32	37	43	Liquor Law Arrests	72	91	168
Tuberculosis Infection Cases	8	7	13	Drug Arrests	391	381	374
				Violent Offenses	179	128	158
DEATHS and INJURIES	2013	2012	2011	Property Offenses	1,275	1,403	1,228
Resident DeathsTotal	975	979	977	Domestic Violence Reports	460	498	482
Suicides	12	14	14		2014	2013	2012
Self-inflicted Injuries	119	112	105	Methamphetamine Lab Seizures	1	4	10
Homicides	0	4	6	SCHOOL REPORTS	2013-14	2012-13	2011-12
Assault Injuries	180	172	179	Enrollment Grades 9-12	3,672	3,734	3,725
Alcohol Induced Deaths	1	3	4	Drop-outs	3,072	3,734 49	53
Drug Induced Deaths	12	9	6	Drop-out Rate	0.8%	1.3%	1.4%
Smoking Attributable Deaths	185	191	187	School Discipline Involving Alcohol	2	1.576	7
UCCRITAL EDICODES 2	2012	2012	2011	School Discipline Involving Drugs	8	13	18
HOSPITAL EPISODES 2 Hospitalization, no Emergency Room:	2013	2012	2011	School Discipline Involving Tobacco	0	0	0
Mental Illness Principal Diagnosis	575	555	527		Ü	Ŭ	Ü
Mental Illness Secondary Diagnosis	1,539	1,774	2,014	JUVENILE COURT REFERRALS 3	2013	2012	2011
Alcohol Principal Diagnosis	21	25	45	Juvenile Violent Offenses	75	68	60
Alcohol Secondary Diagnosis	137	107	131	Juvenile Alcohol Offenses	6	15	26
Drug Principal Diagnosis	33	23	31	Juvenile Drug Offenses	14	16	17
Drug Secondary Diagnosis	91	120	65	School Truancy Status Offense	204	188	241
Emergency Room + Hospitalization:	01	120	00	Absent from Home Status Offense	15	20	11
Mental Illness Principal Diagnosis	166	160	144	Beyond Parental Control Status Offense	54	71	70
Mental Illness Secondary Diagnosis	877	916	755	Injurious Behavior Status Offense	116	96	99
Alcohol Principal Diagnosis	11	26	25	Child Abuse	89	68	91
Alcohol Secondary Diagnosis	84	112	73	Child Neglect	215	184	171
Drug Principal Diagnosis	15	30	23	Child Custody Issues	3	0	12
Drug Secondary Diagnosis	51	62	47	JUVENILE COURT PLACEMENTS	2013	2012	2011
Emergency Room, no Hospitalization:				Out-of-Home PlacementsTotal	113	130	96
Mental Illness Principal Diagnosis	749	767	639	Parental Alcohol Use Related	0	5	6
Mental Illness Secondary Diagnosis	2,039	2,204	1,848	Parental Drug Use Related	32	39	17
Alcohol Principal Diagnosis	60	114	101	Parental Alcohol and Drug Use	4	3	3
Alcohol Secondary Diagnosis	143	139	142	•			
Drug Principal Diagnosis	90	94	70	CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Secondary Diagnosis	151	142	120	Drug Court Participants	95	98	94
	-		-	Probation/Parole AdmissionsDrug	266	246	210
ALCOHOL OUTLETS	2014	2013	2012	Probation/Parole AdmissionsDWI	46	40	41
Alcohol On-Premise Drink Licenses	79	91	89	Prison AdmissionsDrug	185	151	140
Alcohol Package Carry-out Licenses	103	103	107	Prison AdmissionsDWI	31	33	27
EMPLOYMENT	2014	2013	2012	1 All Kansas City hepatitis and TB case report			County
Labor Force	36,976	38,835	37,641	totals and all Joplin case reports are include Beginning with 2010 data, diagnosis counts			es are
Employed	34,791	36,513	35,119	based on codes developed by the Healthcar	e Cost and L	Jtilization Proj	ject.
Unemployed	2,185	2,322	2,522	3 Beginning in 2013, juvenile municipal violati			
Unemployment Rate	5.9%	6.0%	6.7%	court orders are categorized as status offens) DS911151840 0	i iaw violatior	13.

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TDE A TA ACAIT CATECODY	FY2014	FY2013	FY2012
TREATMENT CATEGORY			
Detoxification	43	32	25
CSTAR Adolescent	25	41	46
CSTAR Women and Children	14	17	12
CSTAR General Adult	467	475	498
CSTAR Opioid	0	0	*
Primary Recovery Treatment	36	45	42
Clinical SATOP (CIP, YCIP, SROP)	65	57	70
Other Substance Abuse Treatment	0	10	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	249	252	264
- Adolescent Diversion Education Prograr	6	*	7
- Offender Education Program	63	78	96
- Weekend Intervention Program	37	70	63
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	*	*
Compulsive Gambling	0	0	0
Recovery Supports	7	7	8
Early Intervention	22	22	29

NUMBER ADMITTED	FY2014	FY2013	FY2012	PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Total Individuals	605	633	657	Alcohol	216	223	292
				Marijuana / Hashish	157	194	169
AGE				Cocaine (total)	*	7	12
Under 18	28	45	46	- Crack	*	*	5
18 to 24	113	135	132	Stimulant (total)	132	121	109
25 to 29	108	114	123	- Methamphetamine	130	121	107
30 to 34	110	112	111	Heroin	7	5	6
35 to 39	83	65	69	Analgesic except Heroin	71	69	51
40 to 44	60	57	71	- Non-Prescription Methadone	0	0	*
45 to 54	72	79	80	PCP, LSD, other Hallucinogen	*	*	0
55 and Over	31	26	25	Tranquilizer	7	*	11
GENDER				Inhalant	*	*	*
Male	371	423	448	Sedative	0	0	0
Female	234	210	209	Other Medication or Illicit Drug	8	5	6
_				Average Age at First Use of Drug	18.0	17.5	17.2
RACE / ETHNICITY							
Caucasian	576	603	604	INJECTION DRUG USE			
African American	12	9	18	Any Injection Use at Admission	97	81	73
Native American / Alaskan	*	0		- Daily Injection Use	11	14	*
Asian / Pacific Islander	0	0	*	- Weekly Injection Use	21	8	19
Hispanic	11	13	20	- Less than Weekly Injection Use	65	59	50
Other Race / Two or More Races	9	12	17				
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	224	234	255	0	349	376	366
High School Graduate or G.E.D.	307	330	331	1 or 2	179	175	198
Associate Degree or Some College	71	65	66	3 or More	77	82	93
Bachelor or Advanced Degree	*	*	5	TOTATAGENT DEFENDAL COURCE			
ENADLOVA AFAIT				TREATMENT REFERRAL SOURCE Self / Family / Friend	114	106	105
EMPLOYMENT Employed	178	185	238	School	*	*	*
Employed Unemployed	288	311	236 296	Mental Health Provider	7	*	*
Not in Labor Force				Health Care Provider	12	11	16
Not in Labor Force	139	137	123	Court / Criminal Justice	204	14 176	16 408
HOUSING / LIVING ARRANGEMENT				Other Referral Source	204	303	408 98
Independent Living	524	535	572	Other Referral Source	231	303	90
Dependent Living	46	71	62	TD5.4T4.5NT 4.000.44.400.4T40.4			
Homeless	20	14	12	TREATMENT ACCOMMODATION	7	*	_
				Pregnant when Admitted to any Episode	7		5
MARITAL / FAMILY STATUS	007	25.4	0.40	Military Veteran	19	24	48
Never Married	297	354	346	Special Education Services Needed	43	54	71
Married / Cohabitating	167	151	167	Co-Occurring Psychological Problem	270	297	286
Previously Married	141	128	144	Co-Occurring Developmental Problem	7	17	35

MISSOURI STUDENT SURVEY

	IVIIOO	CON	51
Description of a trade of the description of the description of	2014	2012	2010
Percent of students who have ever used:	39.4	45.6	48.4
Alcohol Cigarettes	26.3		32.0
Chewing Tobacco	18.9	_	20.7
Marijuana	9.3		10.7
Inhalants	4.2	5.8	5.7
Prescription medications not prescribed for student	6.8	9.7	11.6
Over-the-counter medications for non-medical use	3.1	6.5	7.1
Methamphetamine	0.4	1.4	0.7
Cocaine	1.0	1.8	1.4
Heroin	0.2	1.4	0.8
Hallucinogens	1.2	2.5	1.6
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.7	1.8	1.4
Steroids not prescribed for student	1.2	1.8	1.3
Synthetic drugs (K2, bath salts, Spice, etc)	3.4	6.3	
Average age of students' first use of:			
Alcohol	12.73	12.58	12.51
Cigarettes	12.83	12.81	12.39
Marijuana	13.82	13.62	14.00
Inhalants	11.57	12.11	12.23
Percent of students who, in past 30 days, used:			
Alcohol	14.6	21.9	21.4
Alcohol (Binge: 5+ drinks on one occassion)		13.5	9.0
Cigarettes	12.8	16.2	17.0
Chewing Tobacco	10.5	11.1	11.0
Marijuana	3.8	6.6	4.6
Inhalants	1.9	2.3	3.0
Prescription medications not prescribed for student	3.2	5.4	6.1
Over-the-counter medications for non-medical use	1.6	4.5	4.2
Percent of students who, in past 2 weeks, used:			
Alcohol (Binge: 5+ drinks on one occassion)	6.9		
Percent whose friends used in past 12 months:			
Alcohol	46.9	58.4	61.2
Cigarettes	38.0		_
Marijuana	19.9	-	
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	6.7	12.1	13.3
Percent who would likely use, if offered by a best friend: Alcohol	32.5	35.7	37.7
Cigarettes	32.5 15.7		
Marijuana	8.1	-	7.4
•	0.1	10.7	
Percent who say it would be wrong to use:			
Alcohol	61.5	54.7	56.2
Cigarettes	81.0	_	75.0
Marijuana Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	88.6 97.8		87.6 96.6
Other mich (Cocame, E3D, Meth, Club Drug, etc)	37.0	33.0	30.0
Percent whose parents would disapprove if they use:			
Alcohol	76.4	77.9	75.3
Cigarettes	91.0	89.1	88.4
Marijuana	94.9	95.0	97.0
Percent who say it would be easy to obtain:			
Alcohol	51.9	58.2	63.0
Cigarettes	47.9	58.5	62.9
Marijuana	23.6		28.5
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	11.2	16.5	15.5

JENI SURVEY			
Descent who holious they sick harm if they use.	2014	2012	2010
Percent who believe they risk harm if they use:	54.4		
Alcohol (1 or 2 drinks daily)	51.4		
Alcohol (Binge: 5+ drinks once or twice a week)	65.2		
Alcohol (any use)		67.1	82.7
Cigarettes (1+ packs per day)	83.0		
Cigarettes (any use)		75.0	77.0
Marijuana (once or twice a week)	74.7		
Marijuana (any use)		74.9	70.4
Other: Cocaine, LSD, Meth, Club Drug (any use)	93.1	91.6	94.1
Percent of students who, in past 30 days:			
Were very sad	19.6	19.9	18.6
Were grouchy, irritable, or in a bad mood	22.4	25.0	22.9
Felt hopeless about the future	10.6	11.5	11.2
Felt like not eating or eating more than usual	15.6	16.6	16.6
Slept a lot more or a lot less than usual	18.0	20.7	24.4
•			
Had difficulty concentrating on school work	20.9	21.8	22.2
Percent of students who, in past 12 months:			
Seriously considered attempting suicide	12.0	11.7	11.3
Made plan about how they would attempt suicide	8.5	8.7	8.3
Attempted suicide	5.3	5.1	5.4
Attempted suicide and resulting injury, poisonng, or overdose	4.0	4 7	4.5
had to be treated by doctor or nurse	1.3	1.7	1.5
Percent of students who, in past 12 months:			
Were threatened/injured with weapon at school	6.4	6.8	8.9
Were in a physical fight	18.4	21.3	22.2
Were in a fight and had to be treated by a doctor or nurse	2.1	2.7	3.9
Percent of students who, in past 3 months:			
Were victims of mean rumors or lies spread at school	52.2	54.3	58.9
Were made fun of by others	63.2	64.7	70.6
Were victims of an embarrassing or hurtful text message or	00.2	•	
something posted on the internet	26.7	25.0	20.8
Spread mean rumors or lies about other kids at school	27.0	30.6	37.1
Made fun of other people	59.4	65.7	75.8
Posted something on the internet or sent a text that might	47.0	400	04.4
embarrass or hurt another student	17.3	16.8	21.1
Percent of students who agree that:			
Teachers notice and comment on student's good work	75.5	70.3	73.9
School provides feedback to parents on positive student			
performance	50.8	44.2	45.2
Rules are enforced fairly	67.0	62.7	64.7
Students of all races/ethnicities are treated equal	85.4	82.2	82.9
Percent of students who agree that:			
Parents notice and comment on student's good work	81.1	81.1	82.8
Parents involve student in making family decisions	70.3	68.6	68.3
It is important to be honest with parents regardless of	. 3.0		- 3.0
consequences	88.5	86.5	84.3
Student could ask parent for help with a personal problem	77.8	74.1	75.3
Missouri Student Survey is conducted biennially			

Missouri Student Survey is conducted biennially.
Similar affirmative response choices for individual questions are combined.
Blank data cells indicate estimates are not available for item or geographic area. Survey is not conducted in every school district nor reported for every county. Estimates are not available for counties with small numbers of respondents. Percentages are estimates based on weighted data.

Some year-to-year differences in percentages are not statistically significant.

		· • - · · ·	1-2 1	•			
DBH REGION	1	Central		IMPAIRED DRIVING	2013	2012	2011
DBH SERVICE				Alcohol Involved CrashesTotal	79	107	85
Substance		14		Fatal Crashes	3	4	3
Adult Psyc		Not Applica	ıble	Injury Crashes	34	56	43
POPULATION				Property Damage Crashes	42	47	39
Census 20		107,082		Crash Fatalities	3	4	3
2014 Estir	nate	106,397		Crash Injuries	45	84	64
				Drug Involved CrashesTotal	14	19	21
				Fatal Crashes	2	1	0
BIRTH RISK	2013	2012	2011	Injury Crashes	6	6	7
Resident BirthsTotal	1,297	1,223	1,281	Property Damage Crashes	6	12	14
Mother Reported Smoking while Pregnant	309	291	308	Crash Fatalities Crash Injuries	2 10	1 12	0 13
DISEASE INCIDENCE 1	2013	2012	2011	Order injunes	10	12	10
HIV/AIDS Cases	3	4	3	POLICE REPORTS	2013	2012	2011
Hepatitis B Chronic, Acute, Prenatal	3	5	2	DUI Arrests, DWI Tracking System	497	662	680
Hepatitis C Chronic and Acute	52	56	62	Liquor Law Arrests	241	373	408
Tuberculosis Infection Cases	19	18	24	Drug Arrests	548	620	603
Tuberoulous Intestion Guses	10	10	2-7	Violent Offenses	209	204	260
DEATHS and INJURIES	2013	2012	2011	Property Offenses	2,697	2,849	2,861
Resident DeathsTotal	1,149	1,180	1,143	Domestic Violence Reports	545	637	803
Suicides	24	14	15		2014	2013	2012
Self-inflicted Injuries	131	138	119	Methamphetamine Lab Seizures	70	118	103
Homicides	4	2	0	SCHOOL DEPORTS	2013-14	2012-13	2011-12
Assault Injuries	176	219	219	SCHOOL REPORTS Enrollment Grades 9-12	4,796	4,828	4,779
Alcohol Induced Deaths	6	2	2	Drop-outs	4,790 57	4,020 77	78
Drug Induced Deaths	15	14	14	Drop-out Rate	1.2%	1.6%	1.6%
Smoking Attributable Deaths	207	198	197	School Discipline Involving Alcohol	2	2	9
HOSPITAL EPISODES 2	2013	2012	2011	School Discipline Involving Drugs	8	15	11
Hospitalization, no Emergency Room:	2013	2012	2011	School Discipline Involving Tobacco	0	0	2
Mental Illness Principal Diagnosis	515	543	604				
Mental Illness Secondary Diagnosis	1,958	2,251	2,530	JUVENILE COURT REFERRALS 3	2013	2012	2011
Alcohol Principal Diagnosis	47	45	73	Juvenile Violent Offenses	121	119	89
Alcohol Secondary Diagnosis	146	140	176	Juvenile Alcohol Offenses	25	42	37
Drug Principal Diagnosis	22	21	35	Juvenile Drug Offenses	37	26	30
Drug Secondary Diagnosis	95	72	82	School Truancy Status Offense	220	172	131
Emergency Room + Hospitalization:				Absent from Home Status Offense	14	19	15
Mental Illness Principal Diagnosis	155	165	142	Beyond Parental Control Status Offense	117	136	125
Mental Illness Secondary Diagnosis	1,123	1,042	389	Injurious Behavior Status Offense	281	335	411
Alcohol Principal Diagnosis	31	38	12	Child Noglect	80 206	105 439	137
Alcohol Secondary Diagnosis	105	109	51	Child Neglect Child Custody Issues	396 0	439	441 6
Drug Principal Diagnosis	26	36	17	Crilla Custody Issues	U	4	U
Drug Secondary Diagnosis	58	58	17	JUVENILE COURT PLACEMENTS	2013	2012	2011
Emergency Room, no Hospitalization:				Out-of-Home PlacementsTotal	227	180	157
Mental Illness Principal Diagnosis	678	677	649	Parental Alcohol Use Related	5	0	1
Mental Illness Secondary Diagnosis	1,201	1,043	1,763	Parental Drug Use Related	114	81	46
Alcohol Principal Diagnosis	209	210	178	Parental Alcohol and Drug Use	12	9	3
Alcohol Secondary Diagnosis	114	116	102	CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Principal Diagnosis	96	89	97	Drug Court Participants	140	156	142
Drug Secondary Diagnosis	76	65	65	Probation/Parole AdmissionsDrug	316	325	255
ALCOUGH OUT! ETC	2014	2012	2012	Probation/Parole AdmissionsDWI	61	75	84
ALCOHOL OUTLETS Alcohol On-Premise Drink Licenses	2014 149	2013 153	2012 159	Prison AdmissionsDrug	183	181	160
Alcohol Package Carry-out Licenses	134	128	135	Prison AdmissionsDWI	26	29	46
- ,				1 All Kanaga City benetitie and TP ages senset	to are include	nd in Jackson	County
EMPLOYMENT	2014		2012	All Kansas City hepatitis and TB case report totals and all Joplin case reports are include			County
Labor Force	50,918	55,288	52,384	2 Beginning with 2010 data, diagnosis counts	for hospital a	and ER servic	
Employed	47,938	52,170	49,181	based on codes developed by the Healthcar Beginning in 2013, juvenile municipal violati			

2,980

5.9%

3,118

5.6%

3,203

6.1%

Unemployed

Unemployment Rate

3 Beginning in 2013, juvenile municipal violations, infractions, and violations of

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	99	114	130
CSTAR Adolescent	81	76	65
CSTAR Women and Children	122	109	96
CSTAR General Adult	710	360	346
CSTAR Opioid	*	0	0
Primary Recovery Treatment	63	335	407
Clinical SATOP (CIP, YCIP, SROP)	77	81	88
Other Substance Abuse Treatment	*	*	*

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	435	497	554
- Adolescent Diversion Education Prograr	54	83	115
- Offender Education Program	122	141	155
- Weekend Intervention Program	74	91	103
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	25	39	39
Compulsive Gambling	0	0	0
Recovery Supports	5	5	0
Early Intervention	71	72	80

NUMBER ADMITTED	FY2014	FY2013	FY2012	PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Total Individuals	994	959	965	Alcohol	338	356	412
				Marijuana / Hashish	338	332	313
AGE				Cocaine (total)	17	17	34
Under 18	80	79	66	- Crack	8	7	14
18 to 24	227	239	249	Stimulant (total)	192	159	122
25 to 29	199	185	150	- Methamphetamine	187	155	119
30 to 34	151	141	141	Heroin	33	34	33
35 to 39	100	84	96	Analgesic except Heroin	42	43	34
40 to 44	69	68	86	- Non-Prescription Methadone	*	0	0
45 to 54	124	114	141	PCP, LSD, other Hallucinogen	6	*	*
55 and Over	44	49	36	Tranquilizer	6	6	6
GENDER				Inhalant	6	0	*
Male	646	639	692	Sedative	0	0	0
Female	348	320	273	Other Medication or Illicit Drug	15	11	9
				Average Age at First Use of Drug	17.4	17.1	16.8
RACE / ETHNICITY	070	0.40	000				
Caucasian	879	842	866	INJECTION DRUG USE			
African American	78 *	69 *	68	Any Injection Use at Admission	110	106	98
Native American / Alaskan		*	0	- Daily Injection Use	16	19	13
Asian / Pacific Islander	0			- Weekly Injection Use	17	24	23
Hispanic	10	11	13	- Less than Weekly Injection Use	77	63	62
Other Race / Two or More Races	27	34	22	, ,			
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	320	342	317	0	604	587	536
High School Graduate or G.E.D.	531	496	521	1 or 2	284	242	291
Associate Degree or Some College	137	115	117	3 or More	106	130	138
Bachelor or Advanced Degree	6	6	10	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	126	146	131
Employed	321	324	343	School	*	*	*
Unemployed	288	272	309	Mental Health Provider	7	5	6
Not in Labor Force	385	363	313	Health Care Provider	38	29	29
Not in Eabor 1 orde	303	303	313	Court / Criminal Justice	360	378	648
HOUSING / LIVING ARRANGEMENT				Other Referral Source	204	188	119
Independent Living	783	762	770	Other Relenal Godice	204	100	113
Dependent Living	171	155	145	TREATMENT ACCOMMODATION			
Homeless	28	33	21		13	15	15
MADITAL / EARALLY STATUS				Pregnant when Admitted to any Episode Military Veteran	43	27	43
MARITAL / FAMILY STATUS Never Married	574	557	541	Special Education Services Needed	70	92	94
Married / Cohabitating	217	212	194	Co-Occurring Psychological Problem	372	370	341
Previously Married	203	190	230	Co-Occurring Developmental Problem	16	19	25
1 Toviously Martied	203	190	230	55-566uming Developmental Flobletti	10	19	20

MISSOURI STUDENT SURVEY

	IVIIOO	CON		DENI SURVEI
Percent of students who have ever used:	2014	2012	2010	Percent who believe they risk ha
Alcohol	39.4	42.6	45.9	Alcohol (1 or 2 drinks daily)
Cigarettes	18.5	30.2	27.0	Alcohol (Binge: 5+ drinks once
Chewing Tobacco	14.0	13.3	18.6	Alcohol (any use)
Marijuana	8.7	13.2	7.9	Cigarettes (1+ packs per day)
Inhalants	3.0	5.1	5.1	Cigarettes (any use)
Prescription medications not prescribed for student	5.7	6.6	7.4	Marijuana (once or twice a wee
Over-the-counter medications for non-medical use	3.1	4.0	5.7	Marijuana (any use)
Methamphetamine	0.4	2.5	0.9	Other: Cocaine, LSD, Meth, Cl
Cocaine	0.7	2.9	1.2	Percent of students who, in past
Heroin	0.0	2.1	0.4	Were very sad
Hallucinogens	1.6	3.3	1.7	Were grouchy, irritable, or in a
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.3	2.4	1.4	Felt hopeless about the future
Steroids not prescribed for student	0.7	2.8	1.0	Felt like not eating or eating m
Synthetic drugs (K2, bath salts, Spice, etc)	4.0	6.8		Slept a lot more or a lot less th
Average age of students' first use of:				Had difficulty concentrating on
Alcohol	12.86	12.36	11 79	riad difficulty concentrating on
Cigarettes		12.34		Percent of students who, in past
Marijuana		13.68		Seriously considered attemptir
Inhalants		12.34		Made plan about how they wo
mindiants	12.02	12.04	12.10	Attempted suicide
Percent of students who, in past 30 days, used:				Attempted suicide and resultin
Alcohol	14.9	20.3	19.3	had to be treated by doctor or
Alcohol (Binge: 5+ drinks on one occassion)		10.5	18.9	Percent of students who, in past
Cigarettes	10.5	16.1	17.3	Were threatened/injured with v
Chewing Tobacco	7.4	7.2	8.7	Were in a physical fight
Marijuana	2.8	5.9	3.4	Were in a fight and had to be to
Inhalants	0.7	3.1	2.3	
Prescription medications not prescribed for student	2.2	2.4	4.0	Percent of students who, in past
Over-the-counter medications for non-medical use	2.2	2.8	3.3	Were victims of mean rumors of
Percent of students who, in past 2 weeks, used:				Were made fun of by others
Alcohol (Binge: 5+ drinks on one occassion)	6.7			Were victims of an embarrassi
Autorior (Bingo: 61 drinks on one occassion)	0.7			something posted on the interr
Percent whose friends used in past 12 months:				Spread mean rumors or lies at
Alcohol	50.3	54.4	59.1	Made fun of other people
Cigarettes	40.9	48.5	46.5	Posted something on the interr
Marijuana	19.2	32.4	21.1	embarrass or hurt another stud
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	8.5	13.3	9.7	Percent of students who agree to
Descent who would likely use if offered by a best friend:				Teachers notice and comment
Percent who would likely use, if offered by a best friend: Alcohol	28.1	34.3	33.9	School provides feedback to p
Cigarettes	12.6	21.1	18.7	performance
Marijuana	8.1	12.2	7.3	Rules are enforced fairly
Walijuana	0.1	12.2	7.5	Students of all races/ethnicities
Percent who say it would be wrong to use:				
Alcohol	60.4	57.3	59.4	Percent of students who agree to
Cigarettes	84.4	72.0	78.5	Parents notice and comment of
Marijuana	87.8	81.2	89.2	Parents involve student in mak
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.6	94.0	95.9	It is important to be honest with consequences
Percent whose parents would disapprove if they use:				· ·
	70 6	70 N	77 G	Student could ask parent for he
Alcohol	78.6 92.9	78.0 91.0	77.6 86.8	Mr. 100 L 10
Cigarettes Marijuana		91.0		Missouri Student Survey is cond Similar affirmative response cho
Marijuana	96.5	90.1	96.7	Blank data cells indicate estima
Percent who say it would be easy to obtain:				Survey is not conducted in ever
Alcohol	56.9	55.4	55.4	Estimates are not available for of Percentages are estimates base
Cigarettes	52.9	50.8	50.5	Some year-to-year differences in
Marijuana	00.0	00.0	40.4	
Marijaaria	28.9	26.8	19.1	Data source: Missouri Institute o

DEITH CONVET			
December to the helicine their pick house if their year	2014	2012	2010
Percent who believe they risk harm if they use:	52.0		
Alcohol (1 or 2 drinks daily) Alcohol (Binge: 5+ drinks once or twice a week)	64.2		
Alcohol (any use)	04.2	68.6	84.4
Cigarettes (1+ packs per day)	84.8	00.0	04.4
Cigarettes (any use)	04.0	76.2	81.5
Marijuana (once or twice a week)	72.1	70.2	01.5
Marijuana (any use)	12.1	76.0	67.1
Other: Cocaine, LSD, Meth, Club Drug (any use)	92.2	94.7	93.4
Other: Cocalile, ESD, Metil, Club Drug (ally use)	92.2	94.7	93.4
Percent of students who, in past 30 days:			
Were very sad	21.1	19.6	27.8
Were grouchy, irritable, or in a bad mood	30.5	25.8	34.3
Felt hopeless about the future	10.6	10.0	18.1
Felt like not eating or eating more than usual	14.9	15.9	21.9
Slept a lot more or a lot less than usual	17.5	18.8	22.3
Had difficulty concentrating on school work	24.3	22.0	18.7
Percent of students who, in past 12 months:			
Seriously considered attempting suicide	12.4	14.2	9.9
Made plan about how they would attempt suicide	7.1	11.1	5.5
Attempted suicide	4.1	8.2	3.1
Attempted suicide and resulting injury, poisonng, or overdose	4.0		4.0
had to be treated by doctor or nurse	1.2	2.8	1.2
Percent of students who, in past 12 months:			
Were threatened/injured with weapon at school	5.3	8.9	9.9
Were in a physical fight	17.3	22.1	20.7
Were in a fight and had to be treated by a doctor or nurse	1.9	5.1	4.8
Percent of students who, in past 3 months:			
Were victims of mean rumors or lies spread at school	55.7	50.7	60.1
Were made fun of by others	64.5	66.8	65.8
Were victims of an embarrassing or hurtful text message or something posted on the internet	27.0	24.0	22.0
	22.4	22.0	20.4
Spread mean rumors or lies about other kids at school	33.1	32.0	32.1
Made fun of other people	67.9	59.4	76.2
Posted something on the internet or sent a text that might embarrass or hurt another student	20.4	14.3	16.9
Percent of students who agree that:			
Teachers notice and comment on student's good work	68.2	66.8	77.4
School provides feedback to parents on positive student	35.5	37.9	45.7
performance	00.0	01.0	10.7
Rules are enforced fairly	53.0	50.8	69.3
Students of all races/ethnicities are treated equal	83.7	79.0	71.6
Percent of students who agree that:			
Parents notice and comment on student's good work	78.7	81.3	86.7
Parents involve student in making family decisions	60.8	65.2	71.6
It is important to be honest with parents regardless of	07.6	90.2	00.0
consequences	87.6	80.2	80.8
Student could ask parent for help with a personal problem	76.4	74.4	82.7

nducted biennially. hoices for individual questions are combined. nates are not available for item or geographic area. ery school district nor reported for every county. counties with small numbers of respondents. sed on weighted data.

in percentages are not statistically significant.

of Mental Health, 2010-2014 Missouri Student Surveys

			1—2 1	. •			
DBH REGION		Central		IMPAIRED DRIVING	2013	2012	2011
DBH SERVICE				Alcohol Involved CrashesTotal	63	88	59
Substance		15		Fatal Crashes	3	4	2
Adult Psyc		Not Applica	ble	Injury Crashes	34	52	37
POPULATION		75.000		Property Damage Crashes	26	32	20
Census 20		75,288		Crash Fatalities	3	4	1
2014 Estim	iate	75,231		Crash Injuries	47	65	52
				Drug Involved CrashesTotal	18	14	18
				Fatal Crashes	0	3	0
BIRTH RISK	2013	2012	2011	Injury Crashes	3	6	8
Resident BirthsTotal	843	869	945	Property Damage Crashes Crash Fatalities	15 0	5 5	10 0
Mother Reported Smoking while Pregnant	215	242	274	Crash Injuries	4	5 8	10
DISEASE INCIDENCE 1	2013	2012	2011			_	
HIV/AIDS Cases	0	1	2	POLICE REPORTS	2013	2012	2011
Hepatitis B Chronic, Acute, Prenatal	0	5	4	DUI Arrests, DWI Tracking System	278	281	333
Hepatitis C Chronic and Acute	44	42	48	Liquor Law Arrests	46	30	70
Tuberculosis Infection Cases	14	8	9	Drug Arrests	349	194	206
		•		Violent Offenses	119	95	136
DEATHS and INJURIES	2013	2012	2011	Property Offenses	1,217	1,278	1,217
Resident DeathsTotal	857	767	797	Domestic Violence Reports	668	587	557
Suicides	10	16	11		2014	2013	2012
Self-inflicted Injuries	69	113	135	Methamphetamine Lab Seizures	32	62	58
Homicides	2	0	1	SCHOOL REPORTS	2013-14	2012-13	2011-12
Assault Injuries	175	210	181	Enrollment Grades 9-12	2,780	2,960	3,052
Alcohol Induced Deaths	2	2	1	Drop-outs	63	87	86
Drug Induced Deaths	9	9	5	Drop-out Rate	2.3%	2.9%	2.8%
Smoking Attributable Deaths	168	160	139	School Discipline Involving Alcohol	11	3	1
HOSPITAL EPISODES 2	2013	2012	2011	School Discipline Involving Drugs	11	24	16
Hospitalization, no Emergency Room:	2013	2012	2011	School Discipline Involving Tobacco	0	0	1
Mental Illness Principal Diagnosis	396	373	424				
Mental Illness Secondary Diagnosis	955	1,050	1,301	JUVENILE COURT REFERRALS 3	2013	2012	2011
Alcohol Principal Diagnosis	22	23	17	Juvenile Violent Offenses	75	84	75
Alcohol Secondary Diagnosis	73	63	93	Juvenile Alcohol Offenses	16	12	21
Drug Principal Diagnosis	16	24	24	Juvenile Drug Offenses	15	25	20
Drug Secondary Diagnosis	53	48	60	School Truancy Status Offense	56	71	67
Emergency Room + Hospitalization:				Absent from Home Status Offense	21	20	10
Mental Illness Principal Diagnosis	253	267	226	Beyond Parental Control Status Offense	18	17	25
Mental Illness Secondary Diagnosis	1,097	1,025	776	Injurious Behavior Status Offense	112	112	96
Alcohol Principal Diagnosis	41	30	28	Child Abuse	43	42	25
Alcohol Secondary Diagnosis	102	112	62	Child Custody Jacques	123	97	139
Drug Principal Diagnosis	33	21	20	Child Custody Issues	6	9	3
Drug Secondary Diagnosis	55	63	38	JUVENILE COURT PLACEMENTS	2013	2012	2011
Emergency Room, no Hospitalization:				Out-of-Home PlacementsTotal	81	91	83
Mental Illness Principal Diagnosis	587	571	516	Parental Alcohol Use Related	0	3	6
Mental Illness Secondary Diagnosis	1,005	1,285	1,369	Parental Drug Use Related	10	13	20
Alcohol Principal Diagnosis	78	89	81	Parental Alcohol and Drug Use	5	5	7
Alcohol Secondary Diagnosis	125	99	98	CDIMINAL WICTIGE	EV2014	EV2012	EV2012
Drug Principal Diagnosis	67	71	80	CRIMINAL JUSTICE Drug Court Participants	FY2014	FY2013	FY2012
Drug Secondary Diagnosis	103	84	106	Probation/Parole AdmissionsDrug	22 229	29 191	37 205
				Probation/Parole AdmissionsDfug Probation/Parole AdmissionsDWI	42	43	32
ALCOHOL OUTLETS	2014	2013	2012	Prison AdmissionsDrug	99	85	111
Alcohol On-Premise Drink Licenses	100	98	101	Prison AdmissionsDWI	20	18	16
Alcohol Package Carry-out Licenses	98	99	106				
EMPLOYMENT	2014	2013	2012	1 All Kansas City hepatitis and TB case report			County
Labor Force	34,730	37,194	35,920	totals and all Joplin case reports are include Beginning with 2010 data, diagnosis counts			es are
Employed	32,727	34,944	33,447	based on codes developed by the Healthcar	e Cost and L	Jtilization Proj	ject.
Unampleyed	2 002	2.250	2 472	3 Beginning in 2013, juvenile municipal violati	JUS, IHITACTIO	ris, and violat	JUNS OF

2,003

5.8%

2,250

6.0%

2,473

6.9%

Unemployed

Unemployment Rate

3 Beginning in 2013, juvenile municipal violations, infractions, and violations of

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	38	62	50
Detoxilication	30	02	50
CSTAR Adolescent	39	47	48
CSTAR Women and Children	36	59	46
CSTAR General Adult	354	98	89
CSTAR Opioid	0	*	0
Primary Recovery Treatment	72	303	382
Clinical SATOP (CIP, YCIP, SROP)	61	59	60
Other Substance Abuse Treatment	*	*	*

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	237	251	323
- Adolescent Diversion Education Prograr	12	5	19
- Offender Education Program	53	65	103
- Weekend Intervention Program	42	54	78
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	12	24	15
Compulsive Gambling	0	*	*
Recovery Supports	7	*	*
Early Intervention	18	19	34

NUMBER ADMITTED	FY2014	FY2013	FY2012	PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Total Individuals	545	521	588	Alcohol	202	208	245
		-		Marijuana / Hashish	165	169	205
AGE				Cocaine (total)	16	15	32
Under 18	43	46	48	- Crack	5	6	6
18 to 24	98	99	125	Stimulant (total)	101	62	37
25 to 29	92	94	116	- Methamphetamine	97	59	33
30 to 34	91	82	90	Heroin	19	27	29
35 to 39	65	56	42	Analgesic except Heroin	28	22	26
40 to 44	47	41	50	- Non-Prescription Methadone	0	*	0
45 to 54	79	73	97	PCP, LSD, other Hallucinogen	*	*	5
55 and Over	30	30	20	Tranquilizer	*	5	*
GENDER				Inhalant	0	*	0
Male	382	353	437	Sedative	*	*	0
Female	163	168	151	Other Medication or Illicit Drug	8	9	7
_				Average Age at First Use of Drug	17.9	17.3	16.7
RACE / ETHNICITY							
Caucasian	483	450	495	INJECTION DRUG USE			
African American	43	52	74	Any Injection Use at Admission	50	43	45
Native American / Alaskan	0	0	0	- Daily Injection Use	5	8	*
Asian / Pacific Islander	0	0	0	- Weekly Injection Use	13	9	11
Hispanic	*	6	*	- Less than Weekly Injection Use	32	26	31
Other Race / Two or More Races	17	16	18				
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	197	190	195	0	319	300	307
High School Graduate or G.E.D.	283	260	309	1 or 2	145	152	173
Associate Degree or Some College	63	66	81	3 or More	81	69	108
Bachelor or Advanced Degree	*	5	*	TOTATAGNIT DEFENDAL COURCE			
EA ADI OVA AFAIT				TREATMENT REFERRAL SOURCE Self / Family / Friend	132	74	55
EMPLOYMENT Employed	191	165	202	School	0	*	0
Employed	219		202		5	*	5
Unemployed	-	219	_	Mental Health Provider	_		_
Not in Labor Force	135	137	138	Health Care Provider	15	11	6
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	294	332	463
Independent Living	441	414	479	Other Referral Source	62	68	48
Dependent Living	73	90	81				
Homeless	7	*	12	TREATMENT ACCOMMODATION		_	_
				Pregnant when Admitted to any Episode	6	5	5
MARITAL / FAMILY STATUS				Military Veteran	23	17	27
Never Married	287	294	336	Special Education Services Needed	66	49	70
Married / Cohabitating	135	132	135	Co-Occurring Psychological Problem	181	158	172
Previously Married	123	95	117	Co-Occurring Developmental Problem	22	15	17

MISSOURI STUDENT SURVEY

			•
Percent of students who have ever used:	2014	2012	2010
Alcohol	44.0	46.0	50.4
Cigarettes	27.0		30.3
Chewing Tobacco	17.5	_	15.8
Marijuana	12.1		14.5
Inhalants	2.1		5.8
Prescription medications not prescribed for student	5.8	8.3	12.8
Over-the-counter medications for non-medical use	1.8	6.1	7.6
Methamphetamine	0.5	1.5	0.9
Cocaine	0.8	2.1	1.6
Heroin	0.3	1.0	0.2
Hallucinogens	0.6	2.7	2.3
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.0	2.2	1.6
Steroids not prescribed for student	1.0	1.9	1.5
Synthetic drugs (K2, bath salts, Spice, etc)	4.7	6.8	
Average age of students' first use of: Alcohol	12.03	12.55	12 25
Cigarettes		12.43	
Marijuana		13.66	
Inhalants		11.79	
IIIIdditis	12.74	11.79	11.00
Percent of students who, in past 30 days, used:			
Alcohol	16.7	20.9	25.5
Alcohol (Binge: 5+ drinks on one occassion)		13.6	17.0
Cigarettes	11.0	13.1	16.1
Chewing Tobacco	7.2	8.2	8.8
Marijuana	3.0		6.2
Inhalants	1.1	2.2	3.3
Prescription medications not prescribed for student	2.7	4.3	6.7
Over-the-counter medications for non-medical use	0.8	3.5	5.1
Percent of students who, in past 2 weeks, used:			
Alcohol (Binge: 5+ drinks on one occassion)	7.4		
Percent whose friends used in past 12 months:			
Alcohol	54.8	56.9	62.9
Cigarettes		45.3	
Marijuana	26.9		
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	10.7		
•			
Percent who would likely use, if offered by a best friend:	040	00.0	40.0
Alcohol	34.9	36.0	40.8
Cigarettes	12.9	14.7	16.7
Marijuana	9.4	8.2	9.0
Percent who say it would be wrong to use:			
Alcohol	47.2	57.1	51.2
Cigarettes	78.1	77.9	76.5
Marijuana	79.6	84.4	84.8
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.6	94.2	95.6
Percent whose parents would disapprove if they use:			
Alcohol	73.1	73.8	73.3
Cigarettes	93.1	90.2	90.2
Marijuana	94.8	94.8	95.0
•	<i>3</i> 4. 0	34.0	33.0
Percent who say it would be easy to obtain:			
Alcohol	60.0	54.9	58.8
Cigarettes	50.8		
Marijuana	27.0		
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	8.7	16.6	17.5

DENT SURVEY			
Percent who believe they risk harm if they use:	2014	2012	2010
Alcohol (1 or 2 drinks daily) Alcohol (Binge: 5+ drinks once or twice a week)	50.6 67.7		
Alcohol (any use) Cigarettes (1+ packs per day)	79.2	63.8	76.7
Cigarettes (any use)		74.6	77.9
Marijuana (once or twice a week) Marijuana (any use)	62.5	72.2	69.4
Other: Cocalne, LSD, Meth, Club Drug (any use) Percent of students who, In past 30 days:	91.7	90.5	93.0
Were very sad	14.9	19.5	21.5
Were grouchy, irritable, or in a bad mood	23.6	24.3	28.6
Felt hopeless about the future	7.2	10.0	14.6
Felt like not eating or eating more than usual	12.8	17.8	20.5
Slept a lot more or a lot less than usual Had difficulty concentrating on school work	12.7 20.3	17.1 23.2	29.2 29.9
Percent of students who, in past 12 months:			
Seriously considered attempting suicide	5.7	10.5	12.1
Made plan about how they would attempt suicide	4.9	7.9	7.7
Attempted suicide	3.8	5.3	6.8
Attempted suicide and resulting injury, poisonng, or overdose had to be treated by doctor or nurse	1.4	2.1	2.5
Percent of students who, in past 12 months:			
Were threatened/injured with weapon at school	8.5	7.0	9.2
Were in a physical fight	23.2	20.2	23.5
Were in a fight and had to be treated by a doctor or nurse	2.8	3.6	2.7
Percent of students who, in past 3 months:			
Were victims of mean rumors or lies spread at school	45.5	51.3	58.6
Were made fun of by others	54.7	62.5	69.0
Were victims of an embarrassing or hurtful text message or something posted on the internet	18.8	22.2	21.0
Spread mean rumors or lies about other kids at school	25.2	31.1	32.1
Made fun of other people	48.3	65.0	72.8
Posted something on the internet or sent a text that might embarrass or hurt another student	14.3	16.7	18.4
Percent of students who agree that:			
Teachers notice and comment on student's good work School provides feedback to parents on positive student	73.5	67.2	73.1
performance	47.0	37.0	35.2
Rules are enforced fairly	65.5	59.2	60.4
Students of all races/ethnicities are treated equal	86.6	76.3	77.7
Percent of students who agree that: Parents notice and comment on student's good work	80.2	82.1	83.0
Parents notice and comment on student's good work Parents involve student in making family decisions	72.3	68.1	70.1
It is important to be honest with parents regardless of			
consequences	85.6	84.2	83.9
Student could ask parent for help with a personal problem	77.8	74.6	76.4
Missouri Student Survey is conducted bioppially			

Missouri Student Survey is conducted biennially.
Similar affirmative response choices for individual questions are combined.
Blank data cells indicate estimates are not available for item or geographic area. Survey is not conducted in every school district nor reported for every county. Estimates are not available for counties with small numbers of respondents. Percentages are estimates based on weighted data.

Some year-to-year differences in percentages are not statistically significant.

302017102 002 0				. •			
DBH REGIO	V	Eastern		IMPAIRED DRIVING	2013	2012	2011
DBH SERVICE	E AREAS			Alcohol Involved CrashesTotal	533	506	538
Substanc	e Use	16		Fatal Crashes	12	18	18
Adult Psy	chiatric	Not Applica	able	Injury Crashes	202	200	197
POPULATIO				Property Damage Crashes	319	288	323
Census 2		547,056		Crash Fatalities	16	18	19
2014 Esti	mate	569,079		Crash Injuries	285	311	286
1				Drug Involved CrashesTotal	116	113	99
				Fatal Crashes	3	7	5
BIRTH RISK	2013	2012	2011	Injury Crashes	38	44	33
Resident BirthsTotal	6,912	6,808	6,927	Property Damage Crashes	75	62	61
Mother Reported Smoking while Pregnan	t 1,060	1,073	1,044	Crash Fatalities	3	8	5
DISEASE INCIDENCE 1	2012	2012	2011	Crash Injuries	57	80	34
DISEASE INCIDENCE 1	2013	2012	2011	POLICE REPORTS	2013	2012	2011
HIV/AIDS Cases	17	19	11	DUI Arrests, DWI Tracking System	2,931	3,415	3,195
Hepatitis B Chronic, Acute, Prenatal	23	27	22	Liquor Law Arrests	515	931	861
Hepatitis C Chronic and Acute	282	230 122	276 97	Drug Arrests	2,694	2,611	2,653
Tuberculosis Infection Cases	128	122	97	Violent Offenses	868	881	1,015
DEATHS and INJURIES	2013	2012	2011	Property Offenses	9,816	10,573	10,283
Resident DeathsTotal	4,093	3,967	3,984	Domestic Violence Reports	2,706	2,424	2,502
Suicides	84	82	81		2014	2013	2012
Self-inflicted Injuries	555	648	640	Methamphetamine Lab Seizures	155	221	288
Homicides	9	12	15				
Assault Injuries	1,241	1,537	1,443	SCHOOL REPORTS	2013-14	2012-13	2011-12
Alcohol Induced Deaths	25	32	14	Enrollment Grades 9-12	26,950	26,682	26,312
Drug Induced Deaths	105	78	103	Drop-outs	359	410	516
Smoking Attributable Deaths	719	683	714	Drop-out Rate	1.3%	1.5%	2.0%
				School Discipline Involving Alcohol	57 105	32	60 405
HOSPITAL EPISODES 2	2013	2012	2011	School Discipline Involving Drugs	195	328	405
Hospitalization, no Emergency Room:	0.040	0.000	0.044	School Discipline Involving Tobacco	5	8	3
Mental Illness Principal Diagnosis	3,813	3,080	2,844	JUVENILE COURT REFERRALS 3	2013	2012	2011
Mental Illness Secondary Diagnosis	6,704	5,503	5,715	Juvenile Violent Offenses	410	471	485
Alcohol Principal Diagnosis	337	275 376	241 373	Juvenile Alcohol Offenses	98	165	129
Alcohol Secondary Diagnosis	439 299	292	380	Juvenile Drug Offenses	258	284	290
Drug Principal Diagnosis Drug Secondary Diagnosis	364	285	308	School Truancy Status Offense	400	277	333
Emergency Room + Hospitalization:	304	200	300	Absent from Home Status Offense	223	324	306
Mental Illness Principal Diagnosis	2.660	3,423	3,231	Beyond Parental Control Status Offense	24	48	73
Mental Illness Secondary Diagnosis	8,976	9,915	10,682	Injurious Behavior Status Offense	182	203	232
Alcohol Principal Diagnosis	244	282	261	Child Abuse	74	65	90
Alcohol Secondary Diagnosis	907	1,013	962	Child Neglect	563	527	498
Drug Principal Diagnosis	172	186	240	Child Custody Issues	32	39	11
Drug Secondary Diagnosis	463	522	525	JUVENILE COURT PLACEMENTS	2013	2012	2011
Emergency Room, no Hospitalization:	100	022	020	Out-of-Home PlacementsTotal	347	405	373
Mental Illness Principal Diagnosis	3,885	4,099	4,046	Parental Alcohol Use Related	13	11	22
Mental Illness Secondary Diagnosis	20,259	20,935	13,657	Parental Drug Use Related	150	187	151
Alcohol Principal Diagnosis	812	960	783	Parental Alcohol and Drug Use	11	11	17
Alcohol Secondary Diagnosis	899	1,073	877				
Drug Principal Diagnosis	758	831	1,013	CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Secondary Diagnosis	1,326	1,616	1,220	Drug Court Participants	459	572	559
	•	•	•	Probation/Parole AdmissionsDrug	933	923	869
ALCOHOL OUTLETS	2014	2013	2012	Probation/Parole AdmissionsDWI	274	277	264
Alcohol On-Premise Drink Licenses	671	664	680	Prison AdmissionsDrug	488	426	438
Alcohol Package Carry-out Licenses	382	382	385	Prison AdmissionsDWI	103	112	111
EMPLOYMENT	2014	2013	2012	1 All Kansas City hepatitis and TB case report			County
Labor Force	304,893	295,586	295,351	totals and all Joplin case reports are include			oc are
Employed	288,607	277,574	275,780	2 Beginning with 2010 data, diagnosis counts based on codes developed by the Healthcar			
Unomployed	16 296	19.012	10.571	3 Beginning in 2013, juvenile municipal violation			

5.3%

16,286 18,012 19,571

6.1%

6.6%

Unemployed

Unemployment Rate

3 Beginning in 2013, juvenile municipal violations, infractions, and violations of

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	198	217	212
CSTAR Adolescent	222	206	183
CSTAR Women and Children	198	235	229
CSTAR General Adult	794	687	675
CSTAR Opioid	50	74	60
Primary Recovery Treatment	36	146	212
Clinical SATOP (CIP, YCIP, SROP)	756	844	782
Other Substance Abuse Treatment	15	8	11

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	2,719	2,905	2,872
- Adolescent Diversion Education Prograr	159	62	75
- Offender Education Program	979	1,037	1,069
- Weekend Intervention Program	551	659	647
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	24	35	45
Compulsive Gambling	17	33	29
Recovery Supports	14	10	5
Early Intervention	16	14	9

NUMBER ADMITTED	FY2014	FY2013	FY2012	PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Total Individuals	2,019	2,145	2,067	Alcohol	942	1,058	1,054
4.05				Marijuana / Hashish	408	375	363
AGE	225	210	104	Cocaine (total)	23	21	43
Under 18 18 to 24	225 385	210 410	194 412	- Crack	14	13	34
25 to 29	356	396	391	Stimulant (total)	173	152	108
				- Methamphetamine	160	144	98
30 to 34	328	338	323	Heroin	353	401	354
35 to 39	212	218	193	Analgesic except Heroin	82	89	91
40 to 44	146	184	205	- Non-Prescription Methadone	*	*	*
45 to 54	279	305	259	PCP, LSD, other Hallucinogen	*	6	12
55 and Over	88	84	90	Tranquilizer	20	16	16
GENDER				Inhalant	*	*	*
Male	1,305	1,393	1,369	Sedative	*	*	*
Female	713	752	698	Other Medication or Illicit Drug	12	21	19
				Average Age at First Use of Drug	17.4	17.8	17.4
RACE / ETHNICITY							
Caucasian	1,864	2,000	1,926	INJECTION DRUG USE			
African American	91	82	76	Any Injection Use at Admission	400	432	364
Native American / Alaskan	5	*	*	- Daily Injection Use	127	141	135
Asian / Pacific Islander	6	*	6	- Weekly Injection Use	102	120	91
Hispanic	25	25	36	- Less than Weekly Injection Use	171	171	138
Other Race / Two or More Races	36	43	29	2000			.00
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	649	662	641	0	901	880	861
High School Graduate or G.E.D.	797	896	873	1 or 2	722	799	792
Associate Degree or Some College	535	559	521	3 or More	396	466	414
Bachelor or Advanced Degree	36	26	32	TD5.4T4.554T D555DD.44.604D.65			
514516344515				TREATMENT REFERRAL SOURCE	400	405	400
EMPLOYMENT	700	764	705	Self / Family / Friend	499	495	492
Employed	768	764	735	School Mandal Haalth Bravidan	39	30	18
Unemployed	656	770	732	Mental Health Provider	28	26	8
Not in Labor Force	595	611	600	Health Care Provider	52	68	49
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	1,148	1,269	1,293
Independent Living	1,629	1,774	1,697	Other Referral Source	207	212	195
Dependent Living	275	267	257				
Homeless	59	60	69	TREATMENT ACCOMMODATION			
_				Pregnant when Admitted to any Episode	42	49	38
MARITAL / FAMILY STATUS	,	4	46:-	Military Veteran	103	101	83
Never Married	1,210	1,306	1,217	Special Education Services Needed	145	147	138
Married / Cohabitating	413	426	443	Co-Occurring Psychological Problem	590	696	711
Previously Married	396	413	407	Co-Occurring Developmental Problem	40	80	63

MISSOURI STUDENT SURVEY

	IVIIOO	CON	51
Description of a trade when how a consequent	2014	2012	2010
Percent of students who have ever used:	32.8	37.1	44.3
Alcohol Cigarettes	15.7	_	23.6
Chewing Tobacco	7.3		9.7
Marijuana	13.8		-
Inhalants	3.0	4.6	7.0
Prescription medications not prescribed for student	7.4	7.5	10.7
Over-the-counter medications for non-medical use	2.9	6.0	7.6
Methamphetamine	0.6	0.9	0.7
Cocaine	1.1	1.3	1.7
Heroin	0.4	0.7	0.6
Hallucinogens	2.2	2.3	3.6
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.7	1.8	2.1
Steroids not prescribed for student	0.7	1.1	1.0
Synthetic drugs (K2, bath salts, Spice, etc)	3.6	5.3	
Average age of students' first use of:			
Alcohol		12.68	
Cigarettes		12.55	
Marijuana		13.60	
Inhalants	11.73	11.52	11.82
Percent of students who, in past 30 days, used:			
Alcohol	13.8	16.4	21.4
Alcohol (Binge: 5+ drinks on one occassion)		9.2	12.2
Cigarettes	6.8	8.2	12.8
Chewing Tobacco	3.0	3.9	5.4
Marijuana	7.4	6.9	8.5
Inhalants	1.0	2.1	3.3
Prescription medications not prescribed for student Over-the-counter medications for non-medical use	4.1 1.3	3.9 3.6	6.4 4.7
Over-the-counter medications for non-medical use	1.3	3.0	4.7
Percent of students who, in past 2 weeks, used:			
Alcohol (Binge: 5+ drinks on one occassion)	6.0		
Percent whose friends used in past 12 months:			
Alcohol	46.0	51.2	59.6
Cigarettes	32.5	39.0	47.8
Marijuana	33.3	35.6	37.8
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	12.3	15.8	19.4
Percent who would likely use, if offered by a best friend:			
Alcohol	25.1	28.4	33.9
Cigarettes	8.8	9.9	14.1
Marijuana	13.1	11.1	12.6
Percent who say it would be wrong to use:			
Alcohol	63.9	62.3	56.8
Cigarettes	87.6	85.4	80.2
Marijuana	80.1	83.3	81.9
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	95.8	96.3	94.5
Percent whose parents would disapprove if they use:			
Alcohol	80.9	79.9	77.0
Cigarettes	94.7	93.4	90.8
Marijuana	92.5	95.0	93.7
•	-	,	
Percent who say it would be easy to obtain: Alcohol	55.8	58.9	62.3
Cigarettes	55.6 44.9		62.3 55.9
Marijuana	33.6		36.8
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	13.0		18.0

DENT SURVET			
Description of the second of t	2014	2012	2010
Percent who believe they risk harm if they use:	62.6		
Alcohol (1 or 2 drinks daily) Alcohol (Binge: 5+ drinks once or twice a week)	63.6 75.4		
Alcohol (any use)	75.4	69.0	76.0
Cigarettes (1+ packs per day)	89.4	09.0	70.0
Cigarettes (17 packs per day)	03.4	84.7	81.8
Marijuana (once or twice a week)	67.1	04.7	01.0
Marijuana (any use)	0	74.9	68.9
Other: Cocaine, LSD, Meth, Club Drug (any use)	93.8	94.8	93.1
Percent of students who, in past 30 days: Were very sad	19.7	17.5	15.6
Were grouchy, irritable, or in a bad mood	24.2	22.1	21.6
Felt hopeless about the future	11.4	11.4	10.8
Felt like not eating or eating more than usual	17.3	16.7	16.4
Slept a lot more or a lot less than usual	18.2	-	24.2
Had difficulty concentrating on school work	25.8	24.4	24.2
Percent of students who, in past 12 months:	44.0	40.5	40.0
Seriously considered attempting suicide	11.0	10.5	10.9
Made plan about how they would attempt suicide	8.0	8.1	7.9
Attempted suicide Attempted suicide and resulting injury, poisoning, or overdose	4.4	4.9	5.0
had to be treated by doctor or nurse	1.7	1.7	1.8
Percent of students who, in past 12 months:			
Were threatened/injured with weapon at school	5.3	5.9	9.3
Were in a physical fight	14.7	17.3	22.8
Were in a fight and had to be treated by a doctor or nurse	2.0	2.9	4.2
Percent of students who, in past 3 months:			
Were victims of mean rumors or lies spread at school	44.8	44.5	52.5
Were made fun of by others	58.4	59.4	69.8
Were victims of an embarrassing or hurtful text message or something posted on the internet	24.8	20.7	20.3
Spread mean rumors or lies about other kids at school	27.1	28.3	36.2
Made fun of other people	53.5	59.8	74.4
Posted something on the internet or sent a text that might embarrass or hurt another student	17.7	13.9	19.4
Percent of students who agree that:			
Teachers notice and comment on student's good work	70.6	64.5	66.9
School provides feedback to parents on positive student performance	40.1	36.3	39.6
	60.7	CE 1	66.0
Rules are enforced fairly Students of all races/ethnicities are treated equal	68.7 80.0	65.1 75.9	66.2 77.4
Percent of students who agree that:			
Parents notice and comment on student's good work	83.1	82.8	83.4
Parents involve student in making family decisions	68.7	67.5	69.4
It is important to be honest with parents regardless of	86.9	85.2	80.9
consequences			
Student could ask parent for help with a personal problem	79.7	76.9	76.9
Missouri Student Survey is conducted biennially.			

Missouri Student Survey is conducted biennially. Similar affirmative response choices for individual questions are combined.

Blank data cells indicate estimates are not available for item or geographic area. Survey is not conducted in every school district nor reported for every county. Estimates are not available for counties with small numbers of respondents. Percentages are estimates based on weighted data.

Some year-to-year differences in percentages are not statistically significant.

		. •	1-2 1	•			
DBH REGIO	V	Southeast		IMPAIRED DRIVING	2013	2012	2011
DBH SERVIC				Alcohol Involved CrashesTotal	220	270	264
Substance		17		Fatal Crashes	14	20	17
Adult Psy		Not Applica	ible	Injury Crashes	83	122	119
POPULATIO				Property Damage Crashes	123	128	128
Census 2		211,091		Crash Fatalities	15	21	20
2014 Esti	mate	210,335		Crash Injuries	120	167	176
				Drug Involved CrashesTotal	80	66	66
				Fatal Crashes	4	0	4
BIRTH RISK	2013	2012	2011	Injury Crashes	23	34	29
Resident BirthsTotal	2,401	2,373	2,434	Property Damage Crashes	53	32	33
Mother Reported Smoking while Pregnan	t 695	654	709	Crash Fatalities Crash Injuries	4 34	0 43	3 32
DISEASE INCIDENCE 1	2012	2012	2011	Crash injunes	34	43	32
DISEASE INCIDENCE 1 HIV/AIDS Cases	2013 1	2012 4	2011 2	POLICE REPORTS	2013	2012	2011
Hepatitis B Chronic, Acute, Prenatal	22	16	20	DUI Arrests, DWI Tracking System	1,032	1,231	1,355
Hepatitis C Chronic and Acute	298	287	266	Liquor Law Arrests	184	274	421
Tuberculosis Infection Cases	125	66	128	Drug Arrests	1,238	1,299	1,307
Tuberculosis infection Cases	125	00	120	Violent Offenses	541	530	582
DEATHS and INJURIES	2013	2012	2011	Property Offenses	5,335	5,669	5,329
Resident DeathsTotal	2,347	2,327	2,330	Domestic Violence Reports	720	952	1,044
Suicides	37	40	38		2014	2013	2012
Self-inflicted Injuries	349	387	353	Methamphetamine Lab Seizures	108	195	242
Homicides	7	4	9	COURSE DEPORTS	2012 14	2012-13	2011-12
Assault Injuries	789	892	822	SCHOOL REPORTS Enrollment Grades 9-12	2013-14 9,448	9,494	
Alcohol Induced Deaths	8	14	11	Drop-outs	169	180	9,506 255
Drug Induced Deaths	48	63	49	Drop-out Rate	1.8%	1.9%	2.7%
Smoking Attributable Deaths	454	470	440	School Discipline Involving Alcohol	8	28	15
HOSPITAL EPISODES 2	2013	2012	2011	School Discipline Involving Drugs	56	59	66
Hospitalization, no Emergency Room:	2013	2012	2011	School Discipline Involving Tobacco	2	4	6
Mental Illness Principal Diagnosis	2,279	2,099	2,315		_	•	· ·
Mental Illness Secondary Diagnosis	4,246	4,178	4,951	JUVENILE COURT REFERRALS 3	2013	2012	2011
Alcohol Principal Diagnosis	98	76	94	Juvenile Violent Offenses	387	441	446
Alcohol Secondary Diagnosis	294	250	261	Juvenile Alcohol Offenses	26	17	25
Drug Principal Diagnosis	298	240	190	Juvenile Drug Offenses	42	77	80
Drug Secondary Diagnosis	301	269	293	School Truancy Status Offense	303	301	318
Emergency Room + Hospitalization:				Absent from Home Status Offense	36	29	52
Mental Illness Principal Diagnosis	756	1,073	853	Beyond Parental Control Status Offense	151	179	149
Mental Illness Secondary Diagnosis	3,704	4,218	3,709	Injurious Behavior Status Offense	149	169	178
Alcohol Principal Diagnosis	99	138	91	Child Abuse	285	339	391
Alcohol Secondary Diagnosis	261	372	293	Child Neglect	530	736	616
Drug Principal Diagnosis	104	123	83	Child Custody Issues	18	10	17
Drug Secondary Diagnosis	216	283	211	JUVENILE COURT PLACEMENTS	2013	2012	2011
Emergency Room, no Hospitalization:				Out-of-Home PlacementsTotal	265	232	213
Mental Illness Principal Diagnosis	2,512	2,847	2,880	Parental Alcohol Use Related	3	15	5
Mental Illness Secondary Diagnosis	15,815	16,765	11,228	Parental Drug Use Related	117	84	79
Alcohol Principal Diagnosis	434	423	455	Parental Alcohol and Drug Use	9	5	13
Alcohol Secondary Diagnosis	427	530	478	CDIMINAL WICTIGE	EV2014	EV2012	EV2012
Drug Principal Diagnosis	499	512	510	CRIMINAL JUSTICE Drug Court Participants	FY2014 138	FY2013 153	FY2012 141
Drug Secondary Diagnosis	670	790	687	Probation/Parole AdmissionsDrug	692	742	669
				Probation/Parole AdmissionsDfug Probation/Parole AdmissionsDWI	93	109	84
ALCOHOL OUTLETS	2014		2012	Prison AdmissionsDrug	409	338	335
Alcohol On-Premise Drink Licenses	241	246	248	Prison AdmissionsDWI	46	36	44
Alcohol Package Carry-out Licenses	198	201	208				
EMPLOYMENT	2014	2013	2012	1 All Kansas City hepatitis and TB case report			County
Labor Force	89,254	99,058	94,943	totals and all Joplin case reports are include Beginning with 2010 data, diagnosis counts			es are
Employed	82,822	92,097	87,470	based on codes developed by the Healthcar	re Cost and L	Jtilization Proj	ject.
Linampleyed	6 422	6.064	7 472	3 Beginning in 2013, juvenile municipal violati	uns, intractio	ris, and violat	JUNS OF

6,432

7.2%

6,961

7.0%

7,473

7.9%

Unemployed

Unemployment Rate

3 Beginning in 2013, juvenile municipal violations, infractions, and violations of

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	215	215	182
CSTAR Adolescent	55	50	73
CSTAR Women and Children	56	71	53
CSTAR General Adult	933	998	669
CSTAR Opioid	*	7	6
Primary Recovery Treatment	145	563	1,043
Clinical SATOP (CIP, YCIP, SROP)	190	185	182
Other Substance Abuse Treatment	6	*	10

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	773	831	957
- Adolescent Diversion Education Prograr	*	0	0
- Offender Education Program	288	322	391
- Weekend Intervention Program	178	193	214
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	7	8	21
Compulsive Gambling	*	*	*
Recovery Supports	29	21	8
Early Intervention	97	66	84

NUMBER ADMITTED	FY2014	FY2013	FY2012	PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Total Individuals	1,379	1,679	1,934	Alcohol	430	539	622
	.,	.,	.,	Marijuana / Hashish	260	338	498
AGE				Cocaine (total)	14	13	24
Under 18	59	54	85	- Crack	6	8	13
18 to 24	216	313	386	Stimulant (total)	253	274	282
25 to 29	296	356	406	- Methamphetamine	239	268	272
30 to 34	290	311	308	Heroin	161	175	166
35 to 39	153	182	225	Analgesic except Heroin	218	302	292
40 to 44	118	149	165	- Non-Prescription Methadone	*	*	29Z *
45 to 54	184	245	282	PCP, LSD, other Hallucinogen	*	*	*
55 and Over	63	69	77	_	16	22	2.4
6511050				Tranquilizer	16	23	34 7
GENDER	044	4.057	4.040	Inhalant	*	*	<i>'</i>
Male	844	1,057	1,313	Sedative		7	*
Female	535	622	621	Other Medication or Illicit Drug	22	7	40.4
RACE / ETHNICITY				Average Age at First Use of Drug	18.7	18.7	18.1
Caucasian	1,323	1,612	1,841				
African American	28	43	65	INJECTION DRUG USE			
Native American / Alaskan	5	*	5	Any Injection Use at Admission	289	318	263
Asian / Pacific Islander	0	0	*	- Daily Injection Use	80	90	60
Hispanic	17	18	25	- Weekly Injection Use	84	92	63
Other Race / Two or More Races	17	15	14	- Less than Weekly Injection Use	125	136	140
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	486	599	707	0	809	983	1,146
High School Graduate or G.E.D.	616	786	926	1 or 2	382	466	517
Associate Degree or Some College	267	284	294	3 or More	188	230	271
Bachelor or Advanced Degree	10	10	7				
Ç				TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	511	566	463
Employed	350	415	526	School	*	*	*
Unemployed	596	814	957	Mental Health Provider	11	15	15
Not in Labor Force	433	450	451	Health Care Provider	80	71	81
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	562	837	1,228
Independent Living	1,172	1,470	1,711	Other Referral Source	197	175	142
Dependent Living	150	147	157				
Homeless	44	44	44	TREATMENT ACCOMMODATION			
HOHICICOS	44	44	44	Pregnant when Admitted to any Episode	32	33	23
MARITAL / FAMILY STATUS				Military Veteran	65	72	116
Never Married	708	837	935	Special Education Services Needed	121	177	257
Married / Cohabitating	373	467	554	Co-Occurring Psychological Problem	639	690	733
Previously Married	298	375	445	Co-Occurring Developmental Problem	95	170	149

MISSOURI STUDENT SURVEY

	IVIIOO	CON	51
Demonstrational who have every used	2014	2012	2010
Percent of students who have ever used:	35.8	41.7	46.9
Alcohol Cigarettes	25.0		31.0
Chewing Tobacco	17.0		19.8
Marijuana	14.7		
Inhalants	3.5	6.7	8.4
Prescription medications not prescribed for student	9.8	10.3	14.7
Over-the-counter medications for non-medical use	3.4	7.0	9.3
Methamphetamine	0.5	1.3	1.3
Cocaine	0.8	1.7	1.8
Heroin	0.3	1.1	0.9
Hallucinogens	1.8	3.0	3.4
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.9	2.0	1.8
Steroids not prescribed for student	1.6	2.1	1.6
Synthetic drugs (K2, bath salts, Spice, etc)	2.8	6.7	
Average age of students' first use of:			
Alcohol	12.72	12.28	12.01
Cigarettes	12.75	12.00	11.62
Marijuana	14.10	13.40	13.11
Inhalants	11.42	11.83	12.13
Percent of students who, in past 30 days, used:			
Alcohol	13.7	19.4	22.9
Alcohol (Binge: 5+ drinks on one occassion)		11.9	14.0
Cigarettes	9.5	13.2	16.6
Chewing Tobacco	9.2	10.0	11.5
Marijuana	8.6	9.0	9.7
Inhalants	1.1	3.5	3.8
Prescription medications not prescribed for student	5.8	5.9	8.3
Over-the-counter medications for non-medical use	1.6	4.2	6.1
Percent of students who, in past 2 weeks, used:			
Alcohol (Binge: 5+ drinks on one occassion)	5.9		
Percent whose friends used in past 12 months:			
Alcohol	44.0	54.1	62.3
Cigarettes	38.0	44.8	49.0
Marijuana	32.4	33.7	36.6
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	11.4	14.4	17.5
Percent who would likely use, if offered by a best friend:			
Alcohol	27.5	31.8	36.6
Cigarettes	12.6		17.2
Marijuana	13.3	13.2	14.2
Percent who say it would be wrong to use:			
Alcohol	63.6	58.3	57.9
Cigarettes	82.7		
Marijuana	81.0		
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.2	95.4	94.7
Percent whose parents would disapprove if they use:			
Alcohol	77.2	76.3	75.2
Cigarettes	89.5	89.5	89.2
Marijuana	91.5	93.5	94.4
Percent who say it would be easy to obtain:			
Alcohol	46.0	55.2	59.5
Cigarettes	47.4		58.3
Marijuana	31.6		36.0
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	14.0		20.4

DENT SURVEY			
Description to the state of the same of the same of	2014	2012	2010
Percent who believe they risk harm if they use:	58.6		
Alcohol (1 or 2 drinks daily) Alcohol (Binge: 5+ drinks once or twice a week)	67.1		
Alcohol (any use)	07.1	69.2	75.7
Cigarettes (1+ packs per day)	85.1	05.2	10.1
Cigarettes (any use)	00.1	79.1	77.2
Marijuana (once or twice a week)	64.3		
Marijuana (any use)		73.5	71.5
Other: Cocaine, LSD, Meth, Club Drug (any use)	92.1	93.8	93.3
Percent of students who, in past 30 days:			
Were very sad	19.6	21.5	19.2
Were grouchy, irritable, or in a bad mood	24.5	26.5	24.7
Felt hopeless about the future	11.9	12.6	13.0
Felt like not eating or eating more than usual	17.7	18.0	19.5
Slept a lot more or a lot less than usual	18.6	21.1	26.9
Had difficulty concentrating on school work	24.4	25.0	26.3
Percent of students who, in past 12 months:			
Seriously considered attempting suicide	12.1	13.1	13.8
Made plan about how they would attempt suicide	9.1	9.5	9.8
Attempted suicide	5.9	5.6	5.9
Attempted suicide and resulting injury, poisonng, or overdose had to be treated by doctor or nurse	1.6	2.1	1.8
Percent of students who, in past 12 months:			
Were threatened/injured with weapon at school	5.4	6.8	9.7
Were in a physical fight	17.4	22.4	25.0
Were in a fight and had to be treated by a doctor or nurse	2.8	3.5	3.8
Percent of students who, in past 3 months:			
Were victims of mean rumors or lies spread at school	49.8	50.3	58.7
Were made fun of by others	57.3	61.2	70.1
Were victims of an embarrassing or hurtful text message or something posted on the internet	23.7	21.6	19.8
Spread mean rumors or lies about other kids at school	21.3	25.9	33.4
Made fun of other people	52.0	62.5	73.1
Posted something on the internet or sent a text that might embarrass or hurt another student	14.2	14.3	15.6
Percent of students who agree that:			
Teachers notice and comment on student's good work	74.1	67.6	68.7
School provides feedback to parents on positive student			
performance	45.1	38.5	42.2
Rules are enforced fairly	70.4	61.7	63.7
Students of all races/ethnicities are treated equal	84.8	77.3	79.0
Percent of students who agree that:			
Parents notice and comment on student's good work	82.0	82.1	84.2
Parents involve student in making family decisions	70.4	67.8	68.3
It is important to be honest with parents regardless of	89.6	86.6	82.5
consequences			
Student could ask parent for help with a personal problem	76.6	74.7	76.1
Miccouri Student Survey is conducted biomially			

Missouri Student Survey is conducted biennially.
Similar affirmative response choices for individual questions are combined.
Blank data cells indicate estimates are not available for item or geographic area. Survey is not conducted in every school district nor reported for every county. Estimates are not available for counties with small numbers of respondents. Percentages are estimates based on weighted data.

Some year-to-year differences in percentages are not statistically significant.

0020174102 002 0	/ LIX V :		\ _ /\				
DBH REGIO	ON	Southeast		IMPAIRED DRIVING	2013	2012	2011
DBH SERV	ICE AREAS			Alcohol Involved CrashesTotal	150	169	156
Substan	ce Use	18		Fatal Crashes	8	9	2
Adult Ps	sychiatric	Not Applica	ıble	Injury Crashes	59	72	85
POPULATION	ON			Property Damage Crashes	83	88	69
Census		127,952		Crash Fatalities	8	9	2
2014 Es	timate	126,384		Crash Injuries	89	103	116
7				Drug Involved CrashesTotal	34	31	22
				Fatal Crashes	0	0	0
BIRTH RISK	2013	2012	2011	Injury Crashes	10	19	13
Resident BirthsTotal	1,493	1,508	1,552	Property Damage Crashes	24	12	9
Mother Reported Smoking while Pregna	nt 428	393	408	Crash Fatalities	0	0	0
				Crash Injuries	14	26	17
DISEASE INCIDENCE 1	2013	2012	2011	POLICE REPORTS	2013	2012	2011
HIV/AIDS Cases	1	4	2	DUI Arrests, DWI Tracking System	626	758	878
Hepatitis B Chronic, Acute, Prenatal	10	12	10	Liquor Law Arrests	141	165	207
Hepatitis C Chronic and Acute	125	150	120	Drug Arrests	1,011	941	808
Tuberculosis Infection Cases	12	34	31	Violent Offenses	288	335	245
DEATHS and INJURIES	2013	2012	2011	Property Offenses	2,818	3,064	2,935
Resident DeathsTotal	1,608	1,498	1,510	Domestic Violence Reports	759	565	367
Suicides	29	26	25	•	2014	2013	2012
Self-inflicted Injuries	201	215	240	Methamphetamine Lab Seizures	30	56	43
Homicides	6	8	8				
Assault Injuries	246	264	302	SCHOOL REPORTS	2013-14	2012-13	2011-12
Alcohol Induced Deaths	7	12	7	Enrollment Grades 9-12	5,858	5,940	5,991
Drug Induced Deaths	16	18	10	Drop-outs	32	49	70
Smoking Attributable Deaths	310	289	297	Drop-out Rate	0.5%	0.8%	1.2%
				School Discipline Involving Alcohol	5	21	9
HOSPITAL EPISODES 2	2013	2012	2011	School Discipline Involving Drugs School Discipline Involving Tobacco	23 2	33 1	64 3
Hospitalization, no Emergency Room:	4.405	4 007	4 004	School Discipline involving Tobacco	2	ı	3
Mental Illness Principal Diagnosis	1,165	1,287	1,231	JUVENILE COURT REFERRALS 3	2013	2012	2011
Mental Illness Secondary Diagnosis	2,271 128	2,488 131	2,551 101	Juvenile Violent Offenses	87	125	98
Alcohol Principal Diagnosis Alcohol Secondary Diagnosis	168	233	190	Juvenile Alcohol Offenses	29	34	43
Drug Principal Diagnosis	204	184	109	Juvenile Drug Offenses	30	53	41
Drug Secondary Diagnosis	134	163	155	School Truancy Status Offense	222	291	440
Emergency Room + Hospitalization:	104	100	100	Absent from Home Status Offense	42	41	50
Mental Illness Principal Diagnosis	198	180	163	Beyond Parental Control Status Offense	106	138	155
Mental Illness Secondary Diagnosis	1,229	1,275	1,076	Injurious Behavior Status Offense	129	225	249
Alcohol Principal Diagnosis	27	49	52	Child Abuse	189	260	180
Alcohol Secondary Diagnosis	116	132	121	Child Neglect	552	749	519
Drug Principal Diagnosis	38	45	29	Child Custody Issues	49	80	52
Drug Secondary Diagnosis	88	80	54	JUVENILE COURT PLACEMENTS	2013	2012	2011
Emergency Room, no Hospitalization:				Out-of-Home PlacementsTotal	161	93	116
Mental Illness Principal Diagnosis	964	1,026	1,060	Parental Alcohol Use Related	6	7	5
Mental Illness Secondary Diagnosis	5,317	4,327	2,437	Parental Drug Use Related	54	18	31
Alcohol Principal Diagnosis	148	184	139	Parental Alcohol and Drug Use	11	13	3
Alcohol Secondary Diagnosis	217	235	208				
Drug Principal Diagnosis	140	176	154	CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Secondary Diagnosis	198	202	213	Drug Court Participants Probation/Parole AdmissionsDrug	128	149 293	138 290
				Probation/Parole AdmissionsDWI	340 51	293 59	290 62
ALCOHOL OUTLETS	2014	2013	2012	Prison AdmissionsDrug	160	142	119
Alcohol On-Premise Drink Licenses	85	86	91	Prison AdmissionsDWI	20	30	23
Alcohol Package Carry-out Licenses	144	132	134	. Hoor rainicolone Byy	20	30	20
EMPLOYMENT	2014	2013	2012	1 All Kansas City hepatitis and TB case repor			County
Labor Force	49,313	58,305	56,124	totals and all Joplin case reports are include Beginning with 2010 data, diagnosis counts			es are
Employed	45,561	54,334	51,923	based on codes developed by the Healthcar	re Cost and L	Itilization Pro	ject.
Unomployed	2 752	2 071	4 201	3 Beginning in 2013, juvenile municipal violati	ons, infractio	ns, and violat	ions of

3,752

7.6%

Unemployed

Unemployment Rate

3,971

6.8%

4,201

7.5%

3 Beginning in 2013, juvenile municipal violations, infractions, and violations of

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	147	155	173
CSTAR Adolescent	52	48	49
CSTAR Women and Children	35	38	28
CSTAR General Adult	303	298	176
CSTAR Opioid	0	*	*
Primary Recovery Treatment	49	109	353
Clinical SATOP (CIP, YCIP, SROP)	89	134	132
Other Substance Abuse Treatment	0	0	*

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	384	476	566
- Adolescent Diversion Education Prograr	*	*	*
- Offender Education Program	153	184	222
- Weekend Intervention Program	81	92	107
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	14	14	12
Compulsive Gambling	0	0	0
Recovery Supports	16	26	12
Early Intervention	*	8	5

NUMBER ADMITTED	FY2014	FY2013	FY2012	PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Total Individuals	545	640	741	Alcohol	205	255	324
				Marijuana / Hashish	100	107	162
AGE				Cocaine (total)	*	*	*
Under 18	56	48	51	- Crack	*	*	0
18 to 24	95	129	154	Stimulant (total)	151	140	121
25 to 29	87	109	117	- Methamphetamine	150	138	119
30 to 34	83	115	120	Heroin	10	12	8
35 to 39	55	72	83	Analgesic except Heroin	68	102	92
40 to 44	57	54	82	- Non-Prescription Methadone	*	*	0
45 to 54	87	80	95	PCP, LSD, other Hallucinogen	0	*	*
55 and Over	25	33	39	Tranquilizer	*	9	8
GENDER				Inhalant	0	*	7
Male	350	394	488	Sedative	0	0	*
Female	195	246	253	Other Medication or Illicit Drug	6	11	14
Cinaic	155	240	200	Average Age at First Use of Drug	17.9	18.0	17.3
RACE / ETHNICITY				Average Age at 1 list 030 of Drug	17.5	10.0	17.5
Caucasian	528	623	715	INJECTION DRUG USE			
African American	*	7	9	Any Injection Use at Admission	124	149	117
Native American / Alaskan	*	*	*	- Daily Injection Use	29	35	26
Asian / Pacific Islander	0	0	0	- Weekly Injection Use	45	50	36
Hispanic	6	6	11	- Less than Weekly Injection Use	50	64	55
Other Race / Two or More Races	11	7	8	- Less than weekly injection ose	50	04	55
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	204	237	275	0	308	316	369
High School Graduate or G.E.D.	244	298	347	1 or 2	152	214	252
Associate Degree or Some College	92	102	113	3 or More	85	110	120
Bachelor or Advanced Degree	5	*	6				
5451 0144517				TREATMENT REFERRAL SOURCE	201	255	101
EMPLOYMENT	70	0.4	05	Self / Family / Friend School	201	255	191
Employed	79	81	95 255		*		5
Unemployed	180	270	355	Mental Health Provider		9	6
Not in Labor Force	286	289	291	Health Care Provider	39	25	24
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	200	246	451
Independent Living	446	536	638	Other Referral Source	96	95	64
Dependent Living	76	74	65				
Homeless	14	21	25	TREATMENT ACCOMMODATION		40	40
				Pregnant when Admitted to any Episode	11	12	13
MARITAL / FAMILY STATUS	202	222	664	Military Veteran	21	26	21
Never Married	230	268	321	Special Education Services Needed	35	59	57
Married / Cohabitating	157	201	225	Co-Occurring Psychological Problem	187	227	214
Previously Married	158	171	195	Co-Occurring Developmental Problem	23	44	12

MISSOURI STUDENT SURVEY

			•
Percent of students who have ever used:	2014	2012	2010
Alcohol	36.4	39.6	46.3
Cigarettes	29.3		
Chewing Tobacco	22.2		26.1
Marijuana	9.4	11.2	13.6
Inhalants	2.1	6.3	7.6
Prescription medications not prescribed for student	7.2	9.0	12.3
Over-the-counter medications for non-medical use	1.2	5.1	8.1
Methamphetamine	0.3	1.1	0.9
Cocaine	0.2	1.2	1.1
Heroin	0.2	0.8	0.7
Hallucinogens	1.2	2.5	2.7
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.6		2.1
Steroids not prescribed for student	0.1	1.8 7.5	1.1
Synthetic drugs (K2, bath salts, Spice, etc)	3.9	7.5	
Average age of students' first use of:			
Alcohol		12.29	
Cigarettes		12.07	
Marijuana		13.08	
Inhalants	12.69	12.28	12.20
Percent of students who, in past 30 days, used:			
Alcohol	15.1	15.0	20.7
Alcohol (Binge: 5+ drinks on one occassion)		9.2	11.7
Cigarettes	13.2	12.9	18.8
Chewing Tobacco	15.0		15.3
Marijuana	2.8	_	6.0
Inhalants	0.8	-	
Prescription medications not prescribed for student	3.0		7.5
Over-the-counter medications for non-medical use	0.6	2.9	5.1
Percent of students who, in past 2 weeks, used:			
Alcohol (Binge: 5+ drinks on one occassion)	7.0		
Percent whose friends used in past 12 months:			
Alcohol	44.1	50.9	59.5
Cigarettes	40.2	45.4	51.8
Marijuana	19.2	24.4	31.9
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	6.2	10.1	15.5
Percent who would likely use, if offered by a best friend:			
Alcohol	27.4	29.1	35.5
Cigarettes	15.4	16.4	20.1
Marijuana	8.8	8.3	10.3
Percent who say it would be wrong to you.			
Percent who say it would be wrong to use: Alcohol	65.5	62.2	57.3
Cigarettes	76.4	76.7	73.7
Marijuana	86.8	86.5	85.2
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	98.0	96.5	95.5
	00.0	00.0	00.0
Percent whose parents would disapprove if they use:			
Alcohol	80.9	79.5	79.2
Cigarettes	86.0	88.5	88.6
Marijuana	94.5	95.5	95.2
Percent who say it would be easy to obtain:			
Alcohol	48.4	52.0	57.2
Cigarettes	50.5		60.5
Marijuana	27.7		34.2
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	12.0	14.8	18.4

DENT SURVEY			
	2014	2012	2010
Percent who believe they risk harm if they use:			
Alcohol (1 or 2 drinks daily)	51.1		
Alcohol (Binge: 5+ drinks once or twice a week)	62.1		
Alcohol (any use)		71.3	77.6
Cigarettes (1+ packs per day)	83.9		
Cigarettes (any use)		78.0	76.9
Marijuana (once or twice a week)	71.2		
Marijuana (any use)		79.9	74.2
Other: Cocaine, LSD, Meth, Club Drug (any use)	92.2	93.6	92.9
Percent of students who, in past 30 days:			
Were very sad	17.0	19.8	18.2
Were grouchy, irritable, or in a bad mood	21.5	23.9	23.0
Felt hopeless about the future	8.9	11.6	12.3
Felt like not eating or eating more than usual	12.1	16.8	16.9
Slept a lot more or a lot less than usual	13.5	19.7	23.4
Had difficulty concentrating on school work	21.4	20.3	24.2
	21.7	20.0	27.2
Percent of students who, in past 12 months:			
Seriously considered attempting suicide	6.9	10.8	11.7
Made plan about how they would attempt suicide	4.8	8.9	9.2
Attempted suicide	2.5	5.4	5.5
Attempted suicide and resulting injury, poisonng, or overdose	0.9	1.6	2.0
had to be treated by doctor or nurse	0.0	1.0	0
Percent of students who, in past 12 months:			
Were threatened/injured with weapon at school	4.8	6.4	10.5
Were in a physical fight	18.7	20.9	26.9
Were in a fight and had to be treated by a doctor or nurse	1.4	2.7	4.1
Percent of students who, in past 3 months:			
Were victims of mean rumors or lies spread at school	51.5	51.7	58.8
Were made fun of by others	56.2	61.5	69.6
•	30.2	01.5	09.0
Were victims of an embarrassing or hurtful text message or something posted on the internet	21.5	19.7	19.3
Spread mean rumors or lies about other kids at school	21.9	24.6	31.1
Made fun of other people	49.7	57.2	69.5
Posted something on the internet or sent a text that might	43.7	31.2	09.5
embarrass or hurt another student	12.0	12.9	15.8
Percent of students who agree that:			
Teachers notice and comment on student's good work	75.5	73.0	72.9
School provides feedback to parents on positive student	45.8	40.6	40.8
performance			
Rules are enforced fairly	64.2	64.1	61.7
Students of all races/ethnicities are treated equal	82.3	80.1	80.6
Percent of students who agree that:			
Parents notice and comment on student's good work	84.3	82.4	83.4
Parents involve student in making family decisions	72.4	67.8	69.7
It is important to be honest with parents regardless of	04.5	07 -	o= -
consequences	91.2	87.5	85.7
Student could ask parent for help with a personal problem	83.1	76.6	77.8

Missouri Student Survey is conducted biennially. Similar affirmative response choices for individual questions are combined. Blank data cells indicate estimates are not available for item or geographic area. Survey is not conducted in every school district nor reported for every county. Estimates are not available for counties with small numbers of respondents. Percentages are estimates based on weighted data.

Some year-to-year differences in percentages are not statistically significant.

0000174102 00			\ _/\				
DBI	H REGION	Southeast		IMPAIRED DRIVING	2013	2012	2011
DBI	H SERVICE AREAS			Alcohol Involved CrashesTotal	148	174	184
S	ubstance Use	19		Fatal Crashes	6	11	7
F-7	dult Psychiatric	Not Applica	ıble	Injury Crashes	71	85	81
	PULATION			Property Damage Crashes	71	78	96
	ensus 2010	113,344		Crash Fatalities	9	12	7
20	014 Estimate	113,083		Crash Injuries	99	134	121
3				Drug Involved CrashesTotal	38	49	50
				Fatal Crashes	1	2	3
BIRTH RISK	2013	2012	2011	Injury Crashes	18	26	30
Resident BirthsTotal	1,428	1,468	1,368	Property Damage Crashes	19	21	17
Mother Reported Smoking while F	Pregnant 411	449	420	Crash Fatalities	1	2	4
				Crash Injuries	23	39	37
DISEASE INCIDENCE 1	2013	2012	2011	POLICE REPORTS	2013	2012	2011
HIV/AIDS Cases	7	6	2	DUI Arrests, DWI Tracking System	614	795	744
Hepatitis B Chronic, Acute, Prena	atal 6	17	8	Liquor Law Arrests	155	215	127
Hepatitis C Chronic and Acute	159	168	148	Drug Arrests	1,022	813	740
Tuberculosis Infection Cases	21	31	30	Violent Offenses	362	389	322
DEATHS and INJURIES	2013	2012	2011	Property Offenses	3,511	3,502	3,540
Resident DeathsTotal	1,531	1,374	1,527	Domestic Violence Reports	592	539	520
Suicides	25	20	1,327	Domosilo Violendo Reperto	2014	2013	2012
Self-inflicted Injuries	250	276	281	Methamphetamine Lab Seizures	12	35	61
Homicides	4	4	5			00	•
Assault Injuries	410	476	437	SCHOOL REPORTS	2013-14	2012-13	2011-12
Alcohol Induced Deaths	16	9	3	Enrollment Grades 9-12	4,986	4,976	4,962
Drug Induced Deaths	26	26	25	Drop-outs	75	115	153
Smoking Attributable Deaths	299	273	328	Drop-out Rate	1.5%	2.3%	3.1%
		2.0	020	School Discipline Involving Alcohol	11	9	9
HOSPITAL EPISODES 2	2013	2012	2011	School Discipline Involving Drugs	63	30	32
Hospitalization, no Emergency Ro				School Discipline Involving Tobacco	1	3	1
Mental Illness Principal Diagnos	is 1,285	1,260	1,304	JUVENILE COURT REFERRALS 3	2013	2012	2011
Mental Illness Secondary Diagno	osis 2,433	2,166	2,147	Juvenile Violent Offenses	180	163	199
Alcohol Principal Diagnosis	59	77	57	Juvenile Alcohol Offenses	21	41	32
Alcohol Secondary Diagnosis	227	195	220	Juvenile Drug Offenses	43	32	37
Drug Principal Diagnosis	102	107	89	School Truancy Status Offense	97	86	114
Drug Secondary Diagnosis	143	146	96	Absent from Home Status Offense	40	45	63
Emergency Room + Hospitalization				Beyond Parental Control Status Offense	106	103	121
Mental Illness Principal Diagnos		256	282	Injurious Behavior Status Offense	34	36	44
Mental Illness Secondary Diagno		2,263	2,230	Child Abuse	116	114	113
Alcohol Principal Diagnosis	41	39	37	Child Neglect	484	510	363
Alcohol Secondary Diagnosis	130	169	132	Child Custody Issues	130	184	232
Drug Principal Diagnosis	50	49	40	###### 5 00 UPT DI 4 051 451 TO	2042	2042	2044
Drug Secondary Diagnosis	86	71	52	JUVENILE COURT PLACEMENTS	2013	2012	2011
Emergency Room, no Hospitaliza		1 560	1 500	Out-of-Home PlacementsTotal Parental Alcohol Use Related	327 7	350	301
Mental Illness Principal Diagnos Mental Illness Secondary Diagno		1,569 1,565	1,588 1,124	Parental Drug Use Related	, 171	9 145	6 128
Alcohol Principal Diagnosis	181	1,565	1,124	Parental Alcohol and Drug Use	8	143	128
Alcohol Secondary Diagnosis	199	168	174	Farental Alcohol and Drug Ose	O	11	10
Drug Principal Diagnosis	193	202	174	CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Secondary Diagnosis	232	210	176	Drug Court Participants	191	214	156
Drug Coodinary Diagnosis	232	210	170	Probation/Parole AdmissionsDrug	389	352	345
ALCOHOL OUTLETS	2014	2013	2012	Probation/Parole AdmissionsDWI	52	46	32
Alcohol On-Premise Drink Licens		135	139	Prison AdmissionsDrug	208	183	152
Alcohol Package Carry-out Licens		139	139	Prison AdmissionsDWI	28	20	13
ENADI OVNENT	2014	2013	2012	1 All Kansas City hepatitis and TB case repor	ts are include	ed in Jackson	County
EMPLOYMENT Labor Force	48,223	54,706	53,472	totals and all Joplin case reports are include	ed in Jasper C	County totals.	•
Employed	44,597	50,847	49,329	2 Beginning with 2010 data, diagnosis counts based on codes developed by the Healthcar			
Linempleyed	2,626	30,047	43,323	3 Beginning in 2013, juvenile municipal violati			

²⁰¹⁵ Status Report on Missouri's Substance Use and Mental Health

3,626

7.5%

3,859

7.1%

4,143

7.7%

Unemployed

Unemployment Rate

3 Beginning in 2013, juvenile municipal violations, infractions, and violations of

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	144	147	165
CSTAR Adolescent	40	50	65
CSTAR Women and Children	52	61	46
CSTAR General Adult	646	646	394
CSTAR Opioid	0	0	*
Primary Recovery Treatment	85	302	628
Clinical SATOP (CIP, YCIP, SROP)	114	129	131
Other Substance Abuse Treatment	*	*	*

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	385	433	441
- Adolescent Diversion Education Prograr	0	0	0
- Offender Education Program	116	140	137
- Weekend Intervention Program	65	97	80
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	7	5
Compulsive Gambling	*	*	*
Recovery Supports	350	370	318
Early Intervention	*	7	47

NUMBER ADMITTED	FY2014	FY2013	FY2012	PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Total Individuals	1,076	1,158	1,341	Alcohol	318	355	410
	•	,	•	Marijuana / Hashish	279	324	404
AGE				Cocaine (total)	13	18	40
Under 18	39	50	75	- Crack	12	12	31
18 to 24	189	201	254	Stimulant (total)	266	232	242
25 to 29	163	201	251	- Methamphetamine	257	225	235
30 to 34	222	230	222	Heroin	49	45	35
35 to 39	150	125	184	Analgesic except Heroin	128	145	165
40 to 44	119	123	121	- Non-Prescription Methadone	*	0	0
45 to 54	138	172	185	PCP, LSD, other Hallucinogen	*	*	*
55 and Over	56	56	49	Tranquilizer	15	34	31
GENDER				Inhalant	*	*	*
Male	691	730	873	Sedative	*	*	*
Female	384	428	468	Other Medication or Illicit Drug	*	0	8
				Average Age at First Use of Drug	18.6	18.3	17.6
RACE / ETHNICITY							
Caucasian	985	1,063	1,224	INJECTION DRUG USE			
African American	65 *	66	92	Any Injection Use at Admission	209	180	142
Native American / Alaskan		5 *	*	- Daily Injection Use	47	34	23
Asian / Pacific Islander	*			- Weekly Injection Use	69	52	27
Hispanic	17	15	13	- Less than Weekly Injection Use	93	94	92
Other Race / Two or More Races	10	16	16				
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	381	455	570	0	645	649	831
High School Graduate or G.E.D.	527	538	597	1 or 2	303	350	371
Associate Degree or Some College	163	160	170	3 or More	128	159	139
Bachelor or Advanced Degree	5	5	*	TREATMENT REFERRAL COURSE			
ENADLOVA AFAIT				TREATMENT REFERRAL SOURCE Self / Family / Friend	279	252	245
EMPLOYMENT Employed	263	272	354	School	219 *	20Z *	243 *
Unemployed	520	546	615	Mental Health Provider	*	7	14
Not in Labor Force	293	340	372	Health Care Provider	86	, 86	62
Not in Labor Force	293	340	312	Court / Criminal Justice	499	596	828
HOUSING / LIVING ARRANGEMENT				Other Referral Source	499 152	187	189
Independent Living	876	969	1,134	Other Referral Source	132	107	109
Dependent Living	137	147	161	TD5.4T4.5NT 4.000.44.400.4T40.4			
Homeless	48	35	39	TREATMENT ACCOMMODATION	4.4	40	20
				Pregnant when Admitted to any Episode	14	19	20
MARITAL / FAMILY STATUS	440	400	F 40	Military Veteran	50	34	60
Never Married	419	492	543	Special Education Services Needed	112	158	193
Married / Cohabitating	349	361	441	Co-Occurring Psychological Problem	529	517	582
Previously Married	308	305	357	Co-Occurring Developmental Problem	98	122	107

MISSOURI STUDENT SURVEY

			•
Percent of students who have ever used:	2014	2012	2010
Alcohol	35.3	42.4	45.2
Cigarettes	25.4		_
Chewing Tobacco	18.1		
Marijuana	14.1	16.9	17.4
Inhalants	3.2	5.1	9.0
Prescription medications not prescribed for student	9.6	12.1	15.7
Over-the-counter medications for non-medical use	3.3	7.6	9.4
Methamphetamine	0.9	1.8	1.8
Cocaine	1.1	2.9	2.3
Heroin	0.5	1.3	0.7
Hallucinogens	1.6	2.8	3.8
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.3 1.5		2.6
Steroids not prescribed for student Synthetic drugs (K2, bath salts, Spice, etc)	4.4	2.0 7.1	1.6
Synthetic drugs (Kz, bath saits, Spice, etc)	4.4	7.1	
Average age of students' first use of:			
Alcohol		12.65	
Cigarettes		12.18	
Marijuana Inhalants		13.34 12.13	
IIIIdiditis	11.91	12.13	12.72
Percent of students who, in past 30 days, used:			
Alcohol	14.4	18.1	20.6
Alcohol (Binge: 5+ drinks on one occassion)		11.8	12.9
Cigarettes	11.5	16.3	17.9
Chewing Tobacco	10.1		10.5
Marijuana	6.5	8.0	9.8
Inhalants	0.8		
Prescription medications not prescribed for student Over-the-counter medications for non-medical use	4.5 1.7	6.2 4.2	9.7 5.7
Over-the-counter medications for non-medical use	1.7	4.2	5.7
Percent of students who, in past 2 weeks, used:			
Alcohol (Binge: 5+ drinks on one occassion)	7.5		
Percent whose friends used in past 12 months:			
Alcohol	48.2	55.3	58.8
Cigarettes	43.6	50.0	52.7
Marijuana	32.4		35.9
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	11.7	14.8	18.3
Percent who would likely use, if offered by a best friend:			
Alcohol	28.0	33.7	33.7
Cigarettes	14.8	17.8	18.6
Marijuana	12.3	12.3	12.7
Percent who say it would be wrong to use:			
Alcohol	64.2	59.1	58.2
Cigarettes	80.8	76.7	74.9
Marijuana	80.6		82.1
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	95.8	95.6	94.4
Dercent whose perents would disenting if they use.			
Percent whose parents would disapprove if they use: Alcohol	80.5	80.0	78.6
Cigarettes	90.2	90.2	88.6
Marijuana	92.0	94.8	93.6
•	52.5	5	30.0
Percent who say it would be easy to obtain:	F4.0	F0 0	EE ^
Alcohol	51.9 52.1	56.0 57.5	55.3 50.0
Cigarettes Marijuana	52.1 33.8	38.2	59.0 36.5
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	16.5	19.6	18.9
Care more (Cooding, ECD) more, Club Drug, Cloy	10.0		. 5.0

DENT SURVEY			
Description to the state of the same of the same of	2014	2012	2010
Percent who believe they risk harm if they use:	50.0		
Alcohol (1 or 2 drinks daily)	53.3		
Alcohol (Binge: 5+ drinks once or twice a week)	62.0		
Alcohol (any use)		72.7	75.6
Cigarettes (1+ packs per day)	78.6		
Cigarettes (any use)		79.1	79.5
Marijuana (once or twice a week)	64.9		
Marijuana (any use)		73.0	74.5
Other: Cocaine, LSD, Meth, Club Drug (any use)	88.7	93.9	93.4
Percent of students who, in past 30 days:			
Were very sad	19.6	19.2	19.2
Were grouchy, irritable, or in a bad mood	26.6	25.4	24.1
Felt hopeless about the future	11.3	10.8	12.9
Felt like not eating or eating more than usual	19.0	18.1	18.8
Slept a lot more or a lot less than usual	18.7	20.3	26.7
Had difficulty concentrating on school work	23.3	24.5	27.8
Percent of students who, in past 12 months:			
Seriously considered attempting suicide	10.8	12.6	12.4
Made plan about how they would attempt suicide	8.9	8.4	8.9
Attempted suicide	4.9	5.7	5.7
Attempted suicide and resulting injury, poisonng, or overdose			
had to be treated by doctor or nurse	2.3	2.6	2.3
Percent of students who, in past 12 months:			
Were threatened/injured with weapon at school	7.1	7.0	9.5
Were in a physical fight	22.5	23.5	25.6
Were in a fight and had to be treated by a doctor or nurse	3.8	3.6	4.5
Percent of students who, in past 3 months:			
Were victims of mean rumors or lies spread at school	52.8	52.0	58.6
Were made fun of by others	59.9	57.7	67.2
Were victims of an embarrassing or hurtful text message or	00.0	01	01.2
something posted on the internet	22.5	19.5	18.4
Spread mean rumors or lies about other kids at school	26.9	24.2	31.3
Made fun of other people	55.2	57.8	70.3
Posted something on the internet or sent a text that might			
embarrass or hurt another student	15.9	11.7	14.8
Percent of students who agree that:			
Teachers notice and comment on student's good work	72.3	67.1	69.7
School provides feedback to parents on positive student	72.0	07.1	00.7
performance	39.6	40.2	39.0
Rules are enforced fairly	60.0	60.3	60.7
Students of all races/ethnicities are treated equal	79.3	75.8	75.1
Percent of students who agree that:			
Parents notice and comment on student's good work	81.5	82.5	84.1
Parents involve student in making family decisions	66.2	69.3	69.6
It is important to be honest with parents regardless of	07.0	07.0	05.0
consequences	87.0	87.8	85.8
Student could ask parent for help with a personal problem	77.9	77.7	77.4

Missouri Student Survey is conducted biennially.
Similar affirmative response choices for individual questions are combined.
Blank data cells indicate estimates are not available for item or geographic area. Survey is not conducted in every school district nor reported for every county. Estimates are not available for counties with small numbers of respondents. Percentages are estimates based on weighted data.

Some year-to-year differences in percentages are not statistically significant.

CODOTANOE COE CEN		OL / ((_/\ _				
DBH REGION	;	Southeast		IMPAIRED DRIVING	2013	2012	2011
DBH SERVICE AREA	ıs			Alcohol Involved CrashesTotal	90	88	79
Substance Use		20		Fatal Crashes	6	3	4
Adult Psychiatric	c I	Not Applicat	ole	Injury Crashes	36	46	36
POPULATION				Property Damage Crashes	48	39	39
Census 2010		83,563		Crash Fatalities	6	3	6
2014 Estimate		81,498		Crash Injuries	53	70	53
		•		Drug Involved CrashesTotal	37	21	30
				Fatal Crashes	1	0	2
DIDTH DIGH	040	2042	2044	Injury Crashes	15	9	17
	013	2012	2011	Property Damage Crashes	21	12	11
·	203	1,122	1,171	Crash Fatalities	1	0	4
Mother Reported Smoking while Pregnant	355	327	328	Crash Injuries	20	10	22
DISEASE INCIDENCE 1	013	2012	2011	•			
HIV/AIDS Cases	2	1	2	POLICE REPORTS	2013	2012	2011
Hepatitis B Chronic, Acute, Prenatal	2	1	6	DUI Arrests, DWI Tracking System	461	599	696
Hepatitis C Chronic and Acute	94	93	73	Liquor Law Arrests	55	118	103
Tuberculosis Infection Cases	13	29	13	Drug Arrests	543	661	881
	. •		.0	Violent Offenses	322	440	365
DEATHS and INJURIES 2	013	2012	2011	Property Offenses	2,436	2,525	2,245
Resident DeathsTotal 1,0)97	1,127	1,100	Domestic Violence Reports	619	726	575
Suicides	15	12	15		2014	2013	2012
Self-inflicted Injuries	139	143	213	Methamphetamine Lab Seizures	5	19	34
Homicides	3	5	4				
Assault Injuries	160	485	451	SCHOOL REPORTS	2013-14	2012-13	2011-12
Alcohol Induced Deaths	2	11	5	Enrollment Grades 9-12	4,026	4,046	3,850
Drug Induced Deaths	15	21	10	Drop-outs	39	42	110
	240	238	253	Drop-out Rate	1.0%	1.0%	2.9%
_				School Discipline Involving Alcohol	1	1	7
	013	2012	2011	School Discipline Involving Drugs	38	12	16
Hospitalization, no Emergency Room:				School Discipline Involving Tobacco	0	0	1
Mental Illness Principal Diagnosis 1,1	143	1,241	1,323	JUVENILE COURT REFERRALS 3	2013	2012	2011
Mental Illness Secondary Diagnosis 1,8	363	1,875	2,431	Juvenile Violent Offenses	103	149	110
Alcohol Principal Diagnosis	37	48	81	Juvenile Alcohol Offenses	33	19	24
Alcohol Secondary Diagnosis	139	161	204	Juvenile Drug Offenses	33	23	30
Drug Principal Diagnosis	71	68	87	School Truancy Status Offense	95	104	54
Drug Secondary Diagnosis	106	120	182	Absent from Home Status Offense	16	22	14
Emergency Room + Hospitalization:				Beyond Parental Control Status Offense	94	69	64
Mental Illness Principal Diagnosis	255	251	247	Injurious Behavior Status Offense	121	94	62
Mental Illness Secondary Diagnosis 1,5	518	1,781	1,431	Child Abuse	187	181	165
Alcohol Principal Diagnosis	26	41	25	Child Neglect	398	524	428
Alcohol Secondary Diagnosis	109	140	110	Child Custody Issues	8	18	420
Drug Principal Diagnosis	38	40	33	Offilia Gustody Issues	O	10	7
Drug Secondary Diagnosis	70	81	65	JUVENILE COURT PLACEMENTS	2013	2012	2011
Emergency Room, no Hospitalization:				Out-of-Home PlacementsTotal	213	186	188
Mental Illness Principal Diagnosis	982	962	1,019	Parental Alcohol Use Related	8	10	15
Mental Illness Secondary Diagnosis 1,2	238	749	727	Parental Drug Use Related	121	91	83
Alcohol Principal Diagnosis	173	142	181	Parental Alcohol and Drug Use	2	1	7
Alcohol Secondary Diagnosis	97	143	167				
Drug Principal Diagnosis	35	132	155	CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Secondary Diagnosis	145	138	186	Drug Court Participants	96	106	82
				Probation/Parole AdmissionsDrug	353	379	418
ALCOHOL OUTLETS 2	014	2013	2012	Probation/Parole AdmissionsDWI	56	90	96
Alcohol On-Premise Drink Licenses	64	70	75	Prison AdmissionsDrug	205	220	222
Alcohol Package Carry-out Licenses	114	111	112	Prison AdmissionsDWI	42	39	64
EMPLOYMENT 2	014	2013	2012	1 All Kansas City hepatitis and TB case report			County
	557	38,104	36,975	totals and all Joplin case reports are include			oc are
Employed 31,		35,119	33,939	2 Beginning with 2010 data, diagnosis counts based on codes developed by the Healthcar			
• •	876	2,985	3,036	3 Beginning in 2013, juvenile municipal violation	ons, infraction	ns, and violat	ions of
	.3%	7.8%	8.2%	court orders are categorized as status offens	ses instead o	or law violation	is.

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	233	211	269
CSTAR Adolescent	60	70	74
CSTAR Women and Children	71	79	77
CSTAR General Adult	466	357	195
CSTAR Opioid	0	*	0
Primary Recovery Treatment	177	483	741
Clinical SATOP (CIP, YCIP, SROP)	65	72	65
Other Substance Abuse Treatment	*	0	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	274	318	310
- Adolescent Diversion Education Prograr	0	0	0
- Offender Education Program	89	105	123
- Weekend Intervention Program	68	59	65
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	11	14	6
Compulsive Gambling	0	0	0
Recovery Supports	107	83	73
Early Intervention	*	*	7

NUMBER ADMITTED	FY2014	FY2013	FY2012	PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Total Individuals	883	1,031	1,138	Alcohol	253	325	338
	-	.,	.,	Marijuana / Hashish	278	362	410
AGE				Cocaine (total)	36	63	103
Under 18	67	78	78	- Crack	19	34	58
18 to 24	139	206	219	Stimulant (total)	210	168	153
25 to 29	148	183	220	- Methamphetamine	207	164	146
30 to 34	154	165	174	Heroin	13	10	14
35 to 39	113	109	131	Analgesic except Heroin	60	70	88
40 to 44	90	82	99	- Non-Prescription Methadone	0	0	0
45 to 54	128	150	157	PCP, LSD, other Hallucinogen	*	*	0
55 and Over	44	58	60	Tranquilizer	28	24	27
GENDER				Inhalant	*	0	*
Male	594	722	801	Sedative	5	5	*
Female	289	309	337	Other Medication or Illicit Drug	0	*	*
				Average Age at First Use of Drug	18.1	17.9	17.9
RACE / ETHNICITY							
Caucasian	646	750	820	INJECTION DRUG USE			
African American	210	259	295	Any Injection Use at Admission	80	63	48
Native American / Alaskan	*	0		- Daily Injection Use	18	12	9
Asian / Pacific Islander	0	*	0	- Weekly Injection Use	14	14	13
Hispanic	10	12	12	- Less than Weekly Injection Use	48	37	26
Other Race / Two or More Races	18	13	10	2000 and a research and a second	.0	0.	_0
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	373	465	536	0	591	687	788
High School Graduate or G.E.D.	413	472	513	1 or 2	186	219	253
Associate Degree or Some College	92	92	85	3 or More	106	125	97
Bachelor or Advanced Degree	5	*	*	TD54T45NT D555D24 604D65			
514010144515				TREATMENT REFERRAL SOURCE	158	146	174
EMPLOYMENT	100	243	204	Self / Family / Friend School	0	140	1/4
Employed	189 247	_	281 365		7		10
Unemployed		319		Mental Health Provider		6	10
Not in Labor Force	447	469	492	Health Care Provider	40	52	50 700
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	515	682	793
Independent Living	709	837	933	Other Referral Source	150	135	109
Dependent Living	128	156	170				
Homeless	11	7	12	TREATMENT ACCOMMODATION	40	00	4.4
				Pregnant when Admitted to any Episode	18	23	11
MARITAL / FAMILY STATUS	440	500	FF.4	Military Veteran	39	41	33
Never Married	442	538	551	Special Education Services Needed	79	91	74
Married / Cohabitating	234	285	339	Co-Occurring Psychological Problem	197	224	246
Previously Married	207	208	248	Co-Occurring Developmental Problem	18	20	23

MISSOURI STUDENT SURVEY

			• .
Percent of students who have ever used:	2014	2012	2010
Alcohol	42.8	43.1	44.3
Cigarettes	32.9	33.3	35.4
Chewing Tobacco	19.2	14.3	16.5
Marijuana	17.4	18.6	15.8
Inhalants	3.6	7.0	8.0
Prescription medications not prescribed for student	10.3	13.3	14.7
Over-the-counter medications for non-medical use	4.2	6.0	7.3
Methamphetamine	0.7	1.2	0.9
Cocaine	1.2	2.2	1.9
Heroin	0.8	1.0	0.7
Hallucinogens	0.9	1.4	1.9
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.7	1.5	1.8
Steroids not prescribed for student	1.2	1.7	1.8
Synthetic drugs (K2, bath salts, Spice, etc)	2.5	7.7	
Average age of students' first use of:			
Alcohol	12.81	12.71	12.67
Cigarettes	12.42	11.89	12.14
Marijuana	13.57	13.81	13.72
Inhalants	11.41	12.40	12.12
Percent of students who, in past 30 days, used:			
Alcohol	16.8	18.3	20.4
Alcohol (Binge: 5+ drinks on one occassion)		11.7	11.8
Cigarettes	15.5	17.0	17.2
Chewing Tobacco	13.6	8.0	8.3
Marijuana	6.3	9.0	6.8
Inhalants	1.8	2.5	3.3
Prescription medications not prescribed for student	5.7	7.9	9.6
Over-the-counter medications for non-medical use	2.1	3.6	4.8
Percent of students who, in past 2 weeks, used:			
Alcohol (Binge: 5+ drinks on one occassion)	9.1		
Percent whose friends used in past 12 months:			
Alcohol	50.1	55.9	58.7
Cigarettes	48.1	51.3	54.4
Marijuana	34.8	37.1	36.4
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	11.1	12.6	14.7
Percent who would likely use, if offered by a best friend:			
Alcohol	32.2	33.3	35.2
Cigarettes	17.2	17.2	17.9
Marijuana	13.6	13.5	10.8
Percent who say it would be wrong to use:			
Alcohol	63.0	61.3	60.7
Cigarettes	78.0	76.5	75.2
Marijuana	75.5	81.8	82.7
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	95.4	95.9	94.5
Percent whose parents would disapprove if they use:			
Alcohol	82.2	82.0	81.4
Cigarettes	90.3	89.4	89.4
Marijuana	94.0	94.1	93.8
Percent who say it would be easy to obtain:			
Alcohol	48.7	53.6	57.4
Cigarettes	57.2	57.5	60.1
Marijuana	43.7	39.2	39.2
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	19.6	19.4	21.5

DENT SURVEY			
Percent who believe they risk harm if they use: Alcohol (1 or 2 drinks daily)	2014 52.5	2012	2010
Alcohol (Binge: 5+ drinks once or twice a week) Alcohol (any use) Cigarettes (1+ packs per day)	62.4 78.3	74.4	77.1
Cigarettes (any use) Marijuana (once or twice a week)	60.5	82.2	78.2
Marijuana (any use) Other: Cocalne, LSD, Meth, Club Drug (any use)	88.6	74.7 92.4	74.7 90.7
Percent of students who, in past 30 days: Were very sad	20.9	19.0	17.5
Were grouchy, irritable, or in a bad mood Felt hopeless about the future	30.5 12.6	31.1 10.0	25.2 11.1
Felt like not eating or eating more than usual Slept a lot more or a lot less than usual	18.9 18.2 20.0	17.8 21.0 22.5	18.3 25.0 25.2
Had difficulty concentrating on school work Percent of students who, in past 12 months:	20.0	22.5	25.2
Seriously considered attempting suicide Made plan about how they would attempt suicide	14.8 8.9	12.4 10.7	12.3 9.4
Attempted suicide Attempted suicide and resulting injury, poisonng, or overdose had to be treated by doctor or nurse	7.1 2.0	6.2 2.4	6.9 3.2
Percent of students who, in past 12 months:	0.0	<i>E</i> 7	0.0
Were threatened/injured with weapon at school Were in a physical fight Were in a fight and had to be treated by a doctor or nurse	8.2 28.9 4.2	5.7 26.2 3.3	9.0 25.9 4.9
Percent of students who, In past 3 months:	50.0	55.0	00.0
Were victims of mean rumors or lies spread at school Were made fun of by others Were victims of an embarrassing or hurtful text message or	56.6 65.0	55.6 63.7	60.3 69.4
something posted on the internet Spread mean rumors or lies about other kids at school	24.4	21.1 25.8	20.6
Made fun of other people Posted something on the internet or sent a text that might	57.7	67.5	73.2
embarrass or hurt another student	18.5	14.8	19.3
Percent of students who agree that: Teachers notice and comment on student's good work School provides feedback to parents on positive student	75.3	71.8	73.7
performance Rules are enforced fairly	45.4 60.0	42.4 60.4	43.1 58.8
Students of all races/ethnicities are treated equal	76.2	69.7	69.2
Percent of students who agree that: Parents notice and comment on student's good work Parents involve student in making family decisions It is important to be honest with parents regardless of	85.2 69.7	84.7 70.0	82.5 70.1
consequences Student could ask parent for help with a personal problem	88.0 76.0	86.2 78.1	83.4 76.5
Missauri Student Survey is conducted biomaially			

Missouri Student Survey is conducted biennially. Similar affirmative response choices for individual questions are combined. Blank data cells indicate estimates are not available for item or geographic area. Survey is not conducted in every school district nor reported for every county. Estimates are not available for counties with small numbers of respondents. Percentages are estimates based on weighted data.

Some year-to-year differences in percentages are not statistically significant.

			1				
DBH REGION	/	Southeast		IMPAIRED DRIVING	2013	2012	2011
DBH SERVICE				Alcohol Involved CrashesTotal	169	166	181
Substance		21		Fatal Crashes	4	10	2
Adult Psyc		Not Applica	ible	Injury Crashes	68	74	76
POPULATION		470 570		Property Damage Crashes	97	82	103
Census 20		176,570		Crash Fatalities	5	10	2
2014 Estir	nate	178,824		Crash Injuries	101	107	89
				Drug Involved CrashesTotal	50	39	60
				Fatal Crashes	1	2	1
BIRTH RISK	2013	2012	2011	Injury Crashes	24	14	26
Resident BirthsTotal	2,128	2,107	2,095	Property Damage Crashes	25 1	23	33
Mother Reported Smoking while Pregnant	499	496	515	Crash Fatalities Crash Injuries	34	2 24	1 25
DISEASE INCIDENCE 1	2013	2012	2011	Crack injunes	0-1	2-1	20
HIV/AIDS Cases	3	3	9	POLICE REPORTS	2013	2012	2011
Hepatitis B Chronic, Acute, Prenatal	9	10	10	DUI Arrests, DWI Tracking System	986	1,165	1,227
Hepatitis C Chronic and Acute	128	117	96	Liquor Law Arrests	198	338	360
Tuberculosis Infection Cases	40	60	58	Drug Arrests	949	781	898
				Violent Offenses	846	856	769
DEATHS and INJURIES	2013	2012	2011	Property Offenses	4,804	5,492	5,123
Resident DeathsTotal	1,872	1,812	1,832	Domestic Violence Reports	1,532	1,496	1,407
Suicides	28	29	25		2014	2013	2012
Self-inflicted Injuries	225	243	246	Methamphetamine Lab Seizures	19	28	54
Homicides	9	4	5	SCHOOL DEPORTS	2013-14	2012-13	2011-12
Assault Injuries	633	670	590	SCHOOL REPORTS Enrollment Grades 9-12	8,914	7,313	7,444
Alcohol Induced Deaths	11	8	4	Drop-outs	131	130	165
Drug Induced Deaths	29	26	30	Drop-out Rate	1.5%	1.8%	2.2%
Smoking Attributable Deaths	383	335	325	School Discipline Involving Alcohol	1.370	1.070	14
HOSPITAL EPISODES 2	2013	2012	2011	School Discipline Involving Drugs	60	43	61
Hospitalization, no Emergency Room:	2013	2012	2011	School Discipline Involving Tobacco	3	6	4
Mental Illness Principal Diagnosis	1,712	1,635	1,810		· ·	· ·	·
Mental Illness Secondary Diagnosis	3,729	3,236	3,709	JUVENILE COURT REFERRALS 3	2013	2012	2011
Alcohol Principal Diagnosis	78	125	113	Juvenile Violent Offenses	232	268	217
Alcohol Secondary Diagnosis	290	257	315	Juvenile Alcohol Offenses	37	41	66
Drug Principal Diagnosis	89	98	97	Juvenile Drug Offenses	60	90	80
Drug Secondary Diagnosis	198	225	282	School Truancy Status Offense	385	322	164
Emergency Room + Hospitalization:				Absent from Home Status Offense	99	110	89
Mental Illness Principal Diagnosis	189	247	151	Beyond Parental Control Status Offense	88	81	102
Mental Illness Secondary Diagnosis	1,962	2,288	1,836	Injurious Behavior Status Offense	243	191	99
Alcohol Principal Diagnosis	79	68	39	Child Abuse	85	61	71
Alcohol Secondary Diagnosis	198	257	209	Child Neglect	423	260	163
Drug Principal Diagnosis	40	31	22	Child Custody Issues	93	45	94
Drug Secondary Diagnosis	117	153	113	JUVENILE COURT PLACEMENTS	2013	2012	2011
Emergency Room, no Hospitalization:				Out-of-Home PlacementsTotal	214	168	196
Mental Illness Principal Diagnosis	1,888	1,756	1,859	Parental Alcohol Use Related	7	7	6
Mental Illness Secondary Diagnosis	3,883	5,804	2,627	Parental Drug Use Related	87	64	68
Alcohol Principal Diagnosis	289	287	321	Parental Alcohol and Drug Use	9	4	11
Alcohol Secondary Diagnosis	282	329	369	CDU ANAL WISTIGE	EV204.4	EV2042	EV2042
Drug Principal Diagnosis	260	248	260	CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Secondary Diagnosis	390	391	356	Drug Court Participants Probation/Parole AdmissionsDrug	165 499	175 500	199 515
	4	40.0		Probation/Parole AdmissionsDWI	499 80	106	95
ALCOHOL OUTLETS	2014	2013	2012	Prison AdmissionsDrug	219	229	240
Alcohol On-Premise Drink Licenses	257	258	255	Prison AdmissionsDWI	34	51	52 52
Alcohol Package Carry-out Licenses	177	172	170	. Hoom realisation Days	J-1	01	52
EMPLOYMENT	2014	2013	2012	1 All Kansas City hepatitis and TB case report			County
Labor Force	91,046	93,050	90,167	totals and all Joplin case reports are include Beginning with 2010 data, diagnosis counts			es are
Employed	85,606	87,477	84,599	based on codes developed by the Healthcar	e Cost and L	Itilization Proj	ject.
Unamplayed	E 440	E E70	E ECO	3 Beginning in 2013, juvenile municipal violati	ons, intractio	ns, and violat	lons of

5,440

6.0%

5,573

6.0%

5,568

6.2%

Unemployed

Unemployment Rate

3 Beginning in 2013, juvenile municipal violations, infractions, and violations of

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	254	223	190
CSTAR Adolescent	72	96	125
CSTAR Women and Children	122	152	156
CSTAR General Adult	722	645	439
CSTAR Opioid	0	*	*
Primary Recovery Treatment	23	170	542
Clinical SATOP (CIP, YCIP, SROP)	142	140	137
Other Substance Abuse Treatment	*	7	*

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	724	814	927
- Adolescent Diversion Education Prograr	0	*	*
- Offender Education Program	317	382	464
- Weekend Intervention Program	196	199	236
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	10	13	20
Compulsive Gambling	*	*	*
Recovery Supports	617	468	467
Early Intervention	11	11	18

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2014	FY2013	FY2012	PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Total Individuals	1,339	1,284	1,486	Alcohol	479	468	565
	.,	.,	.,	Marijuana / Hashish	393	384	453
AGE				Cocaine (total)	67	68	93
Under 18	68	96	134	- Crack	29	36	58
18 to 24	280	276	287	Stimulant (total)	190	172	158
25 to 29	250	226	270	- Methamphetamine	177	163	143
30 to 34	210	206	229	Heroin	59	57	38
35 to 39	154	145	138	Analgesic except Heroin	115	102	124
40 to 44	108	122	142	- Non-Prescription Methadone	*	0	0
45 to 54	191	167	223	PCP, LSD, other Hallucinogen	*	*	11
55 and Over	78	46	63	Tranquilizer	23	22	36
CENDED				Inhalant	23 *	*	*
GENDER Male	951	896	1,052	Sedative	0	0	*
Female	388	388	434		8	5	6
remale	300	300	434	Other Medication or Illicit Drug		17.6	17.1
RACE / ETHNICITY				Average Age at First Use of Drug	17.7	17.6	17.1
Caucasian	1,068	1,040	1,190				
African American	222	202	233	INJECTION DRUG USE	400	400	4.40
Native American / Alaskan	*	*	*	Any Injection Use at Admission	163	162	140
Asian / Pacific Islander	*	*	0	- Daily Injection Use	42	26	25
Hispanic	29	15	36	- Weekly Injection Use	37	43	32
Other Race / Two or More Races	27	29	33	- Less than Weekly Injection Use	84	93	83
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	427	414	534	0	746	678	816
High School Graduate or G.E.D.	644	623	673	1 or 2	381	389	414
Associate Degree or Some College	261	242	264	3 or More	212	217	256
Bachelor or Advanced Degree	7	5	15				
_				TREATMENT REFERRAL SOURCE	004	0.4.0	000
EMPLOYMENT	440	000	404	Self / Family / Friend	304	316	322
Employed	413	382	421	School			
Unemployed	512	514	558	Mental Health Provider	12	7	14
Not in Labor Force	414	388	507	Health Care Provider	59	61	68
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	771	684	937
Independent Living	1,129	1,019	1,148	Other Referral Source	147	171	123
Dependent Living	133	202	275				
Homeless	58	38	32	TREATMENT ACCOMMODATION			
			~ _	Pregnant when Admitted to any Episode	19	27	21
MARITAL / FAMILY STATUS				Military Veteran	65	57	87
Never Married	725	687	813	Special Education Services Needed	111	114	133
Married / Cohabitating	343	321	359	Co-Occurring Psychological Problem	541	480	462
Previously Married	271	276	314	Co-Occurring Developmental Problem	40	51	51

MISSOURI STUDENT SURVEY

			• .
Descent of atudants who have avery	2014	2012	2010
Percent of students who have ever used: Alcohol	37.4	39.4	46.8
Cigarettes	-	26.7	31.1
Chewing Tobacco	15.2	_	_
Marijuana	10.4		17.9
Inhalants	4.3	5.3	7.5
Prescription medications not prescribed for student	7.7		12.7
Over-the-counter medications for non-medical use	3.7	5.4	
Methamphetamine	0.7	1.2	_
Cocaine	1.2	1.4	1.0
Heroin	0.1	0.5	0.7
Hallucinogens	0.9	2.5	3.0
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.5	1.6	2.0
Steroids not prescribed for student	0.6	1.4	1.2
Synthetic drugs (K2, bath salts, Spice, etc)	3.3	6.0	
Average age of students' first use of:			
Alcohol	12 76	12.52	12 63
Cigarettes	_	12.32	
Marijuana		13.58	_
Inhalants		11.83	
Percent of students who, in past 30 days, used:			
Alcohol	13.8	15.5	
Alcohol (Binge: 5+ drinks on one occassion)		8.5	11.8
Cigarettes	10.8	13.4	
Chewing Tobacco	9.3	7.9	9.6
Marijuana	4.1	_	
Inhalants	1.9 4.5	1.4	3.1 6.9
Prescription medications not prescribed for student Over-the-counter medications for non-medical use	4.5 1.8	3.4 3.1	5.0
Over-the-counter medications for non-medical use	1.0	3.1	5.0
Percent of students who, in past 2 weeks, used:			
Alcohol (Binge: 5+ drinks on one occassion)	6.7		
Percent whose friends used in past 12 months:			
Alcohol	48.1	53.0	63.4
Cigarettes	36.1	43.1	52.2
Marijuana	22.7	29.7	39.6
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	7.8	12.9	18.9
Percent who would likely use, if offered by a best friend:			
Alcohol	26.9	28.3	35.8
Cigarettes	13.4	13.9	
Marijuana	8.6	8.2	13.8
•	0.0	0.2	10.0
Percent who say it would be wrong to use:			
Alcohol	62.9	61.0	
Cigarettes	82.1		75.5
Marijuana	86.5		
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.5	95.9	94.4
Percent whose parents would disapprove if they use:			
Alcohol	77.5	77.6	75.7
Cigarettes	92.5	90.3	88.9
Marijuana	93.8	93.6	94.2
Percent who say it would be easy to obtain:			
Alcohol	51.2	56.8	61.0
Cigarettes	46.1		58.8
Marijuana	25.9		
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	11.7		19.6

DENT SURVEY			
December 1. It is a state of the second state	2014	2012	2010
Percent who believe they risk harm if they use:	55.0		
Alcohol (1 or 2 drinks daily)	55.2		
Alcohol (Binge: 5+ drinks once or twice a week)	66.9	74.0	75.0
Alcohol (any use)	00.5	71.2	75.6
Cigarettes (1+ packs per day)	83.5	70.0	77.0
Cigarettes (any use)	70.4	78.8	77.9
Marijuana (once or twice a week)	72.1	77 7	70.4
Marijuana (any use)	91.8	77.7 93.5	72.1 92.9
Other: Cocaine, LSD, Meth, Club Drug (any use)	91.0	93.3	92.9
Percent of students who, in past 30 days:			
Were very sad	20.3	19.0	19.6
Were grouchy, irritable, or in a bad mood	25.3	23.6	24.5
Felt hopeless about the future	10.0	10.7	13.5
Felt like not eating or eating more than usual	19.2	18.0	19.1
Slept a lot more or a lot less than usual	19.1	20.1	27.5
Had difficulty concentrating on school work	23.7	22.6	24.2
Percent of students who, in past 12 months:			
Seriously considered attempting suicide	10.7	10.8	12.4
Made plan about how they would attempt suicide	7.6	7.6	9.0
Attempted suicide	3.0	4.9	5.8
Attempted suicide and resulting injury, poisonng, or overdose	1.1	1.1	2.1
had to be treated by doctor or nurse		1.1	2.1
Percent of students who, in past 12 months:			
Were threatened/injured with weapon at school	6.4	5.2	9.3
Were in a physical fight	18.2	19.5	20.6
Were in a fight and had to be treated by a doctor or nurse	3.0	2.8	4.1
Percent of students who, in past 3 months:			
Were victims of mean rumors or lies spread at school	53.6	50.3	54.7
Were made fun of by others	61.2	61.3	68.6
Were victims of an embarrassing or hurtful text message or	0	00	00.0
something posted on the internet	26.1	19.9	21.0
Spread mean rumors or lies about other kids at school	26.9	30.8	34.5
Made fun of other people	59.3	60.0	72.8
Posted something on the internet or sent a text that might	40.0	40.0	470
embarrass or hurt another student	19.0	12.6	17.3
Percent of students who agree that:			
Teachers notice and comment on student's good work	74.6	71.3	69.9
School provides feedback to parents on positive student	74.0	7 1.0	00.0
performance	43.6	36.9	37.8
Rules are enforced fairly	66.7	65.6	61.0
Students of all races/ethnicities are treated equal	80.5	75.1	71.6
·			
Percent of students who agree that:	83.0	82.7	83.1
Parents notice and comment on student's good work		62.7 69.6	
Parents involve student in making family decisions It is important to be honest with parents regardless of	73.0	03.0	69.2
consequences	88.7	85.5	84.6
Student could ask parent for help with a personal problem	79.1	76.2	77.7
otadorit codia don parorit for noip with a porsonal problem		. 5.2	
Missouri Student Survey is conducted bioppially			

Missouri Student Survey is conducted biennially.
Similar affirmative response choices for individual questions are combined.
Blank data cells indicate estimates are not available for item or geographic area. Survey is not conducted in every school district nor reported for every county. Estimates are not available for counties with small numbers of respondents. Percentages are estimates based on weighted data.

Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

CODOTANOE COE			\ L /_				
DBH REGI	ON	Eastern		IMPAIRED DRIVING	2013	2012	2011
DBH SERV	ICE AREAS			Alcohol Involved CrashesTotal	214	236	240
Substar	nce Use	22		Fatal Crashes	8	6	7
Adult Ps	sychiatric	Not Applica	able	Injury Crashes	94	101	102
POPULATI	ON			Property Damage Crashes	112	129	131
Census	2010	218,733		Crash Fatalities	8	7	8
2014 Es	stimate	222,716		Crash Injuries	147	141	142
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1				Drug Involved CrashesTotal	45	52	33
217				Fatal Crashes	1	5	1
BIRTH RISK	2013	2012	2011	Injury Crashes	22	22	18
Resident BirthsTotal	2,639	2,702	2,662	Property Damage Crashes	22	25	14
Mother Reported Smoking while Pregna		603	602	Crash Fatalities	1	6	1
			002	Crash Injuries	28	31	23
DISEASE INCIDENCE 1	2013	2012	2011				
HIV/AIDS Cases		4	4	POLICE REPORTS	2013	2012	2011
Hepatitis B Chronic, Acute, Prenatal	11	7	13	DUI Arrests, DWI Tracking System	1,474	1,787	1,609
Hepatitis C Chronic and Acute	145	113	122	Liquor Law Arrests	663	677	826
Tuberculosis Infection Cases	45	39	51	Drug Arrests Violent Offenses	1,681	1,614	1,563
					454	448	548
DEATHS and INJURIES	2013	2012	2011	Property Offenses	4,144	4,390	4,462
Resident DeathsTotal	1,834	1,839	1,822	Domestic Violence Reports	1,233	1,333	1,423
Suicides	35	46	41	Mathamahatamina Lah Caizuraa	2014	2013	2012
Self-inflicted Injuries	208	251	279	Methamphetamine Lab Seizures	205	223	346
Homicides	3	7	4	SCHOOL REPORTS	2013-14	2012-13	2011-12
Assault Injuries	453	491	523	Enrollment Grades 9-12	10,646	10,525	10,668
Alcohol Induced Deaths	15	9	12	Drop-outs	154	195	247
Drug Induced Deaths	63	61	54	Drop-out Rate	1.4%	1.9%	2.3%
Smoking Attributable Deaths	354	376	355	School Discipline Involving Alcohol	9	7	26
HOSPITAL EPISODES 2	2013	2012	2011	School Discipline Involving Drugs	94	106	109
Hospitalization, no Emergency Room:				School Discipline Involving Tobacco	0	1	4
Mental Illness Principal Diagnosis	1,594	1,691	1,659				
Mental Illness Secondary Diagnosis	2,267	1,896	1,970	JUVENILE COURT REFERRALS 3	2013	2012	2011
Alcohol Principal Diagnosis	44	52	33	Juvenile Violent Offenses	381	376	395
Alcohol Secondary Diagnosis	141	103	101	Juvenile Alcohol Offenses	85	84	60
Drug Principal Diagnosis	96	98	132	Juvenile Drug Offenses	117	121	131 172
Drug Secondary Diagnosis	148	108	95	School Truancy Status Offense Absent from Home Status Offense	227 64	143 64	69
Emergency Room + Hospitalization:				Beyond Parental Control Status Offense	71	32	38
Mental Illness Principal Diagnosis	984	1,134	960	Injurious Behavior Status Offense	71	59	76
Mental Illness Secondary Diagnosis	4,716	5,353	5,065	Child Abuse	228	242	40
Alcohol Principal Diagnosis	103	109	82	Child Neglect	495	430	56
Alcohol Secondary Diagnosis	411	405	387	Child Custody Issues	164	209	377
Drug Principal Diagnosis	107	107	119	Crima Guotody 100000	101	200	011
Drug Secondary Diagnosis	235	272	280	JUVENILE COURT PLACEMENTS	2013	2012	2011
Emergency Room, no Hospitalization:				Out-of-Home PlacementsTotal	352	368	284
Mental Illness Principal Diagnosis	1,388	1,328	1,299	Parental Alcohol Use Related	18	16	8
Mental Illness Secondary Diagnosis	6,371	5,478	4,493	Parental Drug Use Related	145	215	150
Alcohol Principal Diagnosis	248	237	197	Parental Alcohol and Drug Use	11	6	12
Alcohol Secondary Diagnosis	225	193	208	CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Principal Diagnosis	356	367	421	Drug Court Participants	115	105	100
Drug Secondary Diagnosis	370	328	273	Probation/Parole AdmissionsDrug	473	401	338
ALCOHOL OUTLETS	2014	2012	2012	Probation/Parole AdmissionsDWI	127	150	120
ALCOHOL OUTLETS Alcohol On-Premise Drink Licenses	2014 177	2013	2012	Prison AdmissionsDrug	245	168	141
	177 147	181 146	183 148	Prison AdmissionsDWI	41	51	63
Alcohol Package Carry-out Licenses	147	140	140				
EMPLOYMENT	2014	2013	2012	1 All Kansas City hepatitis and TB case report			County
Labor Force	115,975	115,155	115,338	totals and all Joplin case reports are include Beginning with 2010 data, diagnosis counts			es are
Employed	108,717	107,194	106,839	based on codes developed by the Healthcar	re Cost and L	Jtilization Proj	ject.
Unampleyed	7 250	7.064	0.400	3 Beginning in 2013, juvenile municipal violati	ons, intractio	ris, and violat	IUNS OF

based on codes developed by the Healthcare Cost and Utilization Project.

7,258

6.3%

7,961

6.9%

8,499

7.4%

Unemployed

Unemployment Rate

³ Beginning in 2013, juvenile municipal violations, infractions, and violations of court orders are categorized as status offenses instead of law violations.

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	111	124	113
CSTAR Adolescent	154	164	178
CSTAR Women and Children	79	66	66
CSTAR General Adult	726	734	563
CSTAR Opioid	19	13	18
Primary Recovery Treatment	22	73	123
Clinical SATOP (CIP, YCIP, SROP)	312	345	301
Other Substance Abuse Treatment	12	12	6

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	985	1,093	1,261
- Adolescent Diversion Education Prograr	12	11	5
- Offender Education Program	330	431	490
- Weekend Intervention Program	213	208	262
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	13	17	18
Compulsive Gambling	*	*	7
Recovery Supports	38	17	5
Early Intervention	38	55	63

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2014	FY2013	FY2012	PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Total Individuals	1,323	1,407	1,220	Alcohol	490	528	480
	,	•	•	Marijuana / Hashish	274	294	281
AGE				Cocaine (total)	16	20	24
Under 18	157	169	184	- Crack	9	8	14
18 to 24	208	272	235	Stimulant (total)	187	166	132
25 to 29	246	257	180	- Methamphetamine	175	155	126
30 to 34	219	219	199	Heroin	269	289	229
35 to 39	156	133	119	Analgesic except Heroin	55	69	56
40 to 44	114	120	115	- Non-Prescription Methadone	0	0	*
45 to 54	175	183	155	PCP, LSD, other Hallucinogen	5	5	*
55 and Over	48	54	33	Tranquilizer	11	19	6
GENDER				Inhalant	0	*	0
Male	883	949	785	Sedative	*	*	*
Female	440	458	435	Other Medication or Illicit Drug	16	14	7
				Average Age at First Use of Drug	18.8	18.5	18.2
RACE / ETHNICITY							
Caucasian	1,275	1,350	1,174	INJECTION DRUG USE			
African American	19	24	22	Any Injection Use at Admission	339	362	266
Native American / Alaskan		0	*	- Daily Injection Use	104	108	74
Asian / Pacific Islander	*			- Weekly Injection Use	81	77	73
Hispanic	14	8	9	- Less than Weekly Injection Use	154	177	119
Other Race / Two or More Races	18	26	16				
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	457	468	438	0	687	738	671
High School Graduate or G.E.D.	533	603	537	1 or 2	413	426	346
Associate Degree or Some College	324	328	239	3 or More	223	243	203
Bachelor or Advanced Degree	9	8	6	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	349	386	321
Employed	389	385	337	School	13	*	*
Unemployed	520	633	499	Mental Health Provider	*	*	5
Not in Labor Force	414	389	384	Health Care Provider	42	31	22
Not in Labor Force	414	309	304	Court / Criminal Justice	747	812	724
HOUSING / LIVING ARRANGEMENT				Other Referral Source	137	145	143
Independent Living	1,023	1,109	907	Other Referral Source	137	143	143
Dependent Living	183	191	202	TDE 4 TA 4 ENT 4 CCO 4 44 4 0 D 4 T 10 N			
Homeless	37	34	29	TREATMENT ACCOMMODATION	20	22	24
				Pregnant when Admitted to any Episode	28	22 58	31
MARITAL / FAMILY STATUS	020	005	770	Military Veteran	56 72		43 52
Never Married	830	905	779	Special Education Services Needed		87 560	
Married / Cohabitating	257	269	232	Co-Occurring Psychological Problem	605	569	480
Previously Married	236	233	209	Co-Occurring Developmental Problem	28	46	40

MISSOURI STUDENT SURVEY

			• .
Percent of students who have ever used:	2014	2012	2010
Alcohol	40.0	43.9	49.4
Cigarettes	22.0		27.6
Chewing Tobacco	9.8	7.8	11.2
Marijuana	20.3	20.2	20.1
Inhalants	3.6	6.1	6.4
Prescription medications not prescribed for student	9.4	9.7	13.4
Over-the-counter medications for non-medical use	3.7	7.2	9.5
Methamphetamine	0.6	1.2	0.8
Cocaine	1.5	2.1	-
Heroin	0.5	1.1	-
Hallucinogens	3.1		3.8
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	2.1	_	
Steroids not prescribed for student	1.1 5.4		1.2
Synthetic drugs (K2, bath salts, Spice, etc)	5.4	8.3	
Average age of students' first use of:			
Alcohol		12.75	
Cigarettes		12.85	
Marijuana		13.79	
Inhalants	12.53	12.48	12.20
Percent of students who, in past 30 days, used:			
Alcohol	18.1	20.0	25.1
Alcohol (Binge: 5+ drinks on one occassion)		11.8	9.4
Cigarettes	10.3		
Chewing Tobacco	5.1	_	
Marijuana	11.4		_
Inhalants	1.3	2.7	
Prescription medications not prescribed for student	4.6		
Over-the-counter medications for non-medical use	2.2	4.7	5.4
Percent of students who, in past 2 weeks, used:			
Alcohol (Binge: 5+ drinks on one occassion)	8.5		
Percent whose friends used in past 12 months:			
Alcohol	51.8	57.1	64.4
Cigarettes	43.8	47.7	51.6
Marijuana		43.1	44.1
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	17.4	18.5	21.2
Percent who would likely use, if offered by a best friend:			
Alcohol	30.5	34.0	39.0
Cigarettes	12.2	13.9	15.8
Marijuana	19.2	15.9	15.6
Percent who say it would be wrong to use:			
Alcohol	61.9	59.1	54.6
Cigarettes	84.5		78.8
Marijuana	72.9		78.3
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	95.2	95.0	94.9
Percent whose parents would disapprove if they use: Alcohol	70.4	77 1	75.0
Cigarettes	79.4 93.6	77.1 91.2	75.2 89.9
Marijuana	90.0	92.8	92.0
•	55.0	52.0	52.0
Percent who say it would be easy to obtain:	F 2 - 2	=	00.5
Alcohol	58.0	59.6	63.0
Cigarettes	53.6		61.6 44.1
Marijuana Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	44.8 20.7		21.2
oniai iliiai (oodailia, Lob, Matili, Olub Diug, Etc)	20.7	۷۱.0	۷۱.۷

JENI SURVEY			
Descent who hollows they dole home if they you	2014	2012	2010
Percent who believe they risk harm if they use:	58.8		
Alcohol (1 or 2 drinks daily)	71.2		
Alcohol (Binge: 5+ drinks once or twice a week)	/1.2	68.3	72.6
Alcohol (any use)	87.5	00.3	12.0
Cigarettes (1+ packs per day)	67.5	81.2	81.1
Cigarettes (any use) Marijuana (once or twice a week)	57.6	01.2	01.1
Marijuana (once of twice a week)	37.0	69.3	71.6
Other: Cocalne, LSD, Meth, Club Drug (any use)	93.3	93.5	94.4
Other. Cocaine, ESD, Weth, Club Drug (any use)	33.3	33.3	34.4
Percent of students who, in past 30 days:			
Were very sad	23.9	21.0	20.5
Were grouchy, irritable, or in a bad mood	28.0	24.2	28.4
Felt hopeless about the future	13.5	11.3	11.0
Felt like not eating or eating more than usual	20.6	18.5	20.1
Slept a lot more or a lot less than usual	21.9	20.6	25.5
Had difficulty concentrating on school work	29.7	26.1	23.4
Percent of students who, in past 12 months:			
Seriously considered attempting suicide	14.4	12.2	11.6
Made plan about how they would attempt suicide	10.0	8.6	8.1
Attempted suicide	6.0	5.3	5.3
Attempted suicide and resulting injury, poisoning, or overdose			
had to be treated by doctor or nurse	2.2	1.6	1.6
Percent of students who, in past 12 months:			
Were threatened/injured with weapon at school	6.5	5.9	8.7
Were in a physical fight	18.3	20.8	23.5
Were in a fight and had to be treated by a doctor or nurse	3.3	3.2	4.1
		-	
Percent of students who, in past 3 months:			
Were victims of mean rumors or lies spread at school	48.8	48.5	50.7
Were made fun of by others	60.6	59.9	66.9
Were victims of an embarrassing or hurtful text message or something posted on the internet	28.7	21.8	19.1
	25.4	27.4	24 E
Spread mean rumors or lies about other kids at school	25.4	27.4	31.5
Made fun of other people	55.6	61.8	72.0
Posted something on the internet or sent a text that might embarrass or hurt another student	20.3	15.4	18.2
Percent of students who agree that:			
Teachers notice and comment on student's good work	67.1	65.6	70.0
School provides feedback to parents on positive student	34.6	34.2	38.9
performance			
Rules are enforced fairly	63.6	62.9	66.4
Students of all races/ethnicities are treated equal	80.9	78.8	79.9
Percent of students who agree that:			
Parents notice and comment on student's good work	79.4	81.8	83.1
Parents involve student in making family decisions	66.1	67.2	67.6
It is important to be honest with parents regardless of	96.0	05 7	99.6
consequences	86.9	85.7	82.6
Student could ask parent for help with a personal problem	74.6	76.3	76.9
Missouri Student Survey is conducted biennially			

Missouri Student Survey is conducted biennially.
Similar affirmative response choices for individual questions are combined.
Blank data cells indicate estimates are not available for item or geographic area. Survey is not conducted in every school district nor reported for every county. Estimates are not available for counties with small numbers of respondents. Percentages are estimates based on weighted data.

Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

SUBSTANCE USE SERVICE AREAS 23-25 (SL)

302317132 332 3							
DBH REGIO	N	Eastern		IMPAIRED DRIVING	2013	2012	2011
DBH SERVIC	E AREAS			Alcohol Involved CrashesTotal	830	925	896
Substanc	e Use	23-25 (SL)		Fatal Crashes	13	11	17
Adult Psy	chiatric	Not Applica	able	Injury Crashes	296	325	316
POPULATIO				Property Damage Crashes	521	589	563
Census 2		1,318,248		Crash Fatalities	18	12	18
2014 Esti	mate	1,319,295		Crash Injuries	419	454	491
3				Drug Involved CrashesTotal	167	157	140
				Fatal Crashes	3	1	4
BIRTH RISK	2013	2012	2011	Injury Crashes	65	72	68
Resident BirthsTotal	16,204	16,230	16,891	Property Damage Crashes	99	84	68
Mother Reported Smoking while Pregnan	t 1,635	1,753	1,865	Crash Fatalities	5	1	4
1				Crash Injuries	93	98	64
DISEASE INCIDENCE 1	2013	2012	2011	POLICE REPORTS	2013	2012	2011
HIV/AIDS Cases	221	263	219	DUI Arrests, DWI Tracking System	4,922	5,590	5,407
Hepatitis B Chronic, Acute, Prenatal	184	177	155	Liquor Law Arrests	1,716	2,208	2,060
Hepatitis C Chronic and Acute	1,347	1,286	1,407	Drug Arrests	11,246	12,252	12,430
Tuberculosis Infection Cases	1,191	988	1,110	Violent Offenses	8,055	8,684	9,021
DEATHS and INJURIES	2013	2012	2011	Property Offenses	46,061	49,055	54,470
Resident DeathsTotal	12,412	12,275	12,168	Domestic Violence Reports	6,372	6,964	7,218
Suicides	171	165	174	·	2014	2013	2012
Self-inflicted Injuries	1,188	1,387	1,433	Methamphetamine Lab Seizures	125	115	171
Homicides	166	175	165				
Assault Injuries	6,147	6,851	6,831	SCHOOL REPORTS	2013-14	2012-13	2011-12
Alcohol Induced Deaths	110	109	82	Enrollment Grades 9-12	52,962	54,281	55,550
Drug Induced Deaths	274	217	257	Drop-outs	2,204	2,110	2,869
Smoking Attributable Deaths	1,906	1,926	1,870	Drop-out Rate	4.2%	3.9%	5.2%
				School Discipline Involving Alcohol	67	74	81
HOSPITAL EPISODES 2	2013	2012	2011	School Discipline Involving Drugs	445	471	590
Hospitalization, no Emergency Room:				School Discipline Involving Tobacco	9	8	7
Mental Illness Principal Diagnosis	8,886	6,391	7,892	JUVENILE COURT REFERRALS 3	2013	2012	2011
Mental Illness Secondary Diagnosis	17,107	11,620	14,253	Juvenile Violent Offenses	1,703	1,941	1,965
Alcohol Principal Diagnosis	714	466	593	Juvenile Alcohol Offenses	124	179	170
Alcohol Secondary Diagnosis	1,873	734	1,412	Juvenile Drug Offenses	443	514	533
Drug Principal Diagnosis	1,015	859	1,079	School Truancy Status Offense	566	531	526
Drug Secondary Diagnosis	2,341	1,172	1,584	Absent from Home Status Offense	1,007	1,075	981
Emergency Room + Hospitalization:	7.054	40 447	0.004	Beyond Parental Control Status Offense	212	221	245
Mental Illness Principal Diagnosis	7,854	10,117	8,631	Injurious Behavior Status Offense	104	117	66
Mental Illness Secondary Diagnosis	24,572	31,779	28,261	Child Abuse	510	478	586
Alcohol Principal Diagnosis	865	1,141	916	Child Neglect	1,623	1,305	1,455
Alcohol Secondary Diagnosis Drug Principal Diagnosis	2,888 599	3,856 723	3,124 627	Child Custody Issues	208	205	234
Drug Secondary Diagnosis	2,116	3,308	2,701	UNIVERSITE COLUBE DI ACCAMENTS	2013	2012	2011
Emergency Room, no Hospitalization:	2,110	3,300	2,701	JUVENILE COURT PLACEMENTS Out-of-Home PlacementsTotal	696	586	628
Mental Illness Principal Diagnosis	11,853	12,272	11,237	Parental Alcohol Use Related	15	8	12
Mental Illness Secondary Diagnosis	37,007	34,320	28,444	Parental Drug Use Related	157	159	151
Alcohol Principal Diagnosis	3,551	3,612	3,247	Parental Alcohol and Drug Use	7	6	7
Alcohol Secondary Diagnosis	3,005	3,131	2,739	r archial Alcohol and Drug Coc	•	O	,
Drug Principal Diagnosis	2,303	2,346	2,755	CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Secondary Diagnosis	3,795	3,885	4,410	Drug Court Participants	795	852	824
	5,7 55	5,500	.,	Probation/Parole AdmissionsDrug	2,496	2,282	2,004
ALCOHOL OUTLETS	2014	2013	2012	Probation/Parole AdmissionsDWI	363	282	275
Alcohol On-Premise Drink Licenses	2,033	2,013	2,027	Prison AdmissionsDrug	901	903	891
Alcohol Package Carry-out Licenses	812	812	838	Prison AdmissionsDWI	75	73	59
EMPLOYMENT	2014	2013	2012	1 All Kansas City hepatitis and TB case report	ts are include	d in Jackson	County
Labor Force	691,649	653,491	653,895	totals and all Joplin case reports are include	ed in Jasper C	County totals.	
Employed	648,172	607,354	606,479	2 Beginning with 2010 data, diagnosis counts based on codes developed by the Healthcar			
Linempleyed	42 477	46 427	47.446	3 Beginning in 2013, juvenile municipal violati			

²⁰¹⁵ Status Report on Missouri's Substance Use and Mental Health

6.3%

43,477 46,137 47,416

7.1%

7.3%

Unemployed

Unemployment Rate

3 Beginning in 2013, juvenile municipal violations, infractions, and violations of

SUBSTANCE USE SERVICE AREAS 23-25 (SL)

DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE USE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance use treatment and are counted once in each category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2014	FY2013	FY2012
Detoxification	1,088	1,265	1,293
CSTAR Adolescent	271	274	251
CSTAR Women and Children	1,109	979	1,118
CSTAR General Adult	2,253	1,822	1,791
CSTAR Opioid	388	424	456
Primary Recovery Treatment	573	752	894
Clinical SATOP (CIP, YCIP, SROP)	1,184	1,237	1,138
Other Substance Abuse Treatment	692	635	706

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2014	FY2013	FY2012
Offender Management Unit	4,298	4,715	4,682
- Adolescent Diversion Education Prograr	214	189	178
- Offender Education Program	1,613	1,819	1,936
- Weekend Intervention Program	851	954	956
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	385	416	509
Compulsive Gambling	38	53	58
Recovery Supports	38	42	27
Early Intervention	813	765	152

The profiles below summarize individuals admitted to Division of Behavioral Health substance use treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to categories listed in the box above-right are not included below. An asterisk (*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

identifying information.	EV004.4	EV2042	EV2042		EV204.4	EV2042	EVOCAC
NUMBER ADMITTED	FY2014	FY2013	FY2012	PRIMARY DRUG PROBLEM	FY2014	FY2013	FY2012
Total Individuals	6,266	6,031	6,203	Alcohol	1,945	1,989	1,969
AGE				Marijuana / Hashish	1,203	1,157	1,187
Under 18	279	275	248	Cocaine (total)	568	527	805
18 to 24	767	766	867	- Crack	468	416	573
25 to 29	998	985	1,047	Stimulant (total)	132	105	91
30 to 34	1,062	1,022	1,047	- Methamphetamine	110	92	75
35 to 39	784	717	685	Heroin	2,128	1,979	1,908
40 to 44	617	607	624	Analgesic except Heroin	201	193	164
45 to 54	1,173	1,182	1,284	- Non-Prescription Methadone	5	*	8
55 and Over	586	477	•	PCP, LSD, other Hallucinogen	47	32	42
55 and Over	586	4//	427	Tranquilizer	22	22	17
GENDER				Inhalant	*	*	*
Male	4,161	4,111	4,135	Sedative	6	6	*
Female	2,104	1,920	2,066	Other Medication or Illicit Drug	16	19	14
_				Average Age at First Use of Drug	20.1	19.7	19.9
RACE / ETHNICITY							
Caucasian	2,772	2,669	2,664	INJECTION DRUG USE			
African American	3,275	3,153	3,346	Any Injection Use at Admission	1,396	1,226	1,147
Native American / Alaskan	11	5		- Daily Injection Use	839	709	659
Asian / Pacific Islander	12	15	19	- Weekly Injection Use	262	237	216
Hispanic	66	70	63	- Less than Weekly Injection Use	295	280	272
Other Race / Two or More Races	157	148	137				
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	2,168	2,080	2,191	0	4,296	4,051	4,341
High School Graduate or G.E.D.	2,549	2,402	2,564	1 or 2	1,317	1,318	1,273
Associate Degree or Some College	1,478	1,466	1,357	3 or More	653	662	589
Bachelor or Advanced Degree	70	83	91				
				TREATMENT REFERRAL SOURCE	0.540	0.044	0.070
EMPLOYMENT	4 540	4 000	4.040	Self / Family / Friend	2,510	2,344	2,373
Employed	1,519	1,289	1,312	School Market Hardth Barridge	29	22	17
Unemployed	2,094	2,117	2,385	Mental Health Provider	44	38	44
Not in Labor Force	2,653	2,625	2,506	Health Care Provider	271	197	195
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	2,841	2,963	3,079
Independent Living	4,897	4,652	4,548	Other Referral Source	517	416	464
Dependent Living	658	630	642				
Homeless	459	461	643	TREATMENT ACCOMMODATION			
	. 30			Pregnant when Admitted to any Episode	206	145	178
MARITAL / FAMILY STATUS				Military Veteran	266	266	264
Never Married	4,478	4,289	4,382	Special Education Services Needed	561	464	456
Married / Cohabitating	958	939	951	Co-Occurring Psychological Problem	1,613	1,513	1,593
Previously Married	830	803	870	Co-Occurring Developmental Problem	216	334	290

SUBSTANCE USE SERVICE AREAS 23-25 (SL)

MISSOURI STUDENT SURVEY

			•
Percent of students who have ever used:	2014	2012	2010
Alcohol	30.3	37.3	42.7
Cigarettes		19.9	
Chewing Tobacco	3.0	4.1	4.4
Marijuana	19.3	21.2	23.0
Inhalants	2.2	4.7	5.4
Prescription medications not prescribed for student	6.7	8.6	9.2
Over-the-counter medications for non-medical use	3.0	5.4	6.9
Methamphetamine	0.3	1.1	0.5
Cocaine	0.9	1.5	1.3
Heroin	0.3	1.0	0.6
Hallucinogens	1.6	3.1	2.9
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.3		2.2
Steroids not prescribed for student	1.0		8.0
Synthetic drugs (K2, bath salts, Spice, etc)	2.1	5.5	
Average age of students' first use of:			
Alcohol		13.12	
Cigarettes		12.71	
Marijuana		13.89	
Inhalants	11.94	11.32	11.53
Percent of students who, in past 30 days, used:			
Alcohol	14.6	18.1	20.8
Alcohol (Binge: 5+ drinks on one occassion)		10.3	10.8
Cigarettes	5.0	9.5	11.8
Chewing Tobacco	1.5	2.0	2.2
Marijuana	8.1	12.5	13.6
Inhalants	1.2	2.5	2.8
Prescription medications not prescribed for student	3.6	5.1	6.1
Over-the-counter medications for non-medical use	1.5	3.0	4.4
Percent of students who, in past 2 weeks, used:			
Alcohol (Binge: 5+ drinks on one occassion)	5.8		
Percent whose friends used in past 12 months:			
Alcohol	43.2	49.8	56.5
Cigarettes	28.2		43.4
Marijuana	37.8	42.3	45.0
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	11.6	14.5	16.8
Percent who would likely use, if offered by a best friend:			
Alcohol	22.6	30.2	33.5
Cigarettes	7.2		11.6
Marijuana	16.4		19.0
·			
Percent who say it would be wrong to use:	00.0	00.5	50.4
Alcohol	69.0	62.5	58.1
Cigarettes	89.7		
Marijuana	75.3		
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	95.4	94.9	94.4
Percent whose parents would disapprove if they use:			
Alcohol	83.2	80.7	79.2
Cigarettes	94.9	91.9	90.9
Marijuana	91.4	91.7	91.8
Percent who say it would be easy to obtain:			
Alcohol	50.6	57.4	61.0
Cigarettes	43.1	50.8	55.5
Marijuana	39.7	44.2	46.7
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	14.7	18.3	20.4

DENI SURVEY			
December 1. It is a state of the second state	2014	2012	2010
Percent who believe they risk harm if they use:	66.3		
Alcohol (1 or 2 drinks daily) Alcohol (Binge: 5+ drinks once or twice a week)	77.0		
Alcohol (any use)	77.0	71.1	70.3
Cigarettes (1+ packs per day)	86.6	7 1.1	10.5
Cigarettes (any use)	00.0	82.8	83.1
Marijuana (once or twice a week)	61.5	02.0	00
Marijuana (any use)		67.4	72.4
Other: Cocaine, LSD, Meth, Club Drug (any use)	91.0	92.2	92.7
Percent of students who, in past 30 days:			
Were very sad	19.1	17.1	20.7
Were grouchy, irritable, or in a bad mood	24.2	24.4	25.3
Felt hopeless about the future	11.6	10.5	12.6
Felt like not eating or eating more than usual	17.6	16.3	19.0
Slept a lot more or a lot less than usual	19.3	19.6	26.5
Had difficulty concentrating on school work	23.7	23.0	25.1
Percent of students who, in past 12 months:			
Seriously considered attempting suicide	12.0	12.4	11.7
Made plan about how they would attempt suicide	8.6	8.8	8.5
Attempted suicide	5.3	6.4	5.7
Attempted suicide and resulting injury, poisonng, or overdose had to be treated by doctor or nurse	2.0	2.2	2.2
Percent of students who, in past 12 months:			
Were threatened/injured with weapon at school	7.1	6.4	9.3
Were in a physical fight	23.4	23.1	24.3
Were in a fight and had to be treated by a doctor or nurse	4.9	4.3	4.1
Percent of students who, in past 3 months:			
Were victims of mean rumors or lies spread at school	43.5	44.7	48.7
Were made fun of by others	56.3	60.5	66.9
Were victims of an embarrassing or hurtful text message or something posted on the internet	24.7	19.5	18.6
Spread mean rumors or lies about other kids at school	24.2	28.8	32.4
Made fun of other people	55.0	66.1	74.4
Posted something on the internet or sent a text that might embarrass or hurt another student	17.0	16.5	19.7
Percent of students who agree that:			
Teachers notice and comment on student's good work	75.4	73.6	74.5
School provides feedback to parents on positive student	47.4	43.6	44.1
performance			
Rules are enforced fairly	68.2	63.9	65.1
Students of all races/ethnicities are treated equal	73.8	69.4	74.6
Percent of students who agree that:	00.5	06 -	06 -
Parents notice and comment on student's good work	83.2	83.5	83.5
Parents involve student in making family decisions	71.7	72.0	71.0
It is important to be honest with parents regardless of consequences	87.1	83.6	81.4
Student could ask parent for help with a personal problem	78.5	76.8	75.7

Missouri Student Survey is conducted biennially. Similar affirmative response choices for individual questions are combined.

Blank data cells indicate estimates are not available for item or geographic area. Survey is not conducted in every school district nor reported for every county. Estimates are not available for counties with small numbers of respondents. Percentages are estimates based on weighted data. Some year-to-year differences in percentages are not statistically significant.

Some year-to-year differences in percentages are not statistically significant.

Data source: Missouri Institute of Mental Health, 2010-2014 Missouri Student Surveys

1 0 1 0 mA ma	OLIVIOL	/\\\ L /					
	DBH REGION	Western		IMPAIRED DRIVING	2013	2012	2011
	DBH SERVICE AREAS			Alcohol Involved CrashesTotal	188	186	172
The property of the state of th	Substance Use	Not Applica	able	Fatal Crashes	4	8	8
	Adult Psychiatric	1		Injury Crashes	85	89	81
- - - - - - - - - - - - - - - - - - -	POPULATION			Property Damage Crashes	99	89	83
	Census 2010	183,003		Crash Fatalities	5	10	11
	2014 Estimate	181,734		Crash Injuries	108	124	123
Tan Tan				Drug Involved CrashesTotal	45	32	34
				Fatal Crashes	1	2	2
BIRTH RISK	2013	2012	2011	Injury Crashes	15	14	15
Resident BirthsTotal	2,113	2,166	2,163	Property Damage Crashes	29	16	17
Mother Reported Smoking wh	•	568	505	Crash Fatalities	2	3	2
_	•			Crash Injuries	22	23	16
DISEASE INCIDENCE 1	2013	2012	2011	POLICE REPORTS	2013	2012	2011
HIV/AIDS Cases	7	3	6	DUI Arrests, DWI Tracking System	911	877	1,111
Hepatitis B Chronic, Acute, Pr		21	17	Liquor Law Arrests	579	636	736
Hepatitis C Chronic and Acute		126	207	Drug Arrests	1,233	1,074	1,128
Tuberculosis Infection Cases	25	61	76	Violent Offenses	568	488	503
DEATHS and INJURIES	2013	2012	2011	Property Offenses	5,796	6,389	5,625
Resident DeathsTotal	1,975	1,968	1,967	Domestic Violence Reports	1,361	1,280	1,363
Suicides	30	26	1,907	Domodie Violendo Nopello	2014	2013	2012
Self-inflicted Injuries	267	265	242	Methamphetamine Lab Seizures	5	5	3
Homicides	2	5	7				
Assault Injuries	620	627	713	SCHOOL REPORTS	2013-14	2012-13	2011-12
Alcohol Induced Deaths	18	11	15	Enrollment Grades 9-12	7,607	7,623	7,562
Drug Induced Deaths	25	18	17	Drop-outs	78	117	164
Smoking Attributable Deaths	349	354	349	Drop-out Rate	1.0%	1.5%	2.2%
_				School Discipline Involving Alcohol	12	4	2
HOSPITAL EPISODES 2	2013	2012	2011	School Discipline Involving Drugs	26	35	51
Hospitalization, no Emergency				School Discipline Involving Tobacco	1	0	1
Mental Illness Principal Diag		1,252	1,523	JUVENILE COURT REFERRALS 3	2013	2012	2011
Mental Illness Secondary Dia		1,662	1,660	Juvenile Violent Offenses	172	210	220
Alcohol Principal Diagnosis	60	97	93	Juvenile Alcohol Offenses	30	43	40
Alcohol Secondary Diagnosis		90	96	Juvenile Drug Offenses	37	41	54
Drug Principal Diagnosis	60	85	73	School Truancy Status Offense	441	351	221
Drug Secondary Diagnosis	95	97	79	Absent from Home Status Offense	150	142	152
Emergency Room + Hospitalia		4 005	705	Beyond Parental Control Status Offense	196	251	170
Mental Illness Principal Diag Mental Illness Secondary Dia		1,095	795	Injurious Behavior Status Offense	157	145	96
Alcohol Principal Diagnosis	agnosis 2,699 174	2,897 172	3,214 211	Child Abuse	32	27	28
Alcohol Secondary Diagnosis		382	345	Child Neglect	364	277	230
Drug Principal Diagnosis	165	137	116	Child Custody Issues	1	21	0
Drug Secondary Diagnosis	226	234	226	JUVENILE COURT PLACEMENTS	2013	2012	2011
Emergency Room, no Hospita		204	220	Out-of-Home PlacementsTotal	159	144	138
Mental Illness Principal Diag		1,861	1,912	Parental Alcohol Use Related	6	2	6
Mental Illness Secondary Dia		2,919	2,876	Parental Drug Use Related	36	35	20
Alcohol Principal Diagnosis	353	423	362	Parental Alcohol and Drug Use	2	7	1
Alcohol Secondary Diagnosis		345	316	The second of th			
Drug Principal Diagnosis	214	198	203	CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Secondary Diagnosis	307	316	253	Drug Court Participants	239	290	265
, ,				Probation/Parole AdmissionsDrug	569	526	560
ALCOHOL OUTLETS	2014	2013	2012	Probation/Parole AdmissionsDWI	98	117	138
Alcohol On-Premise Drink Lic	enses 210	212	207	Prison AdmissionsDrug	323	349	324
Alcohol Package Carry-out Li	censes 187	188	184	Prison AdmissionsDWI	58	59	68
EMPLOYMENT	2014	2013	2012	All Kansas City hepatitis and TB case report totals and all Joplin case reports are include			County
Labor Force	95,961	100,419	100,132	2 Beginning with 2010 data, diagnosis counts			es are
Employed	90,603	94,806	94,363	based on codes developed by the Healthcar	re Cost and L	Itilization Pro	ject.
Unemployed	5,358	5,613	5,769	3 Beginning in 2013, juvenile municipal violati- court orders are categorized as status offens			

5.6%

5.6%

5.8%

Unemployment Rate

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Western
PSYCHIATRIC SERVICE AREA
CENSUS 2010 183,003
2014 POPULATION ESTIMATE 181,734

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.									
DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012						
Adjustment Disorder	96	85	120						
Anxiety Disorder	742	726	692						
Dementia	8	*	*						
Developmental Disorder	38	25	22						
Impulse Control Disorder	443	508	553						
Mood Disorder	1,232	1,200	1,203						
Personality Disorder	189	186	189						
Psychotic Disorder	463	463	461						
Sexual Disorder	*	6	*						
Other Diagnosis	293	306	331						
Diagnosis Unknown	197	255	354						

Individuals who received psychiatric services had the following types of

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2014	FY2013	FY2012	EDUCATION	FY2014	FY2013	FY2012
Total Individuals	2,105	2,309	2,507	Less than High School Diploma	747	898	439
	•	·		High School Grad or G.E.D.	*	44	551
AGE				Associate Degree or Some College	0	17	203
Under 6	45	69	78	Bachelor or Advanced Degree	0	*	47
6 to 9	186	240	272	Education Level Unknown	1,354	1,347	1,267
10 to 13	169	236	290		1,00	.,	.,
14 to 17	150	187	266	EMPLOYMENT			
18 to 24	150	174	172	Employed	134	116	140
25 to 29	160	151	146	Unemployed	171	262	967
30 to 34	158	150	142	Not in Labor Force	1,291	1,361	163
35 to 39	141	158	177	Employment Status Unknown	509	570	1,237
40 to 44	172	184	176				
45 to 49	197	192	240	HOUSING / LIVING ARRANGEMENT			
50 to 54	258	249	237	Independent Living	898	949	943
55 to 59	150	151	144	Dependent Living	678	801	506
60 and Over	169	168	167	Homeless	42	26	26
Age Unknown	0	0	0	Other	0	*	15
•				Housing Unknown	487	532	1,017
GENDER				· ·			·
Male	1,110	1,233	1,327	TREATMENT REFERRAL SOURCE			
Female	995	1,076	1,180	Self / Family / Friend	751	762	815
Gender Unknown	0	0	0	School	90	132	147
RACE / ETHNICITY				Mental Health Provider	430	486	564
Caucasian	1,782	1,942	2,109	Health Care Provider	343	379	399
African American	170	180	207	Court / Criminal Justice	214	213	197
Native American / Alaskan	8	16	18	Other	248	313	358
Asian / Pacific Islander	*	*	*	Referral Source Unknown	29	24	27
Hispanic	68	73	71	rtoronal coarce emaleum	20		
Other Race	76	96	100	TYPE OF COMMITMENT			
Race/Ethnicity Unknown	0	0	0	Voluntary	1,955	2,158	2,359
rado, Ethnicity Officiowii	0	U	U	Civil	9	24	18
TREATMENT ACCOMMODATION				Criminal	111	102	102
Hearing Impaired	103	132	137	Sexual Predatory	*	*	*
Past or Current Military Service	76	81	85	Commitment Type Unknown	29	24	27

PSYCHIATRIC SERVICE AREAS 2, 3, 4, 5

			–, .	, ., .			
DBH REGIO	N	Western		IMPAIRED DRIVING	2013	2012	2011
DBH SERVI	CE AREAS			Alcohol Involved CrashesTotal	698	650	648
Substance	e Use	Not Applica	able	Fatal Crashes	13	11	13
Adult Psy	/chiatric	2, 3, 4, 5		Injury Crashes	297	251	307
POPULATION				Property Damage Crashes	388	388	328
Census 2		674,158		Crash Fatalities	14	12	14
2014 Est	imate	683,191		Crash Injuries	448	362	500
				Drug Involved CrashesTotal	166	149	148
				Fatal Crashes	5	1	3
BIRTH RISK	2013	2012	2011	Injury Crashes	90	75	77
Resident BirthsTotal	9,478	9,630	9,583	Property Damage Crashes	71	73	68
Mother Reported Smoking while Pregnar	nt 1,357	1,503	1,485	Crash Fatalities	5	1	3
				Crash Injuries	150	115	85
DISEASE INCIDENCE 1	2013	2012	2011	POLICE REPORTS	2013	2012	2011
HIV/AIDS Cases		125	149	DUI Arrests, DWI Tracking System	3,014	3,435	3,096
Hepatitis B Chronic, Acute, Prenatal	116	83	73	Liquor Law Arrests	673	809	824
Hepatitis C Chronic and Acute	519	589	644	Drug Arrests	3,643	3,507	3,446
Tuberculosis Infection Cases	618	462	390	Violent Offenses	6,780	6,979	6,672
DEATHS and INJURIES	2013	2012	2011	Property Offenses	38,691	40,982	39,947
Resident DeathsTotal	6,091	6,022	5,981	Domestic Violence Reports	6,699	6,986	6,469
Suicides	116	108	127	Domosilo Violendo Reperto	2014	2013	2012
Self-inflicted Injuries	1,122	1,150	1,120	Methamphetamine Lab Seizures	11	29	56
Homicides	109	112	112				
Assault Injuries	4,242	4,567	4,490	SCHOOL REPORTS	2013-14	2012-13	2011-12
Alcohol Induced Deaths	77	82	65	Enrollment Grades 9-12	28,224	28,682	28,672
Drug Induced Deaths	118	113	105	Drop-outs	1,541	1,113	1,515
Smoking Attributable Deaths	1,005	1,013	974	Drop-out Rate	5.5%	3.9%	5.3%
	.,	,,,,,		School Discipline Involving Alcohol	44	41	38
HOSPITAL EPISODES 2	2013	2012	2011	School Discipline Involving Drugs	288	286	418
Hospitalization, no Emergency Room:				School Discipline Involving Tobacco	6	8	10
Mental Illness Principal Diagnosis	6,521	6,293	7,059	JUVENILE COURT REFERRALS 3	2013	2012	2011
Mental Illness Secondary Diagnosis	6,771	6,511	6,521	Juvenile Violent Offenses	362	408	475
Alcohol Principal Diagnosis	815	726	732	Juvenile Alcohol Offenses	8	0	4
Alcohol Secondary Diagnosis	1,622	1,377	1,363	Juvenile Drug Offenses	52	47	70
Drug Principal Diagnosis	392	379	385	School Truancy Status Offense	2	7	3
Drug Secondary Diagnosis	1,301	1,364	1,388	Absent from Home Status Offense	18	6	18
Emergency Room + Hospitalization:				Beyond Parental Control Status Offense	14	32	10
Mental Illness Principal Diagnosis	1,615	2,112	1,549	Injurious Behavior Status Offense	18	22	10
Mental Illness Secondary Diagnosis	12,373	11,745	11,971	Child Abuse	315	323	142
Alcohol Principal Diagnosis	544	660	492	Child Neglect	893	1,035	839
Alcohol Secondary Diagnosis	1,923	2,022	1,972	Child Custody Issues	119	239	331
Drug Principal Diagnosis	263	330	265	WINGS WE COURT BY A CENTENTS	2012	2012	2011
Drug Secondary Diagnosis	1,557	2,052	1,896	JUVENILE COURT PLACEMENTS	2013	2012	2011
Emergency Room, no Hospitalization: Mental Illness Principal Diagnosis	E 492	E 006	E 055	Out-of-Home PlacementsTotal Parental Alcohol Use Related	1,022 27	1,176 36	994 51
Mental Illness Secondary Diagnosis	5,482 17,292	5,886 13,602	5,955 13,369	Parental Drug Use Related	319	413	294
Alcohol Principal Diagnosis	4,099	4,113	3,963	Parental Alcohol and Drug Use	56	413	294
Alcohol Secondary Diagnosis	3,119	3,617	2,731	Tarental Alcohol and Drug Ose	30	40	20
Drug Principal Diagnosis	1,854	1,643	1,539	CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Secondary Diagnosis	2,978	3,491	3,481	Drug Court Participants	857	848	871
Diag Coolidary Diagnosis	2,010	0,701	0,701	Probation/Parole AdmissionsDrug	735	822	940
ALCOHOL OUTLETS	2014	2013	2012	Probation/Parole AdmissionsDWI	157	177	187
Alcohol On-Premise Drink Licenses	825	821	804	Prison AdmissionsDrug	182	224	249
Alcohol Package Carry-out Licenses	461	463	463	Prison AdmissionsDWI	48	76	95
EN ARLOVA AGNIT	2014	2012	2012	1 All Kansas City hepatitis and TB case report	s are include	ed in Jackson	County
EMPLOYMENT Labor Force	2014	2013	2012	totals and all Joplin case reports are include	d in Jasper C	County totals.	•
Employed	363,483	330,287 305,538	333,027 307,454	2 Beginning with 2010 data, diagnosis counts based on codes developed by the Healthcar			
Linguityed	338,018	305,538	307,454	3 Beginning in 2013, juvenile municipal violation			

25,465 24,749

7.5%

7.0%

25,573

7.7%

Unemployed

Unemployment Rate

3 Beginning in 2013, juvenile municipal violations, infractions, and violations of

PSYCHIATRIC SERVICE AREAS 2, 3, 4, 5

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Western
PSYCHIATRIC SERVICE AREA 2, 3, 4, 5
CENSUS 2010 674,158
2014 POPULATION ESTIMATE 683,191

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.								
DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012					
Adjustment Disorder	640	748	736					
Anxiety Disorder	4,150	4,404	4,090					
Dementia	24	27	26					
Developmental Disorder	135	156	134					
Impulse Control Disorder	1,993	2,307	2,136					
Mood Disorder	7,051	8,148	7,606					
Personality Disorder	550	552	498					
Psychotic Disorder	2,810	3,097	3,067					
Sexual Disorder	18	25	6					
Other Diagnosis	874	1,045	973					

1,770

2,223

2,706

Individuals who received psychiatric services had the following types of

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

Diagnosis Unknown

NUMBER SERVED	FY2014	FY2013	FY2012	EDUCATION	FY2014	FY2013	FY2012
Total Individuals	12,448	14,911	14,664	Less than High School Diploma	2,188	2,603	1,401
	•	•	,	High School Grad or G.E.D.	0	15	1,304
AGE				Associate Degree or Some College	0	*	505
Under 6	102	130	169	Bachelor or Advanced Degree	0	0	154
6 to 9	718	807	867	Education Level Unknown	10,260	12,289	11,300
10 to 13	855	1,030	1,054		,	,	,
14 to 17	870	1,021	1,104	EMPLOYMENT			
18 to 24	1,055	1,357	1,322	Employed	413	606	379
25 to 29	1,002	1,269	1,134	Unemployed	690	869	2,610
30 to 34	1,157	1,421	1,336	Not in Labor Force	4,135	4,834	1,082
35 to 39	1,065	1,258	1,177	Employment Status Unknown	7,210	8,602	10,593
40 to 44	1,090	1,276	1,292				
45 to 49	1,189	1,513	1,569	HOUSING / LIVING ARRANGEMENT			
50 to 54	1,411	1,693	1,666	Independent Living	2,654	3,060	2,752
55 to 59	1,059	1,183	1,074	Dependent Living	2,114	2,753	1,143
60 and Over	875	953	900	Homeless	338	426	256
Age Unknown	0	0	0	Other	0	*	117
				Housing Unknown	7,342	8,671	10,396
GENDER	0.400	7.000	7.000				
Male	6,102	7,339	7,232	TREATMENT REFERRAL SOURCE			
Female	6,346	7,572	7,432	Self / Family / Friend	5,822	7,437	7,149
Gender Unknown	0	0	0	School	165	170	185
RACE / ETHNICITY				Mental Health Provider	1,314	1,282	1,305
Caucasian	6,316	7,163	6,820	Health Care Provider	1,914	2,219	2,080
African American	4,966	6,219	6,497	Court / Criminal Justice	503	688	824
Native American / Alaskan	52	54	58	Other	2,651	3,027	3,022
Asian / Pacific Islander	45	62	56	Referral Source Unknown	79	88	99
Hispanic	390	438	437				
Other Race	679	975	795	TYPE OF COMMITMENT			
Race/Ethnicity Unknown	0	0	*	Voluntary	12,204	14,676	14,380
	· ·	· ·		Civil	49	39	84
TREATMENT ACCOMMODATION				Criminal	119	112	113
Hearing Impaired	253	248	225	Sexual Predatory	10	10	6
Past or Current Military Service	274	299	303	Commitment Type Unknown	66	74	81

1 OTOMATICO CER		/\\ L /\	. 0				
DBH REGIO	N	Western		IMPAIRED DRIVING	2013	2012	2011
DBH SERVICE	E AREAS			Alcohol Involved CrashesTotal	267	298	254
Substanc		Not Applica	able	Fatal Crashes	3	5	5
Adult Psy		6		Injury Crashes	109	114	91
POPULATIO				Property Damage Crashes	155	179	158
Census 2		334,755		Crash Fatalities	3	5	5
2014 Esti	mate	351,419		Crash Injuries	157	163	137
213				Drug Involved CrashesTotal Fatal Crashes	54	70	55 2
				Injury Crashes	2 27	3 36	24
BIRTH RISK	2013	2012	2011	Property Damage Crashes	27 25	31	29
Resident BirthsTotal	4,433	4,492	4,399	Crash Fatalities	2	3	2
Mother Reported Smoking while Pregnan	t 605	647	625	Crash Injuries	35	56	28
DISEASE INCIDENCE 1	2013	2012	2011				
HIV/AIDS Cases	13	25	25	POLICE REPORTS	2013	2012	2011
Hepatitis B Chronic, Acute, Prenatal	13	10	9	DUI Arrests, DWI Tracking System	1,568	1,571	1,621
Hepatitis C Chronic and Acute	64	61	74	Liquor Law Arrests Drug Arrests	371	427	506
Tuberculosis Infection Cases	35	38	41	Violent Offenses	1,157 339	1,133 395	1,128 371
DEATUS and INJUDIES	2013	2012	2011	Property Offenses	3,783	4,337	4,065
DEATHS and INJURIES Resident DeathsTotal	2,505	2,438	2,331	Domestic Violence Reports	997	1,073	1,014
Suicides	58	50	46	Democrat violence repend	2014	2013	2012
Self-inflicted Injuries	561	511	511	Methamphetamine Lab Seizures	2	4	13
Homicides	10	15	14	·			
Assault Injuries	939	1,050	1,039	SCHOOL REPORTS	2013-14	2012-13	2011-12
Alcohol Induced Deaths	27	30	26	Enrollment Grades 9-12	17,564	17,518	17,226
Drug Induced Deaths	44	46	33	Drop-outs Drop-out Rate	204 1.2%	260 1.5%	358 2.1%
Smoking Attributable Deaths	461	414	418	School Discipline Involving Alcohol	1.2%	1.5%	2.1%
HOSPITAL EPISODES 2	2013	2012	2011	School Discipline Involving Drugs	109	178	146
Hospitalization, no Emergency Room:	2013	2012	2011	School Discipline Involving Tobacco	3	0	8
Mental Illness Principal Diagnosis	2,173	2,273	2,330				
Mental Illness Secondary Diagnosis	3,796	3,702	3,641	JUVENILE COURT REFERRALS 3	2013	2012	2011
Alcohol Principal Diagnosis	183	212	201	Juvenile Violent Offenses	267	242	256
Alcohol Secondary Diagnosis	263	264	276	Juvenile Alcohol Offenses	35	47	65
Drug Principal Diagnosis	91	129	131	Juvenile Drug Offenses School Truancy Status Offense	136 48	133 60	125 44
Drug Secondary Diagnosis	287	271	265	Absent from Home Status Offense	52	39	46
Emergency Room + Hospitalization:				Beyond Parental Control Status Offense	39	61	51
Mental Illness Principal Diagnosis	465	539	485	Injurious Behavior Status Offense	38	46	26
Mental Illness Secondary Diagnosis	6,703	6,795	7,094	Child Abuse	67	33	46
Alcohol Principal Diagnosis	164	196	207	Child Neglect	282	246	206
Alcohol Secondary Diagnosis	699	714	735	Child Custody Issues	9	20	14
Drug Principal Diagnosis	97 450	108 487	121 448	UNIVERSITE COLUBE DI ACCAMENTO	2012	2012	2011
Drug Secondary Diagnosis Emergency Room, no Hospitalization:	459	407	440	JUVENILE COURT PLACEMENTS Out-of-Home PlacementsTotal	2013 108	2012 74	2011 58
Mental Illness Principal Diagnosis	2,918	2,906	2,629	Parental Alcohol Use Related	1	4	4
Mental Illness Secondary Diagnosis	7,642	5,765	4,554	Parental Drug Use Related	42	18	10
Alcohol Principal Diagnosis	726	797	829	Parental Alcohol and Drug Use	0	1	2
Alcohol Secondary Diagnosis	696	737	679	9			
Drug Principal Diagnosis	433	473	408	CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Secondary Diagnosis	1,071	863	669	Drug Court Participants	115	135	134
				Probation/Parole AdmissionsDrug	475 120	375 117	383
ALCOHOL OUTLETS	2014	2013	2012	Prison AdmissionsDrug	139 234	117 180	124 182
Alcohol On-Premise Drink Licenses	342	330	332	Prison AdmissionsDrug Prison AdmissionsDWI	234 69	189 66	182 69
Alcohol Package Carry-out Licenses	226	222	226	i iisuii AuliliosiulioDWI	09	00	09
EMPLOYMENT	2014	2013	2012	1 All Kansas City hepatitis and TB case report			County
Labor Force	196,227	183,184	182,982	totals and all Joplin case reports are include Beginning with 2010 data, diagnosis counts			es are
Employed	185,724	171,753	171,342	based on codes developed by the Healthcar	re Cost and U	Itilization Proj	ect.
Unemployed	10,503	11,431	11,640	3 Beginning in 2013, juvenile municipal violati court orders are categorized as status offen.			
Unemployment Rate	5.4%	6.2%	6.4%	TIES AND CAROGOTIZOU GO CIGIGO OTOTI			

5.4%

6.2%

6.4%

Unemployment Rate

DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



DBH REGION Western PSYCHIATRIC SERVICE AREA 6
CENSUS 2010 334,755
2014 POPULATION ESTIMATE 351,419

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder. FY2014 FY2013 FY2012 **DIAGNOSIS CATEGORY** Adjustment Disorder 51 45 50 **Anxiety Disorder** 736 720 734 Dementia **Developmental Disorder** 11 9 10 Impulse Control Disorder 462 404 361 Mood Disorder 2,432 2,433 2,401 Personality Disorder 44 43 39 Psychotic Disorder 482 460 458 Sexual Disorder 5

56

270

61

393

53

431

Individuals who received psychiatric services had the following types of

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

Other Diagnosis

Diagnosis Unknown

NUMBER SERVED	FY2014	FY2013	FY2012	EDUCATION	FY2014	FY2013	FY2012
Total Individuals	3,698	3,774	3,705	Less than High School Diploma	571	534	205
. Star maniadais	0,000	0,	0,. 00	High School Grad or G.E.D.	0	0	178
AGE				Associate Degree or Some College	0	0	72
Under 6	22	36	28	Bachelor or Advanced Degree	0	0	26
6 to 9	181	181	126	Education Level Unknown	3,127	3,240	3,224
10 to 13	237	199	175	Eddodion Eover Children	0,121	0,210	0,22 1
14 to 17	293	276	254	EMPLOYMENT			
18 to 24	280	292	354	Employed	216	259	115
25 to 29	304	325	349	Unemployed	248	261	361
30 to 34	367	405	401	Not in Labor Force	1,164	1,173	237
35 to 39	363	343	359	Employment Status Unknown	2,070	2,081	2,992
40 to 44	329	368	362				
45 to 49	343	407	402	HOUSING / LIVING ARRANGEMENT			
50 to 54	380	388	373	Independent Living	1,041	1,164	517
55 to 59	317	300	280	Dependent Living	556	498	231
60 and Over	282	254	242	Homeless	49	47	16
Age Unknown	0	0	0	Other	0	0	10
				Housing Unknown	2,052	2,065	2,931
GENDER	4.044	4 000	4 550				
Male	1,611	1,600	1,552	TREATMENT REFERRAL SOURCE			
Female	2,087	2,174	2,153	Self / Family / Friend	3,463	3,506	3,424
Gender Unknown	0	0	0	School	*	*	*
RACE / ETHNICITY				Mental Health Provider	50	57	65
Caucasian	3,208	3,244	3,227	Health Care Provider	81	77	76
African American	188	225	217	Court / Criminal Justice	15	23	27
Native American / Alaskan	17	18	15	Other	58	76	80
Asian / Pacific Islander	25	20	17	Referral Source Unknown	29	32	30
Hispanic	120	116	100				
Other Race	140	151	129	TYPE OF COMMITMENT			
Race/Ethnicity Unknown	0	0	0	Voluntary	3,657	3,729	3,665
	-	-		Civil	*	*	*
TREATMENT ACCOMMODATION				Criminal	7	7	7
Hearing Impaired	81	74	77	Sexual Predatory	*	*	*
Past or Current Military Service	43	40	47	Commitment Type Unknown	29	32	30

		<i>,</i> ,, , , , ,	. .				
	BH REGION	Western		IMPAIRED DRIVING	2013	2012	2011
	BH SERVICE AREAS			Alcohol Involved CrashesTotal	149	161	164
~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	Substance Use	Not Applica	able	Fatal Crashes	11	10	2
	Adult Psychiatric	7		Injury Crashes	49	54	58
- - - - - - - - - - - - - - - - - - -	OPULATION			Property Damage Crashes	89	97	104
	Census 2010	185,454		Crash Fatalities	17	10	2
	2014 Estimate	187,939		Crash Injuries	79	75	83
7				Drug Involved CrashesTotal	26	34	29
				Fatal Crashes	0	1	0
BIRTH RISK	2013	2012	2011	Injury Crashes	8	19	7
Resident BirthsTotal	2,306	2,262	2,287	Property Damage Crashes	18	14	22
Mother Reported Smoking while	e Pregnant 421	386	481	Crash Fatalities	0	2	0
-				Crash Injuries	9	28	7
DISEASE INCIDENCE 1	2013	2012	2011	POLICE REPORTS	2013	2012	2011
HIV/AIDS Cases	7	4	4	DUI Arrests, DWI Tracking System	896	1,080	1,055
Hepatitis B Chronic, Acute, Prei		6	10	Liquor Law Arrests	565	531	536
Hepatitis C Chronic and Acute	57	66	65	Drug Arrests	1,093	1,044	822
Tuberculosis Infection Cases	57	31	23	Violent Offenses	255	296	264
DEATHS and INJURIES	2013	2012	2011	Property Offenses	3,714	4,215	4,142
Resident DeathsTotal	1,693	1,616	1,546	Domestic Violence Reports	1,201	1,364	1,363
Suicides	34	21	23		2014	2013	2012
Self-inflicted Injuries	242	269	278	Methamphetamine Lab Seizures	2	3	2
Homicides	3	7	7	·			
Assault Injuries	427	460	552	SCHOOL REPORTS	2013-14	2012-13	2011-12
Alcohol Induced Deaths	13	7	12	Enrollment Grades 9-12	9,200	9,218	9,284
Drug Induced Deaths	16	11	29	Drop-outs	148	146	179
Smoking Attributable Deaths	299	289	268	Drop-out Rate	1.6%	1.6%	1.9%
				School Discipline Involving Alcohol	17	11	13
HOSPITAL EPISODES 2	2013	2012	2011	School Discipline Involving Drugs	91	47	106
Hospitalization, no Emergency I		4.500	4.040	School Discipline Involving Tobacco	1	1	0
Mental Illness Principal Diagno		1,500	1,618	JUVENILE COURT REFERRALS 3	2013	2012	2011
Mental Illness Secondary Diag		2,160	2,303	Juvenile Violent Offenses	169	239	165
Alcohol Principal Diagnosis Alcohol Secondary Diagnosis	87 155	98 139	105 196	Juvenile Alcohol Offenses	27	32	38
Drug Principal Diagnosis	62	69	57	Juvenile Drug Offenses	65	94	55
Drug Secondary Diagnosis	149	143	160	School Truancy Status Offense	94	67	49
Emergency Room + Hospitaliza		143	100	Absent from Home Status Offense	85	144	114
Mental Illness Principal Diagno		287	191	Beyond Parental Control Status Offense	101	148	122
Mental Illness Secondary Diag		2,428	2,116	Injurious Behavior Status Offense	247	349	191
Alcohol Principal Diagnosis	94	93	63	Child Abuse	16	47	10
Alcohol Secondary Diagnosis	270	249	239	Child Neglect	347	404	163
Drug Principal Diagnosis	36	52	39	Child Custody Issues	73	74	157
Drug Secondary Diagnosis	174	210	177	JUVENILE COURT PLACEMENTS	2013	2012	2011
Emergency Room, no Hospitaliz				Out-of-Home PlacementsTotal	175	154	173
Mental Illness Principal Diagno		1,426	1,243	Parental Alcohol Use Related	3	0	7
Mental Illness Secondary Diag	nosis 1,527	1,570	2,505	Parental Drug Use Related	63	27	37
Alcohol Principal Diagnosis	308	289	296	Parental Alcohol and Drug Use	6	11	8
Alcohol Secondary Diagnosis	267	251	262				
<b>Drug Principal Diagnosis</b>	213	219	187	CRIMINAL JUSTICE	FY2014	FY2013	FY2012
<b>Drug Secondary Diagnosis</b>	324	380	314	Drug Court Participants	127	163	105
				Probation/Parole AdmissionsDrug Probation/Parole AdmissionsDWI	350 77	318	378 97
ALCOHOL OUTLETS	2014	2013	2012			98 182	
Alcohol On-Premise Drink Licer		167	167	Prison AdmissionsDrug Prison AdmissionsDWI	201 52	162 58	186 53
Alcohol Package Carry-out Lice	enses 163	166	162	i noon AumioolonoDyyr	52	50	JJ
<b>EMPLOYMENT</b>	2014	2013	2012	1 All Kansas City hepatitis and TB case repor			County
Labor Force	94,355	91,834	91,833	totals and all Joplin case reports are include Beginning with 2010 data, diagnosis counts			es are
Employed	88,855	86,072	85,462	based on codes developed by the Healthcar	e Cost and L	Itilization Pro	ject.
Unampleyed	5 500	5 762	6 271	3 Beginning in 2013, juvenile municipal violati	ons, infractio	ns, and violat	ions of

5,500

5.8%

5,762

6.3%

6,371

6.9%

Unemployed

**Unemployment Rate** 

3 Beginning in 2013, juvenile municipal violations, infractions, and violations of

#### **DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES**



DBH REGION Western
PSYCHIATRIC SERVICE AREA
7
CENSUS 2010 185,454
2014 POPULATION ESTIMATE 187,939

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder. FY2014 FY2013 FY2012 **DIAGNOSIS CATEGORY** Adjustment Disorder 135 124 125 **Anxiety Disorder** 698 684 668 Dementia 0 **Developmental Disorder** 28 24 23 Impulse Control Disorder 273 294 349 Mood Disorder 936 976 1,006 Personality Disorder 64 61 49 Psychotic Disorder 223 199 212 Sexual Disorder

99

121

103

172

117

122

Individuals who received psychiatric services had the following types of

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

Other Diagnosis

Diagnosis Unknown

NUMBER SERVED	FY2014	FY2013	FY2012	EDUCATION	FY2014	FY2013	FY2012
Total Individuals	1,428	1,554	1,581	Less than High School Diploma	423	470	197
	,	,	,	High School Grad or G.E.D.	0	6	188
AGE				Associate Degree or Some College	0	0	57
Under 6	20	27	32	Bachelor or Advanced Degree	0	0	19
6 to 9	88	107	122	Education Level Unknown	1,005	1,078	1,120
10 to 13	158	145	192		1,000	.,	.,
14 to 17	158	177	180	EMPLOYMENT			
18 to 24	116	155	157	Employed	45	72	70
25 to 29	115	124	126	Unemployed	55	85	317
30 to 34	116	135	115	Not in Labor Force	633	722	136
35 to 39	125	139	121	Employment Status Unknown	695	675	1,058
40 to 44	133	143	130				
45 to 49	127	126	149	HOUSING / LIVING ARRANGEMENT			
50 to 54	133	136	122	Independent Living	355	411	382
55 to 59	82	81	78	Dependent Living	376	444	225
60 and Over	57	59	57	Homeless	14	12	7
Age Unknown	0	0	0	Other	0	0	16
CENDED				Housing Unknown	683	687	951
GENDER Male	635	677	716				
Female	793	877	865	TREATMENT REFERRAL SOURCE			
Gender Unknown		-		Self / Family / Friend	1,093	1,149	1,175
Gender Offknown	0	0	0	School	*	5	7
RACE / ETHNICITY				Mental Health Provider	25	30	31
Caucasian	1,309	1,404	1,442	Health Care Provider	113	121	120
African American	48	55	57	Court / Criminal Justice	47	49	41
Native American / Alaskan	0	*	5	Other	142	195	200
Asian / Pacific Islander	*	5	8	Referral Source Unknown	5	5	7
Hispanic	29	32	21				
Other Race	38	55	48	TYPE OF COMMITMENT	4 445	4 505	4.550
Race/Ethnicity Unknown	0	0	0	Voluntary	1,415	1,535	1,558
				Civil			*
TREATMENT ACCOMMODATION	22	4.4	46	Criminal	5	10	11
Hearing Impaired	39	41	42	Sexual Predatory			
Past or Current Military Service	47	52	47	Commitment Type Unknown	5	6	8

			<b>.</b>				
DBH REGION	1	Southwest		IMPAIRED DRIVING	2013	2012	2011
DBH SERVICE	E AREAS			Alcohol Involved CrashesTotal	91	102	122
Substance	Use	Not Applicab	е	Fatal Crashes	6	6	5
Adult Psyc	chiatric	8A		Injury Crashes	41	44	63
POPULATION				Property Damage Crashes	44	52	54
Census 20		82,114		Crash Fatalities	6	6	5
2014 Estir	nate	81,313		Crash Injuries	57	65	85
				Drug Involved CrashesTotal	28	15	21
<u>/*                                     </u>				Fatal Crashes	5	0	0
BIRTH RISK	2013	2012	2011	Injury Crashes	13	5	7
Resident BirthsTotal	962	981	989	Property Damage Crashes	10	10	14
Mother Reported Smoking while Pregnant		233	247	Crash Fatalities	5	0	0
				Crash Injuries	18	6	12
DISEASE INCIDENCE 1	2013	2012	2011	POLICE REPORTS	2013	2012	2011
HIV/AIDS Cases	1	0	2	DUI Arrests, DWI Tracking System	559	497	545
Hepatitis B Chronic, Acute, Prenatal	5	9	5	Liquor Law Arrests	74	82	91
Hepatitis C Chronic and Acute	55	63	60 12	Drug Arrests	397	362	348
Tuberculosis Infection Cases	14	14	12	Violent Offenses	262	282	269
DEATHS and INJURIES	2013	2012	2011	Property Offenses	2,513	2,705	2,383
Resident DeathsTotal	958	903	919	Domestic Violence Reports	434	539	607
Suicides	9	10	11	•	2014	2013	2012
Self-inflicted Injuries	115	133	107	Methamphetamine Lab Seizures	45	44	65
Homicides	1	3	1				
Assault Injuries	201	258	183	SCHOOL REPORTS	2013-14	2012-13	2011-12
Alcohol Induced Deaths	7	1	8	Enrollment Grades 9-12	3,934	4,057	4,046
Drug Induced Deaths	11	11	16	Drop-outs	46	66	90
Smoking Attributable Deaths	184	167	160	Drop-out Rate	1.2%	1.6% 52	2.2%
				School Discipline Involving Alcohol	28	52 14	1
HOSPITAL EPISODES 2	2013	2012	2011	School Discipline Involving Drugs	24		67
Hospitalization, no Emergency Room:	450	400	450	School Discipline Involving Tobacco	2	3	2
Mental Illness Principal Diagnosis	450	436	452	JUVENILE COURT REFERRALS 3	2013	2012	2011
Mental Illness Secondary Diagnosis	883	917	1,052	Juvenile Violent Offenses	30	50	68
Alcohol Principal Diagnosis	30	30	24	Juvenile Alcohol Offenses	2	4	11
Alcohol Secondary Diagnosis	63	74 50	84	Juvenile Drug Offenses	13	15	23
Drug Principal Diagnosis	50	50	30	School Truancy Status Offense	19	18	28
Drug Secondary Diagnosis	53	67	71	Absent from Home Status Offense	22	17	24
Emergency Room + Hospitalization: Mental Illness Principal Diagnosis	270	262	224	Beyond Parental Control Status Offense	15	23	25
	270	263		Injurious Behavior Status Offense	28	32	37
Mental Illness Secondary Diagnosis	1,204	1,110	870 61	Child Abuse	49	33	36
Alcohol Principal Diagnosis	72	80		Child Neglect	96	131	102
Alcohol Secondary Diagnosis  Drug Principal Diagnosis	144 59	133 73	114 47	Child Custody Issues	168	190	90
Drug Secondary Diagnosis	68	73 76	62	UNIVERSITE COURT BLACEAGENTS	2013	2012	2011
Emergency Room, no Hospitalization:	00	70	02	JUVENILE COURT PLACEMENTS Out-of-Home PlacementsTotal	187	<b>2012</b> 169	97
Mental Illness Principal Diagnosis	577	703	651	Parental Alcohol Use Related	5	6	3
Mental Illness Secondary Diagnosis	1,756	2,167	1,662	Parental Drug Use Related	46	66	31
Alcohol Principal Diagnosis	1,730	129	119	Parental Alcohol and Drug Use	4	4	7
Alcohol Secondary Diagnosis	202	219	220	1 archial Alcohol and Didg 030	7	7	,
Drug Principal Diagnosis	153	171	132	CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Secondary Diagnosis	261	304	277	Drug Court Participants	109	91	72
Drag Goodidary Diagnosis	201	JU-T	<u> </u>	Probation/Parole AdmissionsDrug	169	166	165
ALCOHOL OUTLETS	2014	2013	2012	Probation/Parole AdmissionsDWI	38	45	44
Alcohol On-Premise Drink Licenses	51	53	47	Prison AdmissionsDrug	87	75	72
Alcohol Package Carry-out Licenses	107	98	106	Prison AdmissionsDWI	16	13	13
EMPLOYMENT	2014	2013	2012	1 All Kansas City hepatitis and TB case report	s are include	ed in Jackson	County
EMPLOYMENT Labor Force	35,634	39,523	38,200	totals and all Joplin case reports are include	d in Jasper C	County totals.	•
Employed	33,492	37,232	35,805	2 Beginning with 2010 data, diagnosis counts based on codes developed by the Healthcar			
Unemployed	2,142	2,291	2,395	3 Beginning in 2013, juvenile municipal violation			
Chomployed	۷, ۱۴۷	۱ ۵۵,۷	۷,535	court orders are categorized as status offens			

6.0%

5.8%

6.3%

**Unemployment Rate** 

#### **DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES**



DBH REGION Southwest
PSYCHIATRIC SERVICE AREA
CENSUS 2010 82,114
2014 POPULATION ESTIMATE 81,313

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.					
DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012		
Adjustment Disorder	59	56	87		
Anxiety Disorder	374	359	357		
Dementia	*	*	*		
Developmental Disorder	22	16	19		
Impulse Control Disorder	196	179	197		
Mood Disorder	503	509	530		
Personality Disorder	116	125	129		
Psychotic Disorder	135	113	108		
Sexual Disorder	*	*	*		
Other Diagnosis	106	84	78		
Diagnosis Unknown	443	410	194		

Individuals who received psychiatric services had the following types of

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2014	FY2013	FY2012	EDUCATION	FY2014	FY2013	FY2012
Total Individuals	1,260	1,219	1,046	Less than High School Diploma	355	230	108
	-,	.,	1,010	High School Grad or G.E.D.	0	0	67
AGE				Associate Degree or Some College	0	0	26
Under 6	15	22	23	Bachelor or Advanced Degree	0	0	*
6 to 9	80	69	79	Education Level Unknown	905	989	841
10 to 13	109	104	91	Education Edver Children	000	000	011
14 to 17	97	100	104	EMPLOYMENT			
18 to 24	110	114	88	Employed	39	13	11
25 to 29	95	106	91	Unemployed	39	12	143
30 to 34	118	90	99	Not in Labor Force	604	362	94
35 to 39	99	90	81	Employment Status Unknown	578	832	798
40 to 44	124	136	100				
45 to 49	112	113	85	HOUSING / LIVING ARRANGEMENT			
50 to 54	124	125	89	Independent Living	348	167	191
55 to 59	97	83	61	Dependent Living	273	205	96
60 and Over	80	67	55	Homeless	*	6	*
Age Unknown	0	0	0	Other	0	0	*
				Housing Unknown	635	841	755
GENDER				•			
Male	600	547	511	TREATMENT REFERRAL SOURCE			
Female	660	672	535	Self / Family / Friend	754	725	478
Gender Unknown	0	0	0	School	39	32	19
RACE / ETHNICITY				Mental Health Provider	60	62	74
Caucasian	1,208	1,164	993	Health Care Provider	147	146	131
African American	11	12	8	Court / Criminal Justice	40	28	38
Native American / Alaskan	*	*	*	Other	214	222	302
Asian / Pacific Islander	*	*	*	Referral Source Unknown	6	*	*
Hispanic	26	26	29				
Other Race	12	14	13	TYPE OF COMMITMENT			
Race/Ethnicity Unknown	0	0	0	Voluntary	1,240	1,203	1,030
	· ·	· ·		Civil	7	10	9
TREATMENT ACCOMMODATION				Criminal	6	*	*
Hearing Impaired	65	59	53	Sexual Predatory	*	*	*
Past or Current Military Service	19	12	10	Commitment Type Unknown	5	*	*

	7 11 1 7					
DBH REGION	Southwest		IMPAIRED DRIVING	2013	2012	2011
DBH SERVICE AREAS			Alcohol Involved CrashesTotal	88	136	119
Substance Use	Not Applica	ble	Fatal Crashes	3	4	8
Adult Psychiatric	8B		Injury Crashes	43	51	55
POPULATION			Property Damage Crashes	42	81	56
Census 2010	112,950		Crash Fatalities	5	4	10
2014 Estimate	111,047		Crash Injuries	58	73	75
T.			Drug Involved CrashesTotal	28	25	23
			Fatal Crashes	0	1	1
BIRTH RISK 2013	2012	2011	Injury Crashes	13	9	10
Resident BirthsTotal 1,177		1,206	Property Damage Crashes	15	15	12
Mother Reported Smoking while Pregnant 291		325	Crash Fatalities	0	1	1
Mound Reported Chicking Wille Freguent 201	010	020	Crash Injuries	15	10	11
DISEASE INCIDENCE 1 2013	2012	2011	201105 2520250	2012	2042	2011
HIV/AIDS Cases 2	2	1	POLICE REPORTS	2013	2012	2011
Hepatitis B Chronic, Acute, Prenatal 1	2	2	DUI Arrests, DWI Tracking System	509	590	721
Hepatitis C Chronic and Acute 96	89	83	Liquor Law Arrests	96	137	153
Tuberculosis Infection Cases 16	14	11	Drug Arrests	668	651	552
			Violent Offenses	396	393	338
DEATHS and INJURIES 2013		2011	Property Offenses	3,322	3,739	3,173
Resident DeathsTotal 1,487		1,512	Domestic Violence Reports	535	650	722
Suicides 18		24	Mathematica Lab Cairmas	2014	2013	2012
Self-inflicted Injuries 157		213	Methamphetamine Lab Seizures	1	16	15
Homicides 2		5	SCHOOL REPORTS	2013-14	2012-13	2011-12
Assault Injuries 321	361	342	Enrollment Grades 9-12	4,998	5,062	4,943
Alcohol Induced Deaths 11	11	9	Drop-outs	95	85	155
Drug Induced Deaths 18		20	Drop-out Rate	1.9%	1.7%	3.1%
Smoking Attributable Deaths 305	305	297	School Discipline Involving Alcohol	4	15	9
HOSPITAL EPISODES 2 2013	2012	2011	School Discipline Involving Drugs	41	45	60
Hospitalization, no Emergency Room:			School Discipline Involving Tobacco	5	2	2
Mental Illness Principal Diagnosis 1,068	984	1,002	2			
Mental Illness Secondary Diagnosis 2,593		2,611	JUVENILE COURT REFERRALS 3	2013	2012	2011
Alcohol Principal Diagnosis 41	58	56	Juvenile Violent Offenses	142	197	164
Alcohol Secondary Diagnosis 171	179	216	Juvenile Alcohol Offenses	21	44	51
Drug Principal Diagnosis 47	64	49	Juvenile Drug Offenses	21	50	33
Drug Secondary Diagnosis 159	144	142	School Truancy Status Offense	136	136	196
Emergency Room + Hospitalization:			Absent from Home Status Offense	22	52	57
Mental Illness Principal Diagnosis 362	458	289	Beyond Parental Control Status Offense	67	102	134
Mental Illness Secondary Diagnosis 1,591	1,635	1,402	Injurious Behavior Status Offense	168	139	188
Alcohol Principal Diagnosis 62		72	Child Abuse	136	164	189
Alcohol Secondary Diagnosis 156	156	175	Child Neglect	467	445	436
Drug Principal Diagnosis 41		43	Child Custody Issues	33	18	19
Drug Secondary Diagnosis 114		114	JUVENILE COURT PLACEMENTS	2013	2012	2011
Emergency Room, no Hospitalization:			Out-of-Home PlacementsTotal	109	88	125
Mental Illness Principal Diagnosis 1,017	1,102	1,018	Parental Alcohol Use Related	3	7	3
Mental Illness Secondary Diagnosis 5,044	4,307	3,846	Parental Drug Use Related	42	35	41
Alcohol Principal Diagnosis 173	174	173	Parental Alcohol and Drug Use	2	1	4
Alcohol Secondary Diagnosis 284	284	237				
Drug Principal Diagnosis 176	179	166	CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Secondary Diagnosis 335	318	257	Drug Court Participants	61	87	80
			Probation/Parole AdmissionsDrug	294	258	199
ALCOHOL OUTLETS 2014	2013	2012	Probation/Parole AdmissionsDWI	66	61	72
Alcohol On-Premise Drink Licenses 126	128	136	Prison AdmissionsDrug	135	115	107
Alcohol Package Carry-out Licenses 147	148	156	Prison AdmissionsDWI	26	23	27
EMPLOYMENT 2014	2013	2012	1 All Kansas City hepatitis and TB case report			County
Labor Force 48,746	50,585	48,862	totals and all Joplin case reports are include Beginning with 2010 data, diagnosis counts			es are
Employed 45,435	47,189	45,108	based on codes developed by the Healthcan	e Cost and L	Itilization Proj	ect.
Unemployed 3,311	3,396	3,754	3 Beginning in 2013, juvenile municipal violation court orders are categorized as status offens			

6.8%

6.7%

7.7%

**Unemployment Rate** 

#### **DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES**



DBH REGION Southwest
PSYCHIATRIC SERVICE AREA
CENSUS 2010 112,950
2014 POPULATION ESTIMATE 111,047

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.							
DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012				
Adjustment Disorder	61	70	79				
Anxiety Disorder	788	826	783				
Dementia	*	*	*				
Developmental Disorder	11	17	25				
Impulse Control Disorder	162	166	223				
Mood Disorder	1,100	1,174	1,153				
Personality Disorder	105	124	121				
Psychotic Disorder	244	252	269				
Sexual Disorder	*	*	*				
Other Diagnosis	143	125	135				
Diagnosis Unknown	149	152	133				

Individuals who received psychiatric services had the following types of

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2014	FY2013	FY2012	EDUCATION	FY2014	FY2013	FY2012
Total Individuals	1,661	1,739	1,735	Less than High School Diploma	644	656	356
	,	,	,	High School Grad or G.E.D.	0	0	347
AGE				Associate Degree or Some College	0	0	87
Under 6	12	11	17	Bachelor or Advanced Degree	0	0	17
6 to 9	84	81	90	Education Level Unknown	1,017	1,083	928
10 to 13	126	123	148		.,	.,000	0_0
14 to 17	115	103	129	EMPLOYMENT			
18 to 24	135	161	142	Employed	97	68	90
25 to 29	139	149	141	Unemployed	60	105	614
30 to 34	165	174	143	Not in Labor Force	1,136	1,140	217
35 to 39	156	152	137	Employment Status Unknown	368	426	814
40 to 44	144	163	178				
45 to 49	165	198	200	HOUSING / LIVING ARRANGEMENT			
50 to 54	201	209	184	Independent Living	751	759	715
55 to 59	133	132	132	Dependent Living	515	517	241
60 and Over	86	83	94	Homeless	35	26	16
Age Unknown	0	0	0	Other	0	0	13
0511050				Housing Unknown	360	437	750
GENDER Male	700	750	755				
	736	759	755	TREATMENT REFERRAL SOURCE			
Female	925	980	980	Self / Family / Friend	1,099	1,138	1,189
Gender Unknown	0	0	0	School	*	*	*
RACE / ETHNICITY				Mental Health Provider	63	84	109
Caucasian	1,603	1,682	1,678	Health Care Provider	174	186	170
African American	16	19	16	Court / Criminal Justice	39	41	35
Native American / Alaskan	7	5	6	Other	268	270	211
Asian / Pacific Islander	0	0	0	Referral Source Unknown	15	17	18
Hispanic	9	12	18				
Other Race	26	21	17	TYPE OF COMMITMENT	4 000	4 005	4 000
Race/Ethnicity Unknown	0	0	0	Voluntary	1,629	1,695	1,688
·				Civil	9	18	21
TREATMENT ACCOMMODATION		_	_	Criminal	5	5	5
Hearing Impaired	35	40	31	Sexual Predatory			
Past or Current Military Service	30	36	43	Commitment Type Unknown	15	17	18

			. •	
DBH REGI DBH SERV	ON ICE AREAS	Southwest		IMPAIRED DRIVING Alcohol Involved C
Substar	nce Use	Not Applica	able	Fatal Crashes
Adult Ps	sychiatric	9		Injury Crashes
POPULATI	ON			Property Damage
Census	2010	211,003		Crash Fatalities
2014 Es	stimate	210,998		Crash Injuries
		,		Drug Involved Cras
				Fatal Crashes
	2042	2042	0044	Injury Crashes
BIRTH RISK	2013	2012	2011	Property Damage
Resident BirthsTotal	2,850	2,963	2,881	Crash Fatalities
Mother Reported Smoking while Pregna	ant 572	552	604	Crash Injuries
DISEASE INCIDENCE 1	2013	2012	2011	,
HIV/AIDS Cases	7	7	6	POLICE REPORTS
Hepatitis B Chronic, Acute, Prenatal	23	15	19	DUI Arrests, DWI
Hepatitis C Chronic and Acute	186	150	222	Liquor Law Arrests
Tuberculosis Infection Cases	92	111	122	Drug Arrests
				Violent Offenses
DEATHS and INJURIES	2013	2012	2011	Property Offenses
Resident DeathsTotal	2,218	2,067	2,117	Domestic Violence
Suicides	41	32	33	
Self-inflicted Injuries	223	220	283	Methamphetamine
Homicides	7	11	6	
Assault Injuries	521	596	637	SCHOOL REPORTS
Alcohol Induced Deaths	10	14	5	Enrollment Grades
Drug Induced Deaths	25	15	32	Drop-outs
Smoking Attributable Deaths	438	387	371	Drop-out Rate
				School Discipline I
HOSPITAL EPISODES 2	2013	2012	2011	School Discipline I
Hospitalization, no Emergency Room:				School Discipline I
Mental Illness Principal Diagnosis	1,405	1,410	1,869	JUVENILE COURT R
Mental Illness Secondary Diagnosis	3,547	4,344	5,489	Juvenile Violent Of
Alcohol Principal Diagnosis	130	205	247	Juvenile Alcohol O
Alcohol Secondary Diagnosis	246	329	519	Juvenile Drug Offe
Drug Principal Diagnosis	100	125	152	School Truancy St
Drug Secondary Diagnosis	186	232	313	Absent from Home
Emergency Room + Hospitalization:				Beyond Parental C
Mental Illness Principal Diagnosis	1,125	954	360	Injurious Behavior
Mental Illness Secondary Diagnosis	3,201	2,213	1,080	Child Abuse
Alcohol Principal Diagnosis	263	274	173	Child Neglect
Alcohol Secondary Diagnosis	333	290	157	Child Custody Issu
Drug Principal Diagnosis	228	161	85	Offila Odstody 1884
Drug Secondary Diagnosis	170	151	84	JUVENILE COURT P
Emergency Room, no Hospitalization:				Out-of-Home Place
Mental Illness Principal Diagnosis	1,728	2,060	2,133	Parental Alcohol
Mental Illness Secondary Diagnosis	15,643	14,921	11,860	Parental Drug Us
Alcohol Principal Diagnosis	503	514	413	Parental Alcohol
Alcohol Secondary Diagnosis	662	524	461	
Drug Principal Diagnosis	363	339	292	CRIMINAL JUSTICE
Drug Secondary Diagnosis	660	491	490	Drug Court Particip
				Probation/Parole A
ALCOHOL OUTLETS	2014	2013	2012	Probation/Parole A
Alcohol On-Premise Drink Licenses	184	185	179	Prison Admissions
Alcohol Package Carry-out Licenses	254	204	228	Prison Admissions
EMPLOYMENT	2014	2013	2012	1 All Kansas City h
Labor Force	102,572	102,357	102,047	totals and all Jopl
Employed	97,035	96,371	95,753	2 Beginning with 20 based on codes of
Unemployed	5,537	5,986	6,294	3 Beginning in 2013
Unemployment Rate	5.4%		6.2%	court orders are o
z.io.iip.oj.iioin ridio	J. 70	0.070	J.2 /0	

IMPAIRED DRIVING	2013	2012	2011
Alcohol Involved CrashesTotal	248	242	235
Fatal Crashes	10	4	8
Injury Crashes	106	107	96
Property Damage Crashes	132	131	131
Crash Fatalities	11	5	8
Crash Injuries	147	144	135
Drug Involved CrashesTotal	54	72	72
Fatal Crashes	2	0	3
Injury Crashes	19	26	32
Property Damage Crashes	33	46	37
Crash Fatalities	2	0	3
Crash Injuries	24	36	36
POLICE REPORTS	2013	2012	2011
DUI Arrests, DWI Tracking System	1,637	1,699	1,943
Liquor Law Arrests	279	345	326
Drug Arrests	757	713	705
Violent Offenses	711	820	681
Property Offenses	8,399	8,344	7,221
Domestic Violence Reports	2,229	2,284	2,013
	2014	2013	2012
Methamphetamine Lab Seizures	82	122	145
SCHOOL REPORTS	2013-14	2012-13	2011-12
Enrollment Grades 9-12	10,006	10,008	9,730
Drop-outs	225	245	280
Drop-out Rate	2.2%	2.4%	2.9%
School Discipline Involving Alcohol	15	22	19
School Discipline Involving Drugs School Discipline Involving Tobacco	88 1	70	80
_	ı	0	2
JUVENILE COURT REFERRALS  Juvenile Violent Offenses	<b>2013</b> 149	2012	2011
Juvenile Alcohol Offenses	_	315	282
	32 55	53 101	63 89
Juvenile Drug Offenses School Truancy Status Offense	79	72	118
Absent from Home Status Offense	50	84	76
Beyond Parental Control Status Offense	68	108	103
Injurious Behavior Status Offense	114	122	124
Child Abuse	128	81	107
Child Neglect	830	1,031	984
Child Custody Issues	253	207	39
•			
JUVENILE COURT PLACEMENTS Out-of-Home PlacementsTotal	<b>2013</b> 487	<b>2012</b> 523	<b>2011</b> 550
Parental Alcohol Use Related	467 5	30	22
	ວ 182	183	212
Parental Drug Hee Polated	102		17
Parental Drug Use Related Parental Alcohol and Drug Use	5	10	
Parental Alcohol and Drug Use			
Parental Alcohol and Drug Use  CRIMINAL JUSTICE	5 <b>FY2014</b> 203	FY2013 211	<b>FY2012</b> 164
Parental Alcohol and Drug Use  CRIMINAL JUSTICE  Drug Court Participants	FY2014	FY2013	FY2012
Parental Alcohol and Drug Use  CRIMINAL JUSTICE	<b>FY2014</b> 203	<b>FY2013</b> 211	<b>FY2012</b> 164
Parental Alcohol and Drug Use  CRIMINAL JUSTICE  Drug Court Participants  Probation/Parole AdmissionsDrug	<b>FY2014</b> 203 358	<b>FY2013</b> 211 322	<b>FY2012</b> 164 376

hepatitis and TB case reports are included in Jackson County plin case reports are included in Jasper County totals. 2010 data, diagnosis counts for hospital and ER services are developed by the Healthcare Cost and Utilization Project.

^{13,} juvenile municipal violations, infractions, and violations of categorized as status offenses instead of law violations.

#### **DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES**



DBH REGION Southwest
PSYCHIATRIC SERVICE AREA
9
CENSUS 2010 211,003
2014 POPULATION ESTIMATE 210,998

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.						
DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012			
Adjustment Disorder	218	199	254			
Anxiety Disorder	1,244	1,324	1,122			
Dementia	*	*	5			
Developmental Disorder	41	50	36			
Impulse Control Disorder	645	709	736			
Mood Disorder	1,754	2,086	2,017			
Personality Disorder	474	393	232			
Psychotic Disorder	314	341	375			
Sexual Disorder	16	18	0			
Other Diagnosis	296	263	198			
Diagnosis Unknown	593	668	572			

Individuals who received psychiatric services had the following types of

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2014	FY2013	FY2012	EDUCATION	FY2014	FY2013	FY2012
Total Individuals	3,458	4,228	4,381	Less than High School Diploma	885	887	403
				High School Grad or G.E.D.	0	13	356
AGE				Associate Degree or Some College	0	5	173
Under 6	88	88	74	Bachelor or Advanced Degree	0	0	40
6 to 9	251	315	303	Education Level Unknown	2,573	3,323	3,409
10 to 13	312	347	368		,	-,-	-,
14 to 17	304	365	374	EMPLOYMENT			
18 to 24	299	380	456	Employed	228	223	160
25 to 29	307	409	387	Unemployed	229	224	731
30 to 34	277	383	431	Not in Labor Force	1,487	1,487	267
35 to 39	282	340	379	Employment Status Unknown	1,514	2,294	3,223
40 to 44	312	392	386				
45 to 49	318	384	414	HOUSING / LIVING ARRANGEMENT			
50 to 54	337	416	416	Independent Living	1,028	952	836
55 to 59	217	242	227	Dependent Living	838	774	286
60 and Over	154	167	166	Homeless	59	69	41
Age Unknown	0	0	0	Other	0	*	25
				Housing Unknown	1,533	2,432	3,193
GENDER	4 000	4 000	0.007				
Male	1,623	1,936	2,037	TREATMENT REFERRAL SOURCE			
Female	1,835	2,292	2,344	Self / Family / Friend	2,838	3,421	3,352
Gender Unknown	0	0	0	School	0	6	7
RACE / ETHNICITY				Mental Health Provider	47	88	140
Caucasian	3,133	3,888	4,037	Health Care Provider	190	168	185
African American	89	102	86	Court / Criminal Justice	206	240	335
Native American / Alaskan	15	14	22	Other	161	286	338
Asian / Pacific Islander	7	7	7	Referral Source Unknown	16	19	24
Hispanic	134	114	120				
Other Race	80	103	109	TYPE OF COMMITMENT			
Race/Ethnicity Unknown	0	0	0	Voluntary	3,257	4,002	4,039
race, Zumnen, Criminenni	ŭ	ŭ	Ü	Civil	170	191	307
TREATMENT ACCOMMODATION				Criminal	10	10	10
Hearing Impaired	39	46	60	Sexual Predatory	*	*	0
Past or Current Military Service	53	64	91	Commitment Type Unknown	17	21	25

DBH REG	ION VICE AREAS	Southwest		IMPAIRED DRIVING Alcohol Involved CrashesTotal	<b>2013</b> 566	<b>2012</b> 547	<b>201</b>
	nce Use	Not Applica	able	Fatal Crashes	10	20	1
76°F 7 36 7 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	sychiatric	10		Injury Crashes	224	241	24
POPULAT	•			Property Damage Crashes	332	286	31
Census		520,589		Crash Fatalities	10	21	18
	stimate	537,631		Crash Injuries	300	330	36
		001,001		Drug Involved CrashesTotal	130	137	14
				Fatal Crashes	2	3	
				Injury Crashes	65	64	6
BIRTH RISK	2013	2012	2011	Property Damage Crashes	63	70	7:
Resident BirthsTotal	6,504	6,465	6,527	Crash Fatalities	3	4	
Mother Reported Smoking while Pregn	ant 1,218	1,160	1,221	Crash Injuries	107	96	7
DISEASE INCIDENCE 1	2013	2012	2011	•			
HIV/AIDS Cases	18	31	29	POLICE REPORTS	2013	2012	201
Hepatitis B Chronic, Acute, Prenatal	63	47	46	DUI Arrests, DWI Tracking System	2,727	3,209	2,96
Hepatitis C Chronic and Acute	588	567	587	Liquor Law Arrests	428	551	60
Tuberculosis Infection Cases	174	140	204	Drug Arrests	2,876	2,766	2,41
				Violent Offenses	2,803	2,539	2,24
DEATHS and INJURIES	2013	2012	2011	Property Offenses	22,942	23,175	22,99
Resident DeathsTotal	5,012	4,760	4,637	Domestic Violence Reports	5,332	5,307	5,06
Suicides	80	75	89		2014	2013	201
Self-inflicted Injuries	803	796	796	Methamphetamine Lab Seizures	75	131	17
Homicides	17	23	16	SCHOOL REPORTS	2013-14	2012-13	2011-1
Assault Injuries	1,587	1,738	1,747	Enrollment Grades 9-12	22,584	22,512	22,46
Alcohol Induced Deaths	47	41	42	Drop-outs	311	401	22,40 44
Drug Induced Deaths	92	86	99	Drop-out Rate	1.4%	1.8%	2.0
Smoking Attributable Deaths	869	837	767	School Discipline Involving Alcohol	43	40	5.0
HOSPITAL EDISORES 2	2012	2012	2011	School Discipline Involving Drugs	268	292	23
HOSPITAL EPISODES 2 Hospitalization, no Emergency Room:	2013	2012	2011	School Discipline Involving Tobacco	12	7	5
Mental Illness Principal Diagnosis	2,774	2,539	2,518	Control Dicolphine Inverving Tobacco	12	•	O
Mental Illness Secondary Diagnosis	4,472	4,446	4,255	JUVENILE COURT REFERRALS 3	2013	2012	201
Alcohol Principal Diagnosis	221	180	118	Juvenile Violent Offenses	714	709	80
Alcohol Secondary Diagnosis	216	223	201	Juvenile Alcohol Offenses	94	106	9
Drug Principal Diagnosis	233	246	137	Juvenile Drug Offenses	229	232	26
Drug Secondary Diagnosis	337	295	320	School Truancy Status Offense	63	69	6
Emergency Room + Hospitalization:	001	200	020	Absent from Home Status Offense	135	147	20
Mental Illness Principal Diagnosis	3,108	2,963	2,706	Beyond Parental Control Status Offense	118	184	22
Mental Illness Secondary Diagnosis	10,582	9,746	8,757	Injurious Behavior Status Offense	443	535	60
Alcohol Principal Diagnosis	1,097	1,069	945	Child Abuse	201	205	27
Alcohol Secondary Diagnosis	1,172	1,125	1,036	Child Neglect	891	794	79
Drug Principal Diagnosis	714	778	620	Child Custody Issues	129	129	16
Drug Secondary Diagnosis	969	800	749	JUVENILE COURT PLACEMENTS	2013	2012	201
Emergency Room, no Hospitalization:				Out-of-Home PlacementsTotal	698	589	70
Mental Illness Principal Diagnosis	4,633	4,832	4,897	Parental Alcohol Use Related	20	19	3
Mental Illness Secondary Diagnosis	23,702	23,041	9,506	Parental Drug Use Related	314	252	21
Alcohol Principal Diagnosis	2,034	2,022	1,928	Parental Alcohol and Drug Use	17	21	2
Alcohol Secondary Diagnosis	1,334	1,610	1,499	<b>S</b>			
Drug Principal Diagnosis	1,357	1,443	1,376	CRIMINAL JUSTICE	FY2014	FY2013	FY201
Drug Secondary Diagnosis	1,889	1,908	1,579	Drug Court Participants	1,434	1,168	1,02
				Probation/Parole AdmissionsDrug	1,253	1,085	1,11
ALCOHOL OUTLETS	2014	2013	2012	Probation/Parole AdmissionsDWI	217	235	23
Alcohol On-Premise Drink Licenses	577	567	588	Prison AdmissionsDrug	607	617	58
Alcohol Package Carry-out Licenses	452	399	465	Prison AdmissionsDWI	86	91	8
<b>EMPLOYMENT</b>	2014	2013	2012	1 All Kansas City hepatitis and TB case repor			
Labor Force	266,370	264,447	264,229	totals and all Joplin case reports are include			
Employed	251,028	248,209	246,428	2 Beginning with 2010 data, diagnosis counts based on codes developed by the Healthcar			
Unemployed	15,342	16,238	17,801	3 Beginning in 2013, juvenile municipal violati	ons, infractio	ns, and viola	tions of
Unemployment Rate	5.8%		6.7%	court orders are categorized as status offen	ses instead c	T law violation	ns.
· · · · · · · · · · · · · · · · · · ·	2.270						

lasper County totals. ospital and ER services are

2,964

2,415

2,240

22,992

5,067 

2011-12

22,461

2.0%

FY2012

1,028

1,111

st and Utilization Project.

nfractions, and violations of stead of law violations.

#### **DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES**



PSYCHIATRIC SERVICE AREA 10
CENSUS 2010 520,589
2014 POPULATION ESTIMATE 537,631

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder. FY2014 FY2013 FY2012 **DIAGNOSIS CATEGORY** Adjustment Disorder 135 139 185 **Anxiety Disorder** 1,404 1,392 1,526 Dementia 20 14 17 **Developmental Disorder** 97 108 118 Impulse Control Disorder 405 398 470 Mood Disorder 2,352 2,217 2,243 Personality Disorder 543 467 508 Psychotic Disorder 921 893 945 12 9 Sexual Disorder Other Diagnosis 415 358 376

284

313

551

Individuals who received psychiatric services had the following types of

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

Diagnosis Unknown

NUMBER SERVED	FY2014	FY2013	FY2012	EDUCATION	FY2014	FY2013	FY2012
Total Individuals	3,654	3,615	3,965	Less than High School Diploma	949	890	738
				High School Grad or G.E.D.	*	*	722
AGE	400	407	400	Associate Degree or Some College	0	*	327
Under 6	109	107	122	Bachelor or Advanced Degree	0	0	87
6 to 9	177	200	284	Education Level Unknown	2,704	2,722	2,091
10 to 13	187	202	247		•	,	,
14 to 17	166	178	283	EMPLOYMENT			
18 to 24	257	244	217	Employed	130	89	190
25 to 29	272	272	265	Unemployed	143	141	1,426
30 to 34	362	368	357	Not in Labor Force	1,990	2,096	620
35 to 39	381	365	348	Employment Status Unknown	1,391	1,289	1,729
40 to 44	352	352	392				
45 to 49	428	435	471	HOUSING / LIVING ARRANGEMENT			
50 to 54	419	384	417	Independent Living	1,172	1,190	1,551
55 to 59	301	281	296	Dependent Living	966	1,023	696
60 and Over	243	227	266	Homeless	70	107	54
Age Unknown	0	0	0	Other	0	*	41
oswo-s				Housing Unknown	1,446	1,294	1,623
GENDER	4 705	4 7 4 7	4 074				
Male	1,725	1,747	1,871	TREATMENT REFERRAL SOURCE			
Female	1,929	1,868	2,094	Self / Family / Friend	1,913	2,028	2,550
Gender Unknown	0	0	0	School	15	19	30
RACE / ETHNICITY				Mental Health Provider	158	154	147
Caucasian	3,249	3,222	3,566	Health Care Provider	594	487	394
African American	146	129	119	Court / Criminal Justice	251	230	132
Native American / Alaskan	11	7	15	Other	652	623	629
Asian / Pacific Islander	8	7	12	Referral Source Unknown	71	74	83
Hispanic	80	75	61				
Other Race	160	175	192	TYPE OF COMMITMENT			
Race/Ethnicity Unknown	0	0	0	Voluntary	3,536	3,480	3,804
•	ŭ	Ü	•	Civil	13	30	34
TREATMENT ACCOMMODATION				Criminal	32	29	39
Hearing Impaired	120	116	126	Sexual Predatory	*	*	*
Past or Current Military Service	106	102	101	Commitment Type Unknown	71	74	86

DBH REGION	V	Central		IMPAIRED DRIVING	2013	2012	2011
DBH SERVIC				Alcohol Involved CrashesTotal	281	269	275
Substance		Not Applica	able	Fatal Crashes	20	13	15
Adult Psy		11		Injury Crashes	127	119	121
POPULATION				Property Damage Crashes	134	137	139
Census 2		246,463		Crash Fatalities	22	13	15
2014 Esti	mate	248,297		Crash Injuries	193	177	175
				Drug Involved CrashesTotal	54	40	46
Z1.7				Fatal Crashes	1	2	3
BIRTH RISK	2013	2012	2011	Injury Crashes	28	14	15
Resident BirthsTotal	3,058	3,071	3,055	Property Damage Crashes	25	24	28
Mother Reported Smoking while Pregnan	t 630	684	660	Crash Fatalities	1	2	3
DISSACE WOLDSWOOD 1	2042	2012	2011	Crash Injuries	39	19	18
DISEASE INCIDENCE 1	2013	2012	2011	POLICE REPORTS	2013	2012	2011
HIV/AIDS Cases	10	7	9	DUI Arrests, DWI Tracking System	1,255	1,521	1,708
Hepatitis B Chronic, Acute, Prenatal	22	17	19	Liquor Law Arrests	425	465	488
Hepatitis C Chronic and Acute	202	174	184 58	Drug Arrests	1,596	1,359	1,245
Tuberculosis Infection Cases	79	66	58	Violent Offenses	667	828	878
DEATHS and INJURIES	2013	2012	2011	Property Offenses	5,325	5,887	5,849
Resident DeathsTotal	2,176	2,184	2,092	Domestic Violence Reports	1,769	2,013	1,863
Suicides	37	41	33	•	2014	2013	2012
Self-inflicted Injuries	276	257	277	Methamphetamine Lab Seizures	35	42	43
Homicides	14	9	10	·			
Assault Injuries	656	792	771	SCHOOL REPORTS	2013-14	2012-13	2011-12
Alcohol Induced Deaths	12	18	17	Enrollment Grades 9-12	11,392	11,531	11,548
Drug Induced Deaths	29	35	32	Drop-outs	200	216	270
Smoking Attributable Deaths	407	427	402	Drop-out Rate	1.8%	1.9%	2.3%
_				School Discipline Involving Alcohol	28	21	56
HOSPITAL EPISODES 2	2013	2012	2011	School Discipline Involving Drugs	103	97	160
Hospitalization, no Emergency Room:				School Discipline Involving Tobacco	3	8	7
Mental Illness Principal Diagnosis	1,302	1,143	1,063	JUVENILE COURT REFERRALS 3	2013	2012	2011
Mental Illness Secondary Diagnosis	2,607	2,423	2,306	Juvenile Violent Offenses	189	271	330
Alcohol Principal Diagnosis	80	58	42	Juvenile Alcohol Offenses	45	70	68
Alcohol Secondary Diagnosis	186	152	145	Juvenile Drug Offenses	77	80	118
Drug Principal Diagnosis	104	104	52	School Truancy Status Offense	188	292	349
Drug Secondary Diagnosis	170	163	145	Absent from Home Status Offense	97	125	132
Emergency Room + Hospitalization:				Beyond Parental Control Status Offense	55	63	79
Mental Illness Principal Diagnosis	909	1,021	839	Injurious Behavior Status Offense	275	364	468
Mental Illness Secondary Diagnosis	3,418	3,960	4,062	Child Abuse	360	571	641
Alcohol Principal Diagnosis	207	251	269	Child Neglect	515	800	879
Alcohol Secondary Diagnosis	429	401	438	Child Custody Issues	9	8	3
Drug Principal Diagnosis	135	129	150	###### 5 00 UDT 01 4 051 451 TO	2042	2012	2011
Drug Secondary Diagnosis	206	220	227	JUVENILE COURT PLACEMENTS	2013	2012	2011
Emergency Room, no Hospitalization:	2.045	1.050	1.016	Out-of-Home PlacementsTotal	330	293	310
Mental Illness Principal Diagnosis	2,045	1,959	1,916	Parental Alcohol Use Related Parental Drug Use Related	10 73	4 78	7 101
Mental Illness Secondary Diagnosis	9,068	5,730	4,592	3			101
Alcohol Principal Diagnosis	430	395	430	Parental Alcohol and Drug Use	21	13	
Alcohol Secondary Diagnosis	511 369	399 379	390 383	CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Principal Diagnosis Drug Secondary Diagnosis	369 427	379 471	383 306	Drug Court Participants	135	145	130
Drug Secondary Diagnosis	421	4/1	300	Probation/Parole AdmissionsDrug	724	668	536
ALCOHOL OUTLETS	2014	2013	2012	Probation/Parole AdmissionsDWI	108	133	152
Alcohol On-Premise Drink Licenses	409	414	403	Prison AdmissionsDrug	388	318	278
Alcohol Package Carry-out Licenses	270	280	284	Prison AdmissionsDWI	48	58	70
ENADLO VA AFAIT	2014	2012	2012	1 All Kansas City hepatitis and TB case report	ts are include	ed in Jackson	County
EMPLOYMENT Labor Force	2014	2013	2012	totals and all Joplin case reports are include	ed in Jasper C	County totals.	
Employed	108,546 101,406	116,343 108,366	112,982 104,696	2 Beginning with 2010 data, diagnosis counts based on codes developed by the Healthcar			
Lingitud	7 4 4 0	7,077	104,090	3 Beginning in 2013, juvenile municipal violati			

7,140

6.6%

7,977

6.9%

8,286

7.3%

Unemployed

**Unemployment Rate** 

3 Beginning in 2013, juvenile municipal violations, infractions, and violations of

#### **DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES**



DBH REGION Central
PSYCHIATRIC SERVICE AREA 11
CENSUS 2010 246,463
2014 POPULATION ESTIMATE 248,297

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder. FY2014 FY2013 FY2012 **DIAGNOSIS CATEGORY** Adjustment Disorder 93 83 69 **Anxiety Disorder** 836 977 1,141 Dementia 0 **Developmental Disorder** 29 16 16 Impulse Control Disorder 278 265 234 Mood Disorder 1,525 1,417 1,272 Personality Disorder 101 99 90 Psychotic Disorder 360 341 344 Sexual Disorder 6 Other Diagnosis 170 152 124 Diagnosis Unknown 151 107 173

Individuals who received psychiatric services had the following types of

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2014	FY2013	FY2012	EDUCATION	FY2014	FY2013	FY2012
Total Individuals	2,294	2,061	1,933	Less than High School Diploma	841	795	466
	_,_ :	_,	,,,,,,	High School Grad or G.E.D.	0	6	420
AGE				Associate Degree or Some College	0	*	156
Under 6	39	22	15	Bachelor or Advanced Degree	0	*	27
6 to 9	131	98	86	Education Level Unknown	1,453	1,254	864
10 to 13	189	152	170	Eddodion Eover Children	1,100	1,201	001
14 to 17	210	218	171	EMPLOYMENT			
18 to 24	171	178	162	Employed	117	114	134
25 to 29	171	159	146	Unemployed	178	199	809
30 to 34	210	176	169	Not in Labor Force	1,398	1,371	284
35 to 39	194	150	159	Employment Status Unknown	601	377	706
40 to 44	196	194	157				
45 to 49	224	206	226	HOUSING / LIVING ARRANGEMENT			
50 to 54	243	218	205	Independent Living	983	1,009	969
55 to 59	172	150	135	Dependent Living	711	687	362
60 and Over	144	140	132	Homeless	26	33	12
Age Unknown	0	0	0	Other	0	0	17
				Housing Unknown	574	332	573
GENDER	4.040	000	000				
Male	1,042	909	862	TREATMENT REFERRAL SOURCE			
Female	1,252	1,152	1,071	Self / Family / Friend	1,414	1,170	1,057
Gender Unknown	0	0	0	School	8	7	*
RACE / ETHNICITY				Mental Health Provider	143	168	186
Caucasian	2,071	1,835	1,719	Health Care Provider	254	271	243
African American	124	118	116	Court / Criminal Justice	152	133	127
Native American / Alaskan	7	12	7	Other	321	311	316
Asian / Pacific Islander	*	5	*	Referral Source Unknown	*	*	*
Hispanic	40	33	35				
Other Race	49	58	53	TYPE OF COMMITMENT			
Race/Ethnicity Unknown	0	0	0	Voluntary	2,265	2,034	1,905
	_	-	·	Civil	7	8	8
TREATMENT ACCOMMODATION				Criminal	19	14	18
Hearing Impaired	78	76	66	Sexual Predatory	*	*	*
Past or Current Military Service	56	54	46	Commitment Type Unknown	*	*	*

DBH REGIO	N	Central		IMPAIRED DRIVING	2013	2012	2011
DBH SERVICE	CE AREAS			Alcohol Involved CrashesTotal	367	345	319
Substance	e Use	Not Applica	able	Fatal Crashes	12	14	13
Adult Psy		12		Injury Crashes	152	157	118
POPULATIO				Property Damage Crashes	203	174	188
Census 2		334,670		Crash Fatalities	15	14	15
2014 Esti	imate	343,938		Crash Injuries	196	221	181
				Drug Involved CrashesTotal	56	53	48
<u> </u>				Fatal Crashes	3	2	6
BIRTH RISK	2013	2012	2011	Injury Crashes	19	30	18
Resident BirthsTotal	4,320	4,291	4,260	Property Damage Crashes	34	21	24
Mother Reported Smoking while Pregnan	t 804	801	812	Crash Fatalities	3	3	7
1	2042	2042	2014	Crash Injuries	23	50	21
DISEASE INCIDENCE 1	2013	2012	2011	POLICE REPORTS	2013	2012	2011
HIV/AIDS Cases	8	8	11	DUI Arrests, DWI Tracking System	1,831	2,113	2,036
Hepatitis B Chronic, Acute, Prenatal	41	37	26	Liquor Law Arrests	819	1,022	1,137
Hepatitis C Chronic and Acute	228	246	245 321	Drug Arrests	2,135	2,333	2,166
Tuberculosis Infection Cases	451	287	321	Violent Offenses	965	1,044	1,121
DEATHS and INJURIES	2013	2012	2011	Property Offenses	9,980	10,158	9,774
Resident DeathsTotal	2,993	2,788	2,940	Domestic Violence Reports	2,656	2,898	2,825
Suicides	56	48	45	·	2014	2013	2012
Self-inflicted Injuries	398	378	332	Methamphetamine Lab Seizures	25	23	49
Homicides	12	10	12				
Assault Injuries	981	985	1,025	SCHOOL REPORTS	2013-14	2012-13	2011-12
Alcohol Induced Deaths	15	19	18	Enrollment Grades 9-12	14,038	14,096	14,050
Drug Induced Deaths	42	37	43	Drop-outs	264	278	364
Smoking Attributable Deaths	509	470	483	Drop-out Rate	1.9%	2.0%	2.6%
_				School Discipline Involving Alcohol	3	10	12
HOSPITAL EPISODES 2	2013	2012	2011	School Discipline Involving Drugs	53	78	65
Hospitalization, no Emergency Room:				School Discipline Involving Tobacco	0	1	2
Mental Illness Principal Diagnosis	1,647	1,632	1,618	JUVENILE COURT REFERRALS 3	2013	2012	2011
Mental Illness Secondary Diagnosis	5,188	6,279	6,614	Juvenile Violent Offenses	505	539	553
Alcohol Principal Diagnosis	157	153	160	Juvenile Alcohol Offenses	57	53	51
Alcohol Secondary Diagnosis	413	451	518	Juvenile Drug Offenses	176	183	173
Drug Principal Diagnosis	68	88	73	School Truancy Status Offense	218	340	286
Drug Secondary Diagnosis	300	311	303	Absent from Home Status Offense	264	234	172
Emergency Room + Hospitalization:	1 601	1 504	1 227	Beyond Parental Control Status Offense	322	470	451
Mental Illness Principal Diagnosis  Mental Illness Secondary Diagnosis	1,621	1,504	1,227	Injurious Behavior Status Offense	575	660	680
	4,294	3,439	2,551 340	Child Abuse	140	162	136
Alcohol Principal Diagnosis  Alcohol Secondary Diagnosis	458	404		Child Neglect	435	529	360
Drug Principal Diagnosis	538 207	418 195	335 197	Child Custody Issues	71	96	90
Drug Secondary Diagnosis	297	232	206	JUVENILE COURT PLACEMENTS	2013	2012	2011
Emergency Room, no Hospitalization:	231	232	200	Out-of-Home PlacementsTotal	348	385	322
Mental Illness Principal Diagnosis	2,723	2,466	2,370	Parental Alcohol Use Related	9	10	24
Mental Illness Secondary Diagnosis	10,739	8,708	8,676	Parental Drug Use Related	120	155	65
Alcohol Principal Diagnosis	671	549	487	Parental Alcohol and Drug Use	9	7	11
Alcohol Secondary Diagnosis	947	683	613	Taroniar / nooner and Drug Coo	Ü	•	• • •
Drug Principal Diagnosis	357	380	313	CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Secondary Diagnosis	780	553	532	Drug Court Participants	344	398	404
-g	. 00	300		Probation/Parole AdmissionsDrug	822	822	740
ALCOHOL OUTLETS	2014	2013	2012	Probation/Parole AdmissionsDWI	152	175	207
Alcohol On-Premise Drink Licenses	454	452	448	Prison AdmissionsDrug	510	452	440
Alcohol Package Carry-out Licenses	322	327	332	Prison AdmissionsDWI	92	105	116
EMPLOYMENT	2014	2013	2012	1 All Kansas City hepatitis and TB case report	ts are include	ed in Jackson	County
Labor Force	176,998	178,245	174,480	totals and all Joplin case reports are include	ed in Jasper C	County totals.	·
Employed	167,922	168,800	164,420	2 Beginning with 2010 data, diagnosis counts based on codes developed by the Healthcar			
Unampleyed	0.076	0.445	10-1,-20	3 Beginning in 2013, juvenile municipal violati			

9,076

5.1%

9,445

5.3%

10,060

5.8%

Unemployed

**Unemployment Rate** 

3 Beginning in 2013, juvenile municipal violations, infractions, and violations of

#### **DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES**



DBH REGION Central
PSYCHIATRIC SERVICE AREA 12
CENSUS 2010 334,670
2014 POPULATION ESTIMATE 343,938

served because some individuals had more than one type of disorder.										
DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012							
Adjustment Disorder	154	120	124							
Anxiety Disorder	1,723	1,621	1,682							
Dementia	8	*	8							
Developmental Disorder	70	52	59							
Impulse Control Disorder	520	464	517							
Mood Disorder	2,384	2,332	2,375							
Personality Disorder	370	370	369							
Psychotic Disorder	620	632	616							
Sexual Disorder	12	11	5							
Other Diagnosis	252	203	193							
Diagnosis Unknown	195	241	375							

Individuals who received psychiatric services had the following types of

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2014	FY2013	FY2012	EDUCATION	FY2014	FY2013	FY2012
Total Individuals	3,516	3,507	3,699	Less than High School Diploma	1,120	1,037	746
4.05				High School Grad or G.E.D.	*	13	792
AGE	20	40	40	Associate Degree or Some College	0	*	404
Under 6	22	18	19	Bachelor or Advanced Degree	0	*	96
6 to 9	155	111	122	Education Level Unknown	2,395	2,452	1,661
10 to 13	232	220	222				
14 to 17	252	247	259	EMPLOYMENT			
18 to 24	272	326	408	Employed	327	313	342
25 to 29	286	304	351	Unemployed	299	473	1,583
30 to 34	339	342	369	Not in Labor Force	2,338	2,072	478
35 to 39	315	313	314	Employment Status Unknown	552	649	1,296
40 to 44	322	359	369				
45 to 49	378	393	405	HOUSING / LIVING ARRANGEMENT			
50 to 54	378	350	358	Independent Living	1,924	1,847	1,898
55 to 59	293	268	268	Dependent Living	896	887	518
60 and Over	272	256	235	Homeless	100	101	50
Age Unknown	0	0	0	Other	0	*	51
				Housing Unknown	596	671	1,182
GENDER	4.504	4 0 4 0	4.07.4				
Male	1,591	1,610	1,674	TREATMENT REFERRAL SOURCE			
Female	1,925	1,897	2,025	Self / Family / Friend	1,599	1,475	1,787
Gender Unknown	0	0	0	School	22	22	14
RACE / ETHNICITY				Mental Health Provider	323	317	348
Caucasian	2,711	2,696	2,912	Health Care Provider	808	965	895
African American	602	609	575	Court / Criminal Justice	286	312	250
Native American / Alaskan	*	6	8	Other	470	407	396
Asian / Pacific Islander	12	10	12	Referral Source Unknown	8	9	9
Hispanic	54	64	53			•	•
Other Race	133	122	139	TYPE OF COMMITMENT			
Race/Ethnicity Unknown	0	0	0	Voluntary	3,447	3,439	3,626
raco, Ethnoly Oliviowi	O	U	0	Civil	11	9	12
TREATMENT ACCOMMODATION				Criminal	45	45	46
Hearing Impaired	114	112	103	Sexual Predatory	*	5	5
Past or Current Military Service	90	90	94	Commitment Type Unknown	9	9	10

	_		- •				
DBH REGION		Western		IMPAIRED DRIVING	2013	2012	2011
DBH SERVICE A	AREAS			Alcohol Involved CrashesTotal	79	65	76
Substance L	Jse	Not Applicab	le	Fatal Crashes	3	3	4
Adult Psychi	iatric	13		Injury Crashes	32	33	34
POPULATION				Property Damage Crashes	44	29	38
Census 201	0	80,509		Crash Fatalities	4	3	6
2014 Estima	ate	78,490		Crash Injuries	43	44	43
				Drug Involved CrashesTotal	21	17	11
717				Fatal Crashes	0	0	1
BIRTH RISK	2013	2012	2011	Injury Crashes	10	10	5
Resident BirthsTotal	970	954	893	Property Damage Crashes	11	7	5
Mother Reported Smoking while Pregnant	236	246	226	Crash Fatalities	0	0	1
mound reported emoking wine riegitant	200	210	220	Crash Injuries	12	13	5
DISEASE INCIDENCE 1	2013	2012	2011	201105 2520250	2042	2042	2011
HIV/AIDS Cases	3	0	0	POLICE REPORTS	2013	2012	2011
Hepatitis B Chronic, Acute, Prenatal	7	8	2	DUI Arrests, DWI Tracking System	396	390	414
Hepatitis C Chronic and Acute	32	37	43	Liquor Law Arrests	72	91	168
Tuberculosis Infection Cases	8	7	13	Drug Arrests	391	381	374
				Violent Offenses	179	128	158
DEATHS and INJURIES	2013	2012	2011	Property Offenses	1,275	1,403	1,228
Resident DeathsTotal	975	979	977	Domestic Violence Reports	460	498	482
Suicides	12	14	14	Mathamahatanina Lah Cairuma	2014	2013	2012
Self-inflicted Injuries	119	112	105	Methamphetamine Lab Seizures	1	4	10
Homicides	0	4	6	SCHOOL REPORTS	2013-14	2012-13	2011-12
Assault Injuries	180	172	179	Enrollment Grades 9-12	3,672	3,734	3,725
Alcohol Induced Deaths	1	3	4	Drop-outs	31	49	53
Drug Induced Deaths	12	9	6	Drop-out Rate	0.8%	1.3%	1.4%
Smoking Attributable Deaths	185	191	187	School Discipline Involving Alcohol	2	15	7
HOSPITAL EPISODES 2	2013	2012	2011	School Discipline Involving Drugs	8	13	18
Hospitalization, no Emergency Room:				School Discipline Involving Tobacco	0	0	0
Mental Illness Principal Diagnosis	575	555	527	2			
Mental Illness Secondary Diagnosis	1,539	1,774	2,014	JUVENILE COURT REFERRALS 3	2013	2012	2011
Alcohol Principal Diagnosis	21	25	45	Juvenile Violent Offenses	75	68	60
Alcohol Secondary Diagnosis	137	107	131	Juvenile Alcohol Offenses	6	15	26
Drug Principal Diagnosis	33	23	31	Juvenile Drug Offenses	14	16	17
Drug Secondary Diagnosis	91	120	65	School Truancy Status Offense	204	188	241
Emergency Room + Hospitalization:				Absent from Home Status Offense	15	20	11
Mental Illness Principal Diagnosis	166	160	144	Beyond Parental Control Status Offense	54	71	70
Mental Illness Secondary Diagnosis	877	916	755	Injurious Behavior Status Offense	116	96	99
Alcohol Principal Diagnosis	11	26	25	Child Abuse	89	68	91
Alcohol Secondary Diagnosis	84	112	73	Child Neglect	215	184	171
Drug Principal Diagnosis	15	30	23	Child Custody Issues	3	0	12
Drug Secondary Diagnosis	51	62	47	JUVENILE COURT PLACEMENTS	2013	2012	2011
Emergency Room, no Hospitalization:				Out-of-Home PlacementsTotal	113	130	96
Mental Illness Principal Diagnosis	749	767	639	Parental Alcohol Use Related	0	5	6
Mental Illness Secondary Diagnosis	2,039	2,204	1,848	Parental Drug Use Related	32	39	17
Alcohol Principal Diagnosis	60	114	101	Parental Alcohol and Drug Use	4	3	3
Alcohol Secondary Diagnosis	143	139	142	•			
Drug Principal Diagnosis	90	94	70	CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Secondary Diagnosis	151	142	120	Drug Court Participants	95	98	94
				Probation/Parole AdmissionsDrug	266	246	210
ALCOHOL OUTLETS	2014	2013	2012	Probation/Parole AdmissionsDWI	46	40	41
Alcohol On-Premise Drink Licenses	79	91	89	Prison AdmissionsDrug	185	151	140
Alcohol Package Carry-out Licenses	103	103	107	Prison AdmissionsDWI	31	33	27
EMPLOYMENT	2014	2013	2012	1 All Kansas City hepatitis and TB case report			County
Labor Force	36,976	38,835	37,641	totals and all Joplin case reports are include Beginning with 2010 data, diagnosis counts			es are
Employed	34,791	36,513	35,119	based on codes developed by the Healthcar	e Cost and L	<b>Jtilization Proj</b>	ect.
Unemployed	2,185	2,322	2,522	3 Beginning in 2013, juvenile municipal violation court orders are categorized as status offens			

5.9%

6.0%

6.7%

**Unemployment Rate** 

#### **DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES**



DBH REGION Western
PSYCHIATRIC SERVICE AREA
CENSUS 2010 80,509
2014 POPULATION ESTIMATE 78,490

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder. FY2014 FY2013 FY2012 **DIAGNOSIS CATEGORY** Adjustment Disorder 40 35 37 **Anxiety Disorder** 585 669 615 Dementia 6 6 **Developmental Disorder** 43 42 41 238 Impulse Control Disorder 244 243 Mood Disorder 869 976 889 Personality Disorder 148 145 170 Psychotic Disorder 146 163 173

6

135

43

6

161

0

123

87

Individuals who received psychiatric services had the following types of

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

Sexual Disorder

Other Diagnosis

Diagnosis Unknown

NUMBER SERVED	FY2014	FY2013	FY2012	EDUCATION	FY2014	FY2013	FY2012
Total Individuals	1,265	1,236	1,382	Less than High School Diploma	492	474	210
	,	*	,	High School Grad or G.E.D.	18	54	268
AGE				Associate Degree or Some College	*	8	67
Under 6	6	9	7	Bachelor or Advanced Degree	0	0	13
6 to 9	81	77	73	Education Level Unknown	753	700	824
10 to 13	133	129	124				
14 to 17	119	125	115	EMPLOYMENT			
18 to 24	121	117	116	Employed	126	119	87
25 to 29	84	71	107	Unemployed	131	170	399
30 to 34	101	99	110	Not in Labor Force	858	775	173
35 to 39	96	84	103	Employment Status Unknown	150	172	723
40 to 44	113	110	144				
45 to 49	92	108	118	HOUSING / LIVING ARRANGEMENT			
50 to 54	119	98	125	Independent Living	661	612	485
55 to 59	91	94	119	Dependent Living	441	434	227
60 and Over	109	115	121	Homeless	11	15	*
Age Unknown	0	0	0	Other	0	0	6
6511050				Housing Unknown	152	175	662
GENDER Male	500	507	507				
	563	527	567	TREATMENT REFERRAL SOURCE			
Female	702	709	815	Self / Family / Friend	647	590	598
Gender Unknown	0	0	0	School	22	27	19
RACE / ETHNICITY				Mental Health Provider	95	115	167
Caucasian	1,205	1,182	1,325	Health Care Provider	228	234	302
African American	19	14	20	Court / Criminal Justice	116	101	113
Native American / Alaskan	*	*	*	Other	150	162	172
Asian / Pacific Islander	0	0	0	Referral Source Unknown	7	7	11
Hispanic	21	22	19				
Other Race	17	16	16	TYPE OF COMMITMENT			
Race/Ethnicity Unknown	0	0	0	Voluntary	1,255	1,223	1,367
•				Civil	*	*	*
TREATMENT ACCOMMODATION		_	_	Criminal	*		*
Hearing Impaired	28	32	29	Sexual Predatory	0	0	0
Past or Current Military Service	26	21	33	Commitment Type Unknown	7	7	11

1 0 1 0 mATMO	OLIVIOL	/\\ <b>L</b> /\	1 1 7				
	DBH REGION	Central		IMPAIRED DRIVING	2013	2012	2011
	DBH SERVICE AREAS			Alcohol Involved CrashesTotal	79	107	85
	Substance Use	Not Applica	ıble	Fatal Crashes	3	4	3
	Adult Psychiatric	14		Injury Crashes	34	56	43
	POPULATION			Property Damage Crashes	42	47	39
	Census 2010	107,082		Crash Fatalities	3	4	3
	2014 Estimate	106,397		Crash Injuries	45	84	64
				Drug Involved CrashesTotal	14	19	21
				Fatal Crashes	2	1	0
BIRTH RISK	2013	2012	2011	Injury Crashes	6	6	7
Resident BirthsTotal	1,297	1,223	1,281	Property Damage Crashes	6	12	14
Mother Reported Smoking wh	nile Pregnant 309	291	308	Crash Fatalities Crash Injuries	2 10	1 12	0 13
DISEASE INCIDENCE 1	2013	2012	2011	Orașii injunes	10	12	10
HIV/AIDS Cases	3	4	3	POLICE REPORTS	2013	2012	2011
Hepatitis B Chronic, Acute, P		5	2	DUI Arrests, DWI Tracking System	497	662	680
Hepatitis C Chronic and Acute		56	62	Liquor Law Arrests	241	373	408
Tuberculosis Infection Cases	19	18	24	Drug Arrests	548	620	603
				Violent Offenses	209	204	260
DEATHS and INJURIES	2013	2012	2011	Property Offenses	2,697	2,849	2,861
Resident DeathsTotal	1,149	1,180	1,143	Domestic Violence Reports	545	637	803
Suicides	24	14	15	Mathamatan tan Lab Ostanaa	2014	2013	2012
Self-inflicted Injuries	131	138	119	Methamphetamine Lab Seizures	70	118	103
Homicides	4	2	0	SCHOOL REPORTS	2013-14	2012-13	2011-12
Assault Injuries Alcohol Induced Deaths	176 6	219 2	219 2	Enrollment Grades 9-12	4,796	4,828	4,779
Drug Induced Deaths	15	14	2 14	Drop-outs	57	77	78
Smoking Attributable Deaths	207	198	197	Drop-out Rate	1.2%	1.6%	1.6%
Smoking Attributable Deaths	207	190	191	School Discipline Involving Alcohol	2	2	9
HOSPITAL EPISODES 2	2013	2012	2011	School Discipline Involving Drugs	8	15	11
Hospitalization, no Emergency	y Room:			School Discipline Involving Tobacco	0	0	2
Mental Illness Principal Diag	nosis 515	543	604	JUVENILE COURT REFERRALS 3	2013	2012	2011
Mental Illness Secondary Dia	agnosis 1,958	2,251	2,530	Juvenile Violent Offenses	121	119	89
Alcohol Principal Diagnosis	47	45	73	Juvenile Alcohol Offenses	25	42	37
Alcohol Secondary Diagnosi		140	176	Juvenile Drug Offenses	37	26	30
Drug Principal Diagnosis	22	21	35	School Truancy Status Offense	220	172	131
Drug Secondary Diagnosis	95	72	82	Absent from Home Status Offense	14	19	15
Emergency Room + Hospitalia		405	4.40	Beyond Parental Control Status Offense	117	136	125
Mental Illness Principal Diag		165	142	Injurious Behavior Status Offense	281	335	411
Mental Illness Secondary Dia Alcohol Principal Diagnosis		1,042	389 12	Child Abuse	80	105	137
Alcohol Secondary Diagnosi	31 s 105	38 109	51	Child Neglect	396	439	441
Drug Principal Diagnosis	26	36	17	Child Custody Issues	0	4	6
Drug Secondary Diagnosis	58	58	17	JUVENILE COURT PLACEMENTS	2013	2012	2011
Emergency Room, no Hospita		00	.,	Out-of-Home PlacementsTotal	227	180	157
Mental Illness Principal Diag		677	649	Parental Alcohol Use Related	5	0	1
Mental Illness Secondary Dia		1,043	1,763	Parental Drug Use Related	114	81	46
Alcohol Principal Diagnosis	209	210	178	Parental Alcohol and Drug Use	12	9	3
Alcohol Secondary Diagnosi	s 114	116	102	•			
Drug Principal Diagnosis	96	89	97	CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Secondary Diagnosis	76	65	65	Drug Court Participants	140	156	142
				Probation/Parole Admissions Drug	316	325	255
ALCOHOL OUTLETS	2014	2013	2012	Prices Admissions - Drug	61 192	75 191	84 160
Alcohol On-Premise Drink Lic		153	159	Prison AdmissionsDrug Prison AdmissionsDWI	183 26	181 29	160 46
Alcohol Package Carry-out Li	censes 134	128	135	I HOUL AUTHOOLUBDAAL	20	29	40
<b>EMPLOYMENT</b>	2014	2013	2012	1 All Kansas City hepatitis and TB case report			County
Labor Force	50,918	55,288	52,384	totals and all Joplin case reports are include Beginning with 2010 data, diagnosis counts			es are
Employed	47,938	52,170	49,181	based on codes developed by the Healthcar	e Cost and L	Jtilization Proj	ject.
Unemployed	2,980	3,118	3,203	3 Beginning in 2013, juvenile municipal violati court orders are categorized as status offen:			
Unomployment Pate	5.09/	5 69/	6 10/				

5.9%

**Unemployment Rate** 

5.6%

6.1%

#### **DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES**



DBH REGION Central
PSYCHIATRIC SERVICE AREA 14
CENSUS 2010 107,082
2014 POPULATION ESTIMATE 106,397

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder. FY2014 FY2013 FY2012 **DIAGNOSIS CATEGORY** Adjustment Disorder 41 55 43 **Anxiety Disorder** 538 409 376 Dementia **Developmental Disorder** 63 49 36 Impulse Control Disorder 501 381 356 Mood Disorder 1,075 961 981 Personality Disorder 127 76 66 Psychotic Disorder 322 323 317 Sexual Disorder Other Diagnosis 222 173 158

127

113

201

Individuals who received psychiatric services had the following types of

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

Diagnosis Unknown

NUMBER SERVED	FY2014	FY2013	FY2012	EDUCATION	FY2014	FY2013	FY2012
Total Individuals	1,677	1,637	1,718	Less than High School Diploma	701	702	402
. otala.r.caa.o	.,0	.,00.	.,	High School Grad or G.E.D.	0	36	456
AGE				Associate Degree or Some College	0	7	107
Under 6	6	8	13	Bachelor or Advanced Degree	0	0	23
6 to 9	97	98	99	Education Level Unknown	976	892	730
10 to 13	141	134	143	Education Edver Children	0.0	002	100
14 to 17	169	164	166	EMPLOYMENT			
18 to 24	176	143	187	Employed	105	128	158
25 to 29	121	137	152	Unemployed	84	123	720
30 to 34	153	151	145	Not in Labor Force	1,237	1,176	197
35 to 39	151	142	150	Employment Status Unknown	251	210	643
40 to 44	147	144	142				
45 to 49	152	163	182	HOUSING / LIVING ARRANGEMENT			
50 to 54	158	151	144	Independent Living	699	809	792
55 to 59	97	105	101	Dependent Living	636	540	372
60 and Over	109	97	94	Homeless	7	19	8
Age Unknown	0	0	0	Other	0	*	8
				Housing Unknown	335	268	538
GENDER	040	700	000				
Male	818	796	833	TREATMENT REFERRAL SOURCE			
Female	859	839	885	Self / Family / Friend	447	513	511
Gender Unknown	0	•	0	School	7	8	9
RACE / ETHNICITY				Mental Health Provider	83	93	114
Caucasian	1,449	1,449	1,525	Health Care Provider	189	170	140
African American	151	119	132	Court / Criminal Justice	39	48	71
Native American / Alaskan	*	*	*	Other	888	778	843
Asian / Pacific Islander	0	*	0	Referral Source Unknown	24	27	30
Hispanic	33	26	17				
Other Race	43	40	41	TYPE OF COMMITMENT			
Race/Ethnicity Unknown	0	0	0	Voluntary	1,631	1,588	1,670
	_	_		Civil	*	*	*
TREATMENT ACCOMMODATION				Criminal	14	15	13
Hearing Impaired	21	21	18	Sexual Predatory	*	*	*
Past or Current Military Service	43	45	51	Commitment Type Unknown	24	27	30

DBH REGION	Central		IMPAIRED DRIVING	2013	2012	2011
DBH SERVICE AREAS			Alcohol Involved CrashesTotal	97	129	120
Substance Use	Not Applica	able	Fatal Crashes	5	6	4
Adult Psychiatric	15		Injury Crashes	50	66	69
POPULATION			Property Damage Crashes	42	57	47
Census 2010	119,620		Crash Fatalities	5	6	3
2014 Estimate	119,981		Crash Injuries	65	85	91
			Drug Involved CrashesTotal	23	22	28
<u> </u>			Fatal Crashes	1	4	1
BIRTH RISK 2013	2012	2011	Injury Crashes	5	9	13
Resident BirthsTotal 1,368	1,396	1,445	Property Damage Crashes	17	9	14
Mother Reported Smoking while Pregnant 360		413	Crash Fatalities	1	6	1
2000		2044	Crash Injuries	7	18	13
DISEASE INCIDENCE 1 2013		2011	POLICE REPORTS	2013	2012	2011
HIV/AIDS Cases  Upportition R Chronic Aputo Proposel		3 7	DUI Arrests, DWI Tracking System	495	526	644
Hepatitis B Chronic, Acute, Prenatal	_	64	Liquor Law Arrests	123	121	156
Hepatitis C Chronic and Acute 70 Tuberculosis Infection Cases 30		20	Drug Arrests	631	445	436
Tuberculosis infection Cases 30	21	20	Violent Offenses	247	212	248
DEATHS and INJURIES 2013	2012	2011	Property Offenses	2,434	2,597	2,591
Resident DeathsTotal 1,228		1,162	Domestic Violence Reports	1,109	976	1,001
Suicides 19		21		2014	2013	2012
Self-inflicted Injuries 162		230	Methamphetamine Lab Seizures	32	62	69
Homicides 2	4	5	CCUOOL REPORTS	2012 14	2012 12	2011 12
Assault Injuries 432	464	432	SCHOOL REPORTS Enrollment Grades 9-12	<b>2013-14</b> 4,275	<b>2012-13</b> 4,485	<b>2011-12</b> 4,574
Alcohol Induced Deaths 6	6	5	Drop-outs	4,275	4,465	136
Drug Induced Deaths 19	17	10	Drop-out Rate	2.6%	3.1%	3.0%
Smoking Attributable Deaths 227	227	214	School Discipline Involving Alcohol	12	3.176	3.0 %
MOCRITAL EDICODES 2	2012	2011	School Discipline Involving According School Discipline Involving Drugs	15	43	20
HOSPITAL EPISODES 2 Hospitalization, no Emergency Room:	2012	2011	School Discipline Involving Tobacco	2	0	4
Mental Illness Principal Diagnosis 601	508	571	Control Dicolphine involving reduced	_	O	7
Mental Illness Secondary Diagnosis 1,601		2,082	JUVENILE COURT REFERRALS 3	2013	2012	2011
Alcohol Principal Diagnosis 1,001	-	2,002	Juvenile Violent Offenses	130	135	122
Alcohol Secondary Diagnosis 116		131	Juvenile Alcohol Offenses	29	31	29
Drug Principal Diagnosis 24		34	Juvenile Drug Offenses	38	54	44
Drug Secondary Diagnosis 100		97	School Truancy Status Offense	99	131	117
Emergency Room + Hospitalization:	01	01	Absent from Home Status Offense	29	21	17
Mental Illness Principal Diagnosis 559	579	456	Beyond Parental Control Status Offense	131	110	70
Mental Illness Secondary Diagnosis 1,862		1,244	Injurious Behavior Status Offense	181	205	171
Alcohol Principal Diagnosis 98		63	Child Abuse	51	51	43
Alcohol Secondary Diagnosis 167		109	Child Neglect	295	226	207
Drug Principal Diagnosis 65		54	Child Custody Issues	19	25	11
Drug Secondary Diagnosis 105		73	JUVENILE COURT PLACEMENTS	2013	2012	2011
Emergency Room, no Hospitalization:			Out-of-Home PlacementsTotal	149	129	118
Mental Illness Principal Diagnosis 1,000	980	946	Parental Alcohol Use Related	4	4	6
Mental Illness Secondary Diagnosis 1,939	1,995	2,009	Parental Drug Use Related	38	28	40
Alcohol Principal Diagnosis 131	168	171	Parental Alcohol and Drug Use	6	5	10
Alcohol Secondary Diagnosis 211	195	175	· ·			
Drug Principal Diagnosis 109	146	155	CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Secondary Diagnosis 188	166	175	Drug Court Participants	79	73	75
			Probation/Parole AdmissionsDrug	310	285	292
ALCOHOL OUTLETS 2014	2013	2012	Probation/Parole AdmissionsDWI	74	72	63
Alcohol On-Premise Drink Licenses 142	144	143	Prison AdmissionsDrug	146	131	147
Alcohol Package Carry-out Licenses 140	145	152	Prison AdmissionsDWI	32	27	37
EMPLOYMENT 2014	2013	2012	1 All Kansas City hepatitis and TB case report			County
Labor Force 56,435		58,044	totals and all Joplin case reports are include Beginning with 2010 data, diagnosis counts			es are
Employed 53,215		54,221	based on codes developed by the Healthcan			
Unemployed 3,220		3,823	3 Beginning in 2013, juvenile municipal violation court orders are categorized as status offens			

5.7%

6.0%

6.6%

**Unemployment Rate** 

#### **DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES**



DBH REGION Central
PSYCHIATRIC SERVICE AREA 15
CENSUS 2010 119,620
2014 POPULATION ESTIMATE 119,981

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder. FY2014 FY2013 FY2012 **DIAGNOSIS CATEGORY** Adjustment Disorder 114 159 113 **Anxiety Disorder** 742 812 722 Dementia 10 10 11 **Developmental Disorder** 94 86 83 Impulse Control Disorder 626 604 616 Mood Disorder 1,362 1,339 1,296 Personality Disorder 192 197 207 Psychotic Disorder 305 280 265

13

202

134

15

228

172

5

187

212

Individuals who received psychiatric services had the following types of

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

Sexual Disorder

Other Diagnosis

Diagnosis Unknown

NUMBER SERVED	FY2014	FY2013	FY2012	EDUCATION	FY2014	FY2013	FY2012
Total Individuals	2,063	1,954	2,089	Less than High School Diploma	739	671	310
. Star manifestation	2,000	.,00.	_,000	High School Grad or G.E.D.	0	6	269
AGE				Associate Degree or Some College	0	*	75
Under 6	28	23	31	Bachelor or Advanced Degree	0	0	14
6 to 9	140	137	139	Education Level Unknown	1,324	1,275	1,421
10 to 13	190	173	186	Education Edver officiowin	1,024	1,270	1,721
14 to 17	212	207	220	EMPLOYMENT			
18 to 24	197	170	218	Employed	153	150	121
25 to 29	148	155	168	Unemployed	171	138	469
30 to 34	182	169	189	Not in Labor Force	1,224	1,147	197
35 to 39	193	163	152	Employment Status Unknown	515	519	1,302
40 to 44	150	157	168				
45 to 49	189	181	200	HOUSING / LIVING ARRANGEMENT			
50 to 54	186	183	168	Independent Living	677	673	548
55 to 59	131	123	128	Dependent Living	626	593	288
60 and Over	117	113	122	Homeless	18	14	5
Age Unknown	0	0	0	Other	0	0	9
				Housing Unknown	742	674	1,239
GENDER				•			
Male	1,022	954	980	TREATMENT REFERRAL SOURCE			
Female	1,041	1,000	1,109	Self / Family / Friend	1,160	1,146	1,316
Gender Unknown	0	0	0	School	25	20	27
RACE / ETHNICITY				Mental Health Provider	156	177	157
Caucasian	1,844	1,755	1,888	Health Care Provider	164	170	182
African American	128	121	115	Court / Criminal Justice	78	71	68
Native American / Alaskan	5	*	5	Other	478	368	336
Asian / Pacific Islander	*	*	*	Referral Source Unknown	*	*	*
Hispanic	22	18	15				
Other Race	61	54	64	TYPE OF COMMITMENT			
Race/Ethnicity Unknown	0	0	0	Voluntary	2,021	1,910	2,051
	ū	Ü	•	Civil	*	*	*
TREATMENT ACCOMMODATION				Criminal	30	32	27
Hearing Impaired	65	57	66	Sexual Predatory	8	6	5
Past or Current Military Service	45	46	51	Commitment Type Unknown	*	*	*

DBH REGION DBH SERVIC		Eastern		IMPAIRED DRIVING Alcohol Involved CrashesTotal	<b>2013</b> 533	<b>2012</b> 506	<b>201</b> : 538
Substance		Not Applied	ablo	Fatal Crashes	12	18	
		Not Applica	able				18
Adult Psy		10		Injury Crashes	202	200	19
POPULATIO		E 47 OEG		Property Damage Crashes	319	288	323
Census 2		547,056		Crash Fatalities	16	18	19
2014 Esti	mate	569,079		Crash Injuries	285	311	280
				Drug Involved CrashesTotal	116	113	99
				Fatal Crashes	3	7	;
BIRTH RISK	2013	2012	2011	Injury Crashes	38	44	33
Resident BirthsTotal	6,912	6,808	6,927	Property Damage Crashes	75	62	6
Mother Reported Smoking while Pregnan	t 1,060	1,073	1,044	Crash Fatalities	3	8	;
_				Crash Injuries	57	80	34
DISEASE INCIDENCE 1	2013	2012	2011	DOLLCE DEDORTS	2012	2012	201
HIV/AIDS Cases	17	19	11	POLICE REPORTS	2013	2012	201
Hepatitis B Chronic, Acute, Prenatal	23	27	22	DUI Arrests, DWI Tracking System	2,931	3,415	3,19
Hepatitis C Chronic and Acute	282	230	276	Liquor Law Arrests	515	931	86
Tuberculosis Infection Cases	128	122	97	Drug Arrests	2,694	2,611	2,653
				Violent Offenses	868	881	1,01
DEATHS and INJURIES	2013	2012	2011	Property Offenses	9,816	10,573	10,283
Resident DeathsTotal	4,093	3,967	3,984	Domestic Violence Reports	2,706	2,424	2,502
Suicides	84	82	81		2014	2013	201
Self-inflicted Injuries	555	648	640	Methamphetamine Lab Seizures	155	221	288
Homicides	9	12	15	SCHOOL REPORTS	2013-14	2012-13	2011-1
Assault Injuries	1,241	1,537	1,443	Enrollment Grades 9-12	26,950	26,682	26,312
Alcohol Induced Deaths	25	32	14	Drop-outs	359	410	510
Drug Induced Deaths	105	78	103	Drop-out Rate	1.3%	1.5%	2.09
Smoking Attributable Deaths	719	683	714	School Discipline Involving Alcohol	57	32	2.0
		2012		School Discipline Involving According	195	328	40
HOSPITAL EPISODES 2	2013	2012	2011	School Discipline Involving Drugs School Discipline Involving Tobacco	5	8	40.
Hospitalization, no Emergency Room:	0.040	0.000	0.044	School discipline involving Tobacco	5	0	•
Mental Illness Principal Diagnosis	3,813	3,080	2,844	JUVENILE COURT REFERRALS 3	2013	2012	201
Mental Illness Secondary Diagnosis	6,704	5,503	5,715	Juvenile Violent Offenses	410	471	48
Alcohol Principal Diagnosis	337	275	241	Juvenile Alcohol Offenses	98	165	129
Alcohol Secondary Diagnosis	439	376	373	Juvenile Drug Offenses	258	284	290
Drug Principal Diagnosis	299	292	380	School Truancy Status Offense	400	277	333
Drug Secondary Diagnosis	364	285	308	Absent from Home Status Offense	223	324	306
Emergency Room + Hospitalization:				Beyond Parental Control Status Offense	24	48	7:
Mental Illness Principal Diagnosis	2,660	3,423	3,231	Injurious Behavior Status Offense	182	203	232
Mental Illness Secondary Diagnosis	8,976	9,915	10,682	Child Abuse	74	65	9(
Alcohol Principal Diagnosis	244	282	261	Child Neglect	563	527	498
Alcohol Secondary Diagnosis	907	1,013	962	Child Custody Issues	32	39	1
Drug Principal Diagnosis	172	186	240		-		•
Drug Secondary Diagnosis	463	522	525	JUVENILE COURT PLACEMENTS	2013	2012	201
Emergency Room, no Hospitalization:				Out-of-Home PlacementsTotal	347	405	373
Mental Illness Principal Diagnosis	3,885	4,099	4,046	Parental Alcohol Use Related	13	11	22
Mental Illness Secondary Diagnosis	20,259	20,935	13,657	Parental Drug Use Related	150	187	15 ⁻
Alcohol Principal Diagnosis	812	960	783	Parental Alcohol and Drug Use	11	11	17
Alcohol Secondary Diagnosis	899	1,073	877		E)/2044	EV2042	EVOCA
Drug Principal Diagnosis	758	831	1,013	CRIMINAL JUSTICE	FY2014	FY2013	FY201
Drug Secondary Diagnosis	1,326	1,616	1,220	Drug Court Participants	459	572	559
				Probation/Parole AdmissionsDrug	933	923	869
ALCOHOL OUTLETS	2014	2013	2012	Priora Admissions - Dwg	274	277	264
Alcohol On-Premise Drink Licenses	671	664	680	Prison AdmissionsDrug	488	426	438
Alcohol Package Carry-out Licenses	382	382	385	Prison AdmissionsDWI	103	112	11
<b>EMPLOYMENT</b>	2014	2013	2012	1 All Kansas City hepatitis and TB case report			
Labor Force	304,893	295,586	295,351	totals and all Joplin case reports are include Beginning with 2010 data, diagnosis counts			
Employed	288,607	277,574	275,780	based on codes developed by the Healthcar	re Cost and l	Jtilization Pro	ject.
Unemployed	16,286	18,012	19,571	3 Beginning in 2013, juvenile municipal violati			
Unemployment Rate	5.3%	6.1%	6.6%	court orders are categorized as status offens	ses instead (	n law violatio	115.

²⁰¹⁵ Status Report on Missouri's Substance Use and Mental Health

3,195 

2,653 1,015

10,283

2011-12

26,312

2.0%

FY2012

2,502

#### **DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES**



DBH REGION Eastern
PSYCHIATRIC SERVICE AREA
CENSUS 2010 547,056
2014 POPULATION ESTIMATE 569,079

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.					
DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012		
Adjustment Disorder	83	69	70		
Anxiety Disorder	2,592	2,144	1,995		
Dementia	9	11	10		
Developmental Disorder	176	173	170		
Impulse Control Disorder	1,304	1,179	1,187		
Mood Disorder	3,847	3,414	3,397		
Personality Disorder	450	407	396		
Psychotic Disorder	714	663	630		
Sexual Disorder	10	10	*		
Other Diagnosis	306	284	284		
Diagnosis Unknown	214	269	429		

Individuals who received psychiatric services had the following types of

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2014	FY2013	FY2012	EDUCATION	FY2014	FY2013	FY2012
Total Individuals	5,333	4,878	4,946	Less than High School Diploma	1,920	1,861	974
	•		•	High School Grad or G.E.D.	8	71	659
AGE				Associate Degree or Some College	5	22	399
Under 6	34	35	26	Bachelor or Advanced Degree	*	11	95
6 to 9	442	414	387	Education Level Unknown	3,397	2,913	2,819
10 to 13	523	488	511		-,	_,	_,
14 to 17	556	533	531	EMPLOYMENT			
18 to 24	485	435	485	Employed	408	322	324
25 to 29	408	387	425	Unemployed	362	329	1,437
30 to 34	478	416	426	Not in Labor Force	2,994	2,856	700
35 to 39	414	346	348	Employment Status Unknown	1,569	1,371	2,485
40 to 44	399	378	413				
45 to 49	455	447	442	HOUSING / LIVING ARRANGEMENT			
50 to 54	517	469	439	Independent Living	2,418	2,219	1,997
55 to 59	339	291	272	Dependent Living	1,240	1,214	655
60 and Over	283	239	241	Homeless	72	53	48
Age Unknown	0	0	0	Other	*	0	35
				Housing Unknown	1,602	1,392	2,211
GENDER				•			
Male	2,541	2,351	2,405	TREATMENT REFERRAL SOURCE			
Female	2,792	2,527	2,541	Self / Family / Friend	1,701	1,269	948
Gender Unknown	0	0	0	School	720	668	544
RACE / ETHNICITY				Mental Health Provider	323	368	437
Caucasian	4,711	4,348	4,426	Health Care Provider	738	573	474
African American	311	258	276	Court / Criminal Justice	155	153	158
Native American / Alaskan	7	7	11	Other	1,669	1,819	2,351
Asian / Pacific Islander	16	14	12	Referral Source Unknown	27	28	34
Hispanic	97	83	72				0.
Other Race	191	168	149	TYPE OF COMMITMENT			
Race/Ethnicity Unknown	0	0	0	Voluntary	5,262	4,801	4,861
riaco, zamony omatown	O	U	0	Civil	8	12	11
TREATMENT ACCOMMODATION				Criminal	28	26	31
Hearing Impaired	169	123	96	Sexual Predatory	*	*	*
Past or Current Military Service	89	63	77	Commitment Type Unknown	32	36	42

1 01 0111ATIKIO OLIVIOI			117				
DBH REGION	S	outheast		IMPAIRED DRIVING	2013	2012	2011
DBH SERVICE AREA	S			Alcohol Involved CrashesTotal	120	162	138
Substance Use	N	lot Applicab	le	Fatal Crashes	4	12	9
Adult Psychiatric	1	7A		Injury Crashes	43	75	59
POPULATION				Property Damage Crashes	73	75	70
Census 2010		09,907		Crash Fatalities	4	13	9
2014 Estimate	10	09,031		Crash Injuries	64	103	86
				Drug Involved CrashesTotal	40	34	28
ZL3				Fatal Crashes	1	0	0
BIRTH RISK 20	13	2012	2011	Injury Crashes	13	18	13
Resident BirthsTotal 1,2	67	1,222	1,244	Property Damage Crashes	26	16	15
Mother Reported Smoking while Pregnant 3.	27	276	305	Crash Fatalities Crash Injuries	1 18	0 23	0 13
DISEASE INCIDENCE 1	13	2012	2011	Craon injunes		20	.0
HIV/AIDS Cases	0	2	1	POLICE REPORTS	2013	2012	2011
Hepatitis B Chronic, Acute, Prenatal	9	7	9	DUI Arrests, DWI Tracking System	626	724	797
Hepatitis C Chronic and Acute	89	125	98	Liquor Law Arrests	132	192	293
Tuberculosis Infection Cases	89	47	88	Drug Arrests	738	831	736
				Violent Offenses	302	259	322
	13	2012	2011	Property Offenses	2,750	3,039	2,922
Resident DeathsTotal 1,1		1,176	1,223	Domestic Violence Reports	354	525	600
	18	16	23	Methamphetamine Lab Science	<b>2014</b> 75	<b>2013</b> 108	<b>2012</b> 122
•	04	162	135	Methamphetamine Lab Seizures	73	100	122
Homicides Assault Injuries	3 76	2 383	6 398	SCHOOL REPORTS	2013-14	2012-13	2011-12
Assault Injuries 3  Alcohol Induced Deaths	5	303 5	396 5	Enrollment Grades 9-12	4,862	4,879	4,888
	14	28	25	Drop-outs	92	107	129
	11	223	214	Drop-out Rate	1.9%	2.2%	2.6%
	• •	220	217	School Discipline Involving Alcohol	7	24	12
HOSPITAL EPISODES 2 20	13	2012	2011	School Discipline Involving Drugs	24	35	28
Hospitalization, no Emergency Room:				School Discipline Involving Tobacco	2	2	1
	55	734	728	JUVENILE COURT REFERRALS 3	2013	2012	2011
Mental Illness Secondary Diagnosis 1,5		1,677	1,776	Juvenile Violent Offenses	87	144	231
	40	31	42	Juvenile Alcohol Offenses	10	7	14
, 0	80	98	97	Juvenile Drug Offenses	17	27	47
<b>3</b> 1 3	76	138	86	School Truancy Status Offense	81	121	146
	15	83	104	Absent from Home Status Offense	19	16	40
Emergency Room + Hospitalization:  Mental Illness Principal Diagnosis  5:	24	548	442	Beyond Parental Control Status Offense	62	68	61
Mental Illness Secondary Diagnosis 1,70		1,758	1,857	Injurious Behavior Status Offense	50	52	112
	71	84	61	Child Abuse	222	259	316
	36	186	163	Child Neglect	302	542	454
	69	65	51	Child Custody Issues	14	9	15
	87	128	123	JUVENILE COURT PLACEMENTS	2013	2012	2011
Emergency Room, no Hospitalization:				Out-of-Home PlacementsTotal	125	106	112
Mental Illness Principal Diagnosis 1,12	24	1,160	1,051	Parental Alcohol Use Related	3	5	1
Mental Illness Secondary Diagnosis 8,03	34	8,101	7,253	Parental Drug Use Related	57	28	38
Alcohol Principal Diagnosis 23	29	247	252	Parental Alcohol and Drug Use	4	5	10
Alcohol Secondary Diagnosis	87	215	213				
Drug Principal Diagnosis	85	216	224	CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Secondary Diagnosis 29	50	252	183	Drug Court Participants	89 272	94	94
		2010	2010	Probation/Parole AdmissionsDrug Probation/Parole AdmissionsDWI	373 54	424 61	391 46
	) <b>14</b>	2013	2012	Prison AdmissionsDrug	204	153	168
	50 12	154 115	153 119	Prison AdmissionsDWI	28	19	22
	)14	2013	2012	1 All Kansas City hepatitis and TB case report totals and all Joplin case reports are include			County
Labor Force 48,7		53,958	51,355	2 Beginning with 2010 data, diagnosis counts	for hospital a	and ER servic	
Employed 45,5		50,587	47,756	based on codes developed by the Healthcar Beginning in 2013, juvenile municipal violation			
Unemployment Pate 6	69 5%	3,371	3,599	court orders are categorized as status offens			

6.5%

6.2%

7.0%

**Unemployment Rate** 

#### **DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES**



DBH REGION Southeast
PSYCHIATRIC SERVICE AREA 17A
CENSUS 2010 109,907
2014 POPULATION ESTIMATE 109,031

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.								
DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012					
Adjustment Disorder	55	37	27					
Anxiety Disorder	868	831	698					
Dementia	0	0	*					
Developmental Disorder	19	13	10					
Impulse Control Disorder	269	216	217					
Mood Disorder	1,107	1,062	938					
Personality Disorder	82	82	85					
Psychotic Disorder	186	187	179					
Sexual Disorder	0	*	*					
Other Diagnosis	103	68	58					
Diagnosis Unknown	86	67	75					

Individuals who received psychiatric services had the following types of

NUMBER SERVED	FY2014	FY2013	FY2012	EDUCATION	FY2014	FY2013	FY2012
Total Individuals	1,567	1,492	1,353	Less than High School Diploma	553	585	324
. otala.r.caa.o	.,001	.,	.,000	High School Grad or G.E.D.	0	86	253
AGE				Associate Degree or Some College	0	33	89
Under 6	21	16	10	Bachelor or Advanced Degree	0	*	11
6 to 9	113	89	79	Education Level Unknown	1,014	784	676
10 to 13	142	106	100	Education Edver Officiown	1,014	704	0/0
14 to 17	133	123	117	EMPLOYMENT			
18 to 24	139	118	111	Employed	56	76	86
25 to 29	155	165	140	Unemployed	62	239	523
30 to 34	159	147	130	Not in Labor Force	924	768	86
35 to 39	119	121	109	Employment Status Unknown	525	409	658
40 to 44	141	147	135				
45 to 49	136	147	142	HOUSING / LIVING ARRANGEMENT			
50 to 54	153	142	123	Independent Living	556	697	560
55 to 59	82	88	84	Dependent Living	457	384	210
60 and Over	74	83	73	Homeless	20	20	6
Age Unknown	0	0	0	Other	0	0	5
				Housing Unknown	534	391	572
GENDER				•			
Male	680	641	571	TREATMENT REFERRAL SOURCE			
Female	887	851	782	Self / Family / Friend	1,144	1,021	818
Gender Unknown	0	0	0	School	. 8	11	15
RACE / ETHNICITY				Mental Health Provider	19	24	22
Caucasian	1,506	1,425	1,282	Health Care Provider	155	158	151
African American	24	22	29	Court / Criminal Justice	19	34	50
Native American / Alaskan	*	*	*	Other	220	244	297
Asian / Pacific Islander	0	0	0	Referral Source Unknown	*	0	0
Hispanic	20	22	22				
Other Race	13	19	17	TYPE OF COMMITMENT			
Race/Ethnicity Unknown	0	0	0	Voluntary	1,560	1,484	1,340
	_	-		Civil	*	*	6
TREATMENT ACCOMMODATION				Criminal	6	*	6
Hearing Impaired	42	46	37	Sexual Predatory	0	0	*
Past or Current Military Service	32	32	25	Commitment Type Unknown	0	0	0

	_	<b>_</b>					
DBH REGION		Southeast		IMPAIRED DRIVING	2013	2012	2011
DBH SERVICE AI	REAS			Alcohol Involved CrashesTotal	100	108	126
Substance Us	se	Not Applicat	ole	Fatal Crashes	10	8	8
Adult Psychia	tric	17B		Injury Crashes	40	47	60
POPULATION				Property Damage Crashes	50	53	58
Census 2010		101,184		Crash Fatalities	11	8	11
2014 Estimat	е	101,304		Crash Injuries	56	64	90
				Drug Involved CrashesTotal	40	32	38
£?				Fatal Crashes	3	0	4
BIRTH RISK	2013	2012	2011	Injury Crashes	10	16	16
Resident BirthsTotal	1,134	1,151	1,190	Property Damage Crashes	27	16	18
Mother Reported Smoking while Pregnant	368	378	404	Crash Fatalities Crash Injuries	3 16	0 20	4 19
DISEASE INCIDENCE 1	2013	2012	2011	Gradit injuned	10	20	10
HIV/AIDS Cases	1	2	1	POLICE REPORTS	2013	2012	2011
Hepatitis B Chronic, Acute, Prenatal	13	9	11	DUI Arrests, DWI Tracking System	406	507	558
Hepatitis C Chronic and Acute	209	162	168	Liquor Law Arrests	52	82	128
Tuberculosis Infection Cases	36	19	40	Drug Arrests	500	468	571
				Violent Offenses	239	271	260
DEATHS and INJURIES	2013	2012	2011	Property Offenses	2,585	2,630	2,407
	1,168	1,151	1,107	Domestic Violence Reports	366	427	444
Suicides	19	24	15		2014	2013	2012
Self-inflicted Injuries	245	225	218	Methamphetamine Lab Seizures	33	87	120
Homicides	4	2	3	SCHOOL REPORTS	2013-14	2012-13	2011-12
Assault Injuries	413	509	424	Enrollment Grades 9-12	4,585	4,614	4,618
Alcohol Induced Deaths Drug Induced Deaths	3	9	6	Drop-outs	77	73	126
Smoking Attributable Deaths	34 242	35 246	24 225	Drop-out Rate	1.7%	1.6%	2.7%
Smoking Attributable Deaths	242	240	223	School Discipline Involving Alcohol	1	4	3
HOSPITAL EPISODES 2	2013	2012	2011	School Discipline Involving Drugs	32	24	38
Hospitalization, no Emergency Room:				School Discipline Involving Tobacco	0	2	5
Mental Illness Principal Diagnosis	1,524	1,365	1,587	IIIVENII E COLIPT PEEERPALS 3	2013	2012	2011
Mental Illness Secondary Diagnosis	2,664	2,501	3,175	JUVENILE COURT REFERRALS  Juvenile Violent Offenses	300	2012	215
Alcohol Principal Diagnosis	58	45	52	Juvenile Alcohol Offenses	16	10	11
Alcohol Secondary Diagnosis	186	152	164	Juvenile Drug Offenses	25	50	33
Drug Principal Diagnosis	122	102	104	School Truancy Status Offense	222	180	172
Drug Secondary Diagnosis	186	186	189	Absent from Home Status Offense	17	13	12
Emergency Room + Hospitalization:				Beyond Parental Control Status Offense	89	111	88
Mental Illness Principal Diagnosis	232	525	411	Injurious Behavior Status Offense	99	117	66
	1,943	2,460	1,852	Child Abuse	63	80	75
Alcohol Principal Diagnosis	28	54	30	Child Neglect	228	194	162
Alcohol Secondary Diagnosis	125	186	130	Child Custody Issues	4	1	2
Drug Principal Diagnosis	35	58 455	32	UUVENUUE COURT DI ACENAENTO	2012	2012	2011
Drug Secondary Diagnosis Emergency Room, no Hospitalization:	129	155	88	JUVENILE COURT PLACEMENTS Out-of-Home PlacementsTotal	<b>2013</b> 140	<b>2012</b> 126	<b>2011</b> 101
	1,388	1,687	1,829	Parental Alcohol Use Related	0	120	4
	7,781	8,664	3,975	Parental Drug Use Related	60	56	41
Alcohol Principal Diagnosis	205	176	203	Parental Alcohol and Drug Use	5	0	3
Alcohol Secondary Diagnosis	240	315	265	r aromary tooner and Drug Coo	Ū	Ŭ	· ·
Drug Principal Diagnosis	314	296	286	CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Secondary Diagnosis	420	538	504	Drug Court Participants	49	59	47
				Probation/Parole AdmissionsDrug	319	318	278
ALCOHOL OUTLETS	2014	2013	2012	Probation/Parole AdmissionsDWI	39	48	38
Alcohol On-Premise Drink Licenses	91	92	95	Prison AdmissionsDrug	205	185	167
Alcohol Package Carry-out Licenses	86	86	89	Prison AdmissionsDWI	18	17	22
EMPLOYMENT	2014	2013	2012	1 All Kansas City hepatitis and TB case report			County
	10,525	45,100	43,588	totals and all Joplin case reports are include Beginning with 2010 data, diagnosis counts			es are
	37,262	41,510	39,714	based on codes developed by the Healthcan	e Cost and L	Itilization Proj	ect.
Unemployed	3,263	3,590	3,874	3 Beginning in 2013, juvenile municipal violation court orders are categorized as status offens			


8.1%

8.0%

8.9%

**Unemployment Rate** 

#### **DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES**



PSYCHIATRIC SERVICE AREA 17B
CENSUS 2010 101,184
2014 POPULATION ESTIMATE 101,304

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder. FY2014 FY2013 FY2012 **DIAGNOSIS CATEGORY** Adjustment Disorder 15 20 21 **Anxiety Disorder** 347 278 326 Dementia 12 **Developmental Disorder** 29 29 24 Impulse Control Disorder 184 162 149 Mood Disorder 1,005 923 869 Personality Disorder 133 128 116 **Psychotic Disorder** 533 515 513

133

55

211

119

57

274

136

48

283

Individuals who received psychiatric services had the following types of

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

Sexual Disorder

Other Diagnosis

Diagnosis Unknown

NUMBER SERVED	FY2014	FY2013	FY2012	EDUCATION	FY2014	FY2013	FY2012
Total Individuals	2,210	2,136	2,067	Less than High School Diploma	501	542	433
. otar mamadalo	_,	_,	_,00.	High School Grad or G.E.D.	0	*	379
AGE				Associate Degree or Some College	0	*	82
Under 6	15	14	8	Bachelor or Advanced Degree	0	*	36
6 to 9	88	69	61	Education Level Unknown	1,709	1,588	1,137
10 to 13	102	104	119	Education Edver Children	1,700	1,000	1,101
14 to 17	131	120	126	EMPLOYMENT			
18 to 24	158	171	161	Employed	59	75	71
25 to 29	165	169	149	Unemployed	24	60	787
30 to 34	198	205	176	Not in Labor Force	986	990	146
35 to 39	184	185	167	Employment Status Unknown	1,141	1,011	1,063
40 to 44	233	199	189				
45 to 49	200	215	225	HOUSING / LIVING ARRANGEMENT			
50 to 54	262	237	245	Independent Living	314	352	655
55 to 59	208	197	189	Dependent Living	740	752	374
60 and Over	266	251	252	Homeless	14	15	5
Age Unknown	0	0	0	Other	0	0	21
				Housing Unknown	1,142	1,017	1,012
GENDER	4.077	4 004	4 400				
Male	1,277	1,221	1,198	TREATMENT REFERRAL SOURCE			
Female	933	915	869	Self / Family / Friend	655	646	634
Gender Unknown	0	0	0	School	22	18	16
RACE / ETHNICITY				Mental Health Provider	371	321	319
Caucasian	2,000	1,924	1,861	Health Care Provider	448	387	296
African American	155	162	157	Court / Criminal Justice	313	332	343
Native American / Alaskan	*	*	5	Other	392	421	443
Asian / Pacific Islander	*	*	*	Referral Source Unknown	9	11	16
Hispanic	15	17	19				
Other Race	33	25	23	TYPE OF COMMITMENT			
Race/Ethnicity Unknown	0	0	0	Voluntary	1,913	1,847	1,770
	-	-		Civil	5	6	8
TREATMENT ACCOMMODATION				Criminal	149	155	151
Hearing Impaired	112	99	93	Sexual Predatory	141	126	136
Past or Current Military Service	118	118	117	Commitment Type Unknown	*	*	*

	OLIVIOL	<i>,</i> ,, , , , , ,					
	DBH REGION	Southeast		IMPAIRED DRIVING	2013	2012	2011
<u>}</u>	DBH SERVICE AREAS			Alcohol Involved CrashesTotal	150	169	156
The property of the same of th	Substance Use	Not Applica	ble	Fatal Crashes	8	9	2
	Adult Psychiatric	18		Injury Crashes	59	72	85
- <del> </del> - - <del> </del> - - <del> </del> - -            -	POPULATION			Property Damage Crashes	83	88	69
	Census 2010	127,952		Crash Fatalities	8	9	2
	2014 Estimate	126,384		Crash Injuries	89	103	116
The state of the s				Drug Involved CrashesTotal	34	31	22
				Fatal Crashes	0	0	0
BIRTH RISK	2013	2012	2011	Injury Crashes	10	19	13
Resident BirthsTotal	1,493	1,508	1,552	Property Damage Crashes	24	12	9
Mother Reported Smoking wh	•	393	408	Crash Fatalities	0	0	0
_	3			Crash Injuries	14	26	17
DISEASE INCIDENCE 1	2013	2012	2011	DOLLOS DEDORTS	2013	2012	2011
HIV/AIDS Cases	1	4	2	POLICE REPORTS  DUI Arrests, DWI Tracking System	626	758	878
Hepatitis B Chronic, Acute, Pr		12	10		141	165	207
Hepatitis C Chronic and Acute	125	150	120	Liquor Law Arrests Drug Arrests			
Tuberculosis Infection Cases	12	34	31	Violent Offenses	1,011	941	808 245
				Property Offenses	288	335	
DEATHS and INJURIES	2013	2012	2011		2,818	3,064	2,935
Resident DeathsTotal	1,608	1,498	1,510	Domestic Violence Reports	759	565	367
Suicides	29	26	25	Mathamphatamina Lah Caizuraa	<b>2014</b> 30	<b>2013</b> 56	<b>2012</b> 43
Self-inflicted Injuries	201	215	240	Methamphetamine Lab Seizures	30	36	43
Homicides Assault Injuries	6 246	8 264	8 302	SCHOOL REPORTS	2013-14	2012-13	2011-12
Alcohol Induced Deaths	246 7	204 12		Enrollment Grades 9-12	5,858	5,940	5,991
	16		7	Drop-outs	32	49	70
Drug Induced Deaths		18	10	Drop-out Rate	0.5%	0.8%	1.2%
Smoking Attributable Deaths	310	289	297	School Discipline Involving Alcohol	5	21	9
HOSPITAL EPISODES 2	2013	2012	2011	School Discipline Involving Drugs	23	33	64
Hospitalization, no Emergency	y Room:			School Discipline Involving Tobacco	2	1	3
Mental Illness Principal Diag	nosis 1,165	1,287	1,231	JUVENILE COURT REFERRALS 3	2012	2012	2011
Mental Illness Secondary Dia	agnosis 2,271	2,488	2,551	Juvenile Violent Offenses	<b>2013</b> 87	<b>2012</b> 125	<b>2011</b> 98
Alcohol Principal Diagnosis	128	131	101	Juvenile Alcohol Offenses	29	34	43
Alcohol Secondary Diagnosis	s 168	233	190	Juvenile Drug Offenses	30	53	43
<b>Drug Principal Diagnosis</b>	204	184	109		222	291	440
<b>Drug Secondary Diagnosis</b>	134	163	155	School Truancy Status Offense Absent from Home Status Offense	42	41	50
Emergency Room + Hospitaliz	zation:			Beyond Parental Control Status Offense	106	138	155
Mental Illness Principal Diag	nosis 198	180	163	Injurious Behavior Status Offense	129	225	249
Mental Illness Secondary Dia	agnosis 1,229	1,275	1,076	Child Abuse	189	260	180
Alcohol Principal Diagnosis	27	49	52	Child Neglect	552	749	519
Alcohol Secondary Diagnosis	s 116	132	121	Child Custody Issues	49	80	52
<b>Drug Principal Diagnosis</b>	38	45	29	Crilla Custody Issaes	49	00	52
<b>Drug Secondary Diagnosis</b>	88	80	54	JUVENILE COURT PLACEMENTS	2013	2012	2011
Emergency Room, no Hospita	alization:			Out-of-Home PlacementsTotal	161	93	116
Mental Illness Principal Diag	nosis 964	1,026	1,060	Parental Alcohol Use Related	6	7	5
Mental Illness Secondary Dia	agnosis 5,317	4,327	2,437	Parental Drug Use Related	54	18	31
Alcohol Principal Diagnosis	148	184	139	Parental Alcohol and Drug Use	11	13	3
Alcohol Secondary Diagnosis	s 217	235	208	CDIN 41N AL VICTICE	EV204.4	EV2042	EV2042
<b>Drug Principal Diagnosis</b>	140	176	154	CRIMINAL JUSTICE	FY2014	FY2013	FY2012
<b>Drug Secondary Diagnosis</b>	198	202	213	Drug Court Participants	128	149	138
	_			Probation/Parole AdmissionsDrug Probation/Parole AdmissionsDWI	340 51	293 59	290 62
ALCOHOL OUTLETS	2014	2013	2012	Prison AdmissionsDrug	160	142	119
Alcohol On-Premise Drink Lic		86	91	Prison AdmissionsDVI	20	30	23
Alcohol Package Carry-out Lie	censes 144	132	134	1 HOUR AUTHOODINGDWI	20	30	23
<b>EMPLOYMENT</b>	2014	2013	2012	1 All Kansas City hepatitis and TB case report			County
Labor Force	49,313	58,305	56,124	totals and all Joplin case reports are include Beginning with 2010 data, diagnosis counts			es are
Employed	45,561	54,334	51,923	based on codes developed by the Healthca	re Cost and L	Jtilization Pro	ject.
Unemployed	3,752	3,971	4,201	3 Beginning in 2013, juvenile municipal violati court orders are categorized as status offen			
Unemployment Rate	7.6%	6.8%	7.5%	Sourt Gracis are categorized as status Offeri	Jos malead C	i law violatioi	10.

#### **DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES**



DBH REGION Southeast
PSYCHIATRIC SERVICE AREA 18
CENSUS 2010 127,952
2014 POPULATION ESTIMATE 126,384

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder. FY2014 FY2013 FY2012 **DIAGNOSIS CATEGORY** Adjustment Disorder 73 181 155 **Anxiety Disorder** 1,169 796 1,117 Dementia 9 13 **Developmental Disorder** 13 9 Impulse Control Disorder 312 331 220 Mood Disorder 1,630 1,703 1,284 Personality Disorder 121 90 58 **Psychotic Disorder** 203 205 165 Sexual Disorder 0 Other Diagnosis 107 91 66 Diagnosis Unknown 154 107 186

Individuals who received psychiatric services had the following types of

NUMBER SERVED	FY2014	FY2013	FY2012	EDUCATION	FY2014	FY2013	FY2012
Total Individuals	2,401	2,426	1,884	Less than High School Diploma	564	637	284
. otal mamadalo	_,	_,0	.,00.	High School Grad or G.E.D.	0	*	267
AGE				Associate Degree or Some College	0	0	59
Under 6	0	*	6	Bachelor or Advanced Degree	0	0	15
6 to 9	82	76	53	Education Level Unknown	1,837	1,787	1,259
10 to 13	109	85	86	Education Edvor Children	1,001	1,101	1,200
14 to 17	123	132	90	EMPLOYMENT			
18 to 24	284	336	232	Employed	258	302	94
25 to 29	281	256	214	Unemployed	274	425	537
30 to 34	264	278	214	Not in Labor Force	1,192	1,284	249
35 to 39	230	210	165	Employment Status Unknown	677	415	1,004
40 to 44	232	256	210				
45 to 49	236	242	215	HOUSING / LIVING ARRANGEMENT			
50 to 54	275	273	198	Independent Living	1,110	1,449	690
55 to 59	164	158	120	Dependent Living	337	331	162
60 and Over	121	123	81	Homeless	85	79	38
Age Unknown	0	0	0	Other	0	*	*
				Housing Unknown	869	566	990
GENDER	4.074	4 000	054				
Male	1,071	1,089	854	TREATMENT REFERRAL SOURCE			
Female	1,330	1,337	1,030	Self / Family / Friend	1,297	1,404	837
Gender Unknown	0	0	0	School	*	*	5
RACE / ETHNICITY				Mental Health Provider	47	72	85
Caucasian	2,323	2,348	1,826	Health Care Provider	753	634	555
African American	13	17	10	Court / Criminal Justice	41	43	63
Native American / Alaskan	*	5	5	Other	261	270	339
Asian / Pacific Islander	0	*	0	Referral Source Unknown	0	0	0
Hispanic	31	32	25				
Other Race	30	22	18	TYPE OF COMMITMENT			
Race/Ethnicity Unknown	0	0	0	Voluntary	2,394	2,414	1,874
				Civil		5	*
TREATMENT ACCOMMODATION			_	Criminal	5	6	7
Hearing Impaired	60	66	70	Sexual Predatory			0
Past or Current Military Service	58	54	48	Commitment Type Unknown	0	0	*

		<i>,</i> ,, , , , ,					
DBH.	REGION	Southeast		IMPAIRED DRIVING	2013	2012	2011
DBH.	SERVICE AREAS			Alcohol Involved CrashesTotal	163	199	192
Suk	stance Use	Not Applica	ıble	Fatal Crashes	8	12	8
Adı	ılt Psychiatric	19		Injury Crashes	75	101	88
POPL	ILATION			Property Damage Crashes	80	86	96
	nsus 2010	133,625		Crash Fatalities	10	13	8
201	4 Estimate	132,210		Crash Injuries	105	163	131
				Drug Involved CrashesTotal	55	45	49
				Fatal Crashes	2	2	2
BIRTH RISK	2013	2012	2011	Injury Crashes	26	25	29
Resident BirthsTotal	1,838	1,820	1,775	Property Damage Crashes	27	18	18
Mother Reported Smoking while Pr	egnant 522	569	523	Crash Fatalities	2	2	3
-				Crash Injuries	36	35	38
DISEASE INCIDENCE 1	2013	2012	2011	POLICE REPORTS	2013	2012	2011
HIV/AIDS Cases	8	7	2	DUI Arrests, DWI Tracking System	673	934	1,002
Hepatitis B Chronic, Acute, Prenata		14	10	Liquor Law Arrests	166	270	180
Hepatitis C Chronic and Acute	174	204	178	Drug Arrests	1,177	1,145	1,295
Tuberculosis Infection Cases	30	51	33	Violent Offenses	564	630	527
DEATHS and INJURIES	2013	2012	2011	Property Offenses	4,829	4,779	4,637
Resident DeathsTotal	1,830	1,686	1,769	Domestic Violence Reports	823	786	656
Suicides	30	25	23	•	2014	2013	2012
Self-inflicted Injuries	285	322	374	Methamphetamine Lab Seizures	9	29	58
Homicides	6	3	9				
Assault Injuries	645	696	671	SCHOOL REPORTS	2013-14	2012-13	2011-12
Alcohol Induced Deaths	15	18	4	Enrollment Grades 9-12	6,233	6,224	6,058
Drug Induced Deaths	30	37	34	Drop-outs	85	134	210
Smoking Attributable Deaths	385	342	387	Drop-out Rate	1.4%	2.2%	3.5%
				School Discipline Involving Alcohol	12	8	9
HOSPITAL EPISODES 2	2013	2012	2011	School Discipline Involving Drugs School Discipline Involving Tobacco	79 1	33 3	38 2
Hospitalization, no Emergency Roo		4 700	4 000	School Discipline involving Tobacco	1	3	2
Mental Illness Principal Diagnosis	1,668	1,709	1,838	JUVENILE COURT REFERRALS 3	2013	2012	2011
Mental Illness Secondary Diagnos	is 3,033 82	3,104 95	3,321 95	Juvenile Violent Offenses	191	177	212
Alcohol Principal Diagnosis  Alcohol Secondary Diagnosis	262	271	300	Juvenile Alcohol Offenses	23	29	12
Drug Principal Diagnosis	137	134	131	Juvenile Drug Offenses	37	31	33
Drug Secondary Diagnosis	180	198	189	School Truancy Status Offense	117	124	93
Emergency Room + Hospitalization		130	100	Absent from Home Status Offense	43	55	67
Mental Illness Principal Diagnosis	435	405	433	Beyond Parental Control Status Offense	133	135	123
Mental Illness Secondary Diagnos		2,868	2,782	Injurious Behavior Status Offense	21	48	31
Alcohol Principal Diagnosis	40	50	41	Child Abuse	198	196	201
Alcohol Secondary Diagnosis	155	207	168	Child Neglect	616	783	542
Drug Principal Diagnosis	74	65	51	Child Custody Issues	14	20	6
Drug Secondary Diagnosis	98	98	80	JUVENILE COURT PLACEMENTS	2013	2012	2011
Emergency Room, no Hospitalization				Out-of-Home PlacementsTotal	333	308	239
Mental Illness Principal Diagnosis	1,867	1,896	1,992	Parental Alcohol Use Related	5	15	14
Mental Illness Secondary Diagnos	is 3,721	1,413	1,315	Parental Drug Use Related	184	129	92
Alcohol Principal Diagnosis	265	225	264	Parental Alcohol and Drug Use	4	8	11
Alcohol Secondary Diagnosis	215	202	243				
Drug Principal Diagnosis	249	252	248	CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Secondary Diagnosis	273	250	252	Drug Court Participants	222	254 474	182
				Probation/Parole AdmissionsDrug Probation/Parole AdmissionsDWI	477 59	474 80	510
ALCOHOL OUTLETS	2014	2013	2012		58 284	80 260	88 235
Alcohol On-Premise Drink Licenses		148	154	Prison AdmissionsDrug Prison AdmissionsDWI	284 41	260 41	235 52
Alcohol Package Carry-out License	es 191	186	183	I HOULI AUTHIOONINGDVVI	41	41	52
<b>EMPLOYMENT</b>	2014	2013	2012	1 All Kansas City hepatitis and TB case repor			
Labor Force	55,171	62,627	60,984	totals and all Joplin case reports are include Beginning with 2010 data, diagnosis counts			
Employed	50,747	57,989	56,086	based on codes developed by the Healthcar	re Cost and L	Itilization Pro	ject.
Unomployed	1 121	1 639	1 909	3 Beginning in 2013, juvenile municipal violati	ons, infraction	ns, and violat	tions of

Unemployed

**Unemployment Rate** 

4,424

8.0%

4,638

7.4%

4,898

8.0%

3 Beginning in 2013, juvenile municipal violations, infractions, and violations of

#### **DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES**



DBH REGION Southeast PSYCHIATRIC SERVICE AREA 19
CENSUS 2010 133,625 2014 POPULATION ESTIMATE 132,210

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.								
DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012					
Adjustment Disorder	107	71	26					
Anxiety Disorder	288	236	168					
Dementia	*	*	*					
Developmental Disorder	6	11	5					
Impulse Control Disorder	174	175	127					
Mood Disorder	1,331	1,203	907					
Personality Disorder	17	16	19					
Psychotic Disorder	330	288	257					
Sexual Disorder	6	6	*					
Other Diagnosis	41	27	37					
Diagnosis Unknown	282	203	260					

Individuals who received psychiatric services had the following types of

NUMBER SERVED	FY2014	FY2013	FY2012	EDUCATION	FY2014	FY2013	FY2012
Total Individuals	2,394	2,093	1,663	Less than High School Diploma	701	574	325
	_,,	_,	,,,,,,	High School Grad or G.E.D.	*	*	300
AGE				Associate Degree or Some College	0	0	56
Under 6	11	13	7	Bachelor or Advanced Degree	0	0	7
6 to 9	144	107	71	Education Level Unknown	1,692	1,517	975
10 to 13	173	141	108	Education Edvor Children	1,002	1,017	0.0
14 to 17	151	137	99	EMPLOYMENT			
18 to 24	175	163	133	Employed	74	22	37
25 to 29	194	173	137	Unemployed	130	36	564
30 to 34	213	191	152	Not in Labor Force	1,256	1,025	178
35 to 39	248	203	144	Employment Status Unknown	934	1,010	884
40 to 44	223	202	172				
45 to 49	238	217	201	HOUSING / LIVING ARRANGEMENT			
50 to 54	253	229	171	Independent Living	969	700	607
55 to 59	170	146	128	Dependent Living	421	364	209
60 and Over	201	171	140	Homeless	26	6	7
Age Unknown	0	0	0	Other	0	*	18
				Housing Unknown	978	1,022	822
GENDER				•			
Male	1,066	930	784	TREATMENT REFERRAL SOURCE			
Female	1,328	1,163	879	Self / Family / Friend	813	660	485
Gender Unknown	0	0	0	School	56	40	34
RACE / ETHNICITY				Mental Health Provider	252	231	221
Caucasian	2,039	1,821	1,436	Health Care Provider	491	488	354
African American	280	224	188	Court / Criminal Justice	358	340	309
Native American / Alaskan	*	*	*	Other	412	317	237
Asian / Pacific Islander	*	0	0	Referral Source Unknown	12	17	23
Hispanic	31	19	16				
Other Race	42	27	22	TYPE OF COMMITMENT			
Race/Ethnicity Unknown	0	0	0	Voluntary	2,347	2,039	1,595
	· ·	ŭ	· ·	Civil	6	*	*
TREATMENT ACCOMMODATION				Criminal	25	30	39
Hearing Impaired	84	79	71	Sexual Predatory	5	5	*
Past or Current Military Service	51	46	47	Commitment Type Unknown	11	16	21

DBH REGION		Southeast		IMPAIRED DRIVING	2013	2012	2011
DBH SERVICE A	REAS			Alcohol Involved CrashesTotal	121	97	117
Substance U	se	Not Applicab	le	Fatal Crashes	6	5	5
Adult Psychia	atric	20		Injury Crashes	52	46	45
POPULATION				Property Damage Crashes	63	46	67
Census 2010		102,473		Crash Fatalities	8	5	7
2014 Estimat	te	101,274		Crash Injuries	78	69	60
				Drug Involved CrashesTotal	37	40	51
خلة				Fatal Crashes	0	0	4
BIRTH RISK	2013	2012	2011	Injury Crashes	14	13	26
Resident BirthsTotal	1,317	1,282	1,293	Property Damage Crashes	23	27	21
Mother Reported Smoking while Pregnant	386	353	380	Crash Fatalities	0	0	6
2,22,22,1,22,2,1	2042	2042	2011	Crash Injuries	15	19	28
DISEASE INCIDENCE 1 HIV/AIDS Cases	2013	2012	2011	POLICE REPORTS	2013	2012	2011
	1 2	0	3 7	DUI Arrests, DWI Tracking System	606	713	697
Hepatitis B Chronic, Acute, Prenatal		4	62	Liquor Law Arrests	93	138	127
Hepatitis C Chronic and Acute Tuberculosis Infection Cases	117 5	87 17	62 14	Drug Arrests	650	606	639
Tuberculosis infection Cases	5	17	14	Violent Offenses	514	656	495
DEATHS and INJURIES	2013	2012	2011	Property Offenses	2,482	2,536	2,298
Resident DeathsTotal	1,244	1,237	1,279	Domestic Violence Reports	973	1,138	1,046
Suicides	17	16	17		2014	2013	2012
Self-inflicted Injuries	177	179	197	Methamphetamine Lab Seizures	14	32	56
Homicides	3	8	2	CCUCOL REPORTS	2013-14	2012-13	2011-12
Assault Injuries	409	427	395	SCHOOL REPORTS Enrollment Grades 9-12	4,728	4,800	4,746
Alcohol Induced Deaths	5	5	6	Drop-outs	39	4,800	4,740
Drug Induced Deaths	22	18	7	Drop-out Rate	0.8%	0.7%	1.4%
Smoking Attributable Deaths	262	247	272	School Discipline Involving Alcohol	0.6 %	7	1.4 /6
HOCDITAL EDICODES 2	2012	2012	2014	School Discipline Involving Arconol School Discipline Involving Drugs	38	12	26
HOSPITAL EPISODES 2 Hospitalization, no Emergency Room:	2013	2012	2011	School Discipline Involving Tobacco	3	6	3
Mental Illness Principal Diagnosis	1,230	1,220	1,253	Control Discipline Inverving respects	Ü	Ü	Ū
	2,191	1,618	2,220	JUVENILE COURT REFERRALS 3	2013	2012	2011
Alcohol Principal Diagnosis	31	60	73	Juvenile Violent Offenses	170	207	152
Alcohol Secondary Diagnosis	179	173	221	Juvenile Alcohol Offenses	46	50	67
Drug Principal Diagnosis	68	60	75	Juvenile Drug Offenses	56	53	60
Drug Secondary Diagnosis	138	144	196	School Truancy Status Offense	326	227	176
Emergency Room + Hospitalization:	100		100	Absent from Home Status Offense	29	40	32
Mental Illness Principal Diagnosis	172	160	128	Beyond Parental Control Status Offense	80	47	72
Mental Illness Secondary Diagnosis	1,636	1,909	1,283	Injurious Behavior Status Offense	172	110	116
Alcohol Principal Diagnosis	49	50	34	Child Abuse	113	105	79
Alcohol Secondary Diagnosis	141	179	138	Child Neglect	343	304	305
Drug Principal Diagnosis	31	32	26	Child Custody Issues	125	182	238
Drug Secondary Diagnosis	103	115	65	JUVENILE COURT PLACEMENTS	2013	2012	2011
Emergency Room, no Hospitalization:				Out-of-Home PlacementsTotal	283	268	305
Mental Illness Principal Diagnosis	1,084	1,071	984	Parental Alcohol Use Related	11	9	7
Mental Illness Secondary Diagnosis	1,239	1,945	1,031	Parental Drug Use Related	140	115	140
Alcohol Principal Diagnosis	154	145	155	Parental Alcohol and Drug Use	6	4	14
Alcohol Secondary Diagnosis	144	193	189				
Drug Principal Diagnosis	138	142	130	CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Secondary Diagnosis	171	166	187	Drug Court Participants	133	134	116
				Probation/Parole AdmissionsDrug	422	413	439
ALCOHOL OUTLETS	2014	2013	2012	Priora Admissions - Dwg	67	76	59
Alcohol On-Premise Drink Licenses	95	99	104	Prison Admissions - DWI	187	220	225
Alcohol Package Carry-out Licenses	108	106	109	Prison AdmissionsDWI	33	24	32
<b>EMPLOYMENT</b>	2014	2013	2012	1 All Kansas City hepatitis and TB case report			County
	47,406	50,968	49,715	totals and all Joplin case reports are include Beginning with 2010 data, diagnosis counts			es are
Employed	44,020	47,422	46,091	based on codes developed by the Healthcar	e Cost and L	Itilization Proj	ect.
Unemployed	3,386	3,546	3,624	3 Beginning in 2013, juvenile municipal violation court orders are categorized as status offens			

7.1%

7.0%

7.3%

**Unemployment Rate** 

#### **DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES**



DBH REGION Southeast
PSYCHIATRIC SERVICE AREA 20
CENSUS 2010 102,473
2014 POPULATION ESTIMATE 101,274

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.								
DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012					
Adjustment Disorder	114	126	157					
Anxiety Disorder	574	606	618					
Dementia	7	7	8					
Developmental Disorder	12	22	27					
Impulse Control Disorder	307	343	345					
Mood Disorder	1,420	1,424	1,341					
Personality Disorder	148	178	215					
Psychotic Disorder	344	332	323					
Sexual Disorder	*	*	*					
Other Diagnosis	173	186	210					
Diagnosis Unknown	133	208	216					

Individuals who received psychiatric services had the following types of

NUMBER SERVED	FY2014	FY2013	FY2012	EDUCATION	FY2014	FY2013	FY2012
Total Individuals	2,351	2,436	2,258	Less than High School Diploma	1,021	1,023	355
	,	,	,	High School Grad or G.E.D.	0	0	215
AGE				Associate Degree or Some College	0	*	45
Under 6	23	21	27	Bachelor or Advanced Degree	0	0	8
6 to 9	126	132	129	Education Level Unknown	1,330	1,412	1,635
10 to 13	192	213	199	Education Edver Officion	1,000	.,	1,000
14 to 17	235	255	252	EMPLOYMENT			
18 to 24	197	218	190	Employed	135	142	58
25 to 29	217	210	180	Unemployed	175	181	441
30 to 34	218	221	197	Not in Labor Force	1,425	1,357	214
35 to 39	177	192	167	Employment Status Unknown	616	756	1,545
40 to 44	192	208	173				
45 to 49	205	209	223	HOUSING / LIVING ARRANGEMENT			
50 to 54	248	227	217	Independent Living	1,241	1,073	558
55 to 59	161	159	146	Dependent Living	711	810	227
60 and Over	160	171	158	Homeless	27	16	15
Age Unknown	0	0	0	Other	0	0	6
				Housing Unknown	372	537	1,452
GENDER				-			
Male	1,015	1,071	1,014	TREATMENT REFERRAL SOURCE			
Female	1,336	1,365	1,244	Self / Family / Friend	1,031	965	956
Gender Unknown	0	0	0	School	39	53	41
RACE / ETHNICITY				Mental Health Provider	254	296	264
Caucasian	1,918	2,031	1,880	Health Care Provider	384	392	337
African American	351	314	286	Court / Criminal Justice	147	160	150
Native American / Alaskan	*	*	*	Other	492	565	505
Asian / Pacific Islander	*	*	*	Referral Source Unknown	*	5	5
Hispanic	23	42	35			_	
Other Race	53	45	52	TYPE OF COMMITMENT			
Race/Ethnicity Unknown	0	0	0	Voluntary	2,330	2,418	2,240
	ŭ	Ū	•	Civil	*	*	5
TREATMENT ACCOMMODATION				Criminal	13	11	8
Hearing Impaired	46	58	55	Sexual Predatory	*	*	*
Past or Current Military Service	35	43	34	Commitment Type Unknown	*	*	*

		, <b>.</b> .					
DBH REGIO	V	Southeast		IMPAIRED DRIVING	2013	2012	2011
DBH SERVICE				Alcohol Involved CrashesTotal	123	132	135
Substance		Not Applica	ble	Fatal Crashes	2	7	0
Adult Psy		21		Injury Crashes	48	58	60
POPULATIO				Property Damage Crashes	73	67	75
Census 2		137,379		Crash Fatalities	2	7	0
2014 Esti	mate	139,921		Crash Injuries	70	79	72
				Drug Involved CrashesTotal	33	24	40
Z1.7				Fatal Crashes	1	2	0
BIRTH RISK	2013	2012	2011	Injury Crashes	17	11	18
Resident BirthsTotal	1,604	1,595	1,566	Property Damage Crashes	15	11	22
Mother Reported Smoking while Pregnan	t 357	350	360	Crash Fatalities	1	2	0
DISTANCE INCIDENCE 1	2042	2042	2014	Crash Injuries	26	19	18
DISEASE INCIDENCE 1 HIV/AIDS Cases	2013	2012	2011	POLICE REPORTS	2013	2012	2011
	3	3	8	DUI Arrests, DWI Tracking System	782	912	968
Hepatitis B Chronic, Acute, Prenatal	9	10	7 77	Liquor Law Arrests	149	263	283
Hepatitis C Chronic and Acute Tuberculosis Infection Cases	90	87 52	77 54	Drug Arrests	687	504	585
Tuberculosis infection Cases	39	32	34	Violent Offenses	452	399	434
DEATHS and INJURIES	2013	2012	2011	Property Offenses	3,440	4,204	3,973
Resident DeathsTotal	1,426	1,390	1,411	Domestic Violence Reports	947	837	800
Suicides	21	20	19	·	2014	2013	2012
Self-inflicted Injuries	152	161	169	Methamphetamine Lab Seizures	13	21	35
Homicides	7	2	3				
Assault Injuries	449	508	412	SCHOOL REPORTS	2013-14	2012-13	2011-12
Alcohol Induced Deaths	9	5	2	Enrollment Grades 9-12	6,964	5,310	5,452
Drug Induced Deaths	18	18	24	Drop-outs	121	121	152
Smoking Attributable Deaths	275	257	247	Drop-out Rate	1.7%	2.3%	2.8%
				School Discipline Involving Alcohol	10	12	9
HOSPITAL EPISODES 2	2013	2012	2011	School Discipline Involving Drugs	44	40	45
Hospitalization, no Emergency Room:				School Discipline Involving Tobacco	0	0	1
Mental Illness Principal Diagnosis	1,242	1,207	1,346	JUVENILE COURT REFERRALS 3	2013	2012	2011
Mental Illness Secondary Diagnosis	2,801	2,555	2,746	Juvenile Violent Offenses	154	196	162
Alcohol Principal Diagnosis	61	95	83	Juvenile Alcohol Offenses	22	22	43
Alcohol Secondary Diagnosis	215	169	218	Juvenile Drug Offenses	43	61	54
Drug Principal Diagnosis	57	79	67	School Truancy Status Offense	134	161	63
Drug Secondary Diagnosis	129	149	175	Absent from Home Status Offense	83	82	67
Emergency Room + Hospitalization:	400	400	440	Beyond Parental Control Status Offense	75	71	92
Mental Illness Principal Diagnosis	129	189	119	Injurious Behavior Status Offense	205	163	58
Mental Illness Secondary Diagnosis	1,341	1,555	1,432	Child Abuse	77	55	69
Alcohol Principal Diagnosis	57	48	26	Child Neglect	346	207	107
Alcohol Secondary Diagnosis	141	180	145	Child Custody Issues	92	45	86
Drug Principal Diagnosis	23	23	18	WINGS WE COURT BY A CENTERIES	2012	2012	2011
Drug Secondary Diagnosis Emergency Room, no Hospitalization:	72	92	85	JUVENILE COURT PLACEMENTS Out-of-Home PlacementsTotal	<b>2013</b> 138	<b>2012</b> 128	<b>2011</b> 141
Mental Illness Principal Diagnosis	1,426	1,320	1,490	Parental Alcohol Use Related	6	2	6
Mental Illness Secondary Diagnosis	3,303	4,760	2,132	Parental Drug Use Related	55	56	47
Alcohol Principal Diagnosis	224	215	246	Parental Alcohol and Drug Use	9	4	11
Alcohol Secondary Diagnosis	219	245	278	r aromai Alconol and Didy Ose	J	7	11
Drug Principal Diagnosis	201	188	207	CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Secondary Diagnosis	323	323	279	Drug Court Participants	97	107	139
Drag Cocondary Diagnosis	525	020	210	Probation/Parole AdmissionsDrug	342	344	329
ALCOHOL OUTLETS	2014	2013	2012	Probation/Parole AdmissionsDWI	63	86	76
Alcohol On-Premise Drink Licenses	215	216	211	Prison AdmissionsDrug	161	152	154
Alcohol Package Carry-out Licenses	133	130	129	Prison AdmissionsDWI	30	45	45
EMDI OVMENT	2014	2013	2012	1 All Kansas City hepatitis and TB case report	ts are include	ed in Jackson	County
EMPLOYMENT Labor Force	71,249	72,265	69,915	totals and all Joplin case reports are include	d in Jasper C	County totals.	
Employed	67,117	68,032	65,690	2 Beginning with 2010 data, diagnosis counts based on codes developed by the Healthcar			
Unemployed	4 4 2 2	4 222	4.005	3 Beginning in 2013, juvenile municipal violati			

4,132

5.8%

4,233

5.9%

4,225

6.0%

Unemployed

**Unemployment Rate** 

3 Beginning in 2013, juvenile municipal violations, infractions, and violations of

#### **DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES**



DBH REGION Southeast
PSYCHIATRIC SERVICE AREA 21
CENSUS 2010 137,379
2014 POPULATION ESTIMATE 139,921

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder. FY2014 FY2013 FY2012 **DIAGNOSIS CATEGORY** Adjustment Disorder 402 428 361 **Anxiety Disorder** 631 590 522 Dementia 0 **Developmental Disorder** 7 8 6 Impulse Control Disorder 688 564 728 **Mood Disorder** 2,515 2,028 2,469 Personality Disorder 42 50 50 **Psychotic Disorder** 380 350 387 Sexual Disorder Other Diagnosis 138 115 151 Diagnosis Unknown 278 379 916

Individuals who received psychiatric services had the following types of

NUMBER SERVED	FY2014	FY2013	FY2012	EDUCATION	FY2014	FY2013	FY2012
Total Individuals	4,439	3,862	5,167	Less than High School Diploma	495	534	342
4.05				High School Grad or G.E.D.	0	*	273
AGE	40	-	47	Associate Degree or Some College	0	0	76
Under 6	10	7	17	Bachelor or Advanced Degree	0	0	35
6 to 9	207	178	288	Education Level Unknown	3,944	3,327	4,441
10 to 13	341	286	407		•	·	
14 to 17	380	287	427	EMPLOYMENT			
18 to 24	462	396	599	Employed	41	50	84
25 to 29	401	392	473	Unemployed	40	47	571
30 to 34	426	383	523	Not in Labor Force	996	965	179
35 to 39	401	355	455	Employment Status Unknown	3,362	2,800	4,333
40 to 44	382	327	421				
45 to 49	367	360	446	HOUSING / LIVING ARRANGEMENT			
50 to 54	417	358	433	Independent Living	557	535	553
55 to 59	308	263	318	Dependent Living	540	525	386
60 and Over	337	270	360	Homeless	12	15	9
Age Unknown	0	0	0	Other	0	0	14
				Housing Unknown	3,330	2,787	4,205
GENDER							
Male	1,963	1,685	2,241	TREATMENT REFERRAL SOURCE			
Female	2,476	2,177	2,926	Self / Family / Friend	2,724	2,435	3,570
Gender Unknown	0	0	0	School	64	35	40
RACE / ETHNICITY				Mental Health Provider	325	265	305
Caucasian	3,828	3,297	4,361	Health Care Provider	519	480	531
African American	259	241	279	Court / Criminal Justice	114	114	142
Native American / Alaskan	6	7	*	Other	678	520	563
Asian / Pacific Islander	*	*	6	Referral Source Unknown	15	13	16
Hispanic	215	206	385				
Other Race	128	108	134	TYPE OF COMMITMENT			
Race/Ethnicity Unknown	0	0	0	Voluntary	4,403	3,828	5,122
. 13.50, Ethinology Official Will	O	O	0	Civil	0	*	8
TREATMENT ACCOMMODATION				Criminal	20	19	19
Hearing Impaired	182	174	229	Sexual Predatory	*	*	*
Past or Current Military Service	102	83	111	Commitment Type Unknown	13	11	14

DBH REGIO	V	Eastern		IMPAIRED DRIVING	2013	2012	2011
DBH SERVIC				Alcohol Involved CrashesTotal	214	236	240
Substance		Not Applica	able	Fatal Crashes	8	6	7
Adult Psy		22		Injury Crashes	94	101	102
POPULATIO				Property Damage Crashes	112	129	131
Census 2		218,733		Crash Fatalities	8	7	8
2014 Esti	mate	222,716		Crash Injuries	147	141	142
				Drug Involved CrashesTotal	45	52	33
				Fatal Crashes	1	5	1
BIRTH RISK	2013	2012	2011	Injury Crashes	22	22	18
Resident BirthsTotal	2,639	2,702	2,662	Property Damage Crashes	22	25	14
Mother Reported Smoking while Pregnan	t 561	603	602	Crash Injuries	1	6	1 23
	2042	2042	2014	Crash Injuries	28	31	23
DISEASE INCIDENCE 1 HIV/AIDS Cases	2013	2012	2011	POLICE REPORTS	2013	2012	2011
	11	4	4 13	DUI Arrests, DWI Tracking System	1,474	1,787	1,609
Hepatitis B Chronic, Acute, Prenatal	11	7 113	122	Liquor Law Arrests	663	677	826
Hepatitis C Chronic and Acute Tuberculosis Infection Cases	145 45	39	51	Drug Arrests	1,681	1,614	1,563
Tuberculosis infection Cases	43	39	31	Violent Offenses	454	448	548
DEATHS and INJURIES	2013	2012	2011	Property Offenses	4,144	4,390	4,462
Resident DeathsTotal	1,834	1,839	1,822	Domestic Violence Reports	1,233	1,333	1,423
Suicides	35	46	41		2014	2013	2012
Self-inflicted Injuries	208	251	279	Methamphetamine Lab Seizures	205	223	346
Homicides	3	7	4				
Assault Injuries	453	491	523	SCHOOL REPORTS	2013-14	2012-13	2011-12
Alcohol Induced Deaths	15	9	12	Enrollment Grades 9-12	10,646	10,525	10,668
Drug Induced Deaths	63	61	54	Drop-outs	154	195	247
Smoking Attributable Deaths	354	376	355	Drop-out Rate	1.4%	1.9%	2.3% 26
				School Discipline Involving Alcohol	9 94	7 106	109
HOSPITAL EPISODES 2	2013	2012	2011	School Discipline Involving Drugs School Discipline Involving Tobacco	94	100	4
Hospitalization, no Emergency Room:	4.504	4 004	4.050	School Discipline Involving Tobacco	U	ı	4
Mental Illness Principal Diagnosis	1,594	1,691	1,659	JUVENILE COURT REFERRALS 3	2013	2012	2011
Mental Illness Secondary Diagnosis	2,267	1,896	1,970	Juvenile Violent Offenses	381	376	395
Alcohol Principal Diagnosis	44	52 103	33 101	Juvenile Alcohol Offenses	85	84	60
Alcohol Secondary Diagnosis  Drug Principal Diagnosis	141 96	98	132	Juvenile Drug Offenses	117	121	131
Drug Secondary Diagnosis	148	108	95	School Truancy Status Offense	227	143	172
Emergency Room + Hospitalization:	140	100	95	Absent from Home Status Offense	64	64	69
Mental Illness Principal Diagnosis	984	1,134	960	Beyond Parental Control Status Offense	71	32	38
Mental Illness Secondary Diagnosis	4,716	5,353	5,065	Injurious Behavior Status Offense	71	59	76
Alcohol Principal Diagnosis	103	109	82	Child Abuse	228	242	40
Alcohol Secondary Diagnosis	411	405	387	Child Neglect	495	430	56
Drug Principal Diagnosis	107	107	119	Child Custody Issues	164	209	377
Drug Secondary Diagnosis	235	272	280	JUVENILE COURT PLACEMENTS	2013	2012	2011
Emergency Room, no Hospitalization:	200		200	Out-of-Home PlacementsTotal	352	368	284
Mental Illness Principal Diagnosis	1,388	1,328	1,299	Parental Alcohol Use Related	18	16	8
Mental Illness Secondary Diagnosis	6,371	5,478	4,493	Parental Drug Use Related	145	215	150
Alcohol Principal Diagnosis	248	237	197	Parental Alcohol and Drug Use	11	6	12
Alcohol Secondary Diagnosis	225	193	208	-0		-	
Drug Principal Diagnosis	356	367	421	CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Secondary Diagnosis	370	328	273	Drug Court Participants	115	105	100
<del>-</del>				Probation/Parole AdmissionsDrug	473	401	338
ALCOHOL OUTLETS	2014	2013	2012	Probation/Parole AdmissionsDWI	127	150	120
Alcohol On-Premise Drink Licenses	177	181	183	Prison AdmissionsDrug	245	168	141
Alcohol Package Carry-out Licenses	147	146	148	Prison AdmissionsDWI	41	51	63
<b>EMPLOYMENT</b>	2014	2013	2012	1 All Kansas City hepatitis and TB case report			County
Labor Force	115,975	115,155	115,338	totals and all Joplin case reports are include			ees aro
Employed	108,717	107,194	106,839	2 Beginning with 2010 data, diagnosis counts based on codes developed by the Healthcar			
Unampleyed	7.050	7.064	0.400	3 Beginning in 2013, juvenile municipal violati			

7,258

6.3%

7,961

6.9%

8,499

7.4%

Unemployed

**Unemployment Rate** 

3 Beginning in 2013, juvenile municipal violations, infractions, and violations of

#### **DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES**



DBH REGION Eastern
PSYCHIATRIC SERVICE AREA 22
CENSUS 2010 218,733
2014 POPULATION ESTIMATE 222,716

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.						
DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012			
Adjustment Disorder	39	34	38			
Anxiety Disorder	1,085	1,003	960			
Dementia	12	10	12			
Developmental Disorder	61	49	52			
Impulse Control Disorder	340	335	348			
Mood Disorder	1,575	1,496	1,459			
Personality Disorder	365	381	403			
Psychotic Disorder	312	293	296			
Sexual Disorder	*	5	*			
Other Diagnosis	174	156	152			

Individuals who received psychiatric services had the following types of

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

Diagnosis Unknown

NUMBER SERVED	FY2014	FY2013	FY2012	EDUCATION	FY2014	FY2013	FY2012
Total Individuals	1,982	1,916	1,934	Less than High School Diploma	431	442	353
	•	·	•	High School Grad or G.E.D.	0	*	357
AGE	_	_	_	Associate Degree or Some College	0	0	174
Under 6	6	5	7	Bachelor or Advanced Degree	0	0	31
6 to 9	34	36	34	Education Level Unknown	1,551	1,473	1,019
10 to 13	71	70	76		1,00	.,	.,
14 to 17	111	106	119	EMPLOYMENT			
18 to 24	164	168	175	Employed	213	191	200
25 to 29	195	182	210	Unemployed	151	121	687
30 to 34	252	223	220	Not in Labor Force	897	864	153
35 to 39	196	178	179	Employment Status Unknown	721	740	894
40 to 44	195	206	202				
45 to 49	219	238	238	HOUSING / LIVING ARRANGEMENT			
50 to 54	240	227	218	Independent Living	890	797	904
55 to 59	164	160	137	Dependent Living	370	395	167
60 and Over	135	117	119	Homeless	18	12	8
Age Unknown	0	0	0	Other	0	0	9
				Housing Unknown	704	712	846
GENDER	054	0.40	000				
Male	851	816	839	TREATMENT REFERRAL SOURCE			
Female	1,131	1,100	1,095	Self / Family / Friend	799	765	841
Gender Unknown	0	0	0	School	8	6	7
RACE / ETHNICITY				Mental Health Provider	130	162	168
Caucasian	1,897	1,823	1,840	Health Care Provider	452	388	310
African American	37	44	44	Court / Criminal Justice	96	108	102
Native American / Alaskan	*	*	*	Other	476	460	475
Asian / Pacific Islander	8	9	7	Referral Source Unknown	21	27	31
Hispanic	12	13	12				
Other Race	26	25	27	TYPE OF COMMITMENT			
Race/Ethnicity Unknown	0	0	0	Voluntary	1,951	1,874	1,888
•	ŭ	Ü	•	Civil	*	*	8
TREATMENT ACCOMMODATION				Criminal	8	10	7
Hearing Impaired	14	13	15	Sexual Predatory	*	*	*
Past or Current Military Service	40	38	39	Commitment Type Unknown	20	27	30

127

DBH REGIO		Eastern		IMPAIRED DRIVING Alcohol Involved CrashesTota
Substance	e Use	Not Applica	able	Fatal Crashes
Adult Psy		23		Injury Crashes
POPULATION Census 2		008 054		Property Damage Crashes Crash Fatalities
2014 Est		998,954 1,001,876		
	iiiate	1,001,070		Crash Injuries Drug Involved CrashesTotal
				Fatal Crashes
				Injury Crashes
BIRTH RISK	2013	2012	2011	• •
Resident BirthsTotal	11,510	11,534	11,934	Property Damage Crashes Crash Fatalities
Mother Reported Smoking while Pregnar	nt 978	1,046	1,116	Crash Injuries
DISEASE INCIDENCE 1	2013	2012	2011	
HIV/AIDS Cases		136	97	POLICE REPORTS
Hepatitis B Chronic, Acute, Prenatal	111	109	102	DUI Arrests, DWI Tracking Sys
Hepatitis C Chronic and Acute	573	506	584	Liquor Law Arrests
Tuberculosis Infection Cases	565	407	494	Drug Arrests
				Violent Offenses
DEATHS and INJURIES	2013	2012	2011	Property Offenses
Resident DeathsTotal	9,452	9,364	9,177	Domestic Violence Reports
Suicides	133	134	131	
Self-inflicted Injuries	818	929	950	Methamphetamine Lab Seizure
Homicides	77	82	72	
Assault Injuries	3,347	3,886	3,785	SCHOOL REPORTS
Alcohol Induced Deaths	53	65	49	Enrollment Grades 9-12
Drug Induced Deaths	172	149	161	Drop-outs
Smoking Attributable Deaths	1,439	1,465	1,401	Drop-out Rate
	.,	1,100	.,	School Discipline Involving Alco
HOSPITAL EPISODES 2	2013	2012	2011	School Discipline Involving Drug
Hospitalization, no Emergency Room:				School Discipline Involving Tob
Mental Illness Principal Diagnosis	5,138	3,942	4,794	
Mental Illness Secondary Diagnosis	11,358	8,692	10,470	JUVENILE COURT REFERRALS
Alcohol Principal Diagnosis	421	323	341	Juvenile Violent Offenses
Alcohol Secondary Diagnosis	943	479	887	Juvenile Alcohol Offenses
Drug Principal Diagnosis	472	437	570	Juvenile Drug Offenses
Drug Secondary Diagnosis	1,002	584	836	School Truancy Status Offense
Emergency Room + Hospitalization:	,			Absent from Home Status Offer
Mental Illness Principal Diagnosis	5,774	7,070	6,114	Beyond Parental Control Status
Mental Illness Secondary Diagnosis	20,100	24,273	21,502	Injurious Behavior Status Offen
Alcohol Principal Diagnosis	589	737	632	Child Abuse
Alcohol Secondary Diagnosis	2,038	2,436	2,023	Child Neglect
Drug Principal Diagnosis	380	429	382	Child Custody Issues
Drug Secondary Diagnosis	1,292	1,687	1,388	JUVENILE COURT PLACEMENTS
Emergency Room, no Hospitalization:	1,232	1,007	1,500	Out-of-Home PlacementsTota
	7 607	7 679	6,860	
Mental Illness Principal Diagnosis	7,697	7,678	•	Parental Alcohol Use Related
Mental Illness Secondary Diagnosis	25,209	24,388	19,262	Parental Drug Use Related
Alcohol Principal Diagnosis	1,740	1,767	1,674	Parental Alcohol and Drug Us
Alcohol Secondary Diagnosis	1,595	1,770	1,549	CRIMINAL JUSTICE
Drug Principal Diagnosis	1,242	1,294	1,304	Drug Court Participants
Drug Secondary Diagnosis	1,896	1,892	1,875	Probation/Parole Admissions
ALCOHOL OUTLETS	2014	2013	2012	Probation/Parole Admissions[
Alcohol On-Premise Drink Licenses	1,243	1,230	1,255	Prison AdmissionsDrug
Alcohol Package Carry-out Licenses	648	644	662	Prison AdmissionsDWI
<b>EMPLOYMENT</b>	2014	2013	2012	1 All Kansas City hepatitis and TB
Labor Force	530,449	513,847	513,956	totals and all Joplin case reports
Employed	499,383	480,389	479,555	2 Beginning with 2010 data, diagrams based on codes developed by the
Unemployed	31,066	33,458	34,401	3 Beginning in 2013, juvenile mur
Unemployment Rate	5.9%	•	6.7%	court orders are categorized as
onemployment Nate	5.9%	0.5%	0.770	

IMPAIRED DRIVING	2013	2012	2011
Alcohol Involved CrashesTotal	695	773	772
Fatal Crashes	11	9	12
Injury Crashes	238	270	261
Property Damage Crashes	446	494	499
Crash Fatalities	16	10	13
Crash Injuries	321	369	379
Drug Involved CrashesTotal	146	136	126
Fatal Crashes	3	1	3
Injury Crashes	57	62	58
Property Damage Crashes	86	73	65
Crash Fatalities	5	1	3
Crash Injuries	73	84	56
POLICE REPORTS	2013	2012	2011
DUI Arrests, DWI Tracking System	4,635	5,247	5,144
Liquor Law Arrests	1,140	1,493	1,523
Drug Arrests	7,832	8,312	8,263
Violent Offenses	2,972	3,020	3,071
Property Offenses	24,712	26,824	28,609
Domestic Violence Reports	3,884	4,336	4,889
	2014	2013	2012
Methamphetamine Lab Seizures	102	74	130
SCHOOL REPORTS	2013-14	2012-13	2011-12
Enrollment Grades 9-12	44,895	45,928	46,496
Drop-outs	979	1,060	1,223
Drop-out Rate	2.2%	2.3%	2.6%
School Discipline Involving Alcohol	62	74	77
School Discipline Involving Drugs	322	340	411
School Discipline Involving Tobacco	8	8	6
JUVENILE COURT REFERRALS 3	2013	2012	2011
Juvenile Violent Offenses	1,305	1,395	1,382
Juvenile Alcohol Offenses	124	173	166
Juvenile Drug Offenses	354	412	450
School Truancy Status Offense	368	362	310
Absent from Home Status Offense	961	1,033	930
Beyond Parental Control Status Offense	149	143	162
Injurious Behavior Status Offense	99	107	60
Child Abuse	477	428	523
Child Neglect	1,013	869	938
Child Custody Issues	136	152	140
JUVENILE COURT PLACEMENTS	2013	2012	2011
Out-of-Home PlacementsTotal	405	372	415
Parental Alcohol Use Related	10	5	10
Parental Drug Use Related	89	83	102
Parental Alcohol and Drug Use	6	3	7
CRIMINAL JUSTICE	FY2014	FY2013	FY2012
Drug Court Participants	349	325	260
Probation/Parole AdmissionsDrug	1,002	797	680
Probation/Parole AdmissionsDWI	352	274	259
Prison AdmissionsDrug	284	294	297
Prison AdmissionsDWI	72	69	55

TB case reports are included in Jackson County rts are included in Jasper County totals. gnosis counts for hospital and ER services are the Healthcare Cost and Utilization Project.

unicipal violations, infractions, and violations of s status offenses instead of law violations.

#### **DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES**



DBH REGION Eastern
PSYCHIATRIC SERVICE AREA 23
CENSUS 2010 998,954
2014 POPULATION ESTIMATE 1,001,876

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder. FY2014 FY2013 FY2012 **DIAGNOSIS CATEGORY** Adjustment Disorder 37 46 60 **Anxiety Disorder** 598 756 641 Dementia 5 6 **Developmental Disorder** 36 42 46 Impulse Control Disorder 656 559 549 **Mood Disorder** 2,957 2,862 3,152 Personality Disorder 296 236 213 **Psychotic Disorder** 1,729 1,698 1,659 9 Sexual Disorder 7 6 Other Diagnosis 127 114 113

419

482

590

Individuals who received psychiatric services had the following types of

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

Diagnosis Unknown

NUMBER SERVED	FY2014	FY2013	FY2012	EDUCATION	FY2014	FY2013	FY2012
Total Individuals	5,674	5,536	5,535	Less than High School Diploma	1,152	1,150	791
				High School Grad or G.E.D.	0	*	846
AGE				Associate Degree or Some College	0	*	404
Under 6	27	29	13	Bachelor or Advanced Degree	0	0	278
6 to 9	180	158	165	Education Level Unknown	4,522	4,379	3,216
10 to 13	315	284	301		,-	,	-, -
14 to 17	429	418	450	EMPLOYMENT			
18 to 24	536	542	561	Employed	341	329	336
25 to 29	433	430	461	Unemployed	465	445	1,885
30 to 34	509	473	462	Not in Labor Force	2,626	2,648	476
35 to 39	431	429	424	Employment Status Unknown	2,242	2,114	2,838
40 to 44	490	495	471				
45 to 49	603	624	650	HOUSING / LIVING ARRANGEMENT			
50 to 54	647	655	611	Independent Living	1,357	1,313	2,102
55 to 59	530	502	448	Dependent Living	1,874	1,945	580
60 and Over	544	497	518	Homeless	115	87	82
Age Unknown	0	0	0	Other	0	0	48
				Housing Unknown	2,328	2,191	2,723
GENDER				•			
Male	2,747	2,691	2,734	TREATMENT REFERRAL SOURCE			
Female	2,927	2,845	2,801	Self / Family / Friend	1,208	1,259	1,352
Gender Unknown	0	0	0	School	121	102	102
RACE / ETHNICITY				Mental Health Provider	749	812	930
Caucasian	2,681	2,610	2,667	Health Care Provider	999	893	737
African American	2,677	2,646	2,597	Court / Criminal Justice	264	286	341
Native American / Alaskan	*	*	5	Other	2,323	2,176	2,057
Asian / Pacific Islander	24	29	21	Referral Source Unknown	10	8	16
Hispanic	77	63	66			Ū	
Other Race	211	184	179	TYPE OF COMMITMENT			
Race/Ethnicity Unknown	0	0	0	Voluntary	5,579	5,435	5,413
rado, Ethnoly Onknown	0	U	J	Civil	13	15	22
TREATMENT ACCOMMODATION				Criminal	66	71	82
Hearing Impaired	194	202	178	Sexual Predatory	5	7	9
Past or Current Military Service	114	108	119	Commitment Type Unknown	11	8	9

			,				
DBH REGIO	N	Eastern		IMPAIRED DRIVING	2013	2012	2011
DBH SERVICE				Alcohol Involved CrashesTotal	135	152	124
Substanc		Not Applica	able	Fatal Crashes	2	2	5
Adult Psy		24, 25		Injury Crashes	58	55	55
POPULATIO		040.004		Property Damage Crashes	75	95	64
Census 2		319,294		Crash Fatalities	2	2	5
2014 Esti	mate	317,419		Crash Injuries	98	85	112
				Drug Involved CrashesTotal	21	21	14
<u>;</u>				Fatal Crashes	0	0	1
BIRTH RISK	2013	2012	2011	Injury Crashes	8	10	10
Resident BirthsTotal	4,694	4,696	4,957	Property Damage Crashes Crash Fatalities	13 0	11 0	3 1
Mother Reported Smoking while Pregnan	t 657	707	749	Crash Injuries	20	14	1 8
DISEASE INCIDENCE 1	2013	2012	2011	o.do.,,uoo			
HIV/AIDS Cases	2010	127	122	POLICE REPORTS	2013	2012	2011
Hepatitis B Chronic, Acute, Prenatal	73	68	53	DUI Arrests, DWI Tracking System	287	343	263
Hepatitis C Chronic and Acute	774	780	823	Liquor Law Arrests	576	715	537
Tuberculosis Infection Cases	626	581	616	Drug Arrests	3,414	3,940	4,167
				Violent Offenses	5,083	5,664	5,950
DEATHS and INJURIES	2013	2012	2011	Property Offenses	21,349	22,231	25,861
Resident DeathsTotal	2,960	2,911	2,991	Domestic Violence Reports	2,488	2,628	2,329
Suicides	38	31	43		2014	2013	2012
Self-inflicted Injuries	370	458	483	Methamphetamine Lab Seizures	23	41	41
Homicides	89	93	93	SCHOOL REPORTS	2013-14	2012-13	2011-12
Assault Injuries	2,800	2,965	3,046	Enrollment Grades 9-12	8,066	8,353	9,053
Alcohol Induced Deaths	57	44	33	Drop-outs	1,225	1,050	1,646
Drug Induced Deaths	102	68	96	Drop-out Rate	15.2%	12.6%	18.2%
Smoking Attributable Deaths	467	461	468	School Discipline Involving Alcohol	5	0	4
HOSPITAL EPISODES 2	2013	2012	2011	School Discipline Involving Drugs	123	131	179
Hospitalization, no Emergency Room:	2013	2012	2011	School Discipline Involving Tobacco	1	0	1
Mental Illness Principal Diagnosis	3,748	2,449	3,098				
Mental Illness Secondary Diagnosis	5,749	2,928	3,783	JUVENILE COURT REFERRALS 3	2013	2012	2011
Alcohol Principal Diagnosis	293	143	252	Juvenile Violent Offenses	398	546	583
Alcohol Secondary Diagnosis	930	255	525	Juvenile Alcohol Offenses	0	6	4
Drug Principal Diagnosis	543	422	509	Juvenile Drug Offenses	89	102	83
Drug Secondary Diagnosis	1,339	588	748	School Truancy Status Offense	198	169	216
Emergency Room + Hospitalization:				Absent from Home Status Offense	46	42	51
Mental Illness Principal Diagnosis	2,080	3,047	2,517	Beyond Parental Control Status Offense	63	78 40	83
Mental Illness Secondary Diagnosis	4,472	7,506	6,759	Injurious Behavior Status Offense	5	10	6
Alcohol Principal Diagnosis	276	404	284	Child Nogleat	33	50	63 547
Alcohol Secondary Diagnosis	850	1,420	1,101	Child Neglect Child Custody Issues	610 72	436 53	517 94
Drug Principal Diagnosis	219	294	245	Crilla Custody Issues	12	55	34
Drug Secondary Diagnosis	824	1,621	1,313	JUVENILE COURT PLACEMENTS	2013	2012	2011
Emergency Room, no Hospitalization:				Out-of-Home PlacementsTotal	291	214	213
Mental Illness Principal Diagnosis	4,156	4,594	4,377	Parental Alcohol Use Related	5	3	2
Mental Illness Secondary Diagnosis	11,798	9,932	9,182	Parental Drug Use Related	68	76	49
Alcohol Principal Diagnosis	1,811	1,845	1,573	Parental Alcohol and Drug Use	1	3	0
Alcohol Secondary Diagnosis	1,410	1,361	1,190	CRIMINAL HISTIGE	EV2014	EV2012	FY2012
Drug Principal Diagnosis	1,061	1,052	1,252	CRIMINAL JUSTICE Drug Court Participants	<b>FY2014</b> 446	<b>FY2013</b> 527	564
Drug Secondary Diagnosis	1,899	1,993	2,535	Probation/Parole AdmissionsDrug	1,494	1,485	1,324
ALCOHOL OUTLETS	204.4	2042	2012	Probation/Parole AdmissionsDWI	11	8	16
ALCOHOL OUTLETS Alcohol On-Premise Drink Licenses	<b>2014</b>	<b>2013</b>	<b>2012</b>	Prison AdmissionsDrug	617	609	594
Alcohol Package Carry-out Licenses	790 164	783 168	772 176	Prison AdmissionsDWI	3	4	4
				1 All Kanaga City bandities and TD	to are in-last	od in Jacks	Country
EMPLOYMENT	2014	2013	2012	All Kansas City hepatitis and TB case report totals and all Joplin case reports are include			County
Labor Force	161,200	139,644	139,939	2 Beginning with 2010 data, diagnosis counts	for hospital a	and ER servic	
Employed	148,789	126,965	126,924	based on codes developed by the Healthcan Beginning in 2013, juvenile municipal violati			

Unemployed

**Unemployment Rate** 

12,411 12,679

9.1%

7.7%

13,015

9.3%

3 Beginning in 2013, juvenile municipal violations, infractions, and violations of

#### **DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES**



DBH REGION Eastern
PSYCHIATRIC SERVICE AREA 24, 25
CENSUS 2010 319,294
2014 POPULATION ESTIMATE 317,419

disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.						
DIAGNOSIS CATEGORY	FY2014	FY2013	FY2012			
Adjustment Disorder	54	79	84			
Anxiety Disorder	675	567	531			
Dementia	10	6	11			
Developmental Disorder	27	23	28			
Impulse Control Disorder	699	701	629			
Mood Disorder	3,440	3,156	3,039			
Personality Disorder	322	274	275			
Psychotic Disorder	2,521	2,429	2,466			
Sexual Disorder	14	11	7			

186

548

142

632

117

843

Individuals who received psychiatric services had the following types of

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

Other Diagnosis

Diagnosis Unknown

NUMBER SERVED	FY2014	FY2013	FY2012	EDUCATION	FY2014	FY2013	FY2012
Total Individuals	6,797	6,686	6,716	Less than High School Diploma	1,803	1,912	1,170
				High School Grad or G.E.D.	*	*	735
AGE	47	40	47	Associate Degree or Some College	0	*	362
Under 6	17	19	17	Bachelor or Advanced Degree	0	0	191
6 to 9	287	274	218	Education Level Unknown	4,993	4,772	4,258
10 to 13	309	308	300		•	·	
14 to 17	357	379	336	EMPLOYMENT			
18 to 24	440	470	499	Employed	308	295	279
25 to 29	441	444	470	Unemployed	341	325	1,922
30 to 34	540	519	544	Not in Labor Force	3,538	3,605	725
35 to 39	490	474	496	Employment Status Unknown	2,610	2,461	3,790
40 to 44	622	604	609				
45 to 49	777	797	893	HOUSING / LIVING ARRANGEMENT			
50 to 54	938	961	948	Independent Living	2,266	2,192	2,089
55 to 59	866	786	758	Dependent Living	1,509	1,699	672
60 and Over	713	651	628	Homeless	324	260	186
Age Unknown	0	0	0	Other	0	0	61
CENTER				Housing Unknown	2,698	2,535	3,708
GENDER	0.470	0.404	0.440				
Male	3,478	3,434	3,443	TREATMENT REFERRAL SOURCE			
Female	3,319	3,252	3,273	Self / Family / Friend	2,383	2,460	2,584
Gender Unknown	0	0	0	School	44	47	40
RACE / ETHNICITY				Mental Health Provider	739	805	877
Caucasian	1,675	1,675	1,705	Health Care Provider	1,049	910	725
African American	4,833	4,744	4,741	Court / Criminal Justice	399	433	511
Native American / Alaskan	5	5	*	Other	2,137	1,977	1,920
Asian / Pacific Islander	28	24	24	Referral Source Unknown	46	54	59
Hispanic	58	53	50		_	-	
Other Race	198	184	192	TYPE OF COMMITMENT			
Race/Ethnicity Unknown	0	*	*	Voluntary	6,539	6,398	6,417
	Ü			Civil	27	30	28
TREATMENT ACCOMMODATION				Criminal	181	201	207
Hearing Impaired	201	178	171	Sexual Predatory	*	*	7
Past or Current Military Service	197	188	208	Commitment Type Unknown	46	53	57

# MISSOURI: 2014 POPULATION ESTIMATES BY AGE, GENDER, RACE, AND HISPANIC ORIGIN


							Black or		American Indian				Hawaiian or			
	Age	All Races			White		African American		or Alaska Native		Asian		Pacific Islander		Two or More Races	
	Group	Total	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female
	All Ages	6,063,589	2,974,222	3,089,367	2,494,468	2,568,984	340,243	374,352	16,739	16,089	54,958	61,255	4,309	4,218	63,505	64,469
	0-4	374,318	192,214	182,104	148,950	141,153	27,241	25,887	1,256	1,187	4,100	3,630	444	419	10,223	9,828
	5-9	389,755	198,733	191,022	156,458	149,438	27,400	26,667	1,022	1,085	3,594	3,773	410	429	9,849	9,630
	10-14	391,633	200,250	191,383	160,069	152,110	27,300	26,443	1,085	1,069	3,547	3,784	342	372	7,907	7,605
Total	15-19	395,523	203,231	192,292	162,086	153,164	28,845	27,161	1,230	1,170	3,922	3,953	331	337	6,817	6,507
	20-24	435,252	220,620	214,632	173,807	169,254	33,256	32,252	1,377	1,341	5,873	5,699	383	352	5,924	5,734
	25-29	401,164 401,388	200,866 200,097	200,298 201,291	164,156 167,144	161,533 164,504	26,031 23,050	27,451 25,979	1,251 1,141	1,139 1,035	5,348 5,125	5,725 5,783	431 433	381 430	3,649 3,204	4,069 3,560
	30-34 35-39	362,172	180,903	181,269	151,431	148,181	20,454	23,572	1,141	996	5,125 4,741	5,783 5,262	381	354	2,743	3,560 2,904
	40-44	369,354	182,978	186,376	154,069	153,210	20,549	24,026	1,080	1,000	4,507	5,238	323	289	2,450	2,613
	45-49	379,160	187,460	191,700	159,951	160,502	20,642	23,557	1,145	1,060	3,547	4,125	246	224	1,929	2,232
	50-54	441,126	216,993	224,133	188,284	191,880	22,329	25,042	1,258	1,223	2,788	3,476	189	188	2,145	2,324
	55-59	424,759	206,700	218,059	180,697	187,642	20,344	23,978	1,203	1,181	2,221	2,888	147	165	2,088	2,205
	60-64	365,770	174,640	191,130	155,173	166,361	15,201	19,392	885	977	1,732	2,659	107	101	1,542	1,640
	65-69	300,124	141,718	158,406	127,698	140,160	10,547	14,307	690	652	1,530	2,012	72	74	1,181	1,201
	70-74	225,369	104,007	121,362	94,521	108,614	7,145	10,092	431	387	1,087	1,338	31	35	792	896
	75-79	162,272	72,088	90,184	65,899	80,934	4,648	7,432	273	280	719	869	26	23	523	646
	80-84	119,445	49,011	70,434	45,233	63,833	2,978	5,399	147	165	328	579	8	21	317	437
	85+	125,005	41,713	83,292	38,842	76,511	2,283	5,715	112	142	249	462	5	24	222	438
Non-Hispanic	All Ages	5,823,367	2,849,877	2,973,490		2,470,156	334,033	368,234	12,907	12,668	53,771	60,041	3,524	3,526	57,758	58,865
	0-4	347,821	178,829	168,992	138,123	130,468	26,380	25,069	820	774	3,912	3,450	346	326	9,248	8,905
	5-9	362,986	185,150	177,836	145,032	138,421	26,674	25,904	691	763	3,485	3,673	312	357	8,956	8,718
	10-14	368,398	188,408	179,990	150,038	142,468	26,659	25,867	794	751	3,463	3,700	279	292	7,175	6,912
	15-19	374,782	192,343 209,193	182,439 204,426	152,882 164,082	144,929 160,668	28,230 32,655	26,591 31,668	922 1,044	856 1,030	3,830 5,771	3,876 5,555	257 289	275 285	6,222 5,352	5,912 5,220
	20-24 25-29	413,619 381,303	189,987	191,316	154,900	153,837	25,383	26,954	869	889	5,238	5,610	349	330	3,248	3,696
	30-34	381,259	189,316	191,943	157,784	156,418	22,543	25,482	789	790	5,018	5,685	371	364	2,811	3,204
	35-39	344,384	171,374	173,010	143,127	141,096	20,051	23,129	820	740	4,648	5,181	331	300	2,397	2,564
	40-44	354,064	175,014	179,050	147,012	146,737	20,269	23,719	844	785	4,429	5,159	269	236	2,191	2,414
	45-49	367,074	181,226	185,848	154,415	155,426	20,414	23,274	928	862	3,492	4,045	202	186	1,775	2,055
	50-54	430,467	211,587	218,880	183,525	187,284	22,103	24,812	1,051	1,041	2,746	3,412	163	171	1,999	2,160
	55-59	416,528	202,491	214,037	176,965	184,124	20,167	23,805	1,072	1,026	2,174	2,855	130	147	1,983	2,080
	60-64	359,989	171,661	188,328	152,514	163,910	15,093	19,262	778	868	1,709	2,630	101	93	1,466	1,565
	65-69	296,046	139,760	156,286	125,948	138,227	10,492	14,244	606	601	1,518	2,000	63	65	1,133	1,149
	70-74	222,667	102,756	119,911	93,402	107,333	7,097	10,020	399	353	1,058	1,319	28	35	772	851
	75-79	160,339	71,201 48,411	89,138 69,641	65,107 44,703	79,982 63,121	4,618 2,933	7,395 5,356	244 133	255 155	709 326	860 573	23 7	21 20	500 309	625 416
	80-84 85+	118,052 123,589	41,170	82,419	38,325	75,707	2,733	5,683	103	129	245	458	4	23	221	410
	03+	123,307	41,170	02,417	30,323	73,707	2,212	3,003	103	127	240	430	-	25	221	417
	All Ages	240,222	124,345	115,877	106,584	98,828	6,210	6,118	3,832	3,421	1,187	1,214	785	692	5,747	5,604
	0-4	26,497	13,385	13,112	10,827	10,685	861	818	436	413	188	180	98	93	975	923
Hispanic	5-9	26,769	13,583	13,186	11,426	11,017	726	763	331	322	109	100	98	72	893	912
	10-14	23,235	11,842	11,393	10,031	9,642	641	576 570	291	318	84	84	63	80	732	693
	15-19	20,741	10,888 11,427	9,853 10,206	9,204 9,725	8,235 8,586	615 601	570 584	308 333	314 311	92 102	77 144	74 94	62 67	595 572	595 514
	20-24 25-29	21,633 19,861	10,879	8,982	9,725	7,696	648	497	382	250	110	115	82	51	401	373
	30-34	20,129	10,781	9,348	9,360	8,086	507	497	352	245	107	98	62	66	393	356
	35-39	17,788	9,529	8,259	8,304	7,085	403	443	333	256	93	81	50	54	346	340
	40-44	15,290	7,964	7,326	7,057	6,473	280	307	236	215	78	79	54	53	259	199
	45-49	12,086	6,234	5,852	5,536	5,076	228	283	217	198	55	80	44	38	154	177
	50-54	10,659	5,406	5,253	4,759	4,596	226	230	207	182	42	64	26	17	146	164
	55-59	8,231	4,209	4,022		3,518	177	173	131	155	47	33	17	18	105	125
	60-64	5,781	2,979	2,802		2,451	108	130	107	109	23	29	6	8	76	75
	65-69	4,078	1,958	2,120	1,750	1,933	55	63	84	51	12	12	9	9	48	52
	70-74	2,702	1,251	1,451	1,119	1,281	48	72	32	34	29	19	3	0	20	45
	75-79	1,933	887	1,046	792	952 712	30	37	29	25 10	10	9	3	2	23	21
	80-84	1,393	600 543	793 873	530 517	712 804	45 11	43 32	14 9	10 13	2 4	6 4	1 1	1	8 1	21 19
	85+	1,416	343	0/3	317	004	11	32	9	13	4	4	1	1	1	17



# MISSOURI DEPARTMENT OF MENTAL HEALTH Division of Behavioral Health

# Missouri Regions with Substance Use and Mental Illness Rate Estimates From the National Survey on Drug Use and Health

(3-year region estimates have been compiled for 2002-2004, 2004-2006, 2006-2008, 2008-2010, and 2010-2012)



## Legend





# MISSOURI DEPARTMENT OF MENTAL HEALTH DIVISION OF BEHAVIORAL HEALTH SERVICE AREAS FOR SUBSTANCE USE SERVICES



Division of Behavioral Health (DBH) Region Boundary

DBH Substance Use Service Area Boundary

County Boundary

Source: ArcGIS\Smith\substanceuseservicearea.mxd/pdf ~ September 2015



# MISSOURI DEPARTMENT OF MENTAL HEALTH DIVISION OF BEHAVIORAL HEALTH

# SERVICE AREAS FOR ADULT MENTAL HEALTH SERVICES



Division of Behavioral Health (DBH) Region Boundary

DBH Adult Mental Health Service Area Boundary

County Boundary

Source: ArcGIS\Smith\adultmentalhealthservicearea.mxd/pdf ~ September 2015